

Tachykinin receptors and tachykinin receptor antagoni

Autonomic and Autacoid Pharmacology

13, 23-93

DOI: [10.1111/j.1474-8673.1993.tb00396.x](https://doi.org/10.1111/j.1474-8673.1993.tb00396.x)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Conformationally restricted analogs of CP-99,994: synthesis of a spirocyclic amine. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1993, 3, 2083-2086. | 1.0 | 18 |
| 2 | 1,4-Diacylpiperazine-2-(S)-[(N-aminoalkyl)carboxamides] as novel, potent substance P receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1993, 3, 2707-2712. | 1.0 | 11 |
| 4 | Conserved HisVI-17 of the NK-1 receptor is involved in binding of non-peptide antagonists but not substance P. <i>FEBS Letters</i> , 1993, 336, 506-510. | 1.3 | 34 |
| 5 | Contribution of NK1 and NK2 receptor activation to high threshold afferent fibre evoked ventral root responses in the rat spinal cord in vitro. <i>Brain Research</i> , 1993, 625, 100-108. | 1.1 | 52 |
| 6 | In vitro and in vivo biological activities of SR140333, a novel potent non-peptide tachykinin NK1 receptor antagonist. <i>European Journal of Pharmacology</i> , 1993, 250, 403-413. | 1.7 | 352 |
| 7 | Amastatin interferes with the antagonist properties of MEN 10,208 in the rabbit pulmonary artery but not in the hamster trachea. <i>European Journal of Pharmacology</i> , 1993, 236, 31-37. | 1.7 | 8 |
| 8 | Identification of both NK ₁ and NK ₂ receptors in guinea pig airways. <i>British Journal of Pharmacology</i> , 1993, 110, 693-700. | 2.7 | 21 |
| 9 | Tachykinin NK ₁ but not NK ₂ receptors mediate non cholinergic excitatory junction potentials in the circular muscle of guinea pig colon. <i>British Journal of Pharmacology</i> , 1993, 110, 795-803. | 2.7 | 41 |
| 10 | Receptor subtypes or species homologues: relevance to drug discovery. <i>Trends in Pharmacological Sciences</i> , 1993, 14, 376-383. | 4.0 | 92 |
| 11 | Characterisation, CNS distribution and function of NK2 receptors studied using potent NK2 receptor antagonists. <i>Regulatory Peptides</i> , 1993, 46, 9-19. | 1.9 | 58 |
| 12 | Tachykinin NK-1 and NK-2 receptors in the circular muscle of the guinea-pig proximal colon. <i>Regulatory Peptides</i> , 1993, 46, 386-388. | 1.9 | 1 |
| 13 | The effects of NK-1 and NK-2 receptor antagonists on the capsaicin evoked synaptic response in the rat spinal cord in vitro. <i>Regulatory Peptides</i> , 1993, 46, 413-414. | 1.9 | 7 |
| 14 | Vasoactive peptides and characterization of their receptors. <i>Regulatory Peptides</i> , 1993, 45, 323-340. | 1.9 | 9 |
| 15 | MEN 10,573 and MEN 10,612, novel cyclic pseudopeptides which are potent tachykinin NK-2 receptor antagonists. <i>Regulatory Peptides</i> , 1993, 47, 151-158. | 1.9 | 13 |
| 16 | Patent Update: Neurokinin Receptor Antagonists. <i>Current Opinion in Therapeutic Patents</i> , 1993, 3, 1157-1172. | 0.2 | 3 |
| 17 | Injury-induced plasticity of spinal reflex activity: NK1 neurokinin receptor activation and enhanced A- and C-fiber mediated responses in the rat spinal cord in vitro. <i>Journal of Neuroscience</i> , 1994, 14, 3672-3687. | 1.7 | 150 |
| 18 | Spasmolytic Effect of the NK2-Receptor-Selective Antagonist MEN 10,627 in Rat Small Intestine. <i>The Japanese Journal of Pharmacology</i> , 1994, 65, 281-283. | 1.2 | 2 |
| 19 | Isolation and Characterization of Neurokinin A Receptor cDNAs from Guinea-Pig Lung and Rabbit Pulmonary Artery. <i>Journal of Receptors and Signal Transduction</i> , 1994, 14, 399-421. | 1.2 | 6 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 20 | Structural comparison of NK2 receptor agonists and antagonists. <i>Journal of Computer-Aided Molecular Design</i> , 1994, 8, 341-344. | 1.3 | 6 |
| 21 | Application of β -lactams in the synthesis of substance P antagonists: Preparation of 2-azabicyclo[3.3.1]nonane ring systems. <i>Tetrahedron Letters</i> , 1994, 35, 4701-4704. | 0.7 | 11 |
| 22 | Acyclic NK1 antagonists: Replacements for the benzhydryl group.. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1994, 4, 2161-2164. | 1.0 | 14 |
| 23 | The rational development of small molecule tachykinin NK3 receptor selective antagonists - the utilisation of a dipeptide chemical library in drug design. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1994, 4, 1679-1684. | 1.0 | 30 |
| 24 | Articulating a pharmacophore driven synthetic strategy: Discovery of a potent substance P antagonist. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1994, 4, 1865-1868. | 1.0 | 13 |
| 25 | Rational design of high affinity tachykinin NK1 receptor antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 1994, 2, 357-370. | 1.4 | 40 |
| 26 | Synergistic role of muscarinic acetylcholine and tachykinin NK-2 receptors in intestinal peristalsis. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1994, 349, 194-201. | 1.4 | 40 |
| 27 | Nitric oxide induces acetylcholine-mediated contractions in the guinea-pig small intestine. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1994, 350, 582-4. | 1.4 | 26 |
| 28 | The vanilloid (capsaicin) receptor: Receptor types and species differences. <i>General Pharmacology</i> , 1994, 25, 223-243. | 0.7 | 189 |
| 29 | Characterisation of [¹²⁵ I][MePhe ⁷]neurokinin B binding to tachykinin NK3 receptors: evidence for interspecies variance. <i>European Journal of Pharmacology</i> , 1994, 269, 65-72. | 2.7 | 32 |
| 30 | Characterization of tachykinin mediated increases in [Ca ²⁺] _i in Chinese hamster ovary cells expressing human tachykinin NK3 receptors. <i>European Journal of Pharmacology</i> , 1994, 269, 73-78. | 2.7 | 17 |
| 31 | In vivo effects of neurokinin B on rat urinary bladder motility: Involvement of tachykinin NK1 and NK2 receptors. <i>Neuropeptides</i> , 1994, 27, 53-62. | 0.9 | 19 |
| 32 | NK1 and NK2 receptors are similar in man and rabbit. <i>Neuropeptides</i> , 1994, 26, 385-390. | 0.9 | 6 |
| 33 | The involvement of substance P and neurokinin-1 receptors in the responses of rat dorsal horn neurons to noxious but not to innocuous mechanical stimuli applied to the knee joint. <i>Brain Research</i> , 1994, 666, 207-215. | 1.1 | 35 |
| 34 | Tachykinin receptors involved in the contractile effect of the natural tachykinins in the rat gastric fundus. <i>Autonomic and Autacoid Pharmacology</i> , 1994, 14, 383-392. | 0.7 | 15 |
| 35 | Referral of muscle pain. <i>APS Journal</i> , 1994, 3, 1-9. | 0.2 | 56 |
| 36 | (Δ)-CP-96,345, an NK1 receptor antagonist, has local anaesthetic-like effects in a mammalian sciatic nerve preparation. <i>Regulatory Peptides</i> , 1994, 52, 39-46. | 1.9 | 15 |
| 37 | Role of intrathecal tachykinins for micturition in unanaesthetized rats with and without bladder outlet obstruction. <i>British Journal of Pharmacology</i> , 1994, 113, 111-116. | 2.7 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 38 | Localization of striatal and nigral tachykinin receptors in the rat. <i>Brain Research</i> , 1994, 646, 13-18. | 1.1 | 47 |
| 39 | Different Ca ²⁺ influx pathways mediate tachykinin receptor-induced contraction in circular muscle of guinea-pig colon. <i>European Journal of Pharmacology</i> , 1994, 255, 9-15. | 1.7 | 29 |
| 40 | Chromodacryorrhea and repetitive hind paw tapping: models of peripheral and central tachykinin NK1 receptor activation in gerbils. <i>European Journal of Pharmacology</i> , 1994, 253, 245-252. | 1.7 | 62 |
| 41 | Tachykinins contract trachea from Fischer 344 rats by interaction with a tachykinin NK1 receptor. <i>European Journal of Pharmacology</i> , 1994, 271, 47-54. | 1.7 | 15 |
| 42 | Different mechanism of tachykinin NK2 receptor blockade by SR 48968 and MEN 10,627 in the guinea-pig isolated gallbladder and colon. <i>European Journal of Pharmacology</i> , 1994, 271, 111-119. | 1.7 | 27 |
| 43 | Pharmacological assessment of spantide II analogues. <i>European Journal of Pharmacology</i> , 1994, 260, 121-128. | 1.7 | 8 |
| 44 | Comparison of tachykinin NK1 receptors in human IM9 and U373 MG cells, using antagonist (FK888,) Tj ETQq0 0 0,rgBT /Overlock 10 TF | 1.7 | 15 |
| 45 | Involvement of spinal tachykinin NK1 and NK2 receptors in detrusor hyperreflexia during chemical cystitis in anaesthetized rats. <i>European Journal of Pharmacology</i> , 1994, 259, 129-135. | 1.7 | 60 |
| 46 | Tachykinin NK1 and NK2 receptors mediate atropine-resistant ileal circular muscle contractions evoked by capsaicin. <i>European Journal of Pharmacology</i> , 1994, 259, 187-193. | 1.7 | 22 |
| 47 | Effect of N ^G -monomethyl-L-arginine on kinin-induced vasodilation in the human forearm.. <i>British Journal of Clinical Pharmacology</i> , 1994, 38, 307-310. | 1.1 | 56 |
| 48 | Comparison of tachykinin NK ₁ and NK ₂ receptors in the circular muscle of the guinea-pig ileum and proximal colon. <i>British Journal of Pharmacology</i> , 1994, 112, 150-160. | 2.7 | 67 |
| 49 | Tachykinin NK ₁ and NK ₂ receptor antagonists and atropine-resistant ascending excitatory reflex to the circular muscle of the guinea-pig ileum. <i>British Journal of Pharmacology</i> , 1994, 112, 161-168. | 2.7 | 35 |
| 50 | Cardiovascular and behavioural effects of centrally administered tachykinins in the rat: characterization of receptors with selective antagonists. <i>British Journal of Pharmacology</i> , 1994, 112, 240-249. | 2.7 | 54 |
| 51 | Cardiovascular and behavioural effects of centrally administered neuropeptide K in the rat: receptor characterization. <i>British Journal of Pharmacology</i> , 1994, 112, 250-256. | 2.7 | 13 |
| 52 | Typical and atypical NK ₁ tachykinin receptor characteristics in the rabbit isolated iris sphincter. <i>British Journal of Pharmacology</i> , 1994, 112, 985-991. | 2.7 | 17 |
| 53 | Cutaneous vasodilatation induced by nitric oxide-evoked stimulation of afferent nerves in the rat. <i>British Journal of Pharmacology</i> , 1994, 112, 1181-1187. | 2.7 | 48 |
| 54 | Non-specific actions of the non-peptide tachykinin receptor antagonists, CP-96, 345, RP 67580 and SR 48968, on neurotransmission. <i>British Journal of Pharmacology</i> , 1994, 111, 179-184. | 2.7 | 37 |
| 55 | Characterization of NK ₁ and NK ₂ tachykinin receptors in guinea-pig and rat bronchopulmonary and vascular systems. <i>British Journal of Pharmacology</i> , 1994, 111, 759-768. | 2.7 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 56 | Investigation of the specificity of FK 888 as a tachykinin NK ₁ receptor antagonist. British Journal of Pharmacology, 1994, 111, 1342-1346. | 2.7 | 20 |
| 57 | Inhibition by SR140333 of NK ₁ tachykinin receptor-evoked, nitric oxide-dependent vasodilatation in the hamster cheek pouch microvasculature <i>in vivo</i> . British Journal of Pharmacology, 1994, 113, 522-526. | 2.7 | 16 |
| 58 | Effect of the tachykinin NK ₁ receptor antagonists, RP 67580 and SR 140333, on electrically-evoked substance P release from rat spinal cord. British Journal of Pharmacology, 1994, 113, 635-641. | 2.7 | 33 |
| 59 | ~Sensory~efferent™ neural control of mucus secretion: characterization using tachykinin receptor antagonists in ferret trachea <i>in vitro</i> . British Journal of Pharmacology, 1994, 113, 1183-1190. | 2.7 | 45 |
| 60 | SR 142801, The first potent non-peptide antagonist of the tachykinin NK3 receptor. Life Sciences, 1994, 56, PL27-PL32. | 2.0 | 131 |
| 61 | In vivo evidence for the activation of a septide-sensitive tachykinin receptor in guinea pig bronchoconstriction.. Life Sciences, 1994, 54, PL327-PL332. | 2.0 | 4 |
| 62 | Neurokinin receptor subtypes characterized by biological assays. Life Sciences, 1994, 54, 2035-2047. | 2.0 | 57 |
| 63 | In vitro characterizat of the non-peptide tachykinin NK1 and NK2-receptor antagonists, SR140333 and SR48968 in different rat and guinea-pig intestinal segments. Life Sciences, 1994, 56, 267-275. | 2.0 | 47 |
| 64 | Tachykinin induced regulation of excitatory amino acid responses in the rat spinal cord in vitro. Neuroscience Letters, 1994, 168, 185-188. | 1.0 | 28 |
| 65 | Specialization of tachykinin NK1 and NK2 receptors in producing fast and slow atropine-resistant neurotransmission to the circular muscle of the guinea-pig colon. Neuroscience, 1994, 63, 1137-1152. | 1.1 | 46 |
| 66 | Multiple types of tachykinin receptor mediate a slow excitation of rat spinal motoneurons in vitro. Neuroscience Letters, 1994, 165, 84-88. | 1.0 | 27 |
| 67 | Vascular bed-dependent roles of the peptide CGRP and nitric oxide in acid-evoked hyperaemia of the rat stomach.. Journal of Physiology, 1994, 480, 575-585. | 1.3 | 31 |
| 68 | Involvement of neurokinin 1 and 2 receptors in viscerosensitive response to rectal distension in rats. Gastroenterology, 1994, 107, 94-102. | 0.6 | 103 |
| 69 | Spasmolytic Effect of the NK2-Receptor-Selective Antagonist MEN 10,627 in Rat Small Intestine.. The Japanese Journal of Pharmacology, 1994, 65, 281-283. | 1.2 | 21 |
| 70 | Capsaicin-Induced Bladder Hyperactivity in Normal Conscious Rats. Journal of Urology, 1994, 152, 525-530. | 0.2 | 68 |
| 71 | Heteroreceptor-mediated modulation of noradrenaline and acetylcholine release from peripheral nerves. , 1995, 126, 265-412. | | 95 |
| 72 | Chapter 11 Electrophysiology of neuropeptides in the sensory spinal cord. Progress in Brain Research, 1995, 104, 175-195. | 0.9 | 17 |
| 73 | Chapter 6 Tachykinin receptors in the spinal cord. Progress in Brain Research, 1995, 104, 93-108. | 0.9 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 74 | Chapter 9 Spinal cord tachykinins in the micturition reflex. <i>Progress in Brain Research</i> , 1995, 104, 145-159. | 0.9 | 7 |
| 75 | Chapter 14 Peptidergic afferents: physiological aspects. <i>Progress in Brain Research</i> , 1995, 104, 255-269. | 0.9 | 6 |
| 76 | Chapter 20 Regulation of spinal neuropeptide genes in a rat model of peripheral inflammation and hyperalgesia. <i>Progress in Brain Research</i> , 1995, 104, 349-365. | 0.9 | 12 |
| 77 | Peptide-based tachykinin NK2 receptor antagonists. <i>Medicinal Research Reviews</i> , 1995, 15, 139-155. | 5.0 | 11 |
| 78 | Synthesis and biological evaluation of novel NK-1 tachykinin receptor antagonists: The use of cycloalkyl amino acids as a template. <i>Biopolymers</i> , 1995, 36, 511-524. | 1.2 | 13 |
| 79 | Substance-P receptors in human primary neoplasms: Tumoral and vascular localization. <i>International Journal of Cancer</i> , 1995, 61, 786-792. | 2.3 | 196 |
| 80 | Cellular sites of expression of the neurokinin-1 receptor in the rat gastrointestinal tract. <i>Journal of Comparative Neurology</i> , 1995, 358, 531-540. | 0.9 | 150 |
| 81 | Spiro-piperidine non-peptide neurokinin-1 receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995, 5, 2671-2676. | 1.0 | 10 |
| 82 | The anxiolytic-like activity of GR159897, a non-peptide NK2 receptor antagonist, in rodent and primate models of anxiety. <i>Psychopharmacology</i> , 1995, 121, 186-191. | 1.5 | 69 |
| 83 | Inhibition by actinomycin D of neurogenic mouse ear oedema. <i>Inflammation Research</i> , 1995, 44, 125-130. | 1.6 | 5 |
| 84 | Involvement of substance P as a mediator in capsaicin-induced mouse ear oedema. <i>Inflammation Research</i> , 1995, 44, 470-474. | 1.6 | 36 |
| 85 | Effect of SR 142801 on nitric oxide-dependent and independent responses to tachykinin NK3 receptor agonists in isolated guinea-pig colon. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1995, 352, 512-9. | 1.4 | 17 |
| 86 | Conformational rigidity versus flexibility in a novel peptidic neurokinin A receptor antagonist. <i>Journal of Peptide Science</i> , 1995, 1, 236-240. | 0.8 | 21 |
| 87 | Effects of coexisting neurochemicals on the release of serotonin from the intermediate area of rat thoracic spinal cord. <i>Synapse</i> , 1995, 21, 319-323. | 0.6 | 6 |
| 88 | An NK1 Receptor-dependent Component of the Slow Excitation Recorded Intracellularly from Rat Motoneurons Following Dorsal Root Stimulation. <i>European Journal of Neuroscience</i> , 1995, 7, 2409-2417. | 1.2 | 24 |
| 89 | Tachykinin NK1 and NK2 receptors mediate the non-cholinergic bronchospastic response to capsaicin and vagal stimulation in guinea-pigs. <i>Autonomic and Autacoid Pharmacology</i> , 1995, 15, 49-54. | 0.7 | 13 |
| 90 | Role of tachykinins as excitatory mediators of NANC contraction in the circular muscle of rat small intestine. <i>Autonomic and Autacoid Pharmacology</i> , 1995, 15, 335-350. | 0.7 | 23 |
| 91 | 1,2,4-Triacylpiperidine substance p antagonists: Separation of affinities for the NK-1 receptor and the L-type calcium channel. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995, 5, 599-604. | 1.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 92 | Quinuclidine-based NK1 antagonists, the role of the benzhydryl. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995, 5, 1261-1264. | 1.0 | 13 |
| 93 | Photoactivatable analogues of a Substance P non-peptidic antagonist, for probing the antagonist binding site of the NK1 receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995, 5, 1271-1274. | 1.0 | 7 |
| 94 | 1,2,3-Trisubstituted cyclohexyl substance P antagonists: significance of the ring nitrogen in piperidine-based NK-1 receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995, 5, 1345-1350. | 1.0 | 11 |
| 95 | The development of a novel series of non-peptide tachykinin NK3 receptor selective antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1995, 5, 1773-1778. | 1.0 | 25 |
| 96 | Effects of three α -2-Adrenoceptor agonists, rilmenidine, UK 14304 and clonidine on bradykinin- and substance P-induced airway microvascular leakage in guinea-pigs. <i>Neuropeptides</i> , 1995, 28, 197-207. | 0.9 | 8 |
| 97 | Neurokinin A and substance P vary independently in different regions of rat sensory neurons. <i>Neuropeptides</i> , 1995, 28, 237-241. | 0.9 | 8 |
| 98 | Further evidence that tachykinin-induced contraction of human isolated bronchus is mediated only by NK2-receptors. <i>Neuropeptides</i> , 1995, 29, 281-292. | 0.9 | 43 |
| 99 | GR 73,632 and [Glu(OBzl)11]substance P are selective agonists for the septide-sensitive tachykinin NK1 receptor in the rat urinary bladder. <i>Neuropeptides</i> , 1995, 28, 99-106. | 0.9 | 9 |
| 100 | The mammalian tachykinin receptors. <i>General Pharmacology</i> , 1995, 26, 911-944. | 0.7 | 467 |
| 101 | Cyclosporin A is a substance P (tachykinin NK1) receptor antagonist. <i>European Journal of Pharmacology</i> , 1995, 289, 439-446. | 2.7 | 25 |
| 102 | In vivo detection of immunoreactive neurokinin A release within rat substantia nigra and its dependency on a dopaminergic input. <i>Brain Research</i> , 1995, 679, 241-248. | 1.1 | 6 |
| 103 | Pharmacological characterization of grooming induced by a selective NK-1 tachykinin receptor agonist. <i>Brain Research</i> , 1995, 700, 115-120. | 1.1 | 13 |
| 104 | Nedocromil sodium and sodium cromoglycate inhibit plasma extravasation in the guinea-pig conjunctiva. <i>Ocular Immunology and Inflammation</i> , 1995, 3, 37-44. | 1.0 | 2 |
| 105 | Neurokinin receptors subserving airways secretion. <i>Canadian Journal of Physiology and Pharmacology</i> , 1995, 73, 932-939. | 0.7 | 17 |
| 106 | Alterations in neurokinin 1 receptor gene expression in models of pain and inflammation. <i>Canadian Journal of Physiology and Pharmacology</i> , 1995, 73, 854-859. | 0.7 | 43 |
| 107 | New molecules in analgesia. <i>British Journal of Anaesthesia</i> , 1995, 75, 145-156. | 1.5 | 42 |
| 108 | Involvement of neurokinin receptors in the induction but not the maintenance of mechanical allodynia in rat flexor motoneurons. <i>Journal of Physiology</i> , 1995, 486, 769-777. | 1.3 | 95 |
| 109 | Modulation of chemotropism in the developing spinal cord by substance P. <i>Science</i> , 1995, 267, 899-902. | 6.0 | 54 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 110 | Stress-Induced Murine Abortion Associated with Substance P-Dependent Alteration in Cytokines in Maternal Uterine Decidua. <i>Biology of Reproduction</i> , 1995, 53, 814-819. | 1.2 | 102 |
| 111 | Characterization of neurogenic inflammation in the airways of two highly inbred rat strains.. <i>American Journal of Respiratory and Critical Care Medicine</i> , 1995, 152, 1796-1804. | 2.5 | 27 |
| 112 | Effects of RP 67580 on substance P-elicited responses and postsynaptic potentials of motoneurons of the rat isolated spinal cord. <i>Peptides</i> , 1995, 16, 357-359. | 1.2 | 5 |
| 113 | Metabolic stability of some tachykinin analogues to cell-surface peptidases: Roles for endopeptidase-24.11 and aminopeptidase N. <i>Peptides</i> , 1995, 16, 441-447. | 1.2 | 5 |
| 114 | Characterization and autoradiographic mapping of [3H]CP96,345, a nonpeptide selective NK1 receptor antagonist in guinea pig lung. <i>Peptides</i> , 1995, 16, 867-872. | 1.2 | 12 |
| 115 | Heterogeneity of neurokinin1 binding sites in porcine respiratory tract. <i>Peptides</i> , 1995, 16, 873-882. | 1.2 | 4 |
| 116 | Parallel bioassay of PG-SPI, an amphibian acidic SP-like peptide, mammalian basic substance P, and neurokinins A and B on in vitro and in vivo test systems. <i>Peptides</i> , 1995, 16, 609-614. | 1.2 | 5 |
| 117 | Tachykinins and calcitonin gene-related peptide (CGRP) as co-transmitters released from peripheral endings of sensory nerves. <i>Progress in Neurobiology</i> , 1995, 45, 1-98. | 2.8 | 430 |
| 118 | RP67580, a neurokinin1 receptor antagonist, decreased restraint stress-induced defecation in rat. <i>Neuroscience Letters</i> , 1995, 198, 103-106. | 1.0 | 36 |
| 119 | Demonstration of a "septide-sensitive" inflammatory response in rat skin. <i>British Journal of Pharmacology</i> , 1995, 116, 2170-2174. | 2.7 | 13 |
| 120 | Comparative behavioural profile of centrally administered tachykinin NK ₁ , NK ₂ and NK ₃ receptor agonists in the guinea-pig. <i>British Journal of Pharmacology</i> , 1995, 116, 2496-2502. | 2.7 | 18 |
| 121 | The pharmacology of GR203040, a novel, potent and selective non-peptide tachykinin NK ₁ receptor antagonist. <i>British Journal of Pharmacology</i> , 1995, 116, 3149-3157. | 2.7 | 73 |
| 122 | Passive immunization with an anti-substance P antibody prevents substance P- and neurokinin A-induced bronchospasm in anesthetized guinea-pigs. <i>Life Sciences</i> , 1995, 57, 143-153. | 2.0 | 2 |
| 123 | Neuronal nk3-receptors in guinea-pig ileum and taenia caeci: in vitro characterization by their first non-peptide antagonist, sr142801. <i>Life Sciences</i> , 1995, 57, PL361-PL366. | 2.0 | 21 |
| 124 | GR159897, a potent non-peptide antagonist at tachykinin NK2 receptors. <i>European Journal of Pharmacology</i> , 1995, 272, 241-248. | 1.7 | 44 |
| 125 | Antibronchospastic activity of MEN10,627, a novel tachykinin NK2 receptor antagonist, in guinea-pig airways. <i>European Journal of Pharmacology</i> , 1995, 273, 129-135. | 1.7 | 23 |
| 126 | Activity of SR 142801 at peripheral tachykinin receptors. <i>European Journal of Pharmacology</i> , 1995, 278, 17-25. | 1.7 | 77 |
| 127 | Tachykinin NK1 receptors mediate both vasoconstrictor and vasodilator responses in the rabbit isolated jugular vein. <i>European Journal of Pharmacology</i> , 1995, 283, 233-240. | 1.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 128 | [3H][¹²⁵ I-Ala ⁸]neurokinin A-(4-10): a novel, selective radioligand for the tachykinin NK2 receptor. <i>European Journal of Pharmacology</i> , 1995, 294, 239-245. | 1.7 | 3 |
| 129 | Hypothalamic Tachykinins.. <i>Annals of the New York Academy of Sciences</i> , 1995, 771, 204-218. | 1.8 | 15 |
| 130 | Roles of peptides in enteric neuromuscular transmission. <i>Regulatory Peptides</i> , 1995, 56, 101-120. | 1.9 | 61 |
| 131 | Tachykinin receptors in gastrointestinal motility. <i>Regulatory Peptides</i> , 1995, 57, 19-42. | 1.9 | 51 |
| 132 | Interleukin-6 production by U373 MG, a human astrocytoma cell line: different pathways involved in substance P and lipopolysaccharide activation. <i>Journal of Neuroimmunology</i> , 1995, 59, 155-163. | 1.1 | 23 |
| 133 | Tachykinin NK ₂ receptors further characterized in the lung with nonpeptide receptor antagonists. <i>Canadian Journal of Physiology and Pharmacology</i> , 1995, 73, 878-884. | 0.7 | 14 |
| 134 | Inflammatory mediators of pain. <i>British Journal of Anaesthesia</i> , 1995, 75, 125-131. | 1.5 | 471 |
| 135 | Neurokinin receptors subserving bronchoconstriction. <i>Canadian Journal of Physiology and Pharmacology</i> , 1995, 73, 923-926. | 0.7 | 1 |
| 136 | Design and structure of a novel Neurokinin A receptor antagonist cyclo(-Met ¹ -Asp ² -Trp ³ -Phe ⁴ -Dap ⁵ -Leu ⁶ -)cyclo(² Î ² -5Î ²). <i>Journal of the Chemical Society Perkin Transactions II</i> , 1995, , 987-993. | 0.9 | 25 |
| 137 | Evidence that tachykinin NK ₁ and NK ₂ receptors mediate nonadrenergic noncholinergic excitation and contraction in the circular muscle of guinea pig duodenum. <i>British Journal of Pharmacology</i> , 1995, 115, 237-246. | 2.7 | 46 |
| 138 | Effects of the tachykinin NK ₁ receptor antagonist, RP 67580, on central cardiovascular and behavioural effects of substance P, neurokinin A and neurokinin B. <i>British Journal of Pharmacology</i> , 1995, 114, 1310-1316. | 2.7 | 29 |
| 139 | Functional interaction between losartan and central tachykinin NK ₃ receptors in the conscious rat. <i>British Journal of Pharmacology</i> , 1995, 114, 1563-1570. | 2.7 | 19 |
| 140 | Neuronal tachykinin NK2 receptors mediate release of non-adrenergic non-cholinergic inhibitory transmitters in the circular muscle of guinea-pig colon. <i>Neuroscience</i> , 1995, 69, 643-650. | 1.1 | 30 |
| 141 | Tachykininergic tone in the spinal cord of the rabbit: Dependence on nociceptive input arising from invasive surgery. <i>Neuroscience</i> , 1995, 69, 241-248. | 1.1 | 15 |
| 142 | NK1-tachykinin receptors and prolonged, stimulus-evoked alterations in the excitability of withdrawal reflexes in the decerebrated and spinalized rabbit. <i>Neuroscience</i> , 1995, 66, 673-683. | 1.1 | 7 |
| 143 | Chapter 6 Neurogenic mechanisms and neuropeptides in chronic pain. <i>Progress in Brain Research</i> , 1996, 110, 85-94. | 0.9 | 11 |
| 144 | 2-Phenyl-4-quinolinecarboxamides: A Novel Class of Potent and Selective Non-Peptide Competitive Antagonists for the Human Neurokinin-3 Receptor. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 2281-2284. | 2.9 | 49 |
| 145 | Chapter 1 From acute to chronic pain: mechanisms and hypotheses. <i>Progress in Brain Research</i> , 1996, 110, 3-15. | 0.9 | 34 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 146 | Use of a Dipeptide Chemical Library in the Development of Non-Peptide Tachykinin NK3 Receptor Selective Antagonists. <i>Journal of Medicinal Chemistry</i> , 1996, 39, 1664-1675. | 2.9 | 48 |
| 147 | Functional evidence for NO synthase activation by substance P through a mechanism not involving classical tachykinin receptors in guinea pig ileum <i>in vitro</i> . <i>British Journal of Pharmacology</i> , 1996, 118, 1253-1261. | 2.7 | 4 |
| 148 | Evidence that tachykinin NK ₂ receptors modulate resting tone in the rat isolated small intestine. <i>British Journal of Pharmacology</i> , 1996, 118, 1262-1268. | 2.7 | 12 |
| 149 | Characterization of tachykinin receptors mediating plasma extravasation and vasodilatation in normal and acutely inflamed knee joints of the rat. <i>British Journal of Pharmacology</i> , 1996, 118, 2107-2114. | 2.7 | 17 |
| 150 | Inhibition of Ca ²⁺ -sensitive K ⁺ currents in NG 108 ¹⁵ cells by substance P and related tachykinins. <i>British Journal of Pharmacology</i> , 1996, 119, 315-320. | 2.7 | 9 |
| 151 | Evidence that tachykinins relax the guinea pig trachea <i>via</i> nitric oxide release and by stimulation of a septide-insensitive NK ₁ receptor. <i>British Journal of Pharmacology</i> , 1996, 117, 1270-1276. | 2.7 | 29 |
| 152 | Pharmacological evidence that NK ₂ tachykinin receptors mediate hypotension in the guinea pig but not in the rat. <i>Fundamental and Clinical Pharmacology</i> , 1996, 10, 337-343. | 1.0 | 7 |
| 153 | Electrophysiological, behavioural and biochemical evidence for activation of brain noradrenergic systems following neurokinin receptor stimulation. <i>Neuroscience</i> , 1996, 74, 403-414. | 1.1 | 46 |
| 154 | Tachykinins: receptor to effector. <i>International Journal of Biochemistry and Cell Biology</i> , 1996, 28, 721-738. | 1.2 | 248 |
| 156 | A review of the design, synthesis and biological activity of the bicyclic hexapeptide tachykinin NK2 antagonist MEN 10627. <i>Regulatory Peptides</i> , 1996, 65, 55-59. | 1.9 | 16 |
| 157 | Vasoconstrictive effects of native tachykinins in the rainbow trout, <i>Oncorhynchus mykiss</i> . <i>Peptides</i> , 1996, 17, 39-45. | 1.2 | 22 |
| 158 | <i>In vitro</i> and <i>in vivo</i> biological activities of PG-KII, a novel kassinin-like peptide from the skin of the Australian frog, <i>Pseudophryne gularis</i> . <i>Peptides</i> , 1996, 17, 1003-1008. | 1.2 | 14 |
| 159 | Effect of niflumic acid on electromechanical coupling by tachykinin NK ₁ receptor activation in rabbit colon. <i>European Journal of Pharmacology</i> , 1996, 303, 197-204. | 1.7 | 8 |
| 160 | Autoradiographic localization of tachykinin NK ₂ and NK ₁ receptors in the guinea-pig lung, using selective radioligands. <i>European Journal of Pharmacology</i> , 1996, 311, 177-186. | 1.7 | 17 |
| 161 | Aerosolized tachykinin antagonists inhibit pentamidine-induced bronchoconstriction in guinea pigs. <i>Fundamental and Clinical Pharmacology</i> , 1996, 10, 518-523. | 1.0 | 1 |
| 162 | Tachykinins and central respiratory activity: an <i>in vitro</i> study on the newborn rat. <i>European Journal of Pharmacology</i> , 1996, 314, 41-50. | 1.7 | 45 |
| 163 | Characterization of tachykinin NK ₂ receptor on dog proximal colon. Antagonism by MEN 10,627 and SR 48,968. <i>European Journal of Pharmacology</i> , 1996, 318, 419-424. | 1.7 | 11 |
| 164 | Peripheral effects of three novel non-peptide tachykinin NK ₁ receptor antagonists in the anaesthetized rat. <i>European Journal of Pharmacology</i> , 1996, 318, 377-385. | 1.7 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 165 | Substance P and neurokinin A metabolism by cultured human skeletal muscle myocytes and fibroblasts. <i>Peptides</i> , 1996, 17, 1397-1403. | 1.2 | 34 |
| 166 | Autoradiographic mapping of pulmonary NK1 and NK2 tachykinin receptors and changes after repeated antigen challenge in guinea pigs. <i>Peptides</i> , 1996, 17, 1389-1395. | 1.2 | 5 |
| 167 | Induction of negative hematopoietic regulators by neurokinin-A in bone marrow stroma. <i>Blood</i> , 1996, 88, 98-106. | 0.6 | 77 |
| 168 | Chapter 25. On the role of tachykinins and calcitonin gene-related peptide in the spinal mechanisms of nociception and in the induction and maintenance of inflammation-evoked hyperexcitability in spinal cord neurons (with special reference to nociception in joints). <i>Progress in Brain Research</i> , 1996, 113, 423-441. | 0.9 | 31 |
| 169 | Chapter 27. Plasticity of excitatory synaptic transmission in the spinal cord dorsal horn. <i>Progress in Brain Research</i> , 1996, 113, 463-506. | 0.9 | 47 |
| 170 | Chapter 12. Neurokinin Receptor Antagonists. <i>Annual Reports in Medicinal Chemistry</i> , 1996, 31, 111-120. | 0.5 | 4 |
| 171 | Modulation of gut substance P after whole-body irradiation. <i>Digestive Diseases and Sciences</i> , 1996, 41, 2070-2077. | 1.1 | 30 |
| 172 | What are the roles of substance p and neurokinin-1 receptors in the control of negative chronotropic or negative dromotropic vagal motoneurons? a physiological and ultrastructural analysis. <i>Brain Research</i> , 1996, 715, 197-207. | 1.1 | 13 |
| 173 | Distribution of neurokinin-2 receptors in the guinea-pig gastrointestinal tract. <i>Cell and Tissue Research</i> , 1996, 286, 281-292. | 1.5 | 79 |
| 174 | Glycosyl derivatives of NK2 tachykinin receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996, 6, 367-372. | 1.0 | 9 |
| 175 | Characterisation of substance P-induced endocytosis of NK1 receptors on enteric neurons. <i>Histochemistry and Cell Biology</i> , 1996, 106, 563-571. | 0.8 | 47 |
| 176 | Effect of the tachykinin receptor antagonists, SR 140333, FK 888, and SR 142801, on capsaicin-induced mouse ear oedema. <i>Inflammation Research</i> , 1996, 45, 303-307. | 1.6 | 15 |
| 177 | Effect of the non-peptide blocker CP 96,345 on the cellular mechanism involved in the response to NK1 receptor stimulation in human skin fibroblasts. <i>Neuropeptides</i> , 1996, 30, 345-354. | 0.9 | 8 |
| 178 | Localisation of NK1 receptor immunoreactivity to neurons and interstitial cells of the guinea-pig gastrointestinal tract. , 1996, 367, 342-351. | | 161 |
| 179 | The neostriatal mosaic: Basis for the changing distribution of neurokinin-1 receptor immunoreactivity during development. <i>Journal of Comparative Neurology</i> , 1996, 376, 463-475. | 0.9 | 18 |
| 180 | Development of HPLC plasma assays for CAM 4515 and CAM 4750, two new nonpeptide tachykinin antagonists, and application to bioavailability studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1996, 14, 1709-1716. | 1.4 | 2 |
| 181 | A Non-peptidic photoactivatable antagonist for mapping the antagonist binding site of the tachykinin NK2 receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996, 6, 605-608. | 1.0 | 4 |
| 182 | Identification and chemical synthesis of MDL 105,212, a non-peptide tachykinin antagonist with high affinity for NK1 and NK2 receptors. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996, 6, 951-956. | 1.0 | 38 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 183 | SAR of 2-benzyl-4-aminopiperidines: CGP 49823, an orally and centrally active non-peptide NK1 antagonist. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996, 6, 1623-1628. | 1.0 | 34 |
| 184 | A reliable and efficient synthesis of SR 142801. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996, 6, 2307-2310. | 1.0 | 15 |
| 185 | Use of the chemical structure of peptides as the starting point to design nonpeptide agonists and antagonists at peptide receptors: Examples with cholecystokinin and tachykinins. <i>Bioorganic and Medicinal Chemistry</i> , 1996, 4, 1573-1576. | 1.4 | 29 |
| 186 | SAR of 2-benzyl-4-aminopiperidines NK1 antagonists. Part 21. synthesis of CGP 49823. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1996, 6, 3029-3034. | 1.0 | 16 |
| 187 | Synthesis and biological activity of tachykinin analogs containing the adamantane moiety. <i>International Journal of Peptide Research and Therapeutics</i> , 1996, 2, 307-313. | 0.1 | 0 |
| 188 | The tachykinin NK1 receptor mediates the migration-promoting effect of substance P on human skin fibroblasts in culture. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1996, 353, 475-81. | 1.4 | 39 |
| 189 | Augmentation of neurally evoked cholinergic bronchoconstrictor responses by prejunctional NK ₂ receptors in the guinea pig. <i>Autonomic and Autacoid Pharmacology</i> , 1996, 16, 41-48. | 0.7 | 21 |
| 190 | Effect of several bicyclic peptide and cyclic pseudopeptide tachykinin NK ₂ receptor antagonists in the human isolated urinary bladder. <i>Autonomic and Autacoid Pharmacology</i> , 1996, 16, 251-260. | 0.7 | 5 |
| 191 | Airway neuropeptides and neutral endopeptidase in asthma. <i>Clinical and Experimental Allergy</i> , 1996, 26, 491-493. | 1.4 | 3 |
| 192 | Absorption of Cam-2445, an NK1 Neurokinin Receptor Antagonist: In Vivo, In Situ, and In Vitro Evaluations. <i>Journal of Pharmaceutical Sciences</i> , 1996, 85, 253-257. | 1.6 | 13 |
| 193 | The Role of Spinal Neurokinin-2 Receptors in the Processing of Nociceptive Information from the Joint and in the Generation and Maintenance of Inflammation-evoked Hyperexcitability of Dorsal Horn Neurons in the Rat. <i>European Journal of Neuroscience</i> , 1996, 8, 249-260. | 1.2 | 59 |
| 194 | Evidence for Modulation of DoDamine-neuronal Function by Tachykinin NK3Receptor Stimulation in Gerbil Mesencephalic Cell Cultures. <i>European Journal of Neuroscience</i> , 1996, 8, 801-808. | 1.2 | 28 |
| 195 | Biochemical Pathogenesis of Myofascial Pain. <i>Journal of Musculoskeletal Pain</i> , 1996, 4, 145-162. | 0.3 | 40 |
| 196 | Novel pharmacological strategies for analgesia.. <i>Annals of the Rheumatic Diseases</i> , 1996, 55, 715-722. | 0.5 | 11 |
| 197 | Tachykinins, Neurotrophism and Neurodegenerative Diseases: A Critical Review on the Possible Role of Tachykinins in the Aetiology of CNS Diseases. <i>Reviews in the Neurosciences</i> , 1996, 7, 187-214. | 1.4 | 30 |
| 198 | Capsaicin-sensitive sensory-motor neurotransmission in the peripheral control of cardiovascular function. <i>Cardiovascular Research</i> , 1996, 31, 467-479. | 1.8 | 62 |
| 199 | Antipsychotic drugs: recent developments and novel agents. <i>Expert Opinion on Therapeutic Patents</i> , 1997, 7, 353-369. | 2.4 | 4 |
| 200 | Neurokinin Receptor Antagonists. <i>CNS Drugs</i> , 1997, 8, 436-447. | 2.7 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 201 | Structure-based design in drug discovery - the application of a peptoid drug design strategy for the development of non-peptide neuropeptide receptor ligands. <i>Expert Opinion on Investigational Drugs</i> , 1997, 6, 349-365. | 1.9 | 6 |
| 202 | Discovery of a Novel Class of Selective Non-Peptide Antagonists for the Human Neurokinin-3 Receptor. 1. Identification of the 4-Quinolincarboxamide Framework. <i>Journal of Medicinal Chemistry</i> , 1997, 40, 1794-1807. | 2.9 | 87 |
| 203 | Transglutaminase-synthesized spermine derivative of substance P recognizes rat portal vein neurokinin-3 receptors. <i>Life Sciences</i> , 1997, 60, 403-411. | 2.0 | 15 |
| 204 | Tachykinin receptors in the guinea-pig isolated oesophagus: a complex system. <i>British Journal of Pharmacology</i> , 1997, 120, 1021-1028. | 2.7 | 9 |
| 205 | Tachykinin Actions on Deep Dorsal Horn Neurons In Wm: An Electrophysiological and Morphological Study in the Immature Rat. <i>European Journal of Neuroscience</i> , 1997, 9, 1037-1046. | 1.2 | 14 |
| 206 | Mediators and pharmacology of visceral sensitivity: From basic to clinical investigations. <i>Gastroenterology</i> , 1997, 112, 1714-1743. | 0.6 | 252 |
| 207 | The dual nature of the tachykinin NK1 receptor. <i>Trends in Pharmacological Sciences</i> , 1997, 18, 351-354. | 4.0 | 166 |
| 208 | The dual nature of the tachykinin NK1 receptor. <i>Trends in Pharmacological Sciences</i> , 1997, 18, 351-355. | 4.0 | 164 |
| 209 | The effects of tachykinins on inflammatory and immune cells. <i>Regulatory Peptides</i> , 1997, 70, 75-90. | 1.9 | 270 |
| 210 | Myositis-induced functional reorganisation of the rat dorsal horn: effects of spinal superfusion with antagonists to neurokinin and glutamate receptors. <i>Pain</i> , 1997, 69, 219-230. | 2.0 | 62 |
| 211 | Tachykinin neurokinin-1 and neurokinin-3 receptor-mediated responses in guinea-pig substantia nigra: an in vitro electrophysiological study. <i>Neuroscience</i> , 1997, 78, 745-757. | 1.1 | 66 |
| 212 | Sequential activation of the triple excitatory transmission to the circular muscle of guinea-pig colon. <i>Neuroscience</i> , 1997, 79, 263-274. | 1.1 | 23 |
| 213 | Tachykinin NK1 and NK2 receptors mediate non-adrenergic non-cholinergic excitatory neuromuscular transmission in the guinea-pig stomach. <i>Neuroscience</i> , 1997, 80, 625-634. | 1.1 | 23 |
| 214 | Functional expression of a novel human neurokinin-3 receptor homolog that binds [3H]senktide and [125I-MePhe7]neurokinin B, and is responsive to tachykinin peptide agonists. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 310-315. | 3.3 | 61 |
| 215 | Characterization of neurokinin-1 receptors in the submucosal plexus of guinea pig ileum. <i>American Journal of Physiology - Renal Physiology</i> , 1997, 273, G670-G678. | 1.6 | 17 |
| 216 | Cellular pathways mediating tachykinin-evoked secretomotor responses in guinea pig ileum. <i>American Journal of Physiology - Renal Physiology</i> , 1997, 273, G1127-G1134. | 1.6 | 18 |
| 217 | Electrophysiological Evidence That Neurokinin A Acts Via NK-1 Receptors in the Cat Dorsal Horn. <i>European Journal of Neuroscience</i> , 1997, 9, 1977-1985. | 1.2 | 8 |
| 218 | Tandem Michael addition and azanorbornane substance-P antagonists. <i>Tetrahedron</i> , 1997, 53, 11121-11140. | 1.0 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 219 | Renal effects of intracerebroventricularly injected tachykinins in the conscious saline-loaded rat: receptor characterization. <i>British Journal of Pharmacology</i> , 1997, 120, 785-796. | 2.7 | 15 |
| 220 | Central antitussive activity of the NK1 and NK2 tachykinin receptor antagonists, CP-99,994 and SR 48968, in the guinea-pig and cat. <i>British Journal of Pharmacology</i> , 1997, 121, 165-170. | 2.7 | 111 |
| 221 | Differential activation of the epithelial and smooth muscle NK1 receptors by synthetic tachykinin agonists in guinea-pig trachea. <i>British Journal of Pharmacology</i> , 1997, 121, 773-781. | 2.7 | 13 |
| 222 | Characterization of receptors mediating contraction induced by tachykinins in the guinea-pig isolated common bile duct. <i>British Journal of Pharmacology</i> , 1997, 122, 1633-1638. | 2.7 | 21 |
| 223 | Profile of neuronal excitation following selective activation of the neurokinin-1 receptor in rat deep dorsal horn in vitro. <i>Brain Research</i> , 1997, 767, 55-63. | 1.1 | 13 |
| 224 | Tachykinins in the gut. Part I. Expression, release and motor function. , 1997, 73, 173-217. | | 303 |
| 225 | The tachykinin NK1 receptor. Part I: Ligands and mechanisms of cellular activation. <i>Neuropeptides</i> , 1997, 31, 537-563. | 0.9 | 205 |
| 226 | Effect of several bicyclic peptide and cyclic pseudopeptide tachykinin NK2 receptor antagonists in the human isolated ileum and colon. <i>Neuropeptides</i> , 1997, 31, 71-77. | 0.9 | 7 |
| 227 | Central and peripheral antiulcer and antisecretory effects of Ala ⁵ NKA(4-10), a tachykinin NK2 receptor agonist, in rats. <i>Neuropeptides</i> , 1997, 31, 399-402. | 0.9 | 9 |
| 228 | Tachykinin NK1 and NK2 receptors mediate non-adrenergic noncholinergic excitatory neuromuscular transmission in the human ileum. <i>Neuropeptides</i> , 1997, 31, 265-271. | 0.9 | 25 |
| 229 | Improved discriminatory properties between human and murine tachykinin NK1 receptors of MEN 10930: a new potent and competitive antagonist. <i>Neuropeptides</i> , 1997, 31, 373-379. | 0.9 | 9 |
| 230 | Multiple-model evaluation of absorption of a tachykinin receptor antagonist. <i>Advanced Drug Delivery Reviews</i> , 1997, 23, 121-131. | 6.6 | 3 |
| 231 | Role of tachykinins in non-adrenergic non-cholinergic excitation in smooth muscles of the gastrointestinal tract. <i>Neurophysiology</i> , 1997, 27, 338-344. | 0.2 | 0 |
| 232 | Localisation of neurokinin 3 (NK3) receptor immunoreactivity in the rat gastrointestinal tract. <i>Cell and Tissue Research</i> , 1997, 289, 1-9. | 1.5 | 84 |
| 233 | Binding and in vitro modulation of human epidermal Langerhans cell functions by substance P. <i>Archives of Dermatological Research</i> , 1997, 289, 285-291. | 1.1 | 44 |
| 234 | Neurogenic inflammation in lung disease: Burnt out?. <i>Inflammopharmacology</i> , 1997, 5, 319-329. | 1.9 | 9 |
| 235 | NK1- and NK3-receptor mediated inhibition of 5-hydroxytryptamine release from the vascularly perfused small intestine of the guinea-pig. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1997, 356, 689-693. | 1.4 | 10 |
| 236 | Synthesis and structure-activity relationships for a series of substituted pyrrolidine NK1/NK2 receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1997, 7, 2531-2536. | 1.0 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 237 | Sensory neuropeptides: their role in inflammation and wound healing. <i>Immunopharmacology</i> , 1997, 37, 133-152. | 2.0 | 220 |
| 238 | Synthetic strategies for the construction of enantiomeric azanoramantanes. <i>Tetrahedron</i> , 1997, 53, 1-20. | 1.0 | 12 |
| 239 | NK1 receptor expression in the interstitial cells of Cajal and neurons and tachykinins distribution in rat ileum during development. , 1997, 383, 153-162. | | 56 |
| 240 | Peptidergic activation of locust dorsal unpaired median neurons: Depolarization induced by locust tachykinins may be mediated by cyclic AMP. , 1997, 33, 297-315. | | 46 |
| 241 | Functional characterization of substance P receptors on cultured human spinal cord astrocytes: Synergism of substance P with cytokines in inducing interleukin-6 and prostaglandin E2 production. , 1997, 21, 183-193. | | 83 |
| 242 | Altered nociception, analgesia and aggression in mice lacking the receptor for substance P. <i>Nature</i> , 1998, 392, 394-397. | 13.7 | 719 |
| 243 | Endogenous peptidergic modulation of perisynaptic Schwann cells at the frog neuromuscular junction. <i>Journal of Physiology</i> , 1998, 512, 197-209. | 1.3 | 31 |
| 244 | MEN-11420 (Nepadutant), a novel glycosylated bicyclic peptide tachykinin NK 2 receptor antagonist. <i>British Journal of Pharmacology</i> , 1998, 123, 81-91. | 2.7 | 105 |
| 245 | Characterization of tachykinin receptors in the uterus of the oestrogen-primed rat. <i>British Journal of Pharmacology</i> , 1998, 123, 259-268. | 2.7 | 25 |
| 246 | Comparative, general pharmacology of SDZ NKT 343, a novel, selective NK1 receptor antagonist. <i>British Journal of Pharmacology</i> , 1998, 124, 83-92. | 2.7 | 20 |
| 247 | In vitro characterization of tachykinin NK2 -receptors modulating motor responses of human colonic muscle strips. <i>British Journal of Pharmacology</i> , 1998, 124, 1321-1327. | 2.7 | 47 |
| 248 | Impaired IL-1 β -induced neutrophil accumulation in tachykinin NK1 receptor knockout mice. <i>British Journal of Pharmacology</i> , 1998, 124, 1013-1015. | 2.7 | 52 |
| 249 | Evidence that tachykinins are the main NANC excitatory neurotransmitters in the guinea-pig common bile duct. <i>British Journal of Pharmacology</i> , 1998, 124, 1703-1711. | 2.7 | 21 |
| 250 | NK-3 receptors mediate enhancement of substance P release from capsaicin-sensitive spinal cord afferent terminals. <i>British Journal of Pharmacology</i> , 1998, 125, 621-626. | 2.7 | 25 |
| 251 | Excitatory motor and electrical effects produced by tachykinins in the human and guinea-pig isolated ureter and guinea-pig renal pelvis. <i>British Journal of Pharmacology</i> , 1998, 125, 987-996. | 2.7 | 33 |
| 252 | Activation of the cloned human NK3 receptor in Chinese Hamster Ovary cells characterized by the cellular acidification response using the Cytosensor microphysiometer. <i>British Journal of Pharmacology</i> , 1998, 125, 761-766. | 2.7 | 17 |
| 253 | An investigation of tachykinin NK2 receptor subtypes in the rat. <i>European Journal of Pharmacology</i> , 1998, 352, 103-109. | 1.7 | 11 |
| 254 | The tachykinin NK1 receptor. Part II: Distribution and pathophysiological roles. <i>Neuropeptides</i> , 1998, 32, 1-49. | 0.9 | 274 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 255 | Stability of a constrained peptide-based antagonist of neurokinin A, as described by ab initio, semiempirical and empirical calculations. <i>Computational and Theoretical Chemistry</i> , 1998, 426, 339-347. | 1.5 | 2 |
| 256 | A method to measure dual NK1/NK2-antagonist activity in dogs. <i>Journal of Pharmacological and Toxicological Methods</i> , 1998, 39, 97-101. | 0.3 | 9 |
| 257 | Movement of villi induces endocytosis of NK1 receptors in myenteric neurons from guinea-pig ileum. <i>Cell and Tissue Research</i> , 1998, 292, 37-45. | 1.5 | 39 |
| 258 | Independent coupling of the human tachykinin NK2 receptor to phospholipases C and A2 in transfected Chinese hamster ovary cells. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1998, 358, 395-403. | 1.4 | 18 |
| 259 | A novel super-potent neurokinin A receptor antagonist containing dehydroalanine. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 1153-1156. | 1.0 | 10 |
| 260 | Neuronorm is a potent and water soluble neurokinin A receptor antagonist. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 1735-1740. | 1.0 | 1 |
| 261 | Conformational probes for elucidating the nature of substance P binding to the NK1 receptor: initial efforts to map the Phe7-Phe8 region. <i>Bioorganic and Medicinal Chemistry Letters</i> , 1998, 8, 1679-1682. | 1.0 | 15 |
| 262 | Expression and presence of septal neurokinin-2 receptors controlling hippocampal acetylcholine release during sensory stimulation in rat. <i>European Journal of Neuroscience</i> , 1998, 10, 2337-2345. | 1.2 | 36 |
| 263 | Role of kinin B 1 and B 2 receptors and mast cells in post intestinal infection-induced hypersensitivity to distension. <i>Neurogastroenterology and Motility</i> , 1998, 10, 499-508. | 1.6 | 33 |
| 264 | Building a model of interaction at the NK-2 receptors: Polycondensed heterocycles containing the pyrimidoindole skeleton. <i>European Journal of Medicinal Chemistry</i> , 1998, 32, 973-985. | 2.6 | 16 |
| 265 | Development and application of sensitive HPLC assays for NK3 antagonists in rat plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 1998, 16, 1171-1178. | 1.4 | 0 |
| 266 | Characterization of Actions of Leucophaea Tachykinin-Related Peptides (LemTRPs) and Proctolin on Cockroach Hindgut Contractions. <i>Peptides</i> , 1998, 19, 445-458. | 1.2 | 41 |
| 267 | Transglutaminase-Synthesized $\hat{1}^3$ -(Glutamyl ⁵) Spermidine Derivative of Substance P Is a Selective Tool for Neurokinin-2 Receptors Characterization. <i>Peptides</i> , 1998, 19, 683-690. | 1.2 | 13 |
| 268 | Role of Tachykinins in the Regulation of the Hypothalamo-Pituitary-Adrenal Axis. <i>Peptides</i> , 1998, 19, 949-968. | 1.2 | 74 |
| 269 | The nonpeptide NK-1 receptor antagonists LY303870 and LY306740 block the responses of spinal dorsal horn neurons to substance P and to peripheral noxious stimuli. <i>Neuroscience</i> , 1998, 83, 1251-1260. | 1.1 | 22 |
| 271 | Comparative effects of nonpeptide tachykinin receptor antagonists on experimental gut inflammation in rats and guinea-pigs. <i>Life Sciences</i> , 1998, 63, 293-304. | 2.0 | 51 |
| 272 | Vasoactive peptides in the skin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1998, 11, S73. | 1.3 | 9 |
| 273 | Derivation of a Three-Dimensional Pharmacophore Model of Substance P Antagonists Bound to the Neurokinin-1 Receptor. <i>Journal of Medicinal Chemistry</i> , 1998, 41, 3609-3623. | 2.9 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 274 | Characterization of [3H]MEN 11420, a Novel Glycosylated Peptide Antagonist Radioligand of the Tachykinin NK2Receptor. <i>Biochemical and Biophysical Research Communications</i> , 1998, 248, 78-82. | 1.0 | 14 |
| 275 | Pharmacology of the peptidomimetic, MEN 11149, a new potent, selective and orally effective tachykinin NK1 receptor antagonist. <i>European Journal of Pharmacology</i> , 1998, 341, 201-209. | 1.7 | 22 |
| 276 | Evaluation of PD 154075, a tachykinin NK1 receptor antagonist, in a rat model of postoperative pain. <i>European Journal of Pharmacology</i> , 1998, 344, 115-120. | 1.7 | 23 |
| 277 | Neuropeptides. <i>Archives of Surgery</i> , 1998, 133, 1107-16. | 2.3 | 152 |
| 278 | A substance P receptor antagonist (FK 888) modifies gut alterations induced by ionizing radiation. <i>International Journal of Radiation Biology</i> , 1998, 74, 625-632. | 1.0 | 9 |
| 279 | Neurokinin Receptor Antagonists. <i>Progress in Medicinal Chemistry</i> , 1998, 35, 57-81. | 4.1 | 20 |
| 280 | Tachykinin Receptor Assays. <i>Current Protocols in Pharmacology</i> , 1998, 1, 4.10.1. | 4.0 | 0 |
| 281 | Î²2-Adrenoceptor Agonist-Induced Upregulation of Tachykinin NK2Receptor Expression and Function in Airway Smooth Muscle. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 1999, 21, 409-417. | 1.4 | 27 |
| 282 | New Developments in the Understanding of the Pathophysiology of Muscle Pain. <i>Journal of Musculoskeletal Pain</i> , 1999, 7, 13-24. | 0.3 | 7 |
| 283 | Immunohistochemical localization of neurokinin-1 receptor in the lumbar spinal cord of young rats: morphology and distribution. <i>Somatosensory & Motor Research</i> , 1999, 16, 361-368. | 0.4 | 4 |
| 284 | Extracts and Constituents of Hypericum Perforatum Inhibit the Binding of Various Ligands to Recombinant Receptors Expressed with the Semliki Forest Virus System. <i>Journal of Receptor and Signal Transduction Research</i> , 1999, 19, 59-74. | 1.3 | 55 |
| 285 | Major metabolites of substance P degraded by spinal synaptic membranes antagonize the behavioral response to substance P in rats. <i>Journal of Pharmaceutical Sciences</i> , 1999, 88, 1127-1132. | 1.6 | 21 |
| 286 | Substance P activates responses correlated with tumour growth in human glioma cell lines bearing tachykinin NK1 receptors. <i>British Journal of Cancer</i> , 1999, 79, 236-243. | 2.9 | 57 |
| 287 | Characterization of central and peripheral effects of septide with the use of five tachykinin NK1 receptor antagonists in the rat. <i>British Journal of Pharmacology</i> , 1999, 127, 717-728. | 2.7 | 31 |
| 288 | Characterization of the [125 I]-neurokinin A binding site in the circular muscle of human colon. <i>British Journal of Pharmacology</i> , 1999, 127, 1105-1110. | 2.7 | 18 |
| 289 | Molecular and pharmacological characterization of a functional tachykinin NK3 receptor cloned from the rabbit iris sphincter muscle. <i>British Journal of Pharmacology</i> , 1999, 128, 627-636. | 2.7 | 8 |
| 290 | Mediators in hyperpnea-induced bronchoconstriction of guinea pigs. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 1999, 360, 597-602. | 1.4 | 26 |
| 291 | Neurons bearing NK 3 tachykinin receptors in the guinea-pig ileum revealed by specific binding of fluorescently labelled agonists. <i>Histochemistry and Cell Biology</i> , 1999, 112, 233-246. | 0.8 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 292 | Thoracic vagus section distal to the recurrent laryngeal nerve reduces substance. <i>Anatomy and Embryology</i> , 1999, 200, 153-160. | 1.5 | 11 |
| 293 | Effects of tyrosine289phenylalanine mutation on binding and functional properties of the human tachykinin NK2 receptor stably expressed in Chinese hamster ovary cells. <i>Biochemical Pharmacology</i> , 1999, 57, 899-906. | 2.0 | 11 |
| 294 | The tachykinin NK1 receptor in the brain: pharmacology and putative functions. <i>European Journal of Pharmacology</i> , 1999, 375, 51-60. | 1.7 | 182 |
| 295 | Interleukin-1 β -induced hyperresponsiveness to [Sar ⁹ ,Met(O ²) ¹¹]substance P in isolated human bronchi. <i>European Journal of Pharmacology</i> , 1999, 379, 87-95. | 1.7 | 28 |
| 296 | Effect of non-peptide tachykinin NK1 receptor antagonists on non-adrenergic, non-cholinergic neurogenic mucus secretion in ferret trachea. <i>European Journal of Pharmacology</i> , 1999, 384, 173-181. | 1.7 | 15 |
| 297 | Replacement of the quinoline system in 2-phenyl-4-quinolinecarboxamide NK-3 receptor antagonists. <i>Il Farmaco</i> , 1999, 54, 364-374. | 0.9 | 20 |
| 298 | Endogenously produced substance P contributes to lymphocyte proliferation induced by dendritic cells and direct TCR ligation. <i>European Journal of Immunology</i> , 1999, 29, 3815-3825. | 1.6 | 162 |
| 299 | Receptors in interstitial cells of Cajal: Identification and possible physiological roles. <i>Microscopy Research and Technique</i> , 1999, 47, 325-335. | 1.2 | 41 |
| 301 | Substance P immunoreactive nerves and interstitial cells of Cajal in the rat and guinea-pig ileum. A histochemical and quantitative study. <i>Neuroscience Letters</i> , 1999, 268, 49-52. | 1.0 | 27 |
| 302 | Substance p receptor (neurokinin-1)-expressing neurons in lamina i of the spinal cord encode for the intensity of noxious stimulation: a c-fos study in rat. <i>Neuroscience</i> , 1999, 89, 17-28. | 1.1 | 107 |
| 303 | Expression of neurokinin-1 receptors on cultured dorsal root ganglion neurons from the adult rat. <i>Neuroscience</i> , 1999, 90, 677-684. | 1.1 | 25 |
| 304 | Tachykinin receptors are involved in the "local efferent" motor response to capsaicin in the guinea-pig small intestine and oesophagus. <i>Neuroscience</i> , 1999, 90, 221-228. | 1.1 | 45 |
| 305 | Internalization of the neurokinin 1 receptor in rat myenteric neurons. <i>Neuroscience</i> , 1999, 91, 353-362. | 1.1 | 29 |
| 306 | Neurokinin B- and substance P-like immunoreactivity are co-localized in enteric nerves of rat ileum. <i>Regulatory Peptides</i> , 1999, 80, 67-74. | 1.9 | 12 |
| 307 | Transglutaminase-mediated amine incorporation into substance P protects the peptide against proteolysis in vitro. <i>Regulatory Peptides</i> , 1999, 84, 75-80. | 1.9 | 19 |
| 308 | Spinal actions of GR73632, a novel tachykinin NK1 receptor agonist. <i>Peptides</i> , 1999, 20, 301-304. | 1.2 | 12 |
| 309 | Discovery of a Novel Class of Selective Non-Peptide Antagonists for the Human Neurokinin-3 Receptor. 2. Identification of (S)-N-(1-Phenylpropyl)-3-hydroxy-2- phenylquinoline-4-carboxamide (SB 223412). <i>Journal of Medicinal Chemistry</i> , 1999, 42, 1053-1065. | 2.9 | 67 |
| 310 | Characterization of [3H]substance P binding sites in human skin. <i>Journal of the European Academy of Dermatology and Venereology</i> , 1999, 12, 6-10. | 1.3 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 311 | Chapter 11. Current and Potential New Therapies for Chronic Obstructive Pulmonary Disease. Annual Reports in Medicinal Chemistry, 1999, 34, 111-120. | 0.5 | 0 |
| 312 | Characterization of Tachykinin Receptors. Current Protocols in Pharmacology, 1999, 4, 1.15.1. | 4.0 | 0 |
| 313 | Role of the neuroendocrine system in pathogenesis of gastroenteritis. Current Opinion in Infectious Diseases, 2000, 13, 523-529. | 1.3 | 4 |
| 314 | Distribution of fos-like immunoreactivity within the rat brain following intraventricular injection of the selective NK3 receptor agonist senktide. Journal of Comparative Neurology, 2000, 426, 413-428. | 0.9 | 25 |
| 315 | Characterization of substance P-membrane interaction by transferred nuclear Overhauser effect. Biopolymers, 2000, 54, 297-306. | 1.2 | 22 |
| 316 | Cellular and synaptic effect of substance P on neonatal phrenic motoneurons. European Journal of Neuroscience, 2000, 12, 126-138. | 1.2 | 37 |
| 317 | Involvement of tachykinin NK2 receptors in the modulation of spontaneous motility in rat proximal colon. Neurogastroenterology and Motility, 2000, 12, 459-466. | 1.6 | 25 |
| 318 | Effects Of Tachykinins On Uterine Smooth Muscle. Clinical and Experimental Pharmacology and Physiology, 2000, 27, 922-927. | 0.9 | 39 |
| 319 | Effects Of Tachykinin Receptor Agonists And Antagonists On The Guinea-Pig Isolated Oesophagus. Clinical and Experimental Pharmacology and Physiology, 2000, 27, 934-938. | 0.9 | 6 |
| 320 | Role of tachykinins in asthma. Allergy: European Journal of Allergy and Clinical Immunology, 2000, 55, 321-337. | 2.7 | 187 |
| 321 | Combined tachykinin receptor antagonist: synthesis and stereochemical structure-activity relationships of novel morpholine analogues. Bioorganic and Medicinal Chemistry Letters, 2000, 10, 1665-1668. | 1.0 | 30 |
| 322 | Role of nitric oxide and septide-insensitive NK1 receptors in bronchoconstriction induced by aerosolised neurokinin A in guinea-pigs. British Journal of Pharmacology, 2000, 129, 915-920. | 2.7 | 20 |
| 323 | Neurokinin B- and specific tachykinin NK3 receptor agonists-induced airway hyperresponsiveness in the guinea-pig. British Journal of Pharmacology, 2000, 130, 49-56. | 2.7 | 37 |
| 324 | Tachykinin-induced contraction of the guinea-pig isolated oesophageal mucosa is mediated by NK2 receptors. British Journal of Pharmacology, 2000, 131, 1461-1467. | 2.7 | 9 |
| 325 | Effect of nepadutant at tachykinin NK2 receptors in human intestine and urinary bladder. European Journal of Pharmacology, 2000, 398, 389-397. | 1.7 | 40 |
| 326 | Role of substance P and tachykinin receptor antagonists in citric acid-induced cough in pigs. European Journal of Pharmacology, 2000, 408, 305-312. | 1.7 | 37 |
| 327 | Title is missing!. International Journal of Peptide Research and Therapeutics, 2000, 7, 269-279. | 0.1 | 6 |
| 328 | Anti-tumour activity of tachykinin NK1 receptor antagonists on human glioma U373 MG xenograft. British Journal of Cancer, 2000, 82, 480-487. | 2.9 | 66 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 329 | Substance P and central respiratory activity: a comparative in vitro study in NK1 receptor knockout and wild-type mice. <i>Pflugers Archiv European Journal of Physiology</i> , 2000, 440, 446-451. | 1.3 | 26 |
| 330 | NK1, NK2 and NK3 tachykinin receptor localization and tachykinin distribution in the ileum of the mouse. <i>Anatomy and Embryology</i> , 2000, 202, 247-255. | 1.5 | 47 |
| 331 | Mediators and Oxygen Radicals in Hyperpnea-Induced Airway Constriction of Guinea Pigs. <i>Lung</i> , 2000, 178, 213-223. | 1.4 | 4 |
| 332 | Evidence That the Proposed Novel Human "Neurokinin-4" Receptor Is Pharmacologically Similar to the Human Neurokinin-3 Receptor but Is Not of Human Origin. <i>Molecular Pharmacology</i> , 2000, 58, 552-559. | 1.0 | 10 |
| 333 | Association between Kinin B1 Receptor Expression and Leukocyte Trafficking across Mouse Mesenteric Postcapillary Venules. <i>Journal of Experimental Medicine</i> , 2000, 192, 367-380. | 4.2 | 106 |
| 334 | Hormonal Variation of Rat Uterine Contractile Responsiveness to Selective Neurokinin Receptor Agonists1. <i>Biology of Reproduction</i> , 2000, 62, 1661-1666. | 1.2 | 22 |
| 335 | Activation of neurokinin NK2 receptors by tachykinin peptides causes contraction of uterus in pregnant women near term. <i>Molecular Human Reproduction</i> , 2000, 6, 549-554. | 1.3 | 24 |
| 336 | Oral anti-hyperalgesic and anti-inflammatory activity of NK1 receptor antagonists in models of inflammatory hyperalgesia of the guinea-pig. <i>Pain</i> , 2000, 87, 253-263. | 2.0 | 10 |
| 337 | Pain control: breaking the circuit. <i>Trends in Pharmacological Sciences</i> , 2000, 21, 284-286. | 4.0 | 15 |
| 338 | Principles of tachykininergic co-transmission in the peripheral and enteric nervous system. <i>Regulatory Peptides</i> , 2000, 93, 53-64. | 1.9 | 75 |
| 339 | Co-distribution of NK2 tachykinin receptors and Substance P in nerve endings of guinea-pig ileum. <i>Neuroscience Letters</i> , 2000, 287, 71-75. | 1.0 | 16 |
| 340 | Topical acetyl salicylate and dipyron attenuate neurogenic protein extravasation in rat skin in vivo. <i>Neuroscience Letters</i> , 2000, 290, 57-60. | 1.0 | 8 |
| 341 | Parallel bioassay of 39 tachykinins on 11 smooth muscle preparations. Structure and receptor selectivity/affinity relationship. <i>Peptides</i> , 2000, 21, 1587-1595. | 1.2 | 25 |
| 342 | Molecular determinants of peptide and nonpeptide NK-2 receptor antagonists binding sites of the human tachykinin NK-2 receptor by site-directed mutagenesis. <i>Neuropharmacology</i> , 2000, 39, 1422-1429. | 2.0 | 24 |
| 343 | NK3 receptor blockade prevents hyperalgesia and the associated spinal cord substance P release in monoarthritic rats. <i>Neuropharmacology</i> , 2000, 39, 141-149. | 2.0 | 20 |
| 344 | Discovery of Potent Cyclic Pseudopeptide Human Tachykinin NK-2 Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 4041-4044. | 2.9 | 17 |
| 345 | Substance P antagonists: novel agents in the treatment of depression. <i>Expert Opinion on Investigational Drugs</i> , 2000, 9, 1871-1875. | 1.9 | 29 |
| 346 | Conformationally Constrained Substance P Analogues: The Total Synthesis of a Constrained Peptidomimetic for the Phe7-Phe8Region. <i>Journal of Organic Chemistry</i> , 2000, 65, 2484-2493. | 1.7 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 347 | The Pharmacology and Mechanisms of Action of Rizatriptan. , 2000, 17, 141-161. | | 4 |
| 348 | Uncovering Molecular Mechanisms Involved in Activation of G Protein-Coupled Receptors. Endocrine Reviews, 2000, 21, 90-113. | 8.9 | 1,114 |
| 349 | ACTIVITY OF NONPEPTIDE TACHYKININ ANTAGONISTS ON NEUROKININ A INDUCED CONTRACTIONS IN DOG URINARY BLADDER. Journal of Urology, 2000, 163, 1971-1974. | 0.2 | 6 |
| 350 | Neurokinin 1 and 2 receptors mediate cholera toxin secretion in rat jejunum. Gastroenterology, 2000, 119, 1037-1044. | 0.6 | 41 |
| 351 | Utilization of an Intramolecular Hydrogen Bond To Increase the CNS Penetration of an NK1 Receptor Antagonist. Journal of Medicinal Chemistry, 2001, 44, 2276-2285. | 2.9 | 73 |
| 352 | Tachykinins contribute to nerve-mediated contractions in the human esophagus. Gastroenterology, 2001, 120, 39-48. | 0.6 | 30 |
| 353 | Substance P and its transglutaminase-synthesized spermine derivative elicit yawning behavior via nitric oxide in rats. Peptides, 2001, 22, 1453-1457. | 1.2 | 16 |
| 354 | Evolution of vertebrate neuropeptides. Brain Research Bulletin, 2001, 55, 723-735. | 1.4 | 91 |
| 355 | Differential alterations in tachykinin NK2 receptors in isolated colonic circular smooth muscle in inflammatory bowel disease and idiopathic chronic constipation. Regulatory Peptides, 2001, 99, 151-156. | 1.9 | 33 |
| 356 | Structure determination and by-product profile of the NK2 receptor antagonist nepadutant, a bicyclic glycopeptide. FEBS Letters, 2001, 491, 299-304. | 1.3 | 5 |
| 357 | Depression of Windup of Spinal Neurons in the Neonatal Rat Spinal Cord In Vitro by an NK3 Tachykinin Receptor Antagonist. Journal of Neurophysiology, 2001, 85, 1502-1511. | 0.9 | 34 |
| 358 | Neuronal Bursting Induced by NK3 Receptor Activation in the Neonatal Rat Spinal Cord In Vitro. Journal of Neurophysiology, 2001, 86, 2939-2950. | 0.9 | 21 |
| 359 | A Family of Depsi-peptide Fungal Metabolites, as Selective and Competitive Human Tachykinin Receptor (NK2) Antagonists. Fermentation, Isolation, Physico-chemical Properties, and Biological Activity.. Journal of Antibiotics, 2001, 54, 125-135. | 1.0 | 19 |
| 360 | Substance P and substance P receptors in bone and gingival tissues. Medical Electron Microscopy: Official Journal of the Clinical Electron Microscopy Society of Japan, 2001, 34, 77-85. | 1.8 | 35 |
| 361 | Synthesis of MEN11420, a glycosylated bicyclic peptide, by intramolecular double cyclization using a chloroimidazolium coupling reagent. Tetrahedron, 2001, 57, 1749-1755. | 1.0 | 7 |
| 362 | Three-dimensional quantitative structure-activity relationship for several bioactive peptides searched by a convex hull-comparative molecular field analysis approach. Computers & Chemistry, 2001, 25, 489-498. | 1.2 | 4 |
| 363 | Design of non-peptide CCK2 and NK1 peptidomimetics using 1-(2-nitrophenyl)thiosemicarbazide as a novel common scaffold. Bioorganic and Medicinal Chemistry Letters, 2001, 11, 705-709. | 1.0 | 2 |
| 364 | The roles of the N-terminal portions of various tachykinins in promoting salivation. Oral Diseases, 2001, 7, 238-245. | 1.5 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 365 | Conformation of the tripeptide Cbz-Pro-Leu-Trp-OBzl(CF ₃) ₂ deduced from two-dimensional ¹ H-NMR and conformational energy calculations is related to its affinity for NK1-receptor. <i>Journal of Peptide Science</i> , 2001, 7, 323-330. | 0.8 | 10 |
| 366 | Heterogeneous control of blood flow amongst different vascular beds. <i>Medicinal Research Reviews</i> , 2001, 21, 1-60. | 5.0 | 159 |
| 367 | Synthesis and radiosynthesis with a positron emitter of EP 00652218, a potent antagonist of NK1 receptor, and of a fluoro analog for in vivo evaluation of the substance P receptor by pet. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2001, 44, S283-S285. | 0.5 | 4 |
| 368 | Leukocytes and neurogenic inflammation. <i>Inflammopharmacology</i> , 2001, 9, 403-420. | 1.9 | 5 |
| 369 | The neurokinin-1 receptor antagonist RP 67580 reduces the sensitization of primary afferents by substance P in the rat. <i>European Journal of Pain</i> , 2001, 5, 69-79. | 1.4 | 15 |
| 370 | Local and target-derived actions of neurotrophins during peripheral nervous system development. <i>Cellular and Molecular Life Sciences</i> , 2001, 58, 1036-1044. | 2.4 | 65 |
| 371 | Molecular and pharmacological characterization of the murine tachykinin NK3 receptor. <i>European Journal of Pharmacology</i> , 2001, 413, 143-150. | 1.7 | 13 |
| 372 | Effect of a tachykinin NK2 receptor antagonist, nepadutant, on cardiovascular and gastrointestinal function in rats and dogs. <i>European Journal of Pharmacology</i> , 2001, 415, 61-71. | 1.7 | 10 |
| 373 | Immunologically induced histamine release from rat peritoneal mast cells is enhanced by low levels of substance P. <i>European Journal of Pharmacology</i> , 2001, 414, 295-303. | 1.7 | 21 |
| 374 | Tachykinin NK2 receptor mediates contraction and ion transport in rat colon by different mechanisms. <i>European Journal of Pharmacology</i> , 2001, 415, 277-283. | 1.7 | 13 |
| 375 | Direct evidence for the interaction of neurokinin A with the tachykinin NK1 receptor in tissue. <i>European Journal of Pharmacology</i> , 2001, 423, 143-147. | 1.7 | 10 |
| 376 | Peripheral tachykinin receptors as targets for new drugs. <i>European Journal of Pharmacology</i> , 2001, 429, 13-21. | 1.7 | 70 |
| 377 | The N-terminal domain of substance P is required for complete homologous desensitization but not phosphorylation of the rat neurokinin-1 receptor. <i>Neuropeptides</i> , 2001, 35, 24-31. | 0.9 | 27 |
| 378 | Differential roles of spinal neurokinin 1/2 receptors in development of persistent spontaneous nociception and hyperalgesia induced by subcutaneous bee venom injection in the conscious rat. <i>Neuropeptides</i> , 2001, 35, 32-44. | 0.9 | 28 |
| 379 | Pharmacology of MEN 11467: a potent new selective and orally- effective peptidomimetic tachykinin NK1 receptor antagonist. <i>Neuropeptides</i> , 2001, 35, 137-147. | 0.9 | 7 |
| 380 | Tachykinin receptor antagonists for asthma and COPD. <i>Expert Opinion on Therapeutic Patents</i> , 2001, 11, 1097-1121. | 2.4 | 20 |
| 381 | Peripheral Activity of a New NK1 Receptor Antagonist TAK-637 in the Gastrointestinal Tract. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 300, 1046-1052. | 1.3 | 20 |
| 382 | Nonpeptide Tachykinin Receptor Antagonists. III. SB 235375, a Low Central Nervous System-Penetrant, Potent and Selective Neurokinin-3 Receptor Antagonist, Inhibits Citric Acid-Induced Cough and Airways Hyper-reactivity in Guinea Pigs. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 300, 314-323. | 1.3 | 87 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 383 | Tachykinins and airway microvascular leakage induced by HCl intra-oesophageal instillation. <i>European Respiratory Journal</i> , 2002, 20, 268-273. | 3.1 | 40 |
| 384 | Tachykinin NK1 Receptors Mediate Atropine-Resistant Net Aboral Propulsive Complexes in Porcine Ileum. <i>Scandinavian Journal of Gastroenterology</i> , 2002, 37, 531-535. | 0.6 | 6 |
| 385 | Estrogen-Dependent Regulation of Neurokinin 3 Receptor-Mediated Uterine Contractility in the Rat. <i>Biology of Reproduction</i> , 2002, 67, 1480-1487. | 1.2 | 18 |
| 386 | Monocyclic Human Tachykinin NK-2 Receptor Antagonists as Evolution of a Potent Bicyclic Antagonist: A QSAR and Site-Directed Mutagenesis Studies. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 3418-3429. | 2.9 | 12 |
| 387 | Neurokinin-1 and neurokinin-3 receptors are expressed in vagal efferent neurons that innervate different parts of the gastro-intestinal tract. <i>Neuroscience</i> , 2002, 110, 339-349. | 1.1 | 13 |
| 388 | The role of lateral septal NK1 receptors in mediating anxiogenic effects induced by intracerebroventricular injection of substance P. <i>Behavioural Brain Research</i> , 2002, 134, 411-415. | 1.2 | 32 |
| 389 | The neurokinin-2 receptor is not involved in the sensitization of primary afferents of the rat knee joint. <i>Neuroscience Letters</i> , 2002, 326, 113-116. | 1.0 | 3 |
| 390 | The Tachykinin Peptide Family. <i>Pharmacological Reviews</i> , 2002, 54, 285-322. | 7.1 | 537 |
| 391 | Temporal increase in the reactivity of pulmonary vasculature to substance P in chronically hypoxic rats. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2002, 282, R858-R864. | 0.9 | 12 |
| 392 | Substance P-evoked Cl ⁻ secretion in guinea pig distal colonic epithelia: interaction with PGE ₂ . <i>American Journal of Physiology - Renal Physiology</i> , 2002, 283, G347-G356. | 1.6 | 17 |
| 393 | Neurokinins Activate Local Glutamatergic Inputs to Serotonergic Neurons of the Dorsal Raphe Nucleus. <i>Neuropsychopharmacology</i> , 2002, 27, 329-340. | 2.8 | 70 |
| 394 | Substance P-induced activation of p42/44 mitogen-activated protein kinase associated with cell proliferation in human tracheal smooth muscle cells. <i>Cellular Signalling</i> , 2002, 14, 913-923. | 1.7 | 33 |
| 395 | Tachykinins and tachykinin receptors in bone. <i>Microscopy Research and Technique</i> , 2002, 58, 91-97. | 1.2 | 42 |
| 397 | Antagonism by NKP608 of substance P-induced plasma protein exudation in a novel preparation of perfused trachea in rats and guinea-pigs in vivo. <i>Inflammation Research</i> , 2002, 51, 317-323. | 1.6 | 0 |
| 398 | Analogues of Substance P modified at the C-terminus which are both agonist and antagonist of the NK-1 receptor depending on the second messenger pathway. <i>Chemical Biology and Drug Design</i> , 2002, 59, 232-240. | 1.2 | 25 |
| 399 | Design, synthesis and biological activity of carbohydrate-Containing peptidomimetics as new ligands for the human tachykinin NK-2 receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2002, 12, 2263-2266. | 1.0 | 14 |
| 400 | Novel potent substance P and neurokinin A receptor antagonists. Conception, synthesis and biological evaluation of indolizine derivatives. <i>Bioorganic and Medicinal Chemistry</i> , 2002, 10, 2905-2912. | 1.4 | 28 |
| 401 | Modulation of somatostatin receptors, somatostatin content and Gi proteins by substance P in the rat frontoparietal cortex and hippocampus. <i>Journal of Neurochemistry</i> , 2002, 84, 145-156. | 2.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 402 | The guinea-pig oesophagus is a versatile in vitro preparation for pharmacological studies. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2002, 29, 1047-1054. | 0.9 | 5 |
| 403 | Pharmacological profile of the novel mammalian tachykinin, hemokinin 1. <i>British Journal of Pharmacology</i> , 2002, 135, 266-274. | 2.7 | 98 |
| 404 | Tachykinin NK1 and NK2 receptors mediate inhibitory vs excitatory motor responses in human isolated corpus cavernosum and spongiosum. <i>British Journal of Pharmacology</i> , 2002, 135, 1351-1354. | 2.7 | 7 |
| 405 | Synthesis of a Novel Class of Non-Peptide NK-2 Receptor Ligand, Derived from 1-Phenyl-3-pyrrol-1-ylindan-2-carboxamides. <i>Bioorganic and Medicinal Chemistry</i> , 2002, 10, 1043-1050. | 1.4 | 22 |
| 406 | Efficient Synthesis of NK1 Receptor Antagonist Aprepitant Using a Crystallization-Induced Diastereoselective Transformation. <i>Journal of the American Chemical Society</i> , 2003, 125, 2129-2135. | 6.6 | 157 |
| 407 | Cardiovascular and behavioural effects induced by naloxone-precipitated morphine withdrawal in rat: characterization with tachykinin antagonists. <i>Neuropeptides</i> , 2003, 37, 345-354. | 0.9 | 12 |
| 408 | Contribution of tachykinin receptor subtypes to micturition reflex in guinea pigs. <i>European Journal of Pharmacology</i> , 2003, 477, 253-259. | 1.7 | 6 |
| 409 | The role of the amino-terminal domain of tachykinins in neurokinin-1 receptor signaling and desensitization. <i>Neuropeptides</i> , 2003, 37, 30-35. | 0.9 | 9 |
| 410 | RNA interference prevents lipopolysaccharide-induced preprotachykinin gene expression. <i>Toxicology and Applied Pharmacology</i> , 2003, 193, 47-54. | 1.3 | 3 |
| 411 | Synthesis of 2-(4-Biphenyl)quinoline-4-carboxylate and Carboxamide Analogs. New Human Neurokinin-3 (hNK-3) Receptor Antagonists. <i>Archiv Der Pharmazie</i> , 2003, 336, 165-174. | 2.1 | 6 |
| 412 | Application of LC-MS/MS for the study of the volatile metabolite of MK-0869, a substance P receptor antagonist. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2003, 30, 1431-1440. | 1.4 | 21 |
| 413 | Synthesis and Biological Evaluation of Halogenated Naphthyridone Carboxamides as Potential Ligands for in Vivo Imaging Studies of Substance P Receptors. <i>Bioconjugate Chemistry</i> , 2003, 14, 629-641. | 1.8 | 3 |
| 414 | Stereoselective Preparation of N-[(R,R)-(E)-1-(3,4-dichlorobenzyl)-3-(2-oxoazepan-3-yl)carbamoyl]allyl-N-methyl-3,5-bis(trifluoromethyl)benzamide, a Potent and Orally Active Dual Neurokinin NK1/NK2 Receptor Antagonist. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 3508-3513. | 2.9 | 9 |
| 415 | Tachykinins mediate non-adrenergic, non-cholinergic excitatory neurotransmission to the hamster ileum via NK1 and NK2 receptors. <i>Life Sciences</i> , 2003, 73, 1939-1951. | 2.0 | 14 |
| 416 | A tachykinin-like factor increases glutamate toxicity in rat cerebellar granule cells. <i>Neuropharmacology</i> , 2003, 44, 117-124. | 2.0 | 15 |
| 417 | Biologic activity of the tachykinins on lamb and sheep gallbladder. <i>Peptides</i> , 2003, 24, 543-551. | 1.2 | 2 |
| 418 | Diencephalic neurons producing melanin-concentrating hormone are influenced by local and multiple extra-hypothalamic tachykininergic projections through the neurokinin 3 receptor. <i>Neuroscience</i> , 2003, 119, 1113-1145. | 1.1 | 27 |
| 419 | Cellular localization and distribution of neurokinin-1 receptors in the rat stomach. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2003, 104, 95-108. | 1.4 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 420 | Novel pharmacological targets and progression of new antitussive drugs. <i>Expert Opinion on Therapeutic Patents</i> , 2003, 13, 1501-1512. | 2.4 | 9 |
| 421 | The Role of Substance P in the Cerebral Ischemia. <i>International Journal of Immunopathology and Pharmacology</i> , 2003, 16, 67-72. | 1.0 | 34 |
| 422 | Recent developments in the management of detrusor overactivity. <i>Current Opinion in Urology</i> , 2003, 13, 285-291. | 0.9 | 44 |
| 423 | Effects of Substance P on Mesenteric Lymphatic Contractility in the Rat. <i>Lymphatic Research and Biology</i> , 2004, 2, 2-10. | 0.5 | 38 |
| 424 | Serotonin and vasoactive intestinal peptide antagonists attenuate rotavirus diarrhoea. <i>Gut</i> , 2004, 53, 952-957. | 6.1 | 74 |
| 425 | Lithiation of Functionalized Fluoroquinolones: Synthesis of Dihalo-2-phenylquinoline-4-carboxamides and in Vitro Evaluation as NK-3 Receptor Ligands for Medical Imaging Studies. <i>Journal of Organic Chemistry</i> , 2004, 69, 2622-2625. | 1.7 | 13 |
| 426 | Dual tachykinin NK1/NK2 antagonist DNK333 inhibits neurokinin A-induced bronchoconstriction in asthma patients. <i>European Respiratory Journal</i> , 2004, 23, 76-81. | 3.1 | 63 |
| 427 | Stress-induced increase of cortical dopamine metabolism: attenuation by a tachykinin NK1 receptor antagonist. <i>European Journal of Pharmacology</i> , 2004, 484, 57-64. | 1.7 | 27 |
| 428 | Involvement of enhanced neurokinin NK3 receptor expression in the severe asthma guinea pig model. <i>European Journal of Pharmacology</i> , 2004, 498, 287-294. | 1.7 | 21 |
| 429 | Blockade of substance P (neurokinin 1) receptors enhances extracellular serotonin when combined with a selective serotonin reuptake inhibitor: an in vivo microdialysis study in mice. <i>Journal of Neurochemistry</i> , 2004, 89, 54-63. | 2.1 | 60 |
| 430 | The syntheses of [14C] and [13C2,15N3]aprepitant. <i>Journal of Labelled Compounds and Radiopharmaceuticals</i> , 2004, 47, 837-846. | 0.5 | 5 |
| 431 | Synthesis and characterization of a potent, selective, radiolabeled substance-P antagonist for NK receptor quantitation: ([F]SPA-RQ). <i>Molecular Imaging and Biology</i> , 2004, 6, 373-384. | 1.3 | 44 |
| 432 | Greater Involvement of Neurokinins Found in Guinea Pig Models of Severe Asthma Compared with Mild Asthma. <i>International Archives of Allergy and Immunology</i> , 2004, 134, 263-272. | 0.9 | 14 |
| 433 | Insertion of an Aspartic Acid Moiety into Cyclic Pseudopeptides: Synthesis and Biological Characterization of Potent Antagonists for the Human Tachykinin NK-2 Receptor. <i>Journal of Medicinal Chemistry</i> , 2004, 47, 6935-6947. | 2.9 | 13 |
| 434 | Eledoisin and Kassinin, but not Enterokassinin, stimulate ion transport in frog skin. <i>Peptides</i> , 2004, 25, 1971-1975. | 1.2 | 5 |
| 436 | Generation of a new class of hNK2 receptor ligands using the "fragment approach"™. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2005, 15, 585-588. | 1.0 | 7 |
| 437 | Pharmacology of an original and selective nonpeptide antagonist ligand for the human tachykinin NK2 receptor. <i>European Journal of Pharmacology</i> , 2005, 516, 104-111. | 1.7 | 5 |
| 438 | Regulation of neurokinin-1 receptor messenger RNA expression in synovial fibroblasts of patients with rheumatoid arthritis. <i>Neuropeptides</i> , 2005, 39, 467-474. | 0.9 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 439 | AMPA Receptors Are Modulated by Tachykinins in Rat Cerebellum Neurons. <i>Journal of Neurophysiology</i> , 2005, 94, 2484-2490. | 0.9 | 9 |
| 440 | Tachykinin neuropeptides in cerebellar granule neurons: an immunocytochemical study. <i>European Journal of Histochemistry</i> , 2005, 49, 87. | 0.6 | 2 |
| 441 | TRPV1 Gene Knockout Impairs Postischemic Recovery in Isolated Perfused Heart in Mice. <i>Circulation</i> , 2005, 112, 3617-3623. | 1.6 | 209 |
| 442 | New challenges in the study of the mammalian tachykinins. <i>Peptides</i> , 2005, 26, 1356-1368. | 1.2 | 113 |
| 443 | Selective and Combined Neurokinin Receptor Antagonists. <i>Progress in Medicinal Chemistry</i> , 2005, 43, 49-103. | 4.1 | 9 |
| 444 | Sleep disturbance induced by substance P in mice. <i>Behavioural Brain Research</i> , 2006, 167, 212-218. | 1.2 | 70 |
| 445 | The triple neurokinin-receptor antagonist CS-003 inhibits neurokinin A-induced bronchoconstriction in patients with asthma. <i>Pulmonary Pharmacology and Therapeutics</i> , 2006, 19, 413-418. | 1.1 | 29 |
| 446 | Correlation between the Appearance of Neuropeptides in the Rat Trigeminal Ganglion and Reinnervation of the Healing Root Socket after Tooth Extraction. <i>Acta Histochemica Et Cytochemica</i> , 2006, 39, 69-77. | 0.8 | 17 |
| 447 | New monocyclic and acyclic hNK-2 antagonists retaining the β -turn feature. X-ray and molecular modelling studies. <i>Acta Crystallographica Section B: Structural Science</i> , 2006, 62, 889-896. | 1.8 | 7 |
| 448 | Relationship between neurokinin 2 receptor gene polymorphisms and serum vascular endothelial growth factor levels in patients with toluene diisocyanate-induced asthma. <i>Clinical and Experimental Allergy</i> , 2006, 36, 1153-1160. | 1.4 | 17 |
| 449 | Relationships between neurokinin receptor-expressing interstitial cells of Cajal and tachykinergic nerves in the gut. <i>Journal of Cellular and Molecular Medicine</i> , 2006, 10, 20-32. | 1.6 | 49 |
| 450 | Substance P and Neurokinin 1 receptor - expression is affected in the ileum of mice with mutation in the W locus. <i>Journal of Cellular and Molecular Medicine</i> , 2006, 10, 511-518. | 1.6 | 13 |
| 451 | Extending the understanding of sensory neuropeptides. <i>European Journal of Pharmacology</i> , 2006, 533, 171-181. | 1.7 | 90 |
| 452 | Depressed Contractile Responses to Neurokinin A in Idiopathic but not Neurogenic Overactive Human Detrusor Muscle. <i>European Urology</i> , 2006, 49, 510-518. | 0.9 | 18 |
| 453 | Immunolocalization of Full-length NK1 Tachykinin Receptors in Human Tumors. <i>Journal of Histochemistry and Cytochemistry</i> , 2006, 54, 1015-1020. | 1.3 | 26 |
| 454 | Current and emerging investigational medical therapies for the treatment of overactive bladder. <i>Expert Opinion on Investigational Drugs</i> , 2006, 15, 1017-1037. | 1.9 | 21 |
| 455 | Substance P is a promoter of adult neural progenitor cell proliferation under normal and ischemic conditions. <i>Journal of Neurosurgery</i> , 2007, 107, 593-599. | 0.9 | 55 |
| 456 | Substance P Neurokinin 1 Receptor Activation within the Dorsal Raphe Nucleus Controls Serotonin Release in the Mouse Frontal Cortex. <i>Molecular Pharmacology</i> , 2007, 72, 1411-1418. | 1.0 | 36 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 457 | Developments in the pharmacotherapy of the overactive bladder. <i>Current Opinion in Urology</i> , 2007, 17, 223-230. | 0.9 | 18 |
| 458 | Predominant surface distribution of neurokinin-3 receptors in non-dopaminergic dendrites in the rat substantia nigra and ventral tegmental area. <i>Neuroscience</i> , 2007, 144, 1393-1408. | 1.1 | 10 |
| 459 | Role of VIP and Substance P in NANC Innervation in the Longitudinal Smooth Muscle of the Rat Jejunum—Influence of Extrinsic Denervation. <i>Journal of Surgical Research</i> , 2007, 141, 22-30. | 0.8 | 26 |
| 460 | Neuropeptides in hyperthermia. <i>Progress in Brain Research</i> , 2007, 162, 277-293. | 0.9 | 7 |
| 461 | Discovery of a New Series of Potent and Selective Linear Tachykinin NK2 Receptor Antagonists. <i>Journal of Medicinal Chemistry</i> , 2007, 50, 4793-4807. | 2.9 | 19 |
| 462 | Analgesic, Anti-inflammatory, and Anti-pyretic Activity. , 2007, , 983-1116. | | 6 |
| 463 | Application of hydrolytic kinetic resolution (HKR) in the synthesis of bioactive compounds. <i>Tetrahedron</i> , 2007, 63, 2745-2785. | 1.0 | 96 |
| 464 | ±-Cyclic aminoacids as useful scaffolds for the preparation of hNK2 receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2007, 17, 4841-4844. | 1.0 | 12 |
| 465 | Molecular cloning, mutations and effects of NK1 receptor antagonists reveal the human-like pharmacology of gerbil NK1 receptors. <i>Biochemical Pharmacology</i> , 2007, 73, 259-269. | 2.0 | 16 |
| 466 | Senktide-induced gerbil foot tapping behaviour is blocked by selective tachykinin NK1 and NK3 receptor antagonists. <i>European Journal of Pharmacology</i> , 2007, 577, 78-86. | 1.7 | 10 |
| 467 | Placental Neurokinin B mRNA Expression Increases at Preterm Labor. <i>Placenta</i> , 2007, 28, 1020-1023. | 0.7 | 11 |
| 468 | Neuropeptides modulate RANKL and OPG expression in human periodontal ligament cells. <i>Orthodontic Waves</i> , 2007, 66, 33-40. | 0.2 | 4 |
| 469 | Long-Term Effects of Extrinsic Denervation on VIP and Substance P Innervation in Circular Muscle of Rat Jejunum. <i>Journal of Gastrointestinal Surgery</i> , 2007, 11, 1339-1350. | 0.9 | 8 |
| 470 | Tachykinins and their functions in the gastrointestinal tract. <i>Cellular and Molecular Life Sciences</i> , 2008, 65, 295-311. | 2.4 | 115 |
| 471 | Fused bicyclic pyrrolizones as new scaffolds for human NK1 antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 2156-2170. | 1.4 | 23 |
| 472 | Cinnamic acids and mono-substituted benzoic acids as useful capping groups for the preparation of hNK2 receptor antagonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2008, 18, 4705-4707. | 1.0 | 5 |
| 473 | Effect of chronic, extrinsic denervation on functional NANC innervation with vasoactive intestinal polypeptide and substance P in longitudinal muscle of rat jejunum. <i>Neurogastroenterology and Motility</i> , 2008, 20, 243-252. | 1.6 | 10 |
| 474 | Novel triple neurokinin receptor antagonist CS-003 strongly inhibits neurokinin related responses. <i>European Journal of Pharmacology</i> , 2008, 586, 306-312. | 1.7 | 10 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 475 | Novel triple neurokinin receptor antagonist CS-003 inhibits respiratory disease models in guinea pigs. <i>European Journal of Pharmacology</i> , 2008, 596, 153-159. | 1.7 | 13 |
| 476 | Antiemetics: an update and the MASCC guidelines applied in clinical practice. <i>Nature Clinical Practice Oncology</i> , 2008, 5, 32-43. | 4.3 | 96 |
| 477 | Effects of substance P on neuronal firing of pallidal neurons in parkinsonian rats. <i>Neuroscience Research</i> , 2008, 60, 162-169. | 1.0 | 9 |
| 478 | Effects of Ischemia on Tachykinin-Containing Nerves and Neurokinin Receptors in the Rabbit Bladder. <i>Urology</i> , 2008, 71, 979-983. | 0.5 | 27 |
| 479 | Novel anti-inflammatory treatments for asthma. <i>Expert Review of Respiratory Medicine</i> , 2008, 2, 617-629. | 1.0 | 5 |
| 480 | Expression and coupling of neurokinin receptor subtypes to inositol phosphate and calcium signaling pathways in human airway smooth muscle cells. <i>American Journal of Physiology - Lung Cellular and Molecular Physiology</i> , 2008, 294, L523-L534. | 1.3 | 29 |
| 481 | Peripheral tachykinins and the neurokinin receptor NK1 are required for platelet thrombus formation. <i>Blood</i> , 2008, 111, 605-612. | 0.6 | 40 |
| 482 | Alterations of Neurotransmitter Receptors in Schizophrenia: Evidence from Postmortem Studies. , 2009, , 443-492. | | 1 |
| 483 | Tachykinins and Neurogenic Inflammation at Visceral Level. <i>NeuroImmune Biology</i> , 2009, 8, 289-320. | 0.2 | 2 |
| 484 | Lung respiratory rhythm and pattern generation in the bullfrog: role of neurokinin-1 and μ -opioid receptors. <i>Journal of Comparative Physiology B: Biochemical, Systemic, and Environmental Physiology</i> , 2009, 179, 579-592. | 0.7 | 15 |
| 485 | Important roles of tachykinins in the development of allergic nasal hyperresponsiveness in guinea pigs. <i>Clinical and Experimental Allergy</i> , 2009, 39, 138-146. | 1.4 | 10 |
| 486 | Tachykinin receptor antagonists in clinical trials. <i>Expert Opinion on Investigational Drugs</i> , 2009, 18, 1843-1864. | 1.9 | 65 |
| 487 | A flexible approach to the design of new potent substance P receptor ligands. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 53, 929-934. | 1.2 | 6 |
| 488 | Genetic interventions in mammalian cells; applications and uses in high-throughput screening and drug discovery. <i>Cell Biology and Toxicology</i> , 2010, 26, 43-55. | 2.4 | 6 |
| 489 | Modulation on Ca^{2+} and Na^{+} Terminal Moieties of a Series of Potent and Selective Linear Tachykinin NK ₂ Receptor Antagonists. <i>ChemMedChem</i> , 2010, 5, 65-78. | 1.6 | 10 |
| 490 | Role of Tachykinins in Asthma and Allergic Disease. , 2010, , 177-192. | | 0 |
| 491 | Muscle healing and nerve regeneration in a muscle contusion model in the rat. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2010, 92-B, 894-899. | 3.4 | 21 |
| 492 | Tachykinin Receptor Assays. <i>Current Protocols in Pharmacology</i> , 2010, 48, Unit 4.10. | 4.0 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 493 | Molecular Modeling of Neurokinin B and Tachykinin NK ₃ Receptor Complex. <i>Journal of Chemical Information and Modeling</i> , 2011, 51, 2932-2938. | 2.5 | 22 |
| 494 | Neurochemistry of Endogenous Antinociception. <i>Advances in Neurobiology</i> , 2011, , 417-535. | 1.3 | 0 |
| 495 | Design of Novel Neurokinin 1 Receptor Antagonists Based on Conformationally Constrained Aromatic Amino Acids and Discovery of a Potent Chimeric Opioid Agonist-Neurokinin 1 Receptor Antagonist. <i>Journal of Medicinal Chemistry</i> , 2011, 54, 2467-2476. | 2.9 | 41 |
| 496 | Substance P Activates Both Contractile and Inflammatory Pathways in Lymphatics Through the Neurokinin Receptors NK1R and NK3R. <i>Microcirculation</i> , 2011, 18, 24-35. | 1.0 | 35 |
| 497 | Neurokinin B activates the formation and bone resorption activity of rat osteoclasts. <i>Neuropeptides</i> , 2011, 45, 239-244. | 0.9 | 5 |
| 498 | Implication of Substance P in myocardial contractile function during ischemia in rats. <i>Regulatory Peptides</i> , 2011, 167, 185-191. | 1.9 | 13 |
| 499 | Effect of subchronic administration of tachykinin antagonists on response of guinea-pigs to mild and severe stress. <i>Regulatory Peptides</i> , 2011, 168, 59-68. | 1.9 | 1 |
| 501 | Design, structure-activity relationship, and highly efficient asymmetric synthesis of 3-phenyl-4-benzylaminopiperidine derivatives as novel neurokinin-1 receptor antagonists. <i>Bioorganic and Medicinal Chemistry</i> , 2011, 19, 6430-6446. | 1.4 | 4 |
| 502 | Early development evaluation of AZD8081: a substrate for the NK receptors. <i>Drug Development and Industrial Pharmacy</i> , 2011, 37, 702-713. | 0.9 | 7 |
| 503 | Selective Nasal Allergen Provocation Induces Substance P-Mediated Bronchial Hyperresponsiveness. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2011, 44, 517-523. | 1.4 | 40 |
| 504 | Neurokinin receptor 3 peptide exacerbates 6-hydroxydopamine-induced dopaminergic degeneration in rats through JNK pathway. <i>Journal of Neurochemistry</i> , 2012, 123, 417-427. | 2.1 | 4 |
| 505 | Tachykinin NK2 receptor antagonists. A patent review (2006 - 2010). <i>Expert Opinion on Therapeutic Patents</i> , 2012, 22, 57-77. | 2.4 | 12 |
| 506 | Novel 3-phenylpiperidine-4-carboxamides as highly potent and orally long-acting neurokinin-1 receptor antagonists with reduced CYP3A induction. <i>Bioorganic and Medicinal Chemistry</i> , 2012, 20, 962-977. | 1.4 | 1 |
| 507 | Antagonist profile of ibodutant at the tachykinin NK2 receptor in guinea pig isolated bronchi. <i>European Journal of Pharmacology</i> , 2013, 720, 180-185. | 1.7 | 3 |
| 508 | Characterization of ibodutant at NK2 receptor in human colon. <i>European Journal of Pharmacology</i> , 2013, 702, 32-37. | 1.7 | 7 |
| 509 | Hemokinin-1 competitively inhibits substance P-induced stimulation of osteoclast formation and function. <i>Neuropeptides</i> , 2013, 47, 251-259. | 0.9 | 14 |
| 511 | Neurokinin B Activates Arcuate Kisspeptin Neurons Through Multiple Tachykinin Receptors in the Male Mouse. <i>Endocrinology</i> , 2013, 154, 2750-2760. | 1.4 | 134 |
| 512 | Influence of a neurokinin-1 receptor antagonist (aprepitant) on gastric sensorimotor function in healthy volunteers. <i>Neurogastroenterology and Motility</i> , 2013, 25, e830-8. | 1.6 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 513 | Substance P as a neuronal factor in the enteric nervous system of the porcine descending colon in physiological conditions and during selected pathogenic processes. <i>BioFactors</i> , 2013, 39, 542-551. | 2.6 | 43 |
| 514 | Pharmacological Properties of FK886, a New, Centrally Active Neurokinin-1 Receptor Antagonist. <i>Biological and Pharmaceutical Bulletin</i> , 2013, 36, 76-81. | 0.6 | 3 |
| 515 | Anti-inflammatory Activity. , 2014, , 1-137. | | 0 |
| 516 | Role of neurokinin 1 receptors in dextran sulfate-induced colitis: studies with gene-deleted mice and the selective receptor antagonist netupitant. <i>Inflammation Research</i> , 2014, 63, 399-409. | 1.6 | 10 |
| 517 | Substance P enhances the activation of AMPK and cellular lipid accumulation in 3T3-L1 cells in response to high levels of glucose. <i>Molecular Medicine Reports</i> , 2015, 12, 8048-8054. | 1.1 | 9 |
| 518 | Membrane-induced structure of novel human tachykinin hemokinin-1 (hscp>HK</scp>1). <i>Biopolymers</i> , 2015, 103, 702-710. | 1.2 | 9 |
| 519 | <i>Autonomic & Autacoid Pharmacology</i>: past, present and future. <i>Autonomic and Autacoid Pharmacology</i> , 2015, 35, 45-45. | 0.5 | 3 |
| 520 | Oxidative stress and substance P mediate psychological stress-induced autophagy and delay of hair growth in mice. <i>Archives of Dermatological Research</i> , 2015, 307, 171-181. | 1.1 | 27 |
| 521 | Substance P stimulates proliferation of spinal neural stem cells in spinal cord injury via the mitogen-activated protein kinase signaling pathway. <i>Spine Journal</i> , 2015, 15, 2055-2065. | 0.6 | 31 |
| 522 | Solid State Investigation and Characterization of a Nepadutant Precursor: Polymorphic and Pseudopolymorphic Forms of MEN11282. <i>Crystal Growth and Design</i> , 2016, 16, 5294-5304. | 1.4 | 13 |
| 523 | Neuropeptides and ATP signaling in the trigeminal ganglion. <i>Japanese Dental Science Review</i> , 2017, 53, 117-124. | 2.0 | 51 |
| 524 | Role of Substance P Neuropeptide in Inflammation, Wound Healing, and Tissue Homeostasis. <i>Journal of Immunology</i> , 2017, 199, 1543-1552. | 0.4 | 233 |
| 525 | Design, synthesis and biological studies of a library of NK1-Receptor Ligands Based on a 5-arylthiosubstituted 2-amino-4,6-diaryl-3-cyano-4 H -pyran core: Switch from antagonist to agonist effect by chemical modification. <i>European Journal of Medicinal Chemistry</i> , 2017, 138, 644-660. | 2.6 | 24 |
| 526 | Substance P Receptor in the Rat Heart and Regulation of Its Expression in Long-Term Diabetes. <i>Frontiers in Physiology</i> , 2018, 9, 918. | 1.3 | 5 |
| 527 | Salt formation improved the properties of a candidate drug during early formulation development. <i>European Journal of Pharmaceutical Sciences</i> , 2018, 120, 162-171. | 1.9 | 12 |
| 528 | Substance P and fibrotic diseases. <i>Neuropeptides</i> , 2019, 76, 101941. | 0.9 | 14 |
| 529 | Neurokinin-1 receptor-based bivalent drugs in pain management: The journey to nowhere?. , 2019, 196, 44-58. | | 15 |
| 530 | The crystalline salt form of a selected candidate drug showed photo-, thermal- and humidity induced form transitions. <i>European Journal of Pharmaceutical Sciences</i> , 2019, 128, 128-136. | 1.9 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 531 | Detection of neurokinin-1 receptor by immunohistochemistry in canine mammary gland tumours. <i>Veterinary Medicine and Science</i> , 2020, 6, 958-964. | 0.6 | 1 |
| 532 | Local and Systemic Factors Drive Ectopic Osteogenesis in Regenerating Muscles of Spinal-Cord-Injured Mice in a Lesion-Level-Dependent Manner. <i>Journal of Neurotrauma</i> , 2021, 38, 2162-2175. | 1.7 | 8 |
| 533 | Towards Facile Radiolabeling and Preparation of Gallium-68-/Bismuth-213-DOTA-[Thi8, Met(O2)11]-Substance P for Future Clinical Application: First Experiences. <i>Pharmaceutics</i> , 2021, 13, 1326. | 2.0 | 3 |
| 534 | The Role of Neuropeptides in Pathogenesis of Dry Eye. <i>Journal of Clinical Medicine</i> , 2021, 10, 4248. | 1.0 | 12 |
| 535 | Tachykinin NK2 antagonist for treatments of various disease states. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2021, 235, 102865. | 1.4 | 1 |
| 537 | Analgesic, anti-inflammatory, and anti-pyretic activity ¹ . , 2002, , 670-773. | | 10 |
| 538 | Structure-Activity Relationships of Agonist and Antagonist Ligands. , 1994, , 329-365. | | 4 |
| 539 | Pharmacological Characterization of Receptor Types. , 1994, , 367-393. | | 4 |
| 540 | Evidence for Receptor Subtypes/Species Variants of Receptors. , 1994, , 395-470. | | 12 |
| 541 | The Nomenclature of Tachykinin Receptors. <i>Handbook of Experimental Pharmacology</i> , 2004, , 121-139. | 0.9 | 3 |
| 542 | Tachykinin NK1 Receptor Antagonists. <i>Handbook of Experimental Pharmacology</i> , 2004, , 173-218. | 0.9 | 3 |
| 543 | Tachykinin NK2 Receptor Antagonists. <i>Handbook of Experimental Pharmacology</i> , 2004, , 219-244. | 0.9 | 2 |
| 544 | Peripheral Mediators of Pain. <i>Handbook of Experimental Pharmacology</i> , 1997, , 21-41. | 0.9 | 12 |
| 545 | Tachykinin Receptors and their Antagonists. , 1994, , 217-230. | | 4 |
| 546 | A New potent and highly selective, long lasting, peptide based Neurokinin A antagonist: Rational design of MEN 10627. , 1994, , 487-489. | | 4 |
| 547 | Characterisation of substance P-induced endocytosis of NK1 receptors on enteric neurons. <i>Histochemistry and Cell Biology</i> , 1996, 106, 563-571. | 0.8 | 4 |
| 548 | Specific residues at the top of transmembrane segment V and VI of the neurokinin-1 receptor involved in binding of the nonpeptide antagonist CP 96,345 [corrected]. <i>Journal of Biological Chemistry</i> , 1994, 269, 23959-23964. | 1.6 | 39 |
| 549 | Design of non-peptide agonists and antagonists for neuropeptide receptors. <i>Advances in Amino Acid Mimetics and Peptidomimetics</i> , 1999, , 165-190. | 0.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 550 | Neurokinin-receptor antagonists: pharmacological tools and therapeutic drugs. <i>Canadian Journal of Physiology and Pharmacology</i> , 1997, 75, 612-21. | 0.7 | 21 |
| 551 | Tachykinins mediate noncholinergic excitatory neural responses in the circular muscle of rat proximal colon. <i>Canadian Journal of Physiology and Pharmacology</i> , 1998, 76, 684-9. | 0.7 | 8 |
| 552 | Inflammation in Asthma. , 1999, , 19-54. | | 5 |
| 553 | CARDIOVASCULAR RESPONSES TO SCYLORHININ I AND II IN THE RAINBOW TROUT, ONCORHYNCHUS MYKISS, IN VIVO AND IN VITRO. <i>Journal of Experimental Biology</i> , 1994, 191, 155-166. | 0.8 | 5 |
| 554 | Two novel tachykinin-related peptides from the nervous system of the crab <i>Cancer borealis</i> . <i>Journal of Experimental Biology</i> , 1997, 200, 2279-2294. | 0.8 | 121 |
| 555 | Species-specific action and distribution of tachykinin-related peptides in the foregut of the cockroaches <i>Leucophaea maderae</i> and <i>Periplaneta americana</i> . <i>Journal of Experimental Biology</i> , 1998, 201, 1615-1626. | 0.8 | 31 |
| 556 | The Role of Sonic Hedgehog Signaling in Osteoclastogenesis and Jaw Bone Destruction. <i>PLoS ONE</i> , 2016, 11, e0151731. | 1.1 | 21 |
| 557 | Targeting neurokinin-3 receptor: a novel anti-angiogenesis strategy for cancer treatment. <i>Oncotarget</i> , 2017, 8, 40713-40723. | 0.8 | 8 |
| 558 | Neurokinin-1 Receptor Antagonists as Anticancer Drugs. <i>Letters in Drug Design and Discovery</i> , 2019, 16, 1110-1129. | 0.4 | 6 |
| 559 | Involvement of substance P and the NK-1 receptor in pancreatic cancer. <i>World Journal of Gastroenterology</i> , 2014, 20, 2321. | 1.4 | 35 |
| 560 | Localization of neurokinin B receptor in mouse gastrointestinal tract. <i>World Journal of Gastroenterology</i> , 2002, 8, 172. | 1.4 | 11 |
| 561 | Pharmacophore Pattern Identification of Tachykinin Receptor Selective Peptide Agonists: Implications in Receptor Selectivity. <i>American Journal of Biochemistry and Biotechnology</i> , 2007, 3, 180-186. | 0.1 | 2 |
| 562 | Tachykinins. , 2000, , 113-146. | | 0 |
| 564 | Biological basis of anxiety and strategies for pharmacological innovation. , 2002, , 31-66. | | 0 |
| 565 | Pre-protachykinin and Tachykinin Receptor Knockout Mice. <i>Handbook of Experimental Pharmacology</i> , 2004, , 297-340. | 0.9 | 0 |
| 566 | Substance P. , 2004, , 474-479. | | 0 |
| 567 | Modulatory Role of NK1 Receptors in the Basal Ganglia. <i>Studies in NK1-/- Mice</i> . , 2005, , 151-159. | | 0 |
| 570 | Involvement of kinins and tachykinins in the development of nasal hyperresponsiveness in a guinea pig pollinosis model. <i>Inflammation and Regeneration</i> , 2010, 30, 524-530. | 1.5 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 571 | Opioid System and Depression. , 2011, , 256-279. | | 1 |
| 572 | Tachykinin Receptor Antagonists. <i>Methods in Neurosciences</i> , 1993, 13, 176-189. | 0.5 | 0 |
| 573 | Receptors for Vasoactive Peptides and their Implications in Physiopathology. <i>Developments in Cardiovascular Medicine</i> , 1994, , 387-401. | 0.1 | 0 |
| 574 | Structural requirements for antagonist activity at tachykinin NK2 receptor in a series of bicyclic hexapeptides. , 1995, , 591-592. | | 1 |
| 576 | Tachykinins and Calcitonin Gene-Related Peptide. , 1995, , 67-86. | | 0 |
| 577 | Natural product peptidomimetics. <i>Advances in Amino Acid Mimetics and Peptidomimetics</i> , 1997, , 251-293. | 0.3 | 1 |
| 578 | Tachykinin receptors and the potential of tachykinin antagonists as clinically effective analgesics and anti-inflammatory agents. , 1999, , 313-333. | | 2 |
| 579 | Tachykinin Receptor Antagonists. , 1999, , 203-235. | | 0 |
| 580 | Anti-Inflammatory Activity. , 2016, , 1905-2024. | | 1 |
| 581 | Tachykinin Receptor Antagonists. , 2017, , 275-299. | | 0 |
| 582 | Changes in the expression of substance P in nerve fibres of the colonic mucosa in dogs suffering from inflammatory bowel disease. <i>Acta Veterinaria Hungarica</i> , 2020, 68, 154-159. | 0.2 | 2 |
| 583 | Biology of Neurotrophins, Neuropeptides, and Muscarinic Receptors in Asthma. , 2009, , 469-491. | | 0 |
| 584 | Changes and Possible Role of Neuropeptides in Iatrogenic Dry Eye. <i>Annals of Optometry and Contact Lens</i> , 2022, 21, 8-14. | 0.1 | 0 |
| 586 | Influence of the Peripheral Nervous System on Murine Osteoporotic Fracture Healing and Fracture-Induced Hyperalgesia. <i>International Journal of Molecular Sciences</i> , 2023, 24, 510. | 1.8 | 1 |
| 587 | SYNTHESIS and STRUCTURE-ACTIVITY RELATIONSHIPS in PERHYDROISOINDOLE SUBSTANCE P ANTAGONISTS. <i>European Journal of Medicinal Chemistry</i> , 1995, 30, 575s-585s. | 2.6 | 2 |
| 588 | PEPTOID APPROACHES IN THE DESIGN OF ANTAGONISTS OF SUBSTANCE P AND CHOLECYSTOKININ. <i>European Journal of Medicinal Chemistry</i> , 1995, 30, 537s-550s. | 2.6 | 0 |
| 589 | The Activity of Substance P (SP) on the Corneal Epithelium. , 2023, 1, 35-51. | | 1 |