

CITATION REPORT

List of articles citing

Benthic foraminifera in oxygen-poor habitats

DOI: 10.1016/0377-8398(93)90032-s
Marine Micropaleontology, 1993, 20, 183-201.

Source: <https://exaly.com/paper-pdf/23910671/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
449	Evidence for the Presence of Oxygen-Depleted Sapropel Intermediate Water across the Eastern Mediterranean during Sapropel S1.		
448	Deep-sea benthic foraminiferal species which exploit phytodetritus: Characteristic features and controls on distribution. <i>Marine Micropaleontology</i> , 1993 , 22, 187-205	1.7	300
447	Temporary repopulation by low-oxygen tolerant benthic foraminifera within an Upper Pliocene sapropel: Evidence for the role of oxygen depletion in the formation of sapropels. <i>Marine Micropaleontology</i> , 1993 , 22, 207-219	1.7	27
446	Benthic foraminifera of bathyal hydrocarbon vents of the Gulf of Mexico: Initial report on communities and stable isotopes. 1994 , 14, 88-96		62
445	The use of Ostracoda to reconstruct the oxygen levels of Late Palaeozoic oceans. <i>Marine Micropaleontology</i> , 1994 , 24, 57-69	1.7	56
444	Time-based correlation of biogenic, lithogenic and authigenic sediment components with anthropogenic inputs in the Gulf of Mexico NECOP study area. 1994 , 17, 873		49
443	The ecology of living (stained) deep-sea benthic foraminifera from the Sulu Sea. 1994 , 9, 87-150		249
442	Quantitative estimation of surface ocean productivity and bottom water oxygen concentration using benthic foraminifera. 1994 , 9, 723-737		78
441	An early Miocene Atlantic-wide foraminiferal/palaeoceanographic event. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1994 , 108, 139-148	2.9	13
440	Planktonic and benthic foraminiferal extinction events during the last 100 m.y.. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1994 , 111, 45-71	2.9	69
439	The Biology of Deep-Sea Foraminifera: A Review of Some Advances and Their Applications in Paleoceanography. 1994 , 9, 14		203
438	Continental shelf upwelling and benthic Ostracoda in the Benguela System (Southeastern Atlantic Ocean). 1995 , 122, 207-225		22
437	Benthic foraminiferal fauna during the time of the Indian-Asian contact, in southern Balochistan, Pakistan. <i>Marine Micropaleontology</i> , 1995 , 24, 215-238	1.7	5
436	Do benthic foraminifer records represent a productivity index in oxygen minimum zone areas? An evaluation from the Oman Margin, Arabian Sea. <i>Marine Micropaleontology</i> , 1995 , 26, 49-55	1.7	48
435	A conceptual model explaining benthic foraminiferal microhabitats. <i>Marine Micropaleontology</i> , 1995 , 26, 3-15	1.7	716
434	Benthic foraminiferal evidence for the existence of an early Miocene oxygen-depleted oceanic water mass?. 1995 , 152, 735-738		13
433	Impact of productivity events on the benthic foraminiferal fauna in the Arabian Sea over the last 150,000 years. 1995 , 10, 85-116		46

432	Northeastern Atlantic benthic foraminifera during the last 45,000 years: Changes in productivity seen from the bottom up. 1995 , 10, 545-562		166
431	Biostratigraphy, Paleoenvironments and Stratigraphic Evolution of the Neogene of St. Croix, U.S. Virgin Islands. 1995 , 41, 293		6
430	Benthic foraminifera from the NECOP study area impacted by the Mississippi River plume and seasonal hypoxia. <i>Quaternary International</i> , 1996 , 31, 19-36	2	38
429	Latest Paleocene benthic foraminiferal extinction and environmental changes at Tawanui, New Zealand. 1996 , 11, 447-465		104
428	Modern benthic foraminiferal biofacies across the Northern North Sea. 1996 , 81, 97-106		26
427	Survival, ATP pool, and ultrastructural characterization of benthic foraminifera from Drammensfjord (Norway): response to anoxia. <i>Marine Micropaleontology</i> , 1996 , 28, 5-17	1.7	98
426	The surface ocean productivity and bottom water oxygen signals in deep water benthic foraminiferal assemblages. <i>Marine Micropaleontology</i> , 1996 , 28, 247-261	1.7	97
425	Nutrient changes in the Mississippi River and system responses on the adjacent continental shelf. 1996 , 19, 386		566
424	Extinction and survivorship of southern Tethyan Benthic foraminifera across the Cretaceous/Palaeogene boundary. 1996 , 102, 343-371		31
423	Benthonic foraminiferal mass extinction and survival assemblages from the Cenomanian-Turonian Boundary Event in the Menoyo Section, northern Spain. 1996 , 102, 245-258		15
422	200 Year interruption of Holocene sapropel formation in the Adriatic Sea. <i>Journal of Micropalaeontology</i> , 1997 , 16, 97-108	2	154
421	Biostratigraphie et paléobenvironnements des dépôts crétacés au large d'Abidjan (Golfe de Guinée). 1997 , 18, 545-565		10
420	Foraminifères benthiques et paléoproductivité : réflexions sur une carotte de l'upwelling (NW africain). 1997 , 325, 65-70		2
419	Late Quaternary palaeoceanography near Tasmania, southern Australia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1997 , 131, 433-463	2.9	41
418	Pliocene sapropels in the northern Adriatic area: chronology and paleoenvironmental significance. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1997 , 135, 1-25	2.9	27
417	Selectivity of foraminiferal extinction in the late Eocene. 1997 , 23, 347-357		2
416	Benthic foraminiferal assemblages between two major extinction events: the Paleocene El Kef section, Tunisia. <i>Marine Micropaleontology</i> , 1997 , 29, 105-127	1.7	32
415	Recent benthic foraminiferal associations and ecology of the Scotia Sea and Argentine Basin. <i>Marine Micropaleontology</i> , 1997 , 31, 1-29	1.7	67

414	Benthic foraminiferal ecomarker species of the terminal Cretaceous (late Maastrichtian) deep-sea Tethys. <i>Marine Micropaleontology</i> , 1997 , 31, 135-155	1.7	54
413	Recent benthic foraminifera from the eastern South Atlantic Ocean: Dependence on food supply and water masses. <i>Marine Micropaleontology</i> , 1997 , 32, 249-287	1.7	251
412	Subsurface activity of benthic foraminifera in relation to porewater oxygen content: laboratory experiments. <i>Marine Micropaleontology</i> , 1998 , 34, 91-106	1.7	92
411	Benthic foraminiferal response to variations in surface water productivity and oxygenation in the northern Arabian Sea. <i>Marine Micropaleontology</i> , 1998 , 35, 43-66	1.7	97
410	Mid-depth oxygen drawdown during Heinrich events: evidence from benthic foraminiferal community structure, trace-fossil tiering, and benthic $\delta^{13}C$ at the Portuguese Margin. 1998 , 152, 25-55		57
409	Sedimentary and diagenetic markers of the restriction in a marine basin: the Lorca Basin (SE Spain) during the Messinian. 1998 , 121, 23-55		72
408	Living (Rose Bengal stained) benthic foraminifera from the Pakistan continental margin (northern Arabian Sea). 1998 , 45, 1483-1513		140
407	Live benthic foraminiferal faunas off Cape Blanc, NW-Africa: Community structure and microhabitats. 1998 , 45, 2157-2188		155
406	Deep-sea benthic foraminiferal species diversity in the NE Atlantic and NW Arabian sea: a synthesis. 1998 , 45, 165-201		67
405	Relationships between oxygen, organic matter and the diversity of bathyal macrofauna. 1998 , 45, 129-163		168
404	Impact of climatic changes on the benthic foraminiferal fauna in the Ionian Sea during the last 330,000 years. 1998 , 13, 447-458		56
403	A Model of early to middle Miocene Deep Ocean circulation for the Atlantic and Indian Oceans. 1998 , 131, 55-70		22
402	Deep-sea environments on a warm earth: latest Paleocene-early Eocene. 1999 , 132-160		12
401	Benthic foraminiferal successions across Late Quaternary Mediterranean sapropels. 1999 , 153, 91-101		131
400	Upwelling intensity and ocean productivity changes off Cape Blanc (northwest Africa) during the last 70,000 years: geochemical and micropalaeontological evidence. 1999 , 158, 57-74		93
399	Benthic foraminiferal paleoceanography of the South China Sea over the last 40,000 years. 1999 , 156, 159-186		85
398	Latest Pliocene through Holocene paleoceanography of the eastern Indian Ocean: benthic foraminiferal evidence. 1999 , 161, 63-73		8
397	Temporal variability in living deep-sea benthic foraminifera: a review. 1999 , 46, 187-212		130

396	Benthic foraminifers: proxies or problems?. 1999 , 46, 213-236		401
395	Benthic foraminifera of dysoxic sediments: chloroplast sequestration and functional morphology. 1999 , 46, 149-165		127
394	Effect of organic carbon flux and dissolved oxygen on the benthic foraminiferal oxygen index (BFOI). <i>Marine Micropaleontology</i> , 1999 , 37, 67-76	1.7	147
393	Benthic foraminifera along an offshore-fjord gradient: a comparison with amphipods and molluscs. 1999 , 33, 317-350		26
392	Benthic foraminifera and their response to hydrography, periodic hypoxic conditions and primary production in the Koljå Fjord on the Swedish west coast. 1999 , 41, 163-178		55
391	Miocene benthonic foraminiferal morphogroups in an oxygen minimum zone, offshore Cabinda. 1999 , 153, 267-282		6
390	Middle to Upper Miocene benthonic foraminiferal palaeoecology of the Tap Marls (Alicante Province, SE Spain) and its palaeoceanographic implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1999 , 145, 141-156	2.9	24
389	Multiple monsoon-controlled breakdown of oxygen-minimum conditions during the past 30,000 years documented in laminated sediments off Pakistan. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1999 , 152, 129-161	2.9	121
388	Integrated stratigraphy of the Waitakian-Otaian Stage boundary stratotype, Early Miocene, New Zealand. 1999 , 42, 581-614		17
387	Latest Miocene-Pleistocene Productivity and Deep-Sea Ventilation in the Northwestern Indian Ocean (Deep Sea Drilling Project Site 219). 1999 , 14, 62-73		65
386	NE Atlantic benthic foraminifera: modern distribution patterns and palaeoecological significance. 2000 , 157, 679-691		24
385	Coupled primary production, benthic foraminiferal assemblage, and sulfur diagenesis in organic-rich sediments of the Benguela upwelling system. 2000 , 163, 27-40		48
384	Benthic foraminifera as indicators of changing Mediterranean-Atlantic water exchange in the late Miocene. 2000 , 163, 387-407		80
383	Trophic control of benthic foraminiferal abundance and microhabitat in the bathyal Gulf of Lions, western Mediterranean Sea. <i>Marine Micropaleontology</i> , 2000 , 40, 167-188	1.7	190
382	La faune interstratifiée dans les gypses messiniens de Los Yesos (bassin de Sorbas, SE Espagne): Implications. 2000 , 33, 637-649		26
381	Deep sea benthic foraminiferal response to the pliocene palaeoenvironments of the northern Indian Ocean. 2000 , 33, 301-308		2
380	Recent Anthropogenic Impacts on the Bilbao Estuary, Northern Spain: Geochemical and Microfaunal Evidence. 2000 , 50, 571-592		126
379	Living (Stained) Benthic Foraminifera and their Response to the Seasonal Hydrographic Cycle, Periodic Hypoxia and to Primary Production in Havstens Fjord on the Swedish West Coast. 2000 , 51, 743-761		48

378	Palaeoceanography and numerical modelling: the Mediterranean Sea at times of sapropel formation. 2000 , 181, 135-149		6
377	Foraminifera in the Arabian Sea oxygen minimum zone and other oxygen-deficient settings: taxonomic composition, diversity, and relation to metazoan faunas. 2000 , 47, 25-54		178
376	Benthic foraminifera as proxies of organic matter flux and bottom water oxygenation? A case history from the northern Arabian Sea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000 , 161, 337-359	2.9	124
375	Neogene palaeoenvironmental evolution in the Atlantic side of the Rifian Corridor (Morocco). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000 , 163, 1-31	2.9	22
374	Environmental Variation and Foraminiferal Test Abnormalities. 2000 , 191-215		20
373	Environmental Stratigraphy. 2000 , 323-350		5
372	Benthic foraminiferal communities in oxygen-depleted environments of the Louisiana Continental Shelf. 2001 , 147-163		9
371	Historical trends of hypoxia on the Louisiana shelf: application of pigments as biomarkers. 2001 , 32, 543-561		117
370	The foraminiferan macrofauna from three North Carolina (USA) slope sites with contrasting carbon flux: a comparison with the metazoan macrofauna. 2001 , 48, 1709-1739		37
369	The Miocene palaeoenvironmental and palaeoceanographic evolution of the Gippsland Basin, Southeast Australia: a record of Southern Ocean change. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2001 , 172, 53-80	2.9	57
368	Foraminiferal record of environmental changes: Messinian of the Los Yesos area (Sorbas Basin, SE Spain). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2001 , 175, 61-78	2.9	35
367	Constraints of stable isotope signatures on the depositional palaeoenvironments of upper Miocene reef and temperate carbonates in the Sorbas Basin, SE Spain. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2001 , 175, 153-172	2.9	43
366	Environmental Influences on Regional Deep-Sea Species Diversity. 2001 , 32, 51-93		488
365	The Recent temperate foraminiferal biofacies of the Gippsland Shelf: an analogue for Neogene environmental analyses in southeastern Australia. <i>Journal of Micropalaeontology</i> , 2001 , 20, 127-142	2	12
364	Hypoxia in the northern Gulf of Mexico: Description, causes and change. 2001 , 1-36		64
363	Holocene paleoceanography in the southeast Venezuela Basin, Caribbean Sea. 2001 , 5, 101-122		
362	Late-Holocene changes in ocean circulation and climate: foraminiferal and isotopic evidence from Sulafjord, western Norway. 2001 , 11, 437-446		33
361	The last 3000 years in the R ^o de Vigo (NW Iberian Margin): climatic and hydrographic signals. 2002 , 12, 459-468		48

360	Drying of samples may alter foraminiferal isotopic ratios and faunistic composition. 2002 , 48, 87		2
359	Benthic foraminiferal record of Holocene deep-water evolution in the Palmer Deep, western Antarctic Peninsula. 2002 , 30, 435		31
358	Glacial Holocene environment of the southeastern Okhotsk Sea: evidence from geochemical and palaeontological data. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2002 , 177, 237-263	2.9	62
357	Live benthic foraminiferal faunas from the Bay of Biscay: faunal density, composition, and microhabitats. 2002 , 49, 751-785		323
356	Caracterizaci3n microfaun3tica de una transgresi3n marina: Formaci3n Agrio (Cret3ceo inferior), Cuenca Neuquina, Argentina. 2002 , 35, 721-734		15
355	Benthic processes on the Peru margin: a transect across the oxygen minimum zone during the 1997-98 El Ni3o. 2002 , 53, 1-27		141
354	Morphological abnormalities of foraminiferal tests in Brazilian environments: comparison between polluted and non-polluted areas. <i>Marine Micropaleontology</i> , 2002 , 45, 151-168	1.7	104
353	Factors influencing the distribution patterns of Recent deep-sea benthic foraminifera, east of New Zealand, Southwest Pacific Ocean. <i>Marine Micropaleontology</i> , 2002 , 46, 139-176	1.7	78
352	Benthic foraminiferal distribution and sedimentary structures suggest tectonic erosion at the Costa Rica convergent plate margin. 2002 , 14, 388-396		7
351	Distribution of recent calcareous benthic foraminifera in the northern North Sea and relation to the environment. 2002 , 21, 275-282		15
350	Paleoceanographic implications of smaller benthic and planktonic foraminifera from the Eocene Pazin Basin (Coastal Dinarides, Croatia). 2003 , 49, 49		10
349	A 370-ka paleoceanographic record from the Hess Rise, central North Pacific Ocean, and an indistinct Kuroshio Extension. <i>Marine Micropaleontology</i> , 2003 , 49, 21-47	1.7	20
348	Formation of the Late Aptian Niveau Fallot black shales in the Vocontian Basin (SE France): evidence from foraminifera, palynomorphs, and stable isotopes. <i>Marine Micropaleontology</i> , 2003 , 49, 65-85	1.7	61
347	Benthic foraminifera from the continental shelf and slope of the Gulf of Mexico: an indicator of shelf hypoxia. 2003 , 58, 17-35		42
346	Benthic foraminifera (Protista) as tools in deep-water palaeoceanography: environmental influences on faunal characteristics. 2003 , 46, 1-90		286
345	The Paleoecology of Late Cretaceous Upwelling Events from the Upper Magdalena Basin, Colombia. 2003 , 18, 305-320		7
344	Coccolithophorid ecostratigraphy and multi-proxy paleoceanographic reconstruction in the Southern Adriatic Sea during the last deglacial time (Core AD91-17). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003 , 190, 39-59	2.9	50
343	Benthic foraminiferal record of ecosystem variability in the eastern Mediterranean Sea during times of sapropel S5 and S6 deposition. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003 , 190, 139-164	2.9	137

342	The Pliocene climatic and environmental evolution of southeastern Australia: evidence from the marine and terrestrial realm. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003 , 193, 349-382	2.9	53
341	Miocene-Pliocene Foraminifera from the Niigata oil-fields region, northeastern Japan. 2003 , 49, 293-340		3
340	Miocene-Pliocene Foraminifera from the Niigata oil-fields region, northeastern Japan. 2003 , 49, 293		1
339	Recent benthic foraminifera from offshore Taranaki, New Zealand. 2003 , 46, 489-518		10
338	The Recent foraminifera and facies of the Bass Canyon: a temperate submarine canyon in Gippsland, Australia. <i>Journal of Micropalaeontology</i> , 2003 , 22, 63-83	2	13
337	Sieve Plates and Habitat Adaptation in the Foraminifer <i>Planulina ornata</i> . 2003 , 57, 103-110		1
336	Miocene deep water agglutinated foraminifera from offshore Krishna-Godavari Basin, India. 2004 , 50, 213-252		1
335	Late Oligoceneâ€”Miocene paleoceanographic evolution of the southeastern Indian Ocean: evidence from deep-sea benthic foraminifera (ODP Site 757). <i>Marine Micropaleontology</i> , 2004 , 51, 153-170	1.7	33
334	Migratory responses of deep-sea benthic foraminifera to variable oxygen conditions: laboratory investigations. <i>Marine Micropaleontology</i> , 2004 , 53, 227-243	1.7	90
333	Miocene deep water agglutinated foraminifera from offshore Krishna-Godavari Basin, India. 2004 , 50, 213		
332	Trophic regimes of benthic foraminiferal assemblages in Lower Jurassic shallow water carbonates from northeastern Italy (Calcarei Grigi, Trento Platform, Venetian Prealps). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004 , 205, 111-130	2.9	46
331	Benthic foraminifera and environmental turnover across the Cretaceous/Paleogene boundary at Blake Nose (ODP Hole 1049C, Northwestern Atlantic). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004 , 208, 59-83	2.9	47
330	The environment of Venice area in the past two million years. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004 , 202, 273-308	2.9	79
329	Human activities along the Basque coast during the last two centuries: geological perspective of recent anthropogenic impact on the coast and its environmental consequences. 2004 , 70, 27-50		27
328	Cyclic changes in oxygenation based on foraminiferal microhabitats: Earlyâ€”Middle Pleistocene, Lucania Basin (southern Italy). <i>Journal of Micropalaeontology</i> , 2004 , 23, 81-95	2	22
327	Sequence Biostratigraphy of Prograding Clinofolds, Northern Carnarvon Basin, Western Australia: A Proxy for Variations in Oligocene to Pliocene Global Sea Level?. 2004 , 19, 206-226		32
326	Benthic foraminifera associated with a hydrocarbon seep in the Rockall Trough (NE Atlantic). 2005 , 38, 247-255		23
325	Benthic foraminifera off West Africa (1°N to 32°S): Do live assemblages from the topmost sediment reliably record environmental variability?. <i>Marine Micropaleontology</i> , 2005 , 55, 205-233	1.7	62

324	Impact of late Quaternary environmental changes on deep-sea benthic foraminiferal faunas of the Red Sea. <i>Marine Micropaleontology</i> , 2005 , 58, 13-30	1.7	33
323	Live foraminiferal faunas from a 2800m deep lower canyon station from the Bay of Biscay: Faunal response to focusing of refractory organic matter. 2005 , 52, 1189-1227		109
322	Productivity changes in the Bering Sea during the late Quaternary. 2005 , 52, 2150-2162		71
321	Foraminiferal record and environmental changes during the deposition of the Early-Middle Pleistocene sapropels in southern Italy. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2005 , 216, 27-52	2.9	34
320	Palaeoenvironmental changes across the Danian-Belandian boundary in the North Sea Basin. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2005 , 219, 351-394	2.9	57
319	Paleobathymetry in the backstripping procedure: Correction for oxygenation effects on depth estimates. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2005 , 221, 245-265	2.9	104
318	Cretaceous/Paleogene boundary bathyal paleo-environments in the central North Pacific (DSDP Site 465), the Northwestern Atlantic (ODP Site 1049), the Gulf of Mexico and the Tethys: The benthic foraminiferal record. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2005 , 224, 53-82	2.9	50
317	Intensification of the oxygen minimum zone in the northeast Pacific off Vancouver Island during the last deglaciation: Ventilation and/or export production?. 2005 , 20, n/a-n/a		34
316	Oxygenation changes in the deep western Arabian Sea during the last 190,000 years: Productivity versus deepwater circulation. 2005 , 20, n/a-n/a		43
315	The Tortonian fish fauna of Gavdos Island (Greece). 2005 , 4, 687-695		10
314	Benthic foraminiferal assemblages from Demerara Rise (ODP Leg 207, western tropical Atlantic): possible evidence for a progressive opening of the Equatorial Atlantic Gateway. 2006 , 27, 377-397		81
313	A new marine fish fauna from the pre-evaporitic Messinian of Gavdos Island (Greece). 2006 , 5, 795-802		10
312	Regional primary productivity differences off Morocco (NW-Africa) recorded by modern benthic foraminifera and their stable carbon isotopic composition. 2006 , 53, 1379-1405		61
311	South Equatorial Current (SEC) driven changes at DSDP Site 237, Central Indian Ocean, during the Plio-Pleistocene: Evidence from Benthic Foraminifera and Stable Isotopes. 2006 , 28, 276-290		13
310	A reconstruction of late Miocene Mediterranean circulation patterns using benthic foraminifera. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2006 , 238, 373-385	2.9	62
309	References. 344-411		
308	Benthic foraminifera in upper Quaternary sediments of the southern Bering Sea: Distribution and paleoceanographic interpretations. 2006 , 14, 538-548		10
307	Paleoenvironmental changes across the Cenomanian/Turonian Boundary Event (Oceanic Anoxic Event 2) as indicated by benthic foraminifera from the Demerara Rise (ODP Leg 207). 2006 , 49, 121-139		77

306	Planktic foraminifera from the mid-Cretaceous (Barremian–Early Albian) of the North Sea Basin: Palaeoecological and palaeoceanographic implications. <i>Marine Micropaleontology</i> , 2006 , 58, 83-102	1.7	24
305	Foraminiferal response to an active methane seep environment: A case study from the Adriatic Sea. <i>Marine Micropaleontology</i> , 2006 , 61, 116-130	1.7	51
304	Mid-Pleistocene extinction of bathyal benthic foraminifera in the Caribbean Sea. 2006 , 52, 245-266		11
303	Sapropel-like Pliocene sediments of Sicily deposited under oxygenated bottom water. 2006 , 177, 79-88		5
302	Cenozoic mass extinctions in the deep sea: What perturbs the largest habitat on Earth?. 2007 ,		63
301	The Late Quaternary evolution of water masses in the eastern Indian Ocean between Australia and Indonesia, based on benthic foraminifera faunal and carbon isotopes analyses. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007 , 247, 382-401	2.9	22
300	Middle–late Miocene benthic foraminifera in a western equatorial Indian Ocean depth transect: Palaeoceanographic implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007 , 247, 402-420 ^{2.9}		42
299	Faunal turnovers in central Pacific benthic foraminifera during the Paleocene–Eocene thermal maximum. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007 , 251, 175-197	2.9	49
298	Organic-rich and manganese sedimentation during the Cenomanian–Turonian boundary event in the Outer Carpathian basins; a new record from the Skole Nappe, Poland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007 , 256, 21-46	2.9	17
297	Benthonic foraminiferal paleoecology of the Brasso Formation (<i>Globorotalia fohsi lobata</i> and <i>Globorotalia fohsi robusta</i> [N11–N12] Zones), Trinidad, West Indies: A transect through an oxygen minimum zone. 2007 , 23, 91-98		10
296	Paleoenvironmental reconstruction of the Middle Eocene Trieste-Pazin basin (Croatia) from benthic foraminiferal assemblages. 2007 , 53, 285-310		8
295	Late Quaternary changes in intermediate water oxygenation and oxygen minimum zone, northern Japan: A benthic foraminiferal perspective. 2007 , 22, n/a-n/a		42
294	Paleoceanography of the southern Agulhas Plateau during the last 150 ka: Inferences from benthic foraminiferal assemblages and multispecies epifaunal carbon isotopes. 2007 , 22, n/a-n/a		17
293	Chapter Seven Paleoceanographical Proxies Based on Deep-Sea Benthic Foraminiferal Assemblage Characteristics. 2007 , 263-325		142
292	A multiproxy approach of the Holocene evolution of shelf–lope circulation on the NW Iberian Continental Shelf. 2007 , 239, 1-18		85
291	PLEISTOCENE EXTINCTIONS OF DEEP-SEA BENTHIC FORAMINIFERA: THE SOUTH ATLANTIC RECORD. 2007 , 50, 1073-1102		14
290	Palaeoenvironmental conditions preceding the Messinian Salinity Crisis: A case study from Gavdos Island. 2007 , 40, 251-265		28
289	Early Maastrichtian benthic foraminiferal assemblages from the western North Atlantic (Blake Nose) and their relation to paleoenvironmental changes. <i>Marine Micropaleontology</i> , 2007 , 62, 31-44	1.7	28

288	Live (Rose Bengal stained) and dead benthic foraminifera from the oxygen minimum zone of the Pakistan continental margin (Arabian Sea). <i>Marine Micropaleontology</i> , 2007 , 62, 45-73	1.7	99
287	Factors influencing the distribution of Subantarctic deep-sea benthic foraminifera, Campbell and Bounty Plateaux, New Zealand. <i>Marine Micropaleontology</i> , 2007 , 62, 141-166	1.7	18
286	Deep-sea ecosystem variability of the Aegean Sea during the past 22 kyr as revealed by Benthic Foraminifera. <i>Marine Micropaleontology</i> , 2007 , 64, 141-162	1.7	90
285	Living foraminiferal assemblages from the Southern California margin: A comparison of the > 150, 63-150, and > 63 μ m fractions. <i>Marine Micropaleontology</i> , 2007 , 65, 54-77	1.7	17
284	Millennium scale environment changes of the Okhotsk Sea during last 80 kyr and their phase relationship with global climate changes. 2007 , 63, 609-623		43
283	Cherty stringers in the Barnett Shale are agglutinated foraminifera. 2007 , 198, 221-232		34
282	Bryozoan event from Middle Miocene (Early Badenian) lower neritic sediments from the locality Kralice nad Oslavou (Central Paratethys, Moravian part of the Carpathian Foredeep). 2008 , 97, 835-850		13
281	The last reconnection of the Marmara Sea (Turkey) to the World Ocean: A paleoceanographic and paleoclimatic perspective. 2008 , 255, 64-82		68
280	Distribution of benthic foraminifera in Upper Quaternary sediments of the Deryugin Basin (Sea of Okhotsk). 2008 , 48, 105-113		7
279	Benthic Foraminifera of the Blake Ridge hydrate mound, Western North Atlantic Ocean. <i>Marine Micropaleontology</i> , 2008 , 66, 91-102	1.7	24
278	Organic-walled dinoflagellate cysts and benthic foraminifera in coastal sediments of the last century from the Gulf of Tehuantepec, South Pacific Coast of Mexico. <i>Marine Micropaleontology</i> , 2008 , 68, 49-65	1.7	43
277	Abyssal NE Atlantic benthic foraminifera during the last 15 kyr: Relation to variations in seasonality of productivity. <i>Marine Micropaleontology</i> , 2008 , 69, 193-211	1.7	30
276	Living benthic foraminifera of the Okhotsk Sea: Faunal composition, standing stocks and microhabitats. <i>Marine Micropaleontology</i> , 2008 , 69, 314-333	1.7	32
275	Denitrification, nitrate turnover, and aerobic respiration by benthic foraminiferans in the oxygen minimum zone off Chile. 2008 , 359, 85-91		102
274	A survey of the benthic microfauna (foraminifera, Ostracoda) on the Basque shelf, southern Bay of Biscay. 2008 , 72, 35-63		24
273	Micropaleontologic record of late Pliocene and Quaternary paleoenvironments in the northern Albemarle Embayment, North Carolina, U.S.A.. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008 , 264, 54-77	2.9	33
272	Bryozoa, foraminifera and calcareous nannoplankton as environmental proxies of the "Bryozoan event" in the Middle Miocene of the Central Paratethys (Czech Republic). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008 , 267, 216-234	2.9	14
271	Live foraminifera from the open slope between Grand Rh^ ̂e and Petit Rh^ ̂e Canyons (Gulf of Lions, NW Mediterranean). 2008 , 55, 1532-1553		69

270	Foraminiferal Assemblages as Palaeoenvironmental Bioindicators in Late Jurassic Epicontinental Platforms: Relation with Trophic Conditions. 2008 , 53, 705-722		61
269	Late-Holocene climate variability in the Adriatic Sea (Central Mediterranean). 2008 , 18, 153-167		74
268	Living (stained) calcareous benthic foraminifera from recent sediments off Concepci�n, central-southern Chile (~36� S). 2008 , 81,		5
267	Historical records of coastal eutrophication-induced hypoxia. 2009 , 6, 1707-1745		110
266	Effects of natural and human-induced hypoxia on coastal benthos. 2009 , 6, 2063-2098		398
265	Foraminiferal biofacies and paleoenvironmental implications of the Early Tortonian deposits of Gavdos Island (Eastern Mediterranean). 2009 , 52, 15-29		4
264	Perturbation at the sea floor during the Paleocene�Eocene Thermal Maximum: Evidence from benthic foraminifera at Contessa Road, Italy. <i>Marine Micropaleontology</i> , 2009 , 70, 102-119	1.7	27
263	Environmental and intraspecific dimorphism effects on the stable isotope composition of deep-sea benthic foraminifera from the Southern Gulf of California, Mexico. <i>Marine Micropaleontology</i> , 2009 , 71, 80-95	1.7	10
262	Food supply to the seafloor in the Pacific Ocean after the Cretaceous/Paleogene boundary event. <i>Marine Micropaleontology</i> , 2009 , 73, 105-116	1.7	47
261	Distribution of recent benthic foraminifera in shelf carbonate environments of the Western Mediterranean Sea. <i>Marine Micropaleontology</i> , 2009 , 73, 207-225	1.7	53
260	Natural oligotrophy vs. pollution-induced eutrophy on the SE Mediterranean shallow shelf (Israel): environmental parameters and benthic foraminifera. <i>Marine Pollution Bulletin</i> , 2009 , 58, 1888-902	6.7	36
259	Survival of benthic foraminifera under hypoxic conditions: results of an experimental study using the CellTracker Green method. <i>Marine Pollution Bulletin</i> , 2009 , 59, 336-51	6.7	40
258	Estudio paleoecol�gico de Foramin�feros de testigos del Holoceno de Golfo Nuevo (Patagonia, Argentina). 2009 , 42, 435-450		6
257	Surface�Bottom relationships in the Gulf of Salerno (Tyrrhenian Sea) over the last 34 kyr: Compositional data analysis of palaeontological proxies and geochemical evidence. 2009 , 42, 561-579		13
256	Deep-sea palaeoceanography of the Maldives islands (ODP hole 716A), equatorial Indian ocean during MIS 12-6. 2009 , 34, 749-64		11
255	Foraminifers in late Pleistocene-Holocene sediments of the Deryugin Basin of the Sea of Okhotsk. 2009 , 49, 707-717		1
254	Distribution patterns of living benthic foraminifera from Cap Breton canyon, Bay of Biscay: Faunal response to sediment instability. 2009 , 56, 1555-1578		55
253	Foraminiferal faunal responses to monsoon-driven changes in organic matter and oxygen availability at 140 and 300 m water depth in the NE Arabian Sea. 2009 , 56, 403-421		39

252	Fish scales in sediments from off Callao, central Peru. 2009 , 56, 1124-1135		21
251	Faunal responses to oxygen gradients on the Pakistan margin: A comparison of foraminiferans, macrofauna and megafauna. 2009 , 56, 488-502		114
250	Impact of oil-based drill mud disposal on benthic foraminiferal assemblages on the continental margin off Angola. 2009 , 56, 2270-2291		41
249	Geomorphology and tectonics of uplifted coasts: New chronostratigraphical constraints for the Quaternary evolution of Tyrrhenian North Calabria (southern Italy). 2009 , 105, 334-354		22
248	Late Holocene paleoceanographic evidence of the influence of the Aleutian Low and North Pacific High on circulation in the Seymour-Belize Inlet Complex, British Columbia, Canada. <i>Quaternary Science Reviews</i> , 2009 , 28, 2833-2850	3.9	6
247	Abrupt climate change, sea surface salinity and paleoproductivity in the western Mediterranean Sea (Gulf of Lion) during the last 28 kyr. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009 , 279, 96-113	2.9	54
246	The response of benthic foraminifera to palaeoenvironmental disturbance: A quantitative approach in turbidite-like successions. 2010 , 258, 325-338		2
245	An Early Miocene biserial foraminiferal event in the Transylvanian Basin (Romania). 2010 , 61, 227-234		7
244	The tropical rainbelt and productivity changes off northwest Africa: A 31,000-year high-resolution record. <i>Marine Micropaleontology</i> , 2010 , 76, 76-91	1.7	33
243	Benthic foraminifera and their role to decipher paleoenvironment during mid-Cretaceous Oceanic Anoxic Events – the ‘anoxic benthic foraminifera’ paradox. 2010 , 53, 175-192		55
242	Holocene temperature and salinity variability of the Atlantic Water inflow to the Nordic seas. 2010 , 20, 1223-1234		22
241	New Middle Miocene Bryozoa from G ¹ Țbova de Sus (Romania) and their relationship to the sedimentary environment. 2010 , 61, 495-512		4
240	Paleoredox changes across the Paleocene-Eocene thermal maximum, Walvis Ridge (ODP Sites 1262, 1263, and 1266): Evidence from Mn and U enrichment factors. 2010 , 25, n/a-n/a		51
239	Paleoenvironment changes in the NW Okhotsk Sea for the last 18kyr determined with micropaleontological, geochemical, and lithological data. 2010 , 57, 797-811		35
238	Characterization of lowest oxygen environments within ancient upwelling environments: Benthic foraminifera assemblages. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010 , 289, 134-144	2.9	25
237	The nature of transitions from dry to wet condition during sapropel events in the Eastern Mediterranean Sea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010 , 291, 267-285	2.9	16
236	Paleoenvironmental conditions preceding the Messinian Salinity Crisis in the Central Mediterranean: Integrated data from the Upper Miocene Trave section (Italy). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010 , 297, 37-53	2.9	34
235	Benthic foraminiferal abundance and stable isotope changes in the Indian Ocean sector of the Southern Ocean during the last 20 kyr: Paleoceanographic implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010 , 297, 537-548	2.9	12

234	Biostratigraphy and paleoecology of the Burdigalian-Serravallian sediments in Wadi Sudr (Gulf of Suez, Egypt): comparison with the Central Paratethys evolution. 2011 , 62, 233-249		9
233	Blake Outer Ridge: Late Neogene variability in paleoceanography and deep-sea biota. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011 , 302, 435-451	2.9	10
232	Paleoenvironments of the latest Cretaceous oil shale sequence, Southern Tethys, Israel, as an integral part of the prevailing upwelling system. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011 , 305, 93-108	2.9	45
231	Micropaleontologic record of Quaternary paleoenvironments in the Central Albemarle Embayment, North Carolina, U.S.A.. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011 , 305, 227-249	2.9	17
230	Impact of climate and sea level changes on the ventilation of intermediate water and benthic foraminifer assemblages in the Gulf of Lions, off South France, during MIS 6 and 7. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011 , 309, 215-228	2.9	14
229	Paleoceanographic changes on the Farallon Escarpment off central California during the last 16,000 years. <i>Quaternary International</i> , 2011 , 235, 26-39	2	5
228	Coastal dysoxia accompanies Early Miocene warming based on benthic foraminiferal and sedimentary records from Oregon. <i>Marine Micropaleontology</i> , 2011 , 80, 101-113	1.7	3
227	Benthic foraminifera distribution in a tourist lagoon in Rio de Janeiro, Brazil: a response to anthropogenic impacts. <i>Marine Pollution Bulletin</i> , 2011 , 62, 2055-74	6.7	30
226	Distribution of deep-sea benthic foraminifera in the Neogene of Blake Ridge, NW Atlantic Ocean. <i>Journal of Micropalaeontology</i> , 2011 , 30, 33-74	2	14
225	Ice-stream retreat and ice-shelf history in Marguerite Trough, Antarctic Peninsula: Sedimentological and foraminiferal signatures. 2011 , 123, 997-1015		79
224	Paleoceanographic significance of deep-sea benthic foraminiferal species diversity at southeastern Indian Ocean Hole 752A during the Neogene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012 , 361-362, 94-103	2.9	20
223	Benthic foraminiferal assemblage turnover during intensification of the Northern Hemisphere glaciation in the Piacenzian Punta Piccola section (Southern Italy). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012 , 333-334, 59-74	2.9	12
222	Changes in distribution of calcareous benthic foraminifera in the central Barents Sea between the periods 1965-1992 and 2005-2006. <i>Global and Planetary Change</i> , 2012 , 98-99, 81-96	4.2	15
221	The Functionality of Pores in Benthic Foraminifera in View of Bottom Water Oxygenation: A Review. 2012 , 537-552		10
220	Benthic Foraminiferal Communities and Microhabitat Selection on the Continental Shelf Off Central Peru. 2012 , 323-340		5
219	Ecological and Biological Response of Benthic Foraminifera Under Oxygen-Depleted Conditions: Evidence from Laboratory Approaches. 2012 , 287-303		7
218	Anoxia-Dysoxia at the Sediment-Water Interface of the Southern Tethys in the Late Cretaceous: Mishash Formation, Southern Israel. 2012 , 553-572		7
217	Environmental variations in a semi-enclosed embayment (Amvrakikos Gulf, Greece) - reconstructions based on benthic foraminifera abundance and lipid biomarker pattern. 2012 , 9, 5081-5094		18

216	Suspended shellfish culture impacts on the benthic layer: a case study in Brazilian subtropical waters. 2012 , 60, 219-232		6
215	Possible effects of global environmental changes on Antarctic benthos: a synthesis across five major taxa. 2012 , 2, 453-85		65
214	Climatic variability and anthropogenic signatures in the Gulf of Salerno (southern-eastern Tyrrhenian Sea) during the last half millennium. 2012 , 23, 13-23		27
213	The Pleistocene tectono--sedimentary evolution of the Apenninic foreland basin between Trigno and Fortore rivers (Southern Italy) through a sequence-stratigraphic perspective. 2012 , 24, 213-233		23
212	Sedimentary processes on the NW Iberian Continental Shelf since the Little Ice Age. 2012 , 102-103, 48-59		8
211	Tracing seafloor methane emissions with benthic foraminifera: Results from the Ana submarine landslide (Eivissa Channel, Western Mediterranean Sea). 2012 , 291-294, 97-112		24
210	Records of sedimentary dynamics in the continental shelf and upper slope between AveiroâEspinho (N Portugal). 2012 , 96-97, 48-60		7
209	"Biostratigraphy and Paleoecology of Paleocene/Eocene (P/E) interval of some geological sections in Central Egypt". 2013 , 6, 4279-4298		4
208	Changes of planktonic and benthic foraminiferal assemblages in upper quaternary sediments of the Deryugin Basin, Sea of Okhotsk. 2013 , 21, 237-248		
207	100th Issue Editorial. <i>Marine Micropaleontology</i> , 2013 , 100, vi-ix		1.7
206	High resolution Holocene record in the southeastern Bay of Biscay: Global versus regional climate signals. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013 , 377, 28-44	2.9	27
205	Benthic foraminifera across the Cretaceous/Paleogene boundary in the Southern Ocean (ODP Site 690): Diversity, food and carbonate saturation. <i>Marine Micropaleontology</i> , 2013 , 105, 40-51	1.7	31
204	Recent benthic foraminifera of the Basque continental shelf (Bay of Biscay, northern Spain): Oceanographic implications. 2013 , 66, 105-122		10
203	Paleoenvironmental changes during the Middle Eocene Climatic Optimum (MECO) and its aftermath: The benthic foraminiferal record from the Alano section (NE Italy). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013 , 378, 22-35	2.9	39
202	Relationship between pore density in benthic foraminifera and bottom-water oxygen content. 2013 , 76, 85-95		26
201	Live (stained) benthic foraminifera from the Cap-Ferret Canyon (Bay of Biscay, NE Atlantic): A comparison between the canyon axis and the surrounding areas. 2013 , 74, 98-114		11
200	Foraminiferal fauna from a deep basin in Gullmar Fjord: The influence of seasonal hypoxia and North Atlantic Oscillation. 2013 , 79, 40-49		17
199	Benthic foraminifera assemblages in turtle congregation sites along the north-east coast of India. 2013 , 93, 877-887		8

198 References. 294-373

- 197 Quantified intermediate water oxygenation history of the NE Pacific: A new benthic foraminiferal record from Santa Barbara basin. **2013**, 28, 453-467 36
- 196 Experimental evidence for foraminiferal calcification under anoxia. **2014**, 11, 4029-4038 35
- 195 I/Ca ratios in benthic foraminifera from the Peruvian oxygen minimum zone: analytical methodology and evaluation as a proxy for redox conditions. **2014**, 11, 7077-7095 23
- 194 Survival, Reproduction and Calcification of Three Benthic Foraminiferal Species in Response to Experimentally Induced Hypoxia. **2014**, 163-193 14
- 193 What Are Jellyfishes and Thaliaceans and Why Do They Bloom?. **2014**, 9-44 24
- 192 I/Ca ratios in benthic foraminifera from the Peruvian oxygen minimum zone: analytical methodology and evaluation as proxy for redox conditions. **2014**, 1 1
- 191 Approaches to Study Living Foraminifera. **2014**, 5
- 190 Late Holocene foraminifera of Blake Ridge diapir: Assemblage variation and stable-isotope record in gas-hydrate bearing sediments. **2014**, 353, 99-107 18
- 189 Live benthic foraminiferal faunas from the French Mediterranean Coast: Towards a new biotic index of environmental quality. **2014**, 36, 719-743 70
- 188 Planktonic foraminifera as bio-indicators for monitoring the climatic changes that have occurred over the past 2000 years in the southeastern Tyrrhenian Sea. **2014**, 9, 542-54 28
- 187 Bathymetric preference of four major genera of rectilinear benthic foraminifera within oxygen minimum zone in Arabian Sea off central west coast of India. **2014**, 123, 633-639 22
- 186 Benthic foraminifera from the deep-water Niger delta (Gulf of Guinea): Assessing present-day and past activity of hydrate pockmarks. **2014**, 94, 87-106 23
- 185 Benthic foraminiferal recovery in the Oslofjord (Norway): Responses to capping and re-oxygenation. **2014**, 147, 87-102 15
- 184 Pelagic Benthic coupling within an upwelling system of the subtropical northeast Atlantic over the last 35 ka BP. *Quaternary Science Reviews*, **2014**, 106, 299-315 3.9 12
- 183 Données paléoenvironnementales sur le Vraconnien/Céomanien de la région de Tébessa (Atlas Saharien, nord-est Algérie). Caractérisation de l'ADAE2. **2014**, 100, 343-359 5
- 182 Vertical oxygen minimum zone oscillations since 20 ka in Santa Barbara Basin: A benthic foraminiferal community perspective. **2014**, 29, 44-57 39
- 181 Latest Permian deep-water foraminifers from Daxiakou, Hubei, South China. **2015**, 89, 448-464 3

180	Test morphology as a function of behavioral strategies – Inferences from benthic foraminifera. <i>Marine Micropaleontology</i> , 2015 , 116, 38-49	1.7	15
179	Biofaciological zonation of benthic foraminifera of the continental shelf of Campos Basin, SE Brazil. <i>Quaternary International</i> , 2015 , 377, 18-27	2	11
178	Benthic foraminiferal diversity response to the climate induced changes in the eastern Arabian Sea oxygen minimum zone during the last 30kaBP. <i>Quaternary International</i> , 2015 , 374, 118-125	2	24
177	Oceanographic variability on the West Antarctic Peninsula during the Holocene and the influence of upper circumpolar deep water. <i>Quaternary Science Reviews</i> , 2015 , 119, 54-65	3.9	37
176	Is the meiofauna a good indicator for climate change and anthropogenic impacts?. 2015 , 45, 505-535		138
175	Distinguishing relative specialist and generalist species in the fossil record. <i>Marine Micropaleontology</i> , 2015 , 119, 7-16	1.7	12
174	Variations of Okhotsk Sea oxygen minimum zone: Comparison of foraminiferal and sedimentological records for latest MIS 12a–1c and latest MIS 2a–1. <i>Marine Micropaleontology</i> , 2015 , 121, 52-69	1.7	13
173	Benthic foraminiferal response to Late Glacial and Holocene sea level rise and rainfall variability off East Africa. <i>Marine Micropaleontology</i> , 2015 , 119, 34-48	1.7	10
172	Lateral and vertical distributions of living benthic foraminifera off the Douro River (western Iberian margin): Impact of the organic matter quality. <i>Marine Micropaleontology</i> , 2015 , 120, 31-45	1.7	11
171	Characterization of bottom hydrodynamic conditions on the central western Portuguese continental shelf based on benthic foraminifera and sedimentary parameters. 2015 , 109, 52-68		18
170	Late Quaternary benthic foraminifera and the Orinoco Plume. <i>Marine Micropaleontology</i> , 2015 , 121, 85-96		5
169	Paleoenvironmental reconstruction of the upper Cretaceous succession (Abtalkh Formation) of the Kopeh-Dagh Basin, northeastern Iran based on foraminiferal and palynological analyses. 2015 , 8, 2153-2168		5
168	Deep-sea benthic foraminiferal turnover during the early–middle Eocene transition at Walvis Ridge (SE Atlantic). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015 , 417, 126-136	2.9	8
167	Late quaternary glacial/interglacial cyclicity models of the Red Sea. 2015 , 73, 961-977		7
166	ON THE INTERPLAY BETWEEN HYDRODYNAMICS, BOTTOM MORPHOLOGY, SEDIMENTARY PROCESSES AND BENTHIC FORAMINIFERA ASSEMBLAGES IN THE S^ D PAULO BIGHT (BRAZIL, SW ATLANTIC). 2016 , 1,		8
165	LATE HOLOCENE EVOLUTION OF THE NORTHEAST INTERTIDAL REGION OF SEPETIBA BAY, RIO DE JANEIRO (BRAZIL). 2016 , 1,		4
164	Late Paleocene-middle Eocene benthic foraminifera on a Pacific seamount (Allison Guyot, ODP Site 865): Greenhouse climate and superimposed hyperthermal events. 2016 , 31, 346-364		20
163	Micropaleontologic record of Pliocene and Quaternary paleoenvironments in the southern Albemarle Embayment, North Carolina, U.S.A. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 457, 360-379	2.9	3

162	Marine response to climate changes during the last five millennia in the central Mediterranean Sea. <i>Global and Planetary Change</i> , 2016 , 142, 53-72	4.2	60
161	Palaeoproductivity linked to monsoon variability in the northern slope of the South China Sea from the last 290 kyr: evidence of benthic foraminifera from Core SH7B. 2016 , 429, 197-210		1
160	Deep-sea benthic foraminiferal turnover across early Eocene hyperthermal events at Northeast Atlantic DSDP Site 550. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 451, 62-72	2.9	14
159	Effects of hypoxia caused by mussel farming on benthic foraminifera in semi-closed Gamak Bay, South Korea. <i>Marine Pollution Bulletin</i> , 2016 , 109, 566-581	6.7	16
158	Mid- to late-Holocene environmental evolution of the Loire estuary as observed from sedimentary characteristics and benthic foraminiferal assemblages. 2016 , 118, 17-34		9
157	Improved methodology for measuring pore patterns in the benthic foraminiferal genus <i>Ammonia</i> . <i>Marine Micropaleontology</i> , 2016 , 128, 1-13	1.7	18
156	Foraminifera eco-biostratigraphy of the southern Evoikos outer shelf, central Aegean Sea, during MIS 5 to present. 2016 , 126, 36-49		21
155	Physicochemical controls on biogeographic variation of benthic foraminiferal test size and shape. 2016 , 42, 595-611		7
154	Assessing the suitability of benthic foraminiferal morpho-groups to reconstruct paleomonsoon from Bay of Bengal. 2016 , 125, 571-584		20
153	Holocene Climatic Optimum centennial-scale paleoceanography in the NE Aegean (Mediterranean Sea). 2016 , 36, 51-66		28
152	<i>Micropaleontology</i> . 2016 ,		7
151	The Miocene–Pliocene boundary and the Messinian Salinity Crisis in the easternmost Mediterranean: Insights from the Hatay Graben (Southern Turkey). 2016 , 332, 51-67		5
150	Environmental connotations of benthic foraminiferal assemblages from coastal West Antarctica. <i>Marine Micropaleontology</i> , 2016 , 124, 1-15	1.7	14
149	Benthic foraminiferal shell weight: Deglacial species-specific responses from the Santa Barbara Basin. <i>Marine Micropaleontology</i> , 2016 , 124, 45-53	1.7	4
148	Response of foraminiferal assemblages on the middle Eocene climatic optimum and following climatic transition in the shallow tropical sea (the south Fayoum area, Egypt). 2017 , 10, 1		1
147	First record of Pliensbachian (Lower Jurassic) amber and associated palynoflora from the Monti Lessini (northern Italy). 2017 , 50, 49-63		7
146	Oxygen history off Baja California over the last 80 kyr: A new foraminiferal-based record. 2017 , 32, 246-264		21
145	Late glacial and deglacial palaeoceanographic changes at Vestnesa Ridge, Fram Strait: Methane seep versus non-seep environments. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017 , 476, 77-89	2.9	11

144	Intermittent euxinia in the high-latitude James Ross Basin during the latest Cretaceous and earliest Paleocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017 , 477, 40-54	2.9	12
143	Penultimate and last glacial oceanographic variations in the Bering Sea on millennial timescales: Links to North Atlantic climate. <i>Quaternary Science Reviews</i> , 2017 , 163, 135-151	3.9	8
142	Cluster analysis of benthic foraminiferal morpho-groups from the western margin of India reflects its depth preference. 2017 , 151, 72-83		5
141	Paleoenvironmental evolution based on benthic foraminifera biofacies of the Para^ Ba do Sul Deltaic Complex, eastern Brazil. 2017 , 80, 291-303		5
140	Stable carbon and oxygen isotope study on benthic foraminifera: Implication for microhabitat preferences and interspecies correlation. 2017 , 126, 1		2
139	Sea-level changes in the Paleocene (Danian^hanetian) succession at the Dakhla Oasis, Western Desert, Egypt: implications from benthic foraminifera. 2017 , 128, 764-778		3
138	Re-evaluation of the ^levated epifauna^s indicator of Mediterranean Outflow Water in the Gulf of Cadiz using stable isotopes (^13 C, ^18 O). <i>Global and Planetary Change</i> , 2017 , 155, 78-97	4.2	6
137	Recent Benthic Foraminifera as ecological indicators in Manzala Lagoon, Egypt. 2017 , 60, 435-447		2
136	Ecophenotypic responses of benthic foraminifera to oxygen availability along an oxygen gradient in the California Borderland. 2017 , 38, e12430		8
135	Calcareous nannoplankton and foraminiferal response to global Oligocene and Miocene climatic oscillations: a case study from the Western Carpathian segment of the Central Paratethys. 2017 , 68, 207-228		7
134	Characterizing the variability of benthic foraminifera in the northeastern Gulf of Mexico following the Deepwater Horizon event (2010-2012). 2017 , 24, 2754-2769		16
133	Benthic foraminiferal assemblages as bio-indicators of metals contamination in sediments, Qarun Lake as a case study, Egypt. <i>Journal of African Earth Sciences</i> , 2018 , 139, 96-112	2.2	1
132	Living (stained) deep-sea foraminifera from the Sea of Marmara: A preliminary study. 2018 , 153, 61-78		7
131	Comparison of living and dead benthic foraminifera on the Portuguese margin: Understanding the taphonomical processes. <i>Marine Micropaleontology</i> , 2018 , 140, 1-16	1.7	12
130	Temperature and isotopic composition of seawater in the epicontinental sea (Central Paratethys) during the Middle Miocene Climate Transition based on Mg/Ca, ^18O and ^13C from foraminiferal tests. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018 , 495, 60-71	2.9	11
129	Benthic foraminiferal paleoenvironmental reconstruction from the Upper Coniacian-Lower Campanian succession in north-western Tunisia. 2018 , 61, 23-36		2
128	Changes in standing stock and vertical distribution of benthic foraminifera along a depth gradient (58^750 m) in the southeastern Arabian Sea. 2018 , 48, 73-88		8
127	Evidence for 1.5 km of Uplift of the Central Anatolian Plateau's Southern Margin in the Last 450 kyr and Implications for Its Multiphased Uplift History. 2018 , 37, 359-390		24

126	An eddy, a wake and a plume: controls on bathyal foraminifera around Tobago, western tropical Atlantic Ocean. 2018 , 92, 561-575		1
125	Late Glacial-Holocene record of benthic foraminiferal morphogroups from the eastern Arabian Sea OMZ: Paleoenvironmental implications. 2018 , 127, 1		6
124	Indian monsoon variability in the last 2000 years as inferred from benthic foraminifera. <i>Quaternary International</i> , 2018 , 479, 128-140	2	12
123	Bathymetric trend of Late Cretaceous southern Tethys upwelling regime based on benthic foraminifera. 2018 , 82, 40-55		9
122	Mg/Ca-temperature calibration for costate <i>Bulimina</i> species (<i>B. costata</i> , <i>B. inflata</i> , <i>B. mexicana</i>): A paleothermometer for hypoxic environments. 2018 , 220, 36-54		6
121	Characteristics of meiofauna in extreme marine ecosystems: a review. 2018 , 48, 35-71		92
120	Planktonic foraminifera and sea-level changes in the upper Cretaceous of the Gurpi Formation, Lorestan basin, SW Iran. <i>Journal of African Earth Sciences</i> , 2018 , 138, 201-218	2.2	10
119	Recent Benthic Foraminifers from the South Atlantic Shelf of Argentina. 2018 , 48, 210-222		11
118	Response of Deep-Sea Benthic Foraminifera to Paleoproductivity Changes on the Shatsky Rise in the Northwestern Pacific Ocean Over the Last 187 Kyr. 2018 , 22, 326-351		5
117	Epifaunal Foraminifera in an Infaunal World: Insights Into the Influence of Heterogeneity on the Benthic Ecology of Oxygen-Poor, Deep-Sea Habitats. <i>Frontiers in Marine Science</i> , 2018 , 5,	4.5	11
116	Environmental influence on growth history in marine benthic foraminifera. 2018 , 44, 736-757		3
115	Foraminiferal assemblages, ^{14}C ages, and compositional variations in two sediment cores in the western Gulf of Mexico. 2018 , 88, 480-496		30
114	Textural and geochemical characteristics of late Pleistocene to Holocene fine-grained deep-sea sediment cores (GM6 and GM7), recovered from southwestern Gulf of Mexico. 2018 , 7,		23
113	A paleoenvironmental analyses of benthic foraminifera from Upper Cretaceous - Lower Paleocene oil shales of Jordan. 2018 , 91, 1-13		8
112	Benthic Superheroes: Living Foraminifera from Three Bays in the Mission-Aransas National Estuarine Research Reserve, USA. 2018 , 41, 2368-2377		4
111	Resilience of benthic ecosystem C-cycling to future changes in dissolved oxygen availability. 2019 , 161, 29-37		1
110	Response of Benthic Foraminifera to Environmental Variability: Importance of Benthic Foraminifera in Monitoring Studies. 2019 ,		2
109	Evidence for the Presence of Oxygen-Depleted Sapropel Intermediate Water across the Eastern Mediterranean during Sapropel S1. 2019 , 3, 2287-2297		11

108	FORAMINIFERA CHECK LIST AND THE MAIN SPECIES DISTRIBUTION IN THE AVEIRO LAGOON AND ADJACENT CONTINENTAL SHELF (PORTUGAL). 2019 , 4, 1-52		9
107	Response of benthic foraminiferal communities to changes in productivity and watermass conditions in the epicontinental Paratethys during the middle Miocene. <i>Marine Micropaleontology</i> , 2019 , 151, 101750	1.7	4
106	Scaling laws explain foraminiferal pore patterns. 2019 , 9, 9149		4
105	Late Holocene long arid phase in the Indian subcontinent as seen in shallow sediments of the eastern Arabian Sea. 2019 , 181, 103915		6
104	Morphometric analysis on benthic foraminifera through Atomic Force Microscopy. <i>Marine Micropaleontology</i> , 2019 , 153, 101775	1.7	0
103	Dissimilarity between living and dead benthic foraminiferal assemblages in the Aveiro Continental Shelf (Portugal). 2019 , 14, e0209066		6
102	Benthic foraminiferal biotic events related to the Paleoceneâ€”Eocene Thermal Maximum along the California margin. <i>Marine Micropaleontology</i> , 2019 , 150, 101745	1.7	0
101	Intertidal and subtidal benthic foraminifera in flooded caves: Implications for reconstructing coastal karst aquifers and cave paleoenvironments. <i>Marine Micropaleontology</i> , 2019 , 149, 19-34	1.7	6
100	Centennial OMZ changes in the NW Mexican Margin from geochemical and foraminiferal sedimentary records. 2019 , 176, 64-75		3
99	Paleontological Records of Holocene Environmental Changes offshore, Egypt. 2019 , 18, 1382-1394		
98	Influence of Fluids on the Species Composition and Preservation of Microfossils in Biogenic Carbonate Sediments in the Pobeda Hydrothermal Cluster (Mid-Atlantic Ridge). 2019 , 54, 511-523		2
97	Environmental footprints of the early Maastrichtian cooling â€”The record of benthic foraminifera from northern Germany. 2019 , 97, 143-159		1
96	An imprint of the Mediterranean middle Miocene circulation pattern in a satellite sea during the Langhian: A case study from the Carpathian Foredeep (Central Paratethys). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019 , 514, 336-348	2.9	2
95	Palaeoecology and distribution of upper Oligoceneâ€”lower Miocene foraminifera in the Qom Formation, the Bagher-Abad section, NE Isfahan, Central Iran. 2019 , 34, 563-579		0
94	Quantitative Middle Eocene benthic foraminiferal biofacies from west-central Sinai, Egypt: Implications to paleobathymetry and sequence stratigraphy. <i>Marine Micropaleontology</i> , 2020 , 155, 101823	1.7	3
93	Paleoenvironmental significance of the monospecific biostromes in the Campanian-Maastrichtian Duwi Formation (Eastern Desert, Egypt). 2020 , 408, 105772		2
92	A highly diverse living benthic foraminiferal assemblage in the oxygen deficient zone of the southeastern Arabian Sea. 2020 , 29, 3925-3958		4
91	Late quaternary sea-ice and sedimentary redox conditions in the eastern Bering Sea â€”Implications for ventilation of the mid-depth North Pacific and an Atlantic-Pacific seesaw mechanism. <i>Quaternary Science Reviews</i> , 2020 , 248, 106549	3.9	0

90	A 23000 year old record of paleoclimatic and environmental changes from the eastern Arabian Sea. <i>Marine Micropaleontology</i> , 2020 , 160, 101905	1.7	3
89	Ecological study based on the distribution of recent foraminifers from southeast of Buenos Aires province, Argentinean Continental Shelf. 2020 , 4821, zootaxa.4821.1.7		2
88	Changes in Deep-Sea Oxygenation in the Northeast Pacific Ocean During 32±10 ka. 2020 , 47, e2019GL086613		5
87	Cold-Water Coral Mound Archive Provides Unique Insights Into Intermediate Water Mass Dynamics in the Alboran Sea During the Last Deglaciation. <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	7
86	Bottom water redox conditions and benthic foraminiferal morphogroup response in the Late Cretaceous Sverdrup Basin, Arctic Canada: Implications for Oceanic Anoxic Event 3. 2020 , 111, 104449		7
85	Lack of denitrification causes a difference in benthic foraminifera living in the oxygen deficient zones of the Bay of Bengal and the Arabian Sea. <i>Marine Pollution Bulletin</i> , 2020 , 153, 110992	6.7	5
84	Seasonality of hydrographic conditions and foraminiferal species in Guanabara Bay (Rio de Janeiro, Brazil). 2020 , 35, 101141		
83	Benthic foraminifera as environmental indicators in extreme environments: The marine cave of Bue Marino (Sardinia, Italy). 2021 , 120, 106977		4
82	Foraminiferal paleodiversity and paleoenvironments at the NE coastal plain of Buenos Aires province (Argentina) during the Mid-Holocene sea level highstand. 2021 , 31, 108-120		2
81	Sedimentology of the Upper Pennsylvanian organic-rich Cline Shale, Midland Basin: From gravity flows to pelagic suspension fallout. 2021 , 68, 805-833		3
80	Paleoceanographic evolution of the Gulf of Tehuantepec (Mexican Pacific) during the last ~6 millennia. 2021 , 31, 529-544		1
79	Biostratigraphic and paleoecological significance of benthic foraminiferal morphogroups in the uppermost Turonian–Upper Campanian of Gebel Duwi Range, Red Sea, Egypt. 2021 , 14, 1		0
78	Seasonal Distribution Trends of Benthic Foraminiferal Assemblages from the Saurashtra Coast, Western India. 2021 , 97, 61-69		0
77	The tracer of marine environment. 2021 , 147-179		
76	Redox evolution and the development of oxygen minimum zones in the Eastern Mediterranean Levantine basin during the early Holocene. 2021 , 297, 82-100		2
75	Potential Use of the Benthic Foraminifers <i>Bulimina denudata</i> and <i>Eggerelloides advenus</i> in Marine Sediment Toxicity Testing. 2021 , 13, 775		2
74	Benthic foraminiferal morphological response to the 2010 Deepwater Horizon oil spill. <i>Marine Micropaleontology</i> , 2021 , 164, 101971	1.7	1
73	Increased Marine Productivity in the Southern Humboldt Current System During MIS 2 and 10. <i>Paleoceanography and Paleoclimatology</i> , 2021 , 36, e2020PA004066	3.3	2

72	Multiple Ecological Parameters Affect Living Benthic Foraminifera in the River-Influenced West-Central Bay of Bengal. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	2
71	Sediment oxygen demand and benthic foraminiferal faunas in the Arabian Gulf: A test of the method on a siliciclastic substrate. 2021 , 28, 2907-2913		0
70	Living (stained) calcareous benthic foraminiferal assemblages (>125 μ m) in a coastal upwelling zone of the Humboldt Current System, Northern Chile (~27°S). 2021 , 44, 101725		
69	Benthic Foraminiferal Response to Sedimentary Processes in a Prodeltaic Environment: The Gulf of Patti Case Study (Southeastern Tyrrhenian Sea). 2021 , 11, 220		2
68	Benthic foraminiferal faunas associated with cold-water coral environments in the North Atlantic realm. 2021 , 7, 223-255		0
67	Early-Middle Pleistocene productivity changes of the Northern Cascadia Margin, Pacific Ocean. 2021 , 28, 100659		1
66	Benthic foraminiferal turnover across the Dan-C2 event in the eastern South Atlantic Ocean (ODP Site 1262). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021 , 572, 110410	2.9	0
65	Biotic Response to Early Eocene Warming Events: Integrated Record From Offshore Zealandia, North Tasman Sea. <i>Paleoceanography and Paleoclimatology</i> , 2021 , 36, e2020PA004179	3.3	3
64	MIOCENE NERITIC BENTHIC FORAMINIFERAL COMMUNITY DYNAMICS, CALVERT CLIFFS, MARYLAND, USA: SPECIES POOL, PATTERNS AND PROCESSES. 2021 , 36, 247-259		1
63	Benthic foraminiferal response to changes in the northwestern Arabian Sea oxygen minimum zone (OMZ) during past (sim)145 kyr. 2021 , 130, 1		
62	Multi-proxy palaeoenvironmental record of coastal tectonic uplift and abandonment (ca. 6th c. CE) of Lechaion's inner harbour, ancient Corinth, Greece. <i>Quaternary Science Reviews</i> , 2021 , 267, 107080	3.9	1
61	Proxies for paleo-oxygenation: A downcore comparison between benthic foraminiferal surface porosity and I/Ca. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021 , 579, 110588	2.9	0
60	Contribution of foraminifers in biostratigraphy and paleoecology interpretations of the basal Eocene from the phosphatic Sra Ouertaine basin, in the southern Tethys(Tunisia). <i>Journal of African Earth Sciences</i> , 2021 , 184, 104376	2.2	
59	Upper limits on the extent of seafloor anoxia during the PETM from uranium isotopes. 2021 , 12, 399		13
58	Foraminiferal faunal responses to monsoon-driven changes in organic matter and oxygen availability at 140 and 300m water depth in the NE Arabian Sea. 2009 , 56, 403-421		4
57	Resilience of benthic foraminifera in the Northern Gulf of Mexico following the Deepwater Horizon event (2010-2015). 2018 , 84, 753-764		22
56	Foraminiferal response to the deposition of insolation cycle 90 sapropel in different Mediterranean areas. <i>Journal of Micropalaeontology</i> , 2008 , 27, 45-61	2	4
55	Marine transgression(s) to evaporite basin: The case of middle Miocene (Badenian) gypsum in the Central Paratethys, SE Poland. 2020 , 9,		2

54	Mid-slope Site U1380.			3
53	Distribution of recent calcareous benthic foraminifera in the northern North Sea and relation to the environment. 2002 , 21, 275-282			6
52	Foraminifera as Environmental Condition Indicators in Todos os Santos Bay (Bahia, Brazil). 2015 , 05, 326-342			7
51	Bottom-water deoxygenation at the Peruvian margin during the last deglaciation recorded by benthic foraminifera. 2020 , 17, 3165-3182			6
50	Experimental evidence for foraminiferal calcification under anoxia.			2
49	Historical records of coastal eutrophication-induced hypoxia.			4
48	Effects of natural and human-induced hypoxia on coastal benthos.			39
47	Environmental variations in a semi-enclosed embayment (Amvrakikos Gulf, Greece) â reconstructions based on benthic foraminifera abundance and lipid biomarker pattern.			2
46	Could Norwegian fjords serve as an analogue for the future of the Svalbard fjords? State and fate of high latitude fjords in the face of progressive âAtlantificationâ <i>Polar Biology</i> , 2021 , 44, 2217	2		1
45	10.1007/s11491-008-1012-8. 2010 , 48, 105			
44	Paleoceanography. 2016 , 203-218			
43	Paleoenvironment and Paleoclimate. 2016 , 171-191			
42	Assessing the composition of fragmented agglutinated foraminiferal assemblages in ancient sediments: comparison of counting and area-based methods in Famennian samples (Late Devonian). <i>Journal of Micropalaeontology</i> , 2018 , 37, 87-95		2	
41	Results of Micropalaeontological Analyses on Sediment Core FA09 from the Southern Red Sea Continental Shelf. 2019 , 709-723			1
40	Late TortonianâMiddle Messinian Palaeoenvironmental Changes in the Western Betic Strait (SW Spain). <i>Ameghiniana</i> , 2019 , 56, 336		0.9	0
39	Deep-water paleoenvironmental changes based on early-middle Miocene benthic foraminifera from Malta Island (Central Mediterranean). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021 , 586, 110722		2.9	1
38	Linkages Between East China Sea Deep-Sea Oxygenation and Variability in the East Asian Summer Monsoon and Kuroshio Current Over the Last 400,000 years. <i>Paleoceanography and Paleoclimatology</i> , 2021 , 36,		3.3	0
37	Ecological preferences of living benthic foraminifera from the Mahanadi river-dominated north-western Bay of Bengal: A potential environmental impact assessment tool. <i>Marine Pollution Bulletin</i> , 2021 , 113158		6.7	1

36	Bottom water redox dynamics during the Early Cretaceous Weissert Event in ODP Hole 692B (Weddell Sea, Antarctica) reconstructed from the benthic foraminiferal assemblages. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022 , 587, 110795	2.9	0
35	Paleoceanography of the Gulf of Tehuantepec during the Medieval Warm Period. <i>Marine Micropaleontology</i> , 2022 , 170, 102081	1.7	
34	Spatiotemporal assessment of the environmental quality of bottom waters through the study of benthic foraminifera in a semi-enclosed gulf.. <i>Marine Pollution Bulletin</i> , 2021 , 174, 113260	6.7	
33	Sedimentology and lithofacies of organic-rich Namurian Shale, Namur Synclinorium and Campine Basin (Belgium and S-Netherlands). <i>Marine and Petroleum Geology</i> , 2022 , 105553	4.7	1
32	Impact of the Mediterranean-Atlantic connectivity and the late Miocene carbon shift on deep-sea communities in the Western Alboran Basin. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022 , 589, 110841	2.9	4
31	Placing North Pacific paleo-oxygenation records on a common scale using multivariate analysis of benthic foraminiferal assemblages. <i>Quaternary Science Reviews</i> , 2022 , 280, 107412	3.9	0
30	Spatial and Vertical Benthic Foraminifera Diversity in the Oxygen Minimum Zone of Mejillones Bay, Northern Chile. <i>Frontiers in Marine Science</i> , 2022 , 9,	4.5	0
29	A case study of paleoenvironmental interactions during the Miocene Climate Optimum in southwestern Paratethys. <i>Global and Planetary Change</i> , 2022 , 211, 103784	4.2	0
28	Indian monsoon variability during the past ~8.5 cal kyr as recorded in the sediments of the northeastern Arabian Sea. <i>Quaternary International</i> , 2022 ,	2	0
27	Organic matter source and distribution in the estuarine Apapa-Badagry Creek, Nigeria: Implications for living (stained) benthic foraminiferal assemblage. <i>Marine Micropaleontology</i> , 2022 , 172, 102112	1.7	0
26	Oceanic productivity after the Cretaceous/Paleogene impact: Where do we stand? The view from the deep. 2022 ,		1
25	Environmental conditions during the deposition of the diatomite ãorganic-rich marl alternation of the lower Messinian of the Lower Chelif Basin (Algeria) interpreted from microfossil assemblages and geochemistry. <i>Journal of African Earth Sciences</i> , 2022 , 190, 104521	2.2	0
24	Unique Habitat for Benthic Foraminifera in Subtidal Blue Holes on Carbonate Platforms. <i>Frontiers in Ecology and Evolution</i> , 2021 , 9,	3.7	0
23	Data_Sheet_1.pdf. 2018 ,		
22	Table_1.docx. 2020 ,		
21	Late Burdigalian to early Messinian environmental and climatic evolution of the central paleo Adriatic domain from the shallow water sedimentary record (Bolognano Fm, Eastern Majella, Central Apennines). 2022 , 106235		
20	Morphotype analysis and paleoecological implications of Maastrichtian - Paleogene benthic foraminifera from RCCG BH4 Borehole, Eastern Dahomey (Benin) Basin. 2022 , 196, 104711		0
19	Shallow Marine Cenomanian-Turonian Benthic Foraminifera and Kerogen Type from Mangoule, Logbadjeck Formation, Douala/Kribi-Campo Basin, Cameroon, West Africa. 2022 , 12, 108-125		0

- 18 Volumetric analysis of benthic foraminifera: Intraspecific test size and growth patterns related to embryonic size and food resources. **2022**, 176, 102170 ○
- 17 Sedimentology and sequence stratigraphy of lacustrine deep-water fine-grained sedimentary rocks: The Lower Jurassic Dongyuemiao Formation in the Sichuan Basin, Western China. **2022**, 146, 105933 1
- 16 Assessment of ecosystem health status using benthic diversity as tools in coastal sediments off the South West Coast, India. **2022**, 4, 135-147 ○
- 15 Benthic Foraminiferal and Sedimentologic Changes in the Pliocene Yorktown Formation, Virginia, USA. **2022**, 52, 278-305 1
- 14 Planktic-benthic foraminifera ratio (%P) as a tool for the reconstruction of paleobathymetry and geohazard: A case study from Taiwan. **2022**, 453, 106922 1
- 13 The evolution of seafloor environmental conditions in the southern Red Sea continental shelf during the last 30 ka. **2022**, 177, 102181 ○
- 12 Relationship of Maastrichtian–Thanetian benthic foraminiferal species diversity, palaeooxygenation and palaeoproductivity in shallow waters of Western Desert, Egypt. ○
- 11 Evolution of palaeoclimate, palaeoenvironment and vegetation in Central Europe during the Miocene Climate Optimum. **2023**, 611, 111364 ○
- 10 Integration of Palynological and Foraminiferal Analyses Toward Evaluation of the Paleoenvironment and Hydrocarbon Potential in the Orange Basin, SW Africa. **2023**, 193-211 ○
- 9 Inferring the ecological quality status based on living benthic foraminiferal indices in transitional areas of the Guanabara bay (SE Brazil). **2023**, 121003 ○
- 8 Benthic Foraminiferal Assemblages from the Laurentian Channel in the Lower Estuary and Gulf of ST. Lawrence, Eastern Canada: Tracers of Bottom-Water Hypoxia. **2023**, 53, 57-77 ○
- 7 Holocene transgression and sea level change offshore Peninsular Malaysia (innermost Sunda Shelf) as indicated by benthic foraminiferal, lithologic and geochronologic data. **2023**, ○
- 6 Relationship of Maastrichtian–Thanetian benthic foraminiferal species diversity, palaeooxygenation, and palaeoproductivity in shallow waters of the Western Desert, Egypt. **2023**, 43, ○
- 5 The environmental significance and low-oxygen indicator potential of benthic foraminiferal assemblages in surface sediments off the Changjiang River (Yangtze River) Estuary, China. **2023**, 457, 107007 ○
- 4 Benthic foraminifera for the ecological status assessment of tourist marinas. **2023**, 147, 110006 ○
- 3 Benthic Foraminifera as Pollution Biomarkers: A Morphological Approach. ○
- 2 3D morphological variability in foraminifera unravel environmental changes in the Baltic Sea entrance over the last 200 years. 11, ○
- 1 Late-Holocene paleoceanographic and climatic changes and their impact on Indian socio-economic conditions: Benthic foraminiferal evidence from the Bay of Bengal. 095968362311635 ○

