

CITATION REPORT

List of articles citing

Microhabitat preferences of benthic foraminifera: a static concept or a dynamic adaptation to optimize food acquisition?

DOI: 10.1016/0377-8398(93)90034-u
Marine Micropaleontology, 1993, 20, 215-234.

Source: <https://exaly.com/paper-pdf/23910673/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
290	Deep-sea benthic foraminiferal species which exploit phytodetritus: Characteristic features and controls on distribution. <i>Marine Micropaleontology</i> , 1993 , 22, 187-205	1.7	300
289	Time and taphonomy: Actualistic evidence for time-averaging of benthic foraminiferal assemblages. 1993 , 6, 34-56		2
288	Dinoflagellate cysts, paleoproductivity and upwelling systems: A Late Cretaceous example from Israel. <i>Marine Micropaleontology</i> , 1994 , 23, 231-240	1.7	72
287	Changes in East Atlantic Deepwater Circulation over the last 30,000 years: Eight time slice reconstructions. 1994 , 9, 209-267		498
286	Miocene upwelling events: Neritic foraminiferal evidence from southern Australia. 1994 , 41, 593-603		43
285	The morphology and ecology of an abundant new komokiacean mudball (Komokiacea, Foraminiferida) from the bathyal and abyssal NE Atlantic. <i>Journal of Foraminiferal Research</i> , 1994 , 24, 214-225	1.1	12
284	Benthic-pelagic coupling in the Greenland-Norwegian Sea and its effect on the geological record. 1995 , 84, 49		40
283	Multiple deep-water sources and trophic regimes in the latest Cretaceous deep sea: evidence from benthic foraminifera. <i>Marine Micropaleontology</i> , 1995 , 26, 361-384	1.7	27
282	Benthic foraminiferal distribution and recolonization of formerly anoxic environments in Drammensfjord, southern Norway. <i>Marine Micropaleontology</i> , 1995 , 25, 169-186	1.7	119
281	Larger agglutinated foraminifera of McMurdo Sound, Antarctica: Are <i>Astrammmina rara</i> and <i>Notodendrodes antarctikos</i> allogromiids incognito?. <i>Marine Micropaleontology</i> , 1995 , 26, 75-88	1.7	34
280	Stepwise postglacial migration of benthic foraminifera into the abyssal northeastern Norwegian Sea. <i>Marine Micropaleontology</i> , 1995 , 26, 207-213	1.7	14
279	A conceptual model explaining benthic foraminiferal microhabitats. <i>Marine Micropaleontology</i> , 1995 , 26, 3-15	1.7	716
278	Northeastern Atlantic benthic foraminifera during the last 45,000 years: Changes in productivity seen from the bottom up. 1995 , 10, 545-562		166
277	Palaeoceneâ€”Eocene deep water agglutinated foraminifera from the Numidian Flysch (Rif, Northern Morocco): their significance for the palaeoceanography of the Gibraltar gateway. <i>Journal of Micropalaeontology</i> , 1996 , 15, 1-19	2	27
276	Rapid changes in surface and deep water conditions at the Faeroe Margin during the last 58,000 years. 1996 , 11, 757-771		165
275	Substrate pitting and boring pattern of <i>Hyrrokkin sarcophaga</i> Cedhagen, 1994 (Foraminifera) in a modern deep-water coral reef mound. <i>Marine Micropaleontology</i> , 1996 , 28, 199-207	1.7	41
274	Benthic foraminiferal assemblages in Explorers Cove, Antarctica: A shallow-water site with deep-sea characteristics. 1996 , 37, 117-166		50

273	Distribution of recent benthic foraminifera in a subarctic fjord-delta: Tana, Norway. <i>Marine Geology</i> , 1996 , 134, 113-125	3.3	18
272	Extinction and survivorship of southern Tethyan Benthic foraminifera across the Cretaceous/Palaeogene boundary. <i>Geological Society Special Publication</i> , 1996 , 102, 343-371	1.7	31
271	Benthonic foraminiferal mass extinction and survival assemblages from the Cenomanian-Turonian Boundary Event in the Menoyo Section, northern Spain. <i>Geological Society Special Publication</i> , 1996 , 102, 245-258	1.7	15
270	Vertical distributions and stable isotopic compositions of live (stained) benthic foraminifera from the North Carolina and California continental margins. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 1997 , 44, 983-1024	2.5	154
269	Late Quaternary palaeoceanography of the Tasman Sea: the benthic foraminiferal view. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1997 , 131, 365-389	2.9	34
268	Laboratory observations of rates and patterns of movement of continental margin benthic foraminifera. <i>Marine Micropaleontology</i> , 1997 , 29, 175-184	1.7	18
267	Benthic foraminiferal assemblages between two major extinction events: the Paleocene El Kef section, Tunisia. <i>Marine Micropaleontology</i> , 1997 , 29, 105-127	1.7	32
266	Recent benthic foraminifera from the eastern South Atlantic Ocean: Dependence on food supply and water masses. <i>Marine Micropaleontology</i> , 1997 , 32, 249-287	1.7	251
265	The surface ocean productivity response of deeper water benthic foraminifera in the Atlantic Ocean. <i>Marine Micropaleontology</i> , 1997 , 32, 289-310	1.7	105
264	Subsurface activity of benthic foraminifera in relation to porewater oxygen content: laboratory experiments. <i>Marine Micropaleontology</i> , 1998 , 34, 91-106	1.7	92
263	Living benthic foraminifers from the central Arctic Ocean: faunal composition, standing stock and diversity. <i>Marine Micropaleontology</i> , 1998 , 34, 153-185	1.7	150
262	<i>Ammonia beccarii</i> and <i>Ammonia tepida</i> (Foraminifera): morphofunctional arguments for their distinction. <i>Marine Micropaleontology</i> , 1998 , 34, 235-244	1.7	65
261	Variability in surface and deep water conditions in the nordic seas during the last interglacial period. <i>Quaternary Science Reviews</i> , 1998 , 17, 963-985	3.9	74
260	Discussion on the Cretaceous-Tertiary biotic transition. 1998 , 155, 413-419		3
259	Biomass of foraminifera in the St. Anna Trough, Russian arctic continental margin. 1998 , 83, 419-431		15
258	Deep-sea environments on a warm earth: latest Paleocene-early Eocene. 1999 , 132-160		12
257	Latest Pliocene through Holocene paleoceanography of the eastern Indian Ocean: benthic foraminiferal evidence. <i>Marine Geology</i> , 1999 , 161, 63-73	3.3	8
256	Temporal variability in living deep-sea benthic foraminifera: a review. 1999 , 46, 187-212		130

255	Benthic foraminifers: proxies or problems?. 1999 , 46, 213-236		401
254	Colonization of new habitats by benthic foraminifera: a review. 1999 , 46, 167-185		145
253	Correlating environmental changes during early Albian oceanic anoxic event 1B using benthic foraminiferal paleoecology. <i>Marine Micropaleontology</i> , 1999 , 38, 7-28	1.7	77
252	Benthic foraminifera and their response to hydrography, periodic hypoxic conditions and primary production in the Koljå Fjord on the Swedish west coast. <i>Journal of Sea Research</i> , 1999 , 41, 163-178	1.9	55
251	Miocene benthonic foraminiferal morphogroups in an oxygen minimum zone, offshore Cabinda. <i>Geological Society Special Publication</i> , 1999 , 153, 267-282	1.7	6
250	Ecological evidence from live-dead comparisons of benthic foraminiferal faunas off Cape Blanc (Northwest Africa). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1999 , 149, 151-170	2.9	81
249	Upper Cretaceous palaeoenvironments and benthonic foraminiferal assemblages of potential source rocks from the western African margin, Central Atlantic. <i>Geological Society Special Publication</i> , 1999 , 153, 195-222	1.7	23
248	Species composition and glacial-interglacial variations in the ostracode fauna of the northeast Atlantic during the past 200,000 years. <i>Marine Micropaleontology</i> , 2000 , 40, 105-129	1.7	70
247	Trophic control of benthic foraminiferal abundance and microhabitat in the bathyal Gulf of Lions, western Mediterranean Sea. <i>Marine Micropaleontology</i> , 2000 , 40, 167-188	1.7	190
246	Microhabitat preferences and stable carbon isotopes of endobenthic foraminifera: clue to quantitative reconstruction of oceanic new production?. <i>Marine Micropaleontology</i> , 2000 , 40, 233-258	1.7	102
245	Deep sea benthic foraminiferal response to the pliocene palaeoenvironments of the northern Indian Ocean. 2000 , 33, 301-308		2
244	Influence of temperature, oxygen and food availability on the migrational activity of bathyal benthic foraminifera: evidence by microcosm experiments. 2000 , 426, 123-137		48
243	Influence of temperature, oxygen and food availability on the migrational activity of bathyal benthic foraminifera: evidence by microcosm experiments. 2000 , 123-137		9
242	A paleoclimatic evaluation of marine oxygen isotope stage 11 in the high-northern Atlantic (Nordic seas). <i>Global and Planetary Change</i> , 2000 , 24, 27-39	4.2	62
241	Late Glacial to Holocene history of the Mediterranean Outflow. Evidence from benthic foraminiferal assemblages and stable isotopes at the Portuguese margin. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000 , 159, 85-111	2.9	163
240	Life at Interfaces and Under Extreme Conditions. 2000 ,		
239	surface and deep water changes in the subpolar North Atlantic during Termination II and the Last Interglaciation. 2000 , 15, 76-84		46
238	The foraminiferan macrofauna from three North Carolina (USA) slope sites with contrasting carbon flux: a comparison with the metazoan macrofauna. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2001 , 48, 1709-1739	2.5	37

237	Spiroplectinata, key benthic foraminifer genus for palaeoceanographic reconstruction of the Albian Lower Saxony Basin. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2001 , 174, 199-220	2.9	9
236	Factors determining the distribution of foraminiferal assemblages in Port Joinville Harbor (Ile d'Yeu, France): the influence of pollution. <i>Marine Micropaleontology</i> , 2001 , 43, 75-118	1.7	137
235	Time-response of cultured deep-sea benthic foraminifera to different algal diets. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2002 , 49, 517-537	2.5	52
234	Live benthic foraminiferal faunas from the Bay of Biscay: faunal density, composition, and microhabitats. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2002 , 49, 751-785	2.5	323
233	A new benthic foraminiferal proxy for near-bottom current velocities in the Gulf of Cadiz, northeastern Atlantic Ocean. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2002 , 49, 1853-1875	2.5	94
232	The Trophic Role of Marine Microorganisms Through Time. 2002 , 8, 69-92		5
231	Recent benthic foraminiferal assemblages in deep high-energy environments from the Gulf of Cadiz (Spain). <i>Marine Micropaleontology</i> , 2002 , 44, 141-162	1.7	104
230	The dynamics of the benthic foraminiferal microhabitat: recovery after experimental disturbance. <i>Marine Micropaleontology</i> , 2002 , 46, 343-361	1.7	47
229	The FaroeâShetland Gateway: Late Quaternary water mass exchange between the Nordic seas and the northeastern Atlantic. <i>Marine Geology</i> , 2002 , 188, 165-192	3.3	78
228	Sea-surface temperature variability and deep water reorganisation in the subtropical North Atlantic during Isotope Stage 2â. <i>Marine Geology</i> , 2002 , 189, 145-162	3.3	43
227	Paleoceanographic implications of smaller benthic and planktonic foraminifera from the Eocene Pazin Basin (Coastal Dinarides, Croatia). 2003 , 49, 49		10
226	Benthic foraminifera across the CretaceousâTertiary (Kâ) boundary: a review. <i>Marine Micropaleontology</i> , 2003 , 47, 177-226	1.7	86
225	Benthic foraminifera (Protista) as tools in deep-water palaeoceanography: environmental influences on faunal characteristics. 2003 , 46, 1-90		286
224	Impact of interrelated and interdependent ecological controls on benthic foraminifera: an example from the Gulf of Guinea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003 , 197, 213-238	2.9	49
223	The Recent foraminifera and facies of the Bass Canyon: a temperate submarine canyon in Gippsland, Australia. <i>Journal of Micropalaeontology</i> , 2003 , 22, 63-83	2	13
222	Environmental and biological effects on the stable isotope composition of recent deep-sea benthic foraminifera from the western Mediterranean Sea. <i>Marine Micropaleontology</i> , 2004 , 51, 129-152	1.7	109
221	Late OligoceneâMiocene paleoceanographic evolution of the southeastern Indian Ocean: evidence from deep-sea benthic foraminifera (ODP Site 757). <i>Marine Micropaleontology</i> , 2004 , 51, 153-170	1.7	33
220	Migratory responses of deep-sea benthic foraminifera to variable oxygen conditions: laboratory investigations. <i>Marine Micropaleontology</i> , 2004 , 53, 227-243	1.7	90

219	Temporal variability of foraminiferal densities in the northern Adriatic Sea. <i>Marine Micropaleontology</i> , 2004 , 50, 125-148	1.7	39
218	Late Oligocene to Early Miocene foraminifers and ostracods from Karben (Wetterau, Hesse State, Germany): stratigraphic occurrence and palaeoecological implications. <i>Palaontologische Zeitschrift</i> , 2004 , 78, 233-279	1.2	2
217	Benthic foraminifera assemblages at Great Meteor Seamount. 2004 , 144, 985-998		24
216	Paleo-Export Production, Terrigenous Flux and Sea Surface Temperatures Around Tasmania: Implications for Glacial/Interglacial Changes in the Subtropical Convergence Zone. 2004 , 291-318		9
215	Effects of experimentally induced raised levels of organic flux and oxygen depletion on a continental slope benthic foraminiferal community. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2004 , 51, 1709-1739	2.5	54
214	High-resolution paleoproductivity fluctuations during the past 24 kyr as indicated by benthic foraminifera in the marginal Arctic Ocean. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004 , 204, 209-238	2.9	88
213	Foraminiferal proxies for pollution monitoring in moderately polluted harbors. <i>Environmental Pollution</i> , 2004 , 127, 27-40	9.3	154
212	Cyclic changes in oxygenation based on foraminiferal microhabitats: Early-Middle Pleistocene, Lucania Basin (southern Italy). <i>Journal of Micropalaeontology</i> , 2004 , 23, 81-95	2	22
211	Sequence Biostratigraphy of Prograding Clinofolds, Northern Carnarvon Basin, Western Australia: A Proxy for Variations in Oligocene to Pliocene Global Sea Level?. 2004 , 19, 206-226		32
210	Benthic foraminifera from a recent, shallow-water hydrothermal environment in the Aeolian Arc (Tyrrhenian Sea). <i>Marine Geology</i> , 2005 , 218, 207-229	3.3	32
209	Benthic foraminifera off West Africa (1°N to 32°S): Do live assemblages from the topmost sediment reliably record environmental variability?. <i>Marine Micropaleontology</i> , 2005 , 55, 205-233	1.7	62
208	Impact of late Quaternary environmental changes on deep-sea benthic foraminiferal faunas of the Red Sea. <i>Marine Micropaleontology</i> , 2005 , 58, 13-30	1.7	33
207	The second species of <i>Gromia</i> (Protista) from the deep sea: its natural history and association with the Pakistan margin oxygen minimum zone. 2005 , 156, 113-26		14
206	Monothalamous foraminiferans and gromiids (Protista) from western Svalbard: A preliminary surveyView all notes. 2005 , 1, 290-312		36
205	Palaeoenvironmental changes across the Danian-Belandian boundary in the North Sea Basin. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2005 , 219, 351-394	2.9	57
204	Oxygenation changes in the deep western Arabian Sea during the last 190,000 years: Productivity versus deepwater circulation. 2005 , 20, n/a-n/a		43
203	Laboratory observations of benthic foraminiferal cysts. 2005 , 1, 149-159		32
202	Multispecies stable isotopes of benthic foraminifers reveal past changes of organic matter decomposition and deepwater oxygenation in the Arabian Sea. 2006 , 21,		49

201	Regional primary productivity differences off Morocco (NW-Africa) recorded by modern benthic foraminifera and their stable carbon isotopic composition. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2006 , 53, 1379-1405	2.5	61
200	South Equatorial Current (SEC) driven changes at DSDP Site 237, Central Indian Ocean, during the Plio-Pleistocene: Evidence from Benthic Foraminifera and Stable Isotopes. <i>Journal of Asian Earth Sciences</i> , 2006 , 28, 276-290	2.8	13
199	References. 344-411		
198	Colonisation and bioerosion of experimental substrates by benthic foraminiferans from euphotic to aphotic depths (Kosterfjord, SW Sweden). 2006 , 52, 1-17		28
197	Tracing the late Holocene evolution of the NW Iberian upwelling system. <i>Marine Micropaleontology</i> , 2006 , 59, 35-55	1.7	45
196	Paleoceanographic changes during the past 1.9 Myr at DSDP Site 238, Central Indian Ocean Basin: Benthic Foraminiferal proxies. <i>Marine Micropaleontology</i> , 2006 , 60, 157-166	1.7	16
195	Burrows of <i>Pestarella tyrrhena</i> (Decapoda: Thalassinidea): hot spots for Nematoda, Foraminifera and bacterial densities. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2006 , 86, 1113-1122 ¹⁻¹		25
194	Resolving the calibration problem in Cretaceous benthic foraminifera paleoecological interpretation: Cenomanian to Coniacian assemblages from the Benue Trough analyzed by conventional methods and correspondence analysis. 2006 , 52, 151-176		13
193	Cenozoic mass extinctions in the deep sea: What perturbs the largest habitat on Earth?. 2007 ,		63
192	Carbon stable isotopic composition of benthic foraminifera from Pliocene cold methane seeps, Cascadia accretionary margin. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007 , 246, 260-277	2.9	34
191	Middle-Late Miocene benthic foraminifera in a western equatorial Indian Ocean depth transect: Paleoclimatological implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007 , 247, 402-420 ²⁻⁹		42
190	Influence of surface texture and microhabitat heterogeneity in structuring nodule faunal communities. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2007 , 54, 1936-1943	2.5	30
189	Paleoceanography of the southern Agulhas Plateau during the last 150 ka: Inferences from benthic foraminiferal assemblages and multispecies epifaunal carbon isotopes. 2007 , 22, n/a-n/a		17
188	Chapter Seven Paleoclimatological Proxies Based on Deep-Sea Benthic Foraminiferal Assemblage Characteristics. 2007 , 263-325		142
187	A multiproxy approach of the Holocene evolution of shelf-edge circulation on the NW Iberian Continental Shelf. <i>Marine Geology</i> , 2007 , 239, 1-18	3.3	85
186	Palaeoenvironmental conditions preceding the Messinian Salinity Crisis: A case study from Gavdos Island. 2007 , 40, 251-265		28
185	Paleoceanographic evolution of the SW Svalbard margin (76°N) since 20,000 14C yr BP. 2007 , 67, 100-114		173
184	Attachment of Foraminifera to vestimentiferan tubeworms at cold seeps: Refuge from seafloor hypoxia and sulfide toxicity. <i>Marine Micropaleontology</i> , 2007 , 62, 1-6	1.7	30

183	Living foraminiferal assemblages from the Southern California margin: A comparison of the > 150, 63-150, and > 63 μ m fractions. <i>Marine Micropaleontology</i> , 2007 , 65, 54-77	1.7	17
182	Environmental changes and growth history of a cold-water carbonate mound (Propeller Mound, Porcupine Seabight). 2007 , 96, 57-72		95
181	Sedimentary labile organic carbon and pore water redox control on species distribution of benthic foraminifera: A case study from Lisbon-Setúbal Canyon (southern Portugal). 2008 , 79, 55-82		84
180	Living benthic foraminifera of the Okhotsk Sea: Faunal composition, standing stocks and microhabitats. <i>Marine Micropaleontology</i> , 2008 , 69, 314-333	1.7	32
179	Benthic Foraminiferal response to sea level change in the mixed siliciclastic-carbonate system of southern Ashmore Trough (Gulf of Papua). 2008 , 113,		11
178	Late Pleistocene and Holocene sedimentation, organic-carbon delivery, and paleoclimatic inferences on the continental slope of the northern Pandora Trough, Gulf of Papua. 2008 , 113,		9
177	Climatic cycles as expressed in sediments of the PROMESS1 borehole PRAD1-2, central Adriatic, for the last 370 ka: 2. Paleoenvironmental evolution. 2008 , 9, n/a-n/a		15
176	A major change in monsoon-driven productivity in the tropical Indian Ocean during ca 1.2-0.9 Myr: Foraminiferal faunal and stable isotope data. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008 , 261, 234-245	2.9	11
175	A comparison of foraminiferal infaunal distributions in field and experimental samples from 550-m depth in the Bay of Biscay. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2008 , 55, 498-518	2.5	3
174	On the use of benthic foraminiferal $\delta^{13}C$ in palaeoceanography: constraints from primary proxy relationships. <i>Geological Society Special Publication</i> , 2008 , 303, 121-133	1.7	22
173	Miocene isotope zones, paleotemperatures, and carbon maxima events at intermediate water-depth, Site 593, Southwest Pacific. 2008 , 51, 1-22		23
172	Influence of the mode of macrofauna-mediated bioturbation on the vertical distribution of living benthic foraminifera: First insight from axial tomodesitometry. 2009 , 371, 20-33		52
171	Environmental impact assessment of sediment dumping in the southern Baltic Sea using meiofaunal indicators. 2009 , 75, 430-440		9
170	Tsunami sediments and their foraminiferal assemblages. 2009 , 96, 263-278		94
169	Deep-sea palaeoceanography of the Maldives islands (ODP hole 716A), equatorial Indian ocean during MIS 12-6. 2009 , 34, 749-64		11
168	Impact of intentionally injected carbon dioxide hydrate on deep-sea benthic foraminiferal survival. 2009 , 15, 2078-2088		34
167	Three new species of deep-sea <i>Gromia</i> (Protista, Rhizaria) from the bathyal and abyssal Weddell Sea, Antarctica. 2009 , 157, 451-469		7
166	Palaeoenvironmental reconstruction of the Oligocene Afales Basin, Ithaki island, western Greece. 2009 , 1, 1-18		2

165	The ecology and distribution of benthic foraminifera at the Håkon Mosby mud volcano (SW Barents Sea slope). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2009 , 56, 1336-1370	2.5	19
164	Impact of oil-based drill mud disposal on benthic foraminiferal assemblages on the continental margin off Angola. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2009 , 56, 2270-2291	2.3	41
163	Paleoproductivity changes during the Holocene in the inner shelf of Cabo Frio, southeastern Brazilian continental margin: Benthic foraminifera and sedimentological proxies. <i>Quaternary International</i> , 2009 , 206, 62-71	2	33
162	Recent benthic foraminifera in the Flensburg Fjord (Western Baltic Sea). <i>Journal of Micropalaeontology</i> , 2009 , 28, 131-142	2	37
161	Insights into flood-dominated fan-deltas: very high-resolution seismic examples off the Amalfi cliffed coasts, eastern Tyrrhenian Sea. <i>Geological Society Special Publication</i> , 2009 , 322, 33-71	1.7	26
160	The tropical rainbelt and productivity changes off northwest Africa: A 31,000-year high-resolution record. <i>Marine Micropaleontology</i> , 2010 , 76, 76-91	1.7	33
159	Analysis of foraminifera assemblages and sediment geochemical properties to characterise the environment near Aracã and Saco da Capela domestic sewage submarine outfalls of São Sebastião Channel, São Paulo State, Brazil. <i>Marine Pollution Bulletin</i> , 2010 , 60, 536-53	6.7	40
158	The anthropogenic impact on the western French coasts as revealed by foraminifera: A review. 2010 , 53, 129-137		55
157	Live benthic foraminiferal faunas along a bathymetrical transect (140-800m) in the Bay of Biscay (NE Atlantic). 2010 , 53, 139-162		39
156	Palaeozoic Foraminifera: Systematics, palaeoecology and responses to global changes. 2010 , 53, 209-254		82
155	The effects of anaerobic methane oxidation on benthic foraminiferal assemblages and stable isotopes on the Hikurangi Margin of eastern New Zealand. <i>Marine Geology</i> , 2010 , 272, 270-284	3.3	32
154	Reconstruction of deep-water conditions in the North Atlantic during MIS 9 based on benthic foraminiferal assemblages. <i>Oceanology</i> , 2010 , 50, 397-407	0.7	4
153	Biological structures as a source of habitat heterogeneity and biodiversity on the deep ocean margins. 2010 , 31, 21-50		358
152	Subsidence pattern in the central Adriatic and its influence on sediment architecture during the last 400 kyr. 2010 , 115,		27
151	Resolving the cause of large differences between deglacial benthic foraminifera radiocarbon measurements in Santa Barbara Basin. 2010 , 25, n/a-n/a		22
150	Decadal-scale changes in shallow-infaunal foraminiferal assemblages at the Porcupine Abyssal Plain, NE Atlantic. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2010 , 57, 1362-1382	2.3	40
149	The nature of transitions from dry to wet condition during sapropel events in the Eastern Mediterranean Sea. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010 , 291, 267-285	2.9	16
148	Deep-sea faunal provinces and their inferred environments in the Indian Ocean based on distribution of Recent benthic foraminifera. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010 , 291, 429-442	2.9	43

147	Paleoenvironmental conditions preceding the Messinian Salinity Crisis in the Central Mediterranean: Integrated data from the Upper Miocene Trave section (Italy). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010 , 297, 37-53	2.9	34
146	The structure of benthic environments and the paleochemical record of foraminifera. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2011 , 58, 535-545	2.5	15
145	Depositional and provenance record of the Paleogene transition from foreland to hinterland basin evolution during Andean orogenesis, northern Middle Magdalena Valley Basin, Colombia. 2011 , 32, 246-263		42
144	East-West similarities and differences in the surface and deep northern Arabian Sea records during the past 21 Kyr. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011 , 301, 75-85	2.9	29
143	Benthic foraminiferal distribution on the southeastern Brazilian shelf and upper slope. 2011 , 158, 159-179		30
142	Response of eastern Indian Ocean (ODP Site 762B) benthic foraminiferal assemblages to the closure of the Indonesian seaway. 2012 , 54, 449-472		8
141	Did Redox Conditions Trigger Test Templates in Proterozoic Foraminifera?. 2012 , 591-614		1
140	Paleoceanographic significance of deep-sea benthic foraminiferal species diversity at southeastern Indian Ocean Hole 752A during the Neogene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012 , 361-362, 94-103	2.9	20
139	The Relevance of Anoxic and Agglutinated Benthic Foraminifera to the Possible Archean Evolution of Eukaryotes. 2012 , 615-630		1
138	Reconstruction of inflow of Atlantic Water to Isfjorden, Svalbard during the Holocene: Correlation to climate and seasonality. <i>Marine Micropaleontology</i> , 2012 , 94-95, 80-90	1.7	45
137	Benthic foraminifera provide a promising tool for ecological quality assessment of marine waters. 2012 , 23, 66-75		113
136	The benthic foraminiferal community in a naturally CO ₂ -rich coastal habitat of the southwestern Baltic Sea. <i>Biogeosciences</i> , 2012 , 9, 4421-4440	4.6	14
135	Oceanographic changes through the last millennium off North Iceland: Temperature and salinity reconstructions based on foraminifera and stable isotopes. <i>Marine Micropaleontology</i> , 2012 , 84-85, 54-73	1.7	23
134	Testing benthic foraminiferal distributions as a contemporary quantitative approach to biomonitoring estuarine heavy metal pollution. <i>Marine Pollution Bulletin</i> , 2012 , 64, 1039-48	6.7	24
133	Assessment of the health quality of Ria de Aveiro (Portugal): heavy metals and benthic foraminifera. <i>Marine Pollution Bulletin</i> , 2013 , 70, 18-33	6.7	83
132	100th Issue Editorial. <i>Marine Micropaleontology</i> , 2013 , 100, vi-ix	1.7	
131	Stable oxygen and carbon isotope systematics of exquisitely preserved Turonian foraminifera from Tanzania – Understanding isotopic signatures in fossils. <i>Marine Micropaleontology</i> , 2013 , 102, 1-33	1.7	50
130	Baseline benthic foraminiferal assemblages and habitat conditions in a sub-Arctic region of increasing petroleum development. <i>Marine Environmental Research</i> , 2013 , 92, 178-96	3.3	12

129	Reprint of: Reconstruction of inflow of Atlantic Water to Isfjorden, Svalbard during the Holocene: Correlation to climate and seasonality. <i>Marine Micropaleontology</i> , 2013 , 99, 18-28	1.7	7
128	Deep sea benthic foraminifera as proxies for palaeoclimatic fluctuations in the New Caledonia Basin, over the last 140,000years. <i>Marine Micropaleontology</i> , 2013 , 104, 1-13	1.7	3
127	Introduction. 2013 , 1-13		1
126	Foraminiferal fauna from a deep basin in Gullmar Fjord: The influence of seasonal hypoxia and North Atlantic Oscillation. <i>Journal of Sea Research</i> , 2013 , 79, 40-49	1.9	17
125	The effect of hydrodynamics on shell orientation and population density of <i>Pinna nobilis</i> in the Gulf of Oristano (Sardinia, Italy). <i>Journal of Sea Research</i> , 2013 , 76, 201-210	1.9	22
124	Paleoceanographical development off Sisimiut, West Greenland, during the mid- and late Holocene: A multiproxy study. <i>Marine Micropaleontology</i> , 2013 , 102, 79-97	1.7	21
123	Living benthic foraminifera: biogeographical distributions and the significance of rare morphospecies. <i>Journal of Micropaleontology</i> , 2013 , 32, 1-58	2	23
122	References. 294-373		
121	Quantified intermediate water oxygenation history of the NE Pacific: A new benthic foraminiferal record from Santa Barbara basin. 2013 , 28, 453-467		36
120	Quantifying assemblage turnover and species contributions at ecologic boundaries. <i>PLoS ONE</i> , 2013 , 8, e74999	3.7	11
119	Species diversity variations in Neogene deep-sea benthic foraminifera at ODP Hole 730A, western Arabian Sea. <i>Journal of Earth System Science</i> , 2014 , 123, 1671-1680	1.8	4
118	Foraminiferal assemblages from a transitional tropical upwelling zone in the Golfe d'Arguin, Mauritania. 2014 , 148, 70-84		6
117	Modelling $\delta^{13}C$ in benthic foraminifera: Insights from model sensitivity experiments. <i>Marine Micropaleontology</i> , 2014 , 112, 50-61	1.7	15
116	Late Quaternary productivity changes in the equatorial Indian Ocean (ODP Hole 716A). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014 , 397, 7-19	2.9	7
115	Changes in Southern Ocean bottom water environments associated with the Middle Eocene Climatic Optimum (MECO). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014 , 405, 16-27	2.9	15
114	Late Weichselian deglaciation and early Holocene development of a cold-water coral reef along the Lophavet shelf (Northern Norway) recorded by benthic foraminifera and ostracoda. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014 , 99, 249-269	2.3	17
113	Benthic foraminifera from Capbreton Canyon revisited; faunal evolution after repetitive sediment disturbance. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2014 , 104, 319-334	2.3	15
112	Maximum extent and dynamic behaviour of the last British-Irish Ice Sheet west of Ireland. <i>Quaternary Science Reviews</i> , 2015 , 128, 48-68	3.9	40

111	Episodes of intensified biological productivity in the subtropical Atlantic Ocean during the termination of the Middle Eocene Climatic Optimum (MECO). 2015 , 30, 1041-1058			11
110	Abyssal foraminifera attached to polymetallic nodules from the eastern Clarion Clipperton Fracture Zone: a preliminary description and comparison with North Atlantic dropstone assemblages. 2015 , 45, 391-412			28
109	Novel high-pressure culture experiments on deep-sea benthic foraminifera – Evidence for methane seepage-related $\delta^{13}C$ of <i>Cibicides wuellerstorfi</i> . <i>Marine Micropaleontology</i> , 2015 , 117, 47-64	1.7		16
108	Distinguishing relative specialist and generalist species in the fossil record. <i>Marine Micropaleontology</i> , 2015 , 119, 7-16	1.7		12
107	Radiolarian tests as microhabitats for novel benthic foraminifera: Observations from the abyssal eastern equatorial Pacific (Clarion–Clipperton Fracture Zone). <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2015 , 103, 73-85	2.5		5
106	Natural variability of benthic foraminiferal assemblages and metal concentrations during the last 150 years in the Ingøvdjupet trough, SW Barents Sea. <i>Marine Micropaleontology</i> , 2015 , 121, 16-31	1.7		9
105	Benthic foraminiferal response to Late Glacial and Holocene sea level rise and rainfall variability off East Africa. <i>Marine Micropaleontology</i> , 2015 , 119, 34-48	1.7		10
104	Characterization of bottom hydrodynamic conditions on the central western Portuguese continental shelf based on benthic foraminifera and sedimentary parameters. <i>Marine Environmental Research</i> , 2015 , 109, 52-68	3.3		18
103	ON THE INTERPLAY BETWEEN HYDRODYNAMICS, BOTTOM MORPHOLOGY, SEDIMENTARY PROCESSES AND BENTHIC FORAMINIFERA ASSEMBLAGES IN THE S^O PAULO BIGHT (BRAZIL, SW ATLANTIC). 2016 , 1,			8
102	Stable carbon isotope gradients in benthic foraminifera as proxy for organic carbon fluxes in the Mediterranean Sea. <i>Biogeosciences</i> , 2016 , 13, 6385-6404	4.6		11
101	Carbon isotope offsets between benthic foraminifer species of the genus <i>Cibicides</i> (<i>Cibicidoides</i>) in the glacial sub-Antarctic Atlantic. 2016 , 31, 1583-1602			27
100	Vertical distribution and respiration rates of benthic foraminifera: Contribution to aerobic remineralization in intertidal mudflats covered by <i>Zostera noltei</i> meadows. 2016 , 179, 23-38			35
99	Approaches and constraints to the reconstruction of palaeoproductivity from Cape Basin abyssal benthic foraminifera (South Atlantic). <i>Journal of Micropalaeontology</i> , 2016 , 35, 195-204	2		8
98	Abyssal hills: Influence of topography on benthic foraminiferal assemblages. 2016 , 148, 44-55			21
97	Formation of agglutinated cysts by the foraminiferan <i>Sphaeroidina bulloides</i> on the Porcupine Abyssal Plain (NE Atlantic). 2016 , 46, 747-749			3
96	Palaeoceanography of the Barents Sea continental margin, north of Nordaustlandet, Svalbard, during the last 74 ka. 2016 , 45, 76-99			28
95	Stable isotope composition of deep-sea benthic foraminifera under contrasting trophic conditions in the western Mediterranean Sea. <i>Marine Micropaleontology</i> , 2016 , 124, 16-28	1.7		16
94	Foram-AMBI: A sensitivity index based on benthic foraminiferal faunas from North-East Atlantic and Arctic fjords, continental shelves and slopes. <i>Marine Micropaleontology</i> , 2016 , 122, 1-12	1.7		89

93	Relationship between live and dead benthic foraminiferal assemblages in the abyssal NE Atlantic. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2017 , 121, 190-201	2.5	11
92	Ventilation history of Nordic Seas overflows during the last (de)glacial period revealed by species-specific benthic foraminiferal ^{14}C dates. 2017 , 32, 172-181		21
91	Coccolithophore and benthic foraminifera distribution patterns in the Gulf of Cadiz and Western Iberian Margin during Integrated Ocean Drilling Program (IODP) Expedition 339. 2017 , 170, 50-67		6
90	Benthic foraminifera-based reconstruction of the first Mediterranean-Atlantic exchange in the early Pliocene Gulf of Cadiz. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017 , 472, 93-107	2.9	13
89	Sandy contourite drift in the late Miocene Rifian Corridor (Morocco): Reconstruction of depositional environments in a foreland-basin seaway. <i>Sedimentary Geology</i> , 2017 , 355, 31-57	2.8	50
88	Microhabitat preferences of live benthic foraminifera and stable carbon isotopes off SW Svalbard in the presence of widespread methane seepage. <i>Marine Micropaleontology</i> , 2017 , 132, 1-17	1.7	7
87	Towards reconstructing ancient seawater Mg/Ca by combining porcelaneous and hyaline foraminiferal Mg/Ca-temperature calibrations. <i>Geochimica Et Cosmochimica Acta</i> , 2017 , 211, 341-354	5.5	4
86	Recent oxygen depletion and benthic faunal change in shallow areas of Sann� Fjord, Swedish west coast. <i>Journal of Sea Research</i> , 2017 , 127, 46-62	1.9	11
85	Changes in northeast Atlantic hydrology during Termination 1: Insights from Celtic margin's benthic foraminifera. <i>Quaternary Science Reviews</i> , 2017 , 175, 45-59	3.9	7
84	Mg/Ca-temperature calibration for the benthic foraminifera <i>Melonis barleeanum</i> and <i>Melonis pompilioides</i> . <i>Geochimica Et Cosmochimica Acta</i> , 2017 , 217, 365-383	5.5	8
83	Re-evaluation of the elevated epifauna as indicator of Mediterranean Outflow Water in the Gulf of Cadiz using stable isotopes ($\delta^{13}\text{C}$, $\delta^{18}\text{O}$). <i>Global and Planetary Change</i> , 2017 , 155, 78-97	4.2	6
82	Environmental baselines and reconstruction of Atlantic Water inflow in Bj�rn�renna, SW Barents Sea, since 1800 CE. <i>Marine Environmental Research</i> , 2017 , 132, 117-131	3.3	4
81	Benthic foraminifera as bio-indicators of chemical and physical stressors in Hammerfest harbor (Northern Norway). <i>Marine Pollution Bulletin</i> , 2017 , 114, 384-396	6.7	26
80	Foraminiferos bent�nicos no talude continental, Plat� de S�o Paulo e c�nions da Bacia de Campos. 2017 , 111-144		2
79	A multi-proxy analysis of Late Quaternary ocean and climate variability for the Maldives, Inner Sea. <i>Climate of the Past</i> , 2017 , 13, 1791-1813	3.9	18
78	Can benthic foraminifera serve as proxies for changes in benthic macrofaunal community structure? Implications for the definition of reference conditions. <i>Marine Environmental Research</i> , 2018 , 137, 24-36	3.3	16
77	A Saltier Glacial Mediterranean Outflow. <i>Paleoceanography and Paleoclimatology</i> , 2018 , 33, 179-197	3.3	7
76	Linking the Modern Distribution of Biogenic Proxies in High Arctic Greenland Shelf Sediments to Sea Ice, Primary Production, and Arctic-Atlantic Inflow. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018 , 123, 760-786	3.7	23

75	An eddy, a wake and a plume: controls on bathyal foraminifera around Tobago, western tropical Atlantic Ocean. <i>Palaontologische Zeitschrift</i> , 2018 , 92, 561-575	1.2	1
74	Late Glacial-Holocene record of benthic foraminiferal morphogroups from the eastern Arabian Sea OMZ: Paleoenvironmental implications. <i>Journal of Earth System Science</i> , 2018 , 127, 1	1.8	6
73	Geochemical sedimentary evidence from core 973-2 for methane activity near the Jiulong Methane Reef in the northern South China Sea. <i>Interpretation</i> , 2018 , 6, T163-T174	1.4	1
72	Benthic Foraminifera from Shelf Sediments of the Bay of Bengal, Central East Coast, India. <i>Thalassas</i> , 2018 , 34, 13-52	0.9	1
71	Deep-Water Dynamics in the Subpolar North Atlantic at the End of the Quaternary. <i>Oceanology</i> , 2018 , 58, 606-620	0.7	
70	Distribution and isotopic composition of foraminifera at cold-seep Site 973-4 in the Dongsha area, northeastern South China Sea. <i>Journal of Asian Earth Sciences</i> , 2018 , 168, 145-154	2.8	8
69	Tracing the incorporation of carbon into benthic foraminiferal calcite following the Deepwater Horizon event. <i>Environmental Pollution</i> , 2018 , 237, 424-429	9.3	16
68	Large-scale paleoceanographic variations in the western Mediterranean Sea during the last 34,000 years: From enhanced cold-water coral growth to declining mounds. <i>Marine Micropaleontology</i> , 2018 , 143, 46-62	1.7	9
67	Insight into deep-sea life – <i>Cibicides pachyderma</i> substrate and pH-dependent behaviour following disturbance. <i>Deep-Sea Research Part I: Oceanographic Research Papers</i> , 2018 , 138, 34-45	2.5	6
66	Impacts of ocean acidification on intertidal benthic foraminiferal growth and calcification. <i>PLoS ONE</i> , 2019 , 14, e0220046	3.7	4
65	Deep-Water Circulation in the Hunter Channel (Southwest Atlantic) in the Late Pleistocene and Holocene Based on Benthic Foraminifera. <i>Oceanology</i> , 2019 , 59, 123-132	0.7	1
64	Sampling strategy always matters: Methodological issues on collecting samples in tropical transitional environments for ecological analysis based on recent foraminifera. <i>Marine Micropaleontology</i> , 2019 , 148, 46-57	1.7	2
63	Deep-Sea Benthic Foraminifera. 2019 , 684-705		3
62	Insights into the ecology of epibenthic calcareous foraminifera from a colonization study at 4000 m (Station M) in the NE Pacific Ocean. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2020 , 173, 104709	2.3	4
61	Impact of drill cutting releases on benthic foraminifera at three exploration wells drilled between 1992 and 2012 in the SW Barents Sea, Norway. <i>Marine Pollution Bulletin</i> , 2020 , 150, 110784	6.7	1
60	Carboniferous smaller Foraminifera: convergences and divergences. <i>Geological Society Special Publication</i> , 2020 , SP512-2020-42	1.7	4
59	Modern foraminiferal assemblages in northern Nares Strait, Petermann Fjord, and beneath Petermann ice tongue, NW Greenland. <i>Arctic, Antarctic, and Alpine Research</i> , 2020 , 52, 491-511	1.8	11
58	Mediterranean Outflow Water dynamics across the middle Pleistocene transition based on a 1.3 million-year benthic foraminiferal record off the Portuguese margin. <i>Quaternary Science Reviews</i> , 2020 , 247, 106567	3.9	3

57	Changes in Deep-Sea Oxygenation in the Northeast Pacific Ocean During 32±10 ka. <i>Geophysical Research Letters</i> , 2020 , 47, e2019GL086613	4.9	5
56	Cold-Water Coral Mound Archive Provides Unique Insights Into Intermediate Water Mass Dynamics in the Alboran Sea During the Last Deglaciation. <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	7
55	Foraminiferal community response to seasonal anoxia in Lake Grevelingen (the Netherlands). <i>Biogeosciences</i> , 2020 , 17, 1415-1435	4.6	8
54	Paleoecology and Predominance Facies of Late Devonian Foraminifera in Successions of the Catskill Delta Complex, Western New York, U.S.A.. <i>Journal of Foraminiferal Research</i> , 2021 , 51, 32-45	1.1	1
53	Millennial-Scale Changes in Bottom Water Temperature and Water Mass Exchange Through the Fram Strait 79°N, 63-13 ka. <i>Paleoceanography and Paleoclimatology</i> , 2021 , 36, e2020PA004061	3.3	2
52	Recent environmental change in the Kosterhavet National Park marine protected area as reflected by hydrography and sediment proxy data. <i>Marine Environmental Research</i> , 2021 , 166, 105265	3.3	2
51	Living (stained) calcareous benthic foraminiferal assemblages (>125h) in a coastal upwelling zone of the Humboldt Current System, Northern Chile (~27°S). <i>Regional Studies in Marine Science</i> , 2021 , 44, 101725	1.5	
50	Permanent ectoplasmic structures in deep-sea <i>Cibicides</i> and <i>Cibicides</i> taxa – long-term observations at in situ pressure. <i>Biogeosciences</i> , 2021 , 18, 3903-3915	4.6	
49	Benthic foraminiferal faunas associated with cold-water coral environments in the North Atlantic realm. <i>Depositional Record</i> , 2021 , 7, 223-255	2	0
48	Paleoceanographic turnovers during the Plio-Pleistocene in the southeastern Indian Ocean: Linkages with Northern Hemisphere glaciation and Indian Monsoon variability. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021 , 571, 110374	2.9	1
47	Benthic Foraminiferal Indices and Environmental Quality Assessment of Transitional Waters: A Review of Current Challenges and Future Research Perspectives. <i>Water (Switzerland)</i> , 2021 , 13, 1898	3	3
46	Environmental Controls on the Distribution of Modern Benthic Foraminifera in the Florida Everglades and Their Use as Paleoenvironmental Indicators. <i>Journal of Foraminiferal Research</i> , 2021 , 51, 182-209	1.1	0
45	Living Benthic Foraminifera from the Surface and Subsurface Sediment Layers Applied to the Environmental Characterization of the Brazilian Continental Slope (SW Atlantic). <i>Water (Switzerland)</i> , 2021 , 13, 1863	3	1
44	Benthic foraminiferal response to changes in the northwestern Arabian Sea oxygen minimum zone (OMZ) during past (~)145 kyr. <i>Journal of Earth System Science</i> , 2021 , 130, 1	1.8	
43	From glacial times to late Holocene: Benthic foraminiferal assemblages from cold water coral habitats off northwest Scotland. <i>Marine Geology</i> , 2021 , 440, 106581	3.3	0
42	Trends in temperature, salinity and productivity in the Vienna Basin (Austria) during the early and middle Miocene, based on foraminiferal ecology. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021 , 581, 110640	2.9	2
41	Attached benthic Foraminifera as indicators of past and present distribution of the coral <i>Primnoa resedaeformis</i> on the Scotian Margin. 2005 , 881-894		2
40	Deep Waters and Oceanic Connection. <i>Developments in Paleoenvironmental Research</i> , 2009 , 395-437		7

39	Benthic Foraminiferal Response to Major Paleoceanographic Changes. 1999 , 195-216		14
38	Carbon Isotopes of Live Benthic Foraminifera from the South Atlantic: Sensitivity to Bottom Water Carbonate Saturation State and Organic Matter Rain Rates. 2003 , 623-644		10
37	Paleoceanographic Proxies in the Northern North Atlantic. 2001 , 319-352		18
36	Planktic and Benthic Foraminifera as Indicators of Past Ocean Changes in Surface and Deep Waters of the Nordic Seas. 2001 , 411-421		4
35	Calcareous meiofauna associated with the calcareous alga <i>Corallina officinalis</i> on bedrock and boulder-field shores of Ceredigion, Wales, UK. <i>Journal of the Marine Biological Association of the United Kingdom</i> , 2020 , 100, 1205-1217	1.1	1
34	Biostratigraphy and assemblage composition of benthic foraminifera from the Manihiki Plateau, southwestern tropical Pacific. <i>Journal of Micropalaeontology</i> , 1995 , 14, 165-175	2	13
33	Recent Arborescent Dendrophryid Foraminifera Found On Upper Pleistocene Cold-water Corals from the Inner Sea of the Maldives. <i>Journal of Foraminiferal Research</i> , 2018 , 48, 53-61	1.1	2
32	Response of the benthic foraminiferal community to a simulated short-term phytodetritus pulse in the abyssal North Pacific. <i>Marine Ecology - Progress Series</i> , 2011 , 438, 129-142	2.6	36
31	How does macrofaunal bioturbation influence the vertical distribution of living benthic foraminifera?. <i>Marine Ecology - Progress Series</i> , 2016 , 561, 83-97	2.6	14
30	Assessing behavioural traits of benthic foraminifera: implications for sediment mixing. <i>Marine Ecology - Progress Series</i> , 2020 , 643, 21-31	2.6	4
29	Foraminiferal Ecology and Role in Nitrogen Benthic Cycle in the Hypoxic Southeastern Bering Sea. <i>Frontiers in Marine Science</i> , 2020 , 7,	4.5	1
28	Strength May Lie in Numbers: Intertidal Foraminifera Non-Negligible Contribution to Surface Sediment Reworking. <i>Open Journal of Marine Science</i> , 2020 , 10, 131-140	0.6	4
27	The benthic foraminiferal community in a naturally CO ₂ -rich coastal habitat in the southwestern Baltic Sea.		2
26	Benthic foraminifera or Ostracoda? Comparing the accuracy of palaeoenvironmental indicators from a Pleistocene lagoon of the Romagna coastal plain (Italy). <i>Journal of Micropalaeontology</i> , 2018 , 37, 203-230	2	21
25	Live benthic foraminiferal living depths, stable isotopes, and taxonomy offshore South Georgia, Southern Ocean: implications for calcification depths. <i>Journal of Micropalaeontology</i> , 2018 , 37, 25-71	2	2
24	On a grain of sand – microhabitat for the opportunistic agglutinated foraminifera <i>Hemisphaerammina apta</i> n. sp., from the early Eocene Arctic Ocean. <i>Journal of Micropalaeontology</i> , 2018 , 37, 295-303	2	1
23	Some peculiarities of the benthic foraminifera and natural radionuclides distribution in the bottom sediments of the Northern Atlantic. <i>Journal of Oceanological Research</i> , 2020 , 48, 85-92	0.1	
22	Assimilation of Particular Organic Matter and Dissolved Organic or Inorganic Compounds by <i>Criboelphidium selseyense</i> (Foraminifera). <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	0

21	Foraminifera of the Faneromeni section (Crete, Greece) reflect the palaeoenvironmental development towards the Messinian salinity crisis. <i>Marine Micropaleontology</i> , 2022 , 172, 102107	1.7	
20	Indian monsoon variability during the past ~8.5 cal kyr as recorded in the sediments of the northeastern Arabian Sea. <i>Quaternary International</i> , 2022 ,	2	○
19	A Benthic Monitor for Coastal Water Dissolved Oxygen Variation: Mn/Ca Ratios in Tests of an Epifaunal Foraminifer. <i>Journal of Geophysical Research: Oceans</i> , 2021 , 126,	3.3	○
18	Table_1.docx. 2020 ,		
17	Image_1.JPEG. 2020 ,		
16	Table_1.XLSX. 2020 ,		
15	Table_2.XLSX. 2020 ,		
14	Potential Resilience to Ocean Acidification of Benthic Foraminifers Living in Posidonia oceanica Meadows: The Case of the Shallow Venting Site of Panarea. <i>Geosciences (Switzerland)</i> , 2022 , 12, 184	2.7	○
13	Controlling Parameters of Benthic Deep-Sea Foraminiferal Biogeography at the Brazilian Continental Margin (11-22°S). <i>Frontiers in Marine Science</i> , 9,	4.5	○
12	Seasonal Distribution of Benthic Foraminifera Associated with the Marine Sponge Liosina Paradoxa Thiele, 1899 at Sandspit Backwaters, Karachi, Pakistan. 2022 , 52, 127-132		
11	A 300 000-year record of cold-water coral mound build-up at the East Melilla Coral Province (SE Alboran Sea, western Mediterranean). 2022 , 18, 1915-1945		○
10	The Porifera microeukaryome: Addressing the neglected associations between sponges and protists. 2022 , 265, 127210		○
9	Environmental forcing by submarine canyons: Evidence between two closely situated cold-water coral mounds (Porcupine Bank Canyon and Western Porcupine Bank, NE Atlantic). 2022 , 106930		○
8	Relationship of Maastrichtian–Thanetian benthic foraminiferal species diversity, palaeooxygenation and palaeoproductivity in shallow waters of Western Desert, Egypt.		○
7	Benthic foraminifera in high latitude contourite drift systems (North Atlantic: Bjørn, Gardar and Eirik drifts). 2022 , 111312		○
6	Benthic Foraminifera and Productivity Regimes in the Kveithola Trough (Barents Sea) – Ecological Implications in a Changing Arctic and Actinopaleontological Meaning. 2023 , 11, 237		○
5	Indian margin methane hydrate dissociation recorded in the carbon isotopes of benthic (Miliolida) foraminifera. 2023 , 609, 118101		○
4	Distribution pattern of planktonic and benthic foraminifera in surface sediments near the equatorial western Indian Ocean and its indications of paleo-environment and productivity. 2023 , 250, 105635		○

- 3 Relationship of Maastrichtian–Thanetian benthic foraminiferal species diversity, palaeoxygenation, and palaeoproductivity in shallow waters of the Western Desert, Egypt. **2023**, 43, 0
- 2 Sediment reworking of intertidal sediments by the benthic foraminifera *Haynesina germanica* : the importance of motion behaviour and densities. **2023**, 290, 1
- 1 Late-Holocene paleoceanographic and climatic changes and their impact on Indian socio-economic conditions: Benthic foraminiferal evidence from the Bay of Bengal. 095968362311635 0