

CITATION REPORT

List of articles citing

Deep-sea benthic foraminiferal species which exploit phytodetritus: Characteristic features and controls on distrib

DOI: 10.1016/0377-8398(93)90043-w
Marine Micropaleontology, 1993, 22, 187-205.

Source: <https://exaly.com/paper-pdf/23910682/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
320	Aquatic sediments. 1994 , 66, 496-531		1
319	A benthic foraminiferal proxy of pulsed organic matter paleofluxes. <i>Marine Micropaleontology</i> , 1994 , 23, 89-99	1.7	125
318	Foraminiferal microhabitats in four marine environments around Japan. <i>Marine Micropaleontology</i> , 1994 , 24, 29-41	1.7	73
317	Quantitative estimation of surface ocean productivity and bottom water oxygen concentration using benthic foraminifera. 1994 , 9, 723-737		78
316	The Biology of Deep-Sea Foraminifera: A Review of Some Advances and Their Applications in Paleoceanography. 1994 , 9, 14		203
315	Vertical migratory response of benthic foraminifera to controlled oxygen concentrations in an experimental mesocosm. 1995 , 116, 137-151		190
314	Micro- and Nanoforaminifera from Abyssal Northeast Atlantic Sediments: A Preliminary Report. 1995 , 80, 361-383		24
313	A conceptual model explaining benthic foraminiferal microhabitats. <i>Marine Micropaleontology</i> , 1995 , 26, 3-15	1.7	716
312	Microfossil indicators of ocean water masses, circulation and climate. 1995 , 83, 245-264		9
311	Deep-sea foraminifera under long time observation in the laboratory. 1995 , 42, 827-832		28
310	Impact of productivity events on the benthic foraminiferal fauna in the Arabian Sea over the last 150,000 years. 1995 , 10, 85-116		46
309	Northeastern Atlantic benthic foraminifera during the last 45,000 years: Changes in productivity seen from the bottom up. 1995 , 10, 545-562		166
308	Deep-Sea Foraminifera in the South Atlantic Ocean: Ecology and Assemblage Generation. 1995 , 41, 342		191
307	Rapid changes in surface and deep water conditions at the Faeroe Margin during the last 58,000 years. 1996 , 11, 757-771		165
306	Epifaunal and shallow infaunal foraminiferal communities at three abyssal NE Atlantic sites subject to differing phytodetritus input regimes. 1996 , 43, 1395-1421		95
305	A benthic foraminiferal record of middle to late Pliocene (3.15-2.85 Ma) deep water change in the North Atlantic. <i>Marine Micropaleontology</i> , 1996 , 27, 165-180	1.7	14
304	The impact of Paleocene/Eocene boundary events on middle neritic benthic foraminiferal assemblages from Egypt. <i>Marine Micropaleontology</i> , 1996 , 28, 99-132	1.7	80

303	The surface ocean productivity and bottom water oxygen signals in deep water benthic foraminiferal assemblages. <i>Marine Micropaleontology</i> , 1996 , 28, 247-261	1.7	97
302	Ecological structuring and evolution of deep sea agglutinated foraminifera – review. 1996 , 39, 271-281		41
301	An Apparent Lack of Response By Metazoan Meiofauna to Phytodetritus Deposition in the Bathyal North-Eastern Atlantic. 1996 , 76, 297-310		71
300	Vertical distributions and stable isotopic compositions of live (stained) benthic foraminifera from the North Carolina and California continental margins. 1997 , 44, 983-1024		154
299	Late Quaternary paleoproductivity and deep water circulation in the eastern South Atlantic Ocean: Evidence from benthic foraminifera. 1997 , 130, 43-80		149
298	Late Quaternary palaeoceanography of the Tasman Sea: the benthic foraminiferal view. 1997 , 131, 365-389		34
297	Microfossil and stable-isotope evidence for changes in Late Holocene palaeoproductivity and palaeoceanographic conditions in the Prydz Bay region of Antarctica. 1997 , 131, 485-510		62
296	Recent benthic foraminiferal associations and ecology of the Scotia Sea and Argentine Basin. <i>Marine Micropaleontology</i> , 1997 , 31, 1-29	1.7	67
295	Recent benthic foraminifera from the eastern South Atlantic Ocean: Dependence on food supply and water masses. <i>Marine Micropaleontology</i> , 1997 , 32, 249-287	1.7	251
294	The surface ocean productivity response of deeper water benthic foraminifera in the Atlantic Ocean. <i>Marine Micropaleontology</i> , 1997 , 32, 289-310	1.7	105
293	A sediment record of cyclic bottom-current variability from the northwest Weddell Sea. 1998 , 115, 185-214		37
292	Population dynamics of a dense assemblage of marine detritivores. 1998 , 226, 131-161		36
291	Feeding types of the benthic community and particle transport across the slope of the N.W. European continental margin (Goban Spur). 1998 , 42, 209-231		59
290	Living foraminifera and total populations in salt marsh peat cores: Kelsey Marsh (Clinton, CT) and the Great Marshes (Barnstable, MA). <i>Marine Micropaleontology</i> , 1998 , 33, 175-202	1.7	58
289	Living benthic foraminifera from the central Arctic Ocean: faunal composition, standing stock and diversity. <i>Marine Micropaleontology</i> , 1998 , 34, 153-185	1.7	150
288	Palaeoenvironments of deposition of Neogene laminated diatom mat deposits from the eastern equatorial Pacific from studies of benthic foraminifera (sites 844, 849, 851). <i>Marine Micropaleontology</i> , 1998 , 35, 161-177	1.7	17
287	Living (Rose Bengal stained) benthic foraminifera from the Pakistan continental margin (northern Arabian Sea). 1998 , 45, 1483-1513		140
286	Sediment community response to a temporally varying food supply at an abyssal station in the NE Pacific. 1998 , 45, 893-913		75

285	Deep-sea environments on a warm earth: latest Paleocene-early Eocene. 1999 , 132-160		12
284	Benthic foraminiferal successions across Late Quaternary Mediterranean sapropels. 1999 , 153, 91-101		131
283	Quantitative composition of benthic foraminiferal assemblages as a proxy indicator for organic carbon flux rates in the South China Sea. 1999 , 156, 123-157		64
282	Latest Pliocene through Holocene paleoceanography of the eastern Indian Ocean: benthic foraminiferal evidence. 1999 , 161, 63-73		8
281	Temporal variability in living deep-sea benthic foraminifera: a review. 1999 , 46, 187-212		130
280	A diatom and benthic foraminiferal record from the South Tasman Rise (southeastern Indian Ocean): implications for palaeoceanographic changes for the last 200,000 years. <i>Marine Micropaleontology</i> , 1999 , 38, 69-89	1.7	35
279	Abyssal benthic foraminifera from the northwestern Pacific (Shatsky Rise) during the last 298 kyr. <i>Marine Micropaleontology</i> , 1999 , 38, 119-147	1.7	75
278	Temporal variations in the deep-water colonization rates of small benthic foraminifera: the results of an experiment on Cross Seamount. 1999 , 46, 1021-1049		18
277	Benthic response of <i>Munnopsurus atlanticus</i> (Crustacea Isopoda) to the carbon content of the near-bottom sedimentary environment on the southern margin of the Cap-Ferret Canyon (Bay of Biscay, northeastern Atlantic Ocean). 1999 , 46, 2331-2344		21
276	Miocene benthonic foraminiferal morphogroups in an oxygen minimum zone, offshore Cabinda. 1999 , 153, 267-282		6
275	r-Selected benthic foraminifera with associated bacterial colonies in Upper Pleistocene sediments of the Ross Sea (Antarctica): implications for calcium carbonate preservation. 1999 , 149, 41-57		5
274	Differential rates of benthic foraminiferal test production in surface and subsurface sediment habitats in the southern Adriatic Sea. 1999 , 149, 67-88		52
273	Ecological evidence from live-dead comparisons of benthic foraminiferal faunas off Cape Blanc (Northwest Africa). 1999 , 149, 151-170		81
272	Clues to Ocean History: a Brief Overview of Proxies. 1999 , 1-68		51
271	Quantitative estimation of global patterns of surface ocean biological productivity and its seasonal variation on timescales from centuries to millennia. 1999 , 13, 115-133		74
270	Latest Miocene-Pleistocene Productivity and Deep-Sea Ventilation in the Northwestern Indian Ocean (Deep Sea Drilling Project Site 219). 1999 , 14, 62-73		65
269	The Late Campanian and Maastrichtian in northwestern Tunisia: palaeoenvironmental inferences from lithology, macrofauna and benthic foraminifera. 1999 , 20, 231-252		90
268	NE Atlantic benthic foraminifera: modern distribution patterns and palaeoecological significance. 2000 , 157, 679-691		24

267	Benthic foraminifera associated with cold methane seeps on the northern California margin: Ecology and stable isotopic composition. <i>Marine Micropaleontology</i> , 2000 , 38, 247-266	1.7	129
266	Species composition and glacial–interglacial variations in the ostracode fauna of the northeast Atlantic during the past 200,000 years. <i>Marine Micropaleontology</i> , 2000 , 40, 105-129	1.7	70
265	Seasonal phytodetritus deposition and responses of bathyal benthic foraminiferal populations in Sagami Bay, Japan: preliminary results from ‘Project Sagami 1996–1999’ <i>Marine Micropaleontology</i> , 2000 , 40, 135-149	1.7	89
264	Organic flux control on bathymetric zonation of Mediterranean benthic foraminifera. <i>Marine Micropaleontology</i> , 2000 , 40, 151-166	1.7	183
263	The response of benthic foraminifers to carbon flux and primary production in the Arctic Ocean. <i>Marine Micropaleontology</i> , 2000 , 40, 189-231	1.7	120
262	Last glacial paleoproductivity patterns in the eastern equatorial Pacific: benthic foraminifera records. <i>Marine Micropaleontology</i> , 2000 , 40, 259-275	1.7	66
261	The influence of the NE winter monsoon on productivity changes in the Gulf of Aden, NW Arabian Sea, during the last 530ka as recorded by foraminifera. <i>Marine Micropaleontology</i> , 2000 , 40, 295-319	1.7	77
260	Influence of temperature, oxygen and food availability on the migrational activity of bathyal benthic foraminifera: evidence by microcosm experiments. 2000 , 426, 123-137		48
259	Distribution of live benthic Foraminifera at three oceanographically dissimilar sites in the northeast Atlantic: preliminary results. 2000 , 440, 227-238		11
258	Influence of temperature, oxygen and food availability on the migrational activity of bathyal benthic foraminifera: evidence by microcosm experiments. 2000 , 123-137		9
257	Global latitudinal species diversity gradient in deep-sea benthic foraminifera. 2000 , 47, 259-275		72
256	Benthic foraminifera as proxies of organic matter flux and bottom water oxygenation? A case history from the northern Arabian Sea. 2000 , 161, 337-359		124
255	Life at Interfaces and Under Extreme Conditions. 2000 ,		
254	Island, Ocean and Deep-Sea Biology. 2000 ,		1
253	When Does Environmental Variability Become Environmental Change?. 2000 , 7-37		18
252	Changes in Arctic Ocean paleoproductivity and hydrography during the last 145 kyr: The benthic foraminiferal record. 2001 , 16, 65-77		83
251	Living benthic foraminifera of the Hess Rise and Suiko Seamount, central North Pacific. 2001 , 48, 1309-1324		17
250	Responses of deep-water shrimp populations to intermediate nepheloid layer detachments on the Northwestern Mediterranean continental margin. 2001 , 48, 2195-2207		47

249	Spiroplectinata, key benthic foraminifer genus for palaeoceanographic reconstruction of the Albian Lower Saxony Basin. 2001 , 174, 199-220		9
248	Late Neogene deep-sea benthic foraminifera at ODP Site 762B, eastern Indian Ocean: diversity trends and palaeoceanography. 2001 , 173, 1-8		10
247	Floc Layers. 2001 , 140-146		
246	Benthic foraminifera at the Cretaceous-Tertiary boundary around the Gulf of Mexico. 2001 , 29, 891		66
245	Floc Layers. 2001 , 1048-1054		
244	Morphological and ecological parallels between sublittoral and abyssal foraminiferal species in the NE Atlantic: a comparison of <i>Stainforthia fusiformis</i> and <i>Stainforthia</i> sp.. 2001 , 50, 261-283		27
243	Food web structure of the benthic community at the Porcupine Abyssal Plain (NE Atlantic): a stable isotope analysis. 2001 , 50, 383-405		252
242	Tasman Front shifts and associated paleoceanographic changes during the last 250,000 years: foraminiferal evidence from the Lord Howe Rise. <i>Marine Micropaleontology</i> , 2001 , 41, 167-191	1.7	29
241	Benthic-pelagic coupling in the Southern California Bight: Relationships between sinking organic material, diatoms and benthic foraminifera. <i>Marine Micropaleontology</i> , 2001 , 43, 261-271	1.7	23
240	Accumulation and Fate of Phytodetritus on the Sea Floor. 2002 , 171-232		71
239	A time series study of the carbon isotopic composition of deep-sea benthic foraminifera. 2002 , 17, 8-1-8-27		34
238	Time-response of cultured deep-sea benthic foraminifera to different algal diets. 2002 , 49, 517-537		52
237	Live benthic foraminiferal faunas from the Bay of Biscay: faunal density, composition, and microhabitats. 2002 , 49, 751-785		323
236	Factors influencing the distribution patterns of Recent deep-sea benthic foraminifera, east of New Zealand, Southwest Pacific Ocean. <i>Marine Micropaleontology</i> , 2002 , 46, 139-176	1.7	78
235	Foraminifera associated with phytodetritus deposits at a bathyal site in the northern Rockall Trough (NE Atlantic): seasonal contrasts and a comparison of stained and dead assemblages. <i>Marine Micropaleontology</i> , 2002 , 46, 83-110	1.7	104
234	The Faroe-Shetland Gateway: Late Quaternary water mass exchange between the Nordic seas and the northeastern Atlantic. 2002 , 188, 165-192		78
233	Millennial-scale glacial variability versus Holocene stability: changes in planktic and benthic foraminifera faunas and ocean circulation in the North Atlantic during the last 60 000 years. <i>Marine Micropaleontology</i> , 2003 , 47, 143-176	1.7	86
232	Benthic foraminifera across the Cretaceous-Tertiary (K-T) boundary: a review. <i>Marine Micropaleontology</i> , 2003 , 47, 177-226	1.7	86

231	A 370-ka paleoceanographic record from the Hess Rise, central North Pacific Ocean, and an indistinct "uroshio Extension" <i>Marine Micropaleontology</i> , 2003 , 49, 21-47	1.7	20
230	Benthic foraminifera (Protista) as tools in deep-water palaeoceanography: environmental influences on faunal characteristics. 2003 , 46, 1-90		286
229	Benthic foraminiferal record of ecosystem variability in the eastern Mediterranean Sea during times of sapropel S5 and S6 deposition. 2003 , 190, 139-164		137
228	Seasonal and interannual variability of benthic foraminiferal faunas at 550m depth in the Bay of Biscay. 2003 , 50, 457-494		169
227	Regional and seasonal variations of recent benthic deep-sea foraminifera in the Arabian Sea. 2003 , 50, 435-447		28
226	Recent benthic foraminifera from offshore Taranaki, New Zealand. 2003 , 46, 489-518		10
225	The recovery of benthic foraminifera and bacteria after disturbance: experimental evidence. 2004 , 312, 137-170		20
224	Late Oligocene-Miocene paleoceanographic evolution of the southeastern Indian Ocean: evidence from deep-sea benthic foraminifera (ODP Site 757). <i>Marine Micropaleontology</i> , 2004 , 51, 153-170	1.7	33
223	Benthic foraminifera assemblages at Great Meteor Seamount. 2004 , 144, 985-998		24
222	Effects of experimentally induced raised levels of organic flux and oxygen depletion on a continental slope benthic foraminiferal community. 2004 , 51, 1709-1739		54
221	"live" (stained) deep-sea benthic foraminiferans in the western Weddell Sea: trends in abundance, diversity and taxonomic composition along a depth transect. 2004 , 51, 1571-1602		63
220	Benthic foraminifera and the late Quaternary (last 150 ka) paleoceanographic and sedimentary history of the Bounty Trough, east of New Zealand. 2004 , 211, 59-93		22
219	Contrasting glacial/interglacial regimes in the western Arctic Ocean as exemplified by a sedimentary record from the Mendeleev Ridge. 2004 , 203, 73-93		125
218	High-resolution paleoproductivity fluctuations during the past 24 kyr as indicated by benthic foraminifera in the marginal Arctic Ocean. 2004 , 204, 209-238		88
217	Benthic foraminifera and bottom water evolution in the middle-southern Okinawa Trough during the last 18 ka. 2005 , 48, 805		15
216	Neogene and Quaternary paleoceanographic changes in the southern South China Sea (Site 1143): the benthic foraminiferal record. <i>Marine Micropaleontology</i> , 2005 , 54, 63-87	1.7	35
215	Benthic foraminifera off West Africa (1°N to 32°S): Do live assemblages from the topmost sediment reliably record environmental variability?. <i>Marine Micropaleontology</i> , 2005 , 55, 205-233	1.7	62
214	The distribution of deep-sea benthic foraminifera in core tops from the eastern Indian Ocean. <i>Marine Micropaleontology</i> , 2005 , 56, 25-49	1.7	50

213	Palaeoceanographic implications of abundance and mean proloculus diameter of benthic foraminiferal species <i>Epistominella exigua</i> in sub-surface sediments from distal Bay of Bengal fan. 2005 , 114, 453-458		16
212	Deep-sea benthic foraminiferal record of the mid-Pleistocene transition in the SW Pacific. 2005 , 247, 85-115		2
211	Live foraminiferal faunas from a 2800m deep lower canyon station from the Bay of Biscay: Faunal response to focusing of refractory organic matter. 2005 , 52, 1189-1227		109
210	Productivity changes in the Bering Sea during the late Quaternary. 2005 , 52, 2150-2162		71
209	Mid-Pleistocene extinction of deep-sea foraminifera in the North Atlantic Gateway (ODP sites 980 and 982). 2005 , 221, 267-291		44
208	A new marine fish fauna from the pre-evaporitic Messinian of Gavdos Island (Greece). 2006 , 5, 795-802		10
207	The effect of primary productivity and seasonality on the distribution of deep-sea benthic foraminifera in the North Atlantic. 2006 , 53, 28-47		97
206	The influence of changing food supply on the lipid biochemistry of deep-sea holothurians. 2006 , 53, 516-527		30
205	Regional primary productivity differences off Morocco (NW-Africa) recorded by modern benthic foraminifera and their stable carbon isotopic composition. 2006 , 53, 1379-1405		61
204	South Equatorial Current (SEC) driven changes at DSDP Site 237, Central Indian Ocean, during the Plio-Pleistocene: Evidence from Benthic Foraminifera and Stable Isotopes. 2006 , 28, 276-290		13
203	Bottom foraminiferal assemblages in the Deryugin Basin (Sea of Okhotsk) during the past 26000 years. 2006 , 46, 834-840		3
202	Last Interglacial marine environments in the White Sea region, northwestern Russia. 2006 , 35, 493-520		37
201	Foraminiferal response to the Northeast Monsoon in the western and southern Arabian Sea. <i>Marine Micropaleontology</i> , 2006 , 58, 103-113	1.7	18
200	Planktic foraminifera from the mid-Cretaceous (Barremian–Early Albian) of the North Sea Basin: Palaeoecological and palaeoceanographic implications. <i>Marine Micropaleontology</i> , 2006 , 58, 83-102	1.7	24
199	Benthic foraminiferal extinctions linked to late Pliocene–Pleistocene deep-sea circulation changes in the northern Indian Ocean (ODP Sites 722 and 758). <i>Marine Micropaleontology</i> , 2006 , 58, 219-242	1.7	36
198	Paleoceanographic changes during the past 1.9 Myr at DSDP Site 238, Central Indian Ocean Basin: Benthic foraminiferal proxies. <i>Marine Micropaleontology</i> , 2006 , 60, 157-166	1.7	16
197	Mid-lower bathyal benthic foraminifera of the Campos Basin, Southeastern Brazilian margin: Biotopes and controlling ecological factors. <i>Marine Micropaleontology</i> , 2006 , 61, 40-57	1.7	33
196	Distribution of recent benthic foraminifera on the Sunda Shelf (South China Sea). <i>Marine Micropaleontology</i> , 2006 , 61, 171-195	1.7	45

195	Effects of contrasting upwelling&downwelling on benthic foraminiferal distribution in the R^ ã de Vigo (NW Spain). 2006 , 60, 1-18		44
194	Hydrography and climate of the last 4400 years in a SW Greenland fjord: implications for Labrador Sea palaeoceanography. 2007 , 17, 387-401		97
193	Cenozoic mass extinctions in the deep sea: What perturbs the largest habitat on Earth?. 2007 ,		63
192	Middle&late Miocene benthic foraminifera in a western equatorial Indian Ocean depth transect: Paleooceanographic implications. 2007 , 247, 402-420		42
191	Benthic foraminiferal biodiversity response to a changing Arctic palaeoclimate in the last 24.000 years. 2007 , 255, 195-222		32
190	Relationship of benthic foraminiferal diversity to paleoproductivity in the Neogene Caribbean. 2007 , 255, 223-245		13
189	Two abyssal sites in the Southern Ocean influenced by different organic matter inputs: Environmental characterization and preliminary observations on the benthic foraminifera. 2007 , 54, 2275-2290 ¹²		
188	Paleoceanography of the southern Agulhas Plateau during the last 150 ka: Inferences from benthic foraminiferal assemblages and multispecies epifaunal carbon isotopes. 2007 , 22, n/a-n/a		17
187	Chapter Seven Paleooceanographical Proxies Based on Deep-Sea Benthic Foraminiferal Assemblage Characteristics. 2007 , 263-325		142
186	Palaeoenvironmental conditions preceding the Messinian Salinity Crisis: A case study from Gavdos Island. 2007 , 40, 251-265		28
185	Factors influencing the distribution of Subantarctic deep-sea benthic foraminifera, Campbell and Bounty Plateaux, New Zealand. <i>Marine Micropaleontology</i> , 2007 , 62, 141-166	1.7	18
184	Trends in Caribbean Paleoproductivity related to the Neogene closure of the Central American Seaway. <i>Marine Micropaleontology</i> , 2007 , 63, 57-74	1.7	36
183	Living foraminiferal assemblages from the Southern California margin: A comparison of the > 150, 63&150, and > 63 ã fractions. <i>Marine Micropaleontology</i> , 2007 , 65, 54-77	1.7	17
182	The benthic foraminiferal response to the 2004 spring bloom in the western Baltic Sea. <i>Marine Micropaleontology</i> , 2007 , 65, 78-95	1.7	28
181	Modern deep-sea benthic foraminifera: a brief review of their morphology-based biodiversity and trophic diversity. 2008 , 303, 97-119		31
180	Benthic Foraminifera of the Blake Ridge hydrate mound, Western North Atlantic Ocean. <i>Marine Micropaleontology</i> , 2008 , 66, 91-102	1.7	24
179	Last Glacial Maximum paleoproductivity and water masses off NW-Africa: Evidence from benthic foraminifera and stable isotopes. <i>Marine Micropaleontology</i> , 2008 , 67, 87-103	1.7	22
178	Distribution of live benthic foraminifera in the R^ ã de Vigo (NW Spain). <i>Marine Micropaleontology</i> , 2008 , 66, 165-191	1.7	63

177	Centennial-scale climate variability in the Timor Sea during Marine Isotope Stage 3. <i>Marine Micropaleontology</i> , 2008 , 66, 208-221	1.7	16
176	Abyssal NE Atlantic benthic foraminifera during the last 15 kyr: Relation to variations in seasonality of productivity. <i>Marine Micropaleontology</i> , 2008 , 69, 193-211	1.7	30
175	Benthic Foraminiferal response to sea level change in the mixed siliciclastic-carbonate system of southern Ashmore Trough (Gulf of Papua). 2008 , 113,		11
174	Seasonal variability of living benthic foraminifera from the outer continental shelf of the Bay of Biscay. 2008 , 59, 297-319		50
173	Global genetic homogeneity in the deep-sea foraminiferan <i>Epistominella exigua</i> (Rotaliida: Pseudoparrellidae). 2009 , 2096, 23-32		39
172	Foraminiferal biofacies and paleoenvironmental implications of the Early Tortonian deposits of Gavdos Island (Eastern Mediterranean). 2009 , 52, 15-29		4
171	Distribution of recent benthic foraminifera along continental slope of the Sunda Shelf (South China Sea). <i>Marine Micropaleontology</i> , 2009 , 71, 41-59	1.7	18
170	Deep-sea palaeoceanography of the Maldives islands (ODP hole 716A), equatorial Indian ocean during MIS 12-6. 2009 , 34, 749-64		11
169	Foraminifers in late Pleistocene-Holocene sediments of the Deryugin Basin of the Sea of Okhotsk. 2009 , 49, 707-717		1
168	Foraminiferal faunal responses to monsoon-driven changes in organic matter and oxygen availability at 140 and 300 m water depth in the NE Arabian Sea. 2009 , 56, 403-421		39
167	Benthic environmental changes in the Eastern Mediterranean Sea during sapropel S5 deposition. 2009 , 273, 258-271		14
166	Diet of four species of deep-sea isopods (Crustacea: Malacostraca: Peracarida) in the South Atlantic and the Southern Ocean. 2010 , 157, 177-187		19
165	The tropical rainbelt and productivity changes off northwest Africa: A 31,000-year high-resolution record. <i>Marine Micropaleontology</i> , 2010 , 76, 76-91	1.7	33
164	Live benthic foraminiferal faunas along a bathymetrical transect (140â800m) in the Bay of Biscay (NE Atlantic). 2010 , 53, 139-162		39
163	Long-term changes in the meiobenthos of the eastern part of the Black Sea. 2010 , 50, 945-952		6
162	Temporal changes (1989â1999) in deep-sea metazoan meiofaunal assemblages on the Porcupine Abyssal Plain, NE Atlantic. 2010 , 57, 1383-1395		36
161	Decadal-scale changes in shallow-infaunal foraminiferal assemblages at the Porcupine Abyssal Plain, NE Atlantic. 2010 , 57, 1362-1382		40
160	The nature of transitions from dry to wet condition during sapropel events in the Eastern Mediterranean Sea. 2010 , 291, 267-285		16

159	Deep-sea faunal provinces and their inferred environments in the Indian Ocean based on distribution of Recent benthic foraminifera. 2010 , 291, 429-442		43
158	Oceanographic conditions as a trigger for the formation of an Early Miocene (Aquitainian) Konservat-Lagerstätte in the Central Paratethys Sea. 2010 , 292, 425-442		18
157	The western North Atlantic record of MIS 13 to 10: Changes in primary productivity, organic carbon accumulation and benthic foraminiferal assemblages in sediments from the Blake Outer Ridge (ODP Site 1058). 2010 , 295, 89-101		11
156	Benthic foraminiferal abundance and stable isotope changes in the Indian Ocean sector of the Southern Ocean during the last 20 kyr: Paleoceanographic implications. 2010 , 297, 537-548		12
155	Climatic forcing of eastern Mediterranean deep-water formation and benthic ecosystems during the past 22'000 years. 2010 , 29, 3006-3020		106
154	Mindanao Dome variability over the last 160 kyr: Episodic glacial cooling of the West Pacific Warm Pool. 2011 , 26,		53
153	Tropical warming in the Timor Sea led deglacial Antarctic warming and atmospheric CO ₂ rise by more than 500 yr. 2011 , 302, 337-348		24
152	Antarctic deep-sea meiofauna and bacteria react to the deposition of particulate organic matter after a phytoplankton bloom. 2011 , 58, 1983-1995		31
151	Impact of climate and sea level changes on the ventilation of intermediate water and benthic foraminifer assemblages in the Gulf of Lions, off South France, during MIS 6 and 7. 2011 , 309, 215-228		14
150	The benthic foraminiferal record of the Medieval Warm Period and the recent warming in the Gullmar Fjord, Swedish west coast. <i>Marine Micropaleontology</i> , 2011 , 81, 95-106	1.7	13
149	Biodiversity and distribution of the genus <i>Gromia</i> (Protista, Rhizaria) in the deep Weddell Sea (Southern Ocean). 2011 , 34, 69-81		9
148	Benthic foraminiferal distribution on the southeastern Brazilian shelf and upper slope. 2011 , 158, 159-179		30
147	Relationship between abundance and morphology of benthic foraminifera <i>Epistominella exigua</i> : Paleoclimatic implications. 2011 , 77, 190-196		4
146	Biostratigraphic and palaeoenvironmental analyses of the Messinian/Zanclean boundary and Zanclean succession in the Moncucco quarry (Piedmont, northwestern Italy). 2011 , 182, 149-162		15
145	Distribution of deep-sea benthic foraminifera in the Neogene of Blake Ridge, NW Atlantic Ocean. 2011 , 30, 33-74		14
144	Paleoceanographic significance of deep-sea benthic foraminiferal species diversity at southeastern Indian Ocean Hole 752A during the Neogene. 2012 , 361-362, 94-103		20
143	Benthic foraminiferal assemblage turnover during intensification of the Northern Hemisphere glaciation in the Piacenzian Punta Piccola section (Southern Italy). 2012 , 333-334, 59-74		12
142	Foraminiferal biodiversity associated with cold-water coral carbonate mounds and open slope of SE Rockall Bank (Irish continental margin, NE Atlantic). 2012 , 59, 54-71		12

141	Foraminiferal assemblages and trophic state in coastal sediments of the Adriatic Sea. 2012 , 105-108, 163-174		27
140	Glacial-interglacial variations in sediment organic carbon accumulation and benthic foraminiferal assemblages on the Bermuda Rise (ODP Site 1063) during MIS 13 to 10. 2012 , 27, n/a-n/a		10
139	Diversity and microhabitats of living benthic foraminifera in the abyssal Northeast Pacific. <i>Marine Micropaleontology</i> , 2012 , 96-97, 84-104	1.7	15
138	The influence of productivity on abyssal foraminiferal biodiversity. 2012 , 42, 415-431		12
137	High resolution climatic records of the past ~489 years from Central Asia as derived from benthic foraminiferal species, <i>Asterorotalia trispinosa</i> . 2012 , 307-310, 88-104		14
136	Multiple early Eocene benthic foraminiferal assemblage and $\delta^{13}C$ fluctuations at DSDP Site 401 (Bay of Biscay â€”NE Atlantic). <i>Marine Micropaleontology</i> , 2012 , 88-89, 15-35	1.7	42
135	Live and dead benthic foraminiferal faunas from Whittard Canyon (NE Atlantic): Focus on taphonomic processes and paleo-environmental applications. <i>Marine Micropaleontology</i> , 2012 , 94-95, 25-44	1.7	35
134	Palaeoceanography of the Miocene (Tortonian) deposits of the Pre-Apulian zone, western Greece, as recorded by foraminifer and stable isotope records. 2012 , 101, 521-534		4
133	Changes of planktonic and benthic foraminiferal assemblages in upper quaternary sediments of the Deryugin Basin, Sea of Okhotsk. 2013 , 21, 237-248		
132	100th Issue Editorial. <i>Marine Micropaleontology</i> , 2013 , 100, vi-ix	1.7	
131	Response of bottom environments in the central sea of Okhotsk to orbital- and millennial-scale climate changes during the last 130000 years according to benthic foraminifera. 2013 , 452, 1030-1033		2
130	Effect of municipal wastewaters on bottom sediment geochemistry and benthic foraminifera of two Red Sea coastal inlets, Jeddah, Saudi Arabia. 2013 , 68, 451-469		37
129	Quaternary history of sea ice in the western Arctic Ocean based on foraminifera. 2013 , 79, 145-156		57
128	Deep sea benthic foraminifera as proxies for palaeoclimatic fluctuations in the New Caledonia Basin, over the last 140,000years. <i>Marine Micropaleontology</i> , 2013 , 104, 1-13	1.7	3
127	Carbon and nitrogen stable isotope signatures of deep-sea meiofauna follow oceanographical gradients across the Southern Ocean. 2013 , 110, 69-79		17
126	Introduction. 2013 , 1-13		1
125	Foraminiferal records of bottom-water oxygenation and surface-water productivity in the southern Japan Sea during 160â€”5 ka: Associations with insolation changes. <i>Marine Micropaleontology</i> , 2013 , 101, 10-27	1.7	12
124	Sub-arctic Holocene climatic and oceanographic variability in Stjernesund, northern Norway: evidence from benthic foraminifera and stable isotopes. 2013 , 42, 511-531		3

123	Foraminifera. 2013 , 142-187		
122	Foraminiferal Distributions in the Former Larsen-A Ice Shelf and Prince Gustav Channel Region, Eastern Antarctic Peninsula Margin: A Baseline for Holocene Paleoenvironmental Change. 2013 , 239-260		10
121	Species diversity variations in Neogene deep-sea benthic foraminifera at ODP Hole 730A, western Arabian Sea. 2014 , 123, 1671-1680		4
120	Foraminifera. 2014 , 237-256		1
119	Approaches to Study Living Foraminifera. 2014 ,		5
118	Changes in the water column structure and paleoproductivity in the western South Atlantic Ocean since the middle Pleistocene: Evidence from benthic and planktonic foraminifera. <i>Quaternary International</i> , 2014 , 352, 111-123	2	8
117	Benthic foraminiferal distributions on the Uruguayan continental margin (South-western Atlantic) and controlling environmental factors. 2014 , 91, 120-133		4
116	Late Quaternary productivity changes in the equatorial Indian Ocean (ODP Hole 716A). 2014 , 397, 7-19		7
115	Benthic foraminiferal thanatocoenoses from the Cap-Ferret Canyon area (NE Atlantic): A complex interplay between hydro-sedimentary and biological processes. 2014 , 104, 145-163		16
114	Linkages between rapid climate variability and deep-sea benthic foraminifera in the deep Subantarctic South Atlantic during the last 95 kyr. 2015 , 30, 601-611		8
113	Benthic foraminiferal diversity response to the climate induced changes in the eastern Arabian Sea oxygen minimum zone during the last 30kaBP. <i>Quaternary International</i> , 2015 , 374, 118-125	2	24
112	Benthic foraminifera as bioindicators of heavy metal pollution in Lake Burullus, Egypt. 2015 , 8, 5491-5509		10
111	Early Eocene environmental development in the northern Peri-Tethys (Aktulagay, Kazakhstan) based on benthic foraminiferal assemblages and stable isotopes (O, C). <i>Marine Micropaleontology</i> , 2015 , 115, 59-71	1.7	14
110	Benthic foraminiferal response to the Middle Eocene Climatic Optimum (MECO) in the South-Eastern Atlantic (ODP Site 1263). 2015 , 417, 432-444		32
109	Spatial distribution of benthic foraminifera in the Palar estuary, Tamil Nadu. 2015 , 86, 305-316		8
108	The response of <i>Nonionella iridea</i> and other benthic foraminifera to "fresh" organic matter enrichment and physical disturbance. <i>Marine Micropaleontology</i> , 2015 , 120, 20-30	1.7	25
107	The response of deep-water benthic foraminiferal assemblages to changes in paleoproductivity during the Pleistocene (last 769.2 kyr), western South Atlantic Ocean. 2015 , 440, 201-212		12
106	Late quaternary glacial/interglacial cyclicity models of the Red Sea. 2015 , 73, 961-977		7

105	ON THE INTERPLAY BETWEEN HYDRODYNAMICS, BOTTOM MORPHOLOGY, SEDIMENTARY PROCESSES AND BENTHIC FORAMINIFERA ASSEMBLAGES IN THE S ^E OF PAULO BIGHT (BRAZIL, SW ATLANTIC). 2016 , 1,	8
104	Variability in climate and productivity during the Paleocene–Eocene Thermal Maximum in the western Tethys (Forada section). 2016 , 12, 213-240	29
103	Carbon and Nitrogen Uptake of Calcareous Benthic Foraminifera along a Depth-Related Oxygen Gradient in the OMZ of the Arabian Sea. 2016 , 7, 71	11
102	In situ foraminifera in grounding zone diamict: a working hypothesis. 2016 , 28, 313-321	12
101	Palaeoproductivity linked to monsoon variability in the northern slope of the South China Sea from the last 290 kyr: evidence of benthic foraminifera from Core SH7B. 2016 , 429, 197-210	1
100	Comment on “The Badenian–Sarmatian Extinction Event in the Carpathian foredeep basin of Romania: Paleogeographic changes in the Paratethys domain” (Palcu et al., 2015). 2016 , 145, 17-19	4
99	Approaches and constraints to the reconstruction of palaeoproductivity from Cape Basin abyssal benthic foraminifera (South Atlantic). 2016 , 35, 195-204	8
98	Abyssal hills: Influence of topography on benthic foraminiferal assemblages. 2016 , 148, 44-55	21
97	Assessing the suitability of benthic foraminiferal morpho-groups to reconstruct paleomonsoon from Bay of Bengal. 2016 , 125, 571-584	20
96	The Lower Badenian transgressive-regressive cycles – a case study from Oslavany (Carpathian Foredeep, Czech Republic). 2016 , 279, 209-238	8
95	Environmental connotations of benthic foraminiferal assemblages from coastal West Antarctica. <i>Marine Micropaleontology</i> , 2016 , 124, 1-15	1.7 14
94	Biostratigraphy and paleoenvironments of the Late Oligocene in the north-western Transylvanian Basin revealed by the foraminifera assemblages. 2016 , 449, 484-509	4
93	Paleocirculation and foraminiferal assemblages of the Cenomanian–Turonian Bridge Creek Limestone bedding couplets: Productivity vs. dilution during OAE2. 2016 , 60, 52-77	48
92	Benthic foraminiferal evidence of deep-sea sediment transport by the 2011 Tohoku-oki earthquake and tsunamis. 2017 , 384, 214-224	23
91	Relationship between “live” and dead benthic foraminiferal assemblages in the abyssal NE Atlantic. 2017 , 121, 190-201	11
90	Penultimate and last glacial oceanographic variations in the Bering Sea on millennial timescales: Links to North Atlantic climate. 2017 , 163, 135-151	8
89	The effect of bioturbation by polychaetes (Opheliidae) on benthic foraminiferal assemblages and test preservation. 2017 , 60, 807-827	10
88	Multi-agent simulation of benthic foraminifera response to annual variability of feeding fluxes. 2017 , 21, 419-431	2

87	Foraminiferos bentônicos no talude continental, Platô de São Paulo e condições da Bacia de Campos. 2017 , 111-144		2
86	From the Surface to the Deep-Sea: Bacterial Distributions across Polymetallic Nodule Fields in the Clarion-Clipperton Zone of the Pacific Ocean. 2017 , 8, 1696		30
85	Environmental controls on the distribution of living (stained) benthic foraminifera on the continental slope in the Campos Basin area (SW Atlantic). 2018 , 181, 37-52		8
84	Foraminiferal assemblages from ice-proximal paleo-settings in the Whales Deep Basin, eastern Ross Sea, Antarctica. 2018 , 493, 64-81		18
83	Oceanographic and topographic conditions structure benthic meiofauna communities in the Weddell Sea, Bransfield Strait and Drake Passage (Antarctic). 2018 , 162, 240-256		12
82	Response of Deep-Sea Benthic Foraminifera to Paleoproductivity Changes on the Shatsky Rise in the Northwestern Pacific Ocean Over the Last 187 Kyr. 2018 , 22, 326-351		5
81	Infaunal and epifaunal benthic foraminifera species as proxies of organic matter paleofluxes in the Pelotas Basin, south-western Atlantic Ocean. <i>Marine Micropaleontology</i> , 2018 , 144, 38-49	1.7	7
80	Plio-Pleistocene sedimentary record from the Northwind Ridge: new insights into paleoclimatic evolution of the western Arctic Ocean for the last 5 Ma. 2018 , 4, 1-23		12
79	Foraminiferal evidence of anthropogenic pollution along the Nile Delta coast. 2018 , 77, 1		6
78	Large-scale paleoceanographic variations in the western Mediterranean Sea during the last 34,000 years: From enhanced cold-water coral growth to declining mounds. <i>Marine Micropaleontology</i> , 2018 , 143, 46-62	1.7	9
77	A new multi-proxy investigation of Late Quaternary palaeoenvironments along the north-western Barents Sea (Storfjorden Trough Mouth Fan). 2018 , 33, 662-676		4
76	Benthic foraminifera in a deep-sea high-energy environment: the Moira Mounds (Porcupine Seabight, SW of Ireland). 2018 , 111, 561-572		7
75	Palaeoproductivity and associated changes in the north-eastern Indian Ocean since the last glacial: Evidence from benthic foraminifera and stable isotopes. 2019 , 181, 103913		2
74	Late Holocene long arid phase in the Indian subcontinent as seen in shallow sediments of the eastern Arabian Sea. 2019 , 181, 103915		6
73	Inter fjord variations as a key contributor in the meiobenthic faunal distribution in the Arctic Kongsfjord, Svalbard. 2019 , 32, 100817		4
72	Image dataset of common benthic foraminiferal taxa in the North Atlantic seafloor surface sediments (59.5°N transect) between the Labrador sea and Faeroe-Shetland sill. 2019 , 26, 104554		3
71	Two Rare Pustulose/spinose Morphotypes of Benthic Foraminifera from Eastern Ross Sea, Antarctica. 2019 , 49, 405-422		3
70	Dissimilarity between living and dead benthic foraminiferal assemblages in the Aveiro Continental Shelf (Portugal). 2019 , 14, e0209066		6

69	Benthic Foraminifera Response to Ecosystem Pollution in the Uppanar Estuary, Tamil Nadu Coast, India. 2019 , 93, 555-566		4
68	Holocene variations in North Atlantic export productivity as reflected in bathyal benthic foraminifera. <i>Marine Micropaleontology</i> , 2019 , 149, 1-18	1.7	5
67	The Contribution of Fine Sieve Fractions (63µm-150 µm) to Foraminiferal Abundance and Diversity in an Area of the Eastern Pacific Ocean Licensed for Polymetallic Nodule Exploration. <i>Frontiers in Marine Science</i> , 2019 , 6,	4.5	10
66	Deep-Sea Benthic Foraminifera. 2019 , 684-705		3
65	Response of shallow-sea benthic foraminifera to environmental changes off the coast of Goa, eastern Arabian Sea, during the last ~6100 cal yr BP. 2020 , 157, 497-505		5
64	Changes in western Mediterranean thermohaline circulation in association with a deglacial Organic Rich Layer Formation in the Alboran Sea. 2020 , 228, 106075		16
63	A 23000 year old record of paleoclimatic and environmental changes from the eastern Arabian Sea. <i>Marine Micropaleontology</i> , 2020 , 160, 101905	1.7	3
62	First network analysis of interspecific associations of abyssal benthic megafauna reveals potential vulnerability of abyssal hill community. 2020 , 187, 102401		7
61	Living and dead benthic foraminiferal distribution in two areas of the Ross Sea (Antarctica). 2020 , 31, 1037-1053		5
60	Foraminifer and Ostracod Occurrence in a Cool-Water Carbonate Factory of the Cape Adare (Ross Sea, Antarctica): A Key Lecture for the Climatic and Oceanographic Variations in the Last 30,000 Years. 2020 , 10, 413		5
59	Multiproxy evidence of the Neoglacial expansion of Atlantic Water to eastern Svalbard. 2020 , 16, 487-501		6
58	Protist diversity and function in the dark ocean - Challenging the paradigms of deep-sea ecology with special emphasis on foraminiferans and naked protists. 2020 , 75, 125721		21
57	Foraminiferal Patterns in Deglacial Sediment in the Western Ross Sea, Antarctica: Life Near Grounding Lines. 2020 , 35, e2019PA003716		6
56	Benthic Foraminifera Across the Cretaceous/Paleogene Boundary in the Eastern Tethys (Northern Alborz, Galanderud Section): Extinction Pattern and Paleoenvironmental Reconstruction. 2020 , 50, 25-40		4
55	Foraminiferal paleodiversity and paleoenvironments at the NE coastal plain of Buenos Aires province (Argentina) during the Mid-Holocene sea level highstand. 2021 , 31, 108-120		2
54	Reconstructing Paleo-oxygenation for the Last 54,000 Years in the Gulf of Alaska Using Cross-validated Benthic Foraminiferal and Geochemical Records. 2021 , 36, e2020PA003986		3
53	Habitat Partitioning in the Marine Sector of Karst Subterranean Estuaries and Bermuda's Marine Caves: Benthic Foraminiferal Evidence. 2021 , 8,		2
52	Effectiveness of Fluorescent Viability Assays in Studies of Arctic Cold Seep Foraminifera. <i>Frontiers in Marine Science</i> , 2021 , 8,	4.5	1

51	Paleoceanographic evolution of the Japan Sea during the Pleistocene – benthic foraminiferal perspective. 2021 , 566, 110238	6
50	Last Glacial Maximum to Holocene paleoceanography of the northwestern Ross Sea inferred from sediment core geochemistry and micropaleontology at Hallett Ridge. 2021 , 40, 15-35	7
49	Multiple Ecological Parameters Affect Living Benthic Foraminifera in the River-Influenced West-Central Bay of Bengal. <i>Frontiers in Marine Science</i> , 2021 , 8,	4-5 2
48	Living benthic foraminiferal assemblages of a transect in the Rockall Trough (NE Atlantic). 2021 , 171, 103509	
47	Early-Middle Pleistocene productivity changes of the Northern Cascadia Margin, Pacific Ocean. 2021 , 28, 100659	1
46	Complex sedimentary processes in large coastal embayments and their potential for coastal morphological and paleo tropical cyclone studies: A case study from Choctawhatchee Bay Western Florida, U.S.A. 2021 , 437, 106478	
45	Living Benthic Foraminifera from the Surface and Subsurface Sediment Layers Applied to the Environmental Characterization of the Brazilian Continental Slope (SW Atlantic). 2021 , 13, 1863	1
44	Palaeoecological significances of deep-sea benthic foraminifera from Cascadia Margin, North East Pacific Ocean. 2021 , 47, 101949	
43	Evaluation of the relationship between biomass of living (stained) benthic foraminifera and particulate organic matter vertical flux in an oligotrophic region, Campos Basin, southeastern Brazilian continental margin. 2021 , 176, 102110	1
42	Untangling the effect of organic matter and dissolved oxygen on living benthic foraminifera in the southeastern Arabian Sea. 2021 , 172, 112883	2
41	Foraminiferal faunal responses to monsoon-driven changes in organic matter and oxygen availability at 140 and 300m water depth in the NE Arabian Sea. 2009 , 56, 403-421	4
40	Deep Waters and Oceanic Connection. 2009 , 395-437	7
39	Benthic Foraminiferal Response to Major Paleoceanographic Changes. 1999 , 195-216	14
38	Paleoceanographic Proxies in the Northern North Atlantic. 2001 , 319-352	18
37	Response of Shallow Water Benthic Foraminifera to a ¹³ C-Labeled Food Pulse in the Laboratory. 2014 , 115-131	2
36	Site U1304.	3
35	Site U1385.	9
34	Site U1425.	6

33	Site U1426.	2
32	Site U1427.	5
31	Site U1430.	4
30	Response of the benthic foraminiferal community to a simulated short-term phytodetritus pulse in the abyssal North Pacific. 2011 , 438, 129-142	36
29	Bottom-water deoxygenation at the Peruvian margin during the last deglaciation recorded by benthic foraminifera. 2020 , 17, 3165-3182	6
28	Productivity and Dissolved Oxygen Controls on the Southern Ocean Deep-Sea Benthos During the Antarctic Cold Reversal. 2021 , 36,	1
27	Microfossil and geochemical records reveal high-productivity paleoenvironments in the Cretaceous Western Interior Seaway during Oceanic Anoxic Event 2. 2021 , 584, 110679	0
26	Floc Layers. 2001 , 548-553	
25	An Introduction to "Biotic Responses to Major Paleooceanographic Changes" 1999 , 163-171	
24	Benthic foraminifera at the Paleocene/Eocene thermal maximum in the western Tethys (Forada section): variability in climate and productivity.	
23	Opportunistic Species and Seasonal Variation in Epiphytic Foraminiferal Assemblages in Abalone Farm Nets. 2019 , 35, 559	1
22	Deep-water paleoenvironmental changes based on early-middle Miocene benthic foraminifera from Malta Island (Central Mediterranean). 2021 , 586, 110722	1
21	Bathymetric and regional benthic foraminiferal distribution on the Esp^rito Santo Basin slope, Brazil (SW Atlantic). 2022 , 181, 103688	1
20	Indian monsoon variability during the past ~8.5 cal kyr as recorded in the sediments of the northeastern Arabian Sea. <i>Quaternary International</i> , 2022 ,	2 0
19	Data_Sheet_1.pdf. 2019 ,	
18	Data_Sheet_2.pdf. 2019 ,	
17	Data_Sheet_3.pdf. 2019 ,	
16	Data_Sheet_4.pdf. 2019 ,	

15 Table_1.XLSX. 2019,

14	Controlling Parameters of Benthic Deep-Sea Foraminiferal Biogeography at the Brazilian Continental Margin (11-22°S). <i>Frontiers in Marine Science</i> , 9,	4.5	○
13	Reflooding and repopulation of the Mediterranean Sea after the Messinian Salinity Crisis: Benthic foraminifera assemblages and stable isotopes of Spanish basins. 2022 , 176, 102160		○
12	Sea-ice-related environmental drivers affect meio- and macrofauna communities differently at large scales (Southern Ocean, Antarctic).		○
11	Multiproxy investigation of the last 2,000 years BP marine paleoenvironmental record along the western Spitsbergen margin. 2022 , 54, 562-583		1
10	Benthic Foraminifera and Productivity Regimes in the Kveithola Trough (Barents Sea)â€œEcological Implications in a Changing Arctic and Actuopaleontological Meaning. 2023 , 11, 237		○
9	Insights from the management of offshore energy resources: Toward an ecosystem-services based management approach for deep-ocean industries. 9,		○
8	Spatial heterogeneity in benthic foraminiferal assemblages tracks regional impacts of paleoenvironmental change across Cretaceous OAE2. 1-23		○
7	Are ancient seep environments distinguishable by benthic foraminiferal assemblages?. 2023 , 105476		○
6	Distribution pattern of planktonic and benthic foraminifera in surface sediments near the equatorial western Indian Ocean and its indications of paleo-environment and productivity. 2023 , 250, 105635		○
5	The influence of submarine canyons-related processes on recent benthic foraminiferal distribution, Esp^ ĩto Santo Basin, Southeastern Brazil. 2023 , 179, 102212		○
4	Seasonal variability of modern benthic foraminifera assemblages in a mangrove ecosystem from northeast coastal Bay of Bengal. 2023 , 188, 114679		○
3	Deep-Sea Meiofaunaâ€œA World on Its Own or Deeply Connected?. 2023 , 257-283		○
2	The Late Miocene-Early Pliocene Biogenic Bloom: An Integrated Study in the Tasman Sea. 2023 , 38,		○
1	Implication of size fraction on benthic foraminiferal-based paleo-reconstructions: A case study from the Bay of Biscay (NE Atlantic). 2023 , 181, 102242		○