

CITATION REPORT

List of articles citing

Etiology and management of fecal incontinence

DOI: 10.1007/bf02050307

Diseases of the Colon and Rectum, 1993, 36, 77-97.

Source: <https://exaly.com/paper-pdf/23957796/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2191	Perineal rectosigmoidectomy in the elderly. <i>Diseases of the Colon and Rectum</i> , 1993 , 36, 767-72	3.1	87
2190	Overlapping anal sphincter repair for faecal incontinence due to sphincter trauma: five year follow-up functional results. 1994 , 9, 110-3		136
2189	Ileal pouch-anal anastomosis: is preoperative anal manometry predictive of postoperative functional outcome?. <i>Diseases of the Colon and Rectum</i> , 1994 , 37, 224-8	3.1	26
2188	Recovery of anal sphincter function after the ileoanal reservoir procedure in patients over the age of fifty. <i>Diseases of the Colon and Rectum</i> , 1994 , 37, 1002-5	3.1	24
2187	Current surgical therapy for mucosal ulcerative colitis. <i>Diseases of the Colon and Rectum</i> , 1994 , 37, 610-24	3.1	32
2186	Magnetic stimulation of the pudendal nerve. <i>Diseases of the Colon and Rectum</i> , 1994 , 37, 697-9	3.1	26
2185	Optimization of sphincter function after the ileoanal reservoir procedure. A prospective, randomized trial. <i>Diseases of the Colon and Rectum</i> , 1994 , 37, 419-23	3.1	21
2184	Electrodiagnostic evaluation of fecal incontinence. 1995 , 18, 612-9		81
2183	Manometric asymmetry in the anal canal in controls and patients with fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 1995 , 38, 1275-80	3.1	41
2182	Prevalence of pudendal neuropathy in fecal incontinence. Results of a prospective study. <i>Diseases of the Colon and Rectum</i> , 1995 , 38, 952-8	3.1	42
2181	Defecographic evaluation of dynamic graciloplasty for fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 1995 , 38, 468-73	3.1	10
2180	A new treatment for premature ejaculation: the rehabilitation of the pelvic floor. 1996 , 22, 22-6		47
2179	Percutaneous cecostomy: a new technique in the management of fecal incontinence. 1996 , 31, 534-7		105
2178	External anal sphincter defects: correlation between pre-operative anal endosonography and intraoperative findings. 1996 , 69, 6-9		40
2177	Nitrgenic innervation and relaxant response of rectal circular smooth muscle. <i>Diseases of the Colon and Rectum</i> , 1996 , 39, 294-9	3.1	21
2176	Stimulated gracilis neosphincter operation. Initial experience, pitfalls, and complications. <i>Diseases of the Colon and Rectum</i> , 1996 , 39, 957-64	3.1	97
2175	Significance of anal canal ultrasound before sphincterotomy in multiparous women with anal fissure. <i>Diseases of the Colon and Rectum</i> , 1996 , 39, 1060	3.1	5

2174	A constipation scoring system to simplify evaluation and management of constipated patients. <i>Diseases of the Colon and Rectum</i> , 1996 , 39, 681-5	3.1	749
2173	Colorectal cancer and continence. 1996 , 39, A44-A47		2
2172	The cecostomy button. 1997 , 32, 849-51		77
2171	Development and Evaluation of a Protocol to Manage Fecal Incontinence in the Patient with Cancer. 1997 , 13, 27-38		0
2170	Colorectal diseases. 1997 , 67, 457-67		2
2169	Elektrisch stimulierte Pudenduslatenz. 1997 , 19, 119-122		5
2168	Variation in pudendal nerve terminal motor latency according to disease. <i>Diseases of the Colon and Rectum</i> , 1997 , 40, 79-83	3.1	32
2167	Surgical management of anorectal incontinence due to internal anal sphincter deficiency. 1997 , 84, 226-230		2
2166	Preoperative increase in neuromuscular jitter and outcome following surgery for faecal incontinence. 1997 , 84, 1265-1268		
2165	Non-evidence of estrogen receptors in the rectal mucosa. 1998 , 9, 136-9		4
2164	Electrostimulation in fecal incontinence: relevance of the sphincteric compound muscle action potential. <i>Diseases of the Colon and Rectum</i> , 1998 , 41, 590-2	3.1	15
2163	Biofeedback for constipation?. <i>Diseases of the Colon and Rectum</i> , 1998 , 41, 670-2	3.1	2
2162	Long-term functional evaluation of straight coloanal anastomosis and colonic J-pouch: is the functional superiority of colonic J-pouch sustained?. <i>Diseases of the Colon and Rectum</i> , 1998 , 41, 740-6	3.1	135
2161	Double-gracilis anorectal neosphincter: technique of reconstruction after necrosis of the distal part of the muscles. <i>Diseases of the Colon and Rectum</i> , 1998 , 41, 790-2	3.1	4
2160	Pudendal neuropathy is predictive of failure following anterior overlapping sphincteroplasty. <i>Diseases of the Colon and Rectum</i> , 1998 , 41, 1516-22	3.1	177
2159	Pudendal nerve latency. Does it predict outcome of anal sphincter repair?. <i>Diseases of the Colon and Rectum</i> , 1998 , 41, 1005-9	3.1	78
2158	Successful overlapping anal sphincter repair: relationship to patient age, neuropathy, and colostomy formation. <i>Diseases of the Colon and Rectum</i> , 1998 , 41, 344-9	3.1	87
2157	Hydrogen peroxide-enhanced transanal ultrasound in the assessment of fistula-in-ano. <i>Diseases of the Colon and Rectum</i> , 1998 , 41, 1147-52	3.1	122

2156	Clinical, physiological, and radiological study of a new purpose-designed artificial bowel sphincter. 1998 , 352, 105-9			28
2155	Faecal Incontinence after Childbirth. 1999 , 5, 201-204			1
2154	Endoanal MR imaging of the anal sphincter in fecal incontinence. 1999 , 19 Spec No, S171-7			40
2153	Fecal incontinence: endoanal US versus endoanal MR imaging. 1999 , 212, 453-8			130
2152	Prospective comparison of faecal incontinence grading systems. 1999 , 44, 77-80			970
2151	Attempts to achieve faecal continence artificially: a review. 1999 , 1, 64-72			3
2150	An audit of quality of life and functional outcome following restorative proctocolectomy and ileoanal pouch surgery in familial polyposis coli. 1999 , 1, 292-6			1
2149	Primary repair of obstetric anal sphincter rupture using the overlap technique. 1999 , 106, 318-23			160
2148	Stimulated graciloplasty for treatment of intractable fecal incontinence: critical influence of the method of stimulation. <i>Diseases of the Colon and Rectum</i> , 1999 , 42, 497-504	3.1		41
2147	Effect of delivery on anal sphincter morphology and function. <i>Diseases of the Colon and Rectum</i> , 1999 , 42, 1253-60	3.1		68
2146	Is bowel confinement necessary after anorectal reconstructive surgery? A prospective, randomized, surgeon-blinded trial. <i>Diseases of the Colon and Rectum</i> , 1999 , 42, 16-23	3.1		58
2145	Patient and surgeon ranking of the severity of symptoms associated with fecal incontinence: the fecal incontinence severity index. <i>Diseases of the Colon and Rectum</i> , 1999 , 42, 1525-32	3.1		564
2144	Postoperative anal canal length predicts outcome in patients having sphincter repair for fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 1999 , 42, 313-8	3.1		31
2143	Invited editorial. <i>Diseases of the Colon and Rectum</i> , 1999 , 42, 758-761	3.1		1
2142	Fecal seepage in males with paradoxically high resting anal tone may be associated with anismus. <i>Diseases of the Colon and Rectum</i> , 1999 , 42, 824-6	3.1		0
2141	Invited editorial. <i>Diseases of the Colon and Rectum</i> , 1999 , 42, 865-867	3.1		1
2140	Postpartum anal sphincter dysfunction. 1999 , 9, 210-215			3
2139	Electrical stimulation for faecal incontinence in adults. 2000 , CD001310			23

2138	Biofeedback and/or sphincter exercises for the treatment of faecal incontinence in adults. 2000 , CD002111		38
2137	A Nursing Assessment Tool for Adults With Fecal Incontinence. 2000 , 27, 279-291		2
2136	Permanent sacral nerve stimulation for fecal incontinence. 2000 , 232, 143-8		155
2135	[Anal incontinence in the adult: recommendations for clinical practice]. 2000 , 125, 511-21		7
2134	Oral abstracts. 2000 , 2, 1-26		1
2133	Anorectal physiological testing before and after a successful sphincter repair: a prospective study. 2000 , 2, 220-8		12
2132	Functional results of delayed coloanal anastomosis after preoperative radiotherapy for lower third rectal cancer. 2000 , 191, 643-9		43
2131	A randomized clinical trial comparing primary overlap with approximation repair of third-degree obstetric tears. 2000 , 183, 1220-4		163
2130	Anal sphincter replacement(1). 2000 , 57, 398-401		
2129	Randomized, controlled trial to compare the J-pouch and W-pouch configurations for ulcerative colitis in the maturation period. <i>Diseases of the Colon and Rectum</i> , 2000 , 43, 615-20	3.1	37
2128	Internal sphincterotomy is superior to topical nitroglycerin in the treatment of chronic anal fissure: results of a randomized, controlled trial by the Canadian Colorectal Surgical Trials Group. <i>Diseases of the Colon and Rectum</i> , 2000 , 43, 1048-57; discussion 1057-8	3.1	124
2127	Randomized, controlled trial of topical phenylephrine for fecal incontinence in patients after ileoanal pouch construction. <i>Diseases of the Colon and Rectum</i> , 2000 , 43, 1059-63	3.1	40
2126	Functional outcomes in patients with mucosal ulcerative colitis after ileal pouch-anal anastomosis by the double stapling technique: is there a relation to tissue type?. <i>Diseases of the Colon and Rectum</i> , 2000 , 43, 1398-404	3.1	5
2125	Postanal repair for fecal incontinence--is it worthwhile?. <i>Diseases of the Colon and Rectum</i> , 2000 , 43, 1561-7	3.1	42
2124	Stapled hemorrhoidectomy--cost and effectiveness. Randomized, controlled trial including incontinence scoring, anorectal manometry, and endoanal ultrasound assessments at up to three months. <i>Diseases of the Colon and Rectum</i> , 2000 , 43, 1666-75	3.1	201
2123	Anorectal physiologic testing for bowel dysfunction in patients with spinal cord lesions. <i>Diseases of the Colon and Rectum</i> , 2000 , 43, 927-31	3.1	27
2122	Restoring control: the Acticon Neosphincter artificial bowel sphincter in the treatment of anal incontinence. <i>Diseases of the Colon and Rectum</i> , 2000 , 43, 1213-6	3.1	73
2121	Recurrent rectal prolapse: what is the next good option?. <i>Diseases of the Colon and Rectum</i> , 2000 , 43, 1273-6	3.1	37

2120	Functional bowel disorders in the geriatric patient: constipation, fecal impaction, and fecal incontinence. 2000 , 95, 901-5		49
2119	Normal anal sphincter anatomy and age- and sex-related variations at high-spatial-resolution endoanal MR imaging. 2000 , 217, 395-401		148
2118	Long-term results of overlapping anterior anal-sphincter repair for obstetric trauma. 2000 , 355, 260-5		392
2117	Prospective study of the influence of parity and operative technique on the outcome of primary anal sphincter repair following obstetrical injury. 2000 , 89, 159-63		61
2116	Evaluation of obstetric anal sphincter injury. 2001 , 1, 114-122		
2115	Surgical treatment of constipation and fecal incontinence. 2001 , 30, 131-66		33
2114	Supplementation with dietary fiber improves fecal incontinence. 2001 , 50, 203-13		149
2113	Investigation of faecal incontinence. 2001 , 62, 533-7		8
2112	A prospective evaluation of the value of anorectal physiology in the management of fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 1567-74	3.1	63
2111	Implantation of microballoons in the management of fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 1605-9	3.1	24
2110	The prevalence and determinants of health care-seeking behavior for fecal incontinence in multiparous United Arab Emirates females. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 1850-6	3.1	37
2109	The cutting seton: an experience at King Faisal Specialist Hospital. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 722-7	3.1	70
2108	Biofeedback treatment of fecal incontinence: a critical review. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 728-36	3.1	129
2107	Outcome of sphincteroplasty combined with surgery for urinary incontinence and pelvic organ prolapse. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 1421-6	3.1	24
2106	Postanal sphincter repair for anterior resection anal sphincter injuries: report of three cases. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 1218-20	3.1	14
2105	Preliminary results of an outcome tool used for evaluation of surgical treatment for fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 799-805	3.1	22
2104	Chronic sacral spinal nerve stimulation for fecal incontinence: long-term results with foramen and cuff electrodes. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 59-66	3.1	101
2103	Treatment options for fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2001 , 44, 131-42; discussion 142-4	3.1	169

2102	Faecal incontinence after lateral internal sphincterotomy is often associated with coexisting occult sphincter defects: a study using endoanal ultrasonography. 2001 , 71, 598-602	25
2101	Anal plug for faecal incontinence. 2001 , 3, 323-7	52
2100	Quality of life of patients after surgical treatment of anal fistula; the role of anal manometry. 2001 , 3, 417-21	35
2099	The efficacy of chemoradiation therapy in HIV seropositive patients with squamous cell carcinoma of the anus. 2001 , 3, 402-5	10
2098	Anal incontinence surgery: a small personal experience. 2001 , 71, 290-1	1
2097	Protocol for clinical neurophysiologic examination of the pelvic floor. 2001 , 20, 669-82	65
2096	[Anal incontinence: echographic and manometric study]. 2001 , 126, 869-75	3
2095	Slow transit constipation: a disorder of pelvic autonomic nerves?. 2001 , 46, 389-401	56
2094	Colonic J-pouch function at six months versus straight coloanal anastomosis at two years: randomized controlled trial. 2001 , 25, 876-81	89
2093	The effects of labour and delivery on the pelvic floor. 2001 , 15, 63-79	41
2092	Outcome and management of patients with large rectoanal intussusception. 2001 , 96, 740-4	60
2091	Pelvic floor imaging. 2001 , 218, 621-41	204
2090	Recent innovations in the management of fecal incontinence. 2002 , 11, 83-90	9
2089	Female anal sphincter: age-related differences in asymptomatic volunteers with high-frequency endoanal US. 2002 , 224, 417-23	94
2088	Comparison of J-pouch and coloplasty pouch for low rectal cancers: a randomized, controlled trial investigating functional results and comparative anastomotic leak rates. 2002 , 236, 49-55	144
2087	The Effects of a Progressive Exercise Program With Surface Electromyographic Biofeedback on an Adult With Fecal Incontinence. 2002 , 82, 798-811	7
2086	Experience with an obstetric perineal clinic. 2002 , 100, 199-203	36
2085	Fecal incontinence. 2002 , 82, 1273-90	15

2084	Anal trauma and foreign bodies. 2002 , 82, 1253-60		37
2083	[Sphincteric function quantification by measuring the capacity to sustain the squeeze pressure of the anal canal]. 2002 , 39, 233-9		11
2082	[Pudendal neuropathy: correlation with demographic data, severity index and pressoric parameters in patients with fecal incontinence]. 2002 , 39, 139-46		3
2081	Prevalence of faecal incontinence and associated risk factors. 2002 , 176, 54-57		159
2080	Clinical, urodynamic, and manometric findings in women with combined fecal and urinary incontinence. 2002 , 21, 464-9		22
2079	Pathophysiologie, évaluation et traitement médical de l'incontinence fécale. 2002 , 32, 287-303		
2078	Artificial anal sphincter: complications and functional results of a large personal series. <i>Diseases of the Colon and Rectum</i> , 2002 , 45, 1154-63	3.1	80
2077	Pregnancy, delivery, and pouch function after ileal pouch-anal anastomosis for ulcerative colitis. <i>Diseases of the Colon and Rectum</i> , 2002 , 45, 1283-8	3.1	98
2076	Is there any correlation between objective anal testing, rupture grade, and bowel symptoms after primary repair of obstetric anal sphincter rupture?: an observational cohort study. <i>Diseases of the Colon and Rectum</i> , 2002 , 45, 1325-31	3.1	23
2075	Assessment of quality of life in the treatment of patients with neuropathic fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2002 , 45, 1431-6	3.1	74
2074	Fecal incontinence in females with a past history of vaginal delivery: significance of anal sphincter defects detected by ultrasound. <i>Diseases of the Colon and Rectum</i> , 2002 , 45, 1445-50; discussion 1450-1	3.1	38
2073	Etiology and severity of symptoms of fecal incontinence: is there a correlation?. 2002 , 17, 59-60		3
2072	Do occult anal sphincter injuries, vector volume manometry and delivery variables have any predictive value for bowel symptoms after first time vaginal delivery without third and fourth degree rupture? A prospective study. 2002 , 81, 720-6		23
2071	Clinical and economic evaluation of surgical treatments for faecal incontinence. 2001 , 88, 1029-36		33
2070	Multicentre retrospective analysis of the outcome of artificial anal sphincter implantation for severe faecal incontinence. 2001 , 88, 1481-6		69
2069	Long-term effects of stapled haemorrhoidectomy on internal anal function and sensitivity. 2001 , 88, 1487-91		57
2068	Randomized trial assessing anal sphincter injuries after stapled haemorrhoidectomy. 2001 , 88, 1449-55		74
2067	Randomized clinical trial of Ligasure versus conventional diathermy for day-case haemorrhoidectomy. 2002 , 89, 428-32		113

2066	Preliminary results of a multicentre trial of the electrically stimulated gracilis neoanal sphincter. 1999 , 86, 1543-8	85
2065	Randomized controlled trial of topical phenylephrine in the treatment of faecal incontinence. 2000 , 87, 38-42	72
2064	Factors predictive of outcome after surgery for faecal incontinence. 2000 , 87, 1316-30	59
2063	Neosphincters in the management of faecal incontinence. 2000 , 87, 1617-28	31
2062	Complications and functional outcome following artificial anal sphincter implantation. 2002 , 89, 877-81	81
2061	Randomized clinical trial of stapled haemorrhoidopexy versus conventional diathermy haemorrhoidectomy. 2002 , 89, 1376-81	159
2060	Overlapping sphincteroplasty: does preservation of the scar influence immediate outcome?. 2002 , 4, 275-279	15
2059	A randomised clinical trial comparing the effects of delayed versus immediate pushing with epidural analgesia on mode of delivery and faecal continence. 2002 , 109, 1359-65	68
2058	Development and validation of a questionnaire for the assessment of bowel and lower urinary tract symptoms in women. 2002 , 109, 413-23	53
2057	[Dynamic graciloplasty in the treatment of severe fecal incontinence. French multicentric retrospective study]. 2002 , 127, 520-6	20
2056	Biofeedback versus electrostimulation in treatment of anal sphincter insufficiency. 2003 , 48, 1607-13	11
2055	Endoanal sonography in assessment of fecal incontinence following obstetric trauma. 2003 , 22, 616-21	19
2054	Prospective study of artificial anal sphincter and dynamic graciloplasty for severe anal incontinence. 2003 , 18, 349-54	36
2053	Does anastomotic leakage affect functional outcome after rectal resection for cancer?. 2003 , 387, 406-10	26
2052	Trends and current issues in adult fecal incontinence (FI): Towards enhancing the quality of life for FI patients. 2003 , 8, 107-17	1
2051	Measuring fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2003 , 46, 1591-605	3.1 109
2050	Safety and effectiveness of temperature-controlled radio-frequency energy delivery to the anal canal (Secca procedure) for the treatment of fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2003 , 46, 1606-16; discussion 1616-8	3.1 115
2049	Diagnostic testing in fecal incontinence. 2003 , 5, 406-13	11

2048	Which questionnaires should be used in female urology practice?. 2003 , 4, 375-80	10
2047	What's new in colon and rectal surgery. 2003 , 196, 95-103	8
2046	Fecal incontinence secondary to CAPD. 2003 , 41, E2	1
2045	Obstetric perineal injury: risk factors and strategies for prevention. 2003 , 27, 13-9	8
2044	Double incontinence in urogynecologic practice: a new insight. 2003 , 189, 438-43	34
2043	Patterns of abnormal pudendal nerve function that are associated with postpartum fecal incontinence. 2003 , 189, 730-5	44
2042	L-Erythro-methoxamine is more potent than phenylephrine in effecting contraction of internal anal sphincter in vitro. 2003 , 90, 872-6	17
2041	Use of a continent colonic conduit for treatment of refractory evacuatory disorder following construction of an electrically stimulated gracilis neoanal sphincter. 2003 , 90, 1416-21	5
2040	Influence of rectal prolapse on the asymmetry of the anal sphincter in patients with anal incontinence. 2003 , 3, 23	15
2039	Functional outcome and quality of life after ileal pouch-anal anastomosis in children and adults. 2003 , 73, 983-7	13
2038	Delayed sphincter repair for obstetric ruptures: analysis of failure. 2003 , 5, 73-8	41
2037	Patients with familial adenomatous polyposis experience better bowel function and quality of life after ileorectal anastomosis than after ileoanal pouch. 2003 , 5, 38-44	57
2036	Quality of life after rectal excision. 2003 , 5, 214-7	10
2035	Transverse coloplasty pouch and colonic J-pouch for rectal cancer--a comparative study. 2003 , 5, 465-70	52
2034	Rectal resection with low anastomosis: functional outcome. 2003 , 5, 458-64	63
2033	Randomised clinical trial to assess anal sphincter function following forceps or vacuum assisted vaginal delivery. 2003 , 110, 424-429	76
2032	Preliminary evaluation of an injectable anal sphincter bulking agent (Durasphere) in the management of faecal incontinence. 2003 , 18, 237-43	87
2031	Management of faecal incontinence following obstetric injury. 1998 , 85, 293-9	67

2030	Recent advances in the surgical treatment of faecal incontinence. 1998 , 85, 596-603	43
2029	Anal endosonography in patients with anorectal symptoms after haemorrhoidectomy. 1998 , 85, 1522-4	63
2028	Dynamic graciloplasty in the treatment of patients with faecal incontinence. 1999 , 86, 61-5	42
2027	Results of repeat anal sphincter repair. 1999 , 86, 66-9	47
2026	Fecal incontinence: evaluation and treatment. 2003 , 32, 685-706	16
2025	Postpartum flatal and Fecal Incontinence Quality-of-Life Scale: a disease- and population-specific measure. 2003 , 13, 1132-44	17
2024	Management of third and fourth degree tears. 2003 , 3, 188-195	12
2023	Anal sphincter disruption at vaginal delivery: is recurrence predictable?. 2003 , 109, 149-52	81
2022	Imaging fecal incontinence. 2003 , 47, 108-16	32
2021	Artificial anal sphincter in severe fecal incontinence: outcome of prospective experience with 37 patients in one institution. 2003 , 237, 52-6	91
2020	Preserving the superior rectal artery in laparoscopic sigmoid resection for complete rectal prolapse. 2003 , 13, 374-6	21
2019	Pelvic Floor Dysfunction: The Need for a Multidisciplinary Team Approach. 2003 , 9, 23-36	9
2018	Risk Factors in Acquired Faecal Incontinence. 2004 , 97, 111-116	47
2017	[Evaluation of quality of life in anal incontinence: validation of the questionnaire FIQL (Fecal Incontinence Quality of Life)]. 2004 , 41, 202-8	40
2016	Surgical management of large sessile villous and tubulovillous adenomas of the lower rectum. 2004 , 21, 287-92	6
2015	Recent advances in colorectal surgery. 2004 , 11, 221-4	
2014	Diagnosis and management of fecal incontinence. American College of Gastroenterology Practice Parameters Committee. 2004 , 99, 1585-604	258
2013	Sacral nerve neuromodulation and fecal incontinence: Indications, technique, and results. 2004 , 13, 340-6	3

2012	A retrospective evaluation of rectal irrigation in the treatment of disorders of faecal continence. 2004 , 6, 185-90	40
2011	One year follow up of a randomized trial comparing Ligasure with open haemorrhoidectomy. 2004 , 6, 233-5	21
2010	Criterion validity, test-retest reliability and sensitivity to change of the St George Urinary Incontinence Score. 2004 , 93, 331-5	10
2009	Sacral nerve stimulation: an emerging treatment for faecal incontinence. 2004 , 74, 1098-106	80
2008	Review article: Recent trends in diagnosis and treatment of faecal incontinence. 2004 , 19, 829-40	35
2007	A new questionnaire for constipation and faecal incontinence. 2004 , 20, 355-64	86
2006	Adjuvant biofeedback following anal sphincter repair: a randomized study. 2004 , 20, 539-49	40
2005	Sphincter rupture and anal incontinence after first vaginal delivery. 2004 , 83, 917-22	25
2004	Impact of anal incontinence and chronic constipation on quality of life. 2004 , 28, 16-20	62
2003	Validation of the French version of the Fecal Incontinence Quality-of-Life (FIQL) scale. 2004 , 28, 562-8	83
2002	Fecale incontinentie. 2004 , 20, 143-148	1
2001	Anal incontinence: diagnosis by endoanal US or endovaginal MRI. 2004 , 14, 1472-7	17
2000	The use of Visual Analog Scale in urogynecologic research: a psychometric evaluation. 2004 , 191, 165-70	83
1999	Randomized clinical trial of intra-anal electromyographic biofeedback physiotherapy with intra-anal electromyographic biofeedback augmented with electrical stimulation of the anal sphincter in the early treatment of postpartum fecal incontinence. 2004 , 191, 885-90	84
1998	Anal ultrasound and endosonographic measurement of perineal body thickness: a new evaluation for fecal incontinence in females. 2004 , 18, 650-4	42
1997	Large contractions in the colonic J-pouch as a possible cause of incomplete evacuation. 2004 , 389, 391-5	4
1996	Permanent sacral nerve modulation for fecal incontinence and associated urinary disturbances. 2004 , 19, 203-9	74
1995	Total lateral sphincterotomy for anal fissure. 2004 , 19, 245-9	28

1994	Surgical results and functional outcome after total anorectal reconstruction by double graciloplasty supported by external-source electrostimulation and/or implantable pulse generators: an 8-year experience. 2004 , 19, 219-27		12
1993	Customized biofeedback therapy improves results in fecal incontinence. 2004 , 19, 210-4		16
1992	Sexual function and continence after ileo pouch anal anastomosis: a comparison between a meta-analysis and a questionnaire survey. 2004 , 19, 215-8		74
1991	Hemorrhoidal stapler prolapsectomy vs. Milligan-Morgan hemorrhoidectomy: a long-term randomized trial. 2004 , 19, 239-44		97
1990	Innovations in fecal incontinence: sacral nerve stimulation. <i>Diseases of the Colon and Rectum</i> , 2004 , 47, 1720-8	3.1	51
1989	Perineal puborectalis sling operation for fecal incontinence: preliminary report. <i>Diseases of the Colon and Rectum</i> , 2004 , 47, 1982-9	3.1	27
1988	A prospective, randomized, controlled clinical trial of placement of the artificial bowel sphincter (Acticon Neosphincter) for the control of fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2004 , 47, 1852-60	3.1	58
1987	Injectable silicone biomaterial for fecal incontinence caused by internal anal sphincter dysfunction is effective. <i>Diseases of the Colon and Rectum</i> , 2004 , 47, 2138-46	3.1	142
1986	Sphincter anal artificiel dans lâhcontinence anale sville. 2004 , 34, 589-596		
1985	Electromyographic biofeedback can improve subjective and objective measures of fecal incontinence in the short term. 2004 , 8, 64-72; discussion 71-2		12
1984	[Lateral, partial sphincter myotomy as therapy of chronic anal fissure. Long-term outcome of an epidemiological cohort study]. 2004 , 75, 160-7		40
1983	[Fecal incontinence]. 2004 , 75, 871-81		2
1982	Sacral nerve stimulation for faecal incontinence in the UK. 2004 , 91, 755-61		133
1981	Belgian experience with dynamic graciloplasty for faecal incontinence. 2004 , 91, 872-8		50
1980	Systematic review of safety and effectiveness of an artificial bowel sphincter for faecal incontinence. 2004 , 91, 665-72		108
1979	Disappointing long-term results of the artificial anal sphincter for faecal incontinence. 2004 , 91, 1352-3		60
1978	Outcome after implantation of a novel prosthetic anal sphincter in humans. 2004 , 91, 1485-92		45
1977	Long-term outcome of laparoscopic ventral rectopexy for total rectal prolapse. 2004 , 91, 1500-5		372

1976	Systematic review of sacral nerve stimulation for faecal incontinence and constipation. 2004 , 91, 1559-69	212
1975	Dynamic magnetic resonance imaging of the pelvic floor in patients with idiopathic combined fecal and urinary incontinence. 2004 , 8, 73-82; discussion 82	15
1974	Incontinencia anal. 2004 , 30, 218-222	2
1973	[Functional digestive disorders from beginning to end. Anal incontinence]. 2004 , 27, 161-6	0
1972	The perspective of a gynecologist on treatment-related research for fecal incontinence in women. 2004 , 126, S169-71	13
1971	Incontinence severity and QOL scales for fecal incontinence. 2004 , 126, S106-13	118
1970	The perspective of the patient. 2004 , 126, S175-9	52
1969	Functional outcome after intersphincteric resection of the rectum with coloanal anastomosis in low rectal cancer. 2004 , 30, 260-5	74
1968	Defecatory malfunction caused by motility disorder of the neorectum after anterior resection for rectal cancer. 2004 , 188, 176-80	37
1967	Faecal incontinence in adults. 2004 , 364, 621-32	228
1966	The role of biofeedback therapy in functional proctologic disorders. 2004 , 93, 184-90	16
1965	Pathophysiology of Anal Incontinence. 2004 , 10, 155-160	
1964	Risk factors in acquired faecal incontinence. 2004 , 97, 111-6	51
1963	Efficacy of sacral nerve stimulation for fecal incontinence: results of a multicenter double-blind crossover study. 2005 , 242, 662-9	221
1962	Fecal Incontinence in Women: A Review of Evaluation and Management. 2005 , 60, 261-269	5
1961	Plugs for containing faecal incontinence. 2005 , CD005086	14
1960	Epidemiologic aspects of complete rectal prolapse. 2005 , 94, 207-10	104
1959	Topical phenylephrine in the treatment of radiation-induced faecal incontinence. 2005 , 17, 122-6	23

1958	Fecal incontinence in US women: a population-based study. 2005 , 193, 2071-6	157
1957	Endosonography of the anal sphincter in women of different ages and parity. 2005 , 25, 169-76	46
1956	Bowel, bladder and sexual function in women undergoing laparoscopic posterior compartment repair in the presence of apical or anterior compartment dysfunction. 2005 , 45, 195-200	6
1955	Complete rectal prolapse in young patients: psychiatric disease a risk factor of poor outcome. 2005 , 7, 360-5	43
1954	Impact of faecal incontinence severity on health domains. 2005 , 7, 263-9	54
1953	Ligasure trademark vs conventional diathermy haemorrhoidectomy: long-term follow-up of a randomised clinical trial. 2005 , 7, 350-3	26
1952	Long-term outcome of per anum intersphincteric rectal dissection with direct coloanal anastomosis for lower rectal cancer. 2005 , 7, 434-40	16
1951	Faecal incontinence: an unrecognised epidemic in rural North Queensland? Results of a hospital-based outpatient study. 2005 , 13, 28-34	29
1950	Quality of life measures for fecal incontinence and their use in children. 2005 , 20, 919-28	16
1949	Low rectal volumes in patients suffering from fecal incontinence: what does it mean?. 2005 , 22, 989-96	33
1948	Historical perspective and current management of traumatic injury to the extraperitoneal rectum and anus. 2005 , 62, 625-32	2
1947	[Fissure-in-ano. Alterations in continence and quality of life during disease and at six months after lateral subcutaneous internal sphincterotomy]. 2005 , 77, 91-5	5
1946	[Treatment of chronic anal fissure]. 2005 , 78, 68-74	12
1945	[Fecal incontinence. Patient assessment and classical treatments]. 2005 , 78 Suppl 3, 34-40	4
1944	Urge incontinence of faeces is a marker of severe external anal sphincter dysfunction. 1995 , 82, 1179-82	49
1943	Nitrgergic inhibitory innervation of porcine rectal circular smooth muscle. 1995 , 82, 1183-7	7
1942	Continent colonic conduit for the treatment of faecal incontinence associated with disordered evacuation. 1995 , 82, 1318-20	35
1941	Physiological and clinical outcome of anterior sphincteroplasty. 1996 , 83, 502-5	177

1940	Randomized clinical trial comparing oral nifedipine with lateral anal sphincterotomy and tailored sphincterotomy in the treatment of chronic anal fissure. 2005 , 92, 403-8		43
1939	Quality of life assessment in patients with chronic anal fissure after lateral internal sphincterotomy. 2005 , 92, 881-5		39
1938	Sacral nerve stimulation reduces corticoanal excitability in patients with faecal incontinence. 2005 , 92, 1423-31		88
1937	Usefulness of lateral internal sphincterotomy in reducing postoperative pain after open hemorrhoidectomy. 2005 , 29, 464-8		30
1936	Long-term consequences of first vaginal delivery-induced anal sphincter defect. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 1772-6	3.1	22
1935	Anorectal physiology in solitary ulcer syndrome: a case-matched series. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 1917-22	3.1	39
1934	Selecting an outcome measure for evaluating treatment in fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 2294-301	3.1	31
1933	Descending perineum syndrome: are abdominal hysterectomy and bowel habits linked?. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 2094-9	3.1	23
1932	Single-fiber electromyography correlates more closely with incontinence scores than pudendal nerve terminal motor latency. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 2309-12	3.1	9
1931	Prospective, multicenter evaluation of highly concentrated fibrin glue in the treatment of complex cryptogenic perianal fistulas. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 2167-72	3.1	46
1930	Development and validation of a colorectal functional outcome questionnaire. 2005 , 20, 126-36		69
1929	Long-term results of botulinum toxin for the treatment of chronic anal fissure: prospective clinical and manometric study. 2005 , 20, 267-71		43
1928	Laparoscopic rectopexy for full-thickness rectal prolapse: a single-institution retrospective study evaluating surgical outcome. 2005 , 19, 514-8		64
1927	Fecal incontinence: an up-to-date critical overview of surgical treatment options. 2005 , 390, 544-52		21
1926	Impact of lateral pelvic lymph node dissection on evacuatory and urinary functions following low anterior resection for advanced rectal carcinoma. 2005 , 390, 517-22		32
1925	Outcome of anterior sphincter repair for obstetric injury: comparison of early and late results. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 524-31	3.1	66
1924	Extent of lateral internal sphincterotomy: up to the dentate line or up to the fissure apex?. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 365-70	3.1	49
1923	Denervation of the neorectum as a potential cause of defecatory disorder following low anterior resection for rectal cancer. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 210-7	3.1	59

1922	Colonic J-pouch-anal anastomosis for rectal cancer: a prospective, randomized study comparing handsewn vs. stapled anastomosis. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 729-34	3.1	26
1921	Stapled hemorrhoidopexy vs. diathermy excision for fourth-degree hemorrhoids: a randomized, clinical trial and review of the literature. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 809-15	3.1	97
1920	Sacral neuromodulation in treatment of fecal incontinence following anterior resection and chemoradiation for rectal cancer. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 1027-36	3.1	84
1919	Anal incontinence after obstetric sphincter tears: outcome of anatomic primary repairs. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 1055-61	3.1	58
1918	Validity and reliability of the Modified Manchester Health Questionnaire in assessing patients with fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2005 , 48, 323-31; discussion 331-4	3.1	67
1917	Quality of Life Issues. 2005 , 595-605		3
1916	Anal plugs for containing faecal incontinence. 2005 ,		
1915	A systematic review of instruments for the assessment of faecal incontinence for community-dwelling older persons. 2005 , 3, 1-9		
1914	Neurophysiology in Pelvic Floor Disorders. 2005 , 153-169		3
1913	Total Anorectal Reconstruction with an Artificial Bowel Sphincter. 2005 , 177-182		1
1912	An Overview. 2005 , 547-594		2
1911	Rehabilitation and Therapy Research Society Inaugural Meeting, May 2005, Dublin: Report and Abstracts. 2005 , 10, 179-191		
1910	Biofeedback therapy after perineal rectosigmoidectomy or J pouch procedure. 2005 , 12, 135-8		5
1909	Evaluation of anal incontinence: minimal approach, maximal effectiveness. 2005 , 18, 9-16		13
1908	Overlapping sphincteroplasty: is it the standard of care?. 2005 , 18, 22-31		32
1907	The etiology, assessment, and treatment of fecal incontinence. 2005 , 2, 516-25		30
1906	Advances in the surgical treatment of fecal incontinence. 2005 , 12, 7-21		25
1905	Stapled haemorrhoidopexy for haemorrhoids in combination with lateral internal sphincterotomy for fissure-in-ano. 2005 , 37, 317-20		6

1904	Sacral nerve stimulation for faecal incontinence. 2005 , 22, 1-5	13
1903	Evaluation and Management of Postoperative Fecal Incontinence. 2005 , 670-692	1
1902	Defecographic disorders in anal incontinent women: relation to symptoms and anal endosonographic patterns. 2005 , 40, 141-6	4
1901	Anorectal reconstruction by electrostimulated graciloplasty as part of abdominoperineal resection. 2005 , 31, 250-8	12
1900	Surgical versus chemical (botulinum toxin) sphincterotomy for chronic anal fissure: long-term results of a prospective randomized clinical and manometric study. 2005 , 189, 429-34	99
1899	[Manometric factors associated with recurrence in botulinum toxin treatment for chronic anal fissure]. 2005 , 28, 311-4	4
1898	American gastroenterological association future trends committee report: effects of aging of the population on gastroenterology practice, education, and research. 2005 , 129, 1305-38	81
1897	Neuromodulation for constipation and fecal incontinence. 2005 , 32, 79-87	15
1896	Results and complications after ileal pouch anal anastomosis: a meta-analysis of 43 observational studies comprising 9,317 patients. 2005 , 22, 69-79	227
1895	Does the angle of episiotomy affect the incidence of anal sphincter injury?. 2006 , 113, 190-4	126
1894	Late rectal symptoms and quality of life after conformal radiation therapy for prostate cancer. 2006 , 79, 341-7	34
1893	A Randomized Controlled Trial Comparing Topical Nitroglycerin to Sphincterotomy in the Treatment of Chronic Anal Fissures Limited Project Grant #059. 2006 , 17, 165-170	1
1892	Novel approaches in the treatment of fecal incontinence. 2006 , 86, 969-86	5
1891	Assessment and management of faecal incontinence. Part 2. 2006 , 4, 34-40	
1890	Primary Evaluation of the Pelvic Floor. 2006 , 27-34	
1889	Fecal Diversion. 2006 , 151-153	
1888	Traumatismes anorectaux. 2006 , 1, 1-8	
1887	Methods of repair for obstetric anal sphincter injury. 2006 , CD002866	57

1886	Risk of urinary incontinence after childbirth: a 10-year prospective cohort study. 2006 , 108, 873-8		58
1885	A three-year prospective assessment of rectocele repair using porcine xenograft. 2006 , 107, 59-65		71
1884	Constipation of anorectal outlet obstruction: pathophysiology, evaluation and management. 2006 , 21, 638-46		94
1883	A prospective study of outcome from rubber band ligation of piles. 2006 , 8, 145-8		23
1882	Ileal pouch anal anastomosis for ulcerative colitis is feasible for septuagenarians. 2006 , 8, 235-8		18
1881	Low anterior resection with total mesorectal excision for rectal cancer: functional assessment and factors affecting outcome. 2006 , 8, 650-6		82
1880	A prospective comparison between clinical outcome and open-configuration magnetic resonance defecography findings before and after surgery for symptomatic rectocele. 2006 , 8, 605-11		11
1879	Current diagnosis and treatment algorithms for anal incontinence. 2006 , 98 Suppl 1, 97-106; discussion 107-9		11
1878	Recent impact of anal sphincter injury on overall Caesarean section incidence. 2006 , 46, 202-4		1
1877	Bowel dysfunction in patients with cauda equina lesions. 2006 , 13, 1112-7		28
1876	Neurogenic bowel dysfunction score. 2006 , 44, 625-31		189
1875	The extent of endosonographic anal sphincter defects after primary repair of obstetric sphincter tears increases over time and is related to anal incontinence. 2006 , 27, 188-97		77
1874	Posterior vaginal wall prolapse does not correlate with fecal symptoms or objective measures of anorectal function. 2006 , 195, 1742-7		41
1873	Endoanal ultrasound compared to anorectal manometry for the evaluation of fecal incontinence: a study of the effect these tests have on clinical outcome. 2006 , 51, 235-40		26
1872	Defecation disorders: a French population survey. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, 219-27	3.1	85
1871	Comparison of glycerine trinitrate and botulinum toxin-a for the treatment of chronic anal fissure: long-term results. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, 427-32	3.1	44
1870	Injectable silicone biomaterial (PTQ) to treat fecal incontinence after hemorrhoidectomy. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, 433-9	3.1	48
1869	Stapled endorectal mucosectomy for high extrasphincteric fistula-in-ano: preliminary report. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, 519-23	3.1	5

1868	Impact of functional results on quality of life after rectal cancer surgery. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, 568-78	3.1	160
1867	Adaptation to Spanish language and validation of the fecal incontinence quality of life scale. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, 490-9	3.1	55
1866	Intersphincteric resection in patients with very low rectal cancer: a review of the Japanese experience. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, S13-22	3.1	103
1865	Randomized, prospective trial comparing 0.25 percent glycerin trinitrate ointment and anal cryothermal dilators only with 0.25 percent glycerin trinitrate ointment and only with anal cryothermal dilators in the treatment of chronic anal fissure: a two-year follow-up. <i>Diseases of the Colon and Rectum</i> , 2006 , 49, 1822-30	3.1	13
1864	Outcome of overlapping anal sphincter repair after 3 months and after a mean of 80 months. 2006 , 21, 52-6		98
1863	Is there a role for concomitant pelvic floor repair in patients with sphincter defects in the treatment of fecal incontinence?. 2006 , 21, 508-14		17
1862	Functional changes after physiotherapy in fecal incontinence. 2006 , 21, 515-21		20
1861	Preliminary results of peripheral transcutaneous neuromodulation in the treatment of idiopathic fecal incontinence. 2006 , 21, 670-2		88
1860	Urinary retention during sacral nerve stimulation for faecal incontinence: report of a case. 2006 , 21, 721-3		4
1859	Overlapping anal sphincter repair and anterior levatorplasty: effect of patient's age and duration of follow-up. 2006 , 21, 795-801		29
1858	The effects of low-frequency endo-anal electrical stimulation on faecal incontinence: a prospective study. 2006 , 21, 802-6		26
1857	Prospective randomised trial comparing ileocaecal interposition and colon-J-pouch as rectal replacement after total mesorectal excision. 2007 , 22, 153-60		6
1856	Prospective randomized trial comparing stapled hemorrhoidopexy versus closed Ferguson hemorrhoidectomy. 2006 , 10, 193-7		28
1855	Fecal incontinence: a review of prevalence and obstetric risk factors. 2006 , 17, 253-60		20
1854	Is the quality of life better in patients with colostomy than patients with fecal incontinence?. 2006 , 30, 1925-8		52
1853	[Postoperative pain and long-term results after hemorrhoidal treatment with anopexy]. 2006 , 131, 262-7		1
1852	[Incidence of psychiatric disorders in patients with fecal incontinence]. 2006 , 79, 241-4		2
1851	[Transanal endoscopic microsurgery (TEM). Current situation and future expectations]. 2006 , 80, 123-32		20

1850	Prevalence of anal incontinence in adults and impact on quality-of-life. 2006 , 30, 37-43	116
1849	[The solitary rectal ulcer syndrome]. 2006 , 30, 382-90	10
1848	Technical and functional results after laparoscopic rectopexy to the promontory for complete rectal prolapse. Prospective study in 54 consecutive patients. 2006 , 30, 659-63	28
1847	Anal incontinence: the role of medical management. 2006 , 30, 954-60	17
1846	Outcome of antegrade continence enema procedures for faecal incontinence in adults. 2006 , 93, 1265-9	43
1845	Intra-anal collagen injection for the treatment of faecal incontinence. 2006 , 93, 1514-8	45
1844	Outcome and cost analysis of sacral nerve stimulation for faecal incontinence. 2006 , 93, 1411-7	76
1843	Bladder dysfunction in patients with cauda equina lesions. 2006 , 25, 23-31	66
1842	Patients' perception of tests in the assessment of faecal incontinence. 2006 , 79, 94-100	21
1841	The effect of regular antenatal perineal massage on postnatal pain and anal sphincter injury: a prospective observational study. 2006 , 19, 225-9	21
1840	Manométrie anorectale et fonction sphinctérienne. 2006 , 91-105	
1839	Update in Perineal Anatomy and its Relevance to Obstetric Trauma. 2006 , 99-113	
1838	Sphincterolysis: a novel approach towards chronic anal fissure. 2006 , 38, 122-6	4
1837	Bowel dysfunction in patients with motor complete spinal cord injury: clinical, neurological, and pathophysiological associations. 2006 , 101, 2290-9	64
1836	Scoring Systems. 2006 , 353-357	1
1835	Investigation and treatment of faecal incontinence. 2006 , 82, 363-71	23
1834	Clinical presentation of fecal incontinence and anorectal function: what is the relationship?. 2007 , 102, 351-61	48
1833	External anal sphincter defects in patients with fecal incontinence: comparison of endoanal MR imaging and endoanal US. 2007 , 242, 463-71	82

1832 Surgical intervention for chronic anorectal fistula. **2007**,

1831 Long-term results of intersphincteric resection for low rectal cancer. **2007**, 246, 916-21; discussion 921-2 151

1830 A Pilot Study of Extracorporeal Magnetic Stimulation of the Pelvic Floor for the Treatment of Women With Fecal Incontinence and Underactive Pelvic Floor Muscles. **2007**, 13, 19-26 5

1829 A novel material in seton treatment of fistula-in-ano. **2007**, 193, 794-6 19

1828 Effect of vaginal delivery on endosonographic anal sphincter morphology. **2007**, 130, 193-201 16

1827 The clinical significance of postpartum transperineal ultrasound of the anal sphincter. **2007**, 134, 115-9 12

1826 Pelvic floor dysfunction and evidence-based physical therapy. **2007**, 161-315

1825 Subtotal colectomy with antiperistaltic cecorectal anastomosis in the treatment of slow-transit constipation: long-term impact on quality of life. **2007**, 31, 1658-64 47

1824 Fecal incontinence in older adults. **2007**, 23, 857-69, vii 11

1823 [Anal incontinence and gastrointestinal disorders and their treatment in neurourology]. **2007**, 17, 622-8 5

1822 Questionnaires to assess urinary and anal incontinence: review and recommendations. **2007**, 177, 39-49 95

1821 Impaired Defecatory Function after Resection of Rectal Cancer. **2007**, 60, 917-922 1

1820 Novos tratamentos para a incontinência anal: injeção de silicone melhora a qualidade de vida em 35 pacientes incontinentes. **2007**, 27, 167-173 4

1819 Long-term outcome of a multicentre randomized clinical trial of stapled haemorrhoidopexy versus Milligan-Morgan haemorrhoidectomy. **2007**, 94, 1033-7 75

1818 Anterior anal sphincter repair can be of long term benefit: a 12-year case cohort from a single surgeon. **2007**, 7, 1 31

1817 The effect of surgery on quality of life in patients with faecal incontinence of obstetric origin. **2007**, 9, 90-5 15

1816 A novel procedure to assess anismus using three-dimensional dynamic anal ultrasonography. **2007**, 9, 159-65 30

1815 Prospective study of the diagnostic evaluation of faecal incontinence and leakage in male patients. **2007**, 9, 647-52 19

1814	Laparoscopic ventral rectopexy, posterior colporrhaphy and vaginal sacrocolpopexy for the treatment of recto-genital prolapse and mechanical outlet obstruction. 2008 , 10, 138-43	110
1813	Faecal incontinence in male patients. 2008 , 10, 124-30	18
1812	Evaluation of the use of PTQ implants for the treatment of incontinent patients due to internal anal sphincter dysfunction. 2008 , 10, 89-94	32
1811	Correlation between anal manometry and endosonography in females with faecal incontinence. 2008 , 10, 131-7	22
1810	Saddle sensation is preserved in a few patients with cauda equina or conus medullaris lesions. 2007 , 14, 48-53	20
1809	Randomised clinical trial of a laxative alone versus a laxative and a bulking agent after primary repair of obstetric anal sphincter injury. 2007 , 114, 736-40	20
1808	Anterior anal sphincter repair for fecal incontinence: Good longterm results are possible. 2007 , 204, 40-6	61
1807	[Results of Longo's stapled hemorrhoidectomy in ambulatory surgery for grade III-IV hemorrhoids]. 2007 , 81, 130-3	1
1806	Internal anal sphincter defect influences continence outcome following obstetric anal sphincter injury. 2007 , 196, 217.e1-5	64
1805	Symptoms of anal and urinary incontinence following cesarean section or spontaneous vaginal delivery. 2007 , 197, 512.e1-7	44
1804	Can differences in bowel function after surgery for rectal cancer be identified by the European Organization for Research and Treatment of Cancer quality of life instrument?. 2007 , 14, 1727-34	33
1803	Prevalence of anorectal dysfunction in women attending health care services. 2007 , 18, 57-60	4
1802	Questionnaires for women with pelvic floor disorders. 2007 , 18, 461-5	55
1801	The risk of anal incontinence in obese women. 2007 , 18, 1283-9	27
1800	Reasons for non-disclosure of faecal incontinence: a comparison between two survey methods. 2007 , 11, 251-7	26
1799	The ProTect device in the treatment of severe fecal incontinence: preliminary results of a multicenter trial. 2007 , 11, 310-4	6
1798	Proctalgia in a patient with staples retained in the puborectalis muscle after STARR operation. 2007 , 11, 353-6	30
1797	Sacral nerve stimulation in fecal incontinence: are there factors associated with success?. <i>Diseases of the Colon and Rectum</i> , 2007 , 50, 3-12	3.1 78

1796	Multimedia article. Success of episiotomy for cloaca and rectovaginal fistula. <i>Diseases of the Colon and Rectum</i> , 2007 , 50, 97-101	3.1	27
1795	Lateral internal sphincterotomy is superior to topical nitroglycerin for healing chronic anal fissure and does not compromise long-term fecal continence: six-year follow-up of a multicenter, randomized, controlled trial. <i>Diseases of the Colon and Rectum</i> , 2007 , 50, 442-8	3.1	66
1794	Function and quality of life after transanal excision of rectal polyps and cancers. <i>Diseases of the Colon and Rectum</i> , 2007 , 50, 598-603	3.1	17
1793	Effects of hysterectomy on bowel function: a three-year, prospective cohort study. <i>Diseases of the Colon and Rectum</i> , 2007 , 50, 1139-45	3.1	29
1792	Practice parameters for the treatment of fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2007 , 50, 1497-507	3.1	80
1791	Contribution of posture to anorectal manometric measurements: are the measurements in left-lateral position physiologic?. <i>Diseases of the Colon and Rectum</i> , 2007 , 50, 2112-9	3.1	14
1790	Biofeedback vs. electrostimulation in the treatment of postdelivery anal incontinence: a randomized, clinical trial. <i>Diseases of the Colon and Rectum</i> , 2007 , 50, 2040-6	3.1	33
1789	Anal inspection and digital rectal examination compared to anorectal physiology tests and endoanal ultrasonography in evaluating fecal incontinence. 2007 , 22, 783-90		70
1788	Long-term follow-up after combined fissurectomy and Botox injection for chronic anal fissures. 2007 , 22, 1077-81		48
1787	Functional results after radiochemotherapy and total mesorectal excision for rectal cancer. 2007 , 22, 903-10		36
1786	Factors affecting continence after fistulotomy for intersphincteric fistula-in-ano. 2007 , 22, 1071-5		64
1785	Non-sphincter splitting fistulectomy vs conventional fistulotomy for high trans-sphincteric fistula-in-ano: a prospective functional and manometric study. 2007 , 22, 1097-102		22
1784	Recovery rates and functional results after repair for rectovaginal fistula in Crohn's disease: a comparison of different techniques. 2007 , 22, 1051-60		48
1783	Effect of neoadjuvant chemoradiation on postoperative fecal continence and anal sphincter function in rectal cancer patients. 2007 , 22, 1311-7		32
1782	Using gluteus maximus muscle to reconstruct the anal sphincter for very low rectal cancer. 2007 , 4, 98-102		3
1781	Sphincter anal artificiel (Acticon Nbsphincterfi). 2007 , 2, 313-317		
1780	Anal sphincter function after intersphincteric resection for low rectal cancer. 2007 , 19, 295-298		1
1779	Première consultation pour une incontinence fécale. 2007 , 1, 194-197		

1778	Effect of anastomosis level on continence performance and quality of life after colonic J-pouch reconstruction. 2008 , 53, 14-20		14
1777	Perceived social isolation in a community sample: its prevalence and correlates with aspects of peoples' lives. 2008 , 43, 140-50		187
1776	Anal sphincter defects and anal incontinence symptoms after repair of obstetric anal sphincter lacerations in primiparous women. 2008 , 19, 1503-8		19
1775	Long-term follow-up of local rectal cancer surgery by transanal endoscopic microsurgery. 2008 , 32, 1162-7		28
1774	Use of "house" advancement flap in anorectal diseases. 2008 , 32, 2281-6		29
1773	[Diagnosis and therapy of stool incontinence]. 2008 , 79, 379-88; quiz 389		7
1772	Sacral nerve stimulation for faecal incontinence. 2008 , 177, 117-9		15
1771	Intérêts et indications de la toxine botulique en pathologie anorectale. 2008 , 3, 121-124		
1770	Stimulation des racines sacrées et incontinence fécale : résultats d'une expérience collective. 2008 , 3, 265-278		
1769	Comparison of vector symmetry index and endoanal ultrasonography in the diagnosis of anal sphincter disruption. 2008 , 12, 211-5		9
1768	A patient-centered approach to developing a comprehensive symptom and quality of life assessment of anal incontinence. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 82-7	3.1	64
1767	Long-term outcome of delayed primary or early secondary reconstruction of the anal sphincter after obstetrical injury. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 312-7	3.1	25
1766	Stapled technique for acute thrombosed hemorrhoids: a randomized, controlled trial with long-term results. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 397-403	3.1	22
1765	Sacral nerve stimulation is more effective than optimal medical therapy for severe fecal incontinence: a randomized, controlled study. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 494-502	3.1	199
1764	Fine-tuning of the extent of lateral internal sphincterotomy: spasm-controlled vs. up to the fissure apex. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 128-33	3.1	35
1763	Does the St. Mark's incontinence score reflect patients' perceptions? A review of 390 patients. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 436-42	3.1	63
1762	Clinical, manometric, and ultrasonographic results of pneumatic balloon dilatation vs. lateral internal sphincterotomy for chronic anal fissure: a prospective, randomized, controlled trial. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 121-7	3.1	54
1761	SECCA procedure for the treatment of fecal incontinence: results of five-year follow-up. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 355-9	3.1	73

1760	Carbon-coated microbeads anal injection in outpatient treatment of minor fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 432-5	3.1	55
1759	Ligasure Precise vs. conventional diathermy for Milligan-Morgan hemorrhoidectomy: a prospective, randomized, multicenter trial. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 514-9	3.1	38
1758	Overlap technique improves results of primary surgery after obstetric anal sphincter tear. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 421-5	3.1	5
1757	Sacral nerve stimulation for fecal incontinence related to obstetric anal sphincter damage. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 531-7	3.1	79
1756	A prospective, randomized study: switch off the sacral nerve stimulator during the night?. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 538-40	3.1	21
1755	Endorectal advancement flaps in the treatment of high anal fistula of cryptoglandular origin: full-thickness vs. mucosal-rectum flaps. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 852-7	3.1	75
1754	Design and validation of a comprehensive fecal incontinence questionnaire. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 1502-22	3.1	13
1753	Effect of second vaginal delivery on anal function in patients at risk of occult anal sphincter injury after first forceps delivery. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 1361-6	3.1	11
1752	Rehabilitation of fecal incontinence after sphincter-saving surgery for rectal cancer: encouraging results. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 1552-8	3.1	51
1751	Sacral nerve stimulation for fecal incontinence: external anal sphincter defect vs. intact anal sphincter. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 1015-24; discussion 1024-5	3.1	111
1750	Overt rectal prolapse and fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 1356-60	3.1	11
1749	Fecal incontinence among morbid obese women seeking for weight loss surgery: an underappreciated association with adverse impact on quality of life. 2008 , 23, 493-7		35
1748	Poor symptomatic relief and quality of life in patients treated for "solitary rectal ulcer syndrome without external rectal prolapse". 2008 , 23, 521-6		12
1747	Characteristic findings on defecography according to reconstruction method and defecatory disorder following sphincter-saving surgery for rectal cancer. 2008 , 23, 883-92		5
1746	Clinical characteristics and quality of life in a cohort of 621 patients with faecal incontinence. 2008 , 23, 845-51		33
1745	Anorectal, bladder, and sexual function in females following colorectal surgery for carcinoma. 2008 , 23, 893-900		45
1744	Temperature-controlled radio frequency energy delivery (Secca procedure) for the treatment of fecal incontinence: results of a prospective study. 2008 , 23, 993-7		45
1743	Continence disorders after anal surgery--a relevant problem?. 2008 , 23, 1023-31		72

1742	Normalization of substance P levels in rectal mucosa of patients with faecal incontinence treated successfully by sacral nerve stimulation. 2008 , 95, 477-83	27
1741	A classification system for faecal incontinence based on anorectal investigations. 2008 , 95, 222-8	23
1740	Length of follow-up after fistulotomy and fistulectomy associated with endorectal advancement flap repair for fistula in ano. 2008 , 95, 484-7	53
1739	Sacral nerve stimulation for faecal incontinence alters colorectal transport. 2008 , 95, 779-84	63
1738	Clinical, physiological and radiological assessment of rectovaginal septum reinforcement with mesh for complex rectocele. 2008 , 95, 1264-72	44
1737	Prospective multicentre clinical trial of stapled transanal rectal resection for obstructive defaecation syndrome. 2008 , 95, 1521-7	47
1736	Quantitative anal sphincter electromyography in primiparous women with anal incontinence. 2008 , 198, 550.e1-6	20
1735	A systematic review of psychometric evidence and expert opinion regarding the assessment of faecal incontinence in older community-dwelling adults. 2008 , 6, 225-59	5
1734	Sacral nerve stimulation as an option for the treatment of faecal incontinence in patients suffering from cauda equina syndrome. 2008 , 46, 644-7	49
1733	Does the mode of delivery predispose women to anal incontinence in the first year postpartum? A comparative systematic review. 2008 , 115, 421-34	64
1732	Haemorrhoidectomy with electrocautery or ultrashears and stapled haemorrhoidopexy. 2008 , 78, 389-93	4
1731	Does incontinence severity correlate with quality of life? Prospective analysis of 502 consecutive patients. 2008 , 10, 273-9	78
1730	Colpocystodefecography in obstructed defecation: is it really useful to the surgeon? Correlating clinical and radiological findings in surgery for obstructed defecation. 2008 , 10, 446-52	6
1729	A prospective study assessing anal plug for containment of faecal soilage and incontinence. 2008 , 10, 677-80	9
1728	Cloaca-like deformity with faecal incontinence after severe obstetric injury--technique and functional outcome of ano-vaginal and perineal reconstruction with X-flaps and sphincteroplasty. 2008 , 10, 827-32	27
1727	Long-term anal continence and quality of life following postpartum anal sphincter injury. 2008 , 10, 793-9	77
1726	Predictive factors for faecal incontinence after third or fourth degree obstetric tears: a clinico-physiologic study. 2008 , 10, 681-8	12
1725	Imbrication of the external anal sphincter may yield similar functional results as overlapping repair in selected patients. 2008 , 10, 800-4	15

1724	[Not Available]. 2008 , 145, 37-41	2
1723	Clinical, sonographic and manometric characteristics and impact on quality of life of fecal incontinence in 92 men referred for endoanal ultrasonography. 2008 , 32, 328-36	2
1722	[What's new in the treatment of fecal incontinence?]. 2008 , 32, S240-5	
1721	Rectopexy with Mesh: The Orr-Loygue Technique. 2008 , 131-137	2
1720	Anorectal Physiology. 2008 , 157-163	
1719	[Anal incontinence]. 2008 , 37, 1447-62	6
1718	Manejo general y extrahospitalario del paciente con patología rectal y anal. 2008 , 10, 449-454	
1717	Transperineal repair of complex rectourethral fistula using gracilis muscle flap interposition--can urinary and bowel functions be preserved?. 2008 , 179, 1882-6	71
1716	Physiotherapy and surgery in fecal incontinence: an overview. 2008 , 13, 71-90	3
1715	Fecal incontinence in women: causes and treatment. 2008 , 4, 517-28	17
1714	Comparison of recall and daily self-report of fecal incontinence severity. 2008 , 35, 515-20	14
1713	Three-Dimensional Magnetic Resonance Imaging of Fecal Incontinent Female Patients With Underactive Pelvic Floor Compared to Asymptomatic Individuals. 2008 , 14, 353-356	1
1712	Anterior Perineal PlanE for Ultra-low Anterior Resection of the Rectum (the APPEAR technique): a prospective clinical trial of a new procedure. 2008 , 247, 750-8	38
1711	A systematic review of psychometric evidence and expert opinion regarding the assessment of faecal incontinence in older community-dwelling adults. 2008 , 6, 225-259	
1710	A systematic review of psychometric evidence and expert opinion regarding the assessment of faecal incontinence in older community-dwelling adults. 2008 , 6, 367-431	5
1709	New treatment options for patients with faecal incontinence. 2008 , 6, 32-38	2
1708	Fecal Incontinence in Women: Causes and Treatment. 2008 , 4, 517-528	21
1707	Fecal incontinence in women: Causes and treatment. 2008 , 4, 174550650800400	

1706	Epidemiologia das incontinências urinária e anal combinadas. 2009 , 22, 328-330	3
1705	Impact of fecal incontinence on quality of life. 2009 , 15, 3276-82	79
1704	Anal incontinence improvement after silicone injection may be related to restoration of sphincter asymmetry. 2009 , 16, 155-61	19
1703	Anal sphincter structure and function relationships in aging and fecal incontinence. 2009 , 200, 559.e1-5	33
1702	Evaluation of postoperative damage to anal sphincter/levator ani muscles with three-dimensional vector manometry after sphincter-preserving operation for rectal cancer. 2009 , 208, 362-7	15
1701	[Functional outcome after hand-sewn versus stapled colonic J pouch anastomosis for rectal carcinoma]. 2009 , 146, 143-9	0
1700	[Site of local surgery in adenocarcinoma of the rectum T2N0M0]. 2009 , 85, 103-9	14
1699	[Results of national survey of specialists on the clinical evaluation of faecal incontinence]. 2009 , 86, 154-8	2
1698	Transcutaneous posterior tibial nerve stimulation for fecal incontinence in inflammatory bowel disease patients: a therapeutic option?. 2009 , 15, 402-5	41
1697	Outcomes following Turnbull-Cutait abdominoperineal pull-through compared with coloanal anastomosis. 2009 , 96, 424-9	71
1696	Measurement of anal cushions in idiopathic faecal incontinence. 2009 , 96, 680-4	18
1695	PTQ anal implants for the treatment of faecal incontinence. 2009 , 96, 1468-75	35
1694	Risk factors for anal sphincter disruption during child birth. 2009 , 394, 535-8	28
1693	Rectocele and intussusception: is there any coherence in symptoms or additional pelvic floor disorders?. 2009 , 13, 17-25; discussion 25-6	17
1692	Evaluation by three-dimensional anal endosonography of injectable silicone biomaterial (PTQ) implants to treat fecal incontinence: long-term localization and relation with the deterioration of the continence. 2009 , 13, 195-9	25
1691	Incontinence fcale et stimulation des racines sacrès. 2009 , 39, 1-7	3
1690	Laparoscopic total colectomy for colonic inertia: surgical and functional results. 2009 , 23, 62-5	27
1689	Bowel management for the treatment of pediatric fecal incontinence. 2009 , 25, 1027-42	79

1688	Prolapse of the rectum, long-term results of surgical treatment. 2009 , 24, 201-7	21
1687	Clinical and instrumental parameters in patients with constipation and incontinence: their potential implications in the functional aspects of these disorders. 2009 , 24, 961-7	29
1686	Ligasure versus diathermy hemorrhoidectomy under spinal anesthesia or pudendal block with ropivacaine: a randomized prospective clinical study with 1-year follow-up. 2009 , 24, 1011-8	33
1685	Sacral neuromodulation for the treatment of fecal incontinence and urinary incontinence in female patients: long-term follow-up. 2009 , 24, 1377-81	45
1684	The use of the loose seton technique as a definitive treatment for recurrent and persistent high trans-sphincteric anal fistulas: a long-term outcome. 2009 , 13, 1116-9	57
1683	Glyceryl trinitrate ointment (0.25%) and anal cryothermal dilators in the treatment of chronic anal fissures. 2009 , 13, 1283-91	9
1682	Diagnostik und Therapie der Stuhlinkontinenz. 2009 , 31, 309-321	
1681	St. Mark's incontinence score for assessment of anal incontinence following obstetric anal sphincter injuries (OASIS). 2009 , 20, 407-10	44
1680	Sacral nerve terminal motor latency in patients with or without soiling more than 2 years after low anterior resection for low rectal cancer. 2009 , 33, 1495-501	2
1679	Should we preserve the inferior mesenteric artery during sigmoid colectomy?. 2009 , 21, 1288-e123	23
1678	International bowel function basic spinal cord injury data set. 2009 , 47, 230-4	65
1677	International bowel function extended spinal cord injury data set. 2009 , 47, 235-41	39
1676	Transvaginal cystocele correction: Midterm results with a transobturator tension-free technique using a combined bovine pericardium/polypropylene mesh. 2009 , 35, 953-60	4
1675	Intersphincteric injected silicone biomaterial implants: a treatment for faecal incontinence. 2009 , 11, 73-6	35
1674	Perineum compression during EAUS enhances visualization of anterior anal sphincter defects. 2009 , 11, 625-30	4
1673	Are topical oestrogens useful in faecal incontinence? Double-blind randomized trial. 2009 , 11, 390-3	20
1672	Value of sacral nerve stimulation in the treatment of severe faecal incontinence: a comparison to the artificial bowel sphincter. 2009 , 11, 631-5	30
1671	Injectable silicone biomaterial (PTQ) is more effective than carbon-coated beads (Durasphere) in treating passive faecal incontinence--a randomized trial. 2009 , 11, 382-9	62

1670	The ideal lateral internal sphincterotomy: clinical and endosonographic evaluation following open and closed internal anal sphincterotomy. 2009 , 11, 502-7	26
1669	Sacral nerve stimulation for faecal incontinence: long-term outcome. 2009 , 11, 636-41	106
1668	Incontinence rates after cutting seton treatment for anal fistula. 2009 , 11, 564-71	135
1667	STARR with Contour Transtar: prospective multicentre European study. 2009 , 11, 821-7	74
1666	Selecting patients with faecal incontinence for anal sphincter surgery: the influence of irritable bowel syndrome. 2010 , 12, 750-3	9
1665	Systematic review on ventral rectopexy for rectal prolapse and intussusception. 2010 , 12, 504-12	162
1664	Neurogenic colorectal and pelvic floor dysfunction. 2009 , 23, 531-43	45
1663	Defects on endoanal ultrasound and anal incontinence after primary repair of fourth-degree anal sphincter rupture: a study of the anal sphincter complex and puborectal muscle. 2009 , 34, 693-8	12
1662	Therapeutic devices for fecal incontinence: dynamic graciloplasty, artificial bowel sphincter and sacral nerve stimulation. 2009 , 6, 307-12	23
1661	Results of national survey of specialists on the clinical evaluation of faecal incontinence. 2009 , 86, 154-158	
1660	Site of local surgery in adenocarcinoma of the rectum T2 N0 M0. 2009 , 85, 103-109	1
1659	Neurogenic bowel dysfunction: pathophysiology, clinical manifestations and treatment. 2009 , 3, 417-23	48
1658	Multiple sclerosis: prevalence and factors impacting bladder and bowel function in an Australian community cohort. 2009 , 31, 1567-76	43
1657	Surgery and sacral nerve stimulation for constipation and fecal incontinence. 2009 , 19, 83-116, vi-vii	12
1656	Evaluation and treatment of anal incontinence, constipation, and defecatory dysfunction. 2009 , 36, 673-97	9
1655	Randomized, controlled, prospective trial of the use of a mesh to prevent parastomal hernia. 2009 , 249, 583-7	178
1654	Improvement of continence with reoperation in selected patients after surgery for anorectal malformation. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 112-8	3.1 6
1653	Analysis of clinical factors associated with anal function after intersphincteric resection for very low rectal cancer. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 64-70	3.1 103

1652	SUSR and scoring systems. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 171; author reply 171-2	3.1	
1651	Long-term outcome of sacral nerve stimulation for fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 11-7	3.1	120
1650	Anal submucosal carbon bead injection for treatment of idiopathic fecal incontinence: a preliminary report. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 293-8	3.1	19
1649	Long-term results of intersphincteric resection for low rectal cancer. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1065-71	3.1	81
1648	Long-term anorectal and sexual function after overlapping anterior anal sphincter repair: a case-match study. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1095-100	3.1	19
1647	Efficacy of sacral nerve stimulation for fecal incontinence in patients with anal sphincter defects. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1234-9	3.1	70
1646	Changes in anorectal morphologic and functional parameters after fistula-in-ano surgery. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1462-9	3.1	49
1645	Prospective randomized trial for determination of optimum size of side limb in low anterior resection with side-to-end anastomosis for rectal carcinoma. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1572-7	3.1	18
1644	Factors associated with failure of the artificial bowel sphincter: a study of over 50 cases from Cleveland Clinic Florida. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1550-7	3.1	53
1643	Practical strategies for treating postsurgical bowel dysfunction. 2009 , 36, 522-7		10
1642	Validity and reliability of a Turkish version of the Fecal Incontinence Quality of Life Scale. 2009 , 36, 532-8		13
1641	Is sacral nerve stimulation an effective treatment for chronic idiopathic anal pain?. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 456-62	3.1	53
1640	Systematic evaluation and description of anal pathology in HIV-infected patients during the HAART era. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1130-6	3.1	21
1639	Effect of sacral anterior root stimulator on bowel dysfunction in patients with spinal cord injury. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 986-92	3.1	35
1638	Evaluation of the use of posterior tibial nerve stimulation for the treatment of fecal incontinence: preliminary results of a prospective study. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1427-33	3.1	59
1637	Pathophysiology of bowel dysfunction in patients with motor incomplete spinal cord injury: comparison with patients with motor complete spinal cord injury. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1589-97	3.1	35
1636	Retention test in sacral nerve stimulation for fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1864-8	3.1	7
1635	Patient-performed seton irrigation for the treatment of deep horseshoe fistula. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 812-6	3.1	14

1634	Artificial anal sphincter for severe fecal incontinence implanted by a transvaginal approach: experience with 32 patients treated at one institution. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 1155-60	3.1	23
1633	Sacral nerve neuromodulation is effective treatment for fecal incontinence in the presence of a sphincter defect, pudendal neuropathy, or previous sphincter repair. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 273-8	3.1	83
1632	The role of 3-dimensional anorectal ultrasonography in the assessment of anterior transsphincteric fistula. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 1035-40	3.1	35
1631	Sacral neuromodulation outcomes in patients with urge urinary incontinence and concomitant urge fecal incontinence. 2010 , 16, 171-8		5
1630	Urinary and anal incontinence during pregnancy and postpartum: incidence, severity, and risk factors. 2010 , 115, 618-628		106
1629	Sacral nerve stimulation is a valid approach in fecal incontinence due to sphincter lesions when compared to sphincter repair. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 264-72	3.1	67
1628	Functional outcome and quality of life after stapled transanal rectal resection for obstructed defecation syndrome. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 881-8	3.1	20
1627	Using technology to improve data capture and integration of patient-reported outcomes into clinical care: pilot results in a busy colorectal unit. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 1168-75	3.1	24
1626	Does the radiofrequency procedure for fecal incontinence improve quality of life and incontinence at 1-year follow-up?. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 1041-6	3.1	44
1625	Impaired rectal sensation at anal manometry is associated with anal incontinence one year after primary sphincter repair in primiparous women. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 1409-14	3.1	11
1624	Dermal flap coverage for chronic anal fissure: lower incidence of anal incontinence compared to lateral internal sphincterotomy after long-term follow-up. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 1563-8	3.1	36
1623	Magnetic anal sphincter augmentation for the treatment of fecal incontinence: a preliminary report from a feasibility study. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 1604-10	3.1	89
1622	Sacral nerve stimulation for fecal incontinence: results of a 120-patient prospective multicenter study. 2010 , 251, 441-9		278
1621	Ligation of the intersphincteric fistula tract (LIFT): a sphincter-saving technique for fistula-in-ano. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 39-42	3.1	164
1620	Six years of experience with sacral nerve stimulation for fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 414-21	3.1	79
1619	Percutaneous tibial nerve stimulation for the treatment of urge fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2010 , 53, 432-7	3.1	70
1618	Complete surgery for low rectal endometriosis: long-term results of a 100-case prospective study. 2010 , 251, 887-95		154
1617	Long-term Anorectal Function after Postoperative Chemoradiotherapy in High-Risk Rectal Cancer Patients. 2010 , 96, 34-41		4

1616	Approach and evaluation of neurogenic bladder dysfunction. 61-78	4
1615	Outcome of primary repair of obstetric anal sphincter injuries (OASIS): does the grade of tear matter?. 2010 , 36, 368-74	111
1614	Biofeedback therapy plus anal electrostimulation for fecal incontinence: prognostic factors and effects on anorectal physiology. 2010 , 34, 815-21	27
1613	Comparison of perineal operations with abdominal operations for full-thickness rectal prolapse. 2010 , 34, 1116-22	53
1612	Modified dynamic gracilis neosphincter for fecal incontinence: an analysis of functional outcome at a single institution. 2010 , 34, 1641-7	10
1611	Langzeitergebnisse nach transanaler Rektumwandresektion mittels Stapler bei der obstruktiven Defäkationsstörung. 2010 , 32, 171-179	3
1610	Complementary and alternative medicine (CAM) use in women with pelvic floor disorders: a cohort study. 2010 , 21, 431-7	13
1609	Validation of a global pelvic floor symptom bother questionnaire. 2010 , 21, 1129-35	28
1608	Anal incontinence and bowel dysfunction after sacrocolpopexy for vaginal vault prolapse. 2010 , 21, 1079-84	15
1607	Faecal incontinence after first instrumental vaginal delivery using Thierry's spatulas. 2010 , 21, 1195-203	9
1606	Effects of preoperative chemoradiotherapy on anal sphincter functions and quality of life in rectal cancer patients. 2010 , 25, 197-204	64
1605	Laparoscopic correction of enterocele associated to stapled transanal rectal resection for obstructed defecation syndrome. 2010 , 25, 381-7	16
1604	Posterior sagittal approach for mesh rectopexy as a management of complete rectal in adults. 2010 , 25, 881-6	8
1603	Anal fistula plug is a valid alternative option for the treatment of complex anal fistula in the long term. 2010 , 25, 1487-93	26
1602	Transcutaneous electrical posterior tibial nerve stimulation for faecal incontinence: effects on symptoms and quality of life. 2010 , 25, 1017-20	27
1601	Long-term results of stapled transanal rectal resection (STARR) for obstructive defecation syndrome. 2010 , 25, 1287-92	18
1600	Clinical and functional evaluation of patients with rectocele and mucosal prolapse treated with transanal repair of rectocele and rectal mucosectomy with a single circular stapler (TRREMS). 2010 , 14, 329-35	14
1599	Cauda equina lesions as a complication of spinal surgery. 2010 , 19, 451-7	21

1598	Development and validation of a modified fecal incontinence quality of life scale for Japanese patients after intersphincteric resection for very low rectal cancer. 2010 , 45, 928-35	28
1597	Sacral nerve stimulation induces changes in the pelvic floor and rectum that improve continence and quality of life. 2010 , 14, 636-44	17
1596	Infection rates in a large investigational trial of sacral nerve stimulation for fecal incontinence. 2010 , 14, 1081-9	79
1595	Quo vadis STARR? A prospective long-term follow-up of stapled transanal rectal resection for obstructed defecation syndrome. 2010 , 14, 1349-54	23
1594	Artificial bowel sphincter implantation for faecal incontinence in Asian patients. 2010 , 33, 134-42	4
1593	Pelvic floor disorders and sexual function in gynecologic cancer survivors: a cohort study. 2010 , 203, 514.e1-7	40
1592	[Current indications, surgical technique and results of anterior sphincter repair as a treatment of faecal incontinence]. 2010 , 87, 273-81	2
1591	Long-term results of Malone's procedure with antegrade irrigation for severe chronic constipation. 2010 , 34, 209-12	35
1590	Quality of life after transperineal rectosigmoidectomy. 2010 , 97, 269-72	31
1589	Development of a pouch functional score following restorative proctocolectomy. 2010 , 97, 945-51	21
1588	Predictors of the outcome of percutaneous nerve evaluation for faecal incontinence. 2010 , 97, 1096-102	36
1587	Long-term outcomes and quality of life after rectal carcinoma surgery. 2010 , 97, 1295-303	68
1586	Preliminary experience with bladder preservation for lower rectal cancers involving the lower urinary tract. 2010 , 102, 778-83	3
1585	The effects of clonidine on symptoms and anorectal sensorimotor function in women with faecal incontinence. 2010 , 32, 681-8	16
1584	Risk factors for recurrence and incontinence after anal fistula surgery. 2010 , 12, 254-60	72
1583	Sacral nerve stimulation for faecal incontinence: response rate, satisfaction and the value of preoperative investigation in patient selection. 2010 , 12, 247-53	26
1582	A prospective multicentre study to investigate percutaneous tibial nerve stimulation for the treatment of faecal incontinence. 2010 , 12, 1236-41	67
1581	Anorectal malformations: what happens in adulthood?. 2010 , 106, 398-404	26

1580	Implantation of ethylene vinyl alcohol copolymer for faecal incontinence management. 2010 , 80, 324-30	8
1579	Sphincteroplasty for fecal incontinence in the era of sacral nerve modulation. 2010 , 16, 5267-71	25
1578	Faecal incontinence: Assessment and conservative management. 2010 , 8, 18-22	5
1577	The Clinical Efficacy of Calcium Polycarbophil for Fecal Incontinence. 2010 , 63, 483-487	2
1576	Approach and evaluation of neurogenic bowel dysfunction. 127-137	
1575	Correlaç� entre a incompet�cia esf�cteriana anal e a pr�tica de sexo anal em homossexuais do sexo masculino. 2010 , 30, 55-60	1
1574	Current issues in the management of adult faecal incontinence. 2010 , 71, 335-40	2
1573	Sacral nerve stimulation for the management of faecal incontinence. 2010 , 19, 415-9	4
1572	Overlapping compared with end-to-end repair of third- and fourth-degree obstetric anal sphincter tears: a randomized controlled trial. 2010 , 116, 16-24	23
1571	Posterior tibial nerve stimulation for faecal incontinence. 2010 , 19, 750-4	5
1570	Measures for Fecal Incontinence, Constipation, and Associated Quality of Life. 2010 , 21, 22-26	4
1569	Newer Concepts in Fecal Incontinence: Injectables and Sacral Nerve Stimulation. 2010 , 21, 30-36	0
1568	Current indications, surgical technique and results of anterior sphincter repair as a treatment of faecal incontinence. 2010 , 87, 273-281	1
1567	[Quality of life and its association with the severity of fecal incontinence]. 2010 , 33, 621-8	6
1566	The prevalence of fecal incontinence and urinary incontinence in primiparous postpartum Chinese women. 2010 , 152, 214-7	30
1565	Temporary sacral nerve stimulation for faecal incontinence following pelvic radiotherapy. 2010 , 97, 108-12	13
1564	Surgical intervention for anorectal fistula. 2010 , CD006319	48
1563	Rectovaginal Fistulae. 2010 , 635-654	1

1562	Faecal incontinence in patients with systemic sclerosis: is an impaired internal anal sphincter the only cause?. 2011 , 40, 462-6		13
1561	Bowel Function After Rectal Cancer Surgery: A Review of the Evidence. 2011 , 22, 235-242		3
1560	Local versus radical surgery for early rectal cancer with or without neoadjuvant or adjuvant therapy. 2011 ,		1
1559	Damage to anal sphincter/levator ani muscles caused by operative procedure in anal sphincter-preserving operation for rectal cancer. 2011 , 201, 508-13		13
1558	Delayed colo-anal anastomosis is an alternative to prophylactic diverting stoma after total mesorectal excision for middle and low rectal carcinomas. 2011 , 37, 127-33		39
1557	The dual influences of age and obstetric history on fecal continence in parous women. 2011 , 112, 93-7		12
1556	Quality of life and functional results of submucosal injection therapy using dextranomer hyaluronic acid for fecal incontinence. 2011 , 18, 130-5		13
1555	Efficacy of dextranomer in stabilised hyaluronic acid for treatment of faecal incontinence: a randomised, sham-controlled trial. 2011 , 377, 997-1003		192
1554	[Prevalence of fecal incontinence in the urban population of Pouso Alegre, Minas Gerais, Brazil]. 2011 , 45, 180-6		9
1553	Anal Electrical Stimulation in the Treatment of Fecal Incontinence. 2011 , 64, 449-454		1
1552	Anorectal functions after perineal and retropubic radical prostatectomy - a prospective clinical and anal manometric assessment. 2011 , 7, 138-42		3
1551	Comparative analysis of summary scoring systems in measuring fecal incontinence. 2011 , 81, 326-31		29
1550	Correlação entre achados manométricos e sintomatologia na incontinência fecal. 2011 , 31, 39-43		4
1549	Idiopathic fistula-in-ano. 2011 , 17, 3277-85		37
1548	Outcome and management of patients in whom sacral nerve stimulation for fecal incontinence failed. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 425-32	3.1	35
1547	Functional and morphologic outcome after stapled transanal rectal resection for obstructed defecation syndrome. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 418-24	3.1	11
1546	Biofeedback for fecal incontinence: a randomized study comparing exercise regimens. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 846-56	3.1	39
1545	Risk factors for fecal incontinence after intersphincteric resection for rectal cancer. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 963-8	3.1	83

1544	Outcome of a modified York Mason technique in men with iatrogenic urethrorectal fistula after radical prostatectomy. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1008-13	3.1	19
1543	The long-term gastrointestinal functional outcomes following curative anterior resection in adults with rectal cancer: a systematic review and meta-analysis. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1589-97	3.1	63
1542	Bowel biofeedback treatment in patients with multiple sclerosis and bowel symptoms. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1114-21	3.1	20
1541	Laparoscopic rectosigmoid resection with transanal colonic pull-through and delayed coloanal anastomosis: a new approach to adult Hirschsprung disease. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1313-9	3.1	16
1540	Psychometric evaluation of a new patient-completed questionnaire for evaluating anal incontinence symptoms and impact on quality of life: the ICIQ-B. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1235-50	3.1	86
1539	Long-term outcomes of human acellular dermal matrix plug in closure of complex anal fistulas with a single tract. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1412-8	3.1	39
1538	The effect of sacral nerve modulation on cerebral evoked potential latency in fecal incontinence and constipation. 2011 , 254, 90-6		46
1537	Efficacy of sacral nerve stimulation for the treatment of fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1271-8	3.1	54
1536	Effectiveness of biofeedback therapy in the treatment of anterior resection syndrome after rectal cancer surgery. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1107-13	3.1	70
1535	Long-term clinical results of double-pursestring stapled hemorrhoidopexy in a selected group of patients for the treatment of chronic hemorrhoids. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 609-14	3.1	17
1534	The artificial bowel sphincter: a single institution experience over a decade. 2011 , 254, 951-6		55
1533	The magnetic anal sphincter versus the artificial bowel sphincter: a comparison of 2 treatments for fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 773-9	3.1	78
1532	The association between anal function and neural degeneration after preoperative chemoradiotherapy followed by intersphincteric resection. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1423-9	3.1	21
1531	Sacral Nerve Stimulation. 2011 , 254, 175-176		1
1530	Evaluation of a new synthetic plug in the treatment of anal fistulas: results of a pilot study. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1419-22	3.1	35
1529	Diathermy excisional hemorrhoidectomy: a prospective randomized study comparing pedicle ligation and pedicle coagulation. <i>Diseases of the Colon and Rectum</i> , 2011 , 54, 1405-11	3.1	12
1528	Sacral nerve stimulation for the treatment of faecal incontinence following low anterior resection for rectal cancer. 2011 , 13, 72-7		48
1527	Factors affecting the outcome of temporary sacral nerve stimulation for faecal incontinence. The value of the new tined lead electrode. 2011 , 13, 198-202		23

1526	Stapled haemorrhoidopexy transiently decreases rectal compliance and sensitivity. 2011 , 13, 219-24	1
1525	Three-dimensional endoanal ultrasonography of external anal sphincter defects in patients with faecal incontinence: correlation with symptoms and manometry. 2011 , 13, 449-53	15
1524	Sacral transcutaneous electrical nerve stimulation in the treatment of idiopathic faecal incontinence. 2011 , 13, 567-71	10
1523	Function after intersphincteric resection for low rectal cancer and its influence on quality of life. 2011 , 13, 638-43	46
1522	Predictive factors for successful sacral nerve stimulation in the treatment of faecal incontinence: results of trial stimulation in 200 patients. 2011 , 13, 689-96	48
1521	Faecal incontinence in men. 2011 , 13, 906-13	19
1520	Endorectal advancement flap with muscular plication: a modified technique for rectovaginal fistula repair. 2011 , 13, 921-5	30
1519	Sacral nerve stimulation for the treatment of faecal incontinence after ileal pouch anal anastomosis. 2011 , 13, e182-3	8
1518	Sacral nerve stimulation for faecal incontinence: results from a single centre over a 10-year period. 2011 , 13, 1030-4	57
1517	Outcome after restorative proctocolectomy in children and adolescents. 2011 , 13, 1148-52	4
1516	Anatomical and functional results after stapled transanal rectal resection (STARR) for obstructed defaecation syndrome. 2011 , 13, e6-11	17
1515	Enterocoele is not a contraindication to stapled transanal surgery for outlet obstruction: an analysis of 170 patients. 2011 , 13, e131-6	13
1514	Antegrade colonic enema for faecal incontinence in adults: long-term results of 75 patients. 2011 , 13, e238-42	24
1513	Anorectal physiology is not changed following transanal haemorrhoidal dearterialization for haemorrhoidal disease: clinical, manometric and endosonographic features. 2011 , 13, e243-5	21
1512	Minimally invasive ventral mesh rectopexy for complex rectocoele: impact on anorectal and sexual function. 2011 , 13, e320-6	42
1511	Transanal irrigation improves quality of life in patients with low anterior resection syndrome. 2011 , 13, e335-8	63
1510	Sonographic detection of puborectalis muscle avulsion is not associated with anal incontinence. 2011 , 51, 130-5	33
1509	Reliability of the international spinal cord injury bowel function basic and extended data sets. 2011 , 49, 886-91	20

1508 Editorial note on: the importance of verification and beta testing. **2011**, 49, 892

1507 Rectal prolapse and sphincter operations. **2011**, 29, 395-399

1506 Incontinence anale chez la patiente nullipare: donn  s clinique,   chographique et manom  trique. **2011**, 6, 156-161

1505 Functional outcome, quality of life, and efficacy of probiotics in postoperative patients with colorectal cancer. **2011**, 41, 1200-6 67

1504 The effects of obesity on the pelvic floor. **2011**, 13, 133-142 13

1503 Quality of life measurement and electronic assessment in urogynaecology. **2011**, 13, 219-223 2

1502 Posterior tibial nerve stimulation and faecal incontinence: a review. **2011**, 26, 265-73 48

1501 Meta-analysis: sacral nerve stimulation versus conservative therapy in the treatment of faecal incontinence. **2011**, 26, 275-94 81

1500 Male faecal incontinence presents as two separate entities with implications for management. **2011**, 26, 1589-94 16

1499 Anal encirclement with a simple prosthetic sling for faecal incontinence. **2011**, 15, 17-22 23

1498 For many high anal fistulas, lay open is still a good option. **2011**, 15, 143-50 64

1497 The relationship between etiology, symptom severity and indications of surgery in cases of anal incontinence: a 25-year analysis of 1,046 patients at a tertiary coloproctology practice. **2011**, 15, 159-64 9

1496 Biofeedback therapy for symptoms of bowel dysfunction following surgery for colorectal cancer. **2011**, 15, 319-26 24

1495 Laparoscopic intersphincteric resection for low rectal cancer. **2011**, 35, 2811-7 39

1494 Die Fistulotomie. **2011**, 33, 345-352 1

1493 A questionnaire on pelvic floor dysfunction postpartum. **2011**, 22, 105-13 10

1492 Pelvic floor dysfunction 6 years post-anal sphincter tear at the time of vaginal delivery. **2011**, 22, 1127-34 24

1491 Validation of the Wexner scale in women with fecal incontinence in a Turkish population. **2011**, 22, 1375-9 13

- 1490 Résultats factuels pour le traitement du prolapsus rectal: est-ce possible, comment avancer ?. **2011**, 5, 29-31
- 1489 Long-term functional results and quality of life after transanal endoscopic microsurgery. **2011**, 98, 1635-43 130
- 1488 Novel bulking agent for faecal incontinence. **2011**, 98, 1644-52 54
- 1487 Longitudinal study of intestinal symptoms and fecal continence in patients with conformal radiotherapy for prostate cancer. **2011**, 79, 1373-80 6
- 1486 Impact of high-level sport practice on anal incontinence in a healthy young female population. **2011**, 20, 757-63 32
- 1485 Repetitive lumbosacral nerve magnetic stimulation improves bladder dysfunction due to lumbosacral nerve injury: a pilot randomized controlled study. **2011**, 25, 570-6 8
- 1484 Stapled trans-anal rectal resection (STARR) in the surgical treatment of the obstructed defecation syndrome: results of STARR Italian Registry. **2011**, 18, 248-53 29
- 1483 Mild and severe anal incontinence after lateral internal sphincterotomy: risk factors, postoperative anatomical findings and quality of life. **2011**, 47, 26-31 16
- 1482 Push-back technique facilitates ultra-low anterior resection without nerve injury in total mesorectal excision for rectal cancer. **2011**, 28, 239-44 3
- 1481 Fecal incontinence: mechanisms and management. **2012**, 28, 57-62 27
- 1480 Fecal incontinence in systemic sclerosis is secondary to neuropathy. **2012**, 107, 597-603 44
- 1479 STARR with PPH-01 and CCS30 contour Transtar for obstructed defecation syndrome. **2012**, 19, 171-4 11
- 1478 The magnetic anal sphincter: a new device in the management of severe fecal incontinence. **2012**, 9, 483-90 28
- 1477 Association between anal function and therapeutic effect after preoperative chemoradiotherapy followed by intersphincteric resection. **2012**, 29, 439-45 10
- 1476 Economic cost of fecal incontinence. *Diseases of the Colon and Rectum*, **2012**, 55, 586-98 3.1 74
- 1475 Transanal endoscopic total mesorectal excision combined with single-port laparoscopy. *Diseases of the Colon and Rectum*, **2012**, 55, 996-1001 3.1 86
- 1474 Low anterior resection syndrome score: development and validation of a symptom-based scoring system for bowel dysfunction after low anterior resection for rectal cancer. **2012**, 255, 922-8 511
- 1473 Redo coloanal anastomosis: a retrospective study of 66 patients. **2012**, 256, 806-10; discussion 810-1 42

1472	Sacral nerve stimulation for fecal incontinence related to external sphincter atrophy. <i>Diseases of the Colon and Rectum</i> , 2012 , 55, 797-805	3.1	17
1471	Does ligation of the intersphincteric fistula tract raise the bar in fistula surgery?. <i>Diseases of the Colon and Rectum</i> , 2012 , 55, 1173-8	3.1	76
1470	Neuromodulation for fecal and urinary incontinence: functional results in 57 consecutive patients from a single institution. <i>Diseases of the Colon and Rectum</i> , 2012 , 55, 1278-83	3.1	27
1469	Transanal irrigation for bowel symptoms in patients with multiple sclerosis. <i>Diseases of the Colon and Rectum</i> , 2012 , 55, 1066-73	3.1	24
1468	Total fistulectomy with simple closure of the internal opening in the management of complex cryptoglandular fistulas: long-term results and functional outcome. <i>Diseases of the Colon and Rectum</i> , 2012 , 55, 750-5	3.1	16
1467	Laparoscopic sigmoid resection with transrectal specimen extraction: a systematic review. 2012 , 14, 1183-8		34
1466	Functional disorders after rectal cancer resection: does a rehabilitation programme improve anal continence and quality of life?. 2012 , 14, 1231-7		55
1465	Laparoscopic low ventral rectocolpopexy (LLVR) for rectal and rectogenital prolapse: surgical technique and functional results. 2012 , 16, 477-83		22
1464	Functional luminal imaging probe: a new technique for dynamic evaluation of mechanical properties of the anal canal. 2012 , 16, 451-7		27
1463	The effect of concealed concomitant anal incontinence symptoms in patients with urinary incontinence on their quality of life. 2012 , 23, 1781-4		12
1462	[Obesity and urogynecology: a systematic review]. 2012 , 22, 445-53		17
1461	Diagnosis of anal sphincter defects by three-dimensional transperineal ultrasound in women with anal incontinence. 2012 , 39, 241-7		0
1460	Plugs for containing faecal incontinence. 2012 , CD005086		22
1459	Ligation of intersphincteric fistula tract compared with advancement flap for complex anorectal fistulas requiring initial seton drainage. 2012 , 204, 283-9		92
1458	A prospective study of pelvic floor dysfunctions related to delivery. 2012 , 160, 110-5		41
1457	Prevalence of and quality of life related to anal incontinence in women with urinary incontinence and pelvic organ prolapse. 2012 , 160, 228-31		20
1456	Randomized double-blind crossover study of alternative stimulator settings in sacral nerve stimulation for faecal incontinence. 2012 , 99, 1445-52		27
1455	Open versus robot-assisted sphincter-saving operations in rectal cancer patients: techniques and comparison of outcomes between groups of 100 matched patients. 2012 , 8, 468-75		38

1454	DeloRes trial: study protocol for a randomized trial comparing two standardized surgical approaches in rectal prolapse - Delorme's procedure versus resection rectopexy. 2012 , 13, 155	19
1453	Accidental bowel leakage in the mature women's health study: prevalence and predictors. 2012 , 66, 1101-8	97
1452	Effect of vaginal delivery and ageing on the anatomy of the female anal canal assessed by three-dimensional anorectal ultrasound. 2012 , 14, 1521-7	9
1451	Anorectal function after partial intersphincteric resection in ultra-low rectal cancer. 2012 , 14, e802-6	10
1450	Transcutaneous electrical tibial nerve stimulation in the treatment of fecal incontinence: a randomized trial (CONSORT 1a). 2012 , 107, 1888-96	74
1449	[Anorectal diagnostics for proctological diseases]. 2012 , 83, 1023-32	2
1448	Incontinence fcale : donnès pidfniologiques et enjeux de sant`publique. 2012 , 6, 143-146	
1447	Quantifying the extent of fistulotomy. How much sphincter can we safely divide? A three-dimensional endosonographic study. 2012 , 27, 1109-16	29
1446	Sacral nerve stimulation in patients with faecal incontinence. 2012 , 10, 36-44	7
1445	Three-dimensional transperineal ultrasound findings associated with anal incontinence after intrapartum sphincter tears in primiparous women. 2012 , 39, 83-90	37
1444	Botulinum toxin injection versus lateral internal sphincterotomy for the treatment of chronic anal fissure: randomized prospective controlled trial. 2012 , 397, 1093-8	41
1443	Double incontinence in a cohort of nulliparous pregnant women. 2012 , 31, 1236-41	19
1442	Study of sexual, urinary, and fecal function in females following restorative proctocolectomy. 2012 , 18, 1601-7	16
1441	Morphological abnormalities of the recto-anal inhibitory reflex reflects symptom pattern in neurogenic bowel. 2012 , 57, 1908-14	16
1440	Quality of life after laparoscopic resection rectopexy. 2012 , 27, 489-95	13
1439	Percutaneous tibial nerve stimulation (PTNS) in females with faecal incontinence: the impact of sphincter morphology and rectal sensation on the clinical outcome. 2012 , 27, 927-30	31
1438	Rectocele--does the size matter?. 2012 , 27, 975-80	18
1437	Laparoscopic subtotal colectomy with antiperistaltic cecorectal anastomosis: a new step in the treatment of slow-transit constipation. 2012 , 26, 1528-33	31

1436	Levator-sphincter reinforcement after ultralow anterior resection in patients with low rectal cancer: the surgical method and evaluation of anorectal physiology. 2012 , 42, 547-53	8
1435	Sacral nerve stimulation in patients with severe fecal incontinence after rectal resection. 2012 , 16, 263-4	26
1434	Intersphincteric resection for low rectal cancer: laparoscopic vs open surgery approach. 2012 , 14, 35-41; discussion 42-3	62
1433	Anorectal function evaluation and predictive factors for faecal incontinence in 600 patients. 2012 , 14, 214-23	27
1432	Validation study of the Japanese version of the Faecal Incontinence Quality of Life Scale. 2012 , 14, 194-9	21
1431	Prospective randomized multicentre study comparing stapler haemorrhoidopexy with Doppler-guided transanal haemorrhoid dearterialization for third-degree haemorrhoids. 2012 , 14, 205-11	79
1430	Total mesorectal excision with intraoperative assessment of internal anal sphincter innervation provides new insights into neurogenic incontinence. 2012 , 214, 306-12	26
1429	Botulinum A toxin as a treatment for overactive rectum with associated faecal incontinence. 2012 , 14, 342-8	14
1428	Electrical stimulation of the dorsal clitoral nerve reduces incontinence episodes in idiopathic faecal incontinent patients: a pilot study. 2012 , 14, 349-55	10
1427	Underlying functional bowel disorder may explain patient dissatisfaction after haemorrhoidal surgery. 2012 , 14, 356-61	12
1426	Stapled transanal rectal resection and sacral nerve stimulation - impact on faecal incontinence and quality of life. 2012 , 14, 480-9	12
1425	Partial longitudinal resection of the anorectum and sphincter for very low rectal adenocarcinoma: a surgical approach to avoid permanent colostomy. 2012 , 14, 697-704	8
1424	New treatment for faecal incontinence using zinc-aluminium ointment: a double-blind randomized trial. 2012 , 14, 596-8	10
1423	Rectal irrigation: a useful tool in the armamentarium for functional bowel disorders. 2012 , 14, 748-52	16
1422	Functional results and patient satisfaction with sacral nerve stimulation for idiopathic faecal incontinence. 2012 , 14, 753-9	35
1421	Does the magnetic anal sphincter device compare favourably with sacral nerve stimulation in the management of faecal incontinence?. 2012 , 14, e323-9	39
1420	Sacral nerve stimulation in faecal incontinence associated with an anal sphincter lesion: a systematic review. 2012 , 14, e297-304	61
1419	Predictive factors for postoperative constipation and continence after stapled transanal rectal resection. 2012 , 99, 416-22	29

1418	Sexual activity and function in women with and without pelvic floor disorders. 2013 , 24, 91-7	39
1417	Analysis of the clinical factors associated with anal function after intersphincteric resection for very low rectal cancer. 2013 , 11, 24	16
1416	Responsiveness and interpretability of incontinence severity scores and FIQL in patients with fecal incontinence: a secondary analysis from a randomized controlled trial. 2013 , 24, 469-78	47
1415	Coring-out fistulectomy with a newly designed 'fistulectome' for complicated perianal fistulae: a retrospective clinical analysis. 2013 , 15, e396-401	4
1414	Sacral neuromodulation for fecal incontinence and "low anterior resection syndrome" following neoadjuvant therapy for rectal cancer. 2013 , 28, 665-9	50
1413	Resection rectopexy--laparoscopic neuromapping reveals neurogenic pathways to the lower segment of the rectum: preliminary results. 2013 , 398, 565-70	3
1412	Quality of Life and Functions After Chemoradiation for Rectal Cancer: A Review of Recent Publications. 2013 , 9, 157-167	7
1411	Use of the gluteus maximus muscle as the neosphincter for restoration of anal function after abdominoperineal resection. 2013 , 17, 425-9	5
1410	Laparoscopic ventral rectopexy: a prospective long-term evaluation of functional results and quality of life. 2013 , 17, 431-6	40
1409	Long-term functional results from a randomized clinical study of transverse colectomy compared with colon J-pouch after low anterior resection for rectal cancer. 2013 , 153, 383-92	23
1408	Surgical Alternatives in Anal Sphincter Reconstruction. 2013 , 349-354	1
1407	Morbidity experienced by women before and after operative vaginal delivery: prospective cohort study nested within a two-centre randomised controlled trial of restrictive versus routine use of episiotomy. 2013 , 120, 1020-6	38
1406	No surgery for full-thickness rectal prolapse: what happens with continence?. 2013 , 37, 1297-302	11
1405	Coloanal anastomosis or abdominoperineal resection for very low rectal cancer: what will benefit, the surgeon's pride or the patient's quality of life?. 2013 , 28, 949-57	22
1404	Seven-year follow-up after anterior sphincter reconstruction for faecal incontinence. 2013 , 28, 653-8	26
1403	Evaluation of two-dimensional intraoperative neuromonitoring for predicting urinary and anorectal function after rectal cancer surgery. 2013 , 28, 659-64	31
1402	Quality of life of patients after low anterior, intersphincteric, and abdominoperineal resection for rectal cancer--a matched-pair analysis. 2013 , 28, 679-88	63
1401	Sacral nerve stimulation for fecal incontinence improves symptoms, quality of life and patients' satisfaction: results of a monocentric series of 119 patients. 2013 , 28, 227-33	33

1400	Comparison of fecal continence and quality of life between intersphincteric resection and abdominoperineal resection plus perineal colostomy for ultra-low rectal cancer. 2013 , 108, 225-9	25
1399	Translation and validation of the Japanese version of the fecal incontinence quality of life scale. 2013 , 43, 1103-8	18
1398	Bariatric surgery improves urinary incontinence but not anorectal function in obese women. 2013 , 23, 931-8	21
1397	[Treatment of complex cryptoglandular anal fistulas. Does it still require an experienced surgeon?]. 2013 , 91, 78-89	4
1396	Fisioterapia del suelo pélvico en un caso de neuromielitis óptica. 2013 , 35, 232-237	
1395	Functional and physiological outcomes following repair of obstetrics anal sphincter injury. A case. 2013 , 11, 1137-40	4
1394	Randomised controlled trial comparing early home biofeedback physiotherapy with pelvic floor exercises for the treatment of third-degree tears (EBAPT Trial). 2013 , 120, 1240-7; discussion 1246	28
1393	Systematic review of the clinical effectiveness of neuromodulation in the treatment of faecal incontinence. 2013 , 100, 1430-47	150
1392	The effects of sacral nerve stimulation on continence are temporarily maintained after turning the stimulator off. 2013 , 15, e741-8	27
1391	Combination of pseudocontinent perineal colostomy and appendicostomy: a new approach in the treatment of low rectal cancer. 2013 , 20, 471-7	4
1390	Short-term outcomes after rehabilitation treatment in patients selected by a novel rehabilitation score system (Brusciano score) with or without previous stapled transanal rectal resection (STARR) for rectal outlet obstruction. 2013 , 28, 783-93	11
1389	Laparoscopic ventral rectopexy for rectal prolapse and symptomatic rectocele: an analysis of 245 consecutive patients. 2013 , 15, 695-9	66
1388	Fistulotomy in the tertiary setting can achieve high rates of fistula cure with an acceptable risk of deterioration in continence. 2013 , 17, 1960-5	36
1387	The role of anorectal investigations in predicting the outcome of biofeedback in the treatment of faecal incontinence. 2013 , 48, 1265-71	10
1386	Intraoperative monitoring of bladder and internal anal sphincter innervation: a predictor of erectile function following low anterior rectal resection for rectal cancer? Results of a prospective clinical study. 2013 , 30, 459-65	21
1385	Preservation of the inferior mesenteric artery via laparoscopic sigmoid colectomy performed for diverticular disease: real benefit or technical challenge: a randomized controlled clinical trial. 2013 , 27, 199-206	47
1384	Ligation of the intersphincteric fistula tract plus a bioprosthetic anal fistula plug (LIFT-Plug): a new technique for fistula-in-ano. 2013 , 15, 582-6	49
1383	Visual analogue scales for grading faecal incontinence and quality of life: their relationship with the Jorge-Wexner score and Rockwood scale. 2013 , 17, 67-71	17

1382	Lateral internal sphincterotomy versus 0.25 % isosorbide dinitrate ointment for chronic anal fissures: a prospective randomized controlled trial. 2013 , 43, 500-5	16
1381	Intersphincteric resection for very low rectal cancer: a systematic review. 2013 , 43, 838-47	41
1380	Measuring outcomes in urogynecological surgery: "perspective is everything". 2013 , 24, 15-25	23
1379	Long-term outcomes of artificial bowel sphincter for fecal incontinence: a systematic review and meta-analysis. 2013 , 217, 718-25	32
1378	Surgical management of fecal incontinence. 2013 , 42, 815-36	12
1377	Anatomical and physiological changes in pelvic diaphragm in patients with chagasic megacolon submitted to Duhamel surgery. 2013 , 33, 062-069	2
1376	Treatment of Complex Cryptoglandular Anal Fistulas. Does it Still Require an Experienced Surgeon?. 2013 , 91, 78-89	
1375	Is intraoperative neuromonitoring associated with better functional outcome in patients undergoing open TME? Results of a case-control study. 2013 , 39, 994-9	39
1374	Treatment options to improve anorectal function following rectal resection: a systematic review. 2013 , 15, e67-78	25
1373	Distensibility of the anal canal in patients with systemic sclerosis: a study with the functional lumen imaging probe. 2013 , 15, e40-7	25
1372	Transanal endoscopic microsurgery after neoadjuvant radiochemotherapy for locally advanced extraperitoneal rectal cancer: short-term morbidity and functional outcome. 2013 , 27, 2860-7	44
1371	[Anorectal functional diagnostics. Therapy algorithm for obstruction and incontinence]. 2013 , 84, 7-14	12
1370	One-year outcome of haemorrhoidectomy: a prospective multicentre French study. 2013 , 15, 719-26	24
1369	Treatment for early ultralow rectal cancer: pull-through intersphincteric stapled transection and anastomosis (PISTA) versus low anterior resection. 2013 , 17, 283-91	11
1368	Abdominoperineal resection and low anterior resection: comparison of long-term oncologic outcome in matched patients with lower rectal cancer. 2013 , 28, 493-501	21
1367	Sacral nerve stimulation during pregnancy in patients with severe fecal incontinence. 2013 , 17, 245-6	9
1366	Video-assisted anal fistula treatment (VAAFT) combined with advancement flap repair in Crohn's disease. 2013 , 17, 221-5	68
1365	Repeatability of anorectal manometry in healthy volunteers and patients. 2013 , 185, e85-92	9

1364	Efficacy of cyclic sacral nerve stimulation for faecal incontinence. 2013 , 17, 511-6		9
1363	Comparison of bulking agents in the treatment of fecal incontinence: a prospective randomized clinical trial. 2013 , 17, 517-23		14
1362	The revised faecal incontinence scale: a critical appraisal. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, e410	3.1	1
1361	Complete obstetric anal sphincter tear and risk of long-term fecal incontinence: a cohort study. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, 992-1001	3.1	35
1360	Fecal incontinence severity and quality-of-life instruments. 2013 , 40, 20-3		3
1359	Comments on Long-term outcome after transanal rectal resection in patients with obstructed defecation syndrome. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, e363	3.1	
1358	Incontinence in full-thickness rectal prolapse: low level of improvement after laparoscopic rectopexy. 2013 , 15, 470-6		12
1357	Internal Delorme's procedure for rectal outlet obstruction. 2013 , 15, e144-50		11
1356	The impact of anorectal malformations on anorectal function and social integration in adulthood: report from a national database. 2013 , 15, e330-5		14
1355	Perineal rectosigmoidectomy: quality of life. 2013 , 15, 1000-6		11
1354	Is robotic-assisted ventral mesh rectopexy superior to laparoscopic ventral mesh rectopexy in the management of obstructed defaecation?. 2013 , 15, e469-75		57
1353	Persisting anorectal dysfunction after rectal cancer surgery. 2013 , 15, e672-9		12
1352	Evoked pressure curves from the external anal sphincter following transcranial magnetic stimulation in healthy volunteers and patients with faecal incontinence. 2013 , 15, e732-40		6
1351	The magnetic anal sphincter in faecal incontinence: is initial success sustained over time?. 2013 , 15, 1499-503		44
1350	Patterns of impaired internal anal sphincter activity in patients with anal fissure. 2013 , 15, 492-9		24
1349	Restorative proctocolectomy impairs fertility and pregnancy outcomes in women with ulcerative colitis. 2013 , 15, 842-7		19
1348	A review of posterior tibial nerve stimulation for faecal incontinence. 2013 , 15, 519-26		44
1347	Sphincter-sparing anal-fissure surgery: a 1-year prospective, observational, multicentre study of fissurectomy with anoplasty. 2013 , 15, 359-67		27

1346	Anatomía del piso pélvico. 2013 , 24, 185-189		1
1345	Incontinencia fecal en el adulto: Un desafío permanente. 2013 , 24, 249-261		
1344	Avances y futuro del tratamiento de la incontinencia fecal. 2013 , 24, 262-269		
1343	Rol del kinesiólogo en una unidad de piso pelviano. 2013 , 24, 305-312		1
1342	Outcome of sacral nerve stimulation for fecal incontinence in patients refractory to percutaneous tibial nerve stimulation. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, 915-20	3.1	18
1341	Methods of repair for obstetric anal sphincter injury. 2013 , CD002866		46
1340	Nursing interventions to improve bowel function after rectal cancer treatment. 2013 , 11, 16-23		2
1339	Sacral nerve stimulation at subsensory threshold does not compromise treatment efficacy: results from a randomized, blinded crossover study. 2013 , 257, 219-23		31
1338	The revised faecal incontinence scale: a clinical validation of a new, short measure for assessment and outcomes evaluation. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, 652-9	3.1	32
1337	How much of the internal sphincter may be divided during lateral sphincterotomy for chronic anal fissure in women? Morphologic and functional evaluation after sphincterotomy. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, 645-51	3.1	37
1336	Transanal endoscopic proctectomy: an innovative procedure for difficult resection of rectal tumors in men with narrow pelvis. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, 408-15	3.1	233
1335	Long-term outcome after transanal rectal resection in patients with obstructed defecation syndrome. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, 246-52	3.1	14
1334	Fistulotomy with end-to-end primary sphincteroplasty for anal fistula: results from a prospective study. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, 226-33	3.1	34
1333	Technical and functional results of the artificial bowel sphincter for treatment of severe fecal incontinence: is there any benefit for the patient?. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, 505-10	3.1	19
1332	Consequences of anastomotic leak after restorative proctectomy for cancer: effect on long-term function and quality of life. <i>Diseases of the Colon and Rectum</i> , 2013 , 56, 275-80	3.1	54
1331	Early functional results of biofeedback and its impact on quality of life of patients with anal incontinence. 2013 , 50, 163-9		11
1330	Current management of fecal incontinence. 2013 , 17, 65-73		21
1329	Operative strategy for fistula-in-ano without division of the anal sphincter. 2013 , 95, 461-7		4

1328	[Direct sphincter repair: techniques, indications and results]. 2013 , 14, 11	1
1327	Ligation of intersphincteric fistula tract and its modification: Results from treatment of complex fistula. 2013 , 5, 123-8	38
1326	To Evaluate and Explain the Consequences of Abnormal Anal Sphincter Morphology Using the 3-Dimensional Endosonography. 2014 , 2014, 1-7	
1325	Serotonin (5-HT ₃) receptor antagonists for the reduction of symptoms of low anterior resection syndrome. 2014 , 7, 47-52	19
1324	Transanal endoscopic surgery in rectal cancer. 2014 , 20, 11538-45	49
1323	Comparison of abdominal and perineal procedures for complete rectal prolapse: an analysis of 104 patients. 2014 , 86, 249-55	8
1322	Do changes in anal sphincter anatomy correlate with anal function in women with a history of vaginal delivery?. 2014 , 51, 198-204	7
1321	Effectiveness of treatment using fecal incontinence biofeedback isolated or associated with electrical stimulation. 2014 , 34, 240-244	1
1320	Assessment of pubovisceral muscle defects and levator hiatal dimensions in women with faecal incontinence after vaginal delivery: is there a correlation with severity of symptoms?. 2014 , 16, 1010-8	15
1319	Sacral neuromodulation for fecal incontinence and constipation in adult patients with anorectal malformation--a feasibility study in patients with or without sacral dysgenesis. 2014 , 29, 1297-302	6
1318	Combined partial fistulectomy and electro-cauterization of the intersphincteric tract as a sphincter-sparing treatment of complex anal fistula: clinical and functional outcome. 2014 , 18, 1105-11	3
1317	Laparoscopy-assisted posterior low anterior resection of rectal cancer. 2014 , 14, 158	2
1316	Suboptimal results after sphincteroplasty: another hazard of obesity. 2014 , 18, 1055-9	4
1315	Laparoscopic ventral rectopexy in an elderly population with external rectal prolapse: clinical and anal manometric results. 2014 , 29, 1257-62	12
1314	Closure of fistula-in-ano with laser--FiLaC--an effective novel sphincter-saving procedure for complex disease. 2014 , 16, 110-5	84
1313	Patient-reported outcomes after neoadjuvant therapy for rectal cancer: a systematic review. 2014 , 14, 901-18	13
1312	Transperineal Rectocele Correction. 2014 , 173-180	
1311	Neoadjuvant therapy followed by local excision and two-stage total mesorectal excision: a new strategy for sphincter preservation in locally advanced ultra-low rectal cancer. 2014 , 2, 37-43	9

1310	The use of a simple anal sling in the management of anal incontinence. 2014 , 2, 136-9	8
1309	Secondary repair of severe chronic fourth-degree perineal tear due to obstetric trauma. 2014 , 2014,	7
1308	The Gatekeeperâ€”for fecal incontinence: Another trial and error. 2014 , 5, 936-8	7
1307	Cortical evoked potentials in response to rapid balloon distension of the rectum and anal canal. 2014 , 26, 862-73	12
1306	The Three Axial Perineal Evaluation (TAPE) score: a new scoring system for comprehensive evaluation of pelvic floor function. 2014 , 16, 459-68	15
1305	Clinical parameters and symptom severity in males with fecal leakage and incontinence. 2014 , 26, 361-7	10
1304	Effects of transcutaneous tibial nerve stimulation on anorectal physiology in fecal incontinence: a double-blind placebo-controlled cross-over evaluation. 2014 , 26, 247-54	10
1303	Contribution of the second stage of labour to pelvic floor dysfunction: a prospective cohort comparison of nulliparous women. 2014 , 121, 1145-53; discussion 1154	59
1302	Toward more accurate measurements of anorectal motor and sensory function in routine clinical practice: validation of high-resolution anorectal manometry and Rapid Barostat Bag measurements of rectal function. 2014 , 26, 685-95	40
1301	No electrophysiological evidence for Onuf's nucleus degeneration causing bladder and bowel symptoms in Huntington's disease patients. 2014 , 33, 524-30	8
1300	Laparoscopic neuromapping in pelvic surgery: scopes of application. 2014 , 21, 213-20	19
1299	Clinical, functional and morphologic evaluation of patients undergoing lateral sphincterotomy for chronic anal fissure treatment. Identification of factors that can interfere with fecal continence. 2014 , 34, 174-180	4
1298	The epidemiology of anal incontinence and symptom severity scoring. 2014 , 2, 79-84	26
1297	Faecal incontinence in older people: evaluation, treatment and new surgical techniques. 2014 , 24, 105-116	
1296	Results of sacral nerve neuromodulation for double incontinence in adults. 2014 , 18, 1147-51	11
1295	A pragmatic, multicentre, randomised controlled trial comparing stapled haemorrhoidopexy to traditional excisional surgery for haemorrhoidal disease (eTHoS): study protocol for a randomised controlled trial. 2014 , 15, 439	10
1294	Outcome of percutaneous tibial nerve stimulation (PTNS) for fecal incontinence: a prospective cohort study. 2014 , 259, 939-43	40
1293	Laparoscopic local excision and rectoanal anastomosis for rectal gastrointestinal stromal tumor: modified laparoscopic intersphincteric resection technique. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 900-4	3.1 13

1292	The test-retest reliability of fecal incontinence severity and quality-of-life assessment tools. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 638-44	3.1	15
1291	Current and emerging treatment options for fecal incontinence. 2014 , 48, 752-64		31
1290	Electrically stimulated gracilis neosphincter for end-stage fecal incontinence: the long-term outcome. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 215-22	3.1	7
1289	Anorectal toxicity of external beam radiotherapy in the treatment of prostate cancer. 2014 , 7, 185-189		
1288	Totally laparoscopic resection with natural orifice specimen extraction for carcinoma of sigmoid colon and rectum: a feasible and innovative technique. 2014 , 48, e57-61		10
1287	International validation of the low anterior resection syndrome score. 2014 , 259, 728-34		178
1286	A preliminary evaluation of the TOPAS system for the treatment of fecal incontinence in women. 2014 , 20, 155-62		15
1285	Autonomic rectal dysfunction in patients with multiple sclerosis and bowel symptoms is secondary to spinal cord disease. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 514-21	3.1	13
1284	Outcome of sacral nerve stimulation for fecal incontinence at 5 years. 2014 , 259, 1126-31		53
1283	Ligation of intersphincteric fistula tract versus mucosal advancement flap in patients with high transsphincteric fistula-in-ano: a prospective randomized trial. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 1202-8	3.1	54
1282	Quantifying patient improvement following sacral neuromodulation: is it time for a new scoring system for fecal incontinence?. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 1209-12	3.1	5
1281	Predictive factors for successful sacral nerve stimulation in the treatment of fecal incontinence: lessons from a comprehensive treatment assessment. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 772-80	3.1	23
1280	Correlation between outcome and instrumental findings after stapled transanal rectal resection for obstructed defecation syndrome. 2014 , 21, 469-75		9
1279	Libertas: rationale and study design of a multicentre, Phase II, double-blind, randomised, placebo-controlled investigation to evaluate the efficacy, safety and tolerability of locally applied NRL001 in patients with faecal incontinence. 2014 , 16 Suppl 1, 59-66		7
1278	Transanal endoscopic surgery with total wall excision is required with rectal adenomas due to the high frequency of adenocarcinoma. <i>Diseases of the Colon and Rectum</i> , 2014 , 57, 823-9	3.1	27
1277	Response to Barussaud et al.: the magnetic anal sphincter in faecal incontinence, is initial success sustained over time?. 2014 , 16, 145-6		4
1276	What is the best option for failed sphincter repair?. 2014 , 16, 298-303		12
1275	Faecal incontinence: standardizing outcome measures. 2014 , 16, 156-8		20

1274	Outcome of laparoscopic ventral mesh rectopexy for external rectal prolapse. 2014 , 16, 914-9	38
1273	Proficiency gain curve and predictors of outcome for laparoscopic ventral mesh rectopexy. 2014 , 156, 158-67	51
1272	Influence of sphincter defect on biofeedback outcomes in patients with fecal incontinence. 2014 , 34, 067-072	1
1271	Sacral nerve stimulation for the treatment of severe faecal incontinence: results after 10 years experience. 2014 , 92, 329-35	3
1270	Overview of anal fistula and systematic review of ligation of the intersphincteric fistula tract (LIFT). 2014 , 18, 13-22	54
1269	Short-term results after STARR versus internal Delorme for obstructed defecation: a non-randomized prospective study. 2014 , 66, 151-6	11
1268	3D pelvic floor ultrasound findings and severity of anal incontinence. 2014 , 25, 623-9	10
1267	Fecal incontinence, sexual complaints, and anorectal function after third-degree obstetric anal sphincter injury (OASI): 5-year follow-up. 2014 , 25, 607-13	25
1266	Current status: new technologies for the treatment of patients with fecal incontinence. 2014 , 28, 2277-301	26
1265	Tailored prolapse surgery for the treatment of haemorrhoids and obstructed defecation syndrome with a new dedicated device: TST STARR Plus. 2014 , 29, 623-9	30
1264	Prevalence of unreported bowel symptoms in women with pelvic floor dysfunction and the impact on their quality of life. 2014 , 25, 927-33	12
1263	Long-term clinical and functional results of intersphincteric resection for lower rectal cancer. 2014 , 21 Suppl 3, S422-8	42
1262	Current Assessment and Management of Fecal Incontinence. 2014 , 9, 6-12	1
1261	Does anastomotic leakage impair functional results and quality of life after laparoscopic sphincter-saving total mesorectal excision for rectal cancer? A case-matched study. 2014 , 29, 459-67	33
1260	Hybrid seton for the treatment of high anal fistulas: results of 128 consecutive patients. 2014 , 18, 187-93	13
1259	Sacral nerve stimulation in the treatment of severe faecal incontinence: long-term clinical, manometric and quality of life results. 2014 , 18, 179-85	25
1258	Comparative analysis of late functional outcome following preoperative radiation therapy or chemoradiotherapy and surgery or surgery alone in rectal cancer. 2014 , 29, 165-75	60
1257	External sphincter resection for lower rectal and anal canal adenocarcinoma: achieving anal preservation with oncological and functional satisfaction. 2014 , 44, 1385-8	2

1256	Percutaneous neuromodulation of the posterior tibial nerve for the treatment of faecal incontinence - mid-term results: is retreatment required?. 2014 , 16, 304-10	15
1255	Transanal minimally invasive surgery for total mesorectal excision (TAMIS-TME): results and experience with the first 20 patients undergoing curative-intent rectal cancer surgery at a single institution. 2014 , 18, 473-80	158
1254	Effect on anal pressure of percutaneous posterior tibial nerve stimulation for faecal incontinence. 2014 , 16, 533-7	23
1253	Ten-year follow up after laparoscopic suture rectopexy for full-thickness rectal prolapse. 2014 , 16, 809-14	27
1252	Anorectal stricture in 102 patients with Crohn's disease: natural history in the era of biologics. 2014 , 40, 796-803	34
1251	Recurrence after perineal rectosigmoidectomy: when and why?. 2014 , 16, 920-4	15
1250	Emerging surgical therapies for faecal incontinence. 2014 , 11, 279-86	10
1249	Anorectal manometric parameters are influenced by gender and age in subjects with normal bowel function. 2014 , 29, 1393-9	9
1248	The SECCA procedure for faecal incontinence: a review. 2014 , 16, 167-72	38
1247	Percutaneous tibial nerve stimulation vs sacral nerve stimulation for faecal incontinence: a comparative case-matched study. 2014 , 16, O393-9	25
1246	Anal incontinence: long-term alterations in the incidence and healthcare usage. 2014 , 49, 790-3	2
1245	Ligation of intersphincteric fistula tract (LIFT) to treat anal fistula: systematic review and meta-analysis. 2014 , 18, 685-91	108
1244	Totally laparoscopic resection with natural orifice specimen extraction (NOSE) has more advantages comparing with laparoscopic-assisted resection for selected patients with sigmoid colon or rectal cancer. 2014 , 29, 1119-24	41
1243	Stuhlinkontinenz. 2014 , 36, 125-137	9
1242	Faecal incontinence 20 years after one birth: a comparison between vaginal delivery and caesarean section. 2014 , 25, 1411-8	33
1241	Written versus oral disclosure of fecal and urinary incontinence in women with dual incontinence. 2014 , 25, 1257-62	10
1240	Baseline factors predictive of patient satisfaction with sacral neuromodulation for idiopathic fecal incontinence. 2014 , 29, 793-8	8
1239	Completely abdominal intersphincteric resection for lower rectal cancer: feasibility and comparison of robot-assisted and open surgery. 2014 , 28, 2734-44	31

1238	Prospective clinical audit of two neuromodulatory treatments for fecal incontinence: sacral nerve stimulation (SNS) and percutaneous tibial nerve stimulation (PTNS). 2014 , 44, 2124-30	25
1237	Efficacy of sacral nerve stimulation for poor functional results of J-pouch ileoanal anastomosis. 2014 , 18, 355-60	7
1236	Rectal mucosal prolapse in males: surgery is effective for fecal incontinence but not for obstructed defecation. 2014 , 18, 907-14	5
1235	Long-term outcomes after intersphincteric resection for low-lying rectal cancer. 2014 , 21, 3608-15	73
1234	Systematic review of tibial nerve stimulation to treat faecal incontinence. 2014 , 101, 457-68	63
1233	Prevalence of faecal incontinence and its related factors among patients in a Malaysian academic setting. 2014 , 14, 95	9
1232	Laparoscopic intersphincteric resection for low rectal cancer: comparison of stapled and manual coloanal anastomosis. 2014 , 16, 353-8	28
1231	Gracilis muscle transposition for complex perineal fistulas and sinuses: a systematic literature review of surgical outcomes. 2014 , 219, 313-23	21
1230	Perineal retraining improves conservative treatment for faecal incontinence: a multicentre randomized study. 2014 , 46, 237-42	17
1229	Anal incontinence severity assessment tools used worldwide. 2014 , 126, 146-50	13
1228	Delivery outcomes and events in subsequent pregnancies after previous anal sphincter injury. 2014 , 174, 51-3	11
1227	Hemorrhoidal laser procedure: short- and long-term results from a prospective study. 2014 , 208, 21-5	34
1226	New treatments for fecal incontinence: update for the gastroenterologist. 2014 , 12, 1783-8	21
1225	Sacral Nerve Stimulation for the Treatment of Severe Faecal Incontinence: Results After 10 Years Experience. 2014 , 92, 329-335	1
1224	Evaluation of the frequency and pattern of local recurrence following intersphincteric resection for ultra-low rectal cancer. 2014 , 26, 87-92	9
1223	The clinical results of the Turnbull-Cutait delayed coloanal anastomosis: a systematic review. 2014 , 18, 579-90	25
1222	Assessing Physical Health. 2014 , 105-141	
1221	Laparoscopic ventral mesh rectopexy in male patients with internal or external rectal prolapse. 2014 , 16, 995-1000	18

1220	Two-dimensional Endoanal Ultrasound Scan Correlates with External Anal Sphincter Structure and Function, but not with Puborectalis. 2015 , 23, 164-170		
1219	Incidence of anismus in fecal incontinence patients evaluated at a Coloproctology service. 2015 , 35, 151-155		
1218	Fecoflowmetric analysis of anorectal motor function in postoperative anal-preserving surgery patients with low rectal cancer comparison with the wexner score and anorectal manometry. 2015 , 100, 29-37		5
1217	Challenges faced in the clinical application of artificial anal sphincters. 2015 , 16, 733-42		11
1216	Short-term Outcomes of a Randomized Pilot Trial of 2 Treatment Regimens of Transcutaneous Tibial Nerve Stimulation for Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2015 , 58, 974-82	3.1	15
1215	Fecale incontinentie: het grootste taboe. 2015 , 31, 738-755		1
1214	Correlation of three dimensional anorectal manometry and three dimensional endoanal ultrasound findings in primi gravida: a cross sectional study. 2015 , 8, 387		6
1213	Semi-closed bilateral partial miotomy of the puborectalis for anismus: a pilot study: Partial miotomy of the puborectalis for anismus. 2015 , 30, 1729-34		5
1212	Historic cohort study on mode of delivery of a macrosomic baby: the women's point of view. 2015 , 94, 1235-44		3
1211	Autologous skeletal-muscle-derived cell injection for anal incontinence due to obstetric trauma: a 5-year follow-up of an initial study of 10 patients. 2015 , 17, 794-801		45
1210	Validation of the English translation of the low anterior resection syndrome score. 2015 , 17, 908-16		77
1209	Long-term effects of neoadjuvant chemoradiotherapy followed by sphincter-preserving resection on anal sphincter function in relation to quality of life among locally advanced rectal cancer patients: a cross-sectional analysis. 2015 , 10, 168		22
1208	Plugs for containing faecal incontinence. 2015 , CD005086		17
1207	Posterior tibial nerve stimulation for the treatment of fecal incontinence: a systematic evidence review. 2015 , 70, 329-41		22
1206	Lack of effect of sacral nerve stimulation for incontinence in patients with systemic sclerosis. 2015 , 17, 903-7		16
1205	Clinical Practice Guideline for the Management of Fecal Incontinence by International Consultation on Incontinence (ICI). 2015 , 68, 928-939		
1204	Biofeedback Therapy for Fecal Incontinence. 2015 , 68, 954-960		
1203	Laparoscopic total mesorectal excision with coloanal anastomosis for rectal cancer. 2015 , 261, 138-43		25

1202	Abnormal neuronal response to rectal and anal stimuli in patients with idiopathic fecal incontinence. 2015 , 27, 954-62		17
1201	Gut symptoms in diabetics correlate with components of the rectoanal inhibitory reflex, but not with pudendal nerve motor latencies or systemic autonomic neuropathy. 2015 , 16, 342-9		6
1200	Bilateral compared with unilateral sacral nerve stimulation for faecal incontinence: results of a randomized, single-blinded crossover study. 2015 , 17, 1085-93		6
1199	Fecal Incontinence and Quality of Life in Adults With Rectal Cancer After Lower Anterior Resection. 2015 , 42, 395-400		9
1198	Nurse-led clinics can manage faecal incontinence effectively: results from a tertiary referral centre. 2015 , 17, 710-5		22
1197	Impact of three-dimensional endoanal ultrasound on the outcome of anal fistula surgery: a prospective cohort study. 2015 , 17, 1104-12		25
1196	Use of Antegrade Continence Enema for the Treatment of Fecal Incontinence and Functional Constipation in Adults: A Systematic Review. <i>Diseases of the Colon and Rectum</i> , 2015 , 58, 999-1013	3.1	25
1195	Supplementary home biofeedback improves quality of life in younger patients with fecal incontinence. 2015 , 49, 419-28		8
1194	Rectovaginal Fistula: What Is the Optimal Strategy?: An Analysis of 79 Patients Undergoing 286 Procedures. 2015 , 262, 855-60; discussion 860-1		71
1193	Quality of Life Differences in Female and Male Patients with Fecal Incontinence. 2016 , 22, 94-101		19
1192	Holistic assessment of anterior resection syndrome. 2015 , 13, 18-24		17
1191	Delorme's Procedure for Complete Rectal Prolapse: A Study of Recurrence Patterns in the Long Term. 2015 , 2015, 920154		8
1190	Partial lateral internal sphincterotomy versus combined botulinum toxin A injection and topical diltiazem in the treatment of chronic anal fissure: a randomized clinical trial. <i>Diseases of the Colon and Rectum</i> , 2015 , 58, 228-34	3.1	34
1189	The evolution of evaluation and management of urinary or fecal incontinence and pelvic organ prolapse. 2015 , 52, 17-75		8
1188	The evolution of evaluation and management of urinary or fecal incontinence and pelvic organ prolapse. 2015 , 52, 92-136		8
1187	Fistulotomy or fistulectomy and primary sphincteroplasty for anal fistula (FIPS): a systematic review. 2015 , 19, 391-400		50
1186	Laparoscopic anterior resection with transanal total mesorectal excision for rectal cancer: preliminary experience and impact on postoperative bowel function. 2015 , 25, 364-9		24
1185	Redo sphincteroplasty: are the results sustainable?. 2016 , 4, 39-42		7

1184	Modified technique of bilateral gluteus maximus transposition for reconstruction of sphincter for pediatric traumatic fecal incontinence. 2015 , 50, 2159-63	1
1183	A novel percutaneous technique for treating complete rectal prolapse in adults. 2015 , 22, 240-4	
1182	Therapeutic management of complex anal fistulas by installing a nitinol closure clip: study protocol of a multicentric randomised controlled trial--FISCLOSE. 2015 , 5, e009884	12
1181	Evidence-based physical therapy for pelvic floor dysfunctions affecting both women and men. 2015 , 311-353	
1180	Epidemiology, pathophysiology, and classification of fecal incontinence: state of the science summary for the National Institute of Diabetes and Digestive and Kidney Diseases (NIDDK) workshop. 2015 , 110, 127-36	173
1179	Long-term outcomes of sacral nerve stimulation for faecal incontinence. 2015 , 102, 407-15	89
1178	Long-term outcome following advancement flaps for high anal fistulas in an Asian population: a single institution's experience. 2015 , 30, 409-12	9
1177	Neurostimulated levator augmentation--a new approach in restoring continence. 2015 , 30, 505-12	2
1176	Meta-analysis of oncological outcome after abdominoperineal resection or low anterior resection for lower rectal cancer. 2015 , 21, 19-27	14
1175	Changing operative strategy from abdominoperineal resection to sphincter preservation in T3 low rectal cancer after downstaging by neoadjuvant chemoradiation: a preliminary report. 2015 , 39, 1248-56	15
1174	Long-term evaluation of bulking agents for the treatment of fecal incontinence: clinical outcomes and ultrasound evidence. 2015 , 19, 23-7	16
1173	Dutch evidence statement for pelvic physical therapy in patients with anal incontinence. 2015 , 26, 487-96	7
1172	Fecal continence can be restored by sacral neurostimulation after traumatic unilateral pudendal neuropathy: a case report. 2015 , 30, 569-70	1
1171	Redo-surgery by transanal colonic pull-through for failed anastomosis associated with chronic pelvic sepsis or rectovaginal fistula. 2015 , 30, 543-8	33
1170	Quality of life, continence and frequency of pouchitis following laparoscopic versus open colectomy and ileal pouch-anal anastomosis: an Irish perspective. 2015 , 184, 655-8	6
1169	MRI defaecography in patients with faecal incontinence. 2015 , 17, O62-9	8
1168	Randomized clinical trial of sacral versus percutaneous tibial nerve stimulation in patients with faecal incontinence. 2015 , 102, 349-58	64
1167	Minimal invasive surgery: NOSE and NOTES in ulcerative colitis. 2015 , 29, 3313-8	22

1166	Anal fistula surgery in an outpatient setting: the Dubai experience. 2015 , 35, 042-045	1
1165	Anterior sphincteroplasty for fecal incontinence: predicting incontinence relapse. 2015 , 30, 513-20	4
1164	What Are the Best Questionnaires To Capture Anorectal Function After Surgery in Rectal Cancer?. 2015 , 11, 37-43	53
1163	Effects of Radiation Therapy for Rectal Cancer on Anorectal Function. 2015 , 143-151	1
1162	Results of neoadjuvant short-course radiation therapy followed by transanal endoscopic microsurgery for t1-t2 n0 extraperitoneal rectal cancer. 2015 , 92, 299-306	32
1161	Long-term impact of full-thickness rectal prolapse treatment on fecal incontinence. 2015 , 158, 104-11	19
1160	Randomized clinical trial of laparoscopic colectomy with or without natural-orifice specimen extraction. 2015 , 102, 630-7	67
1159	High-dose chemoradiotherapy and watchful waiting for distal rectal cancer: a prospective observational study. 2015 , 16, 919-27	335
1158	Outcomes of ultra-low anterior resection combined with or without intersphincteric resection in lower rectal cancer patients. 2015 , 30, 1311-21	13
1157	Transanal Endoscopic Surgery for Rectal Cancer. 2015 , 309-319	
1156	Clinical Challenges of Fecal Incontinence in the Elderly. 2015 , 13, 287-300	2
1155	Randomized clinical trial of defaecatory function after anterior resection for rectal cancer with high versus low ligation of the inferior mesenteric artery. 2015 , 102, 501-8	60
1154	Short-course radiotherapy with delayed surgery versus conventional chemoradiotherapy: A comparison of the short- and long-term outcomes in patients with T3 rectal cancer. 2015 , 158, 225-35	20
1153	Staged seton fistulotomy after restorative proctocolectomy with ileal pouch-anal anastomosis accompanied by a decline in anal pressure during manometry. 2015 , 30, 421-3	1
1152	A new technique of totally laparoscopic resection with natural orifice specimen extraction (NOSE) for large rectal adenoma. 2015 , 19, 355-60	6
1151	A prospective comparison of short term results and functional recovery after laparoscopic subtotal colectomy and antiperistaltic cecorectal anastomosis with short colonic reservoir vs. long colonic reservoir. 2015 , 15, 30	7
1150	Sphincter-sparing intersphincteric rectal resection as an alternative to proctectomy in long-standing fistulizing and stenotic Crohn's proctitis?. 2015 , 30, 655-63	5
1149	Robotic versus laparoscopic intersphincteric resection for low rectal cancer: comparison of the operative, oncological, and functional outcomes. 2015 , 22, 1219-25	38

1148	Evaluating maternal recovery from labor and delivery: bone and levator ani injuries. 2015 , 213, 188.e1-188.e11	41
1147	Diagnosis and treatment of faecal incontinence: Consensus statement of the Italian Society of Colorectal Surgery and the Italian Association of Hospital Gastroenterologists. 2015 , 47, 628-45	14
1146	Comparison of dynamic transperineal ultrasound and defecography for the evaluation of pelvic floor disorders. 2015 , 30, 835-41	34
1145	Sacral nerve modulation for fecal incontinence: results of a prospective single-center randomized crossover study. <i>Diseases of the Colon and Rectum</i> , 2015 , 58, 235-40	3.1 21
1144	Initial results of a new bulking agent for fecal incontinence: a multicenter study. <i>Diseases of the Colon and Rectum</i> , 2015 , 58, 241-6	3.1 10
1143	Magnetic anal sphincter augmentation in patients with severe fecal incontinence. <i>Diseases of the Colon and Rectum</i> , 2015 , 58, 109-14	3.1 35
1142	A step toward NOTES total mesorectal excision for rectal cancer: endoscopic transanal proctectomy. 2015 , 261, 228-33	149
1141	Chronic severe constipation: current pathophysiological aspects, new diagnostic approaches, and therapeutic options. 2015 , 27, 204-14	19
1140	Improvement of fecal incontinence and quality of life by electrical stimulation and biofeedback for patients with low rectal cancer after intersphincteric resection. 2015 , 96, 1442-7	23
1139	Transanal total mesorectal excision for rectal cancer: a single center experience and systematic review of the literature. 2015 , 400, 945-59	58
1138	Percutaneous tibial nerve stimulation in faecal incontinence. 2015 , 386, 1605-6	7
1137	Reoperative surgery for fecal incontinence. 2015 , 26, 237-248	
1136	Does preoperative anal physiology testing or ultrasonography predict clinical outcome with sacral neuromodulation for fecal incontinence?. 2015 , 26, 1613-7	14
1135	Three-Dimensional Anorectal Manometry Findings in Primigravida. 2015 , 60, 3764-70	10
1134	[Management of complications of fissure and fistula surgery]. 2015 , 86, 734-40	4
1133	The relationship of 3-D translabial ultrasound anal sphincter complex measurements to postpartum anal and fecal incontinence. 2015 , 26, 1191-9	7
1132	Current surgical strategies to treat fecal incontinence. 2015 , 9, 1577-89	16
1131	Correlation of anorectal electromanometry and anorectal three-dimensional ultrasound findings in patients with fecal incontinence. 2015 , 35, 198-202	

1130	Fecal Incontinence: Etiology, Diagnosis, and Management. 2015 , 19, 1910-21		34
1129	Urinary and anal dysfunction after laparoscopic versus laparotomic radical hysterectomy. 2015 , 194, 11-6		19
1128	Validation of the Chinese version of the low anterior resection syndrome score for measuring bowel dysfunction after sphincter-preserving surgery among rectal cancer patients. 2015 , 19, 495-501		43
1127	[Management of postpartum anal incontinence: A systematic review]. 2015 , 25, 1191-203		7
1126	[Severe post-obstetric perineal tears: Medium-term consequences on women's quality of life]. 2015 , 25, 530-5		1
1125	Transanal total mesorectal excision: a systematic review of the experimental and clinical evidence. 2015 , 19, 69-82		55
1124	Early experience with the modified approach of ligation of the intersphincteric fistula tract for high transsphincteric fistula. 2015 , 39, 1059-65		10
1123	Study of anorectal function after transanal endoscopic surgery. 2015 , 13, 142-147		23
1122	Temporary sacral nerve stimulation in patients with fecal incontinence owing to rectal hyposensitivity: a prospective, double-blind study. 2015 , 157, 56-63		5
1121	Management of complex anorectal fistulas with seton drainage plus partial fistulotomy and subsequent ligation of intersphincteric fistula tract (LIFT). 2015 , 19, 89-95		27
1120	Is sacral neuromodulation here to stay? Clinical outcomes of a new treatment for fecal incontinence. 2015 , 19, 15-9; discussion 19-20		19
1119	Evaluation of transcutaneous electrical posterior tibial nerve stimulation for the treatment of fecal and urinary leaks in children: preliminary results. 2015 , 50, 630-3		24
1118	Impact of Bowel Endometriosis Surgery on Bowel and Bladder Function, Pain Symptoms and Quality of Life. 2016 , 8, 55-61		2
1117	Prevalence of pelvic floor symptoms in female patients attending the two-week wait clinic with suspected colorectal cancer. 2016 , 98, 413-8		1
1116	Feasibility of transanal endoscopic total mesorectal excision for rectal cancer: results of a pilot study. 2016 , 91, 187-194		5
1115	A Randomized Controlled Trial Comparing Suture-Fixation Mucopexy and Doppler-Guided Hemorrhoidal Artery Ligation in Patients with Grade III Hemorrhoids. 2016 , 2016, 8143703		9
1114	Outcomes of Sacral Neurostimulation Lead Reimplantation for Fecal Incontinence: A Cohort Study. <i>Diseases of the Colon and Rectum</i> , 2016 , 59, 48-53	3.1	8
1113	Impact of Organ-Preserving Strategies on Anorectal Function in Patients with Distal Rectal Cancer Following Neoadjuvant Chemoradiation. <i>Diseases of the Colon and Rectum</i> , 2016 , 59, 264-9	3.1	82

1112	Impact of Pelvic Floor Physical Therapy on Quality of Life and Function After Obstetric Anal Sphincter Injury: A Randomized Controlled Trial. 2016 , 22, 205-13		18
1111	Systematic Review of Surgical Treatments for Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2016 , 59, 443-69	3.1	14
1110	Critical analysis of fecal incontinence scores. 2016 , 32, 737-41		9
1109	Definitive seton management for transsphincteric fistula-in-ano: harm or charm?. 2016 , 18, 488-95		19
1108	Validation of the Fecal Incontinence Severity Index in a Turkish Population. 2016 , 22, 283-6		1
1107	Long-term functional outcomes following colorectal resection versus shaving for rectal endometriosis. 2016 , 215, 762.e1-762.e9		58
1106	Effect of age, patient's sex, and type of trauma on the correlation between size of sphincter defect and anal pressures in posttraumatic fecal incontinence. 2016 , 160, 1318-1325		11
1105	Does robotics improve minimally invasive rectal surgery? Functional and oncological implications. 2016 , 17, 88-94		10
1104	Transanal natural orifice specimen extraction in colorectal surgery: bacteriological and oncological concerns. 2016 , 86, 299-302		23
1103	Transanal submucosal polyacrylamide gel injection treatment of anal incontinence: a randomized controlled trial. 2016 , 95, 528-33		6
1102	Prospective cohort study of phenotypic variation based on an anal sphincter function in adults with fecal incontinence. 2016 , 28, 1554-60		9
1101	Robot-Assisted Sacrocolporectomy for Multicompartment Prolapse of the Pelvic Floor: A Prospective Cohort Study Evaluating Functional and Sexual Outcome. <i>Diseases of the Colon and Rectum</i> , 2016 , 59, 968-74	3.1	25
1100	Anal sphincter dysfunction in multiple sclerosis: an observation manometric study. 2016 , 11, 509-517		9
1099	Libertas: a phase II placebo-controlled study of NRL001 in patients with faecal incontinence showed an unexpected and sustained placebo response. 2016 , 31, 1205-16		4
1098	Clinical correlates of faecal incontinence in systemic sclerosis: identifying therapeutic avenues. 2017 , 56, 581-588		11
1097	Sacral nerve stimulation versus percutaneous posterior tibial nerve stimulation in the treatment of severe fecal incontinence in men. 2016 , 20, 317-319		18
1096	Rectosigmoidectomía perineal para el tratamiento del prolapso rectal completo. 2016 , 68, 233-236		
1095	Intraoperative Peripheral Nerve Injury in Colorectal Surgery. An Update. 2016 , 94, 125-136		

1094	Quality of life of Brazilian women with urinary incontinence and the impact on their sexual function. 2016 , 201, 56-60	18
1093	Complex Anorectal Fistulas. 2016 , 245-274	2
1092	Gastrointestinal System. 2016 , 53-79	
1091	Functional Anorectal Disorders. 2016 ,	224
1090	Evaluation and Treatment of FI. 2016 , 1091-1105	2
1089	Fecal incontinence among nursing home residents: Is it still a problem?. 2016 , 65, 79-84	9
1088	Stem Cells. 2016 , 133-162	
1087	Bowel function after laparoscopic posterior sutured rectopexy versus ventral mesh rectopexy for rectal prolapse: a double-blind, randomised single-centre study. 2016 , 1, 291-297	28
1086	Significance of defect closure following transanal local full-thickness excision of rectal malignant tumors. 2016 , 5, 449-454	11
1085	Pelvic floor assessment after delivery: how should women be selected?. 2016 , 206, 153-157	6
1084	Anterior Perineal PlanE for ultra-low Anterior Resection of the rectum (APPEAR) technique: A systematic review. 2016 , 33 Pt A, 117-23	1
1083	Multicentre observational study of the Gatekeeper for faecal incontinence. 2016 , 103, 290-9	38
1082	Endpoints for therapeutic interventions in faecal incontinence: small step or game changer. 2016 , 28, 1123-33	13
1081	Conversations for providers caring for patients with rectal cancer: Comparison of long-term patient-centered outcomes for patients with low rectal cancer facing ostomy or sphincter-sparing surgery. 2016 , 66, 387-97	15
1080	Systematic review of the impact of sacral neuromodulation on clinical symptoms and gastrointestinal physiology. 2016 , 86, 232-6	10
1079	[Surgical aspects of indications and techniques for adenomatous polyposis variants]. 2016 , 87, 709-22	1
1078	Steven Wexner (1957) du score.... 2016 , 10, 264-266	
1077	Emerging Trends in the Etiology, Prevention, and Treatment of Gastrointestinal Anastomotic Leakage. 2016 , 20, 2035-2051	96

1076	Colonic prolapse after intersphincteric resection for very low rectal cancer: a report of 12 cases. 2016 , 20, 701-5	10
1075	Systematic review of the prevalence of faecal incontinence. 2016 , 103, 1589-1597	74
1074	Patient-centered outcomes to decide treatment strategy for patients with low rectal cancer. 2016 , 114, 630-636	7
1073	Laparoscopic ventral rectopexy in male patients with external rectal prolapse is associated with a high reoperation rate. 2016 , 20, 715-20	8
1072	The Effect of Perineal Lacerations on Pelvic Floor Function and Anatomy at 6 Months Postpartum in a Prospective Cohort of Nulliparous Women. 2016 , 43, 293-302	38
1071	Comparison of stapled haemorrhoidopexy with traditional excisional surgery for haemorrhoidal disease (eTHoS): a pragmatic, multicentre, randomised controlled trial. 2016 , 388, 2375-2385	105
1070	Incontinence after Intersphincteric Resection. 2016 , 69, 499-506	
1069	Functional Outcome after Surgery for Anal Fissure in Japan. 2016 , 69, 540-548	
1068	Functional Results of Intersphincteric Resection for Low Rectal Cancer. 2016 , 69, 513-520	1
1067	Chirurgische Aspekte zu Indikation und Technik bei Varianten der adenomatösen Polyposis. 2016 , 11, 497-511	
1066	Dynamic Article: Percutaneous Nerve Evaluation Versus Staged Sacral Nerve Stimulation for Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2016 , 59, 962-7	3.1 7
1065	The Effect of Biofeedback Therapy on Anorectal Function After the Reversal of Temporary Stoma When Administered During the Temporary Stoma Period in Rectal Cancer Patients With Sphincter-Saving Surgery: The Interim Report of a Prospective Randomized Controlled Trial. 2016 , 35, 361-4	11
1064	Is electromyography a predictive test of patient response to biofeedback in the treatment of fecal incontinence?. 2016 , 35, 390-4	12
1063	Do endoflip assessments of anal sphincter distensibility provide more information on patients with fecal incontinence than high-resolution anal manometry?. 2016 , 28, 399-409	33
1062	New kid on the block: perineal stapled prolapse resection (PSP) is it worthwhile in the long-term?. 2016 , 401, 519-29	6
1061	Laparoscopic Low Anterior Resection of the Rectum with Transanal Prolapsing Specimen Extraction: Early Experience with 23 Patients. 2016 , 26, 379-85	1
1060	Prevalence of unrepaired third- and fourth-degree tears among women taken to the operating room for repair of presumed obstetric fistula during two fistula camps in Kenya. 2016 , 27, 463-6	5
1059	Fecal Incontinence and Pelvic Floor Dysfunction in Women: A Review. 2016 , 45, 217-37	10

1058	Long-term results of extended intersphincteric resection for very low rectal cancer: a retrospective study. 2016 , 16, 21		10
1057	Robotic ventral rectopexy. 2016 , 27, 160-165		1
1056	The functional results of radical rectal cancer surgery: review of the literature. 2016 , 116, 1-10		38
1055	Common Tests for the Pelvic Floor. 2016 , 1027-1049		
1054	Potential sexual function improvement by using transanal mesorectal approach for laparoscopic low rectal cancer excision. 2016 , 30, 4924-4933		50
1053	Sacral nerve stimulation for fecal incontinence in a patient with anti-phospholipid syndrome-related autonomic neuropathy. 2016 , 53, 992-4		
1052	Assessment of pelvic organ prolapse: a review. 2016 , 48, 681-692		37
1051	Predicting the Risk of Bowel-Related Quality-of-Life Impairment After Restorative Resection for Rectal Cancer: A Multicenter Cross-Sectional Study. <i>Diseases of the Colon and Rectum</i> , 2016 , 59, 270-80	3.1	101
1050	Effects of pelvic floor muscle exercise on faecal incontinence in rectal cancer patients after stoma closure. 2016 , 25, 449-57		12
1049	Does anal sphincter injury preclude subsequent vaginal delivery?. 2016 , 198, 30-34		80
1048	SaFaRI: sacral nerve stimulation versus the FENIX magnetic sphincter augmentation for adult faecal incontinence: a randomised investigation. 2016 , 31, 465-72		24
1047	Female sexual function and fertility after ileal pouch-anal anastomosis. 2016 , 31, 593-601		18
1046	Validity and reliability of a Lithuanian version of low anterior resection syndrome score. 2016 , 20, 215-20		30
1045	Bowel occult microscopic endometriosis in resection margins in deep colorectal endometriosis specimens has no impact on short-term postoperative outcomes. 2016 , 105, 423-9.e7		36
1044	Electrophysiology-based quality assurance of nerve-sparing in laparoscopic rectal cancer surgery: Is it worth the effort?. 2016 , 30, 4525-32		13
1043	The outcome of fistulotomy for anal fistula at 1 year: a prospective multicentre French study. 2016 , 18, 279-85		35
1042	Transanal vs laparoscopic total mesorectal excision for rectal cancer: initial experience from Denmark. 2016 , 18, 51-8		62
1041	Perineal body stretch during labor does not predict perineal laceration, postpartum incontinence, or postpartum sexual function: a cohort study. 2016 , 27, 1193-200		13

1040	Treatment of faecal incontinence using allogeneic-adipose-derived mesenchymal stem cells: a study protocol for a pilot randomised controlled trial. 2016 , 6, e010450	11
1039	Effect of simple and radical hysterectomy on quality of life - analysis of all aspects of pelvic floor dysfunction. 2016 , 198, 84-88	14
1038	The CONFIDENT trial - Authors' reply. 2016 , 387, 644-645	1
1037	Translation and validation of the traditional Chinese version of the faecal incontinence quality of life scale. 2016 , 31, 445-50	4
1036	Long-term outcome after transvaginal mesh repair of pelvic organ prolapse. 2016 , 27, 1069-74	22
1035	Impact of the Bowel Management Program on the quality of life in children with fecal incontinence. 2016 , 32, 471-6	12
1034	A posterior anal sling for fecal incontinence: results of a 152-patient prospective multicenter study. 2016 , 214, 349.e1-8	24
1033	Effect of vaginal delivery on anal sphincter function in Asian primigravida: a prospective study. 2016 , 27, 1375-81	1
1032	Cultural adaptation and validation of the Wexner scale in patients with anal incontinence in a Brazilian population. 2016 , 27, 959-63	10
1031	Anal Fistula. 2016 , 127-152	
1030	Anal Incontinence. 2016 , 109-130	
1029	Implantation of SphinkKeeper(TM): a new artificial anal sphincter. 2016 , 20, 59-66	28
1028	Long-term effects of vacuum extraction on pelvic floor function: a cohort study in primipara. 2016 , 27, 1051-6	9
1027	Midterm functional results of taTME with neuromapping for low rectal cancer. 2016 , 20, 41-9	38
1026	Intraoperative peripheral nerve injury in colorectal surgery. An update. 2016 , 94, 125-36	5
1025	Therapeutic Evaluation of Biofeedback Therapy in the Treatment of Anterior Resection Syndrome After Sphincter-Saving Surgery for Rectal Cancer. 2016 , 15, e101-7	24
1024	Exhausted implanted pulse generator in sacral nerve stimulation for faecal incontinence: What next in daily practice for patients?. 2016 , 31, 439-44	6
1023	Evaluation of the structured bowel management program in inpatient rehabilitation: a prospective study. 2016 , 38, 544-51	

1022	Management of patients with faecal incontinence. 2016 , 9, 86-97	37
1021	Layer-oriented total pelvic exenteration for locally advanced primary colorectal cancer. 2016 , 31, 59-66	1
1020	Risk of complications and long-term functional alterations after local excision of rectal tumors with transanal endoscopic microsurgery (TEM). 2016 , 31, 257-66	39
1019	Sacral nerve stimulation for faecal incontinence - efficacy confirmed from a two-centre prospectively maintained database. 2016 , 31, 421-8	22
1018	Further evidence for preoperative chemoradiotherapy and transanal endoscopic surgery (TEM) in T2-3s,N0,M0 rectal cancer. 2016 , 18, 666-71	8
1017	Stapled hemorrhoidopexy: functional results, recurrence rate, and prognostic factors in a single center analysis. 2016 , 31, 35-9	9
1016	Minimally invasive treatment of traumatic high rectovaginal fistulas. 2016 , 30, 379-87	8
1015	Psychometric evaluation of an online and paper accidental bowel leakage questionnaire: The ICIQ-B questionnaire. 2017 , 36, 166-170	8
1014	Laparoscopic ventral mesh rectopexy vs Delorme's operation in management of complete rectal prolapse: a prospective randomized study. 2017 , 19, 50-57	29
1013	Postpartum two- and three-dimensional ultrasound evaluation of anal sphincter complex in women with obstetric anal sphincter injury. 2017 , 49, 508-514	28
1012	Functional outcomes after disc excision in deep endometriosis of the rectum using transanal staplers: a series of 111 consecutive patients. 2017 , 107, 977-986.e2	52
1011	Usefulness of anorectal and endovaginal 3D ultrasound in the evaluation of sphincter and pubovisceral muscle defects using a new scoring system in women with fecal incontinence after vaginal delivery. 2017 , 32, 499-507	9
1010	Are Obese Patients at an Increased Risk of Pelvic Floor Dysfunction Compared to Non-obese Patients?. 2017 , 27, 1822-1827	10
1009	Increased yield pressure in the anal canal during sacral nerve stimulation: a pilot study with the functional lumen imaging probe. 2017 , 29, e12929	13
1008	The changes in resting anal pressure after performing full-thickness rectal advancement flaps. 2017 , 214, 428-431	6
1007	Pathophysiology of fecal incontinence in obese patients: A prospective case-matched study of 201 patients. 2017 , 29, e13051	9
1006	Physiological study of the anorectal reflex in patients with functional anorectal and defecation disorders. 2017 , 18, 222-228	6
1005	Predictive factors for recurrence of high transsphincteric anal fistula after placement of seton. 2017 , 213, 261-268	35

1004	Clinical impact of bowel symptoms in women with pelvic floor disorders. 2017 , 28, 1415-1420	5
1003	Midterm outcomes of injectable bulking agents for fecal incontinence: a systematic review and meta-analysis. 2017 , 21, 203-210	10
1002	Fecal incontinence and radiation dose on anal sphincter in patients with locally advanced rectal cancer (LARC) treated with preoperative chemoradiotherapy: a retrospective, single-institutional study. 2017 , 19, 969-975	9
1001	Patient-Controlled Biofeedback Device for the Treatment of Fecal Incontinence: A Pilot Study. 2017 , 42, 133-137	6
1000	Sacral nerve stimulation can alleviate symptoms of bowel dysfunction after colorectal resections. 2017 , 19, 756-763	24
999	Percutaneous tibial nerve stimulation (pTNS): success rate and the role of rectal capacity. 2017 , 32, 789-796	6
998	Factors Associated with Fecal Incontinence in Women of Childbearing Age with Crohn's Disease. 2017 , 23, 775-780	6
997	A multicentre randomised controlled trial to evaluate the efficacy, morbidity and functional outcome of endoscopic transanal proctectomy versus laparoscopic proctectomy for low-lying rectal cancer (ETAP-GRECCAR 11 TRIAL): rationale and design. 2017 , 17, 253	62
996	Advancement Flap for Treatment of Complex Cryptoglandular Anal Fistula: Prediction of Therapy Success or Failure Using Anamnestic and Clinical Parameters. 2017 , 41, 2395-2400	15
995	Pelvic floor symptoms and quality of life changes during first pregnancy: a prospective cohort study. 2017 , 28, 1701-1707	22
994	Technique of the transobturator puborectal sling in fecal incontinence. 2017 , 21, 315-318	7
993	Long-term Experience of Magnetic Anal Sphincter Augmentation in Patients With Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2017 , 60, 87-95	3.1 21
992	Defecatory dysfunction and fecal incontinence in women with or without posterior vaginal wall prolapse as measured by pelvic organ prolapse quantification (POP-Q). 2017 , 214, 50-55	8
991	A pilot study assessing the efficacy of posterior tibial nerve stimulation in the treatment of low anterior resection syndrome. 2017 , 21, 287-293	15
990	Defining low anterior resection syndrome: a systematic review of the literature. 2017 , 19, 713-722	84
989	Sacral nerve stimulation can be an effective treatment for low anterior resection syndrome. 2017 , 19, 927-933	19
988	Impact of mediolateral episiotomy on incidence of obstetrical anal sphincter injury diagnosed by endoanal ultrasound. 2017 , 51, 40-43	10
987	Functional and quality of life outcomes following obstetric anal sphincter injury (OASI): does the grade of injury affect outcomes?. 2017 , 28, 1709-1717	8

986	Prospective evaluation of transanal irrigation for fecal incontinence and constipation. 2017 , 21, 363-371	30
985	Organ preservation for rectal cancer (GRECCAR 2): a prospective, randomised, open-label, multicentre, phase 3 trial. 2017 , 390, 469-479	162
984	Intersphincteric resection for very low rectal cancer: A review of the updated literature. 2017 , 1, 24-32	24
983	Transanal endoscopic microsurgery after neoadjuvant radiochemotherapy for locally advanced extraperitoneal rectal cancer. 2017 , 43, 1488-1493	8
982	Autologous adipose tissue-derived stem cells for the treatment of complex perianal fistulas not associated with Crohn's disease: a phase II clinical trial for safety and efficacy. 2017 , 21, 345-353	21
981	Treatment of Complex Fistula-in-Ano With a Nitinol Proctology Clip. <i>Diseases of the Colon and Rectum</i> , 2017 , 60, 723-728	3.1 10
980	Incontinence. 2017 , 209-226	
979	Deoti surgical flap and sphincteroplasty for treatment of severe perineal deformity. 2017 , 37, 095-099	1
978	Transperineal repair of third degree perineal tear and anterior rectocele with complete perineal body reconstruction - a video vignette. 2017 , 19, 504	4
977	Robot-assisted intersphincteric resection facilitates an efficient sphincter-saving in patients with low rectal cancer. 2017 , 32, 1137-1145	12
976	Patient preferences for endpoints in fecal incontinence treatment studies. 2017 , 29, e13032	7
975	The Impact of Anastomotic Leakage on Anal Function Following Intersphincteric Resection. 2017 , 41, 2168-2177	17
974	An abbreviated Faecal Incontinence Quality of Life Scale for Chinese-speaking population with colorectal cancer after surgery: cultural adaptation and item reduction. 2017 , 26, e12547	1
973	Sphincter-Preserving Surgery for Low Rectal Cancer: Do We Overshoot the Mark?. 2017 , 21, 885-891	17
972	Evaluation of anatomical and functional results of overlapping anal sphincter repair with or without the injection of bone marrow aspirate concentrate: a case-control study. 2017 , 19, O66-O74	9
971	Bowel Dysfunction Related to Spina Bifida: Keep It Simple. <i>Diseases of the Colon and Rectum</i> , 2017 , 60, 1209-1214	3.1 18
970	Prevalence of anal incontinence in a working population within a healthcare environment. 2017 , 52, 1340-1347	2
969	Perineal resectional procedures for the treatment of complete rectal prolapse: A systematic review of the literature. 2017 , 46, 146-154	25

968	Hirschsprung disease-Bowel function beyond childhood. 2017 , 26, 322-327			32
967	Utility of Endoanal Ultrasonography in Assessment of Primary and Recurrent Anal Fistulas and for Detection of Associated Anal Sphincter Defects. 2017 , 21, 1879-1887			15
966	Does a Defunctioning Stoma Impair Anorectal Function After Low Anterior Resection of the Rectum for Cancer? A 12-Year Follow-up of a Randomized Multicenter Trial. <i>Diseases of the Colon and Rectum</i> , 2017 , 60, 800-806	3.1		26
965	Validation of Risk Factors for Fecal Incontinence in Patients With Crohn's Disease. <i>Diseases of the Colon and Rectum</i> , 2017 , 60, 845-851	3.1		12
964	Factibility and security study of the PICS-AFâplug for the treatment of cryptoglandular anal fistula. 2017 , 95, 208-213			2
963	Patterns of recurrence/persistence of criptoglandular anal fistula after the LIFT procedure. Long-term observacional study. 2017 , 95, 385-390			11
962	Randomized clinical trial of percutaneous tibial nerve stimulation versus sham electrical stimulation in patients with faecal incontinence. 2017 , 104, 1167-1176			28
961	Factibility and Security Study of the PICS-AFâPlug for the Treatment of Cryptoglandular Anal Fistula. 2017 , 95, 208-213			1
960	Benign anorectal conditions. 2017 , 35, 443-450			
959	Patient selection and preoperative evaluation for fecal incontinence. 2017 , 28, 160-163			
958	Technical considerations for sacral nerve stimulator insertion. 2017 , 28, 164-168			1
957	Long-Term Functional and Oncological Outcomes Following Intersphincteric Resection for Low Rectal Cancers. 2017 , 8, 457-461			15
956	A Cross-Sectional Review of Reporting Variation in Postoperative Bowel Dysfunction After Rectal Cancer Surgery. <i>Diseases of the Colon and Rectum</i> , 2017 , 60, 240-247	3.1		20
955	Temporary successful results of ventral rectopexy for enterocele surgical correction, about 138 patients. 2017 , 32, 1569-1575			6
954	Prevalence and predictors of overactive bladder in nonpregnant nulliparous women below 65 years of age. 2018 , 29, 531-537			3
953	Choosing the right surgical technique for deep endometriosis: shaving, disc excision, or bowel resection?. 2017 , 108, 931-942			114
952	Patterns of Recurrence/Persistence of Cryptoglandular Anal Fistula After the LIFT Procedure. Long-Term Observational Study. 2017 , 95, 385-390			0
951	Erfassen ggige Inkontinenzscores die tschliche Kontinenzsituation der Patienten?. 2017 , 39, 11-12			

950	Treatment for anal fissure: Is there a safe option?. 2017 , 214, 623-628	8
949	Restorative resection of radiation rectovaginal fistula can better relieve anorectal symptoms than colostomy only. 2017 , 15, 37	4
948	A new method for treating fecal incontinence by implanting stem cells derived from human adipose tissue: preliminary findings of a randomized double-blind clinical trial. 2017 , 8, 40	38
947	Two-stage Turnbull-Cutait pull-through coloanal anastomosis versus coloanal anastomosis with protective loop ileostomy for low rectal cancer. Protocol for a randomized controlled trial (Turnbull-BCN). 2017 , 32, 1357-1362	11
946	Comparative Study Between Trans-perineal Repair With or Without Limited Internal Sphincterotomy in the Treatment of Type I Anterior Rectocele: a Randomized Controlled Trial. 2017 , 21, 380-388	11
945	Functional outcomes after TEM in patients with complete clinical response after neoadjuvant chemoradiotherapy. 2017 , 31, 2997-3003	9
944	A novel method for treatment of chronic anal fissure: adipose-derived regenerative cells - a pilot study. 2017 , 19, 570-575	15
943	Bowel function in patients with urinary diversion: a gender-matched comparison of continent urinary diversion with the ileocecal pouch and ileal conduit. 2017 , 35, 913-919	8
942	An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for female anorectal dysfunction. 2017 , 36, 10-34	39
941	An International Urogynecological Association (IUGA)/International Continence Society (ICS) joint report on the terminology for female anorectal dysfunction. 2017 , 28, 5-31	52
940	Surgical Management of Fistula-in-ano Among Patients With Crohn's Disease: Analysis of Outcomes After Fistulotomy or Seton Placement-Single-Center Experience. 2017 , 106, 211-215	13
939	Episiotomy. 2017 , 69-99	1
938	Residual defects after repair of obstetric anal sphincter injuries and pelvic floor muscle strength are related to anal incontinence symptoms. 2017 , 28, 455-460	10
937	Effect of bariatric surgery on urinary and fecal incontinence: prospective analysis with 1-year follow-up. 2017 , 13, 305-312	21
936	Can three-dimensional high-resolution anorectal manometry detect anal sphincter defects in patients with faecal incontinence?. 2017 , 19, 468-475	17
935	Patient History Data Collection in Coloproctology. 2017 , 107-111	
934	Signs and Symptoms in Coloproctology: Data Collection and Scores. 2017 , 127-150	
933	Diagnosis in Coloproctology: From the General Practitioner to the Tertiary Referral Center. 2017 , 151-165	

932	Quality of life following fistulotomy - short term follow-up. 2017 , 19, 563-569	6
931	Urinary incontinence in nulliparous women aged 25-64 years: a national survey. 2017 , 216, 149.e1-149.e11	36
930	Sacral neuromodulation for the treatment of faecal incontinence following proctectomy. 2017 , 19, O145-O1528	
929	Faecal incontinence in patients with a sphincter defect: comparison of sphincteroplasty and sacral nerve stimulation. 2017 , 19, 456-461	16
928	Prevalence of fecal incontinence in a cohort of systemic sclerosis patients within a regional referral network. 2017 , 5, 1046-1050	3
927	Postoperative complications after stapled and hand-sewn ileal pouch-anal anastomosis for familial adenomatous polyposis: A multicenter study. 2017 , 1, 143-149	7
926	Feasibility of 256-Channel High-Resolution Manometry for the Evaluation of Anorectal Function. 2017 , 70, 655-660	
925	Neurostimulation for fecal incontinence after correction of repair of imperforate anus. 2017 , 5, 124-127	
924	Pathophysiological aspects of the low anterior resection syndrome for treatment of rectal cancer. 2017 , 44, 397-402	8
923	Ligation of Intersphincteric Fistula Tract Is Suitable for Recurrent Anal Fistulas from Follow-Up of 16 Months. 2017 , 2017, 3152424	11
922	Efficacy of antibiotherapy for treating flatus incontinence associated with small intestinal bacterial overgrowth: A pilot randomized trial. 2017 , 12, e0180835	5
921	Stuhlinkontinenz. 2017 , 39, 353-364	3
920	Novel anal sphincter saving procedure with partial excision of levator-ani muscle in rectal cancer invading ipsilateral pelvic floor. 2017 , 93, 195-202	8
919	Fecal incontinence - Challenges and solutions. 2017 , 23, 11-24	61
918	Simple instruments facilitating achievement of transanal total mesorectal excision in male patients. 2017 , 23, 5798-5808	4
917	Functional outcome after laparoscopic nerve-sparing sacrocolpopexy: a prospective cohort study. 2018 , 97, 744-750	11
916	Pelvic Floor Muscle Training Versus Watchful Waiting and Pelvic Floor Disorders in Postpartum Women: A Systematic Review and Meta-analysis. 2018 , 24, 142-149	23
915	Fecal incontinence after transanal endoscopic microsurgery. 2018 , 33, 467-472	9

914	Long-term functional outcomes of perineal gangrene: worse than expected?-an observational retrospective study. 2018 , 33, 589-592		0
913	The evolution of transanal surgery for obstructed defecation syndrome: Mid-term results from a randomized study comparing double TST 36 HV and Contour TRANSTAR staplers. 2018 , 216, 893-899		3
912	Before and after Anorectal Surgery: Which Information Is Needed from the Functional Laboratory?. 2018 , 34, 128-133		2
911	Three-cavity clearance (TCC) can decrease the fistula rate after drainage of a perianal abscess: a case-control study. 2018 , 6, 221-224		3
910	Usefulness of Fecoflowgram for Assessment of Defecation after Intersphincteric Resection. 2018 , 98, 81-86		1
909	Three-Dimensional Endoanal Ultrasound Features of the Anal Sphincter in Asian Primigravidae. 2018 , 37, 2821-2827		3
908	Anal sphincter dysfunction in patients treated with primary radiotherapy for anal cancer: a study with the functional lumen imaging probe. 2018 , 57, 465-472		10
907	Validation of the Japanese Version of the Low Anterior Resection Syndrome Score. 2018 , 42, 2660-2667		15
906	Fecal incontinence knowledge, attitudes, and help-seeking behaviors among community-dwelling adults in Korea. 2018 , 37, 1474-1484		1
905	Does Ventral Rectopexy Improve Pelvic Floor Function in the Long Term?. <i>Diseases of the Colon and Rectum</i> , 2018 , 61, 230-238	3.1	19
904	Long-term functional and oncological results after sphincter-saving resection for rectal cancer - Cohort study. 2018 , 52, 1-6		9
903	The diagnostic value of the functional lumen imaging probe versus high-resolution anorectal manometry in patients with fecal incontinence. 2018 , 30, e13291		12
902	Risk factor for permanent stoma and incontinence quality of life after sphincter-preserving surgery for low rectal cancer without a diverting stoma. 2018 , 2, 79-86		9
901	Radiological Changes After Resection Rectopexy in Patients with Rectal Prolapse-Influence on Clinical Symptoms and Quality of Life. 2018 , 22, 731-736		1
900	Can we correlate pelvic floor dysfunction severity on MR defecography with patient-reported symptom severity?. 2018 , 70, 467-476		10
899	Functional outcomes with handsewn versus stapled anastomoses in the treatment of ultralow rectal cancer. 2018 , 70, 15-21		10
898	Effectiveness of sacral nerve stimulation in fecal incontinence after multimodal oncologic treatment for pelvic malignancies: a multicenter study with 2-year follow-up. 2018 , 22, 97-105		11
897	Conservative surgery versus colorectal resection in deep endometriosis infiltrating the rectum: a randomized trial. 2018 , 33, 47-57		91

896	Abnormal neuronal response to rectal and anal stimuli in patients treated with primary radiotherapy for anal cancer. 2018 , 128, 369-374		7
895	Antegrade Enema After Total Mesorectal Excision for Rectal Cancer: The Last Chance to Avoid Definitive Colostomy for Refractory Low Anterior Resection Syndrome and Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2018 , 61, 667-672	3.1	19
894	Reproducibility, feasibility and validity of the Groningen Defecation and Fecal Continence questionnaires. 2018 , 53, 790-796		12
893	Subtypes and symptoms of fecal incontinence in the Dutch population: a cross-sectional study. 2018 , 33, 919-925		7
892	Fecal Incontinence in Inflammatory Bowel Disease: A Systematic Review and Meta-Analysis. 2018 , 24, 1280-1290		21
891	Anal sphincter function as assessed by 3D high definition anorectal manometry. 2018 , 42, 378-381		5
890	Outcomes of primary anal sphincter repair after obstetric injury and evaluation of a novel three-choice assessment. 2018 , 22, 209-214		11
889	Autologous Myoblasts for the Treatment of Fecal Incontinence: Results of a Phase 2 Randomized Placebo-controlled Study (MIAS). 2018 , 267, 443-450		30
888	Laparoscopic Ventral Rectopexy Versus Laparoscopic Wells Rectopexy for Complete Rectal Prolapse: Long-Term Results. 2018 , 28, 1-6		15
887	Randomised controlled trial of transanal endoscopic microsurgery versus endoscopic mucosal resection for large rectal adenomas (TREND Study). 2018 , 67, 837-846		39
886	Interview-based versus self-reported anal incontinence using St Mark's incontinence score. 2018 , 29, 667-671		6
885	Predicting risk of pelvic floor disorders 12 and 20 years after delivery. 2018 , 218, 222.e1-222.e19		44
884	Fecal incontinence in patients with spina bifida: The target is the rectum. 2018 , 37, 1082-1087		4
883	Botulinum toxin injection vs topical nitrates for chronic anal fissure: an updated systematic review and meta-analysis of randomized controlled trials. 2018 , 20, 6-15		25
882	Long-Term Outcome of Patients Undergoing Total Proctocolectomy with Ileal Pouch-Anal Anastomosis in Childhood. 2018 , 24, 86		0
881	Targets for interventions for faecal incontinence in inflammatory bowel disease: a systematic review. 2018 , 53, 1476-1483		4
880	Faecal Incontinence. 2018 ,		
879	Challenges in the Surgical Treatment of Rectal Prolapse. 2018 ,		

878	A quest for sphincter-saving surgery in ultralow rectal tumours-a single-centre cohort study. 2018 , 16, 218		11
877	Prevalence and risk factors for urinary and anal incontinence in Tunisian middle aged women. 2018 , 24, 368-373		1
876	Prognostic and predictive value of interstitial cells of Cajal populations following stapled transanal rectal resection (STARR) in patients with obstructed defecation syndrome. 2018 , 6, 270-276		5
875	LONG-TERM OUTCOMES OF LIGATION OF INTERSPHINCTERIC FISTULA TRACT FOR COMPLEX FISTULA-IN-ANO: MODIFIED OPERATIVE PROCEDURE EXPERIENCE. 2018 , 31, e1404		8
874	Anal Fistula Laser Closure: the length of fistula is the Achilles' heel. 2018 , 22, 933-939		28
873	Outcome After Redo Surgery for Complicated Colorectal and Coloanal Anastomosis: A Systematic Review. <i>Diseases of the Colon and Rectum</i> , 2018 , 61, 988-998	3.1	16
872	Mid term functional results following surgical treatment of recto-urinary fistulas postprostate cancer treatment. 2018 , 28, 915-920		3
871	Efficacy of Bilateral Transcutaneous Posterior Tibial Nerve Stimulation for Fecal Incontinence. 2018 , 22, 17-231		5
870	ROK study-C (Rainbow of KIBOU study-colorectum): a colorectal cancer survivor cohort study on food, nutrition, physical activity, psychosocial factors and its influences on colorectal cancer recurrence, survival and quality of life in Japan. 2018 , 18, 953		3
869	FUNCTIONAL AND ANATOMICAL ANALYSIS OF THE ANORECTUM OF FEMALE SCLERODERMA PATIENTS AT A CENTER FOR PELVIC FLOOR DISORDERS. 2018 , 55Suppl 1, 47-51		3
868	Defunctioning ileostomy and mechanical bowel preparation may contribute to development of low anterior resection syndrome. 2018 , 13, 306-314		8
867	High ligation of the anal fistula tract by lateral approach: A prospective cohort study on a modification of the ligation of the intersphincteric fistula tract (LIFT) technique. 2018 , 60, 9-14		12
866	[Cesarean section and perineal protection: CNGOF Perineal Prevention and Protection in Obstetrics Guidelines]. 2018 , 46, 968-985		2
865	Laparoscopic Ventral Mesh Rectopexy: Functional Outcomes after Surgery. 2018 , 4, e205-e211		9
864	Comparison of porcine collagen paste injection and rectal advancement flap for the treatment of complex cryptoglandular anal fistulas: a 2-year follow-up study. 2018 , 33, 1723-1731		4
863	Adverse obstetric history is not a risk factor for poor outcome after ventral rectopexy for obstructive defaecation syndrome. 2018 , 20, 1125-1131		2
862	Bowel dysfunction after sigmoid resection for cancer and its impact on quality of life. 2019 , 106, 142-151		19
861	Long-Term Outcome Following Implanted Pulse Generator Change in Patients Treated With Sacral Nerve Modulation for Fecal Incontinence. 2018 , 21, 694-699		4

860	Doppler-guided hemorrhoidal dearterialization with laser (HeLP): a prospective analysis of data from a multicenter trial. 2018 , 22, 635-643	13
859	Operative vaginal delivery in case of persistent occiput posterior position after manual rotation failure: a 6-month follow-up on pelvic floor function. 2018 , 298, 111-120	9
858	Posterolateral versus lateral internal anal sphincterotomy in the treatment of chronic anal fissure: a randomized controlled trial. 2018 , 33, 1461-1467	9
857	Modified Transanosphincteric (York Mason) Repair of Nonradiated Rectourinary Fistulae: Patient-reported Fecal Continence Outcomes. 2018 , 118, 220-226	4
856	Botulin toxin injection to improve the results of sphincter overlap in high grade obstetric anal sphincter injury syndrome. 2018 , 22, 457-459	
855	How to define pathologic pelvic floor descent in MR defecography during defecation?. 2018 , 43, 3233-3240	8
854	Gender-based analysis of the characteristics and outcomes of surgery for anal fistula: analysis of more than 560 cases. 2018 , 38, 199-206	9
853	Continence changes following transanal endoscopic microsurgery result from the impact on rectal capacity: clinical and functional evaluation before and after surgical treatment. 2018 , 38, 227-232	1
852	Robotic rectal resection: preliminary Russian experience. 2018 , 38, 267-274	
851	Does a missed obstetric anal sphincter injury at time of delivery affect short-term functional outcome?. 2018 , 100, 26-32	8
850	Hostile pelvis: how to avoid permanent stoma. 2018 , 70, 459-465	3
849	Anorectal Dysfunction in Presymptomatic Mutation Carriers and Patients with Huntington's Disease. 2018 , 7, 259-267	6
848	The short-term effects of posterior tibial nerve stimulation on anorectal physiology in patients with faecal incontinence: a single centre experience. 2018 , 11, 1756284818786111	5
847	Physiotherapy and Anterior Resection Syndrome (PARiS) trial: feasibility study protocol. 2018 , 8, e021855	3
846	Long-term outcomes after Natural Orifice Specimen Extraction versus conventional laparoscopy-assisted surgery for rectal cancer: a matched case-control study. 2018 , 94, 26-35	30
845	Bilateral versus unilateral botulinum toxin injections for chronic anal fissure: a randomised trial. 2018 , 22, 545-551	10
844	Laparoscopic delayed coloanal anastomosis without diverting ileostomy for low rectal cancer surgery: 85 consecutive patients from a single institution. 2018 , 22, 511-518	14
843	A comparison of the long-term anorectal function between laparoscopic intersphincteric resection and low anterior resection for low rectal cancer. 2018 , 48, 921-927	7

842	A Modification of the Stapled TransAnal Rectal Resection (STARR) Procedure for Rectal Prolapse. 2018 , 25, 578-585	4
841	Technique and results of the first six cases of anal sphincteroplasty with Deoti's flap for complex anatomical deformity of the perineum. 2018 , 38, 183-188	
840	Fecal incontinence and parity in the Dutch population: A cross-sectional analysis. 2018 , 6, 781-790	5
839	CAN THREE-DIMENSIONAL ANORECTAL ULTRASONOGRAPHY BE INCLUDED AS A DIAGNOSTIC TOOL FOR THE ASSESSMENT OF ANAL FISTULA BEFORE AND AFTER SURGICAL TREATMENT?. 2018 , 55Suppl 1, 18-24	9
838	Comparison of neurogenic lower urinary tract dysfunctions in open versus closed spinal dysraphism: A prospective cross-sectional study of 318 patients. 2018 , 37, 2818-2826	1
837	Pelvic floor dysfunction in the immediate puerperium, and 1 and 3 months after vaginal or cesarean delivery. 2018 , 143, 94-100	7
836	[Sacral neuromodulation in real life: A proper follow-up is required!]. 2018 , 47, 700-701	
835	The symptom of vaginal bulging in nulliparous women aged 25-64 years: a national cohort study. 2019 , 30, 639-647	8
834	Counseling after perineal laceration: does it improve functional outcome?. 2019 , 30, 925-931	2
833	Comparison of transperineal and endoanal ultrasound in detecting residual obstetric anal sphincter injury. 2019 , 98, 1624-1631	13
832	Perinatal incontinence: Psychometric evaluation of the International Consultation on Incontinence Questionnaire-Urinary Incontinence Short Form and Wexner Scale. 2019 , 38, 2209-2223	7
831	Randomized clinical trial of prophylactic transanal irrigation supportive therapy to prevent symptoms of low anterior resection syndrome after rectal resection. 2019 , 3, 461-465	17
830	Fistulotomy with or without marsupialisation of wound edges in treatment of simple anal fistula: a randomised controlled trial. 2019 , 101, 472-478	9
829	Surgical repair of traumatic cloaca: a modified technique. 2019 , 21, 1206-1210	1
828	Is Sacral Nerve Modulation a Good Option for Fecal Incontinence in Men?. 2019 , 22, 745-750	4
827	Relationships between the results of anorectal investigations and symptom severity in patients with faecal incontinence. 2019 , 34, 1445-1454	7
826	The Role of Three-Dimensional Endoanal Ultrasound on Diagnosis and Classification of Sphincter Defects After Childbirth. 2019 , 244, 382-388	2
825	Operative results, sexual function and quality of life after gracilis muscle transposition in complex rectovaginal fistulas. 2019 , 21, 1429-1437	4

824	Functional outcomes after resections for low rectal tumors: comparison of Transanal with laparoscopic Total Mesorectal excision. 2019 , 19, 79	18
823	[Anorectal disorders in patients with multiple sclerosis: Physiopathology, prevalence, impact, and management]. 2019 , 29, 1011-1020	2
822	Usefulness of laparoscopic posterior rectopexy for complete rectal prolapse: A cohort study. 2019 , 72, 109-114	4
821	Surgical outcomes of subtotal colectomy with antiperistaltic caecorectal anastomosis vs total colectomy with ileorectal anastomosis for intractable slow-transit constipation. 2019 , 7, 449-454	6
820	Anoplasty with skin tag flap for the treatment of chronic anal fissure. 2019 , 46, e20192181	7
819	Ventral rectopexy with biological mesh for recurrent disorders of the posterior pelvic organ compartment. 2019 , 34, 1763-1769	4
818	Evaluation of the anorectal motor response after percutaneous stimulation of the posterior tibial nerve in patients with fecal incontinence. 2019 , 23, 987-992	6
817	Fistulotomy and primary sphincteroplasty for anal fistula: long-term data on continence and patient satisfaction. 2019 , 23, 993-1001	19
816	Functional Outcome after Laparoscopic Posterior Sutured Rectopexy Versus Ventral Mesh Rectopexy for Rectal Prolapse: Six-year Follow-up of a Double-blind, Randomized Single-center Study. 2019 , 16, 18-22	13
815	Functional outcome after pouch-anal reconstruction with primary and secondary mucosectomy for patients with familial adenomatous polyposis (FAP). 2019 , 404, 223-229	0
814	Success and Complication Rates After Sacral Neuromodulation for Fecal Incontinence and Constipation: A Single-center Follow-up Study. 2019 , 25, 159-170	18
813	Three-dimensional high-resolution anorectal manometry in functional anorectal disorders: results from a large observational cohort study. 2019 , 34, 719-729	4
812	Strong agreement between interview-obtained and self-administered Wexner and St. Mark's scores using a single questionnaire. 2019 , 30, 2101-2108	2
811	Defective Conduction of Anorectal Afferents Is a Very Prevalent Pathophysiological Factor Associated to Fecal Incontinence in Women. 2019 , 25, 423-435	7
810	PREDICTORS OF UNSUCCESSFUL OF TREATMENT FOR FECAL INCONTINENCE BIOFEEDBACK FOR FECAL INCONTINENCE IN FEMALE. 2019 , 56, 61-65	8
809	Sacral neuromodulation for fecal incontinence in Latin America: initial results of a multicenter study. 2019 , 23, 545-550	5
808	Stem Cell Therapy: A Compassionate Use Program in Perianal Fistula. 2019 , 2019, 6132340	30
807	Socioeconomic Impact of Emergency Therapies for Colorectal Cancer. 2019 , 31-42	

806	Cost-analysis and quality of life after laparoscopic and robotic ventral mesh rectopexy for posterior compartment prolapse: a randomized trial. 2019 , 23, 461-470	9
805	Effects of delivery mode and age on motor unit properties of the external anal sphincter in women. 2019 , 30, 945-950	2
804	Sacral nerve stimulation for bowel dysfunction following low anterior resection: a systematic review and meta-analysis. 2019 , 21, 1240-1248	20
803	Functional Outcomes to Transanal Minimally Invasive Surgery (TAMIS) and Transanal Total Mesorectal Excision (taTME). 2019 , 399-403	
802	Clinical and physiological risk factors for fecal incontinence in chronically constipated women. 2019 , 23, 429-434	2
801	Sacral nerve modulation for faecal incontinence: influence of age on outcomes and complications. A multicentre study. 2019 , 21, 1058-1066	6
800	Three-dimensional high-resolution anorectal manometry can predict response to biofeedback therapy in defecation disorders. 2019 , 34, 1131-1140	7
799	Platelet-rich plasma (PRP) versus fibrin glue in cryptogenic fistula-in-ano: a phase III single-center, randomized, double-blind trial. 2019 , 34, 1113-1119	13
798	A systematic review and network meta-analysis comparing treatments for faecal incontinence. 2019 , 66, 37-47	7
797	Lateral episiotomy versus no episiotomy to reduce obstetric anal sphincter injury in vacuum-assisted delivery in nulliparous women: study protocol on a randomised controlled trial. 2019 , 9, e025050	17
796	IS THE PHYSICIAN EXPERTISE IN DIGITAL RECTAL EXAMINATION OF VALUE IN DETECTING ANAL TONE IN COMPARISON TO ANORECTAL MANOMETRY?. 2019 , 56, 79-83	1
795	Validation of Portuguese version of the low anterior resection syndrome score. 2019 , 39, 001-008	3
794	Baseline severe constipation negatively impacts functional outcomes of surgery for deep endometriosis infiltrating the rectum: Results of the ENDORE randomized trial. 2019 , 48, 625-629	13
793	Can wearing high heels influence anal canal pressure and the severity of fecal incontinence?. 2019 , 30, 2049-2054	1
792	Anatomic and functional evaluation of the levator ani muscle after an obstetric anal sphincter injury. 2019 , 299, 1001-1006	7
791	The Renewfi anal insert for passive faecal incontinence: a retrospective audit of our use of a novel device. 2019 , 21, 684-688	9
790	Defecation disorders in Spina Bifida: Realistic goals and best therapeutic approaches. 2019 , 38, 719-725	4
789	One stage fistulectomy for high anal fistula with reconstruction of anal sphincter without fecal diversion. 2019 , 42, 792-796	14

788	A randomized controlled trial on the effect of topical phenytoin 2% on wound healing after anal fistulotomy. 2019 , 21, 697-704		3
787	Anti-muscarinic drugs increase rectal compliance and exacerbate constipation in chronic spinal cord injury : Anti-muscarinic drug effect on neurogenic bowel. 2019 , 57, 662-668		2
786	Clinical efficacy of Japanese herbal medicine daikenchuto in the management of fecal incontinence: A single-center, observational study. 2019 , 3, 160-166		4
785	Fecal Incontinence. 2019 , 1-16		
784	A novel artificial puborectalis anal sphincter system based on transcutaneous energy transfer with rectal perception remodelling. 2019 ,		
783	Graciloplasty for Anal Incontinence-Is Electrical Stimulation Necessary?. 2019 , 82, 671-678		6
782	Endoscopic ultrasound-guided anal sphincteroplasty for fecal incontinence in women: A pilot study. 2019 , 38, 534-541		1
781	Drained mucosal advancement flap versus rerouting Seton around the internal anal sphincter in treatment of high trans-sphincteric anal fistula: A randomized trial. 2019 , 72, 198-203		6
780	Understanding what impacts on disclosing anal incontinence for women when comparing bowel-screening tools: a phenomenological study. 2019 , 19, 142		3
779	Neurostimulation-guided Anal Intrasphincteric Botulinum Toxin Injection in Children With Hirschsprung Disease. 2019 , 68, 527-532		5
778	Predictive Factors for Bowel Dysfunction After Sphincter-Preserving Surgery for Rectal Cancer: A Single-Center Cross-sectional Study. <i>Diseases of the Colon and Rectum</i> , 2019 , 62, 925-933	3.1	7
777	Drainage Seton Versus External Anal Sphincter-Sparing Seton After Rerouting of the Fistula Tract in the Treatment of Complex Anal Fistula: A Randomized Controlled Trial. <i>Diseases of the Colon and Rectum</i> , 2019 , 62, 980-987	3.1	12
776	BioSphincters to treat Fecal Incontinence in Nonhuman Primates. 2019 , 9, 18096		4
775	Excision versus colorectal resection in deep endometriosis infiltrating the rectum: 5-year follow-up of patients enrolled in a randomized controlled trial. 2019 , 34, 2362-2371		26
774	Coital resumption after delivery among OASIS patients: differences between instrumental and spontaneous delivery. 2019 , 19, 154		3
773	Long-term outcomes and quality of life following ligation of the intersphincteric fistula tract for high transsphincteric fistulas. 2019 , 21, 30-37		24
772	Assessment of neurogenic bowel dysfunction impact after spinal cord injury using the International Classification of Functioning, Disability and Health. 2018 , 54, 873-879		11
771	Stapled Transperineal Fistula Repair of Rectovaginal Fistula: A Preliminary Experience. 2019 , 26, 66-71		2

770	Intersphincteric Resection for Rectal Adenocarcinoma Near the Anus. 2019 , 59-70		
769	Long-term results of intersphincteric resection for low rectal cancer in Japan. 2019 , 49, 275-285		20
768	Laparoscopic Ventral Rectopexy Versus Stapled Transanal Rectal Resection for Treatment of Obstructed Defecation in the Elderly: Long-term Results of a Prospective Randomized Study. <i>Diseases of the Colon and Rectum</i> , 2019 , 62, 47-55	3.1	12
767	Gatekeeper Improves Voluntary Contractility in Patients With Fecal Incontinence. 2019 , 26, 321-327		7
766	Anterograde colonic irrigations by percutaneous endoscopic caecostomy in refractory colorectal functional disorders. 2019 , 34, 169-175		7
765	Long-term results of stapled hemorrhoidectomy. 2019 , 23, 193-194		1
764	Outcome of Modified Park's Technique for Treatment of Complex Anal Fistula. 2019 , 235, 536-542		10
763	A systematic review of the literature reporting on randomised controlled trials comparing treatments for faecal incontinence in adults. 2019 , 119, 1-15		8
762	Taenectomy Versus Transverse Coloplasty as Neorectum After Low Rectal Resection. 2019 , 43, 1137-1145		0
761	A review of the effect of faecal incontinence and constipation on sexual function. 2019 , 34, 387-391		3
760	Permacol Collagen Paste Injection for Treatment of Complex Cryptoglandular Anal Fistulas: An Observational Cohort Study With a 2-Year Follow-up. 2019 , 26, 168-179		10
759	A systematic review of non-invasive modalities used to identify women with anal incontinence symptoms after childbirth. 2019 , 30, 869-879		2
758	Pubovisceral muscle and anal sphincter defects in women with fecal or urinary incontinence after vaginal delivery. 2019 , 23, 117-128		2
757	Risk of prolapse and urinary complications in adult spina bifida patients with neurogenic acontractile detrusor using clean intermittent catheterization versus Valsalva voiding. 2019 , 38, 269-277		1
756	Functional Results and Quality of Life Following Magnetic Anal Sphincter Augmentation in Severely Incontinent Patients. 2019 , 269, 310-314		1
755	How to deal with rectal lesions more than 15 cm from the anal verge through transanal endoscopic microsurgery. 2019 , 217, 53-58		9
754	Outcomes of laparoscopic subtotal colectomy with cecorectal anastomosis for slow-transit constipation: a single center retrospective study. 2019 , 119, 83-87		2
753	The OptiLUTS trial: improving care for therapy-resistant symptoms of the pelvis in Belgium. 2020 , 75, 334-339		1

752	The burden of low anterior resection syndrome on quality of life in patients with mid or low rectal cancer. 2020 , 28, 1199-1206	10
751	The Water-Holding Procedure for Ensuring Postoperative Continence Prior Restoring Intestinal Continuity. 2020 , 24, 411-417	1
750	Improved longevity and efficacy of sacral nerve stimulation by simple adjustments at follow-up. 2020 , 22, 310-318	6
749	Sphinkkeeperâ€”for faecal incontinence: a preliminary report. 2020 , 22, 80-85	5
748	Anorectal Function Recovery Curve of the Patients with Different Tumor Locations After Sphincter-Saving Resection for Low Rectal Cancer. 2020 , 82, 338-344	0
747	Oncological and anorectal functional outcomes of robot-assisted intersphincteric resection in lower rectal cancer, particularly the extent of sphincter resection and sphincter saving. 2020 , 34, 2082-2094	13
746	Secondary sphincter repair for anal incontinence following obstetric sphincter injury: functional outcome and quality of life at 18 years of follow-up. 2020 , 22, 71-79	12
745	Percutaneous tibial nerve stimulation can improve symptoms and quality of life in selected patients with faecal incontinence - A single-centre 5-year clinical experience. 2020 , 18, 154-158	2
744	Symptomatic pelvic organ prolapse in middle-aged women: a national matched cohort study on the influence of childbirth. 2020 , 222, 356.e1-356.e14	5
743	Chronic pelvic pain and rectal prolapse invite consideration of enterocele. 2020 , 22, 325-330	1
742	Results of the double-blind randomized controlled trial comparing laser hemorrhoidoplasty with sutured mucopexy and excisional hemorrhoidectomy. 2020 , 35, 481-490	14
741	Quality of life in children with pseudoincontinence after implementing a bowel management program in Egypt. 2020 , 55, 261-264	0
740	Measuring pelvic floor disorder symptoms using patient-reported instruments: proceedings of the consensus meeting of the pelvic floor consortium of the American Society of Colon and Rectal Surgeons, the International Continence Society, the American Urogynecologic Society, and the Society of Urodynamics, Female Pelvic Medicine and Urogenital Reconstruction. 2020 , 24, 5-22	2
739	Anorectal adenocarcinoma recurrence successfully treated with electrochemotherapy: a case report. 2020 , 31, 73-75	
738	Long-term outcomes of radiofrequency treatment for fecal incontinence: are the results maintainable?. 2020 , 35, 173-176	2
737	Is the extent of obstetric anal sphincter injury correlated with the severity of fecal incontinence in the long term?. 2020 , 24, 49-55	6
736	Assessment of anal sphincter distensibility following the STARR procedure: a pilot study. 2020 , 120, 198-201	0
735	Prospective evaluation of functional outcomes after laparoscopic sigmoidectomy with high tie of the inferior mesenteric artery for diverticular disease in consecutive male patients. 2020 , 24, 33-40	2

734	Wexner score and quality of life in women with obstetric anal sphincter injury. 2020 , 31, 1115-1121		4
733	Postoperative discomfort and pain in the management of hemorrhoidal disease: laser hemorrhoidoplasty, a minimal invasive treatment of symptomatic hemorrhoids. 2020 , 72, 851-857		18
732	Role of Endoanal Ultrasonography in Grading Anal Sphincter Integrity in Rectal Prolapse and in Predicting Improvement in the Continence State After Surgical Treatment. 2020 , 30, 62-68		2
731	Measuring Pelvic Floor Disorder Symptoms Using Patient-Reported Instruments: Proceedings of the Consensus Meeting of the Pelvic Floor Consortium of the American Society of Colon and Rectal Surgeons, the International Continence Society, the American Urogynecologic Society, and the Society of Urodynamics, Female Pelvic Medicine and Urogenital Reconstruction. <i>Diseases of the Colon and Rectum</i> , 2020, 63, 1534-1540	3.1	8
730	Comparison of anorectal function measured using wearable digital manometry and a high resolution manometry system. 2020 , 15, e0228761		2
729	Middle-Term Outcomes of Gatekeeper Implantation for Fecal Incontinence: Statistical or Clinical Significance?. <i>Diseases of the Colon and Rectum</i> , 2020 , 63, e559	3.1	1
728	Better quality of life and reduced fecal incontinence in rectal cancer patients with the watch-and-wait follow-up strategy. 2020 ,		2
727	Laparoscopic Ventral Mesh Rectopexy Versus Transvaginal Posterior Colporrhaphy in Management of Anterior Rectocele. 2021 , 25, 2035-2046		0
726	Video-Assisted Ligation of Intersphincteric Fistula Tract for Complex Anal Fistula: Technique and Preliminary Outcomes. <i>Diseases of the Colon and Rectum</i> , 2020 , 63, 1534-1540	3.1	9
725	Intersphincteric resection for low rectal cancer: the risk is functional rather than oncological. A 25-year experience from Bordeaux. 2020 , 22, 1603-1613		7
724	Optimizing sacral neuromodulation for low anterior resection syndrome: learning from our experience. 2020 , 22, 2146-2154		3
723	The severity of symptoms is insufficient to predict major alterations to quality of life of patients with fecal incontinence or chronic constipation. 2020 , 35, 2041-2048		
722	Protocol for a single-arm confirmatory trial of adjuvant chemoradiation for patients with high-risk rectal submucosal invasive cancer after local resection: Japan Clinical Oncology Group Study JCOG1612 (RESCUE study). 2020 , 10, e034947		2
721	Long-term bowel dysfunction following low anterior resection. 2020 , 10, 11882		15
720	Validation of the Wexner scale in a Hebrew-speaking population. 2020 , 31, 2583-2587		1
719	Ghost ileostomy versus conventional loop ileostomy in patients undergoing low anterior resection for rectal cancer (DRKS00013997): protocol for a randomised controlled trial. 2020 , 10, e038930		2
718	Laparoscopic anterior resection of rectum for rectal deeply infiltrating endometriosis: A short-term prospective randomized trial. 2020 , 99, e23309		
717	Effectiveness of percutaneous posterior tibial nerve stimulation for the management of bowel dysfunction in multiple sclerosis patients. 2021 , 27, 1577-1584		1

- 716 [Patient satisfaction and symptom changes in women using a pessary for pelvic organ prolapse]. **2020**, 30, 381-389 1
- 715 Video-Assisted Modified Ligation of the Intersphincteric Fistula Tract, an Integration of 2 Minimally Invasive Techniques for the Treatment of Parks Type II Anal Fistulas. **2021**, 28, 419-426 2
- 714 Tools for fecal incontinence assessment: lessons for inflammatory bowel disease trials based on a systematic review. **2020**, 8, 886-922 2
- 713 Liver metastasectomy-cytoreductive surgery- hyperthermic intraperitoneal chemotherapy and ileal pouch-anal anastomosis: A case report. **2020**, 72, 397-401
- 712 Assessment and management of low anterior resection syndrome after sphincter preserving surgery for rectal cancer. **2020**, 133, 1824-1833 6
- 711 [Benefits of pelvic floor education in perineal re-education in women]. **2020**, 30, 190-197 0
- 710 Surgical Treatment of Fecal Incontinence. **2020**, 205-221
- 709 Defecation Disorders in Children and Adolescents. **2020**, 277-287
- 708 Clinical Evaluation of Continence and Defecation. **2020**, 47-63
- 707 Introductory Chapter: Challenges in the Diagnosis and Treatment of Faecal Incontinence. **2020**,
- 706 Postoperative Outcomes after Surgery for Deep Endometriosis of the Sacral Plexus and Sciatic Nerve: A 52-patient Consecutive Series. **2021**, 28, 1375-1383 3
- 705 Physiotherapy for Prevention and Treatment of Fecal Incontinence in Women-Systematic Review of Methods. **2020**, 9, 5
- 704 Factors associated with healing, reoperation and continence disturbance in patients following surgery for fistula-in-ano. **2020**, 22, 2204-2213
- 703 Sacral Neuromodulation with the InterStim® System for Intractable Lower Urinary Tract Dysfunctions (SOUNDS): Results of Clinical Effectiveness, Quality of Life, Patient-Reported Outcomes and Safety in a French Multicenter Observational Study. **2021**, 7, 1430-1437 2
- 702 Abnormal Neuronal Response to Rectal and Anal Stimuli in Patients Treated for Distal Rectal Cancer With High-Dose Chemoradiotherapy Followed By Watchful Waiting. *Diseases of the Colon and Rectum*, **2020**, 63, 1234-1241 3.1 1
- 701 Postoperative Functional Management Contributes to Anal Functional Recovery in Patients With Low Rectal Cancer After Robotic Total Intersphincteric Resection. **2020**, 10, 1373 1
- 700 Patient-reported outcomes in colon and rectal surgery: The best is yet to come. **2020**, 31, 100785
- 699 Changes in bowel habits after laparoscopic sleeve gastrectomy. **2020**, 15, 469-477

698	Comparison of pelvic floor dysfunction 6 years after uncomplicated vaginal versus elective cesarean deliveries: a cross-sectional study. 2020 , 10, 21509	3
697	Ten-year impact of pancreaticoduodenectomy on bowel function and quality of life of patients with ileal pouch-anal anastomosis for familial adenomatous polyposis. 2020 , 22, 1402-1410	2
696	Retrospective study of the functional and oncological outcomes of conformal sphincter preservation operation in the treatment of very low rectal cancer. 2020 , 24, 1025-1034	2
695	Preventing the recurrence of acute anorectal abscesses utilizing a loose seton: a pilot study. 2020 , 35, 18	
694	Laparoscopic Pelvic Organ Prolapse Suspension (Pops) Versus Laparoscopic Ventral Mesh Rectopexy for Treatment of Rectal Prolapse: Prospective Cohort Study. 2020 , 44, 3158-3166	1
693	Systematic review: the effect of right hemicolectomy for cancer on postoperative bowel function. 2020 , 28, 4549-4559	4
692	Non-Operative Management Versus Total Mesorectal Excision for Locally Advanced Rectal Cancer with Clinical Complete Response After Neoadjuvant Chemoradiotherapy: a GRADE Approach by the Rectal Cancer Guidelines Writing Group of the Italian Association of Medical Oncology (AIOM). 2020 , 24, 2150-2159	9
691	Fecal continence outcomes are associated with the type, height, and stage procedure of ileal pouch-anal anastomosis. 2020 , 35, 1749-1757	3
690	Two-Stage Turnbull-Cutait Pull-Through Coloanal Anastomosis for Low Rectal Cancer: A Randomized Clinical Trial. 2020 , 155, e201625	20
689	A tailored rhomboid mucocutaneous advancement flap to treat anal stenosis. 2020 , 22, 1388-1395	4
688	PREDICTors for health-related quality of life after elective sigmoidectomy for DIVerticular disease: the PREDIC-DIV study protocol of a prospective multicentric transnational observational study. 2020 , 10, e034385	2
687	Spontaneous Internal Anal Sphincter Relaxation During High-resolution Anorectal Manometry Is Associated With Peripheral Neuropathy and Higher Charlson Comorbidity Scores in Patients With Defecatory Disorders. 2020 , 26, 362-369	3
686	Delayed coloanal anastomosis: an alternative option for restorative rectal cancer surgery after high-dose pelvic radiotherapy for prostate cancer. 2020 , 22, 1545-1552	3
685	Electrical contraction of the anal sphincter for intraoperative visualization of anal function. 2020 , 1-10	1
684	Correlations of obstetric anal sphincter injury (OASIS) grade, specific symptoms of anal incontinence, and measurements by endoanal and transperineal ultrasound. 2021 , 24, 261-267	1
683	Long-term bowel dysfunction after right-sided hemicolectomy for cancer. 2020 , 59, 1240-1245	4
682	A controlled study on the efficacy and quality of life of laparoscopic intersphincteric resection (ISR) and extralevator abdominoperineal resection (ELAPE) in the treatment of extremely low rectal cancer. 2020 , 99, e20245	2
681	Restored pelvic anatomy is preserved after laparoscopic and robot-assisted ventral rectopexy: MRI-based 5-year follow-up of a randomized controlled trial. 2020 , 22, 1667-1676	4

680	Implantable Agents for Fecal Incontinence: An Age-Matched Retrospective Cohort Analysis of GateKeeper versus SphinKeeper. 2020 , 27, 608-613		1
679	Five-year single center experience of sacral neuromodulation for isolated fecal incontinence or fecal incontinence combined with low anterior resection syndrome. 2020 , 24, 947-958		4
678	Modified Stapled Transanal Rectal Resection Procedure for Limited Rectal Prolapse: A Viable Alternative to the Delorme Operation. 2020 , 27, 468-473		
677	Prevalence of low anterior resection syndrome and impact on quality of life after rectal cancer surgery: population-based study. 2020 , 4, 935-942		13
676	Clinical, radiological and physiological assessment of anorectal function. 2020 , 38, 297-302		
675	"Prophylactic" transanal irrigation (TAI) to prevent symptoms of low anterior resection syndrome (LARS) after rectal resection: results at 12-month follow-up of a controlled randomized multicenter trial. 2020 , 24, 1247-1253		11
674	Middle-term Outcomes of Gatekeeper Implantation for Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2020 , 63, 514-519	3.1	7
673	Efficacy and safety of sacral nerve modulation for faecal incontinence after pelvic radiotherapy. 2020 , 146, 167-171		1
672	Comparative analysis of occlusion methods for artificial sphincters. 2020 , 44, 995-1005		1
671	Posterior pelvic tilt is a risk factor for rectal prolapse: a propensity score matching analysis. 2020 , 24, 463-469		
670	Effect of oestrogen therapy on faecal incontinence in postmenopausal women: a systematic review. 2020 , 31, 1289-1297		1
669	Double Disk Excision of Large Deep Endometriosis Nodules Infiltrating the Low and Mid Rectum: A Pilot Study of 20 Cases. 2020 , 27, 1482-1489		2
668	Dynamic transperineal ultrasonography correlates with prolonged pudendal nerve latency in female with fecal incontinence. 2020 , 72, 1187-1194		1
667	Symptom-based scoring for haemorrhoidal disease: a systematic review. 2020 , 22, 1518-1527		3
666	Patient-Reported Bowel Function in Patients With Rectal Cancer Managed by a Watch-and-Wait Strategy After Neoadjuvant Therapy: A Case-Control Study. <i>Diseases of the Colon and Rectum</i> , 2020 , 63, 897-902	3.1	17
665	Robotic Versus Laparoscopic Partial Mesorectal Excision for Cancer of the High Rectum: A Single-Center Study with Propensity Score Matching Analysis. 2020 , 44, 3923-3935		3
664	The possibility of a transanal tube as an alternative to diverting stoma in terms of preventing severe postoperative anastomotic leakage after laparoscopic low anterior resection. 2020 , 35, 2055-2064		1
663	Video-assisted anal fistula treatment for complex anal fistula: a long-term follow-up study. 2020 , 22, 939-944		11

662	Long-term clinical outcomes and follow-up status in Japanese patients with familial adenomatous polyposis after radical surgery: a descriptive, retrospective cohort study from a single institute. 2020 , 35, 675-684	7
661	An epidemiology study of fecal incontinence in adult Chinese women living in urban areas. 2020 , 133, 262-268	1
660	Pure transanal total mesorectal excision for rectal cancer: experience with 55 cases. 2020 , 8, 42-49	4
659	Efficacy of Sphinkkeeperâ€”implant in treating faecal incontinence. 2020 , 107, 484-488	6
658	Pelvic floor dysfunction negatively impacts general functional performance in patients with multiple sclerosis. 2020 , 39, 978-986	1
657	Benchmarking outcomes in maternity care: Peripartum incontinence - a framework for standardised reporting. 2020 , 83, 102628	1
656	Hemorrhoid laser procedure with suture-plex (HeLPexx): a novel effective procedure to treat hemorrhoidal disease. 2020 , 24, 199-205	2
655	Is obesity a factor of surgical difficulty in transanal endoscopic surgery?. 2020 , 220, 687-692	
654	Fecal incontinence after total mesorectal excision for rectal cancer-impact of potential risk factors and pelvic intraoperative neuromonitoring. 2020 , 18, 12	10
653	Quality of Life After Radiotherapy for Rectal and Anal Cancer. 2020 , 16, 1-10	2
652	Measuring Pelvic Floor Disorder Symptoms Using Patient-Reported Instruments: Proceedings of the Consensus Meeting of the Pelvic Floor Consortium of the American Society of Colon and Rectal Surgeons, the International Continence Society, the American Urogynecologic Society, and the Society of Urodynamics, Female Pelvic Medicine and Urogenital Reconstruction. 2020 , 26, 1-15	8
651	Laparoscopic Ultra Low Anterior Resection: Single Center, 6-Year Study. 2020 , 30, 284-291	0
650	[Percutaneous posterior tibial nerve electrostimulation in urge urinary incontinence and faecal incontinence]. 2020 , 54, 3-10	0
649	Topical 5% minoxidil versus topical 0.2% glyceryl trinitrate in treatment of chronic anal fissure: A randomized clinical trial. 2020 , 75, 152-158	2
648	Early secondary repair of obstetric anal sphincter injury: postoperative complications, long-term functional outcomes, and impact on quality of life. 2020 , 24, 221-229	8
647	Comparison of surgical outcomes between video-assisted anal fistula treatment and fistulotomy plus seton for complex anal fistula: A propensity score matching analysis - Retrospective cohort study. 2020 , 75, 99-104	12
646	Summary of Oncologic and Functional Outcomes. 2020 , 33, 150-156	2
645	Accidental Bowel Leakage Evaluation: A New Patient-Centered Validated Measure of Accidental Bowel Leakage Symptoms in Women. <i>Diseases of the Colon and Rectum</i> , 2020 , 63, 668-677	3.1 4

644	Longterm outcome of anal fistula - A retrospective study. 2020 , 10, 6483	9
643	Lift and VAAFT for high trans-sphincteric anal fistula: a single center retrospective analysis. 2020 , 35, 1149-1153	3
642	Use of Malone antegrade continence enemas in neurologic bowel dysfunction. 2020 , 157, 453-459	2
641	Correlation of anorectal manometry measures to severity of fecal incontinence in patients with anorectal malformations - a cross-sectional study. 2020 , 10, 6016	5
640	When do defecation function and quality of life recover for patients with non-ostomy and ostomy surgery of rectal cancer?. 2020 , 20, 57	2
639	Childhood nocturnal enuresis-a marker for pelvic floor disorders and urinary tract symptoms in women?. 2021 , 32, 359-365	1
638	Redo ventral rectopexy: is it worthwhile?. 2021 , 25, 299-307	0
637	Optimising functional outcomes in rectal cancer surgery. 2021 , 406, 233-250	8
636	Treatment of faecal incontinence with autologous expanded mesenchymal stem cells: results of a pilot study. 2021 , 23, 698-709	5
635	Patients' preferences for sphincter preservation versus abdominoperineal resection for low rectal cancer. 2021 , 169, 623-628	4
634	Laparoscopic rectal dissection preserves erectile function after ileal pouch-anal anastomosis: a two-centre study. 2021 , 23, 123-131	0
633	Clinical effects of intrathecal administration of expanded Wharton jelly mesenchymal stromal cells in patients with chronic complete spinal cord injury: a randomized controlled study. 2021 , 23, 146-156	10
632	Variation in rectoanal inhibitory reflex after laparoscopic intersphincteric resection for ultralow rectal cancer. 2021 , 23, 424-433	0
631	Functional outcomes of surgery for colon cancer: A systematic review and meta-analysis. 2021 , 47, 960-969	2
630	Importance of a pelvic floor lifestyle program in women with pelvic floor dysfunctions: A pilot study. 2021 , 50, 102032	1
629	Comparison of clinical and paraclinical characteristics of patients with urge, mixed, and passive fecal incontinence: a systematic literature review. 2021 , 36, 633-644	1
628	Effects of an anal fistula plug on anal function after surgery for treatment of a trans-sphincteric anal fistula. 2021 , 406, 855-861	3
627	Solitary rectal ulcer syndrome in 102 patients: Do different phenotypes make sense?. 2021 , 53, 190-195	2

626	Transperineal anal sphincter complex evaluation after obstetric anal sphincter injuries: With or without tomographic ultrasound imaging technique?. 2021 , 257, 70-75	3
625	Urinary and fecal incontinence in patients with advanced ovarian cancer treated with CRS + HIPEC. 2021 , 36, 115-119	0
624	Expression Profiling of Rectal Biopsies Suggests Altered Enteric Neuropathological Traits in Parkinson's Disease Patients. 2021 , 11, 171-176	2
623	Kegel Exercises, Biofeedback, Electrostimulation, and Peripheral Neuromodulation Improve Clinical Symptoms of Fecal Incontinence and Affect Specific Physiological Targets: An Randomized Controlled Trial. 2021 , 27, 108-118	1
622	Delorme surgery for colonic mucosal prolapse after intersphincteric resection. 2021 , 51, 916-922	4
621	Symptoms of fecal incontinence two decades after no, one, or two obstetrical anal sphincter injuries. 2021 , 224, 276.e1-276.e23	4
620	Anorectal Function and Quality of Life in IBD Patients With A Perianal Complaint. 2021 , 34, 547-553	6
619	Long-term Fecal Incontinence, Recurrence, Satisfaction, and Regret After the Transobturator Postanal Sling Procedure. 2021 , 27, 244-248	
618	Implant of Self-Expandable Artificial Anal Sphincter in Patients With Fecal Incontinence Improves External Anal Sphincter Contractility. <i>Diseases of the Colon and Rectum</i> , 2021 , 64, 706-713	3.1
617	Partial Division of Puborectalis Muscle with Lateral Internal Sphincterotomy: A Novel Surgical Technique for Management of Anal Hypertonia-Associated Anismus. 2021 , 45, 1210-1221	0
616	[Stimulating electroneuromyography in the diagnosis of neurogenic disorders of the pelvic floor muscles]. 2021 , 121, 48-56	0
615	Preoperative chemoradiotherapy affects postoperative outcomes and functional results in patients treated with transanal endoscopic microsurgery for rectal neoplasms. 2021 , 25, 319-331	4
614	Fecal Incontinence. 2021 , 1765-1780	
613	Treating highly complex anal fistula with a new method of combined intraoperative endoanal ultrasonography (IOEAUS) and transanal opening of intersphincteric space (TROPIS).. 2021 , 16, 697-703	7
612	Clinical outcome and quality of life after gracilis muscle transposition for fistula closure over a 10-year period. 2021 , 36, 569-580	0
611	Prise en charge et conséquences des lésions obstétricales du sphincter anal (LOSA) : mise au point. 2021 , 158, 251-251	
610	Establishing a peripartum perineal trauma clinic: a narrative review. 2021 , 32, 1653-1662	0
609	Metrics Used to Quantify Fecal Incontinence and Constipation. 2021 , 34, 5-14	0

608	Treatment for Fecal Incontinence: Sphincteroplasty and Postanal Repair. 2021 , 147-154	
607	Treatment for Fecal Incontinence: Nonsurgical Approaches. 2021 , 135-145	
606	Multicenter investigation of bowel evacuation function after transanal total mesorectal excision for mid-low rectal cancer. 2021 , 36, 725-734	1
605	Quality of life in restorative versus non-restorative resections for rectal cancer: systematic review.. 2021 , 5,	0
604	Anorektale Inkontinenz. 2021 , 253-258	
603	Quantitative and Qualitative Analysis of Fecal Incontinence. 2021 , 43-54	
602	Needle aspiration treatment vs. incision of acute simple perianal abscess: randomized controlled study. 2021 , 36, 581-588	2
601	Advantages of robotic surgery in the treatment of complex pelvic organs prolapse. 2021 , 73, 1115-1124	1
600	Long-Term Functional Results of a Modified Caudal-to-Cranial Approach in Laparoscopic Segmental Left Colectomy for Diverticular Disease. 2021 , 2021, 8940682	0
599	Long-term results of dynamic graciloplasty for severe fecal incontinence. 2021 , 25, 531-537	0
598	Systematic screening for late sequelae after colorectal cancer-a feasibility study. 2021 , 23, 345-355	2
597	Fistulectomy and endorectal advancement flap repair for cryptoglandular anal fistula: recurrence and functional outcome over 10 years of follow-up. 2021 , 36, 841-846	3
596	The Role of Traditional Acupuncture in Patients with Fecal Incontinence-Mini-Review. 2021 , 18,	0
595	Transanal Irrigation for Neurogenic Bowel Disease, Low Anterior Resection Syndrome, Faecal Incontinence and Chronic Constipation: A Systematic Review. 2021 , 10,	10
594	Efficacy and safety of an innovatively modified cutting seton technique for the treatment of high anal fistula: A protocol for a randomized controlled trial. 2021 , 100, e24442	1
593	Quality of life in rectal cancer patients with or without oxaliplatin in the randomised CAO/ARO/AIO-04 phase 3 trial. 2021 , 144, 281-290	1
592	Transanal Endoscopic Microsurgery: An Alternative Perineal Approach to Treat Rectal Prolapse: A Video Vignette. 2021 , 31, 277-280	
591	Long-term gastrointestinal sequelae in colon cancer survivors: prospective pilot study on identification, the need for clinical evaluation and effects of treatment. 2021 , 23, 356-366	0

- 590 Meta-analysis of laparoscopic mesh rectopexy versus posterior sutured rectopexy for management of complete rectal prolapse. **2021**, 36, 1357-1366
- 589 Translation, validation and psychometric evaluation of the Persian (Farsi) version of the Low Anterior Resection Syndrome Score (LARS-P). **2021**, 16, e0247054 0
- 588 End-to-end versus end-to-side anastomosis for low anterior resection: A systematic review and meta-analysis of randomized controlled trials. **2021**, 170, 397-404 1
- 587 Intraoperative neuromonitoring in rectal cancer surgery: a systematic review and meta-analysis. **2021**, 36, 1385-1394 0
- 586 Can ultrasound 10 days after obstetric anal sphincter injury predict anal incontinence at long-term follow-up?. **2021**, 32, 2511-2520 0
- 585 Outcome of Fecal Incontinence in Patients with Rectal Prolapse Undergoing the Altemeier Procedure with or without Posterior Levatorplasty. **2021**, 41, 052-057
- 584 Functional and sexual outcome of laparoscopic ventral mesh rectopexy vs transperineal mesh repair in the treatment of rectocele: a retrospective analysis. **2021**, 53, 231-239
- 583 Management of Neurogenic Bowel Dysfunction in Adults after Spinal Cord Injury: Clinical Practice Guideline for Health Care Providers. **2021**, 27, 75-151 3
- 582 Laparoscopic intersphincteric resection with hand-sewn coloanal anastomosis in the treatment of low rectal cancer: 10-year experience. **2021**, 53, 222-230
- 581 Prevalence of Pelvic Floor Dysfunction and Impact on the Quality of Life in Epidemiological Evaluation of Bariatric Patients. **2021**, 16, 15-20
- 580 Short stump and high anastomosis pull-through (SHiP) procedure for delayed coloanal anastomosis with no protective stoma for low rectal cancer. **2021**, 73, 495-502 4
- 579 Sacral neuromodulation with the InterStimâ® system for faecal incontinence: results from a prospective French multicentre observational study. **2021**, 23, 1463-1473 0
- 578 Hyperbaric oxygen treatment for late low colorectal anastomosis ischaemia: Case report. **2021**, 51, 116-118
- 577 Sacral nerve stimulation versus the magnetic sphincter augmentation device for adult faecal incontinence: the SaFaRI RCT. **2021**, 25, 1-96 1
- 576 Impact du nombre de chirurgies antérieures sur la continence anale et la cicatrisation des fistules anales récidivantes. **2021**,
- 575 Natural Orifice Specimen Extraction Surgery versus Conventional Laparoscopic-Assisted Resection in the Treatment of Colorectal Cancer: A Propensity-Score Matching Study. **2021**, 13, 2247-2257 2
- 574 Extended Left Colectomy with Coloanal Anastomosis by Indocyanine Green-guided Deloyers Procedure: A Case Report. **2021**, 5, 202-206 2
- 573 Stapled transperineal repair for low- and mid-level rectovaginal fistulas: A 5-year experience and comparison with sutured repair. **2021**, 27, 1451-1464

572 Prise en charge chirurgicale de la rectocele â mise au point. **2021**, 158, 157-170

571 D-pouch: a modified ileal J-pouch for patients with ulcerative colitis and familial adenomatous polyposis. **2021**, 25, 1209-1215

1

570 Surgical management of the rectocele - An update. **2021**, 158, 145-157

1

569 Preliminary Report From the Pelvic Floor Disorders Consortium: Large-Scale Data Collection Through Quality Improvement Initiatives to Provide Data on Functional Outcomes After Rectal Prolapse Repair. *Diseases of the Colon and Rectum*, **2021**, 64, 986-994

3.1 0

568 Outcomes of Transvaginal Anterior Levatorplasty with Posterior Colporrhaphy for Symptomatic Rectocele. **2021**, 5, 137-143

567 "Prospective, Randomized, Controlled Trial of Ultra-modified Internal Sphincterotomy vs Closed Lateral Internal Sphincterotomy for Chronic Fissure-in-Ano". **2021**, 31348211011104

1

566 Traumatic deficient perineum: surgical management and outcome from a single center. **2021**, 1

565 Traumatic posterior anal injury requiring a sphincteroplasty without diversion: a case report. **2021**, 6, e22-e22

564 Impact of number of previous surgeries on the continence state and healing after repeat surgery for recurrent anal fistula. **2021**,

0

563 Enhancing the identification of anal incontinence in women of reproductive age. **2021**, 36, 71-76

562 Selecting End Points for Disease-Modification Trials in Inflammatory Bowel Disease: the SPIRIT Consensus From the IOIBD. **2021**, 160, 1452-1460.e21

15

561 Laparoscopic Pancreaticoduodenectomy with Transanal Specimen Extraction for Periapillary Tumors. **2021**,

0

560 Comparison of natural orifice specimen extraction surgery and conventional laparoscopic-assisted resection in the treatment effects of low rectal cancer. **2021**, 11, 9338

1

559 Long-Term Outcomes of Sectorial Longitudinal Augmented Prolapsectomy for Asymmetric Muco-hemorrhoidal Prolapse: An Observational Study of 433 Consecutive Patients. **2021**, 15533506211007292¹

558 Influence of Locomotion Therapy With the Wearable Cyborg HAL on Bladder and Bowel Function in Acute and Chronic SCI Patients. **2021**, 21925682211003851

2

557 Management of Neurogenic Bowel Dysfunction in Adults after Spinal Cord Injury Suggested citation: Jeffery Johns, Klaus Krogh, Gianna M. Rodriguez, Janice Eng, Emily Haller, Malorie Heinen, Rafferty Laredo, Walter Longo, Wilda Montero-Colon, Mark Korsten. Management of Neurogenic Bowel Dysfunction in Adults after Spinal Cord Injury: Clinical Practice Guideline for Healthcare

3

556 Botulinum toxin type-A infiltration of the external anal sphincter to treat outlet constipation in motor incomplete spinal cord injury: pilot cohort study. **2021**, 56, 777-783

555 A comparison of faecal incontinence scoring systems. **2021**, 23, 1860-1865

0

554	A systematic review of English language patient-reported outcome measures for use in urogynaecology and female pelvic medicine. 2021 , 32, 2033-2092	3
553	A step-by-step approach to endorectal proctopexy (ERPP): how we do it. 2021 , 25, 879-886	0
552	Real world outcomes of lateral internal sphincterotomy vs botulinum toxin for the management of chronic anal fissures. 2021 , 45, 184-184	3
551	Slow-transit constipation and criteria for colectomy: a cross-sectional study of 1568 patients. 2021 , 5,	0
550	Oncologic and Functional Outcomes of Pelvic Perineal Reconstruction by Perineal Colostomy and Malone Procedure After Abdominoperineal Resection. <i>Diseases of the Colon and Rectum</i> , 2021 , 64, 1501-1510	0
549	Risk of Rectovaginal Fistula in Women with Excision of Deep Endometriosis Requiring Concomitant Vaginal and Rectal Sutures, with or without Preventive Stoma: A Before-and-after Comparative Study. 2021 ,	1
548	Symptoms affecting quality of life after sphincter-saving rectal cancer surgery: A systematic review. 2021 , 52, 101934	6
547	Long term outcomes of laparoscopic sacro/colpo-hysteropexy with and without rectopexy for the treatment of prolapse. 2021 , 1	1
546	Long-term anorectal function in rectal cancer patients treated with chemoradiotherapy and endorectal brachytherapy. 2021 , 23, 2311-2319	1
545	Prophylactic colectomy and rectal preservation in FAP: systematic endoscopic follow-up and adenoma destruction changes natural history of polyposis. 2021 , 9, E1014-E1022	1
544	Buccal Mucosal Grafts: Novel Treatment for the Repair of Rectovaginal Fistulas A Study Protocol (Preprint).	
543	Management and consequences of obstetrical anal sphincter injuries: Review. 2021 , 158, 231-241	1
542	Long-term Outcomes After Anal Fistula Surgery: Results From Two University Hospitals in Thailand. 2021 ,	1
541	Sequential assessment of bowel function and anorectal physiology after anterior resection for cancer: a prospective cohort study. 2021 , 23, 2436-2446	1
540	Managing Bowel Symptoms After Sphincter-Saving Rectal Cancer Surgery: A Scoping Review. 2021 , 62, 1295-1307	
539	Perianal ultrasound (PAUS): visualization of sphincter muscles and comparison with digital-rectal examination (DRE) in females. 2021 , 21, 247	0
538	Buccal Mucosal Grafts as a Novel Treatment for the Repair of Rectovaginal Fistulas: Protocol for an Upcoming Prospective Single-Surgeon Case Series.. 2022 , 11, e31003	
537	Lumbar disc herniation presenting with fecal incontinence without radiculopathy: A case report. 2021 , 12, 353	

- 536 Transcultural adaptation and validation of the Moroccan Arabic dialect version of the Wexner incontinence score in patients with low anterior resection syndrome after rectal surgery. **2021**, 170, 47-52 O
- 535 Injection of Aluminum Potassium Sulfate and Tannic Acid in the Treatment of Fecal Incontinence: A Single-Center Observational Study. **2021**, O
- 534 Bowel function and quality of life following surgery for deep endometriosis. **2021**, 1-6 1
- 533 Sacral Neuromodulation with the InterStim System for Overactive Bladder: 3-Year Results from the French Prospective, Multicenter, Observational SOUNDS Study. **2021**, O
- 532 Seton Technique in Perianal Fistula: Clinical Results of Two Separate Seton Materials.
- 531 Further validation of the Wexner Incontinence Score: A note of appreciation and gratitude. **2021**, 170, 53-54 1
- 530 Insufficiency of the anal sphincter in women. **2021**, 70-75
- 529 Tolerability and safety of adjuvant chemoradiotherapy with S-1 after limited surgery for T1 or T2 lower rectal cancer. **2021**, 26, 2046-2052
- 528 Diagnosis and Treatment of Obstetric Anal Sphincter Injuries: New Evidence and Perspectives. **2021**, 10, O
- 527 Natural orifice specimen extraction surgery versus conventional laparoscopic-assisted resection for colorectal cancer in elderly patients: a propensity-score matching study. **2021**, 1 2
- 526 Importance of some technical aspects of the procedure of percutaneous posterior tibial nerve stimulation in patients with fecal incontinence. **2021**, 99, 585-592
- 525 Prevalence of sarcopenia in older women with pelvic floor dysfunction. **2021**, 263, 159-163 3
- 524 A novel bowel rehabilitation programme after total mesorectal excision for rectal cancer: the BOREAL pilot study. **2021**, 23, 2619-2626 2
- 523 Genitourinary function and defecation after colorectal cancer surgery with low- and high-ligation of the inferior mesenteric artery: A meta-analysis. **2021**, 13, 871-884 O
- 522 Functional outcomes and local control are acceptable following hand-sewn colo-anal anastomoses for rectal cancer: Results of long-term follow-up. **2021**, O
- 521 Interposition of a biological mesh may not affect the rate of rectovaginal fistula after excision of large rectovaginal endometriotic nodules: a pilot study of 209 patients. **2021**, 23, 2731-2740 1
- 520 Outcomes of robotic partial excision of the levator ani muscle for locally advanced low rectal cancer invading the ipsilateral pelvic floor at the anorectal ring level. **2021**, 17, e2310 1
- 519 Staged Approaches to Restorative Proctocolectomy with Ileoanal Pouch-When and Why?. **2021**, 31, 875-880 O

518	International consensus recommendations on key outcome measures for organ preservation after (chemo)radiotherapy in patients with rectal cancer. 2021 , 18, 805-816	10
517	Sphincter damage during fistulotomy for perianal fistulae and its relationship with faecal incontinence. 2021 , 406, 2497-2505	0
516	Developments in the assessment of non-motor disease progression in amyotrophic lateral sclerosis. 2021 , 1-22	1
515	Defining Low Anterior Resection Syndrome (LARS): scoring tools and patient-reported outcomes. 2021 , 32, 100847	
514	Defecation disorder and anal function after surgery for lower rectal cancer in elderly patients.. 2022 , 6, 101-108	0
513	Small intestinal bacterial overgrowth in spinal cord injury patients. 2021 ,	
512	A Retrospective Study on the Feasibility of Completely Laparoscopic Transabdominal Approach Partial Intersphincteric Resection. 2021 ,	1
511	Current State of Knowledge on Digital Rectal Stimulation in Individuals With Traumatic and Nontraumatic Spinal Cord Injury: A Scoping Review. 2021 , 102, 1816-1825	0
510	Outcomes of a telemedicine bowel management program during COVID-19. 2021 ,	1
509	Live surgery of colorectal endometriosis broadcasted from a surgeon's routine operating theater is not associated with higher complications rate. 2021 , 100, 2176-2185	2
508	Defecation Function After Laparo-Assisted Restorative Proctocolectomy with Ileal Pouch Anal Anastomosis for Ulcerative Colitis. 2021 ,	
507	Robotic versus transanal total mesorectal excision in sexual, anorectal, and urinary function: a multicenter, prospective, observational study. 2021 , 36, 2749-2761	1
506	End-to-end anal Sphincter Repair in Treatment of Post-traumatic Fecal Incontinence. 2021 , 41, 332-334	
505	Role of surgical approach on LARS: LAR vs. TEM, TAMIS, transanal excision, TaTME. 2021 , 32, 100846	0
504	Small intestinal bacterial overgrowth in spinal cord injury patients. 2021 , 44, 539-545	
503	Better quality of life and reduced fecal incontinence in rectal cancer patients with the watch-and-wait follow-up strategy. 2021 , 86, 340-347	
502	Anal incontinence: Diagnosis and Management. 2022 , 495-514.e3	
501	Japanese Practice Guidelines for Fecal Incontinence Part 1-Definition, Epidemiology, Etiology, Pathophysiology and Causes, Risk Factors, Clinical Evaluations, and Symptomatic Scores and QoL Questionnaire for Clinical Evaluations-English Version. 2021 , 5, 52-66	7

- 500 A European snapshot of psychosocial characteristics and patients' perspectives of faecal incontinence-do they correlate with current scoring systems?. **2021**, 36, 1175-1180
- 499 Obstetric Anal Sphincter Injury Detection Using Impedance Spectroscopy with the ONIRY Probe. **2021**, 11, 637 1
- 498 Basic Evaluation of the Patient with Pelvic Floor Dysfunction (General Review). **2021**, 3-16
- 497 Treatment for Fecal Incontinence: Muscle Transposition, Artificial Bowel Sphincter, Magnetic Sphincter, and Stem Cell Regeneration. **2021**, 155-167
- 496 Hemorrhoid laser procedure (HeLP) for second- and third-degree hemorrhoids: results from a long-term follow-up analysis. **2021**, 1 1
- 495 Doppler-guided hemorrhoidal dearterialization with laser (HeLP): indications and clinical outcome in the long-term. Results of a multicenter trial. **2021**, 1 1
- 494 Transanal Endoscopic Microsurgery (TEMS) for Rectal Cancer: Patient Decision-making, Postoperative Experience and Quality of Life. **2021**, 35, 1235-1245
- 493 Transanal proctocolectomy and ileal pouch-anal anastomosis (TaIPAA) for ulcerative colitis: medium term functional outcomes in a single centre. **2021**, 21, 17 3
- 492 Video-assisted anal fistula treatment versus fistulectomy and sphincter repair in the treatment of high cryptoglandular anal fistula: a randomized clinical study. **2021**, 5,
- 491 Epidemiology of Fecal Incontinence. 285-295 2
- 490 Surgical management of anorectal incontinence due to internal anal sphincter deficiency. **1997**, 84, 226-230 47
- 489 Preoperative increase in neuromuscular jitter and outcome following surgery for faecal incontinence. **1997**, 84, 1265-1268 11
- 488 Sphincteroplasty. **2005**, 281-287 1
- 487 Long-term Results After Fecal Incontinence Surgery. **2005**, 403-427 1
- 486 Assessment and Investigation of Fecal Incontinence and Constipation. **2012**, 347-367 2
- 485 Fecal Incontinence. **2011**, 309-322 2
- 484 Quality of Life and Palliative Care in Rectal Cancer Patients. **2001**, 193-213 1
- 483 Primary and Secondary Anal Sphincter Repair. **2003**, 149-157 1

482	Etiology and Pathophysiology. 2003 , 13-29	1
481	Faecal Incontinence. 2002 , 129-141	1
480	Third and Fourth Degree Tears. 2009 , 33-51	24
479	Rectovaginal Fistulae. 2021 , 975-994	1
478	Sacral nerve stimulation for fecal disorders: evolution, current status, and future directions. 2007 , 97, 351-7	8
477	Management of Perineal Trauma Complications: The Role of the MDT. 2016 , 169-179	1
476	Pelvic Floor Disorders Related to Urology and Gynecology. 2019 , 571-582	3
475	Management of Fecal Incontinence in Community-Living Adults. 2018 , 93-126	1
474	Pelvic Floor Dysfunction. 2010 , 611-625	2
473	Functional Disorders. 2008 , 81-127	2
472	Surgical Management of Fecal Incontinence. 2008 , 245-264	2
471	Diagnostik. 1997 , 901-914	1
470	Imaging Techniques (Technique and Normal Parameters). 2003 , 45-106	1
469	Sacral Nerve Stimulation. 2007 , 211-220	4
468	Double Incontinence. 2007 , 331-340	1
467	Risk Factors in Faecal Incontinence. 2007 , 43-66	0
466	Clinical Assessment of the Incontinent Patient. 2007 , 89-93	1
465	Diagnosis of Fecal Incontinence. 2007 , 95-105	1

464	Standardized Method of the Thiersch Operation for the Treatment of Fecal Incontinence. 2020 , 44, 3141-3148	3
463	Epidemiology and Psychosocial Impact of Pelvic Floor Disorders. 2007 , 44-54	2
462	Fecal Incontinence. 2007 , 309-319	2
461	Outcomes And Quality-Of-Life Measures In Pelvic Floor Research. 2007 , 499-511	1
460	Anatomic Defects of the Abdominal Wall and Pelvic Floor. 2007 , 501-536	1
459	Pelvic Floor Dysfunction. 2019 , 1750-1760	2
458	Fecal Incontinence. 2010 , 241-258.e5	1
457	Fecal incontinence and quality of life assessment through questionnaires. 2017 , 37, 341-348	7
456	Posterior rectal pouch after large full-thickness disc excision of deep endometriosis infiltrating the low/mid rectum and relationship with digestive functional outcome. 2020 , 49, 101792	1
455	SURGICAL THERAPY FOR ULCERATIVE COLITIS. 1995 , 24, 559-575	4
454	The Evolving Role of Laparoscopic Technique in the Performance of Hartmannâs Procedure. 1994 , 3, 717-730	4
453	Is age relevant to functional outcome after restorative proctocolectomy for ulcerative colitis?: prospective assessment of 122 cases. 1998 , 227, 187-94	52
452	Functional outcome after colectomy and ileorectal anastomosis compared with proctocolectomy and ileal pouch-anal anastomosis in familial adenomatous polyposis. 1999 , 230, 648-54	88
451	Controlling fecal incontinence with sensory retraining managed by advanced practice nurses. 1996 , 10, 171-5	7
450	Risk factors for fecal incontinence in a nursing home population. 1997 , 24, 156-60	51
449	A clinical approach to fecal incontinence. 1998 , 27, 108-21	55
448	The stimulated gracilis neosphincter for fecal incontinence: a new use for an old concept. 1996 , 98, 693-9	22
447	Partial Stapled Hemorrhoidopexy Versus Circumferential Stapled Hemorrhoidopexy for Grade III to IV Prolapsing Hemorrhoids: A Randomized, Noninferiority Trial. <i>Diseases of the Colon and Rectum</i> , 2019 , 62, 223-233	3.1 7

446	Minimal Open Hemorrhoidectomy Versus Transanal Hemorrhoidal Dearterialization: The Effect on Symptoms: An Open-Label Randomized Controlled Trial. <i>Diseases of the Colon and Rectum</i> , 2020 , 63, 655-667	3.1	6
445	Validation of a Novel Fecal Incontinence Scale: The Rapid Assessment Fecal Incontinence Score (RAFIS). 2021 , 55, 141-146		1
444	Prevalence of faecal incontinence in the community: a cross-sectional study in Singapore. 2014 , 55, 640-3		4
443	Clinical Effect of Tunnel-Like Fistulectomy Plus Draining Seton Combined with Incision of Internal Opening of Anal Fistula (TFSIA) in the Treatment of High Trans-Sphincteric Anal Fistula. 2020 , 26, e918228		5
442	Defecation function and quality of life in patients with slow-transit constipation after colectomy. 2020 , 8, 1897-1907		3
441	Anterior anal sphincter repair: results in a district general hospital. 2002 , 84, 321-4		20
440	Age related changes in metabolite concentrations in the normal spinal cord. 2014 , 9, e105774		12
439	Effects of Extracorporeal Magnetic Stimulation in Fecal Incontinence. 2020 , 15, 57-64		4
438	Distúrbios evacuatórios em primigestas após parto normal: estudo clínico. 2011 , 31, 126-130		1
437	[Rehabilitation program for patients with low anterior resection syndrome]. 2020 , 97, 52-59		2
436	Quality of life and 3D-EUS assessment for anal incontinence after childbirth. 2019 , 111, 453-459		4
435	Treatment of a chronic anal fissure with a botulin toxin A injection and fissurectomy. 2019 , 111, 672-676		5
434	Rectal advancement flaps for the treatment of transphincteric perianal fistulas: a three-dimensional endoanal ultrasound and quality of life assessment. 2020 , 112, 860-863		2
433	Validation and comparative assessment of low anterior resection syndrome questionnaires in Greek rectal cancer patients. 2019 , 32, 185-192		7
432	Safety and survival outcomes of transanal natural orifice specimen extraction using prolapsing technique for patients with middle- to low-rectal cancer. 2020 , 32, 654-664		1
431	Preserving the superior rectal artery in laparoscopic sigmoid resection for complete rectal prolapse. 2004 , 51, 53-5		1
430	Quality of life after sphincteroplasty. 2004 , 51, 73-5		5
429	Intersphincteric resection with partial removal of external anal sphincter for low rectal cancer. 2008 , 55, 45-53		10

428	NORMAL VALUES OF ANAL SPHINCTER PRESSURE MEASURED WITH NON-PERFUSION WATER SPHINCTEROMETER. 2016 , 32-36	5
427	SPHINCTEROMETRY GRADATION OF ANAL SPHINCTER INSUFFICIENCY. 2016 , 54-59	9
426	Usefulness of Anorectal Manometry for Diagnosing Continence Problems After a Low Anterior Resection. 2016 , 32, 101-4	11
425	Long-term Outcome of a Fissurectomy: A Prospective Single-Arm Study of 50 Operations out of 349 Initial Patients. 2018 , 34, 83-87	10
424	Initial Experience With Video-Assisted Anal Fistula Treatment in the Philippines. 2020 , 36, 112-118	2
423	Delorme's Procedure for Complete Rectal Prolapse: Does It Still Have It's Own Role?. 2012 , 28, 13-8	8
422	Management of recto-vaginal fistulas after prosthetic reinforcement treatment for pelvic organ prolapse. 2010 , 16, 3011-5	14
421	Gender influence on defecographic abnormalities in patients with posterior pelvic floor disorders. 2010 , 16, 462-6	16
420	Excisional hemorrhoidal surgery and its effect on anal continence. 2012 , 18, 4059-63	11
419	Midterm outcome of stapled transanal rectal resection for obstructed defecation syndrome: a single-institution experience in China. 2013 , 19, 6472-8	10
418	Fecal incontinence in men: causes and clinical and manometric features. 2014 , 20, 7933-40	25
417	Sphincter lesions observed on ultrasound after transanal endoscopic surgery. 2015 , 21, 13160-5	8
416	Current status of laparoscopic and robotic ventral mesh rectopexy for external and internal rectal prolapse. 2016 , 22, 4977-87	59
415	Prospective evaluation of a new device for the treatment of anal fistulas. 2016 , 22, 6936-43	5
414	Predictive factors for compliance with transanal irrigation for the treatment of defecation disorders. 2017 , 23, 2029-2036	24
413	Hypothesized summative anal physiology score correlates but poorly predicts incontinence severity. 2017 , 23, 5732-5738	2
412	Diagnosis and Management of Fecal Incontinence at a Specialty Outpatient Clinic. 2008 , 61, 247-253	10
411	Evidence Based Treatment Strategy for Anorectal Sepsis and Anal Fistula. 2008 , 61, 364-377	1

410	A New Anal Canal Plastic Operation for Fecal Incontinence -Posterior Internal Anal Sphincter Repair-. 2011 , 64, 383-402	1
409	Loose Seton: A Misnomer of Cutting Seton. 2016 , 07, 219-225	2
408	Validation of a new scoring system: Rapid assessment faecal incontinence score. 2015 , 7, 203-7	14
407	Endoanal ultrasonography in fecal incontinence: Current and future perspectives. 2015 , 7, 575-81	20
406	Clinical Evaluation of a Patient With Symptoms of Colonic or Anorectal Motility Disorders. 2020 , 26, 423-436	3
405	Short term outcome of laparoscopic ventral mesh rectopexy for rectal and complex pelvic organ prolapse: case series. 2019 , 35, 91-97	2
404	Assessment, prevention and treatment of faecal incontinence in older people. 2018 , 30, 39-47	1
403	Importance of some technical aspects of the procedure of percutaneous posterior tibial nerve stimulation in patients with fecal incontinence. 2020 , 99, 585-585	
402	Risk Factors for Anorectal Dysfunction After Interspincteric Resection in Patients With Low Rectal Cancer. 2021 , 8, 727-694	
401	Ventral Prosthesis Rectopexy for obstructed defaecation syndrome: a systematic review and meta-analysis. 2021 , 1	0
400	High Failure Rate Following Restorative Surgery for Rectal Prolapse in Systemic Sclerosis Patients. 2021 , 31348211047487	
399	Résultats à long terme de la neuromodulation sacrée dans le traitement des troubles ano-rectaux. 2021 ,	
398	Risk of Fecal Incontinence Following Receptive Anal Intercourse: Survey of 21,762 Men Who Have Sex With Men. 2021 , 18, 1880-1890	
397	The application of regenerative medicine in colorectal surgery. 2021 ,	0
396	Formen der anorektalen Inkontinenz. 2000 , 305-307	
395	Anatomical and Physiological Bases of Fecal Continence. 2002 , 283-288	
394	Primary Anorectal Reconstruction after Abdominoperineal Excision by Coloperineal Pull-Through and Electrically Stimulated Graciloplasty: Efficiency and Limitations of a Hard-to-Catch-on Procedure. 2002 , 225-246	
393	Restoration of Anal Continence with the Artificial Bowel Sphincter (Abs Acticon TM). 2002 , 303-312	

392 Sphincter Disturbances in Stroke Patients. **2002**,

391 Physiology and Pathophysiology of Anorectal Function. **2003**, 13-18

390 Faecal Incontinence. **2003**, 349-354

389 Störungen des gastrointestinalen Systems. **2003**, 295-326

388 Grundlagen physiologischer und pathophysiologischer Bewegungsabläufe des Anorektums. **2003**, 13-18

387 Coloproctological Dysfunction. **2003**, 143-170

386 Anal Endosonography and Incontinence. **2003**, 93-98

385 Pathophysiology. **2003**, 13-29

384 Fecal Incontinence. **2004**, 31-34

383 Indikationsspezifische krankengymnastische Gruppenkonzepte. **2004**, 463-543

382 A systematic review of instruments for the assessment of faecal incontinence for community-dwelling older persons. **2005**, 3, 1-9

381 Invited Commentary. **2006**, 349-353

380 Management of fecal incontinence and rectal prolapse. **2006**, 197-218

379 Introduction. **2006**, 261-264

378 Introduction. **2006**, 83-85

377 Neuromodulation for Fecal Incontinence. **2006**, 355-366

376 Pathophysiology of fecal incontinence. **2006**, 21-33

375 Prevalence of the Urinary and Fecal Symptoms in Women with Pelvic Organ Prolapse. **2006**, 47, 1339

374 Invited Commentary. **2006**, 127-128

373 Introduction. **2006**, 321-325

372 De Gruyter. **2007**, 79,

371 Current Practice of Fecal Incontinence in Our Institution. **2007**, 60, 895-900

9

370 Evaluation and Treatment of Pelvic Floor Disorders. **2007**, 23, 206

1

369 SURGICAL EXPERIENCE WITH ABDOMINAL STAPLING RECTOPEXY FOR COMPLETE RECTAL PROLAPSE. **2007**, 68, 2565-2570

368 Laparoscopic Internal Sphincter Resection (LAP-ISR) for Lower Rectal Carcinoid: A Report of Case. **2007**, 60, 281-285

7

367 Qualidade de vida e estratégias de enfrentamento em idosos com incontinência fecal: uma revisão da literatura. **2007**, 10, 383-400

2

366 A systematic review of psychometric evidence and expert opinion regarding the assessment of faecal incontinence in older community-dwelling adults. **2008**, 6, 367-431

365 Medidas de resultados y calidad de vida en la investigación del suelo pélvico. **2008**, 507-519

364 Epidemiología y consecuencias psicosociales de los trastornos del suelo pélvico. **2008**, 43-54

363 Long-term Surgical Outcome and QOL of Abdominotransanal Resection with Transanal Side-to-end (Baker) Anastomosis for Very Low Rectal Cancer. **2008**, 61, 235-239

362 Incontinencia fecal. **2008**, 317-327

361 CONSTIPATION. **2008**, 693-740

360 FAECAL INCONTINENCE. **2008**, 591-692

359 GYNAECOLOGICAL CONDITIONS RELEVANT TO THE COLORECTAL SURGEON. **2008**, 2383-2414

358 Evaluation of Post-operative Bowel Function, Quality of Life and Patient Satisfaction for Rectal Cancer-Is Colooplasty Useful for Low Rectal Cancer?-. **2009**, 62, 7-13

1

357 Reoperative Surgery for Anal Incontinence. **2009**, 165-178

- 356 Long-term Results of Primary Lesion Opening Surgery (Localized Laying Open Method) for Anal Fistula. **2009**, 62, 307-322 2
- 355 Areas of Controversy and Future Research. **2009**, 117-132
- 354 A COMPARISON OF QUALITY OF LIFE AND FUNCTIONAL OUTCOMES BETWEEN PARTIAL INTERSPHINCTERIC RESECTION AND CONVENTIONAL SPHINCTER PRESERVING SURGERY. **2009**, 70, 979-984
- 353 Invited Commentary. **2010**, 361-363
- 352 Sphincter Repair and Postanal Repair. **2010**, 321-330
- 351 Sacral Nerve Stimulation for Fecal Incontinence. **2010**, 443-452
- 350 Fecal Incontinence: Introduction. **2010**, 281-284 1
- 349 Evaluation of Anorectal Manometric Values. **2010**, 63, 6-14
- 348 The Role of EUS in Rectal Cancer and Fecal Incontinence. **2010**, 371-388
- 347 Three-dimensional Endoluminal Ultrasonography. **2010**, 285-296
- 346 Fecal incontinence: part 4 of a series of articles on incontinence. **2010**, 107, 596-601 3
- 345 Complimentary Investigations. **2011**, 49-60
- 344 Sacral Nerve Stimulation for Posterior Pelvic Floor Abnormalities. **2011**, 111-120
- 343 Management of Fecal Incontinence in Adults -Evaluation, Diagnosis and Outline of Therapies-. **2011**, 64, 860-866
- 342 Therapeutic Results of 537 Cases of Neurogenic Intrapelvic Syndrome (NIS). **2011**, 64, 201-213
- 341 Perineal Repair and Pelvic Floor Injury. **2011**, 1231-1243.e3
- 340 Influence of perineal prostatectomy on anal continence. **2011**, 66, 2007-12 1
- 339 Current Situation of the Management of Fecal Incontinence in Japanese InstitutionsâDiagnosis and Treatmentâ**2012**, 65, 101-108 3

338 Anorektale Inkontinenz. **2012**, 237-288

337 Anal Incontinence. **2012**, 533-540

336 Managing the Megarectum. **2013**, 283-296

335 Neuromodulation sacr . **2013**, 95-112

334 R parations et reconstructions p fin les. **2013**, 85-93

333 Can More than One Fistula Be Treated by a New Type of Seton Concomitantly?. **2013**, 04, 35-38

332 Anal Incontinence. **2013**, 503-518

o

331 Anorectal Anomalies. **2013**, 2273-2297

330 Premi re consultation pour incontinence anale. **2013**, 19-25

329 Incontinence Assessment: Physiology and Imaging. **2014**, 115-132

328 Surgical Treatments for Incontinence. **2014**, 133-155

327 Bekkenfysiotherapie bij volwassenen met fecale incontinentie. **2014**, 95-105

326 Anorectal Physiology. **2014**, 13-33

325 Fistulotomy and Lay Open Technique. **2014**, 53-64

1

324 Surgical Results and Postoperative Anal Function following Intersphincteric Resection for Lower Rectal Cancer. **2014**, 75, 3236-3244

323 Functional Assessment of Anorectal Function. **2014**, 73-82

322 Sfinkterio plastikos efektyvumas gydant i hat helaikym . **2014**, 20, 118-122

321 Chirurgische Therapie der Inkontinenz. **1997**, 929-950

320 Pathophysiologie. **1997**, 893-900

319 Komplikationen und funktionelle Ergebnisse nach totaler Exzision des Mesorektums mit Anlage eines Kolonpouches bei der Behandlung des Rektumkarzinoms. **1998**, 538-543

318 Urogynecology and Pelvic Reconstructive Surgery. **1998**, 571-600

317 Anale Inkontinenz. **1999**, 587-594

316 Dynamic Graciloplasty. **2015**, 187-200

315 Sacral Nerve Modulation for Fecal Incontinence. **2015**, 155-164

314 ANAL INCONTINENCE AMONG POSTPARTUM INDIAN WOMEN. **2014**, 1, 587-594

1

313 Surgical Therapy for Fecal Incontinence. **2015**, 233-251

312 Dealing with Pelvic Dysfunction: Multi and Interdisciplinary Team Approach. **2015**, 49-56

311 Diagnosis in Coloproctology: From the General Practitioner to the Tertiary Referral Center. **2015**, 1-17

310 Signs and Symptoms in Coloproctology: Data Collection and Scores. **2015**, 1-28

309 Patient History Data Collection in Coloproctology. **2015**, 1-5

308 Funktionserkrankungen des Anorektums. **2015**, 171-178

307 SACRAL NEUROMODULATION FOR THE TREATMENT OF FAECAL INCONTINENCE: FIRST STEPS IN LITHUANIA. **2015**, 26, 91-95

306 SIDE-TO-END ANASTOMOSIS IN LOW ANTERIOR RECTAL RESECTION. **2015**, 174, 42-46

1

305 Störungen des gastrointestinalen Systems. **2016**, 153-179

304 Clinical Utility of Delorme Operation for Treatment of Rectal Prolapse in the Elderly: Incontinence Score Improvement. **2016**, 41, 143-146

303 Kolorektale Chirurgie. **2016**, 277-291

302 Fecal Incontinence After Childbirth: Diagnostic and Clinical Aspects. **2016**, 143-154

301 Theories of Toileting. **2017**, 63-87

300 Colorectal Interventions: Rectovaginal Fistulas. **2017**, 371-385

299 Role of clinical pathway in improving the quality of care for patients with faecal incontinence: A randomised trial. **2017**, 8, 81-89

1

298 The functional state of the pelvic floor muscles in patients with rectocele. **2017**, 17, 43

3

297 Benign Anal Disease: Who Are the Right Candidates for Sacral Nerve Stimulation?. **2017**, 423-438

296 Management of Perianal Crohn's Disease in the Biologic Era. **2017**, 1-27

1

295 Functional Outcome and Life Quality after Unilateral Fixed Proximally- Based Gluteoplasty for End-Stage Fecal Incontinence. **2017**, 3, 010-014

294 FUNCTIONAL STATE OF THE PELVIC FLOOR MUSCLES IN PATIENTS WITH THE PELVIC PROLAPSE. **2017**, 55-61

4

293 High-Risk Pregnancy: Management Options. **2018**,

1

292 Clinical Assessment and Differential Diagnosis of Fecal Incontinence and Its Severity. **2018**, 77-91

291 Anorektale Inkontinenz. **2018**, 237-300

290 Fecal incontinence in patients with genital prolapse. **2018**, 18, 62

1

289  **2018**, 98-106

1

288 Anorectal Abscess and Fistula in Ano. **2019**, 161-189

287 Perioperative Management. **2019**, 87-101

1

286 Fecal Incontinence. **2019**, 149-160

285 Patient Evaluation. **2019**, 23-39

- 284 Diagnosis and Management of Fecal Incontinence. **2019**, 1721-1732 1
- 283 Predictive factors of low anterior resection syndrome following anterior resection of the rectum. **2020**, 46, e20192361 2
- 282 Long-term treatment outcomes in patients with low rectal cancer. **2019**, 9, 26-33
- 281 FISTULA-IN-ANO TREATMENT WITH LASER. **2019**, 6, 2076-2078
- 280 Rectal Flap Experience in High Transsphincteric Cryptoglandular Anal Fistula. 2
- 279 Anorectal Manometry Versus Patient-Reported Outcome Measures as a Predictor of Maximal Treatment for Fecal Incontinence. **2019**, 35, 319-326 2
- 278 Assessments of Pudendal Motor and Sensory Nerves in Patients with or without Fecal Incontinence after Low Anterior Resection for Lower Rectal Cancer. **2020**, 11, 220-235
- 277 Locally Advanced Rectal Cancer. **2020**, 341-349
- 276 Propiverine Hydrochloride as a Treatment for Fecal Incontinence. **2020**, 36, 88-93 0
- 275 OUTLET OBSTRUCTED CONSTIPATION AND FECAL INCONTINENCE: IS REHABILITATION TREATMENT THE WAY? MYTH OR REALITY. **2020**, 5757, 198-202 3
- 274 Patient-Reported Outcome Measures in Endometriosis. **2021**, 10, 1
- 273 Delivery Mode after Ileal Pouch-Anal Anastomosis among Pregnant Women with Ulcerative Colitis. **2021**, 5, 419-425
- 272 Sphinkeeper Procedure for Treating Severe Faecal Incontinence-A Prospective Cohort Study. **2021**, 10, 0
- 271 Prevalence and Risk Factors of Anal and Fecal Incontinence in Japanese Medical Personnel. **2021**, 5, 386-394
- 270 Long-term results of sacral neuromodulation for the treatment of anorectal diseases. **2021**, 0
- 269 Current Incidence and Risk Factors of Fecal Incontinence After Acute Stroke Affecting Functionally Independent People. **2021**, 12, 755432
- 268 CORRELATION BETWEEN THE LEVEL OF COLORECTAL ANASTOMOSIS AND ANORECTAL FUNCTION. **2020**, 59, 703-711
- 267 Surgical Therapy for Fecal Incontinence. **2020**, 239-253

266 Pelvic Floor Conditions: Diarrhea. **2020**, 265-269

265 Treatment of Anal Incontinence: Which Outcome Should We Measure?. **2021**, 533-543

264 Sphincter Repair and Postanal Repair. **2021**, 473-482

263 Endoanal Ultrasonography in Anal Incontinence. **2021**, 417-435

262 Patient-Reported Outcomes and Pelvic Organ Prolapse. **2021**, 555-575

261 Surgical Treatment of Anorectal Sepsis. **2021**, 1041-1057

260 Utilité de l'intervention de Malone dans les troubles digestifs d'origine neurologique. **2020**, 157, 466-473

259 Clinical efficacy of integral theory-guided laparoscopic integral pelvic floor/ligament repair in the treatment of internal rectal prolapse in females. **2020**, 8, 5873-5883

258 Dynamic Graciloplasty. **2021**, 483-489

257 Patient-Reported Outcome Assessment in Anal Incontinence. **2021**, 399-409

256 Clinical efficacy of integral theory-guided laparoscopic integral pelvic floor/ligament repair in the treatment of internal rectal prolapse in females. **2020**, 8, 5876-5886

2

255 Patient-Reported Outcome Assessment in Constipation and Obstructed Defecation. **2021**, 741-752

254 Behavioral Therapies and Biofeedback for Anal Incontinence. **2021**, 459-472

253 Randomized Pilot Study: Anal Inserts Versus Percutaneous Tibial Nerve Stimulation in Patients With Fecal Incontinence. *Diseases of the Colon and Rectum*, **2021**, 64, 466-474

3.1 0

252 Colorectal Surgery in the Elderly. **2020**, 259-282

1

251 Traumatic posterior anal injury requiring a sphincteroplasty without diversion. **2020**, 3, 74

250 Physiologic Testing. **2020**, 13-23

249 Urinary and Fecal Incontinence: Preoperative Considerations. **2020**, 27-39

248 Fecal Incontinence. **2020**, 427-430

247 A new procedure for treatment of mixed circumferential hemorrhoidal prolapse combining stapled hemorrhoidopexy with laser intra-hemorrhoidal coagulation: Initial experience of a single surgeon and short-term results. **2020**, 3, 59

246 Comparison of Anorectal Function Measured using Wearable Digital Manometry and a High Resolution Manometry System.

245 Complex Anal Fistula: Long-Term Results of Modified Ligation of Intersphincteric Fistula Tract=LIFT. **2020**, 54, 297-301

1

244 Quality of Life Considerations on Fecal Incontinence.

0

243 Early and late effects of the sequential transfixated stitch technique for the treatment of the symptomatic rectocele without rectal mucosa prolapse. **2020**, 75, 83-91

0

242 Anal Injectable and Implantable Bulking Agents for Faecal Incontinence.

0

241 BioSphincter a Regenerative Medicine Approach to Treat FI.

240 CORRELATION BETWEEN PELVIC FLOOR DYSFUNCTION ON DYNAMIC 3D ULTRASOUND AND VAGINAL DELIVERY, PARITY, AND AGE IN WOMEN WITH OBSTRUCTED DEFECATION SYMPTOMS. **2021**, 58, 302-307

0

239 Ten-year Evaluation of a Large Retrospective Cohort Treated by Sacral Nerve Modulation for Fecal Incontinence: Results of a French Multicenter Study. **2020**,

3

238 Imaging of Fecal Incontinence. **2007**, 119-133

237 Diagnostic Workup in Incontinent Patients: An Integrated Approach. **2007**, 135-150

236 Obstetric Lesions: The Coloproctologist's Point of View. **2007**, 273-283

235 Obstetric Lesions: The Gynaecologist's Point of View. **2007**, 285-292

234 Neurogenic Fecal Incontinence. **2007**, 293-305

233 Impact of Fecal Incontinence on Quality of Life. **2007**, 73-77

232 History, Clinical Examination, and Basic Physiology. **2005**, 18-38

231 An Overview. **2005**, 694-705

230 Assessing the Functional Results of the Artificial Bowel Sphincter. **2005**, 714-724

229 Fecal Incontinence; Rectal Prolapse. **2003**, 399-411

228 Incontinence fcale: scores symptomatiques et qualit de vie. **2005**, 113-116

227 Anale Inkontinenz. **2005**, 489-494

226 Innovations in Fecal Incontinence: Sacral Nerve Stimulation. **2005**, 311-323

225 Trends and Current Issues in Adult Fecal Incontinence (FI): Towards Enhancing the Quality of Life for FI Patients. **2003**, 8, 107-117

2

224 Surgery for Incontinence and Pelvic Dysfunction: Overview for the PCP. **2007**, 94-105

223 Initial Evaluation of Constipation. **2006**, 35-47

222 Fecal Incontinence. **2006**, 55-63

221 Faecal Incontinence. **2008**, 199-211

220 Fecal Diversion. **2008**, 151-153

219 Primary Evaluation of the Pelvic Floor. **2008**, 27-34

218 Scoring Systems. **2008**, 353-357

217 Scores de sympt mes et de qualit de vie dan  valuation des fonctions sphinct riennes. **2006**, 151-160

216 Clinical and physiological efficacy of the application of autologous fat with platelet rich plasma in treating faecal incontinence. **2020**, 40, 227-232

215 Ambulatory seton placement followed by fistulotomy: efficacy and safety for perianal fistula treatment. **2021**, 33, 956-960

1

214 Management of fecal incontinence. **2008**, 4, 807-17

3

213 Sacral nerve stimulation for fecal incontinence. First successful case in Greece. **2011**, 15, 366-9

212	Efficacy of Biofeedback Therapy before and after Sphincteroplasty for Fecal Incontinence because of Obstetric Injury: A Randomized Controlled Trial. 2016 , 41, 126-31	6
211	Update on the Management of Fecal Incontinence for the Gastroenterologist. 2016 , 12, 155-64	6
210	Outcomes of Sacral Nerve Stimulation For Faecal Incontinence in Northern Ireland. 2017 , 86, 20-24	3
209	Clinical Management of Bowel Dysfunction After Low Anterior Resection for Rectal Cancer. 2016 , 7, 618-629	4
208	Long-term evaluation of the impact of delivery modalities on anal continence in women with Crohn's disease. 2021 ,	
207	Low Anterior Resection Syndrome: Predisposing Factors and Treatment. 2021 , 101691	0
206	Évaluation à long terme du retentissement des modalités d'accouchement sur la continence anale chez les femmes atteintes de la maladie de Crohn. 2021 ,	
205	Treatment of Fistulizing Perianal Crohn's Disease by Autologous Microfat Enriched With Adipose-Derived Regenerative Cells. 2021 ,	
204	Clinical Efficacy of Intersphincteric Resection for Low Rectal Cancer Compared With Abdominoperineal Resection: A Single-Center Retrospective Study. 2021 , 31348211056271	0
203	Chemoradiotherapy Plus Induction or Consolidation Chemotherapy as Total Neoadjuvant Therapy for Patients With Locally Advanced Rectal Cancer: Long-term Results of the CAO/ARO/AIO-12 Randomized Clinical Trial. 2021 , e215445	14
202	Functional Outcomes After Surgery for Total Colonic, Long-Segment, Versus Rectosigmoid Segment Hirschsprung's Disease. 2021 ,	1
201	Fecal Incontinence: Evaluation and Treatment. 2022 , 1035-1046	
200	Modified tissue-selecting therapy stapler combined with complete anal canal epithelial preservation operation for the treatment of circumferential mixed haemorrhoids: a protocol for single-blind randomised controlled study. 2021 , 11, e052982	
199	Fistulectomy. 2021 , 1-25	
198	Evolving short- and long-term goals of management of IBD: getting it right, making it last.. 2021 ,	1
197	LONG-TERM EVOLUTION OF CONTINENCE AND QUALITY OF LIFE AFTER SPHINCTEROPLASTY FOR OBSTETRIC FECAL INCONTINENCE. 2020 ,	1
196	Diagnostic and the surgical treatment tactics in the rectal mucosa prolapse with the anal sphincter insufficiency. 2021 , 88, 8-11	
195	A systematic review of the patient burden of Crohn's disease-related rectovaginal and anovaginal fistulas.. 2022 , 22, 36	

194	External kinesiology tape for improvement in fecal incontinence symptom bother in women: a pilot study.. 2022 , 1		
193	Rectovaginal Fistula in Crohn's Disease: When and How to Operate?. 2022 , 35, 10-20		
192	A pilot randomized controlled trial on ligation of intersphincteric fistula tract (LIFT) versus modified parks technique and two-stage seton in treatment of complex anal fistula.. 2022 , 1		
191	Is laparoscopic ventral rectopexy a good treatment option for rectal prolapse?. 2022 , 4, 108-112		
190	A comparative study on the surgical options for male rectal prolapse. 2022 ,		o
189	Is evaluation by questionnaires sufficient to cover all aspects of bowel symptoms in rectal cancer patients after low anterior resection?. 2022 ,		o
188	Transanal Endoscopic Microsurgery Versus Total Mesorectal Excision In Ypt0-1 Rectal Cancer After Preoperative Radiochemotherapy: Postoperative Morbidity, Functional Results, and Long-term Oncologic Outcome.. <i>Diseases of the Colon and Rectum</i> , 2022 ,	3.1	o
187	Faecal incontinence in inflammatory bowel disease: The Nancy experience.. 2022 ,		o
186	Disorders of anorectal motility: Functional defecation disorders and fecal incontinence.. 2022 ,		o
185	Troubles de la motricité anorectale : troubles fonctionnels de la défécation et incontinence fécale. 2022 ,		
184	External rectal prolapse: abdominal or perineal repair for men? A retrospective cohort study.. 2022 , 10, goac007		
183	Is sacral nerve modulation reprogramming effective after permanent implantation for faecal incontinence?. 2022 ,		
182	Esfinteroplastia anatómica mediante reconstrucción combinada del esfínter anal interno y externo en el tratamiento quirúrgico de la incontinencia anal. 2022 ,		
181	Long-term outcomes of transanal endoscopic microsurgery for the treatment of rectal neuroendocrine tumors.. 2022 , 22, 43		
180	The Dilemma of the Level of the Inferior Mesenteric Artery Ligation in the Treatment of Diverticular Disease: A Systematic Review of the Literature.. 2022 , 11,		o
179	Clinical Utility and Characteristics of the LARS Score Compared to the CCIS.. 2022 , 46, 925		o
178	Systematic review and meta-analysis of randomized controlled trials evaluating the effect of the level of ligation of inferior mesenteric artery on functional outcomes in rectal cancer surgery.. 2022 , 37, 709		1
177	Robotic Intersphincteric Resection for Low Rectal Cancer: Technical Controversies and a Systematic Review on the Perioperative, Oncological, and Functional Outcomes. 2021 ,		6

176 Stuhlinkontinenz. **2022**, 1-12

175 Ligation of the Intersphincteric Fistula Traject with Placement of a Prosthesis: A New Technique in the Treatment of Fistula-in-Ano at Yaounde Central Hospital (Cameroon). **2022**, 13, 66-77

174 IOIBD Recommendations for Clinical Trials in Ulcerative Proctitis: the PROCTRIAL Consensus.. **2022**, o

173 Using Augmented Reality for Intraoperative Guidance During Sacral Neuromodulation System Implantation. **2022**, 3, e138

172 Diagnostic Approaches of Dysfunctional Anorectum and Pelvic Floor Disorders.

171 Functional Outcomes after Transanal Surgery.. **2022**, 35, 146-154 o

170 Long-term Outcomes Following Surgical Management of Rectal Endometriosis: Seven-year Follow-up of Patients Enrolled in a Randomized Trial.. **2022**, 1

169 Pelvic Floor Dysfunctions and Their Rehabilitation in Multiple Sclerosis.. **2022**, 11, o

168 Administration of an Anal Bulking Agent With Polyacrylate-Polyalcohol Copolymer Particles Versus Endoanal Electrical Stimulation With Biofeedback for the Management of Mild and Moderate Anal Incontinence: A Randomized Prospective Study.. *Diseases of the Colon and Rectum*, **2022**, 3.1 o

167 Fecal incontinence subtype assessment (FI-SA): a new tool to distinguish among subtypes of fecal incontinence in a neurogenic population.. **2022**, 101900

166 Short-course radiotherapy combined with CAPOX and Toripalimab for the total neoadjuvant therapy of locally advanced rectal cancer: a randomized, prospective, multicentre, double-arm, phase II trial (TORCH).. **2022**, 22, 274 o

165 Comparison of Anorectal Functional Outcome Following Low Anterior Resection Versus Intersphincteric Resection for Rectal Cancer. **2022**, 32, 10-15

164 Management and outcomes of anal sphincter injuries: A retrospective cohort study. **2022**, 6, 254-257

163 Anal Fistula Human Amniotic Membrane Endosealing (F-HAME): A Proof of Concept Study.. **2022**, 9, 869923 o

162 Testosterone sustained release microspheres for the treatment of fecal incontinence.. **2022**, o

161 Familial Experience With Hirschsprung's Disease Improves the Patient's Ability to Cope.. **2022**, 10, 820976 o

160 Non-operative management after chemoradiotherapy plus consolidation or sandwich (induction with bevacizumab and consolidation) chemotherapy in patients with locally advanced rectal cancer: a multicentre, randomised phase II trial (NOMINATE trial).. **2022**, 12, e055140 o

159 The pattern of bowel dysfunction in patients with rectal cancer following the multimodal treatment: anorectal manometric measurements at before and after chemoradiation therapy, and postoperative 1 year.. **2022**,

- 158 Sphincter-Preserving Fistulectomy Is an Effective Minimally Invasive Technique for Complex Anal Fistulas.. **2022**, 9, 832397
- 157 Functional outcomes after sphincter-preserving surgeries for low-lying rectal cancer: A review. **2021**, 5, 164-174 1
- 156 Scoring systems for diverticular disease. **2021**, 0
- 155 Pelvic Floor Rehabilitation After Rectal Cancer Surgery: A Multicentre Randomised Clinical Trial (FORCE Trial).. **2021**, 0
- 154 Mid-term functional and quality of life outcomes of robotic and laparoscopic ventral mesh rectopexy: multicenter comparative matched-pair analyses.. **2021**, 26, 253 0
- 153 Evaluation of Anorectal Function in Perianal Crohn's Disease: A Pilot Study.. **2021**, 10,
- 152 Faecal incontinence is associated with an impaired rectosigmoid brake and improved by sacral neuromodulation.
- 151 Comparative study of functional outcomes between ultra-low anterior resection and inter-sphincteric resection: a propensity matched analysis. **2021**, 0
- 150 Biofeedback pelvic floor muscle training and posterior tibial nerve electrostimulation for treatment of faecal incontinence: monotherapy versus combined therapy: a prospective randomized trial. **2022**, 46, 0
- 149 Application of nanofat for treatment of traumatic faecal incontinence after sphincteroplasty - a pilot study.. **2022**,
- 148 Long-term development of surgical outcome of laparoscopic sacrohysteropexy with anterior and posterior mesh extension.. **2022**, 1
- 147 The effect of biofeedback pelvic floor training with ACTICORE1 on fecal incontinence A prospective multicentric cohort pilot study.. **2022**, 106617
- 146 Ligation of Intersphincteric Fistula Tract (LIFT) with or Without Injection of Bone Marrow Mononuclear Cells in the Treatment of Trans-sphincteric Anal Fistula: a Randomized Controlled Trial.. **2022**, 1
- 145 Robotic surgery contributes to the preservation of bowel and urinary function after total mesorectal excision: comparisons with transanal and conventional laparoscopic surgery.. **2022**, 22, 147 1
- 144 Bekkenbodendisfuncties. **2022**, 137-159
- 143 Fistulectomy. **2022**, 283-307
- 142 A Multidisciplinary Approach for the Personalised Non-Operative Management of Elderly and Frail Rectal Cancer Patients Unable to Undergo TME Surgery. **2022**, 14, 2368 0
- 141 Outcomes of an Algorithmic, Multidisciplinary Approach to Rectourethral Fistula Repair: A Pre- and Post-Intervention Quasi-Experimental Study.. *Diseases of the Colon and Rectum*, **2022**, 3.1 0

140 Anal incontinence after a prolonged second stage of labor in primiparous women.. **2022**, 12, 7315

139 Targeted Electromyographic Biofeedback With Endoanal Electrostimulation for Anal Incontinence.. **2022**, 15533506221096885

138 Altered epithelial barrier functions in the colon of patients with spina bifida.. **2022**, 12, 7196

o

137 Incontinence anale. **2011**, N° 4, 3-10

136 Impact of near-infrared fluorescence imaging with indocyanine green on structural sequelae of anastomotic leakage after laparoscopic intersphincteric resection of malignant rectal tumors.. **2022**, ,

o

135 Natural Orifice Specimen Extraction (NOSE) colorectal resection for deep endometriosis: A 50 case series. **2022**,

o

134 Bowel dysfunction in spinal cord injury. **2022**, 259-272

133 Evaluation of clinical efficacy of suture-fixation mucopexy in the treatment of prolapsed hemorrhoid. **2022**, 77,

o

132 A prospective, noncomparative, study to evaluate the efficacy and safety of sphincter saving distal laser proximal ligation surgery in complex fistula-in-ano. **2021**, 4, 61

131 Transanal total mesorectal excision combined with intersphincteric resection has similar long-term oncological outcomes to laparoscopic abdominoperineal resection in low rectal cancer: a propensity score-matched cohort study. **2022**, 10,

1

130 Effects of Preoperative Radiotherapy on Long-Term Bowel Function in Patients With Rectal Cancer Treated With Anterior Resection: A Systematic Review and Meta-analysis. **2022**, 21, 153303382211051

o

129 Anatomic sphincteroplasty with combined reconstruction of internal and external anal muscles in the anal incontinence surgical treatment. **2022**,

128 Relationship between anal functional lumen imaging probe (Endoflip fi) results and the clinical presentation of faecal incontinence.

127 Efficacy of Tibial Nerve Stimulation on Fecal Incontinence in Patients With Low Anterior Resection Syndrome Following Surgery for Colorectal Cancer. **2022**, 46, 142-153

o

126 Multimodal Management of Fecal Incontinence Focused on Sphincteroplasty: Long-Term Outcomes from a Single Center Case Series. **2022**, 11, 3755

125 Analysis of the factors affecting the state of the rectal closure system in ostomy patients at the stages of surgical rehabilitation. **2022**, 42, 76-82

124 The effect of anastomotic leak on postoperative pelvic function and quality of life in rectal cancer patients. **2022**, 13,

o

123 Faecal incontinence is associated with an impaired rectosigmoid brake and improved by sacral neuromodulation.

1

- 122 Efficacy of Kegel exercises in preventing incontinence after partial division of internal anal sphincter during anal fistula surgery. **2022**, 10, 6845-6854
- 121 The ICHOM Standard Set for Pregnancy and Childbirth â Translation and Linguistic Adaptation for Germany. **2022**, 82, 747-754
- 120 Long term outcome of multidisciplinary management of urethro-rectal fistula after urologic surgery. **2022**,
- 119 Preliminary functional results after transanal irrigation in patients undergoing SHiP procedure for low rectal cancer.
- 118 A Randomized Controlled Clinical Trial of Transanal Irrigation Versus Conservative Treatment in Patients With Low Anterior Resection Syndrome After Rectal Cancer Surgery. Publish Ahead of Print, o
- 117 Did age at surgery influence outcome in patients with Hirschsprung disease? a nationwide cohort study in the Netherlands. Publish Ahead of Print, o
- 116 Neurogenic Bowel and Management after Spinal Cord Injury: A Narrative Review. **2022**, 12, 1141 o
- 115 Long-term oncologic outcomes of natural orifice specimen extraction surgery versus conventional laparoscopic-assisted resection in the treatment of rectal cancer: a propensity-score matching study. **2022**, 22, o
- 114 R sultats   long terme d une prise en charge multidisciplinaire des fistules ur tro-rectales apr s chirurgie urologique. **2022**,
- 113 Simple Anal Reinforcement with Anal Encirclement Using an Artificial Ligament in Patients with fecal Incontinence: A Single-center Observational Study. **2022**, 6, 174-180
- 112 Assessment of Age in Ulcerative Colitis Patients with Ileal Pouch Creation  An Evaluation of Outcomes. **2015**, 44, 92-97 4
- 111 The Effect of Topical and Oral Phenytoin on Increasing Wound Healing of Enterocutaneous Fistula in Wistar Rat. **2022**, 10, 997-1000
- 110 Clinical outcomes of laparoscopic-assisted natural orifice specimen extraction colectomy using a Cai tube for left-sided colon cancer: a prospective randomized trial.
- 109 Diet and bowel symptoms among colon cancer survivors. 1-8 1
- 108 Modified Perineal Reconstruction Combined with Anal Sphincter Repair for Obstetric Anal Sphincter Injuries. Volume 18, 739-744
- 107 Trans-anal irrigation in patients with multiple sclerosis: Efficacy in treating disease-related bowel dysfunctions and impact on the gut microbiota: A monocentric prospective study. **2022**, 8, 205521732211097
- 106 Obstruktives Def kationssyndrom. **2022**, 44, 277-286
- 105 The pathogenesis of cryptoglandular anal fistula: New insight into the immunological profile. o

- 104 Robotic multiquadrant colorectal procedures: A single-center experience and a systematic review of the literature. 9, ○
- 103 Underdiagnosis of internal anal sphincter trauma following vaginal delivery.
- 102 Trans-anal surgery with the taTME technique for rectal gastrointestinal stromal tumors: a retrospective study. ○
- 101 Effect of Neoadjuvant Therapy on the Functional Outcome of Patients With Rectal Cancer: A Systematic Review and Meta-Analysis. **2022**,
- 100 Functional state of the obturator apparatus of the rectum after surgical treatment of grade 4 hemorrhoids with an ultrasonic scalpel. **2022**, 103, 696-703
- 99 Efficiency of tissue selecting technique mega-window stapler combined with anal canal epithelial preservation operation in prolapsed hemorrhoids. **2022**,
- 98 Native Tissue Posterior Compartment Repair for Isolated Posterior Vaginal Prolapse: Anatomical and Functional Outcomes. **2022**, 58, 1152
- 97 Sexual, urinary and intestinal dysfunction after rectal surgery: pre-, intra- and post-operative predictors and trends over time in a single high-volume center.
- 96 Faecal incontinence in adults. **2022**, 8, 1
- 95 Functional state of pelvic floor muscles in patients before and after surgical correction of pelvic organ prolapse. **2022**, 22, 103 ○
- 94 STAPLED HEMORRHOIDOPEXY: RESULTS, LATE COMPLICATIONS, AND DEGREE OF SATISFACTION AFTER 16 YEARS OF FOLLOW-UP. 35, ○
- 93 Comparison of botulinum toxin (BoNT) injection and lateral internal sphincterotomy (redo-LIS) for recurrent anal fissure treatment. 9, ○
- 92 Incidence and risk factors of bowel dysfunction after minimally invasive rectal cancer surgery. ○
- 91 Benign Anorectal Disorder Management in Low-Resource Settings. **2022**, 35, 376-389 ○
- 90 Real-world evidence of quality of life improvement in patients with distal ulcerative colitis treated by mesalazine: the Quartz study. Publish Ahead of Print, ○
- 89 Does Concomitant Pelvic Organ Prolapse Repair at the time of Rectopexy Impact Rectal Prolapse Recurrence Rates? A Retrospective Review of a Prospectively Collected Pelvic Floor Disorders Consortium Quality Improvement Database. Publish Ahead of Print, ○
- 88 Development and Validation of a Symptom Based Scoring System for Bowel Dysfunction after Ileoanal Pouch Reconstruction: The Ileoanal Pouch Syndrome Severity Score. Publish Ahead of Print, ○
- 87 Autologous adipose-derived stromal vascular fraction and platelet concentrates for the treatment of complex perianal fistulas. ○

- 86 Deloyers procedure compared to ileorectal anastomosis as restoration techniques of bowel continuity after extended left colon resection. ○
- 85 The evaluation of postoperative bowel dysfunction in Japanese patients with rectal cancer. ○
- 84 Predictive factors for functional failure of ventral mesh rectopexy in the treatment of rectal prolapse and obstructed defecation. ○
- 83 Modified Robotic Ventral Rectopexy with Folded Single Titanized Mesh (RVR-FSM) Suspension for the Treatment of Complex Pelvic Organ Prolapse. ○
- 82 Robotic vs. laparoscopic intersphincteric resection for low rectal cancer: a case matched study reporting a median of 7-year long-term oncological and functional outcomes. ○
- 81 Is It a Refractory Disease?- Fecal Incontinence; beyond Medication. **2022**, 45, ○
- 80 Low Anterior Resection Syndrome. **2023**, 171-178 ○
- 79 Clinical Evaluation, Etiology, and Classification of Anal Incontinence. **2023**, 21-28 ○
- 78 How Satisfied Are Women 6 Months after a Pessary Fitting for Pelvic Organ Prolapse?. **2022**, 11, 5972 1
- 77 Management of Complex Fistula-in-ano by Interception of Fistula Track with Application of Ksharasutra (IFTAK): A Novel Technique. ○
- 76 Role of Pelvic Floor Rehabilitation: Patient Selection and Treatment. **2023**, 77-84 ○
- 75 Low Anterior Resection Syndrome: Pathophysiology, Risk Factors, and Current Management. **2022**, 45, ○
- 74 Efficacy of biofeedback therapy for faecal incontinence in an Asian population. ○
- 73 The American Society of Colon and Rectal Surgeons Clinical Practice Guidelines for the Management of Anal Fissures. Publish Ahead of Print, ○
- 72 Anatomic and functional results of ventral biological mesh rectopexy for posterior pelvic floor disorders. **2022**, ○
- 71 Does transanal endoscopic microsurgery affect rectal function?. ○
- 70 Excision of deep rectovaginal endometriosis nodules with large infiltration of both rectum and vagina: what is a reasonable rate of preventive stoma? A comparative study. **2022**, ○
- 69 Clinical Evaluation and Classification of Anal Fistula. **2022**, 181-195 ○

- 68 Questionnaire of the Ryzhikh National Medical Research Centre for Coloproctology is a new tool for assessing chronic pelvic pain and pelvic organ dysfunction. **2022**, 6 ○
- 67 Comparison of the outcomes of overlapping and direct apposition sphincteroplasty techniques in anal sphincter repair. **2022**, 38, 134-139 ○
- 66 Short and long term results of anatomical reconstruction of perineal body and sphincter complex in obstetric anal sphincter injuries. **2022**, 38, 159-168 ○
- 65 La irrigaci3n transanal como opci3n terap3utica para los pacientes con incontinencia y estreñimiento cr3nico severo refractarios a primera l3nea. **2022**, ○
- 64 Evaluation and Management of Radiation-Induced Plexopathies. **2022**, 10, 345-354 ○
- 63 Development and validation of the Early Pediatric Groningen Defecation and Fecal Continence questionnaire. ○
- 62 Anal incontinence incidence is high in patients with obesity prior to bariatric surgery: Prevalence, risks-factors. **2022**, ○
- 61 Development and Validation of a Symptom-Based Scoring System for Bowel Dysfunction After Ileoanal Pouch Reconstruction: The Ileoanal Pouch Syndrome Severity Score. **2023**, 66, 87-96 ○
- 60 Interdisciplinary consensus on the use of high-intensity magnetic stimulation in the treatment of pelvic floor muscle dysfunction manifested by anal incontinence. **2022**, 21, 77-91 ○
- 59 Severity and impact of accidental bowel leakage two decades after no, one and two sphincter injuries. **2022**, ○
- 58 Management of full thickness rectal prolapse. **2022**, 100938 ○
- 57 R3sultats anatomiques et fonctionnels de la rectopexie ventrale avec renfort par bio-proth3se pour trouble de la statique rectale. **2022**, ○
- 56 Transanal irrigation as a therapeutic option for patients with incontinence and severe chronic constipation refractory to first-line treatment. **2022**, ○
- 55 Ligation of Intersphincteric Fistulous Tract vs Endorectal Advancement Flap for High-Type Fistula in Ano: A Randomized Controlled Trial. **2023**, 236, 27-35 ○
- 54 Medium-term outcomes of antegrade continent enema (ACE): Cairo University Specialized Pediatric Hospital (CUSPH) experience. **2022**, ○
- 53 Management of Rectocele with and without Obstructed Defecation. **2022**, 100937 ○
- 52 Clinical outcomes with of the Contix Faecal Incontinence Management System: preliminary results. ○
- 51 Rectal stimulation with prebiotics and probiotics before ileostomy reversal: a study protocol for a randomized controlled trial. **2023**, 24, ○

- 50 Improved assessment of fecal incontinence in women with previous obstetric injury combining Low Anterior Resection Syndrome and Wexner Scores. o
- 49 Long-term functional outcome after tubular laparoscopic sigmoid resection for diverticular disease. **2023**, 38, o
- 48 Reconstructive techniques following low anterior resection for carcinoma of the rectum: meta-analysis. o
- 47 The effect of a sexual abuse history on symptoms and anorectal physiology findings in patients presenting to a colorectal pelvic floor service. o
- 46 Single-stapling technique versus hand-sewn anastomosis in inter-sphincteric resection with transanal total mesorectal excision (Super SST): protocol for a multicentre randomized clinical trial. **2023**, 7, o
- 45 Incontinence fctale: smantiques, scores et cotations. **2023**, o
- 44 Picking Up the Threads: Long-Term Outcomes of the Sutured Haemorrhoidopexy: A Retrospective Single-Centre Cohort Study. **2023**, 12, 391 o
- 43 Tunneling of Mesh during Ventral Rectopexy: Technical Aspects and Long-Term Functional Results. **2023**, 12, 294 o
- 42 Unstimulated Gluteus Maximus Sphincteroplasty for Bowel Incontinence. o
- 41 Hypofractionated radiotherapy combined with chemotherapy and Toripalimab for locally recurrent rectal cancer: a single-arm, phase II trial (TORCH-R). o
- 40 Prise en charge des troubles de la continence anale et de la statique rectale chez le sujet trf g. **2023**, o
- 39 Oral application of magnesium-L-threonate enhances analgesia and reduces the dosage of opioids needed in advanced cancer patientsâA randomized, double-blind, placebo-controlled trial. o
- 38 Troubles de la statique pelvienne et incontinence anale chez la femme aprs la mhopause. **2023**, o
- 37 Transanale Irrigation als Geheimtipp. o
- 36 Management of Low Anterior Resection Syndrome (LARS) Following Resection for Rectal Cancer. **2023**, 15, 778 o
- 35 Coping with Bowel and Bladder Dysfunction After SCI: A Comparison between India and Canada. o
- 34 The Functional Luminal Imaging Probe (FLIP): A Good Tool for Adjustment of anal Canal Dimensions During Operative Management of Fecal Incontinence. 155335062311574 o
- 33 Parachute-like pull-through anastomosis for low rectal cancer: a new method for preservation of anal function. **2023**, 408, o

- 32 Clinical, radiological and physiological assessment of anorectal function. **2023**, ○
- 31 Gastrointestinal Tract Considerations: Part II. **2023**, 49, 319-336 ○
- 30 Evaluation, management and future perspectives of anal pruritus: a narrative review. **2023**, 28, ○
- 29 Therapie des tiefen anterioren Resektionssyndroms (LARS). **2023**, 45, 16-26 ○
- 28 Bowel dysfunction following pelvic organ cancer: a prospective study on the treatment effect in nurse-led late sequelae clinics. **2023**, 62, 70-79 ○
- 27 The Long-term Effectiveness of Sacral Neuromodulation in Treating Low Anterior Resection Syndrome: A Single Center Experience. ○
- 26 Combined 3D Endoanal Ultrasound and Transperineal Ultrasound Improves the Detection of Anal Sphincter Defects. **2023**, 13, 682 ○
- 25 Long-term outcomes of total colectomy for severe constipation. ○
- 24 Sexual, urinary, and intestinal dysfunction after rectal surgery: pre-, intra-, and post-operative predictors and trends over time in a single high-volume center. **2023**, 75, 599-609 ○
- 23 Transanal irrigation is a better choice for bowel dysfunction in adults with Spina bifida: A randomised controlled trial. ○
- 22 The American Society of Colon and Rectal Surgeons Clinical Practice Guidelines for the Management of Fecal Incontinence. **2023**, 66, 647-661 ○
- 21 Cohort study of fistulotomy with external tract fistulectomy and primary sphincter reconstruction in high trans-sphincteric fistula-in-ano. ○
- 20 Deep remission improves the quality of life of patients with Crohn's disease and anoperineal fistula treated with darvadstrocel: results of a French pilot study. ○
- 19 A CASE REPORT ON LONG TERM COMPLICATIONS OF CAUDA EQUINA SYNDROME. **2023**, 60-61 ○
- 18 A new tool to investigate anorectal disorders in patients with multiple sclerosis: STAR-Q. **2023**, ○
- 17 A Systematic Review of Epidemiology and Outcomes Associated with Local Surgical and Intersphincteric Ligation Procedures for Complex Cryptoglandular Fistulas. ○
- 16 Local excision versus thrombectomy in thrombosed external hemorrhoids: A multicenter, prospective, observational study. ○
- 15 Incontinence and Rectocele. **2013**, 459-474 ○

- 14 Validation of a questionnaire on pelvic organ function for neurological patients in Russia. **2023**, 24, 90-99 ○
- 13 Anorectal Function and Clinical Characteristics Associated with Faecal Incontinence in Patients with Crohn's Disease. ○
- 12 Multiple thread ligations versus stapled hemorrhoidopexy on operative outcomes of grade III hemorrhoids: A retrospective cohort study. 10, ○
- 11 Surgical Outcomes of Ligation and Excision of Hemorrhoids. **2023**, 76, 339-346 ○
- 10 Does Rectoanal Intussusception Limit Improvements in Clinical Outcome and Quality of Life after Sacral Nerve Stimulation for Fecal Incontinence?. Publish Ahead of Print, ○
- 9 Five-year Results from the Prospective, Multicenter, Observational SOUNDS Study of Patients with Overactive Bladder Treated with the InterStim System for Sacral Neuromodulation. **2023**, ○
- 8 Mid-term efficacy and postoperative wound management of laser hemorrhoidoplasty (LHP) vs conventional excisional hemorrhoidectomy in grade III hemorrhoidal disease: the twisting trend. **2023**, 408, ○
- 7 Surgical Management of Fecal Incontinence: A Historical Perspective. ○
- 6 Transanal Conformal Resection Is Associated with a Better Postoperative Anorectal Function Compared with Intersphincteric Resection for Low Rectal Cancer. ○
- 5 The Effect of Transvaginal Prolapse Surgery on Anorectal Function. **2023**, 43, 018-023 ○
- 4 Ligation of Intersphincteric Fistula Tract (LIFT) for the Treatment of Anal Fistula: A Prospective Observational Study. **2023**, 43, 024-029 ○
- 3 Pelvic floor muscle exercises alleviate symptoms and improve mental health and rectal function in patients with low anterior resection syndrome. 13, ○
- 2 Long-Term Male Sexual Function and Fecal Incontinence Outcomes for Adult Patients With Hirschsprung Disease or Anorectal Malformation. **2023**, ○
- 1 Externer Rektumprolaps. ○