On concentration of positive bound states of nonlinear

Communications in Mathematical Physics 153, 229-244 DOI: 10.1007/bf02096642

Citation Report

| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 1 | Laser diodes made of PbSnTe emitting in the 5-15 μ range. Soviet Journal of Quantum Electronics, 1976, 6, 1217-1219. | 0.1 | 5 |
| 2 | Giant magnetostriction. Uspekhi Fizicheskikh Nauk, 1983, 26, 518-542. | 0.3 | 39 |
| 3 | Perturbation theory for resolvents as applied to problems in radiation theory. Uspekhi Fizicheskikh Nauk, 1991, 34, 167-184. | 0.3 | 6 |
| 4 | Existence of multi-bumb solutions for nonlinear schrödinger equations via variational method. Communications in Partial Differential Equations, 1996, 21, 787-820. | 2.2 | 161 |
| 5 | Local mountain passes for semilinear elliptic problems in unbounded domains. Calculus of Variations and Partial Differential Equations, 1996, 4, 121-137. | 1.7 | 609 |
| 6 | Handbook on the physical properties of Ge, Si, GaAs and InP by A Dargys and J Kundrotas. Physics-Uspekhi, 1996, 39, 757-757. | 2.2 | 8 |
| 7 | On Concentration of Positive Bound States of Nonlinear SchrĶdinger Equations with Competing Potential Functions. SIAM Journal on Mathematical Analysis, 1997, 28, 633-655. | 1.9 | 150 |
| 8 | Semi-classical States for Nonlinear Schrödinger Equations. Journal of Functional Analysis, 1997, 149, 245-265. | 1.4 | 239 |
| 9 | Multi-peak bound states for nonlinear Schrödinger equations. Annales De L'Institut Henri Poincare (C) Analyse Non Lineaire, 1998, 15, 127-149. | 1.4 | 242 |
| 10 | On nonlinear SchrĶdinger equations with totally degenerate potentials. Comptes Rendus Mathematique, 1998, 326, 691-696. | 0.5 | 10 |
| 11 | Existence of positive bound states of nonlinear Schrödinger equations with saddle-like potential. Nonlinear Analysis: Theory, Methods & Applications, 1998, 34, 979-989. | 1.1 | 23 |
| 12 | Multi-peak periodic semiclassical states for a class of nonlinear SchrĶdinger equations. Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 1998, 128, 1249-1260. | 1.2 | 34 |
| 13 | Classification of blow-up points and multiplicity of solutions for H-systems. Communications in Partial Differential Equations, 1999, 25, 1259-1325. | 2.2 | 2 |
| 14 | From femtosecond to attosecond pulses. Physics-Uspekhi, 1999, 42, 54-61. | 2.2 | 34 |
| 15 | Existence and Multiplicity Results for Heteroclinic Orbits of Second Order Hamiltonian Systems. Journal of Differential Equations, 1999, 158, 211-250. | 2.2 | 12 |
| 16 | Existence and Symmetry of Multi-bump Solutions for Nonlinear SchrĶdinger Equations. Journal of Differential Equations, 1999, 159, 102-137. | 2.2 | 52 |
| 17 | Multiple Positive Solutions to Nonlinear Schrödinger Equations with Competing Potential Functions. Journal of Differential Equations, 2000, 160, 118-138. | 2.2 | 178 |
| 18 | Existence and semi-classical limit of the least energy solution to a nonlinear Schr¶dinger equation with electromagnetic fields. Nonlinear Analysis: Theory, Methods & Applications, 2000, 41, 763-778. | 1.1 | 109 |

ARTICLE IF CITATIONS # Existence of positive solutions for an equation involving supercritical exponent in. Nonlinear 19 1.1 2 Analysis: Theory, Methods & Applications, 2000, 42, 573-581. Multiple positive solutions for a nonlinear SchrĶdinger equation. Zeitschrift Fur Angewandte 1.4 108 Mathematik Und Physik, 2000, 51, 366-384. Stability of standing waves for nonlinear SchrĶdinger equations with unbounded potentials. 21 1.4 62 Zeitschrift Fur Angewandte Mathematik Und Physik, 2000, 51, 498-503. On Positive Multipeak Solutions of a Nonlinear Elliptic Problem. Journal of the London Mathematical 59 Society, 2000, 62, 213-227. Existence, multiplicity and concentration of bound states for a quasilinear elliptic field equation. 23 1.7 6 Calculus of Variations and Partial Differential Equations, 2001, 12, 223-258. Multiplicity Results for some Nonlinear¶Schr¶dinger Equations with Potentials. Archive for Rational 2.4 Mechanics and Analysis, 2001, 159, 253-271. Local mountain-pass for a class of elliptic problems in involving critical growth. Nonlinear Analysis: 25 1.1 54 Theory, Methods & Applications, 2001, 46, 495-510. On a Class of Nonlinear SchrĶdinger Equations in R2 Involving Critical Growth. Journal of Differential Equations, 2001, 174, 289-311. 26 ORBITAL STABILITY OF STANDING WAVES FOR THE NONLINEAR SCHRÃ-DINGER EQUATION WITH POTENTIAL. 27 1.7 8 Reviews in Mathematical Physics, 2001, 13, 1529-1546. NONLINEAR SCHRÃ-DINGER EQUATIONS WITH STEEP POTENTIAL WELL. Communications in Contemporary 1.2 288 Mathematics, 2001, 03, 549-569. SEMI-CLASSICAL LIMIT FOR THE ONE DIMENSIONAL NONLINEAR SCHRÃ-DINGER EQUATION. Communications 29 1.2 17 in Contemporary Mathematics, 2002, 04, 481-512. An elementary construction of complex patterns in nonlinear Schr\$ouml\$dinger equations. 1.4 Nonlinearity, 2002, 15, 1653-1671. On existence and concentration behavior of ground state solutions for a class of problems with critical growth. Communications on Pure and Applied Analysis, 2002, 1, 417-431. $\mathbf{31}$ 0.8 34 The Semiclassical Limit of the Nonlinear SchrĶdinger Equation in a Radial Potential. Journal of 2.2 Differential Equations, 2002, 184, 109-138. Standing Waves with a Critical Frequency for Nonlinear SchrÄgdinger Equations. Archive for Rational 33 2.4 215 Mechanics and Analysis, 2002, 165, 295-316. Semi-classical states of nonlinear SchrĶdinger equations: a variational reduction method. 34 1.4 154 Mathematische Annalen, 2002, 324, 1-32. Positive solutions of \hat{A} -Delta_{p}u + u^{p-1}-q(x)u^{alpha}=0; {m in};mathbb{R}^{N} . Nonlinear 35 0.8 6 Differential Equations and Applications, 2002, 9, 1-14. Standing wave solutions of the nonlinear SchrĶdinger equation in â"•N. Annali Di Matematica Pura Ed Applicata, 2002, 181, 73-83.

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Solutions, concentrating on spheres, to symmetric singularly perturbed problems. Comptes Rendus Mathematique, 2002, 335, 145-150. | 0.3 | 12 |
| 38 | Concentration around a sphere for a singularly perturbed Schrödinger equation. Nonlinear Analysis: Theory, Methods & Applications, 2002, 49, 947-985. | 1.1 | 42 |
| 39 | Standing waves for nonlinear SchrĶdinger equations with a radial potential. Nonlinear Analysis: Theory, Methods & Applications, 2002, 50, 1135-1151. | 1.1 | 8 |
| 40 | On the number of single-peak solutions ofÂthe nonlinear Schrödinger equation. Annales De L'Institut Henri Poincare (C) Analyse Non Lineaire, 2002, 19, 261-280. | 1.4 | 72 |
| 41 | Existence and instability of spike layer solutions to singular perturbation problems. Journal of Functional Analysis, 2002, 196, 211-264. | 1.4 | 58 |
| 42 | Clustering layers and boundary layers in spatially inhomogeneous phase transition problems. Annales De L'Institut Henri Poincare (C) Analyse Non Lineaire, 2003, 20, 107-143. | 1.4 | 41 |
| 43 | Uniqueness of positive multi-lump bound states of nonlinear Schr�dinger equations. Mathematische Zeitschrift, 2003, 243, 599-642. | 0.9 | 39 |
| 44 | Singularly Perturbed Elliptic Equations with Symmetry: Existence of Solutions Concentrating on Spheres, Part I. Communications in Mathematical Physics, 2003, 235, 427-466. | 2.2 | 173 |
| 45 | Standing waves with a critical frequency for nonlinear Schr�dinger equations, II. Calculus of Variations and Partial Differential Equations, 2003, 18, 207-219. | 1.7 | 189 |
| 46 | Semiclassical stationary states of Nonlinear Schrödinger equations with an external magnetic field. Journal of Differential Equations, 2003, 188, 52-79. | 2.2 | 87 |
| 47 | Spike solutions for a class of singularly perturbed quasilinear elliptic equations. Nonlinear Analysis: Theory, Methods & Applications, 2003, 54, 1307-1336. | 1.1 | 7 |
| 48 | On Existence and Concentration of Solutions for a Class of Hamiltonian Systems in â"< sup>N. Advanced Nonlinear Studies, 2003, 3, 161-180. | 1.7 | 15 |
| 49 | Singularly perturbed elliptic problems with superlinear or asymptotically linear nonlinearities. Calculus of Variations and Partial Differential Equations, 2004, 21, 287. | 1.7 | 137 |
| 50 | Positive solutions of a Schrödinger equation with critical nonlinearity. Zeitschrift Fur Angewandte Mathematik Und Physik, 2004, 55, 592-605. | 1.4 | 39 |
| 51 | Multi-bump standing waves with a critical frequency for nonlinear Schrödinger equations. Journal of Differential Equations, 2004, 203, 292-312. | 2.2 | 42 |
| 52 | On a class of singularly perturbed elliptic equations in divergence form: existence and multiplicity results. Journal of Differential Equations, 2004, 207, 229-266. | 2.2 | 15 |
| 53 | Spike solutions of a nonlinear Schrödinger equation with degenerate potential. Journal of Mathematical Analysis and Applications, 2004, 295, 276-286. | 1.0 | 2 |
| 54 | On the location and profile of spike-layer nodal solutions to nonlinear Schrödinger equations. Journal of Mathematical Analysis and Applications, 2004, 296, 563-577. | 1.0 | 33 |

| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|-----------|
| 55 | Spike solutions of a nonlinear Schr�dinger equation with degenerate potential. Journal of Mathematical Analysis and Applications, 2004, , . | 1.0 | 0 |
| 56 | Existence of Multi-bump Standing Waves with a Critical Frequency for Nonlinear Schrödinger Equations. Communications in Partial Differential Equations, 2005, 29, 1877-1904. | 2.2 | 24 |
| 57 | Locating the Peaks of Semilinear Elliptic Systems. Advanced Nonlinear Studies, 2005, 5, 441-460. | 1.7 | 0 |
| 58 | Existence of positive multi-peaked solutions to a nonlinear SchrĶdinger equation arising in nonlinear optics. Nonlinear Analysis: Theory, Methods & Applications, 2005, 62, 925-952. | 1.1 | 1 |
| 59 | On existence and concentration of positive bound states of p-Laplacian equations in involving critical growth. Nonlinear Analysis: Theory, Methods & Applications, 2005, 62, 777-801. | 1.1 | 19 |
| 60 | Standing waves for nonlinear Klein–Gordon equations with nonnegative potentials. Applied Mathematics and Computation, 2005, 166, 551-570. | 2.2 | 4 |
| 61 | Nonlinear SchrĶdinger equations: concentration on weighted geodesics in the semi-classical limit. Comptes Rendus Mathematique, 2005, 341, 223-228. | 0.3 | 3 |
| 62 | Semi-Classical Limit for Radial Non-Linear Schrïż¼zdinger Equation. Communications in Mathematical Physics, 2005, 256, 411-435. | 2.2 | 6 |
| 63 | SEMICLASSICAL STATES FOR COUPLED SCHRÃ−DINGER–MAXWELL EQUATIONS: CONCENTRATION AROUND A SPHERE. Mathematical Models and Methods in Applied Sciences, 2005, 15, 141-164. | 4 3.3 | 125 |
| 64 | A symmetry-breaking phenomenon and asymptotic profiles of least-energy solutions to a nonlinear SchrĶdinger equation. Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 2005, 135, 357-392. | 1.2 | 3 |
| 65 | ON THE LOCATION OF SPIKES FOR THE SCHR×DINGER EQUATION WITH ELECTROMAGNETIC FIELD. Communications in Contemporary Mathematics, 2005, 07, 251-268. | 1.2 | 12 |
| 66 | On Bound States Concentrating on Spheres for the MaxwellSchrĶdinger Equation. SIAM Journal on Mathematical Analysis, 2005, 37, 321-342. | 1.9 | 138 |
| 67 | Sharp Threshold for Blowup and Global Existence in Nonlinear SchrĶdinger Equations Under a Harmonic Potential. Communications in Partial Differential Equations, 2005, 30, 1429-1443. | 2.2 | 96 |
| 68 | Existence and uniqueness of multi-bump bound states of nonlinear SchrĶdinger equations with electromagnetic fields. Journal of Differential Equations, 2006, 222, 381-424. | 2.2 | 46 |
| 69 | Coupled nonlinear SchrĶdinger systems with potentials. Journal of Differential Equations, 2006, 227, 258-281. | 2.2 | 86 |
| 70 | Layered solutions for a semilinear elliptic system in a ball. Journal of Differential Equations, 2006, 226, 269-294. | 2.2 | 14 |
| 71 | Spikes in two-component systems of nonlinear Schrödinger equations with trapping potentials. Journal of Differential Equations, 2006, 229, 538-569. | 2.2 | 108 |
| 72 | Solitary charged waves interacting with the electrostatic field. Journal of Mathematical Analysis and Applications, 2006, 317, 526-549. | 1.0 | 0 |

| # | Article | IF | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 73 | Singularly perturbed elliptic systems. Nonlinear Analysis: Theory, Methods & Applications, 2006, 64, 109-129. | 1.1 | 14 |
| 74 | Standing waves in the Maxwell-SchrĶdinger equation and an optimal configuration problem. Calculus of Variations and Partial Differential Equations, 2006, 25, 105-137. | 1.7 | 59 |
| 75 | Singular elliptic problems with lack of compactness. Annali Di Matematica Pura Ed Applicata, 2006, 185, 63-79. | 1.0 | 37 |
| 76 | Existence and concentration of positive solutions for a class of gradient systems. Nonlinear Differential Equations and Applications, 2006, 12, 437-457. | 0.8 | 31 |
| 77 | Multiple solutions of nonlinear elliptic systems. Nonlinear Differential Equations and Applications, 2006, 12, 459-479. | 0.8 | 34 |
| 78 | Multi-bump Bound States of Schrödinger Equations with a Critical Frequency. Mathematische Annalen, 2006, 336, 925-948. | 1.4 | 28 |
| 79 | BOUNDARY CONCENTRATION IN RADIAL SOLUTIONS TO A SYSTEM OF SEMILINEAR ELLIPTIC EQUATIONS. Journal of the London Mathematical Society, 2006, 74, 415-440. | 1.0 | 8 |
| 80 | The implicit function theorem and multi-bump solutions of periodic partial differential equations. Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 2006, 136, 559-583. | 1.2 | 16 |
| 81 | On the number of positive solutions of singularly perturbed 1D NLS. Journal of the European Mathematical Society, 2006, 8, 253-268. | 1.4 | 6 |
| 83 | A scaling approach to bumps and multi-bumps for nonlinear partial differential equations. Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 2006, 136, 585-614. | 1.2 | 3 |
| 84 | Existence and Concentration of Positive Solutions For Coupled Nonlinear SchrĶdinger Systems in â"N. Advanced Nonlinear Studies, 2007, 7, 77-95. | 1.7 | 1 |
| 85 | On a "Zero Mass―Nonlinear Schrödinger Equation. Advanced Nonlinear Studies, 2007, 7, 599-627. | 1.7 | 20 |
| 86 | Multiplicity and concentration for the nonlinear Schrödinger equation with critical frequency. Nonlinear Analysis: Theory, Methods & Applications, 2007, 66, 151-169. | 1.1 | 7 |
| 87 | Concentration on curves for nonlinear SchrĶdinger Equations. Communications on Pure and Applied Mathematics, 2007, 60, 113-146. | 3.1 | 135 |
| 88 | Nodal solutions for singularly perturbed equations with critical exponential growth. Journal of Differential Equations, 2007, 234, 464-484. | 2.2 | 23 |
| 89 | Standing waves for supercritical nonlinear SchrĶdinger equations. Journal of Differential Equations, 2007, 236, 164-198. | 2.2 | 28 |
| 90 | New solutions for nonlinear Schrödinger equations with critical nonlinearity. Journal of Differential Equations, 2007, 237, 446-472. | 2.2 | 6 |
| 91 | Semiclassical states for nonlinear SchrĶdinger equations with sign-changing potentials. Journal of Functional Analysis, 2007, 251, 546-572. | 1.4 | 66 |

| # | Article | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 92 | Existence and concentration of ground states of coupled nonlinear SchrĶdinger equations. Journal of Mathematical Analysis and Applications, 2007, 332, 846-862. | 1.0 | 10 |
| 93 | Local mountain pass for a class of elliptic system. Journal of Mathematical Analysis and Applications, 2007, 335, 135-150. | 1.0 | 24 |
| 94 | Standing Waves for Nonlinear Schrödinger Equations with a General Nonlinearity. Archive for Rational Mechanics and Analysis, 2007, 185, 185-200. | 2.4 | 176 |
| 95 | Configuration spaces, transfer, and 2-nodal solutions of a semiclassical nonlinear Schrödinger equation. Mathematische Annalen, 2007, 338, 147-185. | 1.4 | 32 |
| 96 | Semiclassical states for the nonlinear SchrĶdinger equation with the electromagnetic field. Nonlinear Differential Equations and Applications, 2007, 13, 655-681. | 0.8 | 8 |
| 97 | Semiclassical symmetric Schrödinger equations: Existence of solutions concentrating simultaneously on several spheres. Zeitschrift Fur Angewandte Mathematik Und Physik, 2007, 58, 778-804. | 1.4 | 20 |
| 98 | Morse index for solutions of the nonlinear Schrödinger equation in a degenerate setting. Annali Di Matematica Pura Ed Applicata, 2007, 186, 433-453. | 1.0 | 7 |
| 99 | Solutions of perturbed SchrĶdinger equations with critical nonlinearity. Calculus of Variations and Partial Differential Equations, 2007, 30, 231-249. | 1.7 | 101 |
| 100 | Solutions with multiple spike patterns for an elliptic system. Calculus of Variations and Partial Differential Equations, 2007, 31, 1-25. | 1.7 | 43 |
| 101 | Thick clusters for the radially symmetric nonlinear Schrödinger equation. Calculus of Variations and Partial Differential Equations, 2007, 31, 231-261. | 1.7 | 7 |
| 102 | Clustered solutions around harmonic centers to a coupled elliptic system. Annales De L'Institut Henri Poincare (C) Analyse Non Lineaire, 2007, 24, 605-628. | 1.4 | 15 |
| 103 | Multiple positive solutions for a quasilinear system of Schrödinger equations. Nonlinear Differential Equations and Applications, 2008, 15, 309-334. | 0.8 | 16 |
| 104 | Approximately invariant manifolds and global dynamics of spike states. Inventiones Mathematicae, 2008, 174, 355-433. | 2.5 | 59 |
| 105 | Existence and concentration of ground states of coupled nonlinear SchrĶdinger equations with bounded potentials. Chinese Annals of Mathematics Series B, 2008, 29, 247-264. | 0.4 | 2 |
| 106 | A multiplicity result for singular NLS equations with magnetic potentials. Nonlinear Analysis: Theory, Methods & Applications, 2008, 68, 3525-3540. | 1.1 | 14 |
| 107 | Standing pulses in almost periodic channels. Nonlinear Analysis: Theory, Methods & Applications, 2008, 69, 4575-4584. | 1.1 | 0 |
| 108 | Orbital Stability of Bound States of Semiclassical Nonlinear SchrĶdinger Equations with Critical Nonlinearity. SIAM Journal on Mathematical Analysis, 2008, 40, 365-381. | 1.9 | 8 |
| 109 | CROSS-CONSTRAINED VARIATIONAL PROBLEM AND THE NON-LINEAR KLEIN–GORDON EQUATIONS. Glasgow Mathematical Journal, 2008, 50, 467-481. | 0.3 | 1 |

| # | Article | IF | CITATIONS |
|-----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 110 | Bound state solutions for a class of nonlinear SchrĶdinger equations. Revista Matematica Iberoamericana, 2008, 24, 297-351. | 0.9 | 41 |
| 111 | Multiplicity of Positive Solutions for a Mixed Boundary Elliptic System. Rocky Mountain Journal of Mathematics, 2008, 38, . | 0.4 | 2 |
| 112 | Systems of nonlinear Schrödinger equations. A survey. Atti Della Accademia Nazionale Dei Lincei, Classe Di Scienze Fisiche, Matematiche E Naturali, Rendiconti Lincei Matematica E Applicazioni, 2009, 20, 99-110. | 0.6 | 3 |
| 113 | SOLUTIONS OF THE SCHRÖDINGER–POISSON PROBLEM CONCENTRATING ON SPHERES, PART I: NECESSARY CONDITIONS. Mathematical Models and Methods in Applied Sciences, 2009, 19, 707-720. | 3.3 | 37 |
| 114 | Existence of multi-bump standing waves with a critical frequency for nonlinear SchrĶdinger equations with potentials vanishing at infinity. Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 2009, 139, 833-852. | 1.2 | 4 |
| 115 | ON SCHRÖDINGER EQUATIONS WITH INDEFINITE NONLINEARITIES. Bulletin of the Australian Mathematical Society, 2009, 79, 115-128. | 0.5 | 0 |
| 116 | Strongly interacting bumps for the Schrödinger–Newton equations. Journal of Mathematical Physics, 2009, 50, . | 1.1 | 142 |
| 117 | On multiplicity and concentration of positive solutions for a class of quasilinear problems with critical exponential growth in <mml:math altimg="si1.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><<mml:math altimg="si1.gif" overflow="scroll" xmlns:mml="http://www.w3.org/1998/Math/MathML"><<mml:msup><<mml:mi< td="">mathvariant="double-struck">R<<mml:mi></mml:mi></mml:mi<></mml:msup></mml:math>. Journal of Difference and the struck of the struck of</mml:math> | 2.2 | 107 |
| 118 | On singular perturbations, 2009, 246, 1288-1311. On singular perturbations of superlinear elliptic systems. Journal of Mathematical Analysis and Applications, 2009, 352, 246-258. | 1.0 | 18 |
| 119 | Existence, multiplicity and profile of sign-changing clustered solutions of a semiclassical nonlinear SchrĶdinger equation. Annales De L'Institut Henri Poincare (C) Analyse Non Lineaire, 2009, 26, 1423-1451. | 1.4 | 21 |
| 120 | Some new entire solutions of semilinear elliptic equations on <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" display="inline" overflow="scroll"><mml:msup><mml:mi mathvariant="double-struck">R<mml:mi>n</mml:mi></mml:mi </mml:msup>. Advances in Mathematics, 2009, 221, 1843-1909.</mml:math | 1.1 | 35 |
| 121 | Semi-Classical Bound States for SchrĶdinger Equations with Potentials Vanishing or Unbounded at Infinity. Communications in Partial Differential Equations, 2009, 34, 1566-1591. | 2.2 | 56 |
| 122 | Existence and Concentration of Bound States for a p-Laplacian Equation in â,, ^N . Advanced Nonlinear Studies, 2010, 10, 273-296. | 1.7 | 14 |
| 123 | On the Symmetry of the Ground States of Nonlinear Schrödinger Equation with Potential. Advanced Nonlinear Studies, 2010, 10, 895-925. | 1.7 | 34 |
| 124 | Singular perturbed problems in the zero mass case: asymptotic behavior of spikes. Annali Di Matematica Pura Ed Applicata, 2010, 189, 185-225. | 1.0 | 13 |
| 125 | Semiclassical stationary states for nonlinear SchrĶdinger equations with fast decaying potentials. Calculus of Variations and Partial Differential Equations, 2010, 37, 1-27. | 1.7 | 50 |
| 126 | Infinitely many positive solutions for the nonlinear SchrĶdinger equations in \$\${mathbb{R}^N}\$\$. Calculus of Variations and Partial Differential Equations, 2010, 37, 423-439. | 1.7 | 104 |
| 127 | Solitary waves for a class of quasilinear Schrödinger equations in dimension two. Calculus of Variations and Partial Differential Equations, 2010, 38, 275-315. | 1.7 | 93 |

| # | Article | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 128 | Solutions concentrating on higher dimensional subsets for singularly perturbed elliptic equations II. Journal of Differential Equations, 2010, 248, 2746-2767. | 2.2 | 6 |
| 129 | Semi-classical ground states concentrating on the nonlinear potential for a Dirac equation. Journal of Differential Equations, 2010, 249, 1015-1034. | 2.2 | 55 |
| 130 | Orbital stability of bound states of nonlinear Schrödinger equations with linear and nonlinear optical lattices. Journal of Differential Equations, 2010, 249, 2111-2146. | 2.2 | 1 |
| 131 | Multi-bump standing waves with critical frequency for nonlinear SchrĶdinger equations. Annales De L'Institut Henri Poincare (C) Analyse Non Lineaire, 2010, 27, 1121-1152. | 1.4 | 2 |
| 132 | Multi-peak bound states for SchrĶdinger equations with compactly supported or unbounded potentials. Annales De L'Institut Henri Poincare (C) Analyse Non Lineaire, 2010, 27, 1205-1226. | 1.4 | 17 |
| 133 | Multiple solutions and their limiting behavior of coupled nonlinear SchrĶdinger systems. Acta Mathematica Scientia, 2010, 30, 1199-1218. | 1.0 | 1 |
| 134 | Existence and Multiplicity of Positive Solutions to a Class of Quasilinear Elliptic Equations in. Boundary Value Problems, 2010, 2010, 579387. | 0.7 | 0 |
| 135 | Solutions of perturbed Schrödinger equations with electromagnetic fields and critical nonlinearity. Proceedings of the Edinburgh Mathematical Society, 2011, 54, 131-147. | 0.3 | 12 |
| 136 | Multiple Solutions for a Nonlinear Schrödinger Equation with Magnetic Fields. Communications in Partial Differential Equations, 2011, 36, 1565-1586. | 2.2 | 72 |
| 137 | On the number of solutions of NLS equations with magnetics fields in expanding domains. Journal of Differential Equations, 2011, 251, 2534-2548. | 2.2 | 14 |
| 138 | Infinitely many solutions for nonlinear SchrĶdinger equations with electromagnetic fields. Journal of Differential Equations, 2011, 251, 3500-3521. | 2.2 | 20 |
| 139 | Bound states of nonlinear SchrĶdinger equations with magnetic fields. Annali Di Matematica Pura Ed Applicata, 2011, 190, 427-451. | 1.0 | 21 |
| 140 | Positive and sign-changing clusters around saddle points of the potential for nonlinear elliptic problems. Mathematische Zeitschrift, 2011, 268, 605-634. | 0.9 | 12 |
| 141 | On the existence and concentration of positive solutions to a class of quasilinear elliptic problems on documentclass{article}usepackage{amssymb}egin{document}pagestyle{empty}\$mathbb {R}\$end{document}. Mathematische Nachrichten, 2011, 284, 1784-1795. | 0.8 | 11 |
| 142 | Locating peaks of a Schrödinger equation with sign-changing nonlinearity. Nonlinear Analysis: Theory, Methods & Applications, 2011, 74, 1223-1233. | 1.1 | 0 |
| 143 | Luminescence and photoinduced absorption in ytterbium-doped optical fibres. Quantum Electronics, 2011, 41, 1073-1079. | 1.0 | 24 |
| 144 | Solutions on a torus for a semilinear equation. Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 2011, 141, 371-382. | 1.2 | 0 |
| 145 | Pointwise Blow-Up Phenomena for a Dirichlet Problem. Communications in Partial Differential Equations, 2011, 36, 1654-1682. | 2.2 | 5 |

| # | Article | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 146 | ON SEMICLASSICAL GROUND STATES OF A NONLINEAR DIRAC EQUATION. Reviews in Mathematical Physics, 2012, 24, 1250029. | 1.7 | 10 |
| 147 | Positive solutions of the nonlinear SchrĶdinger equation with the fractional Laplacian. Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 2012, 142, 1237-1262. | 1.2 | 521 |
| 148 | Existence and concentration of bound states of a class of nonlinear Schrödinger equations in â"2 with potential tending to zero at infinity. Acta Mathematica Sinica, English Series, 2012, 28, 2243-2274. | 0.6 | 1 |
| 149 | Existence and concentration of ground states for SchrĶdinger-Poisson equations with critical growth. Journal of Mathematical Physics, 2012, 53, 023702. | 1.1 | 105 |
| 150 | Existence and multiplicity of semiclassical states for a quasilinear SchrĶdinger equation in \$mathbb{R}^N\$. Communications on Pure and Applied Analysis, 2012, 12, 429-449. | 0.8 | 0 |
| 151 | Standing waves of nonlinear SchrĶdinger equations with optimal conditions for potential and nonlinearity. Communications on Pure and Applied Analysis, 2012, 12, 831-850. | 0.8 | 10 |
| 152 | Bound state for the fractional SchrĶdinger equation with unbounded potential. Journal of Mathematical Physics, 2012, 53, . | 1.1 | 112 |
| 153 | Solution of perturbed Schrödinger system with critical nonlinearity and electromagnetic fields. Mathematical Methods in the Applied Sciences, 2012, 35, 1690-1699. | 2.3 | 3 |
| 154 | Semi-classical limits of ground states of a nonlinear Dirac equation. Journal of Differential Equations, 2012, 252, 4962-4987. | 2.2 | 55 |
| 155 | Multiplicity and concentration of positive solutions for a Kirchhoff type problem with critical growth. Journal of Differential Equations, 2012, 253, 2314-2351. | 2.2 | 286 |
| 156 | Existence of standing waves of nonlinear Schrödinger equations with potentials vanishing at infinity. Journal of Mathematical Analysis and Applications, 2012, 387, 920-930. | 1.0 | 2 |
| 157 | Existence and concentration of solutions for a class of biharmonic equations. Journal of Mathematical Analysis and Applications, 2012, 390, 274-289. | 1.0 | 26 |
| 158 | Bound states to critical quasilinear SchrĶdinger equations. Nonlinear Differential Equations and Applications, 2012, 19, 19-47. | 0.8 | 60 |
| 159 | Positive Solutions for a Quasilinear Schrödinger Equation with Critical Growth. Journal of Dynamics and Differential Equations, 2012, 24, 13-28. | 1.9 | 15 |
| 160 | Semiclassical solutions of Schrödinger equations with magnetic fields and critical nonlinearities. Manuscripta Mathematica, 2013, 140, 51-82. | 0.6 | 70 |
| 161 | Bound States of 2-D Nonlinear Schrödinger Equations with Potentials Tending to Zero at Infinity. SIAM Journal on Mathematical Analysis, 2013, 45, 2299-2331. | 1.9 | 4 |
| 162 | Stationary solutions of the nonlinear Schr¶dinger equation with fast-decay potentials concentrating around local maxima. Calculus of Variations and Partial Differential Equations, 2013, 47, 243-271. | 1.7 | 5 |
| 163 | Sign-Changing Multi-Peak Solutions for Nonlinear Schrödinger Equations with Compactly Supported Potential. Acta Applicandae Mathematicae, 2013, 127, 137-154. | 1.0 | 5 |

| # | Article | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 164 | Existence of semiclassical states for a quasilinear Schrödinger equation with critical exponent in \$\${mathbb{R}^N}\$\$. Annali Di Matematica Pura Ed Applicata, 2013, 192, 783-804. | 1.0 | 29 |
| 165 | Multiple solutions to nonlinear Schrödinger equations with critical growth. Boundary Value Problems, 2013, 2013, . | 0.7 | 0 |
| 166 | Solutions of perturbed p-Laplacian equations with critical nonlinearity. Journal of Mathematical Physics, 2013, 54, . | 1.1 | 6 |
| 167 | Multi-bump solutions for nonlinear SchrĶdinger equations with electromagnetic fields. ESAIM - Control, Optimisation and Calculus of Variations, 2013, 19, 91-111. | 1.3 | 5 |
| 168 | Semi-classical standing waves for nonlinear Schrödinger equations at structurally stable critical points of the potential. Journal of the European Mathematical Society, 2013, 15, 1859-1899. | 1.4 | 36 |
| 169 | Existence and multiplicity of positive solutions for two coupled nonlinear Schrödinger equations. Discrete and Continuous Dynamical Systems, 2013, 33, 2911-2938. | 0.9 | 6 |
| 170 | Hamiltonian elliptic systems: a guide to variational frameworks. Portugaliae Mathematica, 2014, 71, 301-395. | 0.4 | 46 |
| 171 | Standing waves for nonlinear Schrödinger equations involving critical growth. Journal of the London Mathematical Society, 2014, 90, 827-844. | 1.0 | 41 |
| 172 | Multiplicity of solutions of perturbed Schrödinger equation with electromagnetic fields and critical nonlinearity in R N. Boundary Value Problems, 2014, 2014, . | 0.7 | 0 |
| 173 | Final report on COOMET.QM-S1 (COOMET project no 483/RU/09): Supplementary comparison of primary standard gas mixtures: Nitrogen monoxide in nitrogen (50 µmol/mol). Metrologia, 2014, 51, 08001-08001. | 1.2 | Ο |
| 174 | Solutions of semiclassical states for perturbed p-Laplacian equation with critical exponent. Boundary Value Problems, 2014, 2014, . | 0.7 | 1 |
| 175 | Concentration behavior of standing waves for almost mass critical nonlinear SchrĶdinger equations. Journal of Differential Equations, 2014, 256, 2079-2100. | 2.2 | 16 |
| 176 | Concentrating standing waves for the fractional nonlinear SchrĶdinger equation. Journal of Differential Equations, 2014, 256, 858-892. | 2.2 | 180 |
| 177 | On existence and concentration of solutions for an elliptic problem with discontinuous nonlinearity via penalization method. Zeitschrift Fur Angewandte Mathematik Und Physik, 2014, 65, 19-40. | 1.4 | 16 |
| 178 | Infinitely many positive solutions for nonlinear equations with non-symmetric potentials. Calculus of Variations and Partial Differential Equations, 2014, 51, 761-798. | 1.7 | 32 |
| 179 | Existence and concentration behavior of positive solutions for a quasilinear Schrödinger equation. Journal of Mathematical Analysis and Applications, 2014, 414, 334-356. | 1.0 | 8 |
| 180 | Semi-classical bound states of SchrĶdinger equations. Mathematical Proceedings of the Cambridge Philosophical Society, 2014, 156, 167-181. | 0.4 | 1 |
| 181 | On numerical methods for nonlinear singularly perturbed Schrödinger problems. Applied Numerical Mathematics, 2014, 86, 22-42. | 2.1 | 3 |

| # | Article | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 182 | Existence of semiclassical ground state solutions for a generalized Choquard equation. Journal of Differential Equations, 2014, 257, 4133-4164. | 2.2 | 103 |
| 183 | Multiplicity and concentration of solutions for a quasilinear Choquard equation. Journal of Mathematical Physics, 2014, 55, . | 1.1 | 37 |
| 184 | Existence and Concentration Result for the Kirchhoff Type Equations with General Nonlinearities. Archive for Rational Mechanics and Analysis, 2014, 213, 931-979. | 2.4 | 185 |
| 185 | Ground states for nonlinear Kirchhoff equations with critical growth. Annali Di Matematica Pura Ed Applicata, 2014, 193, 473-500. | 1.0 | 64 |
| 186 | On the Mass Concentration for Bose–Einstein Condensates with Attractive Interactions. Letters in Mathematical Physics, 2014, 104, 141-156. | 1.1 | 138 |
| 187 | The existence and concentration of weak solutions to a class of p-Laplacian type problems in unbounded domains. Science China Mathematics, 2014, 57, 1927-1952. | 1.7 | 11 |
| 188 | Solutions for perturbed biharmonic equations with critical nonlinearity. Mathematical Methods in the Applied Sciences, 2014, 37, 882-893. | 2.3 | 2 |
| 189 | The existence and concentration of positive solutions for a nonlinear Schrödinger-Poisson system with critical growth. Journal of Mathematical Physics, 2014, 55, . | 1.1 | 23 |
| 190 | Semiclassical solutions of perturbed p -Laplacian equations with critical nonlinearity. Journal of Mathematical Analysis and Applications, 2014, 413, 438-449. | 1.0 | 11 |
| 191 | On a class of semilinear SchrĶdinger equations with indefinite linear part. Journal of Mathematical Analysis and Applications, 2014, 414, 710-724. | 1.0 | 10 |
| 192 | Existence and concentration of ground states to a quasilinear problem with competing potentials. Nonlinear Analysis: Theory, Methods & Applications, 2014, 102, 120-132. | 1.1 | 14 |
| 193 | Bound States with Clustered Peaks for Nonlinear Schrödinger Equations with Compactly Supported Potentials. Advanced Nonlinear Studies, 2014, 14, 463-481. | 1.7 | 4 |
| 194 | Concentrating Bound States for Kirchhoff Type Problems in â" ³ Involving Critical Sobolev Exponents. Advanced Nonlinear Studies, 2014, 14, 483-510. | 1.7 | 152 |
| 195 | Constraint minimizers of mass critical Hartree energy functionals: Existence and mass concentration. Journal of Mathematical Physics, 2015, 56, . | 1.1 | 21 |
| 196 | Nodal solutions of 2-D critical nonlinear Schrödinger equations with potentials vanishing at infinity. Discrete and Continuous Dynamical Systems, 2015, 35, 2921-2948. | 0.9 | 1 |
| 197 | Existence of Standing Waves Solution for a Nonlinear SchrĶdinger Equation in ℕN. Journal of Elliptic and Parabolic Equations, 2015, 1, 231-241. | 0.9 | 4 |
| 198 | Nodal solutions of an NLS equation concentrating on lower dimensional spheres. Boundary Value Problems, 2015, 2015, . | 0.7 | 2 |
| 199 | Concentrating standing waves for the fractional Schrödinger equation with critical nonlinearities. Boundary Value Problems, 2015, 2015, . | 0.7 | 7 |

| # | Article | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 200 | Existence, local uniqueness and asymptotic approximation of spike solutions to singularly perturbed elliptic problems. Hiroshima Mathematical Journal, 2015, 45, . | 0.3 | 7 |
| 201 | Semi-classical standing waves for nonlinear SchrĶdinger systems. Calculus of Variations and Partial Differential Equations, 2015, 54, 2287-2340. | 1.7 | 13 |
| 202 | Multiple positive solutions for semilinear SchrĶdinger equations with critical growth in â,,∢i>N. Journal of Mathematical Physics, 2015, 56, . | 1.1 | 2 |
| 203 | Multiple positive solutions for a class of quasilinear problems with distinct potentials. Applicable Analysis, 2015, 94, 2211-2232. | 1.3 | 0 |
| 204 | On semiclassical ground state solutions for Hamiltonian elliptic systems. Applicable Analysis, 2015, 94, 1380-1396. | 1.3 | 9 |
| 205 | Multiple perturbations of a singular eigenvalue problem. Nonlinear Analysis: Theory, Methods & Applications, 2015, 119, 37-45. | 1.1 | 29 |
| 206 | Multiple semiclassical standing waves for fractional nonlinear Schrödinger equations. Nonlinearity, 2015, 28, 927-949. | 1.4 | 15 |
| 207 | Radial sign-changing solutions to biharmonic nonlinear Schrödinger equations. Boundary Value Problems, 2015, 2015, . | 0.7 | 0 |
| 208 | Localized Concentration of Semi-Classical States for Nonlinear Dirac Equations. Archive for Rational Mechanics and Analysis, 2015, 216, 415-447. | 2.4 | 25 |
| 209 | Multiple semiclassical states for coupled SchrĶdinger-Poisson equations with critical exponential growth. Journal of Mathematical Physics, 2015, 56, . | 1.1 | 18 |
| 210 | Existence of solutions for perturbed elliptic system with critical exponents. Boundary Value Problems, 2015, 2015, . | 0.7 | 0 |
| 211 | Standing waves for a class of Kirchhoff type problems in \$\${mathbb {R}^3}\$\$ R 3 involving critical Sobolev exponents. Calculus of Variations and Partial Differential Equations, 2015, 54, 3067-3106. | 1.7 | 103 |
| 212 | Ground states and concentration phenomena for the fractional Schrödinger equation. Nonlinearity, 2015, 28, 1937-1961. | 1.4 | 90 |
| 213 | Positive solutions for a class of quasilinear problems with critical growth in â,, <i>^N</i> . Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 2015, 145, 411-444. | 1.2 | 3 |
| 214 | Uniqueness of positive bound states with multi-bump for nonlinear SchrĶdinger equations. Calculus of Variations and Partial Differential Equations, 2015, 54, 4037-4063. | 1.7 | 45 |
| 215 | Solutions concentrating around the saddle points of the potential for critical SchrĶdinger equations. Calculus of Variations and Partial Differential Equations, 2015, 54, 4119-4142. | 1.7 | 21 |
| 216 | On somep-Laplacian equation with electromagnetic fields and critical nonlinearity in â"N. Journal of Mathematical Physics, 2015, 56, 041504. | 1.1 | 1 |
| 217 | Standing waves for nonlinear Schrödinger equations involving critical growth of Trudinger–Moser type. Zeitschrift Fur Angewandte Mathematik Und Physik, 2015, 66, 3049-3060. | 1.4 | 16 |

| # | Article | IF | Citations |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-------------------|
| 218 | Ground state solutions for asymptotically periodic Schrödinger equations with indefinite linear part. Mathematical Methods in the Applied Sciences, 2015, 38, 113-122. | 2.3 | 8 |
| 219 | Multiplicity of positive solutions of nonlinear SchrĶdinger equations concentrating at a potential well. Calculus of Variations and Partial Differential Equations, 2015, 53, 413-439. | 1.7 | 13 |
| 220 | Existence and concentration of positive ground states for a Kirchhoff equation involving critical Sobolev exponent. Zeitschrift Fur Angewandte Mathematik Und Physik, 2015, 66, 747-769. | 1.4 | 50 |
| 221 | <pre><mml:math altimg="si1.gir" display="inline" overflow="scroll<br">xmlns:xocs="http://www.elsevier.com/xml/xocs/dtd" xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns="http://www.elsevier.com/xml/ja/dtd" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML"</mml:math></pre> | 1.7 | 2 |
| 222 | An Anne Stoff Antip//www.elsevier.com/xm/common/table/dtd xminsisb= n. Nonlinear Analysis: Real On the collapse and concentration of Bose–Einstein condensates with inhomogeneous attractive interactions. Calculus of Variations and Partial Differential Equations, 2015, 54, 99-118. | 1.7 | 30 |
| 223 | Intermediate reduction method and infinitely many positive solutions of nonlinear Schrödinger equations with non-symmetric potentials. Calculus of Variations and Partial Differential Equations, 2015, 53, 473-523. | 1.7 | 28 |
| 224 | Non-linear Schr¶dinger equation with non-local regional diffusion. Calculus of Variations and Partial Differential Equations, 2015, 54, 75-98. | 1.7 | 19 |
| 225 | A critical nonlinear fractional elliptic equation with saddle-like potential in â"N. Journal of Mathematical Physics, 2016, 57, 081501. | 1.1 | 6 |
| 226 | Multiplicity and concentration of positive solutions for a class of quasilinear problems through Orlicz-Sobolev space. Journal of Mathematical Physics, 2016, 57, . | 1.1 | 15 |
| 227 | Existence and concentration of ground state solutions for a critical nonlocal SchrAydinger equation in <mml:math <br="" altimg="si1.gif" xmlns:mml="http://www.w3.org/1998/Math/MathML">overflow="scroll"><mml:msup><mml:mrow><mml:mi mathvariant="double-struck">R</mml:mi </mml:mrow><mml:mrow><mml:mrow><mml:mn>2</mml:mn></mml:mrow><td>2.2 nl:msup> <</td><td>96 /mml:math>.</td></mml:mrow></mml:msup></mml:math> | 2.2 nl:msup> < | 96 /mml:math>. |
| 228 | Existence and concentration of solution for a class of fractional elliptic equation in \$\$mathbb {R}^N\$\$ R N via penalization method. Calculus of Variations and Partial Differential Equations, 2016, 55, 1. | 1.7 | 105 |
| 229 | Concentrating bounded states for a class of singularly perturbed Kirchhoff type equations with a general nonlinearity. Journal of Differential Equations, 2016, 261, 6178-6220. | 2.2 | 43 |
| 230 | Concentrating patterns of reaction-diffusion systems: A variational approach. Transactions of the American Mathematical Society, 2016, 369, 97-138. | 0.9 | 8 |
| 231 | Existence of semiclassical states for a quasilinear Schrödinger equation on ℕN with exponential critical growth. Acta Mathematica Sinica, English Series, 2016, 32, 1279-1296. | 0.6 | 3 |
| 232 | Multi-peak solutions for a nonlinear Schrödinger-Poisson system including critical growth in R 3 \$mathbb{R}^{3}\$. Advances in Difference Equations, 2016, 2016, . | 3.5 | 2 |
| 233 | Concentration of Positive Ground State Solutions for Schrödinger–Maxwell Systems with Critical Growth. Advanced Nonlinear Studies, 2016, 16, 389-408. | 1.7 | 13 |
| 234 | Semiclassical ground state solutions for a SchrĶdinger equation in with critical exponential growth. Mathematische Nachrichten, 2016, 289, 727-747. | 0.8 | 7 |
| 235 | Energy estimates and symmetry breaking in attractive Bose–Einstein condensates with ring-shaped potentials. Annales De L'Institut Henri Poincare (C) Analyse Non Lineaire, 2016, 33, 809-828. | 1.4 | 92 |

| # | Article | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 236 | Existence and concentration behavior of sign-changing solutions for quasilinear SchrĶdinger equations. Science China Mathematics, 2016, 59, 1095-1112. | 1.7 | 9 |
| 237 | Existence of a Positive Solution for a Nonlinear Elliptic Equation with Saddle-like Potential and Nonlinearity with Exponential Critical Growth in \$\${mathbb{R}^{2}}\$ R 2. Milan Journal of Mathematics, 2016, 84, 1-22. | 1.1 | 10 |
| 238 | Concentration for a bi-harmonic Schrödinger equation with critical nonlinearity. Journal of Mathematical Analysis and Applications, 2016, 435, 380-401. | 1.0 | 1 |
| 239 | Standing waves of a weakly coupled Schrödinger system with distinct potential functions. Journal of Differential Equations, 2016, 260, 1830-1864. | 2.2 | 15 |
| 240 | Optimal magnetic Sobolev constants in the semiclassical limit. Annales De L'Institut Henri Poincare (C) Analyse Non Lineaire, 2016, 33, 1199-1222. | 1.4 | 2 |
| 241 | Existence of solutions for a perturbed <i>p</i> -Laplacian system with critical exponent in. Applicable Analysis, 2017, 96, 1885-1905. | 1.3 | 2 |
| 242 | Existence of solutions for an NSE with discontinuous nonlinearity. Journal of Fixed Point Theory and Applications, 2017, 19, 917-937. | 1.1 | 8 |
| 243 | Multiplicity of semiclassical solutions to nonlinear Schrödinger equations. Journal of Fixed Point Theory and Applications, 2017, 19, 987-1010. | 1.1 | 7 |
| 244 | Multiplicity and concentration behavior of solutions to the critical Kirchhoff-type problem. Zeitschrift Fur Angewandte Mathematik Und Physik, 2017, 68, 1. | 1.4 | 11 |
| 245 | Singular perturbed Kirchhoff type problem with critical exponent. Journal of Mathematical Analysis and Applications, 2017, 454, 144-180. | 1.0 | 9 |
| 246 | Concentration for a biharmonic Schrödinger equation. Pacific Journal of Mathematics, 2017, 289, 469-487. | 0.5 | 1 |
| 247 | Singularly perturbed critical Choquard equations. Journal of Differential Equations, 2017, 263, 3943-3988. | 2.2 | 110 |
| 248 | Existence of Multi-peak Solutions for a Class of Quasilinear Problems in Orlicz-Sobolev Spaces. Acta Applicandae Mathematicae, 2017, 151, 171-198. | 1.0 | 3 |
| 249 | Multiple standing waves for the nonlinear Helmholtz equation concentrating in the high frequency limit. Annali Di Matematica Pura Ed Applicata, 2017, 196, 2023-2042. | 1.0 | 2 |
| 250 | Localized nodal solutions of higher topological type for semiclassical nonlinear Schrödinger equations. Calculus of Variations and Partial Differential Equations, 2017, 56, 1. | 1.7 | 57 |
| 251 | On existence and concentration of solutions to a class of quasilinear problems involving the 1-Laplace operator. Calculus of Variations and Partial Differential Equations, 2017, 56, 1. | 1.7 | 16 |
| 252 | Local Uniqueness and Refined Spike Profiles of Ground States for Two-Dimensional Attractive Bose-Einstein Condensates. SIAM Journal on Mathematical Analysis, 2017, 49, 3671-3715. | 1.9 | 33 |
| 253 | Existence and concentration result for a quasilinear Schrödinger equation with critical growth. Zeitschrift Fur Angewandte Mathematik Und Physik, 2017, 68, 1. | 1.4 | 7 |

| # | Article | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 254 | Existence and concentration of positive solutions for fractional nonlinear SchrĶdinger equation with critical growth. Journal of Mathematical Physics, 2017, 58, 081502. | 1.1 | 0 |
| 255 | Existence, regularity, and concentration phenomenon of nontrivial solitary waves for a class of generalized variable coefficient Kadomtsev-Petviashvili equation. Journal of Mathematical Physics, 2017, 58, . | 1.1 | 6 |
| 256 | Ground state solutions for a fractional Schrödinger equation with critical growth. Asymptotic Analysis, 2017, 105, 159-191. | 0.5 | 13 |
| 257 | The existence and concentration of ground-state solutions for a class of Kirchhoff type problems in R 3 \${mathbb{R}^{3}}\$ involving critical Sobolev exponents. Boundary Value Problems, 2017, 2017, . | 0.7 | 3 |
| 258 | Standing waves with a critical frequency for nonlinear Choquard equations. Nonlinear Analysis: Theory, Methods & Applications, 2017, 161, 87-107. | 1.1 | 19 |
| 259 | Multiâ€peak standing waves for nonlinear Schrödinger equations involving critical growth. Mathematische Nachrichten, 2017, 290, 1588-1601. | 0.8 | 1 |
| 260 | Multiplicity and concentration of positive solutions for the fractional Schrödinger–Poisson systems with critical growth. ESAIM - Control, Optimisation and Calculus of Variations, 2017, 23, 1515-1542. | 1.3 | 53 |
| 261 | Multiplicity of concentrating positive solutions for Schrödinger–Poisson equations with critical growth. Nonlinear Analysis: Theory, Methods & Applications, 2018, 170, 142-170. | 1.1 | 24 |
| 262 | On concentration of least energy solutions for magnetic critical Choquard equations. Journal of Mathematical Analysis and Applications, 2018, 464, 402-420. | 1.0 | 12 |
| 263 | Multiplicity and concentration of positive solutions for fractionalp-Laplacian problem involving concave–convex nonlinearity. Nonlinear Analysis: Real World Applications, 2018, 42, 387-408. | 1.7 | 6 |
| 264 | Properties of ground states of attractive Gross–Pitaevskii equations with multi-well potentials. Nonlinearity, 2018, 31, 957-979. | 1.4 | 65 |
| 265 | Existence and concentration of bound states for a Kirchhoff type problem with potentials vanishing or unbounded at infinity. Mathematical Methods in the Applied Sciences, 2018, 41, 3018-3043. | 2.3 | 4 |
| 266 | Multiplicity and concentration behaviour of positive solutions for SchrA¶dinger-Kirchhoff type equations involving the p-Laplacian in <mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">altimg="si1.gif" overflow="scroll"><mml:math <br="" xmlns:mml="http://www.w3.org/1998/Math/MathML">mathwariant="double-struck">R<mml:msup><mml:mi Mathwariant="double-struck">R<mml:mi>N</mml:mi></mml:mi </mml:msup></mml:math>. Acta Mathematica Scientia, 2018, 38, 391-418.</mml:math> | 1.0 | 7 |
| 267 | Threshold behavior and uniqueness of ground states for mass critical inhomogeneous SchrĶdinger equations. Journal of Mathematical Physics, 2018, 59, . | 1.1 | 9 |
| 268 | Existence and concentration of ground states for saturable nonlinear SchrĶdinger equations with intensity functions in R2. Nonlinear Analysis: Theory, Methods & Applications, 2018, 173, 19-36. | 1.1 | 8 |
| 269 | An infinite sequence of localized semiclassical bound states for nonlinear Dirac equations. Calculus of Variations and Partial Differential Equations, 2018, 57, 1. | 1.7 | 9 |
| 270 | Multiplicity of solutions of the bi-harmonic Schrödinger equation with critical growth. Zeitschrift Fur Angewandte Mathematik Und Physik, 2018, 69, 1. | 1.4 | 7 |
| 271 | Existence of positive ground state solutions for fractional Schrödinger equations with a general nonlinearity. Applicable Analysis, 2018, 97, 1154-1171. | 1.3 | 7 |

| # | Article | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------|------------------|
| 272 | Semiclassical limits of ground states for Hamiltonian elliptic system with gradient term. Nonlinear Analysis: Real World Applications, 2018, 40, 377-402. | 1.7 | 4 |
| 273 | Blow-up behavior of ground states for a nonlinear SchrĶdinger system with attractive and repulsive interactions. Journal of Differential Equations, 2018, 264, 1411-1441. | 2.2 | 8 |
| 274 | Complex Dynamics in One-Dimensional Nonlinear Schrödinger Equations with Stepwise Potential. Complexity, 2018, 2018, 1-17. | 1.6 | 1 |
| 275 | Existence and multiplicity of solutions for a class of quasilinear problems in Orlicz–Sobolev spaces without Ambrosetti–Rabinowitz condition. Journal of Elliptic and Parabolic Equations, 2018, 4, 389-416. | 0.9 | 2 |
| 276 | Existence and concentration of positive solutions for a SchrĶdinger logarithmic equation. Zeitschrift Fur Angewandte Mathematik Und Physik, 2018, 69, 1. | 1.4 | 28 |
| 277 | Multi-peak solutions to Kirchhoff equations in <mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"><mml:msup><mml:miow><mml:mi mathvariant="double-struck">R<mml:mrow><mml:mrow><mml:mn>3</mml:mn></mml:mrow><td>2.2 nl:msup> <</td><td>19 /mml:math></td></mml:mrow></mml:mi </mml:miow></mml:msup></mml:math | 2.2 nl:msup> < | 19 /mml:math> |
| 278 | With general nonlinearity. Journal of Offerential Equations, 2018, 205, 3587-3617 Singularly Perturbed Fractional SchrĶdinger Equations with Critical Growth. Advanced Nonlinear Studies, 2018, 18, 587-611. | 1.7 | 2 |
| 279 | Existence and Concentration of Positive Solutions for Nonlinear Kirchhoff-Type Problems with a General Critical Nonlinearity. Proceedings of the Edinburgh Mathematical Society, 2018, 61, 1023-1040. | 0.3 | 12 |
| 280 | On the semiclassical solutions of a two-component elliptic system in \$\$mathbb {R}^4\$\$ R 4 with trapping potentials and Sobolev critical exponent: the repulsive case. Zeitschrift Fur Angewandte Mathematik Und Physik, 2018, 69, 1. crianal Schrödtinger equation in small math | 1.4 | 3 |
| 281 | xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.gif" overflow="scroll"> <mml:msup><mml:mrow><mml:mi mathvariant="double-struck">R</mml:mi </mml:mrow><mml:mrow><mml:mi>N</mml:mi>the Ambrosettiâ€"Rabinowitz condition. lournal of Mathematical Analysis and Applications. 2018. 466.</mml:mrow></mml:msup> | :msup> <td>nml!math>v</td> | nml!math>v |
| 282 | 498-522 Choquard-type equations with Hardy–Littlewood–Sobolev upper-critical growth. Advances in Nonlinear Analysis, 2019, 8, 1184-1212. | 2.6 | 78 |
| 283 | Concentrating standing waves for the Gross–Pitaevskii equation in trapped dipolar quantum gases. Journal of Differential Equations, 2019, 266, 600-629. | 2.2 | 7 |
| 284 | Concentrating solutions for a class of nonlinear fractional Schrödinger equations in \$mathbb R^N\$. Revista Matematica Iberoamericana, 2019, 35, 1367-1414. | 0.9 | 28 |
| 285 | Localized nodal solutions for quasilinear SchrĶdinger equations. Journal of Differential Equations, 2019, 267, 7411-7461. | 2.2 | 17 |
| 286 | A note on uniqueness of the ground state for nonlinear Schrödinger equations. Applied Mathematics Letters, 2019, 96, 115-121. | 2.7 | 0 |
| 287 | Spiked vector solutions of coupled SchrĶdinger systems with critical exponent and solutions concentrating on spheres. Calculus of Variations and Partial Differential Equations, 2019, 58, 1. | 1.7 | 2 |
| 288 | A monotone property of the ground state energy to the scalar field equation and applications. Journal of the London Mathematical Society, 2019, 100, 804-824. | 1.0 | 8 |
| 289 | The concentration behavior of ground state solutions for a critical fractional Schrödinger–Poisson system. Mathematische Nachrichten, 2019, 292, 1837-1868. | 0.8 | 9 |

| # | Article | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 290 | Ground states of two-component attractive Bose-Einstein condensates II: Semi-trivial limit behavior. Transactions of the American Mathematical Society, 2019, 371, 6903-6948. | 0.9 | 23 |
| 291 | Mass concentration and local uniqueness of ground states for \$\$L^2\$\$ L 2 -subcritical nonlinear Schrödinger equations. Zeitschrift Fur Angewandte Mathematik Und Physik, 2019, 70, 1. | 1.4 | 7 |
| 292 | Multiplicity and concentration of solutions for fractional Schrödinger systems via penalization method. Atti Della Accademia Nazionale Dei Lincei, Classe Di Scienze Fisiche, Matematiche E Naturali, Rendiconti Lincei Matematica E Applicazioni, 2019, 30, 543-581. | 0.6 | 5 |
| 293 | Note on semiclassical states for the SchrĶdinger equation with nonautonomous nonlinearities. Applied Mathematics Letters, 2019, 88, 149-155. | 2.7 | 0 |
| 294 | Spikes of the two-component elliptic system in \$\${mathbb {R}}^4\$\$ R 4 with the critical Sobolev exponent. Calculus of Variations and Partial Differential Equations, 2019, 58, 1. | 1.7 | 8 |
| 295 | Existence of normalized solutions for nonlinear fractional SchrĶdinger equations with trapping potentials. Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 2019, 149, 617-653. | 1.2 | 16 |
| 296 | Spikes of sign-changing solutions to the critical Schrödinger equations with trapping potentials. Applicable Analysis, 2019, 98, 1027-1041. | 1.3 | 1 |
| 297 | Singularly perturbed quasilinear Schrödinger equations with negative parameters. Applicable Analysis, 2019, 98, 2239-2251. | 1.3 | 2 |
| 298 | Existence of positive solutions for a Schrödinger-Poisson system with critical growth. Applicable Analysis, 2020, 99, 1827-1864. | 1.3 | 2 |
| 299 | Existence and concentration of solutions for singularly perturbed doubly nonlocal elliptic equations. Communications in Contemporary Mathematics, 2020, 22, 1850074. | 1.2 | 1 |
| 300 | Multiplicity of solutions for fractional SchrĶdinger systems in â"N. Complex Variables and Elliptic Equations, 2020, 65, 856-885. | 0.8 | 11 |
| 301 | Existence and concentration properties of ground state solutions for elliptic systems. Complex Variables and Elliptic Equations, 2020, 65, 1257-1286. | 0.8 | 3 |
| 302 | Existence and concentration of positive solutions for non-autonomous Schrödinger-Poisson systems. Complex Variables and Elliptic Equations, 2020, 65, 1672-1697. | 0.8 | 2 |
| 303 | Bound states for logarithmic SchrĶdinger equations with potentials unbounded below. Calculus of Variations and Partial Differential Equations, 2020, 59, 1. | 1.7 | 17 |
| 304 | Ground State Solutions for a Class of Strongly Indefinite Choquard Equations. Bulletin of the Malaysian Mathematical Sciences Society, 2020, 43, 3271-3304. | 0.9 | 6 |
| 305 | Existence and concentration of positive solutions for a logarithmic SchrĶdinger equation via penalization method. Calculus of Variations and Partial Differential Equations, 2020, 59, 1. | 1.7 | 27 |
| 306 | Existence of Solutions to Nonlinear SchrĶdinger Equations Involving N-Laplacian and Potentials Vanishing at Infinity. Acta Mathematica Sinica, English Series, 2020, 36, 1151-1170. | 0.6 | 4 |
| 307 | Ground states of bi-harmonic equations with critical exponential growth involving constant and trapping potentials. Calculus of Variations and Partial Differential Equations, 2020, 59, 1. | 1.7 | 12 |

| # | Article | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 308 | Limiting profile of solutions for Schrödinger equations with shrinking self-focusing core. Calculus of Variations and Partial Differential Equations, 2020, 59, 1. | 1.7 | 3 |
| 309 | Existence and concentration of ground state solutions for doubly critical Schrödinger–Poisson-type systems. Zeitschrift Fur Angewandte Mathematik Und Physik, 2020, 71, 1. | 1.4 | 6 |
| 310 | On a class of nonlinear Schrödinger–Poisson systems involving a nonradial charge density. Revista Matematica Iberoamericana, 2020, 36, 1021-1070. | 0.9 | 8 |
| 311 | The Nonexistence of Vortices for Rotating Bose–Einstein Condensates with Attractive Interactions. Archive for Rational Mechanics and Analysis, 2020, 238, 1231-1281. | 2.4 | 16 |
| 312 | Fractional double-phase patterns: concentration and multiplicity of solutions. Journal Des Mathematiques Pures Et Appliquees, 2020, 142, 101-145. | 1.6 | 50 |
| 313 | Multiplicity and concentration of solutions to the nonlinear magnetic Schrödinger equation. Calculus of Variations and Partial Differential Equations, 2020, 59, 1. | 1.7 | 31 |
| 314 | Least energy solutions to semi-linear elliptic problems on metric graphs. Journal of Mathematical Analysis and Applications, 2020, 491, 124297. | 1.0 | 9 |
| 315 | Multiplicity and concentration behavior of positive solutions for a quasilinear problem in Orlicz–Sobolev spaces without Ambrosetti–Rabinowitz condition via penalization method. Journal of Elliptic and Parabolic Equations, 2020, 6, 473-506. | 0.9 | 1 |
| 316 | Multiplicity and Concentration Results for a Magnetic Schrödinger Equation With Exponential Critical Growth in â"2. International Mathematics Research Notices, 2022, 2022, 862-897. | 1.0 | 17 |
| 317 | Localized nodal solutions of higher topological type for nonlinear Schrödinger–Poisson system. Nonlinear Analysis: Theory, Methods & Applications, 2020, 198, 111896. | 1.1 | 4 |
| 318 | Existence of semiclassical solutions for some critical Schrödinger–Poisson equations with potentials. Nonlinear Analysis: Theory, Methods & Applications, 2020, 198, 111874. | 1.1 | 5 |
| 319 | Existence of a positive solution for a logarithmic SchrĶdinger equation with saddle-like potential. Manuscripta Mathematica, 2021, 164, 555-575. | 0.6 | 8 |
| 320 | Multiple bound states of higher topological type for semi-classical Choquard equations. Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 2021, 151, 329-355. | 1.2 | 5 |
| 321 | Multiplicity and concentration behavior of solutions of the critical Choquard equation. Applicable Analysis, 2021, 100, 167-190. | 1.3 | 3 |
| 322 | Non-degeneracy of the ground state solution on nonlinear Schrödinger equation. Applied Mathematics Letters, 2021, 111, 106634. | 2.7 | 2 |
| 323 | Standing waves for a class of fractional p â€Laplacian equations with a general critical nonlinearity. Mathematical Methods in the Applied Sciences, 2021, 44, 960-984. | 2.3 | 0 |
| 324 | Local uniqueness and the number of concentrated solutions for nonlinear SchrĶdinger equations with non-admissible potential. Nonlinearity, 2021, 34, 705-724. | 1.4 | 1 |
| 325 | Multiple solutions of higher topological type for semiclassical nonlinear SchrĶdinger equations. Nonlinear Differential Equations and Applications, 2021, 28, 1. | 0.8 | 2 |

| # | Article | IF | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 326 | Concentration phenomena for magnetic Kirchhoff equations with critical growth. Discrete and Continuous Dynamical Systems, 2021, 41, 5551. | 0.9 | 8 |
| 327 | Fractional Schrödinger Equations with Rabinowitz Condition. Frontiers in Mathematics, 2021, , 195-254. | 0.3 | 3 |
| 328 | Quasilinear Schrödinger equations with singular and vanishing potentials involving nonlinearities with critical exponential growth. Topological Methods in Nonlinear Analysis, 0, , 1. | 0.2 | 1 |
| 329 | Existence and Concentration Behavior of Solutions of the Critical Schrödinger–Poisson Equation in R3. Mathematics, 2021, 9, 464. | 2.2 | 0 |
| 330 | Existence and concentration of ground state solutions for a class of fractional SchrĶdingerÂequations. Asymptotic Analysis, 2021, , 1-25. | 0.5 | 0 |
| 331 | Semi-classical states for logarithmic SchrĶdinger equations. Nonlinearity, 2021, 34, 1900-1942. | 1.4 | 6 |
| 332 | Concentration phenomena for nonlinear magnetic SchrĶdinger equations with critical growth. Israel Journal of Mathematics, 2021, 241, 465-500. | 0.8 | 11 |
| 333 | Multi-peak solutions to fractional nonlinear Schrödinger equation with general nonlinearity. Complex Variables and Elliptic Equations, 0, , 1-26. | 0.8 | 0 |
| 334 | Constraint minimizers of inhomogeneous mass subcritical minimization problems. Mathematical Methods in the Applied Sciences, 2021, 44, 10062-10075. | 2.3 | 0 |
| 335 | Existence and multiplicity of semiclassical states for Gross–Pitaevskii equation in dipolar quantum gases. Revista De La Real Academia De Ciencias Exactas, Fisicas Y Naturales - Serie A: Matematicas, 2021, 115, 1. | 1.2 | 0 |
| 336 | Multi-Bump Standing Waves for Nonlinear SchrĶdinger Equations with a General Nonlinearity: The Topological Effect of Potential Wells. Advanced Nonlinear Studies, 2021, 21, 369-396. | 1.7 | 2 |
| 337 | Multiple solutions for singularly perturbed nonlinear magnetic SchrĶdinger equations. Asymptotic Analysis, 2022, 128, 239-272. | 0.5 | 4 |
| 338 | A critical Trudinger-Moser inequality involving a degenerate potential and nonlinear Schrödinger equations. Science China Mathematics, 2021, 64, 1391-1410. | 1.7 | 13 |
| 339 | Existence of solutions for a weakly coupled Schrödinger system with critical growth. Mathematical Methods in the Applied Sciences, 0, , . | 2.3 | 2 |
| 340 | Gluing higher-topological-type semiclassical states for nonlinear Schrödinger equations. Annali Di Matematica Pura Ed Applicata, 2022, 201, 589-616. | 1.0 | 0 |
| 341 | Existence and Asymptotic Behavior of Localized Nodal Solutions for a Class of Kirchhoff-Type Equations. Journal of Geometric Analysis, 2021, 31, 12411-12445. | 1.0 | 4 |
| 342 | Symmetry and Monotonicity of a Nonlinear Schrödinger Equation Involving the Fractional Laplacian. Bulletin of the Malaysian Mathematical Sciences Society, 2021, 44, 4109. | 0.9 | 1 |
| 343 | Semiclassical states for nonlinear Dirac equations with singular potentials. Calculus of Variations and Partial Differential Equations, 2021, 60, 1. | 1.7 | 2 |

| # | Article | IF | CITATIONS |
|-----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 344 | Existence and concentration of positive solutions for a critical <i>p</i> & <i>q</i> equation. Advances in Nonlinear Analysis, 2021, 11, 243-267. | 2.6 | 10 |
| 345 | Limiting behavior and local uniqueness of normalized solutions for mass critical Kirchhoff equations. Calculus of Variations and Partial Differential Equations, 2021, 60, 1. | 1.7 | 15 |
| 346 | A multiplicity result for a (p,Âq)-Schrödinger–Kirchhoff type equation. Annali Di Matematica Pura Ed Applicata, 2022, 201, 943-984. | 1.0 | 8 |
| 347 | Concentrating standing waves for Davey–Stewartson systems. Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 0, , 1-40. | 1.2 | Ο |
| 348 | On Ambrosetti-Malchiodi-Ni conjecture on two-dimensional smooth bounded domains: Clustering concentration layers. Journal of Functional Analysis, 2021, 281, 109220. | 1.4 | 2 |
| 349 | Multiplicity and concentration of solutions to a fractional (p,p1)-Laplace problem with exponential growth. Journal of Mathematical Analysis and Applications, 2022, 506, 125667. | 1.0 | 3 |
| 350 | Ground States for a Superlinear Fractional Schrödinger Equation with Potentials. Frontiers in Mathematics, 2021, , 145-194. | 0.3 | 0 |
| 351 | Existence of semiclassical solutions for some critical Dirac equation. Journal of Mathematical Physics, 2021, 62, 011501. | 1.1 | 2 |
| 352 | An Introduction to Nonlinear Functional Analysis and Elliptic Problems. Progress in Nonlinear Differential Equations and Their Application, 2011, , . | 0.9 | 41 |
| 353 | Ground states of nonlinear SchrĶdinger equation on star metric graphs. Journal of Mathematical Analysis and Applications, 2018, 459, 661-685. | 1.0 | 12 |
| 354 | Semiclassical states for Choquard type equations with critical growth: critical frequency case [*] . Nonlinearity, 2020, 33, 6695-6728. | 1.4 | 38 |
| 355 | Multiple positive symmetric solutions of a singularly perturbed elliptic equation. Topological Methods in Nonlinear Analysis, 2001, 18, 17. | 0.2 | 2 |
| 356 | Concentration behavior of semiclassical solutions for Hamiltonian elliptic system. Advances in Nonlinear Analysis, 2020, 10, 233-260. | 2.6 | 6 |
| 357 | On the Fractional NLS Equation and the Effects of the Potential Well's Topology. Advanced Nonlinear Studies, 2021, 21, 1-40. | 1.7 | 7 |
| 358 | Existence and concentration of bound states of nonlinear SchrĶdinger equations with compactly supported and competing potentials. Pacific Journal of Mathematics, 2010, 244, 261-296. | 0.5 | 15 |
| 359 | On Concentration Phenomena of Least Energy Solutions to Nonlinear SchrĶdinger Equations with Totally Degenerate Potentials. Tokyo Journal of Mathematics, 2017, 40, . | 0.1 | 1 |
| 360 | A result on singularly perturbed elliptic problems. Communications on Pure and Applied Analysis, 2005, 4, 341-356. | 0.8 | 1 |
| 361 | Existence and concentration of semiclassical solutions for Hamiltonian elliptic system. Communications on Pure and Applied Analysis, 2016, 15, 599-622. | 0.8 | 17 |

| # | Article | | CITATIONS |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 362 | Multi-peak solutions for nonlinear Choquard equation with a general nonlinearity. Communications on Pure and Applied Analysis, 2017, 16, 493-512. | 0.8 | 26 |
| 363 | Multi-peak standing waves for nonlinear Schrödinger equations with a general nonlinearity. Discrete and Continuous Dynamical Systems, 2007, 19, 255-269. | | 29 |
| 364 | Concentrating soliton solutions for quasilinear Schrödinger equations involving critical Sobolev exponents. Discrete and Continuous Dynamical Systems, 2015, 36, 731-762. | 0.9 | 8 |
| 365 | Infinitely many positive and sign-changing solutions for nonlinear fractional scalar field equations. Discrete and Continuous Dynamical Systems, 2015, 36, 917-939. | 0.9 | 6 |
| 366 | Existence and concentration of solutions for a Kirchhoff type problem with potentials. Discrete and Continuous Dynamical Systems, 2016, 36, 7137-7168. | 0.9 | 6 |
| 367 | Asymptotic properties of standing waves for mass subcritical nonlinear SchrĶdinger equations. Discrete and Continuous Dynamical Systems, 2017, 37, 1749-1762. | 0.9 | 10 |
| 368 | Blow-up solutions for two coupled Gross-Pitaevskii equations with attractive interactions. Discrete and Continuous Dynamical Systems, 2017, 37, 3749-3786. | 0.9 | 20 |
| 369 | Infinitely many positive solutions of fractional nonlinear Schrödinger equations with non-symmetric potentials. Discrete and Continuous Dynamical Systems, 2017, 37, 5561-5601. | 0.9 | 5 |
| 370 | Existence and Concentration of Solutions for a Class of Elliptic Problems with Discontinuous Nonlinearity in \$mathbf{R}^{N}\$. Mathematica Scandinavica, 2013, 112, 129. | | 12 |
| 371 | Sharp Trudinger–Moser Inequality and Ground State Solutions to Quasi-Linear Schrödinger Equations with Degenerate Potentials in â" ^{<i>n</i>} . Advanced Nonlinear Studies, 2021, 21, 733-749. | 1.7 | 21 |
| 372 | Uniqueness of positive bound states with multiple bumps for SchrĶdinger–Poisson system. Calculus of Variations and Partial Differential Equations, 2021, 60, . | | 2 |
| 373 | MULTILUMP SOLUTIONS OF THE NON-LINEAR SCHRÖDINGER EQUATION — A SCALING APPROACH. , 2005, , . | | 0 |
| 374 | Non-degeneracy of perturbed solutions of semilinear partial differential equations. Annales Academiae Scientiarum Fennicae Mathematica, 2010, 35, 75-86. | 0.7 | 1 |
| 375 | The non-linear Schrödinger equation with non-periodic potential: infinite-bump solutions and non-degeneracy. Communications on Pure and Applied Analysis, 2012, 11, 587-626. | 0.8 | 0 |
| 376 | MULTIPLICITY OF NONTRIVIAL SOLUTIONS TO PERTURBED SCHRÃ-DINGER SYSTEM WITH MAGNETIC FIELDS. Bulletin of the Korean Mathematical Society, 2012, 49, 1311-1326. | 0.3 | 0 |
| 377 | Standing wave concentrating on compact manifolds for nonlinear SchrĶdinger equations. Communications on Pure and Applied Analysis, 2015, 14, 825-842. | 0.8 | 2 |
| 378 | Nontrivial solutions for a mixed boundary problem for SchrĶdinger equations with an external magnetic field. Topological Methods in Nonlinear Analysis, 2015, 46, 329. | 0.2 | 2 |
| 379 | Concentrating ground-state solutions for a class of Schödinger-Poisson equations in \$mathbb{R}^3\$ involving critical Sobolev exponents. Communications on Pure and Applied Analysis, 2015, 15, 103-125. | 0.8 | 2 |
| | | | |

ARTICLE IF CITATIONS The Very Useful Linear Indefinite Equations in Applied Sciences., 2016,,. 380 0 Infinitely many solutions for a nonlinear SchrÄgdinger equation with non-symmetric electromagnetic fields. Discrete and Continuous Dynamical Systems, 2016, 36, 7081-7115. Concentrating solitary waves for a class of singularly perturbed quasilinear SchrĶdinger equations 382 1.1 1 with a general nonlinearity. Mathematical Control and Related Fields, 2016, 6, 551-593. Existence and concentration for Kirchhoff type equations around topologically critical points of the 0.8 potential. Communications on Pure and Applied Analysis, 2017, 16, 1641-1671. Infinitely many solutions for nonlinear SchrÄgdinger equations with slow decaying of potential. 384 0.9 3 Discreté and Ćontinuous Dynamical Systems, 2017, 37, 1707-1731. On concentration of semi-classical solitary waves for a generalized Kadomtsev-Petviashvili equation. Discrete and Continuous Dynamical Systems - Series S, 2017, 10, 1095-1106. 1.1 Existence and concentration of positive solutions for a system of coupled saturable SchrĶdinger 386 1.1 2 equations. Nonlinear Analysis: Theory, Methods & Applications, 2020, 197, 111841. Multiple solitary waves for a generalized Kadomtsev–Petviashvili equation with a potential. Journal of Differential Equations, 2022, 308, 40-56. Multiplicity of Semiclassical States Solutions for a Weakly Coupled SchrĶdinger System with Critical 388 0.9 0 Growth in Divergent Form. Potential Analysis, 0, , 1. Semiclassical States for Coupled Nonlinear SchrĶdinger System with Competing Potentials. Journal 389 1.0 of Geometric Analysis, 2022, 32, 1. Normalized multi-bump solutions of nonlinear SchrĶdinger equations via variational approach. 390 3 1.7 Calculus of Variations and Partial Differential Equations, 2022, 61, 1. Multiple localized nodal solutions of high topological type for Kirchhoff-type equation with double 0.8 potentials. Communications on Pure and Applied Analysis, 2022, 21, 2495. On the <i>p</i>-Laplacian Kirchhoffâ€"Schrödinger equation with potentials vanishing or unbounded 392 1.1 0 at infinity in R3. Journal of Mathematical Physics, 2022, 63, 031503. Concentrated solution of Kirchhoff-type equations. Applicable Analysis, 2023, 102, 3091-3109. 1.3 Nodal Multi-peak Standing Waves of Fourth-Order SchrĶdinger Equations with Mixed Dispersion. 394 1.0 3 Journal of Geometric Analysis, 2022, 32, . On existence of multiple normalized solutions to a class of elliptic problems in whole \$\${mathbb 1.4 13 {R}}^N\$\$. Zeitschrift Fur Angewandte Mathematik Und Physik, 2022, 73, 1. On the Critical Kirchhoff Problems with Super-linear Nonlinearities and Variable Potentials. Bulletin 398 1.0 0 of the Iranian Mathematical Society, 0, , 1. Double phase problems with competing potentials: concentration and multiplication of ground 399 states. Mathematische Zeitschrift, 2022, 301, 4037-4078.

| # | Article | IF | CITATIONS |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 400 | Existence and concentration of positive solutions to a fractional system with saturable term. Stochastics and Dynamics, 0, , . | 1.2 | 0 |
| 401 | Existence and Asymptotical Behavior of Multiple Solutions for the Critical Choquard Equation. Journal of Geometric Analysis, 2022, 32, . | 1.0 | 1 |
| 402 | Higher Topological Type Semiclassical States for Sobolev Critical Dirac Equations with Degenerate Potential. Journal of Geometric Analysis, 2022, 32, . | 1.0 | 1 |
| 403 | Concentration of solutions for fractional Kirchhoff equations with discontinuous reaction. Zeitschrift Fur Angewandte Mathematik Und Physik, 2022, 73, . | 1.4 | 6 |
| 404 | On interacting bumps of semi-classical states of nonlinear SchrĶdinger equations. , 2000, 5, . | | 65 |
| 405 | Semiclassical limit for a quasilinear elliptic field equation: one-peak and multipeak solutions. , 2001, 6, | | 3 |
| 406 | Concentration of solutions of a semilinear PDE with slow spatial dependence. , 2009, 14, . | | 0 |
| 407 | Orbital stability of standing waves of semiclassical nonlinear SchrĶdinger-Poisson equation. , 2009, 14, . | | 2 |
| 408 | Existence and concentration of ground state solutions for alogarithmic Schrödinger equation with the critical exponent. Scientia Sinica Mathematica, 2022, 52, 1377. | 0.2 | 1 |
| 409 | Concentration behaviour of normalized ground states of the mass critical fractional Schrödinger equations with ring-shaped potentials. Proceedings of the Royal Society of Edinburgh Section A: Mathematics, 2023, 153, 1993-2024. | 1.2 | 2 |
| 410 | Concentration phenomenon of semiclassical states to reaction–diffusion systems. Annali Di Matematica Pura Ed Applicata, 0, , . | 1.0 | 1 |
| 411 | Existence and Concentration Results for the General Kirchhoff-Type Equations. Journal of Geometric Analysis, 2023, 33, . | 1.0 | 2 |
| 412 | Infinitely many localized semiclassical states for nonlinear Kirchhoff-type equation. Advances in Nonlinear Analysis, 2023, 12, . | 2.6 | 1 |
| 413 | Concentration of solutions for a fractional relativistic Schrödinger–Choquard equation with critical growth. Nonlinear Analysis: Theory, Methods & Applications, 2023, 230, 113233. | 1.1 | 0 |
| 414 | Local uniqueness of concentrated solutions and some applications on nonlinear Schrödinger equations with very degenerate potentials. Journal of Functional Analysis, 2023, 284, 109921. | 1.4 | 0 |
| 415 | Multiplicity and concentration of solutions to fractional anisotropic SchrĶdinger equations with exponential growth. Manuscripta Mathematica, 2024, 173, 499-554. | 0.6 | 0 |
| 416 | Semiclassical states for coupled nonlinear Schrödinger equations with critical frequency. Asymptotic Analysis, 2023, , 1-28. | 0.5 | 0 |
| 417 | Localized solutions of higher topological type for semiclassical generalized quasilinear SchrĶdinger equations. Zeitschrift Fur Angewandte Mathematik Und Physik, 2023, 74, . | 1.4 | 0 |

| # | Article | IF | CITATIONS |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 418 | Localization of normalized solutions for saturable nonlinear SchrĶdinger equations. Science China Mathematics, 0, , . | 1.7 | 0 |
| 419 | Concentration phenomenon for a fractional Schrödinger equation with discontinuous nonlinearity. Discrete and Continuous Dynamical Systems - Series S, 2023, 16, 2919-2944. | 1.1 | 1 |
| 420 | Singleâ€peak solutions for a subcritical Schrödinger equationÂwith nonâ€power nonlinearity. Mathematische Nachrichten, 2023, 296, 3459-3480. | 0.8 | 1 |
| 421 | Existence, multiplicity, perturbation, and concentration results for a class of quasi-linear elliptic problems. , 2023, 1, 07. | | 8 |
| 422 | Semi-classical states for elliptic system near saddle points of potentials. Nonlinearity, 2023, 36, 3125-3157. | 1.4 | 1 |
| 423 | Existence and multiplicity of positive solutions of certain nonlocal scalar field equations. Mathematische Nachrichten, 2023, 296, 3816-3855. | 0.8 | 0 |
| 424 | Asymptotic Behaviour of Infinitely Many Solutions for the Finite Case of a Nonlinear Schrödinger Equation with Critical Frequency. Differential Equations and Dynamical Systems, 0, , . | 1.0 | 0 |
| 425 | A Deformation Theory in Augmented Spaces and Concentration Results for NLS Equations Around Local Maxima. Trends in Mathematics, 2023, , 309-331. | 0.1 | 1 |
| 426 | The nonlinear (p,q)-Schrödinger equation with a general nonlinearity: Existence and concentration. Journal Des Mathematiques Pures Et Appliquees, 2023, 178, 141-184. | 1.6 | 1 |
| 427 | Perturbation theory for nonlinear Schrödinger equations. Nonlinearity, 2023, 36, 6048-6070. | 1.4 | 0 |
| 428 | Normalized solutions to fractional SchrĶdinger equation with potentials. Discrete and Continuous Dynamical Systems - Series S, 2023, 16, 3194-3211. | 1.1 | 0 |
| 429 | Existence and concentration of positive ground states for Schrodinger-Poisson equations with competing potential functions. , 2023, 2020, 78. | | 0 |
| 430 | Period functions and critical periods of piecewise linear system. , 2023, 2020, . | | 1 |
| 431 | Single Peak Solutions for a Schrödinger Equation with Variable Exponent. Acta Mathematica Sinica, English Series, 2023, 39, 2207-2218. | 0.6 | 0 |
| 432 | A singular perturbation problem for a nonlinear Schrödinger system with three wave interaction. Nonlinear Differential Equations and Applications, 2024, 31, . | 0.8 | 0 |
| 433 | On existence and concentration of positive solutions for a fractional Kirchhoff equation with critical exponential growth. Complex Variables and Elliptic Equations, 0, , 1-23. | 0.8 | Ο |
| 434 | The limiting profile of solutions for semilinear elliptic systems with a shrinking self-focusing core. Acta Mathematica Scientia, 2024, 44, 583-608. | 1.0 | 0 |
| 435 | Concentration phenomena for a fractional relativistic Schrödinger equation with critical growth. Advances in Nonlinear Analysis, 2024, 13, . | 2.6 | 1 |

| | | CITATION REPORT | | |
|-----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----------|--|
| | | | | |
| # | Article | IF | CITATIONS | |
| 436 | Multiplicity and concentration of solutions for a Choquard equation with critical exponential growth in $\pm R^{N}$, Nonlinear Differential Equations and Applications, 2024, 31, . | 0.8 | 0 | |