
CITATION REPORT List of articles citing



DOI: 10.1146/annurev.bi.62.070193.002125 Annual Review of Biochemistry, 1993, 62, 385-427.

Source: https://exaly.com/paper-pdf/23990373/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2260	Molecular analysis of the multidrug transporter. 1993 , 12, 33-62		30
2259	Molecular cytogenetics of multiple drug resistance. 1993 , 12, 63-89		15
2258	Human cell lines as models for multidrug resistance in solid tumours. 1993 , 12, 231-56		4
2257	Unusual routes of protein secretion: the easy way out. 1993 , 3, 421-6		71
2256	Biochemistry of multidrug resistance mediated by the multidrug transporter. <i>Annual Review of Biochemistry</i> , 1993 , 62, 385-427	29.1	3184
2255	Activation of the mouse mdr3 gene by insertion of retroviruses in multidrug-resistant P388 tumor cells. 1993 , 13, 7380-92		13
2254	Ribozyme-mediated cleavage of the MDR-1 transcript restores chemosensitivity in previously resistant cancer cells <i>EMBO Journal</i> , 1994 , 13, 4645-4652	13	50
2253	Analysis of Multidrug Transporter in Living Cells. 1994 , 248-258		
2252	Analysis of Multidrug Transporter in Living Cells. Inhibition of P-glycoprotein-mediated Efflux of Anthracyclines by Ionophores. 1994 , 1, 175-82		6
2251	A Salmonella protein that is required for resistance to antimicrobial peptides and transport of potassium <i>EMBO Journal</i> , 1994 , 13, 3964-3972	13	93
2250	Multiple drug resistance in cancer therapy. 1994 , 160, 371-373		4
2249	Reversal of multidrug resistance in cancer cells. 1994 , 86, 148-50		3
2248	Doxorubicin enhances transient expression of p-glycoprotein and modulates activity and isoform expression of protein-kinase-C in ah66 rat hepatoma-cells. 1994 , 4, 655-9		1
2247	Drug-selected coexpression of human glucocerebrosidase and P-glycoprotein using a bicistronic vector. 1994 , 91, 3176-80		81
2246	Swelling-activated chloride channels in multidrug-sensitive and -resistant cells. 1994 , 104, 1129-61		70
2245	Surface-epitope masking: a strategy for the development of monoclonal antibodies specific for molecules expressed on the cell surface. 1994 , 86, 91-8		11
2244	Intracellular pH and the control of multidrug resistance. 1994 , 91, 1128-32		229

2243	Determinants of cellular sensitivity to topoisomerase-targeting antitumor drugs. 1994 , 29B, 127-43	14
2242	Role of protein kinases in antitumor drug resistance. 1994 , 69 Suppl 1, S1-6	19
2241	Drug-induced changes in the expression of MDR-associated genes: investigations on cultured cell lines and chemotherapeutically treated leukemias. 1994 , 69 Suppl 1, S19-24	28
2240	Yeast as model T cells. 1994 , 2, 103-126	31
2239	P-glycoprotein-mediated multidrug resistance in normal and neoplastic hematopoietic cells. 1994 , 69, 159-71	57
2238	Saccharomyces cerevisiae YDR1, which encodes a member of the ATP-binding cassette (ABC) superfamily, is required for multidrug resistance. 1994 , 26, 285-94	133
2237	From laboratory expertise to clinical practice: multidrug-resistance-based gene therapy becomes available for urologists. 1994 , 12, 104-11	9
2236	Chemoresistance of renal cell carcinoma: 1986-1994. 1994 , 12, 214-23	16
2235	DPhG 8. Symposium der Fachgruppe Pharmazeutische Chemie Chemotherapeutika vom 7. 9 . Mfz 1994 in Mainz. 1994 , 23, 175-181	
2234	Reverse transformation of multidrug-resistant cells. 1994 , 13, 191-207	47
2233	Multidrug resistance in human cancer. 1994 , 22, 239-43	29
2232	Putative "MDR enhancer" is located on human chromosome 20 and not linked to the MDR1 gene on chromosome 7. 1994 , 10, 267-74	6
2231	Distribution of VRA09, an ovarian tumor-associated antigen, distinguishing borderline serous tumors. 1994 , 59, 159-64	
2230	Intrinsic MDR-1 gene and P-glycoprotein expression in human melanoma cell lines. 1994 , 59, 717-23	50
2229	Mdr 2 knockout mice link biliary phospholipid deficiency with small bile duct destruction. 1994 , 19, 1528-31	4
2228	Specificity of transporters for 'organic anions' and 'organic cations' in the kidney. 1994 , 1197, 45-62	136
2227	The PGPA gene of Leishmania major mediates antimony (SbIII) resistance by decreasing influx and not by increasing efflux. 1994 , 68, 145-9	35
2226	The P-glycoprotein-related gene family in Leishmania. 1994 , 68, 81-91	64

2225	High level arsenite resistance in Leishmania tarentolae is mediated by an active extrusion system. 1994 , 67, 49-57	97
2224	Dexniguldipine-HCl is a potent allosteric inhibitor of [3H]vinblastine binding to P-glycoprotein of CCRF ADR 5000 cells. 1994 , 288, 105-14	32
2223	ATP-binding cassette proteins Common denominators between ion channels, transporters, and enzymes. 1994 , 4, 193-8	7
2222	Subclonal heterogeneity of the multidrug resistance phenotype in a cell line expressing antisense MDR1 RNA. 1994 , 20, 463-80	7
2221	Eingeladener Kommentar: Multidrug-Resistenz P-Glycoprotein: klinische Relevanz. 1994 , 26, 426-428	
2220	Efficient expression of drug-selectable genes in retroviral vectors under control of an internal ribosome entry site. 1994 , 12, 694-8	50
2219	Drug excretion mediated by a new prototype of polyspecific transporter. 1994 , 372, 549-52	579
2218	P-glycoprotein. To flip or not to flip?. 1994 , 4, 259-60	28
2217	Development of extended multidrug resistance in HL60 promyelocytic leukaemia cells. 1994 , 88, 566-74	23
2216	Probing the interaction of the multidrug-resistance phenotype with the polypeptide ionophore gramicidin D via functional channel formation. 1994 , 222, 813-24	25
2215	Mobile ionophores are a novel class of P-glycoprotein inhibitors. The effects of ionophores on 4'-O-tetrahydropyranyl-adriamycin incorporation in K562 drug-resistant cells. 1994 , 223, 125-33	63
2214	Impaired accumulation of a cationic photosensitizing agent by a cell line exhibiting multidrug resistance. 1994 , 60, 61-3	17
2213	Gene therapy in the treatment of disease. 1994 , 94, 942-51	8
2212	Disruption of the mouse mdr1a P-glycoprotein gene leads to a deficiency in the blood-brain barrier and to increased sensitivity to drugs. 1994 , 77, 491-502	1920
2211	Flip-flop: the transmembrane translocation of lipids. 1994 , 79, 393-5	136
2210	Gene transfer of drug resistance genes. Implications for cancer therapy. 1994 , 716, 126-38; discussion 138-43	32
2209	Intracellular localization of the antitumour drug adriamycin in living cultured cells: a confocal microscopy study. 1994 , 176, 204-10	45
2208	Functional studies with a full-length P-glycoprotein cDNA encoded by the hamster pgp1 gene. 1994 , 33, 465-71	5

2207	Band 3, the anion exchanger of the erythrocyte membrane, is also a flippase. 1994 , 1191, 317-23	16
2206	Calcein accumulation as a fluorometric functional assay of the multidrug transporter. 1994 , 1191, 384-8	247
2205	Identification of a multidrug resistance modulator with clinical potential by analysis of synergistic activity in vitro, toxicity in vivo and growth delay in a solid human tumour xenograft. 1994 , 47, 257-66	16
2204	Reversal of P-glycoprotein-mediated multidrug resistance by pure anti-oestrogens and novel tamoxifen derivatives. 1994 , 48, 277-85	41
2203	Hepatobiliary elimination of the peroxisome proliferator nafenopin by conjugation and subsequent ATP-dependent transport across the canalicular membrane. 1994 , 48, 1113-20	13
2202	Competitive inhibition by genistein and ATP dependence of daunorubicin transport in intact MRP overexpressing human small cell lung cancer cells. 1994 , 48, 1129-36	101
2201	Kinetics of daunorubicin transport in Ehrlich ascites tumor cells with different expression of P-glycoprotein. 1994 , 47, 2125-35	14
2200	A human small cell lung carcinoma cell line, resistant to 4'-(9-acridinylamino)-methanesulfon-m-anisidide and cross-resistant to camptothecin with a high level of topoisomerase I. 1994 , 48, 975-84	8
2199	The human MDR3 P-glycoprotein promotes translocation of phosphatidylcholine through the plasma membrane of fibroblasts from transgenic mice. 1994 , 354, 263-6	223
2198	P-glycoprotein-mediated efflux of hydroxyrubicin, a neutral anthracycline derivative, in resistant K562 cells. 1994 , 356, 287-99	22
2197	ATP-dependent transport of amphiphilic cations across the hepatocyte canalicular membrane mediated by mdr1 P-glycoprotein. 1994 , 343, 168-72	45
2196	A mechanism for P-glycoprotein action in multidrug resistance: are we there yet?. 1994 , 15, 260-3	47
2195	Deletion of gene for multidrug resistance in acute myeloid leukaemia with inversion in chromosome 16: prognostic implications. 1994 , 343, 1531-4	92
2194	ATP-dependent export pumps and their inhibition by cyclosporins. 1994 , 34, 371-80	46
2193	Multidrug resistance in the laboratory and clinic. 1994 , 31, 1-61	39
2192	Increase of cell viability and P-glycoprotein expression in Chinese hamster ovary cells after 24 hours' exposure to vincristine. 1994 , 76, 51-6	
2191	Microbial multidrug-resistance ABC transporters. 1994 , 2, 407-11	38
2190	Role of efflux pump(s) in intrinsic resistance of Pseudomonas aeruginosa: active efflux as a contributing factor to beta-lactam resistance. 1994 , 38, 1742-52	244

2189	Identification of two nuclear protein binding sites and their role in the regulation of the murine multidrug resistance mdr1a promoter. 1994 , 13, 641-9	11
2188	Mutations to amino acids located in predicted transmembrane segment 6 (TM6) modulate the activity and substrate specificity of human P-glycoprotein. 1994 , 33, 14049-57	122
2187	Novel Cl(-)-dependent intracellular pH regulation in murine MDR 1 transfectants and potential implications. 1994 , 33, 11008-15	37
2186	Prevention of drug access to bacterial targets: permeability barriers and active efflux. 1994 , 264, 382-8	1218
2185	Detection of oligomeric and monomeric forms of P-glycoprotein in multidrug resistant cells. 1994 , 33, 4163-74	51
2184	Structurally distinct MDR modulators show specific patterns of reversal against P-glycoproteins bearing unique mutations at serine939/941. 1994 , 33, 5041-8	53
2183	Multidrug Resistance des Nierenzellkarzinoms. 1994 , 25, 327-337	1
2182	Isolation and characterization of a new 12-membered macrolide FD-895. 1994 , 47, 1395-401	31
2181	Chapter 2 A Novel Mechanism for Transmembrane Translocation of Peptides: The Saccharomyces cerevisiae STE6 Transporter and Export of the Mating Pheromone a-Factor. 1994 , 19-42	4
2180	Proton motive force-driven and ATP-dependent drug extrusion systems in multidrug-resistant Lactococcus lactis. 1994 , 176, 6957-64	98
2179	Chapter 1 The Multidrug Transporter: Mechanistic Considerations. 1994 , 3-17	9
2178	Topoisomerases in human leukemia. 1994 , 29B, 33-50	3
2177	Design of topoisomerase inhibitors to overcome MDR1-mediated drug resistance. 1994 , 29B, 245-56	9
2176	Ketoconazole effectively reverses multidrug resistance in highly resistant KB cells. 1994 , 151, 485-91	77
2175	The human multidrug resistance-associated protein MRP is a plasma membrane drug-efflux pump. 1994 , 91, 8822-6	577
2174	Unidirectional fluxes of rhodamine 123 in multidrug-resistant cells: evidence against direct drug extrusion from the plasma membrane. 1994 , 91, 4654-7	101
2173	Cell biological mechanisms of multidrug resistance in tumors. 1994 , 91, 3497-504	321
2172	Nucleotide sequence of the yeast STE14 gene, which encodes farnesylcysteine carboxyl methyltransferase, and demonstration of its essential role in a-factor export. 1994 , 14, 1438-49	107

2171	Ribozyme-mediated reversal of the multidrug-resistant phenotype. 1994 , 91, 11123-7	77
2170	Overexpression of the gene encoding the multidrug resistance-associated protein results in increased ATP-dependent glutathione S-conjugate transport. 1994 , 91, 13033-7	528
2169	Endocytosis and vacuolar degradation of the plasma membrane-localized Pdr5 ATP-binding cassette multidrug transporter in Saccharomyces cerevisiae. 1995 , 15, 5879-87	121
2168	Cloning of an organic solvent-resistance gene in Escherichia coli: the unexpected role of alkylhydroperoxide reductase. 1995 , 92, 7617-21	56
2167	Enhanced secretion of glycocholic acid in a specially adapted cell line is associated with overexpression of apparently novel ATP-binding cassette proteins. 1995 , 92, 5421-5	22
2166	Functional complementation of the ste6 gene of Saccharomyces cerevisiae with the pfmdr1 gene of Plasmodium falciparum. 1995 , 92, 8921-5	76
2165	P-glycoprotein is stably inhibited by vanadate-induced trapping of nucleotide at a single catalytic site. 1995 , 270, 19383-90	298
2164	Absence of the mdr1a P-Glycoprotein in mice affects tissue distribution and pharmacokinetics of dexamethasone, digoxin, and cyclosporin A. 1995 , 96, 1698-705	863
2163	EmrE, an Escherichia coli 12-kDa multidrug transporter, exchanges toxic cations and H+ and is soluble in organic solvents. 1995 , 270, 6856-63	235
2162	Volume-activated chloride currents associated with the multidrug resistance P-glycoprotein. 1995 , 482, 31S-36S	25
2161	Failure of P-glycoprotein (MDR1) expressed in Xenopus oocytes to produce swelling-activated chloride channel activity. 1995 , 486 (Pt 3), 707-14	25
2160	Ion Transport in Health and Disease. Symposium proceedings. University College Cork, 19-20 September 1995. 1995 , 489, 1S-20S	
2159	7 The biochemical pharmacology of taxol and mechanisms of resistance. 1995 , 301-335	8
2158	Isoform I (mdr3) is the major form of P-glycoprotein expressed in mouse brain capillaries. Evidence for cross-reactivity of antibody C219 with an unrelated protein. <i>Biochemical Journal</i> , 1995 , 305 (Pt 3), 761-6	40
2157	Characterization of the ATPase activity of P-glycoprotein from multidrug-resistant Chinese hamster ovary cells. <i>Biochemical Journal</i> , 1995 , 308 (Pt 2), 381-90	198
2156	A novel bioactive delta lactone FD-211. Taxonomy, isolation and characterization. 1995 , 48, 113-8	19
2155	Role of glutathione in the export of compounds from cells by the multidrug-resistance-associated protein. 1995 , 92, 7690-4	444
2154	MgATP-Dependent Transport of Phytochelatins Across the Tonoplast of Oat Roots. 1995 , 107, 1293-1301	368

2153	Interaction of tamoxifen with the multidrug resistance P-glycoprotein. 1995 , 71, 294-9	91
2152	ATP binding cassette transporters in yeast. 1995 , 2, 57-96	10
2151	Mechanisms of resistance to combinations of vincristine, etoposide and doxorubicin in Chinese hamster ovary cells. 1995 , 71, 489-97	4
2150	Two highly similar multidrug transporters of Bacillus subtilis whose expression is differentially regulated. 1995 , 177, 3904-10	159
2149	LEM1, an ATP-binding-cassette transporter, selectively modulates the biological potency of steroid hormones. 1995 , 92, 4701-5	145
2148	Steroid hormones. Membrane transporters of steroid hormones. 1995 , 5, 730-2	16
2147	Potentiation of Anticancer-Drug Cytotoxicity by Multidrug-Resistance Chemosensitizers Involves Alterationsin Membrane Fluidity Leading to Increased Membrane Permeability. 1995 , 228, 1020-1029	3
2146	Comparative study of multidrug resistance evaluated by means of the quantitative immunohistochemical detection of P-glycoprotein and the functional release of rhodamine 123. 1995 , 49, 183-93	8
2145	Multidrug transporter P-glycoprotein 170 as a differentiation antigen on normal human lymphocytes and thymocytes: modulation with differentiation stage and during aging. 1995 , 49, 323-35	67
2144	Modulation of P-glycoprotein activity by estramustine is limited by binding to plasma proteins. 1995 , 75, 2597-604	11
2143	How do insect herbivores cope with the extreme oxidative stress of phototoxic host plants?. 1995 , 29, 211-226	28
2142	Sensitizing properties of new N-(2-arylalkyl) propionamides in drug-sensitive and multidrug-resistant tumor cells. 1995 , 328, 755-9	2
2141	TAP polymorphism does not influence transport of peptide variants in mice and humans. 1995 , 25, 2170-6	79
2140	Nuclear DNA content and chromatin texture in multidrug-resistant human leukemic cell lines. 1995 , 60, 108-14	26
2139	Mechanisms of MRP over-expression in four human lung-cancer cell lines and analysis of the MRP amplicon. 1995 , 60, 676-84	49
2138	Resistance-associated factors in human small-cell lung-carcinoma GLC4 sub-lines with increasing adriamycin resistance. 1995 , 61, 375-80	56
2137	Partial circumvention of multi-drug resistance by annamycin is associated with comparable inhibition of DNA synthesis in the nuclear matrix of sensitive and resistant cells. 1995 , 61, 402-8	5
2136	Differential effects of verapamil and quinine on the reversal of doxorubicin resistance in a human leukemia cell line. 1995 , 62, 283-90	29

(1995-1995)

2135	P-glycoprotein-positive and -negative cell lines. 1995 , 63, 268-75	14
2134	High rate of MDR-1 and heterogeneous pattern of MRP expression without gene amplification in endometrial cancer. 1995 , 63, 798-803	18
2133	On the relationship between the probenecid-sensitive transport of daunorubicin or calcein and the glutathione status of cells overexpressing the multidrug resistance-associated protein (MRP). 1995 , 63, 855-62	76
2132	Effects of hypotonic and hypoionic media on drug pumping by P-glycoprotein expressed in epithelial and nonepithelial cell lines. 1995 , 164, 117-22	4
2131	Regulation of multidrug resistance gene mdr1b/mdr1 expression in isolated mouse uterine epithelial cells. 1995 , 164, 132-41	16
2130	Using purified P-glycoprotein to understand multidrug resistance. 1995 , 27, 7-13	58
2129	Characterization and functional reconstitution of the multidrug transporter. 1995 , 27, 15-22	48
2128	Purification and reconstitution of functional human P-glycoprotein. 1995 , 27, 23-9	43
2127	ATP hydrolysis by multidrug-resistance protein from Chinese hamster ovary cells. 1995 , 27, 31-6	68
2126	Heterologous expression systems for P-glycoprotein: E. coli, yeast, and baculovirus. 1995 , 27, 43-52	44
2125	Effects of phosphorylation of P-glycoprotein on multidrug resistance. 1995 , 27, 53-61	63
2124	P-glycoprotein and cell volume-activated chloride channels. 1995 , 27, 63-70	42
2123	Repetitive DNA sequences located in the central region of the human mdr1 (multidrug resistance) gene may account for a gene fusion event during its evolution. 1995 , 41, 974-8	2
2122	Molecular cloning and characterization of a novel gene of Candida albicans, CDR1, conferring multiple resistance to drugs and antifungals. 1995 , 27, 320-9	407
2121	Induction and reversion of multixenobiotic resistance in the marine snail Monodonta turbinata. 1995 , 123, 305-312	36
2120	Volume-activated chloride currents in pancreatic duct cells. 1995 , 147, 173-83	42
2119	The biology of the P-glycoproteins. 1995 , 143, 89-102	93
2118	Luminal transport system for H+/organic cations in the rat proximal tubule. Kinetics, dependence on pH; specificity as compared with the contraluminal organic cation-transport system. 1995 , 430, 477-92	37

2117	Multidrug resistance-associated protein-mediated multidrug resistance modulated by cyclosporin A in a human bladder cancer cell line. 1995 , 86, 969-77	21
2116	Acute induction of adriamycin-resistance in human colon carcinoma HT-29 cells exposed to a sublethal dose of adriamycin. 1995 , 86, 224-32	9
2115	Characterisation of high-level cisplatin-resistant cell lines established from a human hepatoma cell line and human KB adenocarcinoma cells: cross-resistance and protein changes. 1995 , 71, 676-83	69
2114	Regulation by glutathione of drug transport in multidrug-resistant human lung tumour cell lines overexpressing multidrug resistance-associated protein. 1995 , 72, 82-9	185
2113	Altered MRP is associated with multidrug resistance and reduced drug accumulation in human SW-1573 cells. 1995 , 72, 298-306	20
2112	Selective photodynamic inactivation of a multidrug transporter by a cationic photosensitising agent. 1995 , 71, 306-10	27
2111	Dexverapamil to overcome epirubicin resistance in advanced breast cancer. 1995 , 121 Suppl 3, R3-6	8
2110	Dexverapamil to modulate vinblastine resistance in metastatic renal cell carcinoma. 1995 , 121 Suppl 3, R11-6	27
2109	Drug resistance mechanisms and MRP expression in response to epirubicin treatment in a human leukaemia cell line. 1995 , 19, 275-82	63
2108	Therapeutic applications of ribozymes. 1995 , 68, 247-67	46
2107	Regulation of multidrug resistance through the cAMP and EGF signalling pathways. 1995 , 7, 431-43	62
2106	Mechanisms of resistance to topoisomerases poisons. 1995 , 26, 1773-84	13
2105	Hepatobiliary secretion of organic compounds; molecular mechanisms of membrane transport. 1995 , 1241, 215-68	266
2104	The role of the MDR protein in altered drug translocation across tumor cell membranes. 1995 , 1241, 385-405	54
2103	Opiates inhibit ion conductances elicited by cell swelling and cAMP in cultured cells. 1995 , 291, 183-9	3
2102	Characterization of the promoter region of the human MDR3 P-glycoprotein gene. 1995 , 1261, 44-56	20
2101	A homologue of the mammalian multidrug resistance gene (mdr) is functionally expressed in the intestine of Xenopus laevis. 1995 , 1262, 113-23	11
2100	Differences between nuclear run-off and mRNA levels for multidrug resistance gene expression in the cephalocaudal axis of the mouse intestine. 1995 , 1264, 369-76	24

2099 Reconstitution of purified P-glycoprotein into liposomes. 1995 , 121, 582-6	12
2098 Review Oncologic, Endocrine & Metabolic: Multidrug resistance: progress analysis. 1995 , 5, 535-542	1
2097 Multidrug resistance in B-cell chronic lymphocytic leukemia. 1995 , 94, 78-83	10
Protein kinase C-mediated phosphorylation of the human multidrug resistance P-glycoprotein regulates cell volume-activated chloride channels <i>EMBO Journal</i> , 1995 , 14, 68-75	134
2095 Section Review Oncologic, Endocrine & Metabolic: Gene Therapy Strategies for Cancer. 1995 , 4, 487-514	
2094 A P-glycoprotein protects Caenorhabditis elegans against natural toxins <i>EMBO Journal</i> , 1995 , 14, 1858- 1 86	66 114
Molecular characterization of the staphylococcal multidrug resistance export protein QacC. 1995 , 177, 2827-33	109
The MalK protein of the ATP-binding cassette transporter for maltose of Escherichia coli is accessible to protease digestion from the periplasmic side of the membrane. 1995 , 177, 5364-7	31
2091 Expression and function of P-glycoprotein in a mouse kidney cell line. 1995 , 269, C323-33	108
Expression Cloning of cDNAs That Render Cancer Cells Resistant to Pseudomonas and Diphtheria Toxin and Immunotoxins. <i>Molecular Medicine</i> , 1995 , 1, 206-216 6.2	40
Expression of P-glycoprotein in high-grade osteosarcomas in relation to clinical outcome. 1995 , 333, 1380-5	331
2088 Membrane topology of a cysteine-less mutant of human P-glycoprotein. 1995 , 270, 843-8	207
Topological determinants of internal transmembrane segments in P-glycoprotein sequences. 1995 , 270, 1742-6	35
Multidrug resistance protein (Mdr)-alkaline phosphatase hybrids in Escherichia coli suggest a major revision in the topology of the C-terminal half of Mdr. 1995 , 270, 12351-4	37
Functional modulation of multidrug resistance-related P-glycoprotein by Ca(2+)-calmodulin. 1995 , 270, 11040-2	11
Covalent modification of human P-glycoprotein mutants containing a single cysteine in either nucleotide-binding fold abolishes drug-stimulated ATPase activity. 1995 , 270, 22957-61	130
2083 Targeted delivery of immunomicrospheres in vivo. 1995 , 2, 166-174	11
Volume-sensitive chloride channel activity does not depend on endogenous P-glycoprotein. 1995 , 270, 27887-93	43

2081	A Chinese hamster ovary cell mutant defective in the non-endocytic uptake of fluorescent analogs of phosphatidylserine: isolation using a cytosol acidification protocol. 1995 , 128, 793-804	43
2080	Identification and characterization of a hepatoma cell-specific enhancer in the mouse multidrug resistance mdr1b promoter. 1995 , 270, 25468-74	15
2079	The Lactococcal lmrP gene encodes a proton motive force-dependent drug transporter. 1995 , 270, 26092-8	92
2078	Enhancement of Mdr2-mediated phosphatidylcholine translocation by the bile salt taurocholate. Implications for hepatic bile formation. 1995 , 270, 25388-95	68
2077	Reconstitution of drug transport by purified P-glycoprotein. 1995 , 270, 16167-75	134
2076	Cloning, overexpression, purification, and characterization of the carboxyl-terminal nucleotide binding domain of P-glycoprotein. 1995 , 270, 14085-93	26
2075	Functional dissection of P-glycoprotein nucleotide-binding domains in chimeric and mutant proteins. Modulation of drug resistance profiles. 1995 , 270, 17159-70	69
2074	Characterization of prenylcysteines that interact with P-glycoprotein and inhibit drug transport in tumor cells. 1995 , 270, 22859-65	33
2073	Gene amplification and multidrug resistance induced by the phosphatase-inhibitory tumor promoter, okadaic acid. 1995 , 16, 637-41	15
2072	Alteration of mitochondrial gene expression and disruption of respiratory function by the lipophilic antifolate pyrimethamine in mammalian cells. 1995 , 270, 20668-76	22
2071	The genetic basis of resistance to cancer chemotherapy. 1995 , 27, 157-67	26
2070	In-vivo effect of the combination of tnf and adriamycin against a human breast cell-line expressing the mdr-phenotype. 1995 , 7, 1067-72	3
2069	Transformation by v-ras oncogene correlates with an increased drug-resistance in an epithelial thyroid-cell system. 1995 , 6, 647-54	3
2068	Society for Pediatric Research presidential address 1995: marrying our medicine to biology. 1995 , 38, 830-4	
2067	Enhancement of Melphalan Toxicity by Octanol in Ovarian Adenocarcinoma Cell Lines: Effects of Altered Cell-Cell Communication, Glutathione Levels, and Plasma Membrane Fluidity. 1995 , 25, 70-79	
2066	Advances in cancer gene therapy. 1995 , 32, 289-341	20
2065	Decreased mutation rate for cellular resistance to doxorubicin and suppression of mdr1 gene activation by the cyclosporin PSC 833. 1995 , 87, 1593-602	72
2064	Altered expression of M beta 2, the class II beta-tubulin isotype, in a murine J774.2 cell line with a high level of taxol resistance. 1995 , 270, 31269-75	113

2063	Wild Type p53 Stimulates Expression from the Human Multidrug Resistance Promoter in a p53-negative Cell Line. 1995 , 270, 1894-1898	45
2062	Identification and characterization of SNQ2, a new multidrug ATP binding cassette transporter of the yeast plasma membrane. 1995 , 270, 18150-7	128
2061	Fluconazole resistance due to energy-dependent drug efflux in Candida glabrata. 1995 , 39, 1696-9	116
2060	Functional evidence that transmembrane 12 and the loop between transmembrane 11 and 12 form part of the drug-binding domain in P-glycoprotein encoded by MDR1. 1995 , 270, 5441-8	83
2059	Both P-glycoprotein nucleotide-binding sites are catalytically active. 1995 , 270, 26956-61	201
2058	P-glycoprotein. Associations between domains and between domains and molecular chaperones. 1995 , 270, 21839-44	103
2057	Circumvention of P-glycoprotein-mediated multiple drug resistance by phosphorylation modulators is independent of protein kinases. 1995 , 270, 28145-52	39
2056	Characterization of multidrug resistance P-glycoprotein transport function with an organotechnetium cation. 1995 , 34, 12210-20	94
2055	A new paclitaxel photoaffinity analog with a 3-(4-benzoylphenyl)propanoyl probe for characterization of drug-binding sites on tubulin and P-glycoprotein. 1995 , 38, 3891-4	53
2054	Mechanisms of resistance to azole antifungal agents in Candida albicans isolates from AIDS patients involve specific multidrug transporters. 1995 , 39, 2378-86	697
2053	Failure of liposomal encapsulation of doxorubicin to circumvent multidrug resistance in an in vitro model of rat glioblastoma cells. 1995 , 31A, 389-94	27
2052	KT-5720 reverses multidrug resistance in variant S49 mouse lymphoma cells transduced with the human MDR1 cDNA and in human multidrug-resistant carcinoma cells. 1995 , 31A, 380-8	14
2051	Genetic alterations associated with metastatic dissemination and chemoresistance in neuroblastoma. 1995 , 31A, 560-4	16
2050	Multidrug resistance and the role of P-glycoprotein knockout mice. 1995 , 31A, 1295-8	157
2049	Analysis of P-glycoprotein expression in osteosarcoma. 1995 , 31A, 1998-2002	34
2048	P-glycoprotein-mediated multidrug resistance in tumor cells: biochemistry, clinical relevance and modulation. 1995 , 16, 1-78	61
2047	Characterization of multixenobiotic/multidrug transport in the gills of the mussel Mytilus californianus and identification of environmental substrates. 1995 , 31, 277-296	8o
2046	Reversion of the multixenobiotic resistance mechanism in gills of a marine mussel Mytilus galloprovincialis by a model inhibitor and environmental modulators of P170-glycoprotein. 1995 , 33, 93-103	30

2045	[Colchicine: recent data on pharmacokinetics and clinical pharmacology]. 1995 , 16, 782-9	13
2044	Tumor cell growth inhibition by several Annonaceous acetogenins in an in vitro disk diffusion assay. 1995 , 96, 55-62	77
2043	Targeted delivery of a substrate for P-glycoprotein to renal cysts in vitro. 1995 , 1237, 31-6	8
2042	Verapamil competes with doxorubicin for binding to anionic phospholipids resulting in increased internal concentrations and rates of passive transport of doxorubicin. 1995 , 1238, 137-46	22
2041	Effects of flavonols on P-glycoprotein activity in cultured rat hepatocytes. 1995 , 57, 1741-51	53
2040	Allosteric regulation of [3H]vinblastine binding to P-glycoprotein of MCF-7 ADR cells by dexniguldipine. 1995 , 49, 1851-61	51
2039	Novel dithiane analogues of tiapamil with high activity to overcome multidrug resistance in vitro. 1995 , 50, 187-96	12
2038	Azelastine and flezelastine as reversing agents of multidrug resistance: pharmacological and molecular studies. 1995 , 50, 169-75	18
2037	Expression of multidrug resistance in response to differentiation in the K562 human leukaemia cell line. 1995 , 50, 475-80	16
(
2036	Reversal of multidrug resistance by verapamil analogues. 1995 , 50, 451-7	40
2036	Reversal of multidrug resistance by verapamil analogues. 1995 , 50, 451-7 Behavior of N-acylated daunorubicins in MDR1 gene transfected and parental cells. 1995 , 50, 889-92	6
2035	Behavior of N-acylated daunorubicins in MDR1 gene transfected and parental cells. 1995 , 50, 889-92 The P-glycoprotein-mediated relative decrease in cytosolic free drug concentration is similar for	6
2035	Behavior of N-acylated daunorubicins in MDR1 gene transfected and parental cells. 1995 , 50, 889-92 The P-glycoprotein-mediated relative decrease in cytosolic free drug concentration is similar for several anthracyclines with varying lipophilicity. 1995 , 50, 967-74	6 29
2035 2034 2033	Behavior of N-acylated daunorubicins in MDR1 gene transfected and parental cells. 1995 , 50, 889-92 The P-glycoprotein-mediated relative decrease in cytosolic free drug concentration is similar for several anthracyclines with varying lipophilicity. 1995 , 50, 967-74 Structure-activity relationship of verapamil analogs and reversal of multidrug resistance. 1995 , 50, 1245-55	6 29 63
2035 2034 2033 2032	Behavior of N-acylated daunorubicins in MDR1 gene transfected and parental cells. 1995, 50, 889-92 The P-glycoprotein-mediated relative decrease in cytosolic free drug concentration is similar for several anthracyclines with varying lipophilicity. 1995, 50, 967-74 Structure-activity relationship of verapamil analogs and reversal of multidrug resistance. 1995, 50, 1245-55 Interaction of drugs with P-glycoprotein in brain capillaries. 1995, 50, 1701-9 The effect of crown ethers, tetraalkylammonium salts, and polyoxyethylene amphiphiles on	6 29 63 89
2035 2034 2033 2032 2031	Behavior of N-acylated daunorubicins in MDR1 gene transfected and parental cells. 1995, 50, 889-92 The P-glycoprotein-mediated relative decrease in cytosolic free drug concentration is similar for several anthracyclines with varying lipophilicity. 1995, 50, 967-74 Structure-activity relationship of verapamil analogs and reversal of multidrug resistance. 1995, 50, 1245-55 Interaction of drugs with P-glycoprotein in brain capillaries. 1995, 50, 1701-9 The effect of crown ethers, tetraalkylammonium salts, and polyoxyethylene amphiphiles on pirarubicin incorporation in K562 resistant cells. 1995, 50, 2069-76 Tamoxifen inhibits uptake and metabolism of ethanolamine and choline in multidrug-resistant, but	6 29 63 89 28

(1995-1995)

2027	Comparisons of P-glycoprotein expression in isolated rat brain microvessels and in primary cultures of endothelial cells derived from microvasculature of rat brain, epididymal fat pad and from aorta. 1995, 374, 179-83	69
2026	Circumvention of multidrug resistance in neoplastic cells through scavenger receptor mediated drug delivery. 1995 , 376, 95-8	19
2025	The catalytic cycle of P-glycoprotein. 1995 , 377, 285-9	360
2024	P-glycoprotein: its role in drug resistance. 1995 , 99, 31S-34S	34
2023	P-glycoprotein: clinical significance and methods of analysis. 1995 , 32, 221-64	37
2022	Retroviral coexpression of a multidrug resistance gene (MDR1) and human alpha-galactosidase A for gene therapy of Fabry disease. 1995 , 6, 905-15	81
2021	The glutathione S-transferase supergene family: regulation of GST and the contribution of the isoenzymes to cancer chemoprotection and drug resistance. 1995 , 30, 445-600	2578
2020	Changes in doxorubicin distribution and toxicity in mice pretreated with the cyclosporin analogue SDZ PSC 833. 1995 , 36, 335-40	36
2019	The structure of P-glycoprotein and the secretion of lysosomal enzymes in multidrug-resistant cells. 1995 , 35, 267-9	4
2018	Chemosensitizers to overcome and prevent multidrug resistance?. 1995 , 87, 1573-5	17
2017	P-glycoprotein expression and regulation. Age-related changes and potential effects on drug therapy. 1995 , 7, 19-29	40
2016	Pharmacological Properties of Oral Idarubicin. 1995 , 9, 1-8	4
2015	Functional analysis of the promoter of the Saccharomyces cerevisiae multidrug resistance gene YDR1, which encodes a member of the ATP binding cassette (ABC) superfamily. 1995 , 59, 147-9	7
2014	The Glut athione S-Transferase Supergene Family: Regulation of GST and the Contribution of the lsoenzymes to Cancer Chemoprotection and Drug Resistance Part II. 1995 , 30, 521-600	97
2013	Gain and loss of hypersensitivity to resistance modifiers in multidrug resistant chinese hamster ovary cells. 1995 , 98, 115-120	3
2012	7 Phenotypic Expression and Natriuretic Peptide-Activated Chloride Secretion in Cultured Shark (Squalus Acanthias) Rectal Gland Epithelial Cells. 1995 , 14, 173-205	
2011	Rapid purification of human P-glycoprotein mutants expressed transiently in HEK 293 cells by nickel-chelate chromatography and characterization of their drug-stimulated ATPase activities. 1995 , 270, 21449-52	150

2009	The nuclear matrix as a site of anticancer drug action. 1995 , 162A, 539-76	9
2008	Identification of cystic fibrosis transmembrane conductance regulator channel-lining residues in and flanking the M6 membrane-spanning segment. 1996 , 70, 2688-95	100
2007	Site-directed fluorescence labeling of P-glycoprotein on cysteine residues in the nucleotide binding domains. 1996 , 35, 11865-73	192
2006	Role of CAS, a human homologue to the yeast chromosome segregation gene CSE1, in toxin and tumor necrosis factor mediated apoptosis. 1996 , 35, 6891-9	78
2005	Reversible labeling of a chemosensitizer binding domain of p-glycoprotein with a novel 1,4-dihydropyridine drug transport inhibitor. 1996 , 35, 1387-96	32
2004	Bicinchoninic acid protein assay in the determination of adriamycin cytotoxicity modulated by the MDR glycoprotein. 1996 , 59, 35-40	16
2003	Mutagenesis of transmembrane domain 11 of P-glycoprotein by alanine scanning. 1996 , 35, 3625-35	55
2002	Multidrug resistance of cancer cells. 1996 , 181-252	30
2001	Cellular and in vitro transport of glutathione conjugates by MRP. 1996 , 35, 5719-25	50
2000	Structure and in vitro substrate specificity of the murine multidrug resistance-associated protein. 1996 , 35, 13647-55	27
1999		51
	1996, 35, 13647-55 Effects of multidrug resistance (MDR1) P-glycoprotein expression levels and coordination metal on the cytotoxic potency of multidentate (N4O2)	
1999	1996, 35, 13647-55 Effects of multidrug resistance (MDR1) P-glycoprotein expression levels and coordination metal on the cytotoxic potency of multidentate (N4O2) (ethylenediamine)bis[propyl(R-benzylimino)]metal(III) cations. 1996, 39, 3483-90 Topological folding and proteolysis profile of P-glycoprotein in membranes of multidrug-resistant	51
1999 1998	Effects of multidrug resistance (MDR1) P-glycoprotein expression levels and coordination metal on the cytotoxic potency of multidentate (N4O2) (ethylenediamine)bis[propyl(R-benzylimino)]metal(III) cations. 1996, 39, 3483-90 Topological folding and proteolysis profile of P-glycoprotein in membranes of multidrug-resistant cells: implications for the drug-transport mechanism. 1996, 35, 9728-36 ATP-dependent transport of lipophilic cytotoxic drugs by membrane vesicles prepared from	51
1999 1998 1997	Effects of multidrug resistance (MDR1) P-glycoprotein expression levels and coordination metal on the cytotoxic potency of multidentate (N4O2) (ethylenediamine)bis[propyl(R-benzylimino)]metal(III) cations. 1996, 39, 3483-90 Topological folding and proteolysis profile of P-glycoprotein in membranes of multidrug-resistant cells: implications for the drug-transport mechanism. 1996, 35, 9728-36 ATP-dependent transport of lipophilic cytotoxic drugs by membrane vesicles prepared from MRP-overexpressing HL60/ADR cells. 1996, 35, 14003-11 Transport and epithelial secretion of the cardiac glycoside, digoxin, by human intestinal epithelial	51 44
1999 1998 1997 1996	Effects of multidrug resistance (MDR1) P-glycoprotein expression levels and coordination metal on the cytotoxic potency of multidentate (N4O2) (ethylenediamine)bis[propyl(R-benzylimino)]metal(III) cations. 1996, 39, 3483-90 Topological folding and proteolysis profile of P-glycoprotein in membranes of multidrug-resistant cells: implications for the drug-transport mechanism. 1996, 35, 9728-36 ATP-dependent transport of lipophilic cytotoxic drugs by membrane vesicles prepared from MRP-overexpressing HL60/ADR cells. 1996, 35, 14003-11 Transport and epithelial secretion of the cardiac glycoside, digoxin, by human intestinal epithelial (Caco-2) cells. 1996, 118, 1389-96 Substantial excretion of digoxin via the intestinal mucosa and prevention of long-term digoxin	51 44 22 99
1999 1998 1997 1996	Effects of multidrug resistance (MDR1) P-glycoprotein expression levels and coordination metal on the cytotoxic potency of multidentate (N4O2) (ethylenediamine)bis[propyl(R-benzylimino)]metal(III) cations. 1996, 39, 3483-90 Topological folding and proteolysis profile of P-glycoprotein in membranes of multidrug-resistant cells: implications for the drug-transport mechanism. 1996, 35, 9728-36 ATP-dependent transport of lipophilic cytotoxic drugs by membrane vesicles prepared from MRP-overexpressing HL60/ADR cells. 1996, 35, 14003-11 Transport and epithelial secretion of the cardiac glycoside, digoxin, by human intestinal epithelial (Caco-2) cells. 1996, 118, 1389-96 Substantial excretion of digoxin via the intestinal mucosa and prevention of long-term digoxin accumulation in the brain by the mdr 1a P-glycoprotein. 1996, 119, 1038-44 Inward transport of [3H]-1-methyl-4-phenylpyridinium in rat isolated hepatocytes: putative	51 44 22 99 218

1991	Cation requirements of basal and ATP-regulated dopamine transport in rat pheochromocytoma cells. 1996 , 74, 275-82	1
1990	Co-operative, competitive and non-competitive interactions between modulators of P-glycoprotein. 1996 , 1316, 8-18	103
1989	Modulation of P-glycoprotein mediated drug accumulation in multidrug resistant CCRF VCR-1000 cells by chemosensitisers. 1996 , 32A, 857-61	17
1988	Serum can inhibit reversal of multidrug resistance by chemosensitisers. 1996 , 32A, 862-7	25
1987	Biology of the multidrug resistance-associated protein, MRP. 1996 , 32A, 945-57	319
1986	Experimental reversal of P-glycoprotein-mediated multidrug resistance by pharmacological chemosensitisers. 1996 , 32A, 991-1001	154
1985	Major vault protein LRP-related multidrug resistance. 1996 , 32A, 979-84	84
1984	P-glycoproteina mediator of multidrug resistance in tumour cells. 1996 , 32A, 927-44	369
1983	Transfer of the MDR1 gene into haematopoietic cells. 1996 , 32A, 1019-23	3
1982	Oligonucleotide modulation of multidrug resistance. 1996 , 32A, 1010-8	24
1981	Experimental modulation of MRP (multidrug resistance-associated protein)-mediated resistance. 1996 , 32A, 1002-9	35
1980	Clinical multidrug resistance in cancer: a multifactorial problem. 1996 , 32A, 912-20	147
1979	Clinical trials of P-glycoprotein reversal in solid tumours. 1996 , 32A, 1070-81	180
1978	Selective drug efflux in multidrug-resistant immunoblastic B lymphoma cells with overexpressed P-glycoprotein. 1996 , 1, 63-72	3
1977	The modulation of protective effects of the multixenobiotic resistance mechanism in a clam Corbicula fluvinea. 1996 , 42, 383-387	12
1976	Induction of multixenobiotic resistance in mussel blood cells. 1996 , 42, 389-392	25
1975	Chemosensitizing interactions of clofazimine and B669 with human K562 erythroleukaemia cells with varying levels of expression of P-glycoprotein. 1996 , 99, 73-8	8
1974	Chemosensitization and drug accumulation assays as complementary methods for the screening of multidrug resistance reversal agents. 1996 , 99, 109-14	15

1973	Interaction of cytostatics and chemosensitizers with the dexniguldipine binding site on P-glycoprotein. 1996 , 295, 253-60	15
1972	Cross-resistance to cis-diamminedichloroplatinum(II) of a multidrug-resistant lymphoma cell line associated with decreased drug accumulation and enhanced DNA repair. 1996 , 305, 213-22	8
1971	Species-specific differences in taxol transport and cytotoxicity against human and rodent tumor cells. Evidence for an alternate transport system. 1996 , 51, 301-11	21
1970	Reduction of expression of the multidrug resistance protein (MRP) in human tumor cells by antisense phosphorothioate oligonucleotides. 1996 , 51, 461-9	71
1969	Targeting the epidermal growth factor receptor for therapy of carcinomas. 1996 , 51, 1101-10	48
1968	Cellular uptake, cytotoxicity, and transport kinetics of anthracyclines in human sensitive and multidrug-resistant K562 cells. 1996 , 51, 1341-8	18
1967	Identification of efflux systems for large anions and anionic conjugates as the mediators of methotrexate efflux in L1210 Cells. 1996 , 51, 974-82	21
1966	P-glycoprotein induction in rat liver epithelial cells in response to acute 3-methylcholanthrene treatment. 1996 , 51, 1427-36	72
1965	Study of P-glycoprotein functionality in living resistant K562 cells after photolabeling with a verapamil analogue. 1996 , 52, 213-7	11
1964	Selective inhibition of the effects of phorbol ester on doxorubicin resistance and P-glycoprotein by the protein kinase C inhibitor 1-(5-isoquinolinesulfonyl)-2-methylpiperazine (H7) in multidrug-resistant MCF-7/Dox human breast carcinoma cells. 1996 , 52, 393-9	6
1963	Development of anthracenyl-amino acid conjugates as topoisomerase I and II inhibitors that circumvent drug resistance. 1996 , 52, 979-90	32
1962	Effects of membrane potential versus pHi on the cellular retention of doxorubicin analyzed via a comparison between cystic fibrosis transmembrane conductance regulator (CFTR) and multidrug resistance (MDR) transfectants. 1996 , 52, 1081-95	15
1961	Transport properties of the multidrug resistance-associated protein (MRP) in human tumour cells. 1996 , 383, 99-104	157
1960	Primary structure of a novel ABC transporter with a chromosomal localization on the band encoding the multidrug resistance-associated protein. 1996 , 391, 61-5	54
1959	Functional expression of the human MDR1 gene in Escherichia coli. 1996 , 333, 66-74	14
1958	Reversal of multidrug resistance by valinomycin is overcome by CCCP. 1996 , 219, 306-10	8
1957	Involvement of an efflux system in mediating high level of fluoroquinolone resistance in Mycobacterium smegmatis. 1996 , 226, 362-8	45
1956	Saturable P-glycoprotein kinetics assayed by fluorescence studies of drug efflux from suspended human KB8-5 cells. 1996 , 1278, 213-22	9

1955	P-glycoprotein in the blood-brain barrier of mice influences the brain penetration and pharmacological activity of many drugs. 1996 , 97, 2517-24	968
1954	The involvement of the Saccharomyces cerevisiae multidrug resistance transporters Pdr5p and Snq2p in cation resistance. 1996 , 399, 317-20	35
1953	MDR1 P-glycoprotein is a lipid translocase of broad specificity, while MDR3 P-glycoprotein specifically translocates phosphatidylcholine. 1996 , 87, 507-17	774
1952	Transport of the anti-cancer drug doxorubicin across cytoplasmic membranes and membranes composed of phospholipids derived from Escherichia coli occurs via a similar mechanism. 1996 , 1284, 240-6	20
1951	Modulation of the function of human MDR1 P-glycoprotein by the antimalarial drug mefloquine. 1996 , 52, 1545-52	51
1950	Monensin and verapamil do not alter intracellular localisation of daunorubicin in multidrug resistant human KB cells. 1996 , 108, 41-7	15
1949	Relationship between the inhibition of azidopine binding to P-glycoprotein by MDR modulators and their efficiency in restoring doxorubicin intracellular accumulation. 1996 , 109, 203-9	12
1948	Molecular mechanisms of multidrug resistance in cancer chemotherapy. 1996 , 192, 768-80	118
1947	P-glycoprotein and multidrug resistance. 1996 , 6, 610-7	462
1946	Heterogeneity, biodiversity and bioperversity in solid neoplasms. 1996 , 22, 469-73	14
1945	Transmembrane organization of mouse P-glycoprotein determined by epitope insertion and immunofluorescence. 1996 , 271, 9240-8	118
1944	PEG Modified Anticancer Drugs: Synthesis and Biological Activity. 1996 , 11, 122-134	17
1943	Reversal of Tumour Drug Resistance with Monoclonal Antibodies. 1996 , 5, 91-95	
1942	. 1996,	79
1941	Multidrug Resistance in Renal Cell Carcinoma: Eight Years of Experience. 1996 , 161-177	
1940	Peripheral neuropathy in mice transgenic for a human MDR3 P-glycoprotein mini-gene. 1996 , 16, 6386-93	13
1939	Recovery of protein secretion after brefeldin A treatment of rat lacrimal glands: effect of cAMP. 1996 , 271, C783-93	7
1938	P-glycoprotein confers methotrexate resistance in 3T6 cells with deficient carrier-mediated methotrexate uptake. 1996 , 93, 1238-42	95

1937	A Saccharomyces cerevisiae homolog of the human adrenoleukodystrophy transporter is a heterodimer of two half ATP-binding cassette transporters. 1996 , 93, 11901-6		137
1936	Functional expression of mouse Mdr1 in an outer membrane permeability mutant of Escherichia coli. 1996 , 93, 5969-74		32
1935	Functional expression of the multidrug resistance-associated protein in the yeast Saccharomyces cerevisiae. 1996 , 271, 4154-60		30
1934	Protein secretion in gram-negative bacteria: assembly of the three components of ABC protein-mediated exporters is ordered and promoted by substrate binding <i>EMBO Journal</i> , 1996 , 15, 5804-5811	13	116
1933	Multiple Pdr1p/Pdr3p binding sites are essential for normal expression of the ATP binding cassette transporter protein-encoding gene PDR5. 1996 , 271, 23049-54		107
1932	MDR1/P-glycoprotein function. I. Effect of hypotonicity and inhibitors on rhodamine 123 exclusion. 1996 , 270, C1447-52		5
1931	Homologues of the human multidrug resistance genes MRP and MDR contribute to heavy metal resistance in the soil nematode Caenorhabditis elegans <i>EMBO Journal</i> , 1996 , 15, 6132-6143	13	164
1930	ATP-dependent uptake of natural product cytotoxic drugs by membrane vesicles establishes MRP as a broad specificity transporter. 1996 , 93, 6929-34		72
1929	Comparative topology studies in Saccharomyces cerevisiae and in Escherichia coli. The N-terminal half of the yeast ABC protein Ste6. 1996 , 271, 13746-53		24
1928	The minimum functional unit of human P-glycoprotein appears to be a monomer. 1996 , 271, 27488-92		49
1928 1927	The minimum functional unit of human P-glycoprotein appears to be a monomer. 1996 , 271, 27488-92 Xenobiotic transport differences in mouse mesangial cell clones expressing mdr1 and mdr3. 1996 , 270, C910-9		49 7
1927	Xenobiotic transport differences in mouse mesangial cell clones expressing mdr1 and mdr3. 1996 ,		
1927	Xenobiotic transport differences in mouse mesangial cell clones expressing mdr1 and mdr3. 1996 , 270, C910-9		7
1927 1926	Xenobiotic transport differences in mouse mesangial cell clones expressing mdr1 and mdr3. 1996, 270, C910-9 SARs of annonaceous acetogenins in rat liver mitochondria. 1996, 4, 181-8 Chapter 7 The P-glycoprotein family and multidrug resistance: An overview. 1996, 137-163		7 25
1927 1926 1925	Xenobiotic transport differences in mouse mesangial cell clones expressing mdr1 and mdr3. 1996, 270, C910-9 SARs of annonaceous acetogenins in rat liver mitochondria. 1996, 4, 181-8 Chapter 7 The P-glycoprotein family and multidrug resistance: An overview. 1996, 137-163		7 25 5
1927 1926 1925	Xenobiotic transport differences in mouse mesangial cell clones expressing mdr1 and mdr3. 1996, 270, C910-9 SARs of annonaceous acetogenins in rat liver mitochondria. 1996, 4, 181-8 Chapter 7 The P-glycoprotein family and multidrug resistance: An overview. 1996, 137-163 Multidrug efflux pumps of gram-negative bacteria. 1996, 178, 5853-9 Protein kinase C-mediated phosphorylation does not regulate drug transport by the human		7 25 5 869
1927 1926 1925 1924	Xenobiotic transport differences in mouse mesangial cell clones expressing mdr1 and mdr3. 1996, 270, C910-9 SARs of annonaceous acetogenins in rat liver mitochondria. 1996, 4, 181-8 Chapter 7 The P-glycoprotein family and multidrug resistance: An overview. 1996, 137-163 Multidrug efflux pumps of gram-negative bacteria. 1996, 178, 5853-9 Protein kinase C-mediated phosphorylation does not regulate drug transport by the human multidrug resistance P-glycoprotein. 1996, 271, 13668-74 Uptake of fluorescent dyes associated with the functional expression of the cystic fibrosis		7 25 5 869 94

1919 Methods to Detect MDR1/P-Glycoprotein in Clinical Tumor Samples. 1996, 19, 474-479

1918	Chapter 1 ATP-coupled pumps for heavy metals and metalloids. 1996 , 2, 1-20	1
1917	Chapter 18 From multidrug resistance to vesicular neurotransmitter transport. 1996 , 2, 405-431	
1916	A new method for a quantitative assessment of P-glycoprotein-related multidrug resistance in tumour cells. 1996 , 73, 849-55	80
1915	Modulation of vinblastine cytotoxicity by dilantin (phenytoin) or the protein phosphatase inhibitor okadaic acid involves the potentiation of anti-mitotic effects and induction of apoptosis in human tumour cells. 1996 , 73, 183-8	28
1914	Multidrug resistance mediated by a bacterial homolog of the human multidrug transporter MDR1. 1996 , 93, 10668-72	253
1913	Trypanothione overproduction and resistance to antimonials and arsenicals in Leishmania. 1996 , 93, 10383-7	215
1912	Multidrug resistance proteins QacA and QacB from Staphylococcus aureus: membrane topology and identification of residues involved in substrate specificity. 1996 , 93, 3630-5	233
1911	Chemotherapy resistance mechanisms. 1996 , 35 Suppl 5, 76-80	15
1910	The drug-binding activity of the multidrug-responding transcriptional regulator BmrR resides in its C-terminal domain. 1996 , 178, 1473-5	33
1909	Active efflux of toluene in a solvent-resistant bacterium. 1996 , 178, 6056-8	136
1908	Fibrates induce mdr2 gene expression and biliary phospholipid secretion in the mouse. <i>Biochemical Journal</i> , 1996 , 314 (Pt 3), 781-6	132
1907	Effects of steroids and verapamil on P-glycoprotein ATPase activity: progesterone, desoxycorticosterone, corticosterone and verapamil are mutually non-exclusive modulators. 3.8 Biochemical Journal, 1996, 317 (Pt 2), 515-22	113
1906	Synthetic hydrophobic peptides are substrates for P-glycoprotein and stimulate drug transport. Biochemical Journal, 1996, 320 (Pt 2), 421-8	96
1905	Acceleration of MRP-associated efflux of rhodamine 123 by genistein and related compounds. 1996 , 74, 1949-54	37
1904	Hormonal and environmental regulation of a plant PDR5-like ABC transporter. 1996 , 271, 19351-7	79
1903	The human multidrug resistance-associated protein functionally complements the yeast cadmium resistance factor 1. 1996 , 93, 6743-8	160
1902	P-glycoprotein: a major determinant of rifampicin-inducible expression of cytochrome P4503A in mice and humans. 1996 , 93, 4001-5	228

1901	Chlorpromazine transport in membrane vesicles from multidrug resistant CCRF-CEM cells. 1996 , 39, 687-96	3
1900	Structural requirements for intestinal absorption of peptide drugs. 1996 , 41, 3-17	136
1899	Cellular resistance to anthracyclines. 1996 , 27, 251-5	118
1898	The antiparasite effects of cyclosporin A: possible drug targets and clinical applications. 1996 , 27, 963-71	48
1897	Comparison of drug accumulation in P-glycoprotein-expressing and MRP-expressing human leukaemia cells. 1996 , 20, 657-64	32
1896	Active secretion and enterocytic drug metabolism barriers to drug absorption. 1996 , 20, 99-112	78
1895	P-glycoprotein multidrug resistance and cancer. 1996 , 1288, F37-54	58
1894	Transporting therapeutics across the blood-brain barrier. 1996 , 2, 106-13	341
1893	Effect of cyclosporin analogues and FK506 on transcellular transport of daunorubicin and vinblastine via P-glycoprotein. 1996 , 13, 1073-7	24
1892	The use of surfactants to enhance the permeability of peptides through Caco-2 cells by inhibition of an apically polarized efflux system. 1996 , 13, 528-34	230
1891	Recent advances in carrier-mediated hepatic uptake and biliary excretion of xenobiotics. 1996 , 13, 497-513	144
1890	Glutathione S-transferase expression in malignant mesothelioma and non-neoplastic mesothelium: an immunohistochemical study. 1996 , 122, 619-24	16
1889	Effects of ginseng saponin on modulation of multidrug resistance. 1996 , 19, 213-218	23
1888	Spectral shape modifications of anthracyclines bound to cell nuclei: a microspectrofluorometric study. 1996 , 101, 49-58	5
1887	Hypotonicity-induced anion fluxes in cells expressing the multidrug-resistance-associated protein, MRP. 1996 , 432, 234-40	11
1886	Trypanocidal resistance in Trypanosoma evansi in vitro: effects of verapamil, cyproheptidine, desipramine and chlorpromazine alone and in combination with trypanocides. 1996 , 62, 43-50	10
1885	Altered drug translocation mediated by the MDR protein: direct, indirect, or both?. 1996 , 28, 541-55	42
1884	Cellular drug efflux and reversal therapy of cancer. 1996 , 28, 279-84	24

1883	Cross-resistance and collateral sensitivity to natural product drugs in cisplatin-sensitive and resistant rat lymphoma and human ovarian carcinoma cells. 1996 , 37, 457-62	24
1882	Kinetic parameters for reversal of the multidrug pump as measured for drug accumulation and cell killing. 1996 , 38, 181-90	27
1881	The Lx1 gene maps to mouse chromosome 17 and codes for a protein that is homologous to glucose and polyspecific transmembrane transporters. 1996 , 7, 735-40	73
1880	Cytoplasmic and nuclear localization sites of phosphatidylinositol 3-kinase in human osteosarcoma sensitive and multidrug-resistant Saos-2 cells. <i>Histochemistry and Cell Biology</i> , 1996 , 106, 457-64	32
1879	In vitro selection of halofantrine resistance in Plasmodium falciparum is not associated with increased expression of Pgh1. 1996 , 83, 35-46	40
1878	Volume-activated Cl- channels. 1996 , 27, 1131-40	147
1877	The P-glycoprotein multidrug transporter. 1996 , 27, 1283-91	169
1876	Interaction of environmental xenobiotics with a multixenobiotic defense mechanism in the bay mussel Mytilus galloprovincialis from the coast of California. 1996 , 15, 325-331	50
1875	A point mutation in the human transporter associated with antigen processing (TAP2) alters the peptide transport specificity. 1996 , 26, 1748-55	72
1874	Experimental Mallory body formation is accompanied by modulation of the expression of multidrug-resistance genes and their products. 1996 , 24, 248-52	8
1873	Sequential assessment of multidrug resistance phenotype and measurement of S-phase fraction as predictive markers of breast cancer response to neoadjuvant chemotherapy. 1996 , 77, 292-300	95
1872	P-glycoprotein expression in canine lymphoma: a relevant, intermediate model of multidrug resistance. 1996 , 77, 1892-8	74
1871	Reversal of multi-drug resistance in vitro by fatty acid-PEG-fatty acid diesters. 1996 , 65, 74-9	34
1870	Involvement of MDR1 P-glycoprotein in multifactorial resistance to methotrexate. 1996 , 65, 613-9	62
1869	Characterization and epitope mapping of several new anti-P-glycoprotein monoclonal antibodies. 1996 , 67, 256-63	8
1868	Intracellular pH does not affect drug extrusion by P-glycoprotein. 1996 , 34, 177-82	16
1867	An apoptotic response to photodynamic therapy with endogenous protoporphyrin in vivo. 1996 , 35, 209-11	57
1866	ATP transport and ABC proteins. 1996 , 3, 703-6	28

1865	The multidrug transportersproteins of an ancient immune system. 1996 , 54, 215-9	26
1864	mdr1 ribozyme mediated reversal of the multi-drug resistant phenotype in human lung cell lines. 1996 , 19, 199-205	8
1863	Overexpression of P-glycoprotein in heat- and/or drug-resistant hepatoma variants. 1996 , 19, 207-14	18
1862	Topology of MDR1-P-glycoprotein as indicated by epitope mapping of monoclonal antibodies to human MDR cells. 1996 , 19, 247-51	8
1861	Evaluation of P-glycoprotein expression in soft tissue sarcomas of the extremities. 1996 , 19, 253-6	5
1860	A putative helical domain in the MalK subunit of the ATP-binding-cassette transport system for maltose of Salmonella typhimurium (MalFGK2) is crucial for interaction with MalF and MalG. A study using the LacK protein of Agrobacterium radiobacter as a tool. 1996 , 22, 655-66	46
1859	The multixenobiotic resistance mechanism in the marine sponge Suberites domuncula: its potential applicability for the evaluation of environmental pollution by toxic compounds. 1996 , 125, 165-170	28
1858	A potato cDNA encoding a homologue of mammalian multidrug resistant P-glycoprotein. 1996 , 31, 683-7	40
1857	Co-translational effects of temperature on membrane insertion and orientation of P-glycoprotein sequences. 1996 , 159, 25-31	2
1856	Doxorubicin-efflux pump inHaloferax voleaniiis energized by ATP. 1996 , 139, 83-88	4
1856 1855	Doxorubicin-efflux pump inHaloferax voleaniiis energized by ATP. 1996 , 139, 83-88 Immunohistochemical localization of P-glycoprotein and expression of the multidrug resistance-1 gene in human pancreatic cancer: relevance to indicator of better prognosis. 1996 , 87, 641-9	28
	Immunohistochemical localization of P-glycoprotein and expression of the multidrug resistance-1	
1855	Immunohistochemical localization of P-glycoprotein and expression of the multidrug resistance-1 gene in human pancreatic cancer: relevance to indicator of better prognosis. 1996 , 87, 641-9 Overexpression of multidrug resistance protein gene in human cancer cell lines selected for drug	28
1855 1854	Immunohistochemical localization of P-glycoprotein and expression of the multidrug resistance-1 gene in human pancreatic cancer: relevance to indicator of better prognosis. 1996 , 87, 641-9 Overexpression of multidrug resistance protein gene in human cancer cell lines selected for drug resistance to epipodophyllotoxins. 1996 , 87, 765-72 The multidrug resistance-associated protein gene confers drug resistance in human gastric and	28
1855 1854 1853	Immunohistochemical localization of P-glycoprotein and expression of the multidrug resistance-1 gene in human pancreatic cancer: relevance to indicator of better prognosis. 1996, 87, 641-9 Overexpression of multidrug resistance protein gene in human cancer cell lines selected for drug resistance to epipodophyllotoxins. 1996, 87, 765-72 The multidrug resistance-associated protein gene confers drug resistance in human gastric and colon cancers. 1996, 87, 1263-70 The SMR family: a novel family of multidrug efflux proteins involved with the efflux of lipophilic	28 24 33
1855 1854 1853	Immunohistochemical localization of P-glycoprotein and expression of the multidrug resistance-1 gene in human pancreatic cancer: relevance to indicator of better prognosis. 1996 , 87, 641-9 Overexpression of multidrug resistance protein gene in human cancer cell lines selected for drug resistance to epipodophyllotoxins. 1996 , 87, 765-72 The multidrug resistance-associated protein gene confers drug resistance in human gastric and colon cancers. 1996 , 87, 1263-70 The SMR family: a novel family of multidrug efflux proteins involved with the efflux of lipophilic drugs. 1996 , 19, 1167-75 HMG-CoA reductase mediates the biological effects of retinoic acid on human neuroblastoma cells:	28 24 33 232
1855 1854 1853 1852	Immunohistochemical localization of P-glycoprotein and expression of the multidrug resistance-1 gene in human pancreatic cancer: relevance to indicator of better prognosis. 1996, 87, 641-9 Overexpression of multidrug resistance protein gene in human cancer cell lines selected for drug resistance to epipodophyllotoxins. 1996, 87, 765-72 The multidrug resistance-associated protein gene confers drug resistance in human gastric and colon cancers. 1996, 87, 1263-70 The SMR family: a novel family of multidrug efflux proteins involved with the efflux of lipophilic drugs. 1996, 19, 1167-75 HMG-CoA reductase mediates the biological effects of retinoic acid on human neuroblastoma cells: lovastatin specifically targets P-glycoprotein-expressing cells. 1996, 2, 326-33 Low-level doxorubicin resistance in P-glycoprotein-negative human pancreatic tumour PSN1/ADR	28 24 33 232 92

1847	Overexpression of the ABC transporter TAP in multidrug-resistant human cancer cell lines. 1996 , 74, 1961-7	37
1846	The multidrug resistance phenotype confers immunological resistance. 1996 , 183, 2699-704	54
1845	Characterization and analysis of conserved motifs in a peroxisomal ATP-binding cassette transporter. 1996 , 271, 8725-30	52
1844	Inhibition of oxidative cross-linking between engineered cysteine residues at positions 332 in predicted transmembrane segments (TM) 6 and 975 in predicted TM12 of human P-glycoprotein by drug substrates. 1996 , 271, 27482-7	69
1843	ATP binding cassette proteins in yeast. 1996 , 3, 231-277	2
1842	Secondary and tertiary structure changes of reconstituted P-glycoprotein. A Fourier transform attenuated total reflection infrared spectroscopy analysis. 1996 , 271, 24617-24	116
1841	An FK506-sensitive transporter selectively decreases intracellular levels and potency of steroid hormones. 1996 , 271, 17152-6	102
1840	Functional reconstitution of P-glycoprotein reveals an apparent near stoichiometric drug transport to ATP hydrolysis. 1996 , 271, 3172-8	73
1839	Antigen-independent changes in naive CD4 T cells with aging. 1996 , 184, 1891-900	210
1838	Mechanism of action cryptophycin. Interaction with the Vinca alkaloid domain of tubulin. 1996 , 271, 6192-8	68
1838	Mechanism of action cryptophycin. Interaction with the Vinca alkaloid domain of tubulin. 1996 , 271, 6192-8 Functional characterization of a glycine 185-to-valine substitution in human P-glycoprotein by using a vaccinia-based transient expression system. 1996 , 7, 1485-98	68 71
	Functional characterization of a glycine 185-to-valine substitution in human P-glycoprotein by using	
1837	Functional characterization of a glycine 185-to-valine substitution in human P-glycoprotein by using a vaccinia-based transient expression system. 1996 , 7, 1485-98 Altered drug-stimulated ATPase activity in mutants of the human multidrug resistance protein.	71
1837	Functional characterization of a glycine 185-to-valine substitution in human P-glycoprotein by using a vaccinia-based transient expression system. 1996 , 7, 1485-98 Altered drug-stimulated ATPase activity in mutants of the human multidrug resistance protein. 1996 , 271, 1877-83 Mutational analysis of the predicted first transmembrane segment of each homologous half of	71
1837 1836 1835	Functional characterization of a glycine 185-to-valine substitution in human P-glycoprotein by using a vaccinia-based transient expression system. 1996, 7, 1485-98 Altered drug-stimulated ATPase activity in mutants of the human multidrug resistance protein. 1996, 271, 1877-83 Mutational analysis of the predicted first transmembrane segment of each homologous half of human P-glycoprotein suggests that they are symmetrically arranged in the membrane. 1996, 271, 15414-9 Multidrug resistance protein (MRP)-mediated transport of leukotriene C4 and chemotherapeutic agents in membrane vesicles. Demonstration of glutathione-dependent vincristine transport. 1996,	71 134 29
1837 1836 1835	Functional characterization of a glycine 185-to-valine substitution in human P-glycoprotein by using a vaccinia-based transient expression system. 1996, 7, 1485-98 Altered drug-stimulated ATPase activity in mutants of the human multidrug resistance protein. 1996, 271, 1877-83 Mutational analysis of the predicted first transmembrane segment of each homologous half of human P-glycoprotein suggests that they are symmetrically arranged in the membrane. 1996, 271, 15414-9 Multidrug resistance protein (MRP)-mediated transport of leukotriene C4 and chemotherapeutic agents in membrane vesicles. Demonstration of glutathione-dependent vincristine transport. 1996, 271, 9675-82	71 134 29 399
1837 1836 1835 1834	Functional characterization of a glycine 185-to-valine substitution in human P-glycoprotein by using a vaccinia-based transient expression system. 1996, 7, 1485-98 Altered drug-stimulated ATPase activity in mutants of the human multidrug resistance protein. 1996, 271, 1877-83 Mutational analysis of the predicted first transmembrane segment of each homologous half of human P-glycoprotein suggests that they are symmetrically arranged in the membrane. 1996, 271, 15414-9 Multidrug resistance protein (MRP)-mediated transport of leukotriene C4 and chemotherapeutic agents in membrane vesicles. Demonstration of glutathione-dependent vincristine transport. 1996, 271, 9675-82 Accumulation of glucosylceramides in multidrug-resistant cancer cells. 1996, 271, 19530-6 Partial reversal of multidrug resistance in human breast cancer cells by an N-myristoylated protein	71 134 29 399 263

1829	Characterization of the rat mdr2 promoter and its regulation by the transcription factor Sp1. 1996 , 24, 3235-41	10
1828	The role of passive transbilayer drug movement in multidrug resistance and its modulation. 1996 , 271, 12897-902	122
1827	Are altered pHi and membrane potential in hu MDR 1 transfectants sufficient to cause MDR protein-mediated multidrug resistance?. 1996 , 108, 295-313	74
1826	Characterization of phosphorylation-defective mutants of human P-glycoprotein expressed in mammalian cells. 1996 , 271, 1708-16	146
1825	Energetics and mechanism of drug transport mediated by the lactococcal multidrug transporter LmrP. 1996 , 271, 24123-8	71
1824	Abnormal expression of a 170-kilodalton P-glycoprotein encoded by MDR1 gene, a metabolically active efflux pump, in CD4+ and CD8+ T cells from patients with human immunodeficiency virus type 1 infection. 1996 , 12, 1457-62	43
1823	Gene transfer-mediated generation of drug-resistant hemopoiesis. 1996 , 21, 17-23	3
1822	In vitro and in vivo liposome-mediated gene transfer leads to human MDR1 expression in mouse bone marrow progenitor cells. 1996 , 7, 1111-22	38
1821	Role of the stress-activated/c-Jun NH2-terminal protein kinase pathway in the cellular response to adriamycin and other chemotherapeutic drugs. 1996 , 271, 30950-5	173
1820	Expression of the human multidrug resistance and glucocerebrosidase cDNAs from adeno-associated vectors: efficient promoter activity of AAV sequences and in vivo delivery via liposomes. 1996 , 7, 1309-22	36
1819	Complete restoration of glucocerebrosidase deficiency in Gaucher fibroblasts using a bicistronic MDR retrovirus and a new selection strategy. 1996 , 7, 2165-75	26
1818	High-dose chemotherapy with autologous stem cell support in advanced ovarian cancer. 1996 , 28, 151-8	8
1817	Evidence that SP1 modulates transcriptional activity of the multidrug resistance-associated protein gene. 1996 , 15, 105-11	38
1816	Competition of hydrophobic peptides, cytotoxic drugs, and chemosensitizers on a common P-glycoprotein pharmacophore as revealed by its ATPase activity. 1996 , 271, 3163-71	147
1815	Chloride and potassium conductances of mouse pancreatic zymogen granules are inversely regulated by a approximately 80-kDa mdr1a gene product. 1996 , 271, 3300-5	25
1814	Thyroid hormone export regulates cellular hormone content and response. 1996 , 271, 17147-51	33
1813	Reconstitution of ATP-dependent leukotriene C4 transport by Co-expression of both half-molecules of human multidrug resistance protein in insect cells. 1996 , 271, 27782-7	117
1812	The PAL1 gene product is a peroxisomal ATP-binding cassette transporter in the yeast Saccharomyces cerevisiae. 1996 , 132, 549-63	67

[1996-1996]

1811	Membrane topology and glycosylation of the numan multidrug resistance-associated protein. 1996 , 271, 12322-6	155
1810	Immunosuppressant target protein FKBP12 is required for P-glycoprotein function in yeast. 1996 , 271, 18527-34	49
1809	Efficient purification and reconstitution of P-glycoprotein for functional and structural studies. 1996 , 271, 28875-83	44
1808	The multidrug resistance-associated protein (MRP) subfamily (Yrs1/Yor1) of Saccharomyces cerevisiae is important for the tolerance to a broad range of organic anions. 1996 , 271, 14712-6	90
1807	Different energization mechanisms drive the vacuolar uptake of a flavonoid glucoside and a herbicide glucoside. 1996 , 271, 29666-71	99
1806	How plants dispose of chlorophyll catabolites. Directly energized uptake of tetrapyrrolic breakdown products into isolated vacuoles. 1996 , 271, 27233-6	86
1805	Recombinant N-terminal nucleotide-binding domain from mouse P-glycoprotein. Overexpression, purification, and role of cysteine 430. 1996 , 271, 11652-8	60
1804	Electrogenic properties and substrate specificity of the polyspecific rat cation transporter rOCT1. 1996 , 271, 32599-604	165
1803	The biological significance of the multidrug resistance gene MRP in inversion 16 leukemias. 1996 , 20, 357-64	16
1802	p-Azidosalicyl-5-amino-6-phenoxybenzimidazole photolabels the N-terminal 63-103 amino acids of Haemonchus contortus beta-tubulin 1. 1996 , 271, 8575-81	15
1801	Ins and outs of antimicrobial resistance: era of the drug pumps. 1996 , 75, 736-42	27
1800	Bacterial toxin transport. 1996 , 3, 81-118	2
1799	P-glycoprotein-associated resistance to taxol and taxotere and its reversal by dexniguldipine-HCl, dexverapamil-HCl, or cyclosporin A. 1996 , 8, 951-6	1
1798	PKCs. 1996 , 9, 171	
1797	Involvement of P-glycoprotein in an in vitro blood-brain barrier model. 1996 , 9, 1029	
1796	Differential expression of P-glycoprotein in cord blood and peripheral blood lymphocyte subpopulations. 1996 , 8, 1063-8	2
1795	Multidrug resistance in cancer (review). 1996 , 9, 879-84	2
1794	Differential regulation of mdr genes in response to 2-acetylaminofluorene treatment in cultured rat and human hepatocytes. 1996 , 17, 1157-60	24

1793	Regulation of mdr1b gene expression in Fischer, Wistar and Sprague-Dawley rats in vivo and in vitro. 1996 , 17, 451-7	33
1792	Arsenite efflux is inhibited by verapamil, cyclosporin A, and GSH-depletingagents in arsenite-resistant chinese hamster ovary cells. 1996 , 141, 17-22	19
1791	Drug Resistance. 1996 ,	3
1790	Biophysical aspects of P-glycoprotein-mediated multidrug resistance. 1997 , 171, 121-65	61
1789	Selection of transfected cells. Magnetic affinity cell sorting. 1997 , 62, 343-58	1
1788	Transcriptional regulation of the murine multidrug resistance gene mdr1b by progesterone occurs via an indirect mechanism. 1997 , 16, 807-18	12
1787	Structure of the multidrug resistance P-glycoprotein to 2.5 nm resolution determined by electron microscopy and image analysis. 1997 , 272, 10685-94	253
1786	Functional characterization of the rat mdr1b encoded P-glycoprotein: not all inducing agents are substrates. 1997 , 18, 2255-63	18
1785	Steroid receptor interactions with heat shock protein and immunophilin chaperones. 1997 , 18, 306-60	1208
1784	Efflux of the natural polyamine spermidine facilitated by the Bacillus subtilis multidrug transporter Blt. 1997 , 272, 8864-6	80
1783	Camptothecin sensitivity is mediated by the pleiotropic drug resistance network in yeast. 1997 , 272, 12091-9	52
1782	Identification of the in vivo phosphorylation sites for acidic-directed kinases in murine mdr1b P-glycoprotein. 1997 , 272, 5909-14	37
1781	Protein folding coupled to disulphide bond formation. 1997 , 378, 731-44	97
1780	A new immunohistochemical methodology for the specific detection of MDR1-P-glycoprotein in human tissues based on phage-displayed peptides mimicking the MM4.17 epitope. 1997 , 378, 503-7	2
1779	Glucose-dependent, cAMP-mediated ATP efflux from Saccharomyces cerevisiae. 1997 , 143 (Pt 6), 1901-1908	35
1778	Recombinant Protein Protocols. 1997,	
1777	A novel a-factor-related peptide of Saccharomyces cerevisiae that exits the cell by a Ste6p-independent mechanism. 1997 , 8, 1273-91	14
1776	NF-kappaB-mediated induction of mdr1b expression by insulin in rat hepatoma cells. 1997 , 272, 15174-83	153

1775	AP1-mediated multidrug resistance in Saccharomyces cerevisiae requires FLR1 encoding a transporter of the major facilitator superfamily. 1997 , 272, 19304-13	171
1774	Phosphorylation site mutations in the human multidrug transporter modulate its drug-stimulated ATPase activity. 1997 , 272, 23165-71	43
1773	Additional organizational features of the murine folylpolyglutamate synthetase gene. Two remotely situated exons encoding an alternate 5' end and proximal open reading frame under the control of a second promoter. 1997 , 272, 5587-93	14
1772	Extended Abstracts. 1997 , 25, 674-696	
1771	Evidence for reduced drug influx in multidrug resistant CEM cells by a fluorescent dye. 1997 , 11, 377-82	
1770	Altered expression of the genes regulating apoptosis in multidrug resistant human myeloid leukemia cell lines overexpressing MDR1 or MRP gene. 1997 , 11, 945	
1769	Detection of expressed recombinant protein based on multidrug resistance: P-glycoprotein. 1997 , 63, 139-59	2
1768	Pharmacological characterization of the murine and human orthologs of multidrug-resistance protein in transfected human embryonic kidney cells. 1997 , 52, 344-53	121
1767	P-glycoprotein mediated multidrug resistance and its implications for pathology. 1997 , 29, 122-30	9
1766	SocitIDe Physiologie Vgtale De La Communaut[Francophone De Belgique (S P V F). 1997 , 105, 387-402	
1765	Isolation and characterization of a prenylcysteine lyase from bovine brain. 1997 , 272, 23354-9	32
1764	Localization of the iodomycin binding site in hamster P-glycoprotein. 1997 , 272, 20913-9	35
1763	Topology mapping of the amino-terminal half of multidrug resistance-associated protein by epitope insertion and immunofluorescence. 1997 , 272, 26479-87	91
1762	Amplification of the DNA repair gene O6-methylguanine-DNA methyltransferase associated with resistance to alkylating drugs in a mammalian cell line. 1997 , 272, 13250-4	10
1761	ABC1, an ATP binding cassette transporter required for phagocytosis of apoptotic cells, generates a regulated anion flux after expression in Xenopus laevis oocytes. 1997 , 272, 2695-9	114
1760	Evidence for two nonidentical drug-interaction sites in the human P-glycoprotein. 1997 , 94, 10594-9	337
1759	Correction of defective protein kinesis of human P-glycoprotein mutants by substrates and modulators. 1997 , 272, 709-12	192
1758	Characterization of acidic vesicles in multidrug-resistant and sensitive cancer cells by acridine orange staining and confocal microspectrofluorometry. 1997 , 45, 1255-64	74

1757	Relation between the turnover number for vinblastine transport and for vinblastine-stimulated ATP hydrolysis by human P-glycoprotein. 1997 , 272, 21160-6		153
1756	A bacterial model system for understanding multi-drug resistance. 1997 , 3, 289-95		14
1755	Changing the transport of a cell. 1997 , 17, 171-83		0
1754	Drug extrusion in Corynebacterium glutamicum. 1997 , 3, 345-50		2
1753	Efficient long-term coexpression of a hammerhead ribozyme targeted to the U5 region of HIV-1 LTR by linkage to the multidrug-resistance gene. 1997 , 7, 511-22		12
1752	Molecular interactions of cyclosporin A with P-glycoprotein. Photolabeling with cyclosporin derivatives. 1997 , 272, 6647-52		27
1751	Expression cloning and characterization of a novel multispecific organic anion transporter. 1997 , 272, 18526-9		490
1750	Co-ordinate regulation of the cystic fibrosis and multidrug resistance genes in cystic fibrosis knockout mice. 1997 , 6, 527-37		33
1749	Biogenesis of the Saccharomyces cerevisiae mating pheromone a-factor. 1997 , 136, 251-69		112
1748	Anti-oncogene ribozymes for cancer gene therapy. 1997 , 40, 207-57		15
1747	Abstracts of the SociEBelge de Biochimie et Biologie Moldulaire, 164the Rünion, Mons, 30 Novembre 1996. 1997 , 105, 97-121		
1746	P-glycoprotein is strongly expressed in the luminal membranes of the endothelium of blood vessels in the brain. <i>Biochemical Journal</i> , 1997 , 326 (Pt 2), 539-44	3	212
1745	MDR1-Pgp 170 expression in human bronchus. 1997 , 10, 1837-43		58
1744	Characterization of the human multidrug resistance protein containing mutations in the ATP-binding cassette signature region. <i>Biochemical Journal</i> , 1997 , 323 (Pt 3), 777-83	3	49
1743	Conformational changes of P-glycoprotein by nucleotide binding. <i>Biochemical Journal</i> , 1997 , 328 (Pt 3), 897-904	3	58
1742	Glutathione-doxorubicin conjugate expresses potent cytotoxicity by suppression of glutathione S-transferase activity: comparison between doxorubicin-sensitive and -resistant rat hepatoma cells. 1997 , 76, 1333-7		22
1741	Variations in frequencies of drug resistance in Plasmodium falciparum. 1997 , 94, 9389-93		205
1740	Expression of MDR1 (multidrug resistance) gene and its protein in normal human kidney. 1997 , 77, 284-9		78

1739	Mutations affecting substrate specificity of the Bacillus subtilis multidrug transporter Bmr. 1997 , 179, 2189-93	64
1738	Characterization of a clonal human colon adenocarcinoma line intrinsically resistant to doxorubicin. 1997 , 76, 67-76	29
1737	High-dose mercaptopurine and intermediate-dose cytarabine during first remission of acute myeloid leukemia. 1997 , 15, 121-6	1
1736	Alteration of substrate specificity by mutations at the His61 position in predicted transmembrane domain 1 of human MDR1/P-glycoprotein. 1997 , 36, 8883-9	57
1735	P-glycoprotein substrates and antagonists cluster into two distinct groups. 1997 , 51, 1024-33	209
1734	Recombinant Gene Expression Protocols. 1997,	1
1733	Quantitative structure-activity relationship of multidrug resistance reversal agents. 1997, 52, 323-34	140
1732	Analysis of ion transport perturbations caused by hu MDR 1 protein overexpression. 1997 , 36, 11153-68	38
1731	Inhibition of P-glycoprotein ATPase activity by beryllium fluoride. 1997 , 36, 6847-53	60
1730	Human MDR 1 protein overexpression delays the apoptotic cascade in Chinese hamster ovary fibroblasts. 1997 , 36, 11169-78	138
1729	Nonclassical 2,4-diamino-5-aryl-6-ethylpyrimidine antifolates: activity as inhibitors of dihydrofolate reductase from Pneumocystis carinii and Toxoplasma gondii and as antitumor agents. 1997 , 40, 3040-8	25
1728	The anionic phospholipid-mediated membrane interaction of the anti-cancer drug doxorubicin is enhanced by phosphatidylethanolamine compared to other zwitterionic phospholipids. 1997 , 36, 8657-62	27
1727	Functional interactions between synthetic alkyl phospholipids and the ABC transporters P-glycoprotein, Ste-6, MRP, and Pgh 1. 1997 , 36, 8180-8	32
1726	The P-glycoprotein multidrug transporter: interactions with membrane lipids, and their modulation of activity. 1997 , 25, 1088-96	49
1725	Interaction of P-glycoprotein with defined phospholipid bilayers: a differential scanning calorimetric study. 1997 , 36, 9807-15	45
1724	Regio- and Diastereoselective Alkylation of 2-Substituted 2,4-Dihydro-1H-pyrazino[2,1-b]quinazoline-3,6-diones. 1997 , 62, 6424-6428	25
1723	Characterization of phosphine complexes of technetium(III) as transport substrates of the multidrug resistance P-glycoprotein and functional markers of P-glycoprotein at the blood-brain barrier. 1997 , 36, 14218-27	44
1722	P-glycoprotein is a dimer in the kidney and brain capillary membranes: effect of cyclosporin A and SDZ-PSC 833. 1997 , 36, 13929-37	30

1721	P-glycoprotein-independent decrease in drug accumulation by phorbol ester treatment of tumor cells. 1997 , 54, 791-9	11
1720	Emergence of different mechanisms of resistance in the evolution of multidrug resistance in murine erythroleukemia cell lines. 1997 , 54, 1297-306	4
1719	Characterization of two pituitary GH3 cell sublines partially resistant to apoptosis induction by okadaic acid. 1997 , 54, 967-71	15
1718	Regulation of the function of P-glycoprotein by epidermal growth factor through phospholipase C. 1997 , 53, 1597-604	29
1717	Acquisition of taxol resistance via P-glycoprotein- and non-P-glycoprotein-mediated mechanisms in human ovarian carcinoma cells. 1997 , 53, 461-70	71
1716	Rhodamine 123 accumulates extensively in the isolated perfused rat kidney and is secreted by the organic cation system. 1997 , 321, 315-23	35
1715	Induction of pgp3 expression and reversion of the multidrug resistance phenotype in 9-OH-ellipticine-resistant Chinese hamster lung fibroblasts transfected with the MYC oncogene. 1997 , 53, 59-66	2
1714	Reversal of P-glycoprotein-associated multidrug resistance by ivermectin. 1997 , 53, 17-25	147
1713	Inhibition of drug transport by genistein in multidrug-resistant cells expressing P-glycoprotein. 1997 , 53, 89-93	137
1712	Relationship between expression level of P-glycoprotein and daunorubicin transport in LLC-PK1 cells transfected with human MDR1 gene. 1997 , 53, 741-6	26
1711	Effect of quercetin on Hoechst 33342 transport by purified and reconstituted P-glycoprotein. 1997 , 53, 587-96	178
1710	Interaction of combinations of drugs, chemosensitizers, and peptides with the P-glycoprotein multidrug transporter. 1997 , 53, 1789-97	36
1709	Role of P-glycoprotein in colchicine and vinblastine cellular kinetics in an immortalized rat brain microvessel endothelial cell line. 1997 , 53, 1735-42	30
1708	Microbial multidrug resistance. 1997 , 8, 179-87	16
1707	Binding of steroid modulators to recombinant cytosolic domain from mouse P-glycoprotein in close proximity to the ATP site. 1997 , 36, 15208-15	64
1706	Fluorescence studies on the nucleotide binding domains of the P-glycoprotein multidrug transporter. 1997 , 36, 2836-43	83
1705	Steroid Receptor Interactions with Heat Shock Protein and Immunophilin Chaperones. 1997 , 18, 306-360	539
1704	An information-intensive approach to the molecular pharmacology of cancer. 1997 , 275, 343-9	1009

1703	catalytic sites. 1997 , 341, 160-9	35
1702	Effect of ATP binding cassette/multidrug resistance proteins on ATP efflux of Saccharomyces cerevisiae. 1997 , 230, 22-6	14
1701	Domain organization of murine mdr1b P-glycoprotein: the cytoplasmic linker region is a potential dimerization domain. 1997 , 230, 442-7	13
1700	Functional modulation of ATPase of P-glycoprotein by C219, a monoclonal antibody against P-glycoprotein. 1997 , 230, 398-401	23
1699	Expression of a non-MDR2-coded liver phosphatidylcholine membrane transport protein in Xenopus laevis oocytes. 1997 , 231, 277-82	2
1698	Unstable expression of the multi-drug-resistant phenotype in Chinese hamster ovary cells resistant to okadaic acid. 1997 , 232, 398-402	10
1697	Overexpression of a 40-kDa protein in human multidrug resistant cells. 1997 , 236, 483-8	7
1696	Reversal of heavy metal resistance in multidrug-resistant human KB carcinoma cells. 1997 , 236, 586-90	44
1695	Functional incorporation of P-glycoprotein into Xenopus oocyte plasma membrane fails to elicit a swelling-evoked conductance. 1997 , 237, 407-12	19
1694	The quinoline-based drug, N-[4-[1-hydroxy-2-(dibutylamino)ethyl] quinolin-8-yl]-4-azidosalicylamide, photoaffinity labels the multidrug resistance protein (MRP) at a biologically relevant site. 1997 , 241, 104-11	19
1693	Human canalicular multispecific organic anion transporter (cMOAT) is expressed in human lung, gastric, and colorectal cancer cells. 1997 , 240, 606-11	41
1692	Expression of genes of potential importance in the response to chemotherapy and DNA repair in patients with ovarian cancer. 1997 , 65, 130-7	48
1691	Natural functions of bacterial multidrug transporters. 1997 , 5, 309-13	80
1690	ATPase activity of P-glycoprotein related to emergence of drug resistance in Ehrlich ascites tumor cell lines. 1997 , 1361, 147-58	44
1689	Viral vectors for gene therapy of hematopoietic cells. 1997 , 3, 3-19	25
1688	Anti-cancer drugs and glutathione stimulate vanadate-induced trapping of nucleotide in multidrug resistance-associated protein (MRP). 1997 , 401, 11-4	93
1687	Membrane topology distinguishes a subfamily of the ATP-binding cassette (ABC) transporters. 1997 , 402, 1-3	190
1686	Evidence for a 65 kDa sulfonylurea receptor in rat pancreatic zymogen granule membranes. 1997 , 411, 255-9	11

1685	Amino acid substitutions in the first transmembrane domain (TM1) of P-glycoprotein that alter substrate specificity. 1997 , 413, 142-6	23
1684	Extensive cellular uptake into endothelial cells of an amphipathic beta-sheet forming peptide. 1997 , 415, 196-9	62
1683	Reconstitution of peptide-binding activity by TAP in proteoliposomes. 1997, 416, 353-8	4
1682	Photoaffinity labelling of P-glycoprotein catalytic sites. 1997 , 417, 119-22	21
1681	The ABC transporter Atm1p is required for mitochondrial iron homeostasis. 1997 , 418, 346-50	235
1680	Transport of glutathione prostaglandin A conjugates by the multidrug resistance protein 1. 1997 , 419, 112-6	114
1679	Primary sodium ion translocating enzymes. 1997 , 1318, 11-51	183
1678	Mobilization of iron from neoplastic cells by some iron chelators is an energy-dependent process. 1997 , 1320, 45-57	21
1677	Anthracyclines modulate multidrug resistance protein (MRP) mediated organic anion transport. 1997 , 1326, 12-22	50
1676	Purification of functional human P-glycoprotein expressed in Saccharomyces cerevisiae. 1997 , 1327, 107-18	19
1675	The functional purification of P-glycoprotein is dependent on maintenance of a lipid-protein interface. 1997 , 1328, 109-24	79
1674	Evidence for extensive and non-specific translocation of oligopeptides across plasma membranes of mammalian cells. 1997 , 1330, 50-60	12
1673	Effect of the P-glycoprotein inhibitor, SDZ PSC 833, on the blood and brain pharmacokinetics of colchicine. 1997 , 61, 153-63	48
1672	Structure-activity relationships of diverse Annonaceous acetogenins against multidrug resistant human mammary adenocarcinoma (MCF-7/Adr) cells. 1997 , 40, 2102-6	132
1671	Probing the chloroquine resistance locus of Plasmodium falciparum with a novel class of multidentate metal(III) coordination complexes. 1997 , 272, 6567-72	42
1670	Integrating genetic approaches into the discovery of anticancer drugs. 1997 , 278, 1064-8	577
1669	Overexpression of mdr2 gene by peroxisome proliferators in the mouse liver. 1997 , 26, 1331-9	39
1668	An homogeneous assay for measuring the uptake and efflux of radiolabelled drugs in adherent cells. 1997 , 34, 177-87	7

1667	Down-regulation of the mdr gene by thyroid hormone during Xenopus laevis development. 1997 , 129, 73-81	4
1666	Wild-type p53 gene increases MDR1 gene expression but decreases drug resistance in an MDR cell line KBV200. 1997 , 119, 177-84	22
1665	The Annonaceous acetogenin bullatacin is cytotoxic against multidrug-resistant human mammary adenocarcinoma cells. 1997 , 115, 73-9	121
1664	Involvement of heat shock factor in regulating transcriptional activation of MDR1 gene in multidrug-resistant cells. 1997 , 115, 9-14	26
1663	Modulation of P-glycoprotein activity by glial factors and retinoic acid in an immortalized rat brain microvessel endothelial cell line. 1997 , 236, 107-11	47
1662	Synovial sarcoma: immunohistochemical expression of P-glycoprotein and glutathione S transferase-pi and clinical drug resistance. 1997 , 193, 21-36	9
1661	Protein secretion by Gram-negative bacterial ABC exportersa review. 1997 , 192, 7-11	183
1660	CROC-1 encodes a protein which mediates transcriptional activation of the human FOS promoter. 1997 , 195, 141-9	37
1659	Genes encoding multiple drug resistance-like proteins in Aspergillus fumigatus and Aspergillus flavus. 1997 , 200, 11-23	100
1658	Cloning and characterization of the 5'-flanking sequence for the human DNA topoisomerase II beta gene. 1997 , 203, 113-9	10
1657	Management of listeriosis. 1997 , 10, 345-57	230
1656	Expression and characterization of DrrA and DrrB proteins of Streptomyces peucetius in Escherichia coli: DrrA is an ATP binding protein. 1997 , 179, 569-75	52
1655	Quinoline resistance mechanisms in Plasmodium falciparum: the debate goes on. 1997 , 114, 125-136	10
1654	Mutations in the sixth transmembrane domain of P-glycoprotein that alter the pattern of cross-resistance also alter sensitivity to cyclosporin A reversal. 1997 , 51, 922-30	27
1653	A new type of hazardous chemical: the chemosensitizers of multixenobiotic resistance. 1997 , 105 Suppl 4, 855-60	48
1652	P-glycoprotein function involves conformational transitions detectable by differential immunoreactivity. 1997 , 94, 12908-13	166
1651	Transepithelial transport of the fluoroquinolone ciprofloxacin by human airway epithelial Calu-3 cells. 1997 , 41, 2693-8	47
1650	Altered pHi regulation in 3T3/CFTR clones and their chemotherapeutic drug-selected derivatives. 1997 , 272, C1642-53	14

1649	Structure-activity relationships for xenobiotic transport substrates and inhibitory ligands of P-glycoprotein. 1997 , 105, 812-8	74
1648	Enhanced in vitro cytotoxicity of idarubicin compared to epirubicin and doxorubicin in rat prostate carcinoma cells. 1997 , 31, 365-70	3
1647	Cytokine Prestimulation as a Gene Therapy Strategy: Implications for Using the MDR1 Gene as a Dominant Selectable Marker. 1997 , 89, 146-154	33
1646	Selection for Drug Resistance Results in Resistance to Fas-Mediated Apoptosis. 1997 , 89, 1854-1861	152
1645	Characterization of a novel bisacridone and comparison with PSC 833 as a potent and poorly reversible modulator of P-glycoprotein. 1997 , 52, 948-57	17
1644	P-glycoprotein is positively correlated with p53 protein accumulation in human colorectal cancers. 1997 , 88, 738-42	16
1643	Mechanisms of multidrug transporters. 1997 , 21, 55-84	128
1642	Interaction of cyclosporin derivatives with the ATPase activity of human P-glycoprotein. 1997 , 122, 241-8	35
1641	The multi-drug resistance reversal agent SR33557 and modulation of vinca alkaloid binding to P-glycoprotein by an allosteric interaction. 1997 , 122, 765-71	62
1640	Multidrug resistancea multiplex phenomenon. 1997 , 3, 378-80	52
1639	Nuclear localization and increased levels of transcription factor YB-1 in primary human breast cancers are associated with intrinsic MDR1 gene expression. 1997 , 3, 447-50	349
1638	Effect of glucose transport inhibitors on vincristine efflux in multidrug-resistant murine erythroleukaemia cells overexpressing the multidrug resistance-associated protein (MRP) and two glucose transport proteins, GLUT1 and GLUT3. 1997 , 75, 161-8	20
1637	Reversion of multidrug resistance with polyalkylcyanoacrylate nanoparticles: towards a mechanism of action. 1997 , 76, 198-205	126
1636	Resistance to the new anti-cancer phospholipid ilmofosine (BM 41 440). 1997 , 76, 862-9	11
1635	Multidrug resistance-associated protein: a protein distinct from P-glycoprotein involved in cytotoxic drug expulsion. 1997 , 28, 639-45	62
1634	The transport and binding of taxol. 1997 , 29, 167-72	43
1633	Prodrug strategies to enhance the intestinal absorption of peptides. 1997 , 2, 148-155	38
1632	P-glycoprotein-mediated Hoechst 33342 transport out of the lipid bilayer. 1997 , 250, 115-21	98

1631	Differential stabilization of topoisomerase-II-DNA cleavable complexes by doxorubicin and etoposide in doxorubicin-resistant rat glioblastoma cells. 1997 , 245, 307-15	15
1630	Competitive and non-competitive inhibition of the multidrug-resistance-associated P-glycoprotein ATPasefurther experimental evidence for a multisite model. 1997 , 244, 664-73	109
1629	Up-regulation of P-glycoprotein expression in rat liver cells by acute doxorubicin treatment. 1997 , 246, 186-92	51
1628	Differential toxic effects of methamphetamine (METH) and methylenedioxymethamphetamine (MDMA) in multidrug-resistant (mdr1a) knockout mice. 1997 , 769, 340-6	45
1627	Oligonucleotides as modulators of cancer gene expression. 1997 , 74, 317-32	28
1626	Active efflux by multidrug transporters as one of the strategies to evade chemotherapy and novel practical implications of yeast pleiotropic drug resistance. 1997 , 76, 219-42	44
1625	Properties of volume-regulated anion channels in mammalian cells. 1997 , 68, 69-119	280
1624	P53 protein expression in human multidrug-resistant CEM lymphoblasts. 1997 , 21, 147-52	9
1623	The MRD1 (P-glycoprotein) and MRP (P-190) transporters do not play a major role in the intrinsic multiple drug resistance of Jurkat T lymphocytes. 1997 , 21, 743-52	4
1622	The MDR1 (P-glycoprotein) and MRP (P-190) transporters do not play a major role in the intrinsic multiple drug resistance of Jurkat T lymphocytes. 1997 , 21, 1077-86	11
1621	Quantification of P-glycoprotein in chronic lymphocytic leukemia by flow cytometry. 1997 , 21, 825-31	9
1620	Applications of the Caco-2 model in the design and development of orally active drugs: elucidation of biochemical and physical barriers posed by the intestinal epithelium. 1997 , 23, 77-98	138
1619	In vitro permeability of peptidomimetic drugs: The role of polarized efflux pathways as additional barriers to absorption. 1997 , 23, 143-156	20
1618	Intestinal secretion of drugs. The role of P-glycoprotein and related drug efflux systems in limiting oral drug absorption. 1997 , 25, 129-157	220
1617	Hepatobiliary elimination of cationic drugs: the role of P-glycoproteins and other ATP-dependent transporters. 1997 , 25, 159-200	55
1616	Renal secretion of xenobiotics mediated by P-glycoprotein: Importance to renal function in health and exploitation for targeted drug delivery to epithelial cysts in polycystic kidney disease. 1997 , 25, 243-256	10
1615	Altered expression and function of P-glycoprotein (170 kDa), encoded by the MDR 1 gene, in T cell subsets from aging humans. 1997 , 17, 448-54	39
1614	Multidrug transporters from bacteria to man: similarities in structure and function. 1997 , 8, 183-91	75

1613	ATP hydrolysis cycles and mechanism in P-glycoprotein and CFTR. 1997 , 8, 143-50	112
1612	Search for specific inhibitors of multidrug resistance in cancer. 1997 , 8, 171-82	47
1611	Function, evolution and structure of multidrug resistance protein (MRP). 1997 , 8, 193-204	137
1610	P-glycoprotein deficiency in a subpopulation of CF-1 mice enhances avermectin-induced neurotoxicity. 1997 , 143, 357-65	165
1609	Calcium-mediated signaling in plants: Calmodulin and Ca2+/calmodulin-dependent protein kinase. 1997 , 40, 190-197	7
1608	Protein secretion by gram-negative bacterial ABC exporters. 1997 , 42, 179-83	5
1607	Molecular Events as Targets of Anticancer Drug Therapy. 1997 , 3, 147-158	2
1606	Demethylation of the human MDR1 5' region accompanies activation of P-glycoprotein expression in a HL60 multidrug resistant subline. 1997 , 23, 391-400	37
1605	Multidrug resistance in Aspergillus nidulans involves novel ATP-binding cassette transporters. 1997 , 254, 417-26	100
1604	Idarubicin monotherapy in multiply pretreated leukemia patients: response in relation to P-glycoprotein expression. 1997 , 74, 57-64	11
1603	The potential of N-[2-(dimethylamino)ethyl]acridine-4-carboxamide to circumvent three multidrug-resistance phenotypes in vitro. 1997 , 39, 424-30	28
1602	Renal transporters for organic anions and organic cations. Structural requirements for substrates. 1997 , 158, 95-107	112
1601	The P-glycoprotein efflux pump: how does it transport drugs?. 1997 , 160, 161-75	354
1600	Inhibition of protein kinase C in multidrug-resistant cells by modulators of multidrug resistance. 1997 , 123, 201-10	15
1599	In vivo drug-selectable genes: a new concept in gene therapy. 1997 , 15, 104-11	37
1598	Multidrug resistance in androgen-independent growing rat prostate carcinoma cells is mediated by P-glycoprotein. 1997 , 25, 35-41	19
1597	Can prenylcysteines be exploited as ligands for mammalian multidrug-resistance transporters?. 1997 , 4, 711-5	1
1596	Simultaneous determination of cytotoxic (adriamycin, vincristine) and modulator of resistance (verapamil, S 9788) drugs in human cells by high-performance liquid chromatography and ultraviolet detection. 1997 , 691, 449-56	12

1595 CytomErie en image et chimiorEistance. 1997, 1997, 111-112

1594	Intermittent exposure to doxorubicin in vitro selects for multifactorial non-P-glycoprotein-associated multidrug resistance in RPMI 8226 human myeloma cells. 1997 , 97, 65-75	23
1593	Multidrug resistance in leukaemia. 1997 , 96, 659-74	63
1592	Regio- and diastereoselective dialkylation of (4S)-2,4-dimethyl-2,4-dihydro-1H-pirazino[2,1-b]quinazoline-3,6-dione. 1997 , 53, 16795-16802	15
1591	Extension of the Eschenmoser sulfide contraction/iminoester cyclization method to the synthesis of tolyporphin chromophore. 1997 , 38, 6811-6814	31
1590	Modulation of liver canalicular transport processes by the tyrosine-kinase inhibitor genistein: implications of genistein metabolism in the rat. 1997 , 26, 1467-76	60
1589	Enhanced sensitivity of P-glycoprotein-positive multidrug resistant tumor cells to complement-mediated lysis. 1997 , 27, 2204-11	11
1588	Renal cell carcinoma and normal kidney protein expression. 1997 , 18, 599-604	121
1587	Significance of ABC transporters in fungicide sensitivity and resistance. 1997 , 51, 271-275	77
1586	P-glycoprotein expression in cartilaginous tumors. 1997 , 65, 95-105	24
1585	Multidrug-resistant transport proteins in yeast: complete inventory and phylogenetic characterization of yeast open reading frames with the major facilitator superfamily. 1997 , 13, 43-54	113
1584	Analysis of a 35.6 kb region on the right arm of Saccharomyces cerevisiae chromosome XV. 1997 , 13, 73-83	2
1583	Differential expression of multidrug resistance gene product, P-glycoprotein, in normal, dysplastic and malignant oral mucosa in India. 1997 , 74, 128-33	20
1582	Annamycin circumvents resistance mediated by the multidrug resistance-associated protein (MRP) in breast MCF-7 and small-cell lung UMCC-1 cancer cell lines selected for resistance to etoposide. 1997 , 71, 35-41	15
1581	Evaluation of P-glycoprotein expression in human oral oncogenesis: correlation with clinicopathological features. 1997 , 72, 728-34	9
1580	Expression of the multidrug resistance-associated protein (MRP) and chemoresistance of human non-small-cell lung cancer cells. 1997 , 73, 84-93	59
1579	Identification of novel drug resistance-associated proteins by a panel of rat monoclonal antibodies. 1997 , 73, 249-57	18
1578	Evidence for reversal of multidrug resistance by quinine in LR73 cells without alteration of nuclear pirarubicin uptake and down-regulation of mdr1 gene expression. 1997 , 73, 600-6	7

1577	Role of P-170 glycoprotein in colchicine brain uptake. 1997 , 49, 80-88	25
1576	Role of intestinal P-glycoprotein (mdr1) in interpatient variation in the oral bioavailability of cyclosporine. 1997 , 62, 248-60	601
1575	P-glycoprotein is more efficient at limiting uptake than inducing efflux of colchicine and vinblastine in HL-60 cells. 1998 , 15, 712-8	11
1574	Jejunal absorption and metabolism of R/S-verapamil in humans. 1998 , 15, 856-62	81
1573	Transport characteristics of peptidomimetics. Effect of the pyrrolinone bioisostere on transport across Caco-2 cell monolayers. 1998 , 15, 719-25	19
1572	Characterization of P-glycoprotein mediated transport of K02, a novel vinylsulfone peptidomimetic cysteine protease inhibitor, across MDR1-MDCK and Caco-2 cell monolayers. 1998 , 15, 1520-4	33
1571	Reactivity of monoclonal antibody FC-2.15 against drug resistant breast cancer cells. Additive cytotoxicity of adriamycin and taxol with FC-2.15. 1998 , 47, 163-70	4
1570	Vinflunine (20',20'-difluoro-3',4'-dihydrovinorelbine), a novel Vinca alkaloid, which participates in P-glycoprotein (Pgp)-mediated multidrug resistance in vivo and in vitro. 1998 , 16, 3-17	58
1569	Molecular analysis of the multidrug transporter, P-glycoprotein. 1998 , 27, 31-60	23
1568	CFTR Cl- channel and CFTR-associated ATP channel: distinct pores regulated by common gates. EMBO Journal, 1998, 17, 898-908	109
1567	A possible role of multidrug resistance-associated protein (MRP) in basic fibroblast growth factor secretion by AIDS-associated Kaposi's sarcoma cells: a survival molecule?. 1998 , 18, 256-63	12
1566	Plasmodium and Leishmania: the role of mdr genes in mediating drug resistance. 1998 , 90, 135-41	24
1565	Haemonchus contortus: selection at a glutamate-gated chloride channel gene in ivermectin- and moxidectin-selected strains. 1998 , 90, 42-8	131
1564	The role of P-glycoprotein and canalicular multispecific organic anion transporter in the hepatobiliary excretion of drugs. 1998 , 87, 1025-40	85
1564 1563		85
	hepatobiliary excretion of drugs. 1998 , 87, 1025-40 Functional expression of P-glycoprotein in the hepatic canalicular membrane of developing rats.	
1563	hepatobiliary excretion of drugs. 1998, 87, 1025-40 Functional expression of P-glycoprotein in the hepatic canalicular membrane of developing rats. 1998, 87, 300-5 Role of P-glycoprotein and cytochrome P450 3A in limiting oral absorption of peptides and peptidomimetics. 1998, 87, 1322-30	10

1559	Inhibitory effects of a cyclosporin derivative, SDZ PSC 833, on transport of doxorubicin and vinblastine via human P-glycoprotein. 1998 , 89, 1220-8	46
1558	Interactions between P-glycoprotein substrates and other cationic drugs at the hepatic excretory level. 1998 , 123, 361-70	41
1557	Hepatobiliary and intestinal clearance of amphiphilic cationic drugs in mice in which both mdr1a and mdr1b genes have been disrupted. 1998 , 124, 416-24	65
1556	Complete in vivo reversal of P-glycoprotein pump function in the blood-brain barrier visualized with positron emission tomography. 1998 , 124, 1413-8	136
1555	Characterization of an MDR1 retroviral bicistronic vector for correction of X-linked severe combined immunodeficiency. 1998 , 5, 671-6	11
1554	Characterization of H+-ATPase-dependent activity of multidrug resistance-associated protein in homoharringtonine-resistant human leukemic K562 cells. 1998 , 12, 1539-44	18
1553	Comparative evaluation by semiquantitative reverse transcriptase polymerase chain reaction of MDR1, MRP and GSTp gene expression in breast carcinomas. 1998 , 77, 694-702	27
1552	Reversal of P-glycoprotein-mediated multidrug resistance by XR9051, a novel diketopiperazine derivative. 1998 , 78, 885-92	39
1551	2-Deoxy-D-glucose preferentially kills multidrug-resistant human KB carcinoma cell lines by apoptosis. 1998 , 78, 1464-70	37
1550	Characterisation of human steroid hormone transport mediated by Cdr1p, a multidrug transporter of Candida albicans, belonging to the ATP binding cassette super family. 1998 , 158, 69-74	54
1549	ATP-binding-cassette (ABC) transport systems: functional and structural aspects of the ATP-hydrolyzing subunits/domains. 1998 , 22, 1-20	390
1548	Synthesis of 5-N-acetylardeemin seco-analogues. 1998 , 54, 969-980	7
1547	S9788 modulation of P-glycoprotein- and Multidrug-related protein-mediated multidrug resistance by Servier 9788 in doxorubicin-resistant MCF7 cells. 1998 , 56, 497-502	16
1546	Enhancement of doxorubicin content by the antitumor drug lonidamine in resistant Ehrlich ascites tumor cells through modulation of energy metabolism. 1998 , 56, 841-9	47
1545	Chemical synthesis and biological properties of novel fluorescent antifolates in Pgp- and MRP-overexpressing tumour cell lines. 1998 , 56, 807-16	5
1544	PKC-independent modulation of multidrug resistance in cells with mutant (V185) but not wild-type (G185) P-glycoprotein by bryostatin 1. 1998 , 56, 861-9	31
1543	Phorbol ester-induced P-glycoprotein phosphorylation and functionality in the HTB-123 human breast cancer cell line. 1998 , 56, 709-18	12
1542	Direct binding of chloroquine to the multidrug resistance protein (MRP): possible role for MRP in chloroquine drug transport and resistance in tumor cells. 1998 , 56, 733-42	54

1541	Selective cytotoxicity of topoisomerase-directed protoberberines against glioblastoma cells. 1998 , 56, 1157-66	50
1540	Kinetics of anthracycline accumulation in multidrug-resistant tumor cells: relationship to drug lipophilicity and serum albumin binding. 1998 , 56, 1209-17	15
1539	Kinetic analysis in living cells of the inhibition of the P-glycoprotein-mediated efflux of anthracyclines by vinca alkaloids. 1998 , 114, 61-76	5
1538	The chemosensitizers of multixenobiotic resistance mechanism in aquatic invertebrates: a new class of pollutants. 1998 , 399, 43-53	76
1537	Interaction with P-glycoprotein and transport of erythromycin, midazolam and ketoconazole in Caco-2 cells. 1998 , 358, 289-94	110
1536	A comparison of the phenomenology and genetics of multidrug resistance in cancer cells and quinoline resistance in Plasmodium falciparum. 1998 , 77, 1-28	68
1535	4-Aminoquinolinespast, present, and future: a chemical perspective. 1998 , 77, 29-58	213
1534	Metabolism and drug interactions of 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors in transplant patients: are the statins mechanistically similar?. 1998 , 80, 1-34	185
1533	Ivermectin resistance in nematodes may be caused by alteration of P-glycoprotein homolog. 1998 , 91, 327-35	251
1532	Selection at a P-glycoprotein gene in ivermectin- and moxidectin-selected strains of Haemonchus contortus. 1998 , 95, 193-201	127
1531	Use of multidrug transporters as first lines of defense against toxins in aquatic organisms. 1998 , 120, 23-28	102
1530	Current status of stem cell therapy and prospects for gene therapy for the disorders of globin synthesis. 1998 , 11, 257-75	6
1529	Sequential Enterferon and tamoxifen: in-vitro reversal of MDR-1 mediated multidrug resistance in the MCF-7 cell line. 1998 , 7, 325-331	1
1528	Placental P-glycoprotein deficiency enhances susceptibility to chemically induced birth defects in mice. 1998 , 12, 457-63	255
1527	A method for studying plasma membrane transport with intact cells using computerized fluorometry. 1998 , 263, 221-31	15
1526	Interaction of doxorubicin with ATP: quantification of complexes and effect on its diffusion into DNA-loaded liposomesimplication for ATP-driven transport studies. 1998 , 263, 198-207	6
1525	Contribution of the murine mdr1a P-glycoprotein to hepatobiliary and intestinal elimination of cationic drugs as measured in mice with an mdr1a gene disruption. 1998 , 27, 1056-63	64
1524	Adenosine triphosphate-dependent transport of estradiol-17beta(beta-D-glucuronide) in membrane vesicles by MDR1 expressed in insect cells. 1998 , 28, 1371-7	54

1523	Development of an intrinsic P-glycoprotein-mediated doxorubicin resistance in quiescent cell layers of large, multicellular prostate tumor spheroids. 1998 , 75, 855-63	61
1522	Detection of P-glycoprotein in the Golgi apparatus of drug-untreated human melanoma cells. 1998 , 75, 885-93	46
1521	Drug binding to P-glycoprotein is inhibited in normal tissues following SDZ-PSC 833 treatment. 1998 , 76, 729-37	15
1520	Functional intracellular P-glycoprotein. 1998 , 76, 857-64	57
1519	P-glycoprotein-mediated methotrexate resistance in CCRF-CEM sublines deficient in methotrexate accumulation due to a point mutation in the reduced folate carrier gene. 1998 , 78, 176-81	32
1518	Annexin V-affinity assay: a review on an apoptosis detection system based on phosphatidylserine exposure. 1998 , 31, 1-9	1319
1517	Doxorubicin distribution in multicellular prostate cancer spheroids evaluated by confocal laser scanning microscopy and the "optical probe technique". 1998 , 31, 137-45	45
1516	Reference method for detection of Pgp mediated multidrug resistance in human hematological malignancies: a method validated by the laboratories of the French Drug Resistance Network. 1998 , 34, 248-56	45
1515	Assessment of chemosensitivity in patients with osteogenic sarcoma using the doxorubicin binding assay. 1998 , 68, 169-72	1
1514	Deletion of transmembrane domain 12 of CDR1, a multidrug transporter from Candida albicans, leads to altered drug specificity: expression of a yeast multidrug transporter in baculovirus expression system. 1998 , 14, 535-50	30
1513	Induction of mdr1b mRNA and P-glycoprotein expression by tumor necrosis factor alpha in primary rat hepatocyte cultures. 1998 , 176, 506-15	72
1512	Expression of manganese superoxide dismutase in esophageal and gastric cancers. 1998 , 33, 816-22	80
1511	Diagnostics of multidrug resistance in cancer. 1998 , 4, 251-7	38
1510	Isolation of a multidrug resistance inhibitor from Aconitum pseudo-laeve var. erectum. 1998 , 21, 344-7	15
1509	A new structural model for P-glycoprotein. 1998 , 166, 133-47	39
1508	Circumvention of P-glycoprotein-mediated multidrug resistance by S16020-2: kinetics of uptake and efflux in sensitive and resistant cell lines. 1998 , 42, 454-60	16
1507	[Treosulfan displays cytotoxic effect on spheroids of primary cell cultures of renal cell carcinoma independent of p-glycoprotein expression]. 1998 , 37, 367-71	1
1506	Induction of hepatic mrp2 (cmrp/cmoat) gene expression in nonhuman primates treated with rifampicin or tamoxifen. 1998 , 72, 763-8	64

1505	Dictyostelium discoideum cells shed vesicles with associated DNA and vital stain Hoechst 33342. 1998 , 54, 476-87	18
1504	Vilsmeier and Mannich reactions on (4S)-N2-substituted 4-methyl-2,4-dihydro-1H-pyrazino[2,1-b]quinazoline-3,6-diones. 1998 , 54, 2777-2784	15
1503	Tumor versus vascular photodamage in a rat tumor model. 1998 , 45, 25-7	6
1502	Stereochemical issues related to the synthesis of 7,10-dimethyl-7,10,16,16a-tetrahydro-11H-quinazolino[2?,3?:3,4]pyrazino[1,2-b]&arboline-5,8-diones. 1998, 9, 3115-3123	5
1501	Asymmetrically induced alkylation of 2-benzyl-4-isopropyl-2,4-dihydro-1H-pyrazino[2,1-b]quinazoline-3,6-dione. 1998 , 9, 4275-4284	9
1500	New taxanes as highly efficient reversal agents for multidrug resistance in cancer cells. 1998 , 8, 189-94	54
1499	Novel antineoplastic agents with efficacy against multidrug resistant tumor cells. 1998 , 8, 2653-6	56
1498	Synthesis and evaluation of paclitaxel C7 derivatives: solution phase synthesis of combinatorial libraries. 1998 , 8, 3181-6	23
1497	Newly synthesized dihydropyridine derivatives as modulators of P-glycoprotein-mediated multidrug resistance. 1998 , 6, 2219-27	26
1496	An ABC-transporter of Arabidopsis thaliana has both glutathione-conjugate and chlorophyll catabolite transport activity. 1998 , 13, 773-80	253
1495	Therapeutic concentrations of cyclosporine A, but not FK506, increase P-glycoprotein expression in endothelial and renal tubule cells. 1998 , 54, 1139-49	56
1494	Stress-activated signalling pathways in yeast. 1998 , 3, 485-98	126
1493	Yeast gene YRR1, which is required for resistance to 4-nitroquinoline N-oxide, mediates transcriptional activation of the multidrug resistance transporter gene SNQ2. 1998 , 29, 1307-15	59
1492	Characterization of a 76 kDa endosomal, multispanning membrane protein that is highly conserved throughout evolution. 1998 , 216, 311-8	46
1491	Drug resistance to topoisomerase II inhibitors. 1998 , 80, 247-54	35
1490	Doxorubicin induced expression of P-glycoprotein in a canine osteosarcoma cell line. 1998 , 126, 187-92	34
1489	Multidrug resistance genes (MRP) and MDR1 expression in small cell lung cancer xenografts: relationship with response to chemotherapy. 1998 , 130, 133-41	22
1488	Reversal of P-glycoprotein-mediated multidrug resistance in vitro by AV200, a new ardeemin derivative. 1998 , 132, 45-50	21

1487	The study of innate drug resistance of human hepatocellular carcinoma Bel7402 cell line. 1999 , 135, 97-105	65
1486	Novel cellular determinants for reversal of multidrug resistance in cells expressing P170-glycoprotein. 1998 , 1401, 265-76	3
1485	Quantitative assay by flow cytometry of the mitochondrial membrane potential in intact cells. 1998 , 1404, 393-404	208
1484	The activity of multixenobiotic resistance mechanism determined by rhodamine B-efflux method as a biomarker of exposure. 1998 , 46, 443-447	29
1483	Detection of a P-glycoprotein related pump in Chironomus larvae and its inhibition by verapamil and cyclosporin A. 1998 , 121, 443-50	49
1482	Evaluation of HLA-DR expression and T-lymphocyte infiltration in osteosarcoma. 1998 , 194, 679-84	39
1481	FROM VACUOLAR GS-X PUMPS TO MULTISPECIFIC ABC TRANSPORTERS. 1998 , 49, 727-760	261
1480	Multidrug ABC transporters from bacteria to man: an emerging hypothesis for the universality of molecular mechanism and function. 1998 , 1, 81-3	18
1479	Future perspectives for the development of P-glycoprotein modulators. 1998 , 1, 190-200	45
1478	ABC transporters in Leishmania and their role in drug resistance. 1998 , 1, 43-8	54
1477	Inhibitory effects of extracts from the marine alga Caulerpa taxifolia and of toxin from Caulerpa racemosa on multixenobiotic resistance in the marine sponge Geodia cydonium. 1998 , 5, 119-26	36
1476	Chemosensitizers of the multixenobiotic resistance in amorphous aggregates (marine snow): etiology of mass killing on the benthos in the Northern Adriatic?. 1998 , 6, 229-38	12
1475	Enhancement of chemotherapeutic drug toxicity to human tumour cells in vitro by a subset of non-steroidal anti-inflammatory drugs (NSAIDs). 1998 , 34, 1250-9	219
1474	Glucocorticoid-recognizing and -effector sites in rat liver plasma membrane. Kinetics of corticosterone uptake by isolated membrane vesicles. III. Specificity and stereospecificity. 1998 , 64, 69-82	30
1473	Dexamethasone and triamcinolone acetonide accumulation in mouse fibroblasts is differently modulated by the immunosuppressants cyclosporin A, FK506, rapamycin and their analogues, as well as by other P-glycoprotein ligands. 1998 , 66, 11-25	28
1472	Basis for selective action of a synthetic molting hormone agonist, RH-5992 on lepidopteran insects. 1998 , 28, 693-704	40
1471	A novel areneisonitrile Tc complex inhibits the transport activity of MDR P-glycoprotein. 1998 , 25, 225-32	11
1470	Effects of curcumin on P-glycoprotein in primary cultures of rat hepatocytes. 1998 , 62, 2349-58	79

1469	P-glycoprotein expression in acute kidney graft rejection. 1998 , 30, 2425-6	5
1468	Heat shock protein 72 expression in osteosarcomas correlates with good response to neoadjuvant chemotherapy. 1998 , 29, 1050-5	57
1467	Effects of cardiovascular drugs on ATPase activity of P-glycoprotein in plasma membranes and in purified reconstituted form. 1998 , 1369, 85-93	32
1466	Cloning of AtMRP1, an Arabidopsis thaliana cDNA encoding a homologue of the mammalian multidrug resistance-associated protein. 1998 , 1369, 7-13	12
1465	Secondary structure of P-glycoprotein investigated by circular dichroism and amino acid sequence analysis. 1998 , 1371, 317-34	19
1464	Non-equivalent cooperation between the two nucleotide-binding folds of P-glycoprotein. 1998 , 1373, 131-6	33
1463	Cellular uptake of an alpha-helical amphipathic model peptide with the potential to deliver polar compounds into the cell interior non-endocytically. 1998 , 1414, 127-39	326
1462	Identification of an ABC transporter gene that exhibits mRNA level overexpression in fluoroquinolone-resistant Mycobacterium smegmatis. 1998 , 425, 151-6	16
1461	Identification of a human mitochondrial ABC transporter, the functional orthologue of yeast Atm1p. 1998 , 441, 266-70	114
1460	Transactivation of the human MDR1 gene by hepatitis B virus X gene product. 1998 , 29, 872-8	11
1459	Human P-glycoprotein exhibits reduced affinity for substrates during a catalytic transition state. 1998 , 37, 5010-9	229
1458	In vivo model systems in P-glycoprotein-mediated multidrug resistance. 1998 , 35, 1-57	24
1457	Organic cation transporters in intestine, kidney, liver, and brain. 1998 , 60, 243-66	276
1456	Efflux pumps in bacteria: overview, clinical relevance, and potential pharmaceutical target. 1998 , 7, 199-217	15
1455	Use of cell-free systems to determine P-glycoprotein transmembrane topology. 1998 , 292, 279-89	
1454	Identification of the cyclosporin-binding site in P-glycoprotein. 1998 , 37, 18110-8	46
1453	Cyclic AMP stimulates the cyclic GMP egression pump in human erythrocytes: effects of probenecid, verapamil, progesterone, theophylline, IBMX, forskolin, and cyclic AMP on cyclic GMP uptake and association to inside-out vesicles. 1998 , 37, 1161-6	48
1452	Saccharomyces cerevisiae ABC proteins and their relevance to human health and disease. 1998 , 292, 130-62	78

P-glycoprotein shows strong catalytic cooperativity between the two nucleotide sites. 1998	8 , 37, 831-6 100
Structural and functional consequences of haloenol lactone inactivation of murine and hum glutathione S-transferase. 1998 , 37, 6752-9	nan 24
1449 Mechanism involved in generating the carboxyl-terminal half topology of P-glycoprotein. 19	998 , 37, 11996-2004 ₁ 1
Mutations in either nucleotide-binding site of P-glycoprotein (Mdr3) prevent vanadate trapported nucleotide at both sites. 1998 , 37, 4592-602	ping of
Synthesis, Molecular Structure, and Properties of a Neutral Schiff Base Phenolic Complex of Magnesium. 1998 , 37, 4740-4742	f 8
A new sesquiterpene ester from Celastrus orbiculatus reversing multidrug resistance in can cells. 1998 , 61, 108-11	ncer 49
1445 In vitro and in vivo drug interactions involving human CYP3A. 1998 , 38, 389-430	709
Residues in P-glycoprotein catalytic sites that react with the inhibitor 7-chloro-4-nitrobenzo-2-oxa-1,3-diazole. 1998 , 357, 121-5	11
1443 Bromocriptine modulates P-glycoprotein function. 1998 , 244, 481-8	28
Induction of multidrug resistance gene expression in rat liver cells in response to acute trea by the DNA-damaging agent methyl methanesulfonate. 1998 , 245, 85-9	atment 8
Resistance to apoptosis induced by topoisomerase I inhibitors in multidrug-resistant HL60 localist cells. 1998 , 245, 918-22	leukemic 17
1440 The mechanism of trans-activation of the MDR1 gene by human T-cell leukemia virus. 1998 ,	, 249, 397-404 6
A leukotriene receptor antagonist, ONO-1078, modulates drug sensitivity and leukotriene C in lung cancer cells expressing multidrug resistance protein. 1998 , 251, 307-12	C4 efflux
Isolation of a novel human canalicular multispecific organic anion transporter, cMOAT2/MRI its expression in cisplatin-resistant cancer cells with decreased ATP-dependent drug transporter and the contract of the contract o	
Contribution to substrate specificity and transport of nonconserved residues in transmemb domain 12 of human P-glycoprotein. 1998 , 37, 16400-9	orane 79
Identification of the domains of photoincorporation of the 3'- and 7-benzophenone analogue taxol in the carboxyl-terminal half of murine mdr1b P-glycoprotein. 1998 , 37, 11272-9	ues of 53
1435 Altered drug membrane permeability in a multidrug-resistant Leishmania tropica line. 1998	3 , 55, 131-9 70
Modulation of P-glycoprotein expression by cytochrome P450 3A inducers in male and fema livers. 1998 , 55, 387-95	ale rat

1433	Hexahydrocolupulone and its antitumor cell proliferation activity in vitro. 1998 , 55, 505-14	11
1432	Spectroscopic and biochemical characterisation of self-aggregates formed by antitumor drugs of the camptothecin family: their possible role in the unique mode of drug action. 1998 , 55, 1163-74	54
1431	Decreased drug accumulation without increased drug efflux in a novel MRP-overexpressing multidrug-resistant cell line. 1998 , 55, 1199-211	32
1430	The ability of verapamil to restore intracellular accumulation of anthracyclines in multidrug resistant cells depends on the kinetics of their uptake. 1998 , 343, 313-21	32
1429	HIV-1 protease inhibitors are substrates for the MDR1 multidrug transporter. 1998 , 37, 3594-601	453
1428	Molecular modeling of phenothiazines and related drugs as multidrug resistance modifiers: a comparative molecular field analysis study. 1998 , 41, 1815-26	92
1427	Photoaffinity labels for characterizing drug interaction sites of P-glycoprotein. 1998 , 292, 289-307	27
1426	Halogenated chalcones with high-affinity binding to P-glycoprotein: potential modulators of multidrug resistance. 1998 , 41, 4161-4	86
1425	Suppression of multidrug resistance via inhibition of heat shock factor by quercetin in MDR cells. 1998 , 30, 87-92	47
1424	Structural flexibility of the linker region of human P-glycoprotein permits ATP hydrolysis and drug transport. 1998 , 37, 13660-73	93
1423	Drug-stimulatable ATPase activity in crude membranes of human MDR1-transfected mammalian cells. 1998 , 292, 504-14	159
1422	In vivo characterization of the drug resistance profile of the major ABC transporters and other components of the yeast pleiotropic drug resistance network. 1998 , 4, 143-58	176
1421	Confocal scanning microspectrofluorometry reveals specific anthracyline accumulation in cytoplasmic organelles of multidrug-resistant cancer cells. 1998 , 46, 1369-76	26
1420	QacR is a repressor protein that regulates expression of the Staphylococcus aureus multidrug efflux pump QacA. 1998 , 273, 18665-73	146
1419	Regulation of the fission yeast transcription factor Pap1 by oxidative stress: requirement for the nuclear export factor Crm1 (Exportin) and the stress-activated MAP kinase Sty1/Spc1. 1998 , 12, 1453-63	235
1418	Candidacidal activity of salivary histatins. Identification of a histatin 5-binding protein on Candida albicans. 1998 , 273, 20438-47	157
1417	Minimal molecular determinants of substrates for recognition by the intestinal peptide transporter. 1998 , 273, 23211-8	117
1416	Monoclonal antibodies to P-glycoprotein: preparation and applications to basic and clinical research. 1998 , 292, 258-65	7

1415	Mode of action of torilin in multidrug-resistant cancer cell lines. 1998 , 64, 335-8	11
1414	Analogues of pyridoxal isonicotinoyl hydrazone (PIH) as potential iron chelators for the treatment of neoplasia. 1998 , 31, 47-60	23
1413	Dominant selection of hematopoietic progenitor cells with retroviral MDR1 co-expression vectors. 1998 , 9, 33-42	53
1412	Approaches to multidrug resistance reversal. 1998 , 7, 929-39	13
1411	Drug-stimulated nucleotide trapping in the human multidrug transporter MDR1. Cooperation of the nucleotide binding domains. 1998 , 273, 10132-8	75
1410	Cell and molecular mechanisms of pathogenesis and treatment of cancer. 1998 , 74, 77-88	3
1409	Defective acidification in human breast tumor cells and implications for chemotherapy. 1998 , 187, 1583-98	238
1408	Quality control by proteases in the endoplasmic reticulum. Removal of a protease-sensitive site enhances expression of human P-glycoprotein. 1998 , 273, 32373-6	45
1407	Herpes simplex virus inhibitor ICP47 destabilizes the transporter associated with antigen processing (TAP) heterodimer. 1998 , 273, 17386-90	50
1406	Wild-type p53-mediated induction of rat mdr1b expression by the anticancer drug daunorubicin. 1998 , 273, 15387-94	37
1405	Functional multidrug resistance protein (MRP1) lacking the N-terminal transmembrane domain. 1998 , 273, 32167-75	250
1404	Effects of ketoconazole on digoxin absorption and disposition in rat. 1998 , 56, 308-13	59
1403	Flavonoids: a class of modulators with bifunctional interactions at vicinal ATP- and steroid-binding sites on mouse P-glycoprotein. 1998 , 95, 9831-6	348
1402	Mechanism of action of human P-glycoprotein ATPase activity. Photochemical cleavage during a catalytic transition state using orthovanadate reveals cross-talk between the two ATP sites. 1998 , 273, 16631-4	103
1401	Divergent transcriptional control of multidrug resistance genes in Saccharomyces cerevisiae. 1998 , 273, 2098-104	38
1400	Biochemical coupling between the DrrA and DrrB proteins of the doxorubicin efflux pump of Streptomyces peucetius. 1998 , 273, 17933-9	41
1399	Human monocarboxylate transporter 2 (MCT2) is a high affinity pyruvate transporter. 1998 , 273, 28959-65	156
1398	Disruption studies of a Candida albicans gene, ELF1: a member of the ATP-binding cassette family. 1998 , 144 (Pt 8), 2311-2321	19

1397	Characterization of MOAT-C and MOAT-D, new members of the MRP/cMOAT subfamily of transporter proteins. 1998 , 90, 1735-41	151
1396	Purification and reconstitution of human P-glycoprotein. 1998 , 292, 492-504	30
1395	Differential expression and activity of P-glycoprotein and multidrug resistance-associated protein in CD34-positive KG1a leukemic cells. 1998 , 12, 315-9	2
1394	P-glycoprotein-mediated multidrug resistance is modulated by pretreatment with chemosensitizers in HCT-8 carcinoma cells in vitro. 1998 , 12, 1137-42	1
1393	Glutathione-related mechanisms in cellular resistance to anticancer drugs. 1998 , 12, 871-82	33
1392	Sequential overexpression of LRP and MRP but not P-gp 170 in VP16-selected A549 adenocarcinoma cells. 1998 , 13, 543-8	8
1391	Multiple drug resistance mediated by P-glycoprotein is not a major factor in a slow response to therapy in childhood ALL. 1998 , 15, 11-21	21
1390	Hyperthermia, cyclosporine A and melphalan cytotoxicity and transport in multidrug resistant cells. 1998 , 14, 583-8	7
1389	A physiologic function for p-glycoprotein (MDR-1) during the migration of dendritic cells from skin via afferent lymphatic vessels. 1998 , 95, 6924-9	212
1388	Reversal of anticancer multidrug resistance by the ardeemins. 1998 , 95, 8369-74	58
1387	Amplification and expression of the ABC transporters ARA and MRP in a series of multidrug-resistant leukaemia cell sublines. 1998 , 77, 2076-80	17
1386	Isolation of altered-function mutants and genetic suppressor elements of multidrug transporter P-glycoprotein by expression selection from retroviral libraries. 1998 , 292, 225-48	1
1385	Identification of drug interaction sites in P-glycoprotein. 1998 , 292, 307-17	7
1384	Baculovirus-mediated expression of human multidrug resistance cDNA in insect cells and functional analysis of recombinant P-glycoprotein. 1998 , 292, 427-41	10
1383	ATPase activity of Chinese hamster P-glycoprotein. 1998 , 292, 514-23	28
1382	Construction of MDR1 adeno-associated virus vectors for gene therapy. 1998 , 292, 538-45	1
1381	Cloning, transfer, and characterization of multidrug resistance protein. 1998 , 292, 594-607	2
1380	Phase II trial of dexverapamil and epirubicin in patients with non-responsive metastatic breast cancer. 1998 , 77, 1155-63	29

1379	The drug efflux protein, P-glycoprotein, additionally protects drug-resistant tumor cells from multiple forms of caspase-dependent apoptosis. 1998 , 95, 7024-9		299
1378	Identification of phosphorylation sites in human MDR1 P-glycoprotein. 1998 , 292, 328-42		4
1377	Mutations in the MDR3 gene cause progressive familial intrahepatic cholestasis. 1998, 95, 282-7		601
1376	Different mechanisms for suppression of apoptosis by cytokines and calcium mobilizing compounds. 1998 , 95, 4601-6		46
1375	pH regulation in sensitive and multidrug resistant Ehrlich ascites tumor cells. 1998 , 8, 138-50		18
1374	Regulation of transcription factor Pdr1p function by an Hsp70 protein in Saccharomyces cerevisiae. 1998 , 18, 1147-55		74
1373	P glycoprotein: a new mechanism to control drug-induced nephrotoxicity. 1998 , 6, 89-97		39
1372	In vivo selection of a population of Trypanosoma cruzi and clones resistant to benznidazole. 1998 , 116 (Pt 2), 165-71		52
1371	Functional analysis of pfmdr1 gene of Plasmodium falciparum. 1998 , 292, 174-81		8
1370	Multidrug resistance transporter P-glycoprotein has distinct but interacting binding sites for cytotoxic drugs and reversing agents. <i>Biochemical Journal</i> , 1998 , 333 (Pt 2), 351-8	3.8	132
1370 1369		3.8	132 79
	cytotoxic drugs and reversing agents. <i>Biochemical Journal</i> , 1998 , 333 (Pt 2), 351-8 Generation and TAP-mediated transport of peptides for major histocompatibility complex class I	3.8	
1369	cytotoxic drugs and reversing agents. <i>Biochemical Journal</i> , 1998 , 333 (Pt 2), 351-8 Generation and TAP-mediated transport of peptides for major histocompatibility complex class I molecules. 1998 , 68, 191-256 Photoaffinity labeling of human P-glycoprotein: effect of modulator interaction and ATP hydrolysis	3.8	79
1369 1368	cytotoxic drugs and reversing agents. <i>Biochemical Journal</i> , 1998 , 333 (Pt 2), 351-8 Generation and TAP-mediated transport of peptides for major histocompatibility complex class I molecules. 1998 , 68, 191-256 Photoaffinity labeling of human P-glycoprotein: effect of modulator interaction and ATP hydrolysis on substrate binding. 1998 , 292, 318-28 Yeast secretory vesicle system for expression and functional characterization of P-glycoproteins.	3.8	79
1369 1368 1367	Cytotoxic drugs and reversing agents. <i>Biochemical Journal</i> , 1998 , 333 (Pt 2), 351-8 Generation and TAP-mediated transport of peptides for major histocompatibility complex class I molecules. 1998 , 68, 191-256 Photoaffinity labeling of human P-glycoprotein: effect of modulator interaction and ATP hydrolysis on substrate binding. 1998 , 292, 318-28 Yeast secretory vesicle system for expression and functional characterization of P-glycoproteins. 1998 , 292, 382-96	3.8	79 14 5
1369 1368 1367 1366	Ceneration and TAP-mediated transport of peptides for major histocompatibility complex class I molecules. 1998, 68, 191-256 Photoaffinity labeling of human P-glycoprotein: effect of modulator interaction and ATP hydrolysis on substrate binding. 1998, 292, 318-28 Yeast secretory vesicle system for expression and functional characterization of P-glycoproteins. 1998, 292, 382-96 Toward understanding the assembly and structure of KATP channels. 1998, 78, 227-45	3.8	79 14 5 519
1369 1368 1367 1366	Generation and TAP-mediated transport of peptides for major histocompatibility complex class I molecules. 1998, 68, 191-256 Photoaffinity labeling of human P-glycoprotein: effect of modulator interaction and ATP hydrolysis on substrate binding. 1998, 292, 318-28 Yeast secretory vesicle system for expression and functional characterization of P-glycoproteins. 1998, 292, 382-96 Toward understanding the assembly and structure of KATP channels. 1998, 78, 227-45 Gene Therapy and Pancreatic Cancer. 1998, 7, 217-249 Swelling-activated chloride currents in a drug-sensitive cell line and a P glycoprotein-expressing	3.8	79 14 5 519 9

1361	Identification of the synthetic surfactant nonylphenol ethoxylate: a P-glycoprotein substrate in human urine. 1998 , 274, F1127-39	6
1360	Enhanced MDR1 Gene Expression in Human T-Cell Leukemia Virus-I I hfected Patients Offers New Prospects for Therapy. 1998 , 91, 2467-2474	28
1359	Expression of Proteins Controlling Transbilayer Movement of Plasma Membrane Phospholipids in the B Lymphocytes From a Patient With Scott Syndrome. 1998 , 92, 1707-1712	49
1358	Inhibition of P-Glycoprotein and Recovery of Drug Sensitivity of Human Acute Leukemic Blast Cells by Multidrug Resistance Gene (mdr1) Antisense Oligonucleotides. 1998 , 91, 3163-3171	47
1357	MDR1 in taste buds of rat vallate papilla: functional, immunohistochemical, and biochemical evidence. 1998 , 274, C182-91	39
1356	Molecular cloning and functional analysis of a novel tetracycline resistance determinant, tet(V), from Mycobacterium smegmatis. 1998 , 42, 1931-7	51
1355	Antifungal agents: mode of action, mechanisms of resistance, and correlation of these mechanisms with bacterial resistance. 1999 , 12, 501-17	1113
1354	Isolation of cDNAs encoding cellular drug-binding proteins using a novel expression cloning procedure: drug-western. 1999 , 55, 356-63	27
1353	Antifungal activities of antineoplastic agents: Saccharomyces cerevisiae as a model system to study drug action. 1999 , 12, 583-611	91
1352	Textural analysis of nuclear mitotic apparatus antigen (NuMA) spatial distribution in interphase nuclei from human drug-resistant CEM lymphoblasts. 1999 , 18, 175-81	4
1351	Cisplatin induces renal expression of P-glycoprotein and canalicular multispecific organic anion transporter. 1999 , 277, F832-40	26
1350	The human multidrug resistance P-glycoprotein is inactive when its maturation is inhibited: potential for a role in cancer chemotherapy. 1999 , 13, 1724-32	80
1349	Drug extrusion, 125I- efflux and the control of intracellular [Ca2+] in drug-resistant ovarian epithelial cells. 1999 , 84, 285-297	2
1348	In vivo selection of genetically modified bone marrow cells. 1999 , 36, 162-71	2
1347	P-Glycoprotein Protects Leukemia Cells Against Caspase-Dependent, but not Caspase-Independent, Cell Death. 1999 , 93, 1075-1085	273
1346	Treatment of Refractory and Relapsed Acute Myelogenous Leukemia With Combination Chemotherapy Plus the Multidrug Resistance Modulator PSC 833 (Valspodar). 1999 , 93, 787-795	140
1345	Relationship between P-glycoprotein expression and p53 status in high-grade osteosarcoma. 1999 , 14, 301-7	10
1344	Calpain inhibitor causes accumulation of ubiquitinated P-glycoprotein at the cell surface: possible role of calpain in P-glycoprotein turnover. 1999 , 15, 677-86	8

1343	Thyroid hormone export in rat FRTL-5 thyroid cells and mouse NIH-3T3 cells is carrier-mediated, verapamil-sensitive, and stereospecific. 1999 , 140, 4948-54	13
1342	Reversal of multidrug resistance by kopsiflorine isolated from Kopsia dasyrachis. 1999 , 65, 307-10	13
1341	Molecular biology of adenosine triphosphate-sensitive potassium channels. 1999 , 20, 101-35	488
1340	Increased expression of multidrug resistance related proteins Pgp, MRP1, and LRP/MVP occurs early in colorectal carcinogenesis. 1999 , 52, 450-4	39
1339	Intracellular pH and multidrug resistance regulate complement-mediated cytotoxicity of nucleated human cells. 1999 , 274, 10877-88	41
1338	The yeast multidrug resistance pump, Pdr5p, confers reduced drug resistance in erg mutants of Saccharomyces cerevisiae. 1999 , 145 (Pt 4), 809-818	73
1337	Cellular uptake of chloroquine is dependent on binding to ferriprotoporphyrin IX and is independent of NHE activity in Plasmodium falciparum. 1999 , 145, 363-76	143
1336	Reactive oxygen species participate in mdr1b mRNA and P-glycoprotein overexpression in primary rat hepatocyte cultures. 1999 , 20, 407-14	100
1335	Cmdr1, a chicken P-glycoprotein, confers multidrug resistance and interacts with estradiol. 1999 , 380, 231-41	22
1334	Multidrug resistance protein MRP1, glutathione, and related enzymes. Their importance in acute myeloid leukemia. 1999 , 457, 187-98	21
1333	Epitope mapping of the monoclonal antibody MM12.10 to external MDR1 P-glycoprotein domain by synthetic peptide scanning and phage display technologies. 1999 , 380, 553-9	4
1332	Extended Abstracts. 1999 , 27, 708-724	
1331	Modulation of multidrug resistance (MDR) in hematological malignancies. 1999 , 10, S53-S60	19
1330	Use of a peptide mimotope to guide the humanization of MRK-16, an anti-P-glycoprotein monoclonal antibody. 1999 , 274, 27371-8	6
1329	Sp1 and egr-1 have opposing effects on the regulation of the rat Pgp2/mdr1b gene. 1999 , 274, 3199-206	46
1328	Cloning, expression, and cellular localization of a human prenylcysteine lyase. 1999 , 274, 35802-8	28
1327	Retroviral-mediated transfer and expression of the multidrug resistance protein 1 gene (MRP1) protect human hematopoietic cells from antineoplastic drugs. 1999 , 8, 503-14	5
1326	Retroviral transfer of human MDR1 gene to hematopoietic cells: effects of drug selection and of transcript splicing on expression of encoded P-glycoprotein. 1999 , 10, 2173-85	16

1325	A first-generation packaging cell line for Epstein-Barr virus-derived vectors. 1999 , 96, 5188-93	63
1324	Inhibition of P-glycoprotein by cyclosporin A analogues and metabolites. 1999 , 77, 47-58	19
1323	Selection of keratinocytes transduced with the multidrug resistance gene in an in vitro skin model presents a strategy for enhancing gene expression in vivo. 1999 , 10, 2811-21	32
1322	Bioenergetics of the staphylococcal multidrug export protein QacA. Identification of distinct binding sites for monovalent and divalent cations. 1999 , 274, 3541-8	78
1321	Casein kinase I-dependent phosphorylation and stability of the yeast multidrug transporter Pdr5p. 1999 , 274, 37139-46	41
1320	Expression of glucosylceramide synthase, converting ceramide to glucosylceramide, confers adriamycin resistance in human breast cancer cells. 1999 , 274, 1140-6	213
1319	Choroid plexus epithelial expression of MDR1 P glycoprotein and multidrug resistance-associated protein contribute to the blood-cerebrospinal-fluid drug-permeability barrier. 1999 , 96, 3900-5	479
1318	A mammalian lysosomal membrane protein confers multidrug resistance upon expression in Saccharomyces cerevisiae. 1999 , 274, 12877-82	36
1317	Selective, covalent modification of beta-tubulin residue Cys-239 by T138067, an antitumor agent with in vivo efficacy against multidrug-resistant tumors. 1999 , 96, 5686-91	150
1316	Tissue and cell distribution of the multidrug resistance-associated protein (MRP) in mouse intestine and kidney. 1999 , 47, 757-68	124
1316 1315		124
	and kidney. 1999 , 47, 757-68	
1315	and kidney. 1999 , 47, 757-68 Mechanism of action of P-glycoprotein in relation to passive membrane permeation. 1999 , 190, 175-250 Multidrug resistance (MDR1) P-glycoprotein enhances esterification of plasma membrane	64
1315	and kidney. 1999 , 47, 757-68 Mechanism of action of P-glycoprotein in relation to passive membrane permeation. 1999 , 190, 175-250 Multidrug resistance (MDR1) P-glycoprotein enhances esterification of plasma membrane cholesterol. 1999 , 274, 6979-91 Characterization of the 70-kDa peroxisomal membrane protein, an ATP binding cassette	64 90
1315 1314 1313	Mechanism of action of P-glycoprotein in relation to passive membrane permeation. 1999, 190, 175-250 Multidrug resistance (MDR1) P-glycoprotein enhances esterification of plasma membrane cholesterol. 1999, 274, 6979-91 Characterization of the 70-kDa peroxisomal membrane protein, an ATP binding cassette transporter. 1999, 274, 11968-76 Large scale purification of detergent-soluble P-glycoprotein from Pichia pastoris cells and characterization of nucleotide binding properties of wild-type, Walker A, and Walker B mutant	649066
1315 1314 1313 1312	Mechanism of action of P-glycoprotein in relation to passive membrane permeation. 1999, 190, 175-250 Multidrug resistance (MDR1) P-glycoprotein enhances esterification of plasma membrane cholesterol. 1999, 274, 6979-91 Characterization of the 70-kDa peroxisomal membrane protein, an ATP binding cassette transporter. 1999, 274, 11968-76 Large scale purification of detergent-soluble P-glycoprotein from Pichia pastoris cells and characterization of nucleotide binding properties of wild-type, Walker A, and Walker B mutant proteins. 1999, 274, 34711-8 A totally stereocontrolled route to N-methyl-Elamino-Ehydroxy acids: Asymmetric synthesis of the	64 90 66 123
1315 1314 1313 1312	Mechanism of action of P-glycoprotein in relation to passive membrane permeation. 1999, 190, 175-250 Multidrug resistance (MDR1) P-glycoprotein enhances esterification of plasma membrane cholesterol. 1999, 274, 6979-91 Characterization of the 70-kDa peroxisomal membrane protein, an ATP binding cassette transporter. 1999, 274, 11968-76 Large scale purification of detergent-soluble P-glycoprotein from Pichia pastoris cells and characterization of nucleotide binding properties of wild-type, Walker A, and Walker B mutant proteins. 1999, 274, 34711-8 A totally stereocontrolled route to N-methyl-Emino-Ehydroxy acids: Asymmetric synthesis of the amino acid component of hapalosin. 1999, 40, 9309-9312 Reversal of P-glycoprotein mediated multidrug resistance by novel anthranilamide derivatives.	64 90 66 123

Multidrug resistance modifies polyamines uptake in P388 murine lymphoma cells: experimental 1307 and modeling approach. 1999, 77, 161-71 Altered drug sensitivity in response to idarubicin treatment in K562 human leukaemia cells. 1999, 1306 9 106.86-91 Multidrug resistance in oncology: diagnostic and therapeutic approaches. 1999, 29, 536-45 46 Crystallization and preliminary X-ray analysis of the bacterial ATP-binding-cassette (ABC) protein 1304 7 MalK. 1999, 55, 285-6 1303 Co-operating ATP sites in the multiple drug resistance transporter Mdr1. 1999, 265, 54-63 15 Co-operative binding sites for transported substrates in the multiple drug resistance transporter 27 Mdr1. 1999, 265, 64-70 lodomycin and iodipine, a structural analogue of azidopine, bind to a common domain in hamster 1301 13 P-glycoprotein. 1999, 264, 800-5 Synthesis and biological activity of 4-alkoxy chalcones: potential hydrophobic modulators of 1300 65 P-glycoprotein-mediated multidrug resistance. 1999, 7, 2691-5 1299 Synthesis of tryptophan-dehydrobutyrine diketopiperazines and analogues. 1999, 55, 1173-1186 15 P-glycoprotein expression is not a useful predictor of acute or chronic kidney graft rejection. 1999, 1298 11 12, 10-17 Simultaneous investigation of indinavir nonlinear pharmacokinetics and bioavailability in healthy volunteers using stable isotope labeling technique: study design and model-independent data 1297 28 analysis. 1999, 88, 568-73 Drug Extrusion, 125IEfflux and the Control of Intracellular [Ca2+] in Drug-Resistant Ovarian 1296 Epithelial Cells. 1999, 84, 285-297 Cyclosporin A and trifluoperazine, two resistance-modulating agents, increase ivermectin 1295 32 neurotoxicity in mice. 1999, 84, 125-9 Multidrug resistance and retroviral transduction potential in human small cell lung cancer cell lines. **1999**, 107, 851-8 Etoposide-induced DNA strand breaks in relation to p-glycoprotein and topoisomerase II protein 1293 14 expression in leukaemic cells from patients with AML and CLL. 1999, 105, 420-427 1292 Interaction of docetaxel ("Taxotere") with human P-glycoprotein. 1999, 90, 1380-6 60 1291 Bicistronic retroviral vectors for combining myeloprotection with cell-surface marking. 1999, 6, 1222-30 25 A novel dual function retrovirus expressing multidrug resistance 1 and O6-alkylguanine-DNA-alkyltransferase for engineering resistance of haemopoietic progenitor cells 1290 33 to multiple chemotherapeutic agents. 1999, 6, 1489-93

1289	Cytotoxic drugs and the CD95 pathway. 1999 , 13, 1854-8	177
1288	The expression of P-glycoprotein is causally related to a less aggressive phenotype in human osteosarcoma cells. 1999 , 18, 739-46	29
1287	Selective inhibition of MDR1 P-glycoprotein-mediated transport by the acridone carboxamide derivative GG918. 1999 , 79, 1053-60	47
1286	Dual mechanism of daunorubicin-induced cell death in both sensitive and MDR-resistant HL-60 cells. 1999 , 79, 1090-7	24
1285	In vivo efficacy of XR9051, a potent modulator of P-glycoprotein mediated multidrug resistance. 1999 , 79, 1672-8	19
1284	Regulation and expression of multidrug resistance (MDR) transcripts in the intestinal epithelium. 1999 , 80, 1123-31	17
1283	MOAT-E (ARA) is a full-length MRP/cMOAT subfamily transporter expressed in kidney and liver. 1999 , 80, 1342-9	342
1282	Potent interaction of flavopiridol with MRP1. 1999 , 81, 269-76	62
1281	The acridonecarboxamide GF120918 potently reverses P-glycoprotein-mediated resistance in human sarcoma MES-Dx5 cells. 1999 , 81, 942-51	34
1280	ATP- and glutathione-dependent transport of chemotherapeutic drugs by the multidrug resistance protein MRP1. 1999 , 126, 681-8	212
1279	Role of blood-brain barrier P-glycoprotein in limiting brain accumulation and sedative side-effects of asimadoline, a peripherally acting analgaesic drug. 1999 , 127, 43-50	90
1278	The role of P-glycoprotein in blood-brain barrier transport of morphine: transcortical microdialysis studies in mdr1a (-/-) and mdr1a (+/+) mice. 1999 , 128, 563-8	168
1277	Unexpected effect of verapamil on oral bioavailability of the beta-blocker talinolol in humans. 1999 , 65, 283-90	42
1276	Inheritance and Mechanisms of Resistance to Anilinopyrimidine Fungicides in Botrytis Cinerea (Botryotinia Fuckeliana). 1999 , 64, 85-100	77
1275	Kinetics of doxorubicin handling in the LLC-PK1 kidney epithelial cell line is mediated by both vesicle formation and P-glycoprotein drug transport. 1999 , 31, 635-43	18
1274	Inhibition of P-glycoprotein by D-alpha-tocopheryl polyethylene glycol 1000 succinate (TPGS). 1999 , 16, 1550-6	334
1273	Evidence for different ABC-transporters in Caco-2 cells modulating drug uptake. 1999 , 16, 402-7	97
1272	Interrelationship between substrates and inhibitors of human CYP3A and P-glycoprotein. 1999 , 16, 408-14	340

Epithelial transport of anthelmintic ivermectin in a novel model of isolated proximal kidney tubules. 1999 , 16, 1570-5		29
1270 Role of an ABC importer in mycobacterial drug resistance. 1999 , 19, 293-300		14
Mechanisms of altered sequestration and efflux of chemotherapeutic drugs by multidrug-resistant cells. 1999 , 15, 91-100		43
1268 Single cell model for simultaneous drug delivery and efflux. 1999 , 27, 208-18		2
Molecular interactions in ribose transport: the binding protein module symmetrically associates with the homodimeric membrane transporter. <i>EMBO Journal</i> , 1999 , 18, 4149-56	13	23
1266 Solution structure of iron(III)-anthracycline complexes. 1999 , 42, 2844-51		28
Biochemical, cellular, and pharmacological aspects of the multidrug transporter. 1999 , 39, 361-98		1787
P-glycoprotein-expressing tumor cells are resistant to anticancer drugs in human gastrointestinal cancer. 1999 , 29, 591-6		10
Molecular pharmacology of organic cation transporters in kidney. 1999 , 167, 103-17		129
1262 Visualization of multidrug resistance in vivo. 1999 , 26, 283-93		111
Induction of P-glycoprotein expression in astrocytes following intracerebroventricular kainate injections. 1999 , 126, 509-16		81
1260 [Apoptosiswhat is it? Significance in coronary heart disease and myocardial infarct]. 1999 , 24, 196-210)	3
Pharmacological issues relating to viral resistance. 1999 , 27 Suppl 2, S42-4		9
1258 Drug secretion systems in renal tubular cells: functional models and molecular identity. 1999 , 13, 980-8	3	10
P-glycoprotein inhibition by glibenclamide and related compounds. 1999 , 437, 652-60		99
Effects of the multidrug-resistance-reversing agents verapamil and CL 347,099 on the efficacy of ivermectin or moxidectin against unselected and drug-selected strains of Haemonchus contortus in jirds (Meriones unguiculatus). 1999 , 85, 1007-11		79
1255 An overview of chemotherapeutic targets for antimalarial drug discovery. 1999 , 81, 91-110		109
1254 Characterization of drug-resistant cell lines by comparative genomic hybridization. 1999 , 111, 32-6		14

1253	Intestinal MDR transport proteins and P-450 enzymes as barriers to oral drug delivery. 1999 , 62, 25-31	250
1252	Role of ceruloplasmin and ascorbate in cellular iron release. 1999 , 134, 454-65	54
1251	Blood-brain barrier permeability to small and large molecules. 1999 , 36, 145-163	71
1250	P-Glycoprotein, a gatekeeper in the blood-brain barrier. 1999 , 36, 179-194	719
1249	Utilization of metabolic, transport and receptor-mediated processes to deliver agents for cancer diagnosis. 1999 , 37, 189-211	18
1248	The biochemical basis of arsenical-diamidine crossresistance in African trypanosomes. 1999 , 15, 136-40	132
1247	Plasmalemmal pH-gradients in drug-sensitive and drug-resistant MCF-7 human breast carcinoma xenografts measured by 31P magnetic resonance spectroscopy. 1999 , 57, 309-12	88
1246	Sister of P-glycoprotein expression in different tissues. 1999 , 57, 833-5	39
1245	pH and drug resistance. II. Turnover of acidic vesicles and resistance to weakly basic chemotherapeutic drugs. 1999 , 57, 1047-58	111
1244	pH and drug resistance. I. Functional expression of plasmalemmal V-type H+-ATPase in drug-resistant human breast carcinoma cell lines. 1999 , 57, 1037-46	123
1243	HIV protease inhibitor ritonavir: a more potent inhibitor of P-glycoprotein than the cyclosporine analog SDZ PSC 833. 1999 , 57, 1147-52	150
1242	Characterization of a chlorambucil-resistant human ovarian carcinoma cell line overexpressing glutathione S-transferase mu. 1999 , 58, 693-702	50
1241	Structure-activity relationship studies of propafenone analogs based on P-glycoprotein ATPase activity measurements. 1999 , 58, 1447-56	75
1240	Differential phosphorylation of sites in the linker region of P-glycoprotein by protein kinase C isozymes alpha, betal, betall, gamma, delta, epsilon, eta, and zeta. 1999 , 58, 1587-92	17
1239	Mechanism of inhibition of P-glycoprotein-mediated drug transport by protein kinase C blockers. 1999 , 58, 1723-33	34
1238	P-Glycoprotein on astrocyte foot processes of unfixed isolated human brain capillaries. 1999 , 819, 143-6	89
1237	Characterization of the efflux of the organic cation MPP+ in cultured rat hepatocytes. 1999 , 379, 211-8	7
1236	Docetaxel in combination with epirubicin in metastatic breast cancer: pharmacokinetic interactions. 1999 , 54, 733-9	20

1235	Functional analysis of P-glycoprotein and multidrug resistance associated protein related multidrug resistance in AML-blasts. 1999 , 23, 467-75	14
1234	Role of organelle pH in tumor cell biology and drug resistance. 1999 , 4, 32-38	57
1233	Membrane fluidization by ether, other anesthetics, and certain agents abolishes P-glycoprotein ATPase activity and modulates efflux from multidrug-resistant cells. 1999 , 259, 18-24	123
1232	Hepatic sequestration and modulation of the canalicular transport of the organic cation, daunorubicin, in the Rat. 1999 , 29, 483-93	21
1231	Lysosomotropic agents increase vinblastine efflux from mouse MDR proximal kidney cells exhibiting vectorial drug transport. 1999 , 178, 247-57	12
1230	A novel hypothesis for the mechanism of action of P-glycoprotein as a multidrug transporter. 1999 , 25, 1-13	18
1229	Effects of paclitaxel on the growth of normal, polyposis, and cancerous human colonic epithelial cells. 1999 , 85, 1454-1464	16
1228	Multidrug resistance modulators and doxorubicin synergize to elevate ceramide levels and elicit apoptosis in drug-resistant cancer cells. 1999 , 86, 300-11	65
1227	Characterization of intracellular pH gradients in human multidrug-resistant tumor cells by means of scanning microspectrofluorometry and dual-emission-ratio probes. 1999 , 81, 81-9	38
1226	The multidrug resistance-associated protein (MRP) is over-expressed and functional in rat hepatoma cells. 1999 , 81, 479-85	19
1225	Tumor-specific expression of anti-mdr1 ribozyme selectively restores chemosensitivity in multidrug-resistant colon-adenocarcinoma cells. 1999 , 82, 346-52	26
1224	How shall we apply the new biology to diagnostics in surgical pathology?. 1999 , 187, 147-54	18
1223	Drug disposition as determined by the interplay between drug-transporting and drug-metabolizing systems. 1999 , 13, 219-22	27
1222	Using countercurrent chromatography to assist in the purification of new Annonaceous acetogenins from Annona squamosa. 1999 , 10, 339-347	7
1221	Totalsynthese des (+)-Tolyporphin-A-O,O-diacetats mit der vorgeschlagenen Struktur. 1999 , 111, 972-975	6
1220	A single amino acid residue contributes to distinct mechanisms of inhibition of the human multidrug transporter by stereoisomers of the dopamine receptor antagonist flupentixol. 1999 , 38, 6630-9	54
1219	Parasitic Fungi and their Interactions with the Insect Immune System. 1999 , 267-313	77
1218	New natural sesquiterpenes as modulators of daunomycin resistance in a multidrug-resistant Leishmania tropica line. 1999 , 42, 4388-93	60

1217	Altered expression of the xenobiotic transporter P-glycoprotein in liver and liver tumours of mummichog Fundulus heteroclitus from a creosote-contaminated environment. 1999 , 4, 48-58	50
1216	Restrictive use of detergents in the functional reconstitution of the secondary multidrug transporter LmrP. 1999 , 38, 1002-8	60
1215	Recent advances in the medicinal chemistry of taxoid anticancer agents. 1999 , 69-124	23
1214	Altered binding of chloroquine to ferriprotoporphyrin IX is the basis for chloroquine resistance. 1999 , 2, 97-103	4
1213	Physiology and molecular genetics of multidrug resistance in Entamoeba histolytica. 1999 , 2, 188-197	8
1212	Lipid translocation across the plasma membrane of mammalian cells. 1999 , 1439, 317-30	314
1211	Expression of multidrug resistance-associated protein in endometrial carcinomas: correlation with clinicopathology and prognosis. 1999 , 3, 81-7	12
1210	Tuberous sclerosis associated with MDR1 gene expression and drug-resistant epilepsy. 1999 , 21, 731-4	94
1209	Expression of atrC - encoding a novel member of the ATP binding cassette transporter family in Aspergillus nidulans - is sensitive to cycloheximide. 1999 , 1453, 304-10	19
1208	The effect of inhibitors of multixenobiotic resistance mechanism on the production of mutagens by Dreissena polymorpha in waters spiked with premutagens. 1999 , 47, 107-116	15
1207	Correlation between the kinetics of anthracycline uptake and the resistance factor in cancer cells expressing the multidrug resistance protein or the P-glycoprotein. 1999 , 1450, 374-84	37
1206	TRAG-3, a novel gene, isolated from a taxol-resistant ovarian carcinoma cell line. 1999 , 229, 75-81	68
1205	The in vivo effect of the administration of resistance-modulating agents on rhodamine 123 distribution in mice thymus and lymph nodes. 1999 , 137, 99-106	6
1204	Anti-psychotic drugs reverse multidrug resistance of tumor cell lines and human AML cells ex-vivo. 1999 , 139, 115-9	53
1203	Inhibition of multidrug resistance-associated protein (MRP) activity by rifampicin in human multidrug-resistant lung tumor cells. 1999 , 139, 97-104	25
1202	Reversal of resistance by GF120918 in cell lines expressing the ABC half-transporter, MXR. 1999 , 146, 117-26	228
1201	Amplification of the mdr1-gene is uncommon in recurrent ovarian carcinomas. 1999 , 146, 195-9	13
1200	The influence of P170-glycoprotein modulators on the efficacy and the distribution of vincristine as well as on MDR1 expression in BRO/mdr1.1 human melanoma xenografts. 1999 , 35, 840-9	4

1199	P-glycoprotein system as a determinant of drug interactions: the case of digoxin-verapamil. 1999 , 40, 301-6	122
1198	Evidence for a multidrug resistance-associated protein 1 (MRP1)-related transport system in cultured rat liver biliary epithelial cells. 1999 , 64, 763-74	28
1197	Significantly improved oral uptake of amikacin in FVB mice in the presence of CRL-1605 copolymer. 1999 , 64, 1733-8	22
1196	Nuclear transport as an ultimate step of multidrug resistance. 1999 , 65, 2343-9	7
1195	Dexamethasone modulation of multidrug transporters in normal tissues. 1999 , 442, 208-14	89
1194	Enhanced transport of anticancer agents and leukotriene C4 by the human canalicular multispecific organic anion transporter (cMOAT/MRP2). 1999 , 456, 327-31	127
1193	Structural basis of multidrug recognition by BmrR, a transcription activator of a multidrug transporter. 1999 , 96, 353-62	165
1192	Comparative aspects of the function and mechanism of SUR1 and MDR1 proteins. 1999 , 1461, 305-13	47
1191	Structural, mechanistic and clinical aspects of MRP1. 1999 , 1461, 359-76	302
1190	In vitro biotransformation of a novel antimalarial cysteine protease inhibitor in human liver microsomes. 1999 , 58, 147-59	5
1189	The multi-xenobiotic resistance phenotype as a tool to biomonitor the environment. 1999 , 4, 442-54	27
1188	Pregnane glycoside multidrug-resistance modulators from Cynanchum wilfordii. 1999 , 62, 640-3	40
1187	Both ATP sites of human P-glycoprotein are essential but not symmetric. 1999 , 38, 13887-99	129
1186	Synthesis and in vitro multidrug resistance modulating activity of a series of dihydrobenzopyrans and tetrahydroquinolines. 1999 , 42, 1921-6	70
1185	Mechanisms for xenobiotic transport in biological membranes. 1999 , 106, 107-18	13
1184	Accumulation of daunomycin and fluorescent dyes by drug-transporting Malpighian tubule cells of the tobacco hornworn, Manduca sexta. 1999 , 31, 185-94	9
1183	Cysteine-scanning mutagenesis provides no evidence for the extracellular accessibility of the nucleotide-binding domains of the multidrug resistance transporter P-glycoprotein. <i>EMBO Journal</i> , 13 1999, 18, 6800-8	27
1182	Correlation between the affinity of flavonoids binding to the cytosolic site of Leishmania tropica multidrug transporter and their efficiency to revert parasite resistance to daunomycin. 1999 , 38, 1736-43	70

1181	Monitoring drug efflux from sensitive and multidrug-resistant single cancer cells with microvoltammetry. 1999 , 71, 2821-30	43
1180	Chemical defense in the zebra swallowtail butterfly, Eurytides marcellus, involving annonaceous acetogenins. 1999 , 62, 2-4	14
1179	Novel multidrug resistance reversal agents. 1999 , 42, 2145-61	57
1178	Effects of ion gradients on H+ transport mediated by human MDR 1 protein. 1999 , 38, 4227-34	6
1177	Evidence for altered ion transport in Saccharomyces cerevisiae overexpressing human MDR 1 protein. 1999 , 38, 4214-26	21
1176	Metal complexes for therapy and diagnosis of drug resistance. 1999 , 99, 2545-60	102
1175	Synthesis and structure of tolyporphin A O,O-diacetate. 1999 , 1, 1129-32	54
1174	The purified and functionally reconstituted multidrug transporter LmrA of Lactococcus lactis mediates the transbilayer movement of specific fluorescent phospholipids. 1999 , 38, 16298-306	131
1173	Nuclear targeting and nuclear retention of anthracycline-formaldehyde conjugates implicates DNA covalent bonding in the cytotoxic mechanism of anthracyclines. 1999 , 12, 588-96	34
1172	Sensitization to the Cytotoxicity of Adriamycin by Verapamil and Heat in Multidrug-Resistant Chinese Hamster Ovary Cells. 1999 , 151, 694	10
1171	Effect of multidrug resistance-reversing agents on transporting activity of human canalicular multispecific organic anion transporter. 1999 , 56, 1219-28	158
1170	Sesquiterpene esters from Celastrus orbiculatus and their structure-activity relationship on the modulation of multidrug resistance. 1999 , 62, 697-700	46
1169	Structural and functional analysis of the LaMDR1 multidrug resistance gene in Leishmania amazonensis. 1999 , 255, 289-94	33
1168	Direct interaction between a quinoline derivative, MS-209, and multidrug resistance protein (MRP) in human gastric cancer cells. 1999 , 255, 618-24	62
1167	Molecular cloning of the human ATP-binding cassette transporter 1 (hABC1): evidence for sterol-dependent regulation in macrophages. 1999 , 257, 29-33	439
1166	Reversal of MRP-mediated multidrug resistance in human lung cancer cells by the antiprogestatin drug RU486. 1999 , 258, 513-8	27
1165	The AU-rich 3' untranslated region of human MDR1 mRNA is an inefficient mRNA destabilizer. 1999 , 261, 627-34	15
1164	Transport of phosphatidylcholine in MDR3-negative epithelial cell lines via drug-induced MDR1 P-glycoprotein. 1999 , 262, 121-6	23

(2000-1999)

1163	carcinoma 2780AD cells by hexanoylglucosylceramide. 1999 , 266, 492-6		17	
1162	Functional analysis of the human NRAMP family expressed in fission yeast. <i>Biochemical Journal</i> , 1999 , 344, 211-219	;.8	22	
1161	Functional analysis of the human NRAMP family expressed in fission yeast. <i>Biochemical Journal</i> , 1999 , 344, 211	3.8	11	
1160	ABC Transporters and their Impact on Pathogenesis and Drug Sensitivity. 1999 , 221-235		2	
1159	Chapter 12 Active Transport and Pumps. 1999 , 48, 397-417		2	
1158	Therapeutic strategies involving the multidrug resistance phenotype: the MDR1 gene as target, chemoprotectant, and selectable marker in gene therapy. 1999 , 46, 1-42		18	
1157	Mutational disruption of plasma membrane trafficking of Saccharomyces cerevisiae Yor1p, a homologue of mammalian multidrug resistance protein. 1999 , 19, 2998-3009		85	
1156	Characterization of drug specificity by pharmacokinetic analysis in gene knockout mice. 1999 , 39, 30S-33S	5	5	
1155	Pharmacokinetic interactions of paclitaxel, docetaxel and their vehicles with doxorubicin. 1999 , 10, 391-5	;	27	
1154	P-glycoprotein and drug therapy in organ transplantation. 1999 , 39, 995-1005		92	
1153	P-glycoprotein-mediated resistance to chemotherapy in cancer cells: using recombinant cytosolic domains to establish structure-function relationships. 1999 , 32, 925-39		44	
1152	Effect of P-glycoprotein modulators on alkaline phosphatase activity in cultured rat hepatocytes. 2000 , 10, 195-202		15	
1151	Current Clinical Practice: Application of Resistance Reversal Agents in Hematologic Malignancies. 2000 , 5, 343-58		1	
1150	NorM of vibrio parahaemolyticus is an Na(+)-driven multidrug efflux pump. 2000 , 182, 6694-7		140	
1149	Uncoupling ceramide glycosylation by transfection of glucosylceramide synthase antisense reverses adriamycin resistance. 2000 , 275, 7138-43		95	
1148	Waol B, a new trihydrofuran derivative with cytocidal activity, isolated from Myceliophthora lutea. 2000 , 53, 1296-300		10	
1147	Cloning, characterization and tissue distribution of the rat ATP-binding cassette (ABC) transporter ABC2/ABCA2. <i>Biochemical Journal</i> , 2000 , 350, 865	3.8	21	
1146	Cloning, characterization and tissue distribution of the rat ATP-binding cassette (ABC) transporter ABC2/ABCA2. <i>Biochemical Journal</i> , 2000 , 350, 865-872	;.8	42	

1145	Taxol resistance. 2000 , 46, 327-34	57
1144	Hormonal control of a gene encoding a putative PDR5-like ABC transporter in periwinkle. 2000 , 147, 215-224	2
1143	Toxicity and DNA binding of dextran-doxorubicin conjugates in multidrug-resistant KB-V1 cells: optimization of dextran size. 2000 , 11, 377-84	25
1142	The products of YCF1 and YLL015w (BPT1) cooperate for the ATP-dependent vacuolar transport of unconjugated bilirubin in Saccharomyces cerevisiae. 2000 , 16, 561-71	63
1141	Differential expression of sphingolipids in MRP1 overexpressing HT29 cells. 2000 , 87, 172-8	81
1140	Intracellular P-glycoprotein expression is associated with the intrinsic multidrug resistance phenotype in human colon adenocarcinoma cells. 2000 , 87, 615-628	63
1139	Lysosomal accumulation of drugs in drug-sensitive MES-SA but not multidrug-resistant MES-SA/Dx5 uterine sarcoma cells. 2000 , 184, 263-74	26
1138	Affinity, specificity, diversity: a challenge for the ABC transporter TAP in cellular immunity. 2000 , 1, 16-35	31
1137	Multidrug resistance-1 gene expression does not increase during tumor progression in the MGH-OGS murine osteosarcoma tumor model. 2000 , 18, 449-55	2
1136	Neonatal murine epidermal cells express a functional multidrug-resistant pump. 2000 , 115, 19-23	20
1135	Expression of the multidrug resistance-associated protein in myelodysplastic syndromes. 2000 , 110, 591-8	18
1134	The Arabidopsis thaliana ATP-binding cassette proteins: an emerging superfamily. 2000 , 23, 431-443	56
1133	Analysis of the tangled relationships between P-glycoprotein-mediated multidrug resistance and the lipid phase of the cell membrane. 2000 , 267, 277-94	149
1132	Evidence that phosphate specific transporter is amplified in a fluoroquinolone resistant Mycobacterium smegmatis. 2000 , 267, 4028-32	39
1131	Relating multidrug resistance phenotypes to the kinetic properties of their drug-efflux pumps. 2000 , 267, 5355-68	5
1130	The fate of the tryptophan stereocenter in the synthesis of 7,10,16,16a-tetrahydro-11H-quinazolino[2?,3?:3,4]pyrazino[1,2-b]&arboline-5,8-diones. 2000 , 11, 3515-3526	8
1129	Novel gallium(III) complexes transported by MDR1 P-glycoprotein: potential PET imaging agents for probing P-glycoprotein-mediated transport activity in vivo. 2000 , 7, 335-43	47
1128	PhBotype MDR-I de multirBistance aux traitements de fond dans les maladies rhumatismales auto-immunes. 2000 , 67, 37-47	

1127	Michael adducts of ascorbic acid as inhibitors of protein phosphatase 2A and inducers of apoptosis. 2000 , 10, 1605-8	17
1126	2,4,5-Trisubstituted imidazoles: novel nontoxic modulators of P-glycoprotein mediated multidrug resistance. Part 2. 2000 , 10, 2603-5	38
1125	The flavanolignan silybin and its hemisynthetic derivatives, a novel series of potential modulators of P-glycoprotein. 2000 , 10, 157-60	83
1124	Development of an immobilized P-glycoprotein stationary phase for on-line liquid chromatographic determination of drug-binding affinities. 2000 , 739, 33-7	32
1123	P-glycoprotein (encoded by multidrug resistance genes) is not required for interleukin-2 secretion in mice and humans. 2000 , 1, 371-9	15
1122	Drug selection of MDR1-transduced hematopoietic cells ex vivo increases transgene expression and chemoresistance in reconstituted bone marrow in mice. 2000 , 7, 348-58	24
1121	Study of apoptosis-related responses of leukemic blast cells to in vitro anthracycline treatment. 2000 , 14, 1266-75	25
1120	Acquired alkylating drug resistance of a human ovarian carcinoma cell line is unaffected by altered levels of pro- and anti-apoptotic proteins. 2000 , 19, 141-50	22
1119	P-glycoprotein- and mrp2-mediated octreotide transport in renal proximal tubule. 2000 , 129, 251-6	32
1118	Hamster pancreatic beta cell lines with altered sensitivity towards apoptotic signalling by phosphatase inhibitors. 2000 , 129, 687-94	12
1117	Clinical scale production of an improved retroviral vector expressing the human multidrug resistance 1 gene (MDR1). 2000 , 25 Suppl 2, S114-7	21
1116	Human multidrug resistance-1 gene transfer to long-term repopulating human mobilized peripheral blood progenitor cells. 2000 , 25 Suppl 2, S118-24	6
1115	Expression of drug resistance-related genes in head and neck squamous cell carcinomas and normal mucosa. 2000 , 91, 84-90	8
1114	The novel anticancer drug KRN5500 interacts with, but is hardly transported by, human P-glycoprotein. 2000 , 91, 248-54	3
1113	Regulation of volume-activated chloride channels by P-glycoprotein: phosphorylation has the final say!. 2000 , 524 Pt 3, 629-36	62
1112	The role of the bacitracin ABC transporter in bacitracin resistance and collateral detergent sensitivity. 2000 , 188, 103-6	34
1111	Penetration of amitriptyline, but not of fluoxetine, into brain is enhanced in mice with blood-brain barrier deficiency due to mdr1a P-glycoprotein gene disruption. 2000 , 22, 380-7	172
1110	Specificity of doxorubicin versus rhodamine-123 in assessing P-glycoprotein functionality in the LLC-PK1, LLC-PK1:MDR1 and Caco-2 cell lines. 2000 , 11, 207-14	102

1109	Multidrug resistance (MDR) in cancer. Mechanisms, reversal using modulators of MDR and the role of MDR modulators in influencing the pharmacokinetics of anticancer drugs. 2000 , 11, 265-83	833
1108	P-Glycoprotein in cell cultures: a combined approach to study expression, localisation, and functionality in the confocal microscope. 2000 , 12, 69-77	41
1107	Modulation of oral bioavailability of anticancer drugs: from mouse to man. 2000 , 12, 103-10	112
1106	Structure-activity relationship of P-glycoprotein substrates and modifiers. 2000 , 12, 31-40	253
1105	Function and regulation of ATP-binding cassette transport proteins involved in hepatobiliary transport. 2000 , 12, 13-30	19
1104	Multiple physiological functions for multidrug transporter P-glycoprotein?. 2000 , 25, 1-6	270
1103	A structure-based mechanism for drug binding by multidrug transporters. 2000 , 25, 39-43	68
1102	Identification of the subcellular localization of daunorubicin in multidrug-resistant K562 cell line. 2000 , 24, 769-74	32
1101	Altered expression of DNA-topoisomerase IIalpha is associated with increased rate of spontaneous polyploidization in etoposide resistant K562 cells. 2000 , 24, 831-7	10
1100	Potentiation of chemosensitivity in multidrug-resistant human leukemia CEM cells by inhibition of DNA-dependent protein kinase using wortmannin. 2000 , 24, 917-25	37
1099	In vivo monitoring of drugs using radiotracer techniques. 2000 , 41, 21-39	21
1098	Drug delivery to mitochondria: the key to mitochondrial medicine. 2000 , 41, 235-50	356
1097	Characterization of cytochrome b from Toxoplasma gondii and Q(o) domain mutations as a mechanism of atovaquone-resistance. 2000 , 108, 1-12	118
1096	The effects of chloroquine and verapamil on digestive vacuolar pH of P. falciparum either sensitive or resistant to chloroquine. 2000 , 110, 125-34	49
1095	Two transport binding sites of P-glycoprotein are unequal yet contingent: initial rate kinetic	49
	analysis by ATP hydrolysis demonstrates intersite dependence. 2000 , 1481, 63-74	1 2
1094	analysis by ATP hydrolysis demonstrates intersite dependence. 2000 , 1481, 63-74 Reversal of MRP-mediated doxorubicin resistance with quinoline-based drugs. 2000 , 59, 1245-52	68
1094		

1091	Phospholipids as multidrug resistance modulators of the transport of epirubicin in human intestinal epithelial Caco-2 cell layers and everted gut sacs of rats. 2000 , 60, 1381-90	56
1090	Lack of glutathione conjugation to adriamycin in human breast cancer MCF-7/DOX cells. Inhibition of glutathione S-transferase p1-1 by glutathione conjugates from anthracyclines. 2000 , 60, 1915-23	36
1089	Effects of sodium deoxycholate and sodium caprate on the transport of epirubicin in human intestinal epithelial Caco-2 cell layers and everted gut sacs of rats. 2000 , 59, 665-72	90
1088	Expression of various multidrug resistance-associated protein (MRP) homologues in brain microvessel endothelial cells. 2000 , 876, 148-53	209
1087	Disruption of mdr1a p-glycoprotein gene results in dysfunction of blood-inner ear barrier in mice. 2000 , 852, 116-26	38
1086	The oral route for the administration of cytotoxic drugs: strategies to increase the efficiency and consistency of drug delivery. 2000 , 18, 231-41	32
1085	Development of multidrug-resistance convertors: sense or nonsense?. 2000 , 18, 205-20	69
1084	Determinants of passive drug entry into the central nervous system. 2000 , 20, 231-53	101
1083	Brain microvascular P-glycoprotein and a revised model of multidrug resistance in brain. 2000 , 20, 165-81	59
1082	Inhibitory potencies of 1,4-dihydropyridine calcium antagonists to P-glycoprotein-mediated transport: comparison with the effects on CYP3A4. 2000 , 17, 1189-97	67
1081	Hepatic disposition of fexofenadine: influence of the transport inhibitors erythromycin and dibromosulphothalein. 2000 , 17, 1511-5	30
1080	Potentiation of Doxorubicin-Induced Apoptosis of Resistant Mouse Leukaemia Cells by Ivermectin. 2000 , 6, 129-134	7
1079	Nicardipine and Itraconazole Inhibited Transcellular Transport of Digoxin. 2000, 6, 167-171	7
1078	Mrp2 is essential for estradiol-17beta(beta-D-glucuronide)-induced cholestasis in rats. 2000 , 32, 66-72	106
1077	Antibodies to heat shock protein 90 in osteosarcoma patients correlate with response to neoadjuvant chemotherapy. 2000 , 82, 85-7	43
1076	Detection of P-glycoprotein in the nuclear envelope of multidrug resistant cells. 2000 , 32, 599-606	35
1075	The 70-kDa peroxisomal membrane protein (PMP70), an ATP-binding cassette transporter. 2000 , 32 Spring, 131-8	32
1074	Novel function of human RLIP76: ATP-dependent transport of glutathione conjugates and doxorubicin. 2000 , 39, 9327-34	133

1073	Functional characterization of glycosylation-deficient human P-glycoprotein using a vaccinia virus expression system. 2000 , 173, 203-14	97
1072	Selective modulation of P-glycoprotein's ATPase and anion efflux regulation activities with PKC alpha and PKC epsilon in Sf9 cells. 2000 , 46, 287-92	13
1071	Involvement of a natural transport system in the process of efflux-mediated drug resistance in Mycobacterium smegmatis. 2000 , 262, 949-56	35
1070	The role of ABC transporters from Aspergillus nidulans in protection against cytotoxic agents and in antibiotic production. 2000 , 263, 966-77	88
1069	Effect on biological behavior of chemotherapy-resistant tumor cells by human wild-type p53, GM-CSF and B7-1 genes via recombinant adenovirus. 2000 , 12, 105-114	
1068	Retro viral mediated efficient transfer andexpression of multiple drug resistance gene to human leukemic cells. 2000 , 12, 120-124	1
1067	Detailed study of the different taurine uptake systems of colon LoVo MDR and non-MDR cell lines. 2000 , 19, 667-85	21
1066	Modulation of the mdr-1b gene in the kidney of rats subjected to dehydration or a high-salt diet. 2000 , 439, 356-362	5
1065	Quantitative assessment of retroviral transfer of the human multidrug resistance 1 gene to human mobilized peripheral blood progenitor cells engrafted in nonobese diabetic/severe combined immunodeficient mice. 2000 , 95, 1237-1248	98
1064	HMBA induces activation of a caspase-independent cell death pathway to overcome P-glycoprotein-mediated multidrug resistance. 2000 , 95, 2378-2385	75
1063	In situ biochemical demonstration that P-glycoprotein is a drug efflux pump with broad specificity. 2000 , 148, 863-70	44
1062	Phase I study of paclitaxel in combination with a multidrug resistance modulator, PSC 833 (Valspodar), in refractory malignancies. 2000 , 18, 1124-34	74
1061	MDR1 gene expression and outcome in osteosarcoma: a prospective, multicenter study. 2000 , 18, 2685-94	69
1060	THE FUMONISIN PARADOX: A REVIEW OF RESEARCH ON ORAL BIOAVAILABILITY OF FUMONISIN B1, A MYCOTOXIN PRODUCED BY FUSARIUM MONILIFORME. 2000 , 19, 161-187	47
1059	Pairing of the nucleotide binding domains of the transporter associated with antigen processing. 2000 , 275, 6831-40	25
1058	Evidence for a requirement for ATP hydrolysis at two distinct steps during a single turnover of the catalytic cycle of human P-glycoprotein. 2000 , 97, 2515-20	189
1057	Analysis of the MRP4 drug resistance profile in transfected NIH3T3 cells. 2000 , 92, 1934-40	176
1056	Chemical specificity of the PDR5 multidrug resistance gene product of Saccharomyces cerevisiae based on studies with tri-n-alkyltin chlorides. 2000 , 44, 134-8	25

1055	vector-mediated strategy. 2000 , 57, 679-86	281
1054	MDR1 gene expression in NOD/SCID repopulating cells after retroviral gene transfer under clinically relevant conditions. 2000 , 2, 609-18	34
1053	Molecular basis of cardiovascular drug metabolism: implications for predicting clinically important drug interactions. 2000 , 101, 1749-53	45
1052	Effects of clofibrate and indocyanine green on the hepatobiliary disposition of acetaminophen and its metabolites in male CD-1 mice. 2000 , 30, 1019-32	15
1051	Development of biomarkers to detect the effects of organic pollution on aquatic invertebrates: recent molecular, genotoxic, cellular and immunological studies on the common mussel (Mytilus edulis L.) and other mytilids. 2000 , 13, 56	136
1050	Significance of P-glycoprotein for the pharmacology and clinical use of HIV protease inhibitors. 2000 , 14, 237-42	141
1049	Short-term regulation of canalicular transport. 2000 , 20, 307-21	64
1048	Effect of low dose mutagens on adaptive response and plasma membrane glycoconjugates in sarcoma 180 cells. 2000 , 4, 293-297	2
1047	Targeting the human mdr1 gene by 125I-labeled triplex-forming oligonucleotides. 2000 , 10, 443-52	18
1046	Chemoprotection of hematopoietic cells by a mutant P-glycoprotein resistant to a potent chemosensitizer of multidrug-resistant cancers. 2000 , 11, 555-65	21
1045	An essential glutamyl residue in EmrE, a multidrug antiporter from Escherichia coli. 2000 , 275, 5264-9	109
1044	Multiple signals from dysfunctional mitochondria activate the pleiotropic drug resistance pathway in Saccharomyces cerevisiae. 2000 , 275, 37347-56	150
1043	The detergent-soluble maltose transporter is activated by maltose binding protein and verapamil. 2000 , 182, 993-1000	32
1042	Interactions of ofloxacin and erythromycin with the multidrug resistance protein (MRP) in MRP-overexpressing human leukemia cells. 2000 , 44, 1697-700	27
1041	Nonequivalent nucleotide trapping in the two nucleotide binding folds of the human multidrug resistance protein MRP1. 2000 , 275, 17626-30	85
1040	CFTR, MDR1, and MRP1 immunolocalization in normal human nasal respiratory mucosa. 2000 , 48, 1215-22	71
1039	Inhibition of inositol phosphorylceramide synthase by aureobasidin A in Candida and Aspergillus species. 2000 , 44, 651-3	84
1038	P-glycoprotein and bioavailability-implication of polymorphism. 2000 , 38, 877-81	18

1037	A role for P-glycoprotein in regulating cell death. 2000 , 38, 1-11	100
1036	Drug-stimulated ATPase activity of human P-glycoprotein is blocked by disulfide cross-linking between the nucleotide-binding sites. 2000 , 275, 19435-8	52
1035	Regulation of multidrug resistance 1 (MDR1)/P-glycoprotein gene expression and activity by heat-shock transcription factor 1 (HSF1). 2000 , 275, 24970-6	97
1034	Use of chemical chaperones in the yeast Saccharomyces cerevisiae to enhance heterologous membrane protein expression: high-yield expression and purification of human P-glycoprotein. 2000 , 376, 34-46	86
1033	Cooperativity in the inhibition of P-glycoprotein-mediated daunorubicin transport: evidence for half-of-the-sites reactivity. 2000 , 383, 91-8	29
1032	Overexpression of MDR1 in an intestinal cell line results in increased cholesterol uptake from micelles. 2000 , 267, 565-71	33
1031	Putative P-glycoprotein expression in arsenite-resistant Leishmania donovani down-regulated by verapamil. 2000 , 271, 615-9	30
1030	Expression and characterization of the N- and C-terminal ATP-binding domains of MRP1. 2000 , 273, 913-9	11
1029	Equivalent death of P-glycoprotein expressing and nonexpressing cells induced by the protein kinase C inhibitor staurosporine. 2000 , 276, 231-7	13
1028	Cholesterol interaction with the daunorubicin binding site of P-glycoprotein. 2000 , 276, 909-16	57
1027	Transition-state formation in ATPase-negative mutants of human MDR1 protein. 2000 , 276, 1314-9	27
1026	Multidrug resistance P-glycoprotein is not involved in cholesterol esterification. 2000 , 279, 369-77	16
1025	Multidrug resistance protein MRP1 reconstituted into lipid vesicles: secondary structure and nucleotide-induced tertiary structure changes. 2000 , 39, 13026-33	30
1024	Temporal analysis of hepatocyte differentiation by small hepatocyte-like progenitor cells during liver regeneration in retrorsine-exposed rats. <i>American Journal of Pathology</i> , 2000 , 157, 771-86	124
1023	Functional loss of ABCA1 in mice causes severe placental malformation, aberrant lipid distribution, and kidney glomerulonephritis as well as high-density lipoprotein cholesterol deficiency. <i>American Journal of Pathology</i> , 2000 , 157, 1017-29	207
1022	Distribution and inducibility of P-glycoprotein in the catfish: immunohistochemical detection using the mammalian C-219 monoclonal. 2000 , 50, 313-7	26
1021	Repression of chick multidrug resistance-associated protein 1 (chMRP1) gene expression by estrogen. 2000 , 257, 243-9	4
1020	Induction of the multixenobiotic defense mechanism (MXR), P-glycoprotein, in the mussel Mytilus californianus as a general cellular response to environmental stresses. 2000 , 49, 89-100	87

1019	Serum antibodies against the heat shock protein 60 are elevated in patients with osteosarcoma. 2000 , 201, 368-76	29
1018	The pharmacology of headache. 2000 , 62, 509-25	199
1017	SDZ PSC 833 the drug resistance modulator activates cellular ceramide formation by a pathway independent of P-glycoprotein. 2000 , 149, 143-51	31
1016	Methylene blue reverts multidrug resistance: sensitivity of multidrug resistant cells to this dye and its photodynamic action. 2000 , 151, 161-7	47
1015	Modelling in tumour biology part II: modelling cancer therapy. 2000 , 26, 181-8	4
1014	Regulation of MDR1 gene expression: emerging concepts. 2000 , 3, 99-108	22
1013	Identification and purification of aminophospholipid flippases. 2000 , 1486, 108-27	153
1012	ABC transporters in lipid transport. 2000 , 1486, 128-44	214
1011	Cyclosporine A sensitivity in vitro and P-glycoprotein expression in patients on dialysis and after kidney transplantation. 2000 , 8, 147-50	3
1010	Assessment of the in vitro and in vivo properties of a (99m)Tc-labeled inhibitor of the multidrug resistant gene product P-glycoprotein. 2000 , 27, 135-41	10
1009	Modulation of drug resistance by alpha-tubulin in paclitaxel-resistant human lung cancer cell lines. 2000 , 36, 1565-71	51
1008	Interspecies differences in P-glycoprotein mediated activity of multixenobiotic resistance mechanism in several marine and freshwater invertebrates. 2000 , 126, 175-86	30
1007	P-glycoprotein is localized in caveolae in resistant cells and in brain capillaries. 2000 , 466, 219-24	122
1006	Classification of multidrug-resistance reversal agents using structure-based descriptors and linear discriminant analysis. 2000 , 43, 4534-41	70
1005	Modulation of the mdr-1b gene in the kidney of rats subjected to dehydration or a high-salt diet. 2000 , 439, 356-62	13
1004	New potential targets for antifungal development. 2000 , 4, 265-296	15
1003	The effect of fatty acids and analogues upon intracellular levels of doxorubicin in cells displaying P-glycoprotein mediated multidrug resistance. 2000 , 8, 247-56	25
1002	The multidrug resistance protein is photoaffinity labeled by a quinoline-based drug at multiple sites. 2000 , 39, 6094-102	43

1001	Secondary and tertiary structure changes of reconstituted LmrA induced by nucleotide binding or hydrolysis. A fourier transform attenuated total reflection infrared spectroscopy and tryptophan fluorescence quenching analysis. 2000 , 275, 10962-7	37
1000	Molecular properties of bacterial multidrug transporters. 2000 , 64, 672-93	561
999	Synergy in a medicinal plant: antimicrobial action of berberine potentiated by 5'-methoxyhydnocarpin, a multidrug pump inhibitor. 2000 , 97, 1433-7	529
998	Activation of the human P-glycoprotein ATPase by trypsin. 2000 , 39, 3424-32	20
997	Molecular analysis of multidrug resistance in feline lymphoma cells. 2000 , 61, 1122-7	18
996	Cytotoxic activity of some phenanthroindolizidine N-oxide alkaloids from Cynanchum vincetoxicum. 2000 , 63, 1584-6	83
995	Communication between multiple drug binding sites on P-glycoprotein. 2000 , 58, 624-32	379
994	Molecular identification and functional characterization of Mdr1a in rat cholangiocytes. 2000 , 119, 1113-22	40
993	pH and drug resistance in tumors. 2000 , 3, 39-47	137
992	Modulation of paclitaxel resistance by annexin IV in human cancer cell lines. 2000 , 83, 83-8	93
991	High multidrug resistance (P-glycoprotein 170) expression in inflammatory bowel disease patients who fail medical therapy. 2000 , 118, 279-88	245
990	Polarized transport of hydrophilic compounds across rat colonic mucosa from serosa to mucosa is temperature dependent. 2000 , 118, 535-43	31
989	Chemical Ecology of Foraminifera. 2000 , 217-254	4
988	Fluorescent pH probes, fluorescent proteins, and intrinsic cellular fluorochromes are tools to study cytosolic pH (pHcyt) in mammalian cells 2001 ,	
987	P-glycoprotein-mediated colchicine resistance in different cell lines correlates with the effects of colchicine on P-glycoprotein conformation. 2001 , 40, 4323-31	28
986	Strategies to overcome simultaneous P-glycoprotein mediated efflux and CYP3A4 mediated metabolism of drugs. 2001 , 2, 401-15	54
985	Quantitative distinctions of active site molecular recognition by P-glycoprotein and cytochrome P450 3A4. 2001 , 14, 1596-603	41
984	The gut as a barrier to drug absorption: combined role of cytochrome P450 3A and P-glycoprotein. 2001 , 40, 159-68	398

983	New concepts in bilirubin neurotoxicity and the need for studies at clinically relevant bilirubin concentrations. 2001 , 34, 467-70	20
982	Decreased expression of an ATP-binding cassette transporter, MRP2, in human livers with hepatitis C virus infection. 2001 , 35, 765-73	75
981	The Avermectins: Insecticidal and Antiparasitic Agents. 2001 , 1157-1167	
980	Leishmanicidal, antiplasmodial, and cytotoxic activity of novel diterpenoid 1,2-quinones from Perovskia abrotanoides: new source of tanshinones. 2001 , 64, 1398-403	131
979	Marrow protection - transduction of hematopoietic cells with drug resistance genes. 2001, 3, 67-84	20
978	Structure-activity studies of substituted quinoxalinones as multiple-drug-resistance antagonists. 2001 , 44, 594-601	111
977	Azepanone-based inhibitors of human and rat cathepsin K. 2001 , 44, 1380-95	117
976	C-Isoprenylation of flavonoids enhances binding affinity toward P-glycoprotein and modulation of cancer cell chemoresistance. 2001 , 44, 763-8	101
975	Introduction: multidrug resistance. 2001 , 12, 201-204	2
974	Molecular genetic analysis and biochemical characterization of mammalian P-glycoproteins involved in multidrug resistance. 2001 , 12, 247-56	38
973	Purification and characterization of N-glycosylation mutant mouse and human P-glycoproteins expressed in Pichia pastoris cells. 2001 , 388, 171-7	26
972	RLIP76 is the major ATP-dependent transporter of glutathione-conjugates and doxorubicin in human erythrocytes. 2001 , 391, 171-9	55
971	Isolation of endothelial cells from brain, lung, and kidney: expression of the multidrug resistance P-glycoprotein isoforms. 2001 , 281, 827-34	97
970	Differential chemosensitizing effect of two glucosylceramide synthase inhibitors in hepatoma cells. 2001 , 288, 269-74	28
969	Overcoming MDR by ultrasound-induced hyperthermia and P-glycoprotein modulation. 2001, 289, 62-8	22
968	Active transport of fluorescent P-glycoprotein substrates: evaluation as markers and interaction with inhibitors. 2001 , 289, 580-5	65
967	Anticancer therapy with novel tubulin-interacting drugs. 2001 , 4, 392-401	103
966	Suppression of tubulin tyrosine ligase activity through reversible phosphorylation: a mechanism for inhibition of alpha-tubulin tyrosinylation. 2001 , 56, 129-133	2

965	Permeability of the peptidic GH secretagogues hexarelin and EP 51389, across rat jejunum. 2001 , 22, 1129-38	12
964	Differential expression of the efflux pumps P-glycoprotein and multidrug resistance-associated protein in human monocyte-derived dendritic cells. 2001 , 62, 1073-80	26
963	Analysis of the structure and expression pattern of MRP7 (ABCC10), a new member of the MRP subfamily. 2001 , 162, 181-91	164
962	Comparison of the uptake and clearance of Tc-99m MIBI, Tl-201 and Ga-67 in drug-resistant lymphoma cell lines. 2001 , 171, 147-52	3
961	Advantages of quantitative affinity chromatography for the analysis of solute interaction with membrane proteins. 2001 , 49, 507-21	15
960	P-glycoprotein in the catfish intestine: inducibility by xenobiotics and functional properties. 2001 , 55, 157-70	44
959	The importance of drug-transporting P-glycoproteins in toxicology. 2001 , 120, 31-41	65
958	Flavonolignan and flavone inhibitors of a Staphylococcus aureus multidrug resistance pump: structure-activity relationships. 2001 , 44, 261-8	129
957	Small molecules that dramatically alter multidrug resistance phenotype by modulating the substrate specificity of P-glycoprotein. 2001 , 98, 14078-83	70
956	Proteins expressed in osteosarcoma and serum levels as prognostic factors. 2001 , 33, 11-7	46
955	The relationship between 1H-NMR mobile lipid intensity and cholesterol in two human tumor multidrug resistant cell lines (MCF-7 and LoVo). 2001 , 1531, 111-31	35
954	Energy-dependent export of the 13-oxooctadecadienoic acid-glutathione conjugate from HT-29 cells and plasma membrane vesicles. 2001 , 1533, 55-65	5
953	Nucleotide-induced conformational changes in the human multidrug resistance protein MRP1 are related to the capacity of chemotherapeutic drugs to accumulate or not in resistant cells. 2001 , 493, 31-5	17
952	Expression of multidrug resistance related proteins and proliferative activity is increased in advanced clinical prostate cancer. 2001 , 165, 130-5	59
951	Interaction of poly(butylcyanoacrylate) nanoparticles with the blood-brain barrier in vivo and in vitro. 2001 , 9, 209-21	142
950	Molecular imaging in vivo with PET and SPECT. 2001 , 8, 4-14	58
949	Novel macrolide-specific ABC-type efflux transporter in Escherichia coli. 2001 , 183, 5639-44	274
948	The histone deacetylase inhibitor and chemotherapeutic agent suberoylanilide hydroxamic acid (SAHA) induces a cell-death pathway characterized by cleavage of Bid and production of reactive oxygen species. 2001 , 98, 10833-8	430

947	Initial P-glycoprotein expression in childhood acute lymphoblastic leukemia: no evidence of prognostic impact in follow-up. 2001 , 18, 27-36	19
946	Total synthesis of dendroamide A, a novel cyclic peptide that reverses multiple drug resistance. 2001 , 66, 3459-66	76
945	Structure and dynamics of the membrane-embedded domain of LmrAinvestigated by coupling polarized ATR-FTIR spectroscopy and (1)H/(2)H exchange. 2001 , 40, 11876-86	36
944	Sequence requirements of the ATP-binding site within the C-terminal nucleotide-binding domain of mouse P-glycoprotein: structure-activity relationships for flavonoid binding. 2001 , 40, 10382-91	41
943	Analysis of MDR1 P-glycoprotein conformational changes in permeabilized cells using differential immunoreactivity. 2001 , 40, 4312-22	58
942	. 2001,	16
941	In vitro monomer swapping in EmrE, a multidrug transporter from Escherichia coli, reveals that the oligomer is the functional unit. 2001 , 276, 48243-9	60
940	Small is mighty: EmrE, a multidrug transporter as an experimental paradigm. 2001 , 16, 130-4	26
939	The Transporter Associated With Antigen Processing (TAP): Structural Integrity, Expression, Function, and Its Clinical Relevance. <i>Molecular Medicine</i> , 2001 , 7, 149-158	51
938	Effects of P-glycoprotein on cell volume regulation in mouse proximal tubule. 2001 , 280, F829-37	7
937	Phase I/II trial of the multidrug-resistance modulator valspodar combined with cisplatin and doxorubicin in refractory ovarian cancer. 2001 , 19, 2983-93	56
936	Phase II study of paclitaxel and valspodar (PSC 833) in refractory ovarian carcinoma: a gynecologic oncology group study. 2001 , 19, 2975-82	86
935	Establishment and characterization of adriamycin-resistant human colorectal adenocarcinoma HCT-15 cell lines with multidrug resistance. 2001 , 12, 769-79	29
934	Doxorubicin-peptide conjugates overcome multidrug resistance. 2001 , 12, 107-16	103
933	Ivermectin sensitivity in collies is associated with a deletion mutation of the mdr1 gene. 2001, 11, 727-33	304
932	Assessment of mitochondrial membrane potential in situ using single potentiometric dyes and a novel fluorescence resonance energy transfer technique. 2001 , 65, 285-309	34
931	P-glycoprotein (P-gp) is upregulated in peripheral T-cell subsets from solid organ transplant recipients. 2001 , 41, 1271-9	28
930	Effect of rofecoxib on the pharmacokinetics of digoxin in healthy volunteers. 2001 , 41, 107-12	9

929	Mechanism of resistance to oxidative stress in doxorubicin resistant cells. 2001 , 24, 474-9		17
928	Transport characteristics of ebastine and its metabolites across human intestinal epithelial Caco-2 cell monolayers. 2001 , 24, 930-4		5
927	Structure, function and evolution of glutathione transferases: implications for classification of non-mammalian members of an ancient enzyme superfamily. <i>Biochemical Journal</i> , 2001 , 360, 1-16	3.8	823
926	Role of glycine-534 and glycine-1179 of human multidrug resistance protein (MDR1) in drug-mediated control of ATP hydrolysis. <i>Biochemical Journal</i> , 2001 , 356, 71-75	3.8	40
925	Saccharomyces cerevisiae multidrug resistance gene expression inversely correlates with the status of the F(0) component of the mitochondrial ATPase. 2001 , 276, 47844-52		68
924	Multidrug resistance in tumour cells: characterization of the multidrug resistant cell line K562-Lucena 1. 2001 , 73, 57-69		82
923	Ontogeny of P-glycoprotein in mouse intestine, liver, and kidney. 2001 , 49, 250-7		32
922	Microbial Arsenite and Antimonite Transporters. 377-395		1
921	Distribution of the Consensus Sequences of ABC Transporter Gene among Several Taxonomically Distinct Phytopathogenic Fungi. 2001 , 67, 106-110		4
920	Functional Analysis of an ATP-Binding Cassette Transporter Gene in Botrytis cinerea by Gene Disruption. 2001 , 67, 212-214		17
919	Interaction of omeprazole, lansoprazole and pantoprazole with P-glycoprotein. 2001, 364, 551-7		169
918	The involvement of sphingolipids in multidrug resistance. 2001 , 181, 153-62		61
917	The importance of cholesterol in maintenance of P-glycoprotein activity and its membrane perturbing influence. 2001 , 30, 430-42		108
916	The role of 99mTc-MIBI scintigraphy in the assessment of MDR1 overexpression in patients with musculoskeletal sarcomas: comparison with therapy response. 2001 , 28, 1341-50		33
915	Overcoming drug resistance in ovarian carcinoma. 2001 , 3, 19-26		16
914	Protein kinase C and phosphatidylinositol 3-kinase independently contribute to P-glycoprotein-mediated drug secretion in the mouse proximal tubule. 2001 , 442, 321-8		7
913	Electrodiffusional ATP movement through CFTR and other ABC transporters. 2001 , 443 Suppl 1, S22-7		24
912	Characterisation of single domain ATP-binding cassette protien homologues of Theileria parva. 2001 , 87, 741-50		2

911	Specificity of drug transport mediated by CaMDR1: a major facilitator of Candida albicans. 2001 , 26, 333-9	23
910	Development of DNA-based radiopharmaceuticals carrying Auger-electron emitters for antigene radiotherapy. 2001 , 49, 391-6	25
909	Expression of MRP1 and related transporters in human lung cells in culture. 2001 , 167, 59-72	45
908	Mechanisms of transport across cell membranes of complexes contained in antitumour drugs. 2001 , 222, 169-82	21
907	Evidence that natural killer cells express mini P-glycoproteins but not classic 170 kDa P-glycoprotein. 2001 , 114, 177-84	26
906	Cross-resistance to cytosine arabinoside in a multidrug-resistant human promyelocytic cell line selected for resistance to doxorubicin: implications for combination chemotherapy. 2001 , 114, 557-65	12
905	beta-Amyloid efflux mediated by p-glycoprotein. 2001 , 76, 1121-8	289
904	Expression of multidrug resistance P-glycoprotein in kidney allografts from cyclosporine A-treated patients. 2001 , 60, 156-66	79
903	P-glycoprotein inhibitors stimulate renal phosphate reabsorption in rats. 2001 , 60, 1069-76	2
902	P-Glycoprotein preferentially effluxes anthracyclines containing free basic versus charged amine. 2001 , 268, 1561-1567	31
901	P-Glycoprotein conformational changes detected by antibody competition. 2001 , 268, 2416-20	34
900	Identification and localization of three photobinding sites of iodoarylazidoprazosin in hamster P-glycoprotein. 2001 , 268, 2629-34	28
899	Regulation of MDR1 promoter activity in human breast carcinoma cells by protein kinase C isozymes alpha and theta. 2001 , 268, 4151-7	55
898	Drug sequestration in cytoplasmic organelles does not contribute to the diminished sensitivity of anthracyclines in multidrug resistant K562 cells. 2001 , 268, 4459-67	11
897	Rearrangement of 5- O -prenyl flavones: a regioselective access to 6- C -(1,1-dimethylallyl)- and 8- C -(3,3-dimethylallyl)-flavones. 2001 , 42, 7241-7244	21
896	Synthesis and analysis of polyethylene glycol linked P-glycoprotein-specific homodimers based on (I)stipiamide. 2001 , 42, 3819-3822	9
895	B-ring substituted 5,7-dihydroxyflavonols with high-affinity binding to P-glycoprotein responsible for cell multidrug resistance. 2001 , 11, 75-7	36
894	Modulation of human mammary cell sensitivity to paclitaxel by new quinoline sulfonamides. 2001 , 11, 2457-60	7

893	Mechanisms of action of flavopiridol. 2001 , 38, 139-70	181
892	Chemistry and chemical biology of taxane anticancer agents. 2001 , 1, 195-211	93
891	Influence of multidrug resistance (MDR) proteins at the blood-brain barrier on the transport and brain distribution of enaminone anticonvulsants. 2001 , 90, 1540-52	38
890	Influence of P-glycoprotein on the transplacental passage of cyclosporine. 2001 , 90, 1583-92	60
889	Prediction of chemotherapeutic response by Technetium 99mMIBI scintigraphy in breast carcinoma patients. 2001 , 92, 232-9	40
888	Multidrug resistance gene 1 expression in salivary gland adenocarcinomas and oral squamous-cell carcinomas. 2001 , 92, 187-94	14
887	The drug resistance proteins, multidrug resistance-associated protein and P-glycoprotein, do not confer resistance to Fas-induced cell death. 2001 , 43, 189-94	11
886	Dissecting the apoptotic mechanisms of chemotherapeutic drugs and lymphocytes to design effective anticancer therapies. 2001 , 52, 549-557	3
885	Reversal of drug resistance mediated by multidrug resistance protein (MRP) 1 by dual effects of agosterol A on MRP1 function. 2001 , 93, 107-13	57
884	Expression of multidrug-resistance P-glycoprotein (MDR1) in human brain tumors. 2001 , 93, 62-6	75
883	Drug-resistance in human melanoma. 2001 , 93, 617-22	144
882	Elevation of glucosylceramide in multidrug-resistant cancer cells and accumulation in cytoplasmic droplets. 2001 , 94, 157-65	98
881	Drug-resistant human bladder-cancer cells are more sensitive to adenovirus-mediated wild-type p53 gene therapy compared to drug-sensitive cells. 2001 , 94, 282-9	21
880	Targeting multidrug resistant tumor cells with a recombinant single-chain FV fragment directed to P-glycoprotein. 2001 , 94, 864-72	15
879	The subpopulation of CF-1 mice deficient in P-glycoprotein contains a murine retroviral insertion in the mdr1a gene. 2001 , 15, 83-9	29
878	Potential multidrug resistance gene POHL: An ecologically relevant indicator in marine sponges. 2001 , 20, 198-204	7
877	[Alternatives to peptidomimetics. New molecular classes as HIV protease inhibitors?]. 2001, 30, 213-6	
876	Ritonavir increases loperamide plasma concentrations without evidence for P-glycoprotein involvement. 2001 , 70, 439-445	

875	Multidrug-Multixenobiotic Transporters and Their Significance with Respect to Environmental Levels of Pharmaceuticals and Personal Care Products. 2001 , 244-263		6
874	Oral delivery of taxanes. 2001 , 19, 155-62		131
873	Determinants of paclitaxel uptake, accumulation and retention in solid tumors. 2001 , 19, 113-23		41
872	HMG-CoA reductase inhibitors (statins) characterized as direct inhibitors of P-glycoprotein. 2001 , 18, 800-6		139
871	A human lymphocyte based ex vivo assay to study the effect of drugs on P-glycoprotein (P-gp) function. 2001 , 18, 39-44		22
870	Induction of P-glycoprotein mRNA transcripts by cycloheximide in animal tissues: evidence that class I Pgp is transcriptionally regulated whereas class II Pgp is post-transcriptionally regulated. 2001 , 216, 103-10		17
869	Inhibition of P-glycoprotein transport function by grapefruit juice psoralen. 2001 , 18, 432-8		61
868	MRP subfamily transporters and resistance to anticancer agents. 2001 , 33, 493-501		129
867	Overview: ABC transporters and human disease. 2001 , 33, 453-8		261
866	The mechanism of action of multidrug-resistance-linked P-glycoprotein. 2001 , 33, 481-91		124
865	Ultrasound-Induced hyperthermia increases cellular uptake and cytotoxicity of P-glycoprotein substrates in multi-drug resistant cells. 2001 , 18, 1255-61		33
864	Clinical and pharmacokinetic data of a docetaxel-epirubicin combination in metastatic breast cancer. 2001 , 70, 185-95		15
863	Anti-P-glycoprotein antibody-induced apoptosis of activated peripheral blood lymphocytes: a possible role of P-glycoprotein in lymphocyte survival. 2001 , 21, 420-30		32
862	The Arabidopsis thaliana ABC transporter AtMRP5 controls root development and stomata movement. <i>EMBO Journal</i> , 2001 , 20, 1875-87	13	176
861	Ivermectin excretion by isolated functionally intact brain endothelial capillaries. 2001, 132, 722-8		35
860	Evidence of P-glycoprotein mediated apical to basolateral transport of flunisolide in human broncho-tracheal epithelial cells (Calu-3). 2001 , 134, 1555-63		42
859	Efficient retrovirus-mediated transduction of primitive human peripheral blood progenitor cells in stroma-free suspension culture. 2001 , 8, 687-96		5
858	P-glycoprotein and bilirubin disposition. 2001 , 21 Suppl 1, S43-7; discussion S59-62		36

857	Molecular signals in anti-apoptotic survival pathways. 2001 , 15, 21-34	58
856	Combined action of PSC 833 (Valspodar), a novel MDR reversing agent, with mitoxantrone, etoposide and cytarabine in poor-prognosis acute myeloid leukemia. 2001 , 15, 764-71	31
855	Mdr1b facilitates p53-mediated cell death and p53 is required for Mdr1b upregulation in vivo. 2001 , 20, 303-13	17
854	Gene expression and amplification in breast carcinoma cells with intrinsic and acquired doxorubicin resistance. 2001 , 20, 1300-6	96
853	Increased and correlated nuclear factor-kappa B and Ku autoantigen activities are associated with development of multidrug resistance. 2001 , 20, 6048-56	47
852	How proteins move lipids and lipids move proteins. 2001 , 2, 504-13	453
851	Intracellular levels of two cyclosporin derivatives valspodar (PSC 833) and cyclosporin a closely associated with multidrug resistance-modulating activity in sublines of human colorectal adenocarcinoma HCT-15. 2001 , 92, 1116-26	6
850	Involvement of the multidrug resistance protein 3 in drug sensitivity and its expression in human glioma. 2001 , 92, 211-9	50
849	Expression of multidrug resistance-related transporters in human breast carcinoma. 2001 , 92, 452-8	91
848	Reversal of multidrug resistance by novel nitrophenyl pyrones, SNF4435C and D. 2001 , 92, 1235-41	15
847	Mode of action and mechanisms of resistance for antimalarial drugs. 2001 , 89, 207-19	127
846	Drug resistance in Trypanosoma cruzi is not associated with amplification or overexpression of P-glycoprotein (PGP) genes. 2001 , 117, 223-8	28
845	Multidrug resistance gene expression during the murine ontogeny. 2001 , 122, 255-70	19
844	Detection of P-glycoprotein in cell lines and leukemic blasts: failure of select monoclonal antibodies to detect clinically significant Pgp levels in primary cells. 2001 , 25, 1127-35	12
843	Active secretion and enterocytic drug metabolism barriers to drug absorption. 2001, 46, 89-102	238
842	Characterization of multidrug transporters in a normal renal tubular cell line resistant to doxorubicin. Multidrug transporters in the LLC-PK(1) cell line and its resistant counterpart. 2001 , 61, 61-6	10
841	Differential sensitivities of the MRP gene family and gamma-glutamylcysteine synthetase to prooxidants in human colorectal carcinoma cell lines with different p53 status. 2001 , 61, 555-63	53
840	Effects of miltefosine on various biochemical parameters in a panel of tumor cell lines with different sensitivities. 2001 , 62, 765-72	43

839	Transport of new non-cross-resistant antitumor compounds of the benzoperimidine family in multidrug resistant cells. 2001 , 413, 131-41	16
838	Chronic cyclosporine administration induces renal P-glycoprotein in rats. 2001 , 418, 127-32	7
837	Transplacental treatment of fetal tachycardia: implications of drug transporting proteins in placenta. 2001 , 25, 196-201	28
836	Grapefruit juice enhances intestinal absorption of the P-glycoprotein substrate talinolol. 2001 , 12, 361-7	115
835	Pretreatment with potent P-glycoprotein ligands may increase intestinal secretion in rats. 2001 , 12, 405-15	37
834	Inhibitory effects of CYP3A4 substrates and their metabolites on P-glycoprotein-mediated transport. 2001 , 12, 505-13	67
833	Function and regulation of ATP-binding cassette transport proteins involved in hepatobiliary transport. 2001 , 12, 525-43	46
832	SB203580, a specific inhibitor of p38-MAPK pathway, is a new reversal agent of P-glycoprotein-mediated multidrug resistance. 2001 , 14, 29-36	103
831	The role of beta-tubulin isotypes in resistance to antimitotic drugs. 2001 , 1471, O1-9	78
830	Pharmacokinetic and pharmacodynamic implications of P-glycoprotein modulation. 2001 , 21, 778-96	152
829	The multidrug resistance P-glycoprotein. Oligomeric state and intramolecular interactions. 2001 , 276, 36075-8	17
828	Characterization of the catalytic cycle of ATP hydrolysis by human P-glycoprotein. The two ATP hydrolysis events in a single catalytic cycle are kinetically similar but affect different functional outcomes. 2001 , 276, 11653-61	119
827	Functionally similar vanadate-induced 8-azidoadenosine 5'-[alpha-(32)P]Diphosphate-trapped transition state intermediates of human P-glycoprotin are generated in the absence and presence of ATP hydrolysis. 2001 , 276, 21199-208	30
826	Glutathione-dependent binding of a photoaffinity analog of agosterol A to the C-terminal half of human multidrug resistance protein. 2001 , 276, 23197-206	55
825	Specific MDR1 P-glycoprotein blockade inhibits human alloimmune T cell activation in vitro. 2001 , 166, 2451-9	56
824	Adenosine triphosphate-binding cassette superfamily transporter gene expression in severe male infertility. 2001 , 65, 394-400	20
823	Structure, function and evolution of glutathione transferases: implications for classification of non-mammalian members of an ancient enzyme superfamily. <i>Biochemical Journal</i> , 2001 , 360, 1-16	1248
822	Effects of tetramethylpiperidine (TMP)-substituted phenazines on membrane stability and P-glycoprotein function. 2001 , 19, 579-83	1

821	Effects of daily dermal application of DEET and epermethrin, alone and in combination, on sensorimotor performance, blood-brain barrier, and blood-testis barrier in rats. 2001 , 62, 523-41	42
820	A new monoclonal antibody, P2A8(6), that specifically recognizes a novel epitope on the multidrug resistance-associated protein 1 (MRP1), but not on MRP2 nor MRP3. 2001 , 20, 333-41	7
819	MDR1 causes resistance to the antitumour drug miltefosine. 2001 , 84, 1405-11	28
818	Evidence for the vectorial nature of drug (substrate)-stimulated ATP hydrolysis by human P-glycoprotein. 2001 , 276, 33301-4	17
817	B-subunit of phosphate-specific transporter from Mycobacterium tuberculosis is a thermostable ATPase. 2001 , 276, 44590-7	22
816	Cysteines 431 and 1074 are responsible for inhibitory disulfide cross-linking between the two nucleotide-binding sites in human P-glycoprotein. 2001 , 276, 26980-7	74
815	A single carboxyl mutant of the multidrug transporter EmrE is fully functional. 2001 , 276, 12744-8	54
814	P-glycoprotein does not protect cells against cytolysis induced by pore-forming proteins. 2001 , 276, 16667-73	25
813	Correlation between steady-state ATP hydrolysis and vanadate-induced ADP trapping in Human P-glycoprotein. Evidence for ADP release as the rate-limiting step in the catalytic cycle and its modulation by substrates. 2001 , 276, 8657-64	83
812	Cross-linking of human multidrug resistance P-glycoprotein by the substrate, tris-(2-maleimidoethyl)amine, is altered by ATP hydrolysis. Evidence for rotation of a transmembrane helix. 2001 , 276, 31800-5	60
811	Ceramide glycosylation potentiates cellular multidrug resistance. 2001 , 15, 719-30	260
810	Protein kinase C effectors bind to multidrug ABC transporters and inhibit their activity. 2001 , 40, 2564-71	53
809	Modulation of protein kinase C in antitumor treatment. 2001 , 142, 1-96	52
808	Doxorubicin ototoxicity is induced in mice by combination treatment with cyclosporin A. 2001 , 121, 787-93	11
807	P-glycoprotein limits oral availability, brain, and fetal penetration of saquinavir even with high doses of ritonavir. 2001 , 59, 806-13	156
806	Down-regulation of intrinsic P-glycoprotein expression in multicellular prostate tumor spheroids by reactive oxygen species. 2001 , 276, 17420-8	83
805	Methylation-dependent silencing of the reduced folate carrier gene in inherently methotrexate-resistant human breast cancer cells. 2001 , 276, 39990-40000	107
804	The Arabidopsis thaliana ABC protein superfamily, a complete inventory. 2001 , 276, 30231-44	387

803	Aromatic hydrocarbon receptor (AhR).AhR nuclear translocator- and p53-mediated induction of the murine multidrug resistance mdr1 gene by 3-methylcholanthrene and benzo(a)pyrene in hepatoma cells. 2001 , 276, 4819-27	54
802	The stereoselective targeting of a specific enzyme-substrate complex is the molecular mechanism for the synergic inhibition of HIV-1 reverse transcriptase by (R)-(-)-PPO464: a novel generation of nonnucleoside inhibitors. 2001 , 276, 44653-62	8
801	Structure-activity relationships of multidrug resistance reversers. 2001 , 8, 685-713	147
800	Assessing the absorption of new pharmaceuticals. 2001 , 1, 385-401	156
799	Analysis of drug transport kinetics in multidrug-resistant cells: implications for drug action. 2001 , 8, 51-64	53
798	The human ATP-binding cassette transporter genes: from the bench to the bedside. 2001 , 1, 45-65	121
797	The multi-structural feature of the multidrug resistance gene product P-glycoprotein: implications for its mechanism of action (hypothesis). 2001 , 18, 145-52	8
796	Xenobiotic transporters: another protective mechanism for chemicals. 2002 , 21, 7-12	15
795	Regulation of MDR-1 (P-glycoprotein) by cyclooxygenase-2. 2002 , 277, 38915-20	131
794	P-glycoprotein inhibitors enhance saturable uptake of idarubicin in rat heart: pharmacokinetic/pharmacodynamic modeling. 2002 , 300, 688-94	31
793	Characterization of the dexniguldipine binding site in the multidrug resistance-related transport protein P-glycoprotein by photoaffinity labeling and mass spectrometry. 2002 , 61, 1366-76	33
792	RLIP76, a novel transporter catalyzing ATP-dependent efflux of xenobiotics. 2002 , 30, 1300-10	68
791	Identification of ligand-binding regions of P-glycoprotein by activated-pharmacophore photoaffinity labeling and matrix-assisted laser desorption/ionization-time-of-flight mass spectrometry. 2002 , 61, 637-48	47
790	The multidrug transporter, P-glycoprotein, actively mediates cholesterol redistribution in the cell membrane. 2002 , 99, 10347-52	163
789	Expression of multidrug resistance-associated protein1,P-glycoprotein, and thymidylate synthase in gastric cancer patients treated with 5-fluorouracil and doxorubicin-based adjuvant chemotherapy after curative resection. 2002 , 86, 1578-85	41
788	Naturally occurring mutations and functional polymorphisms in multidrug resistance 1 gene: correlation with microsatellite instability and lymphoid infiltration in colorectal cancers. 2002 , 39, 340-6	28
787	Delineating the contribution of secretory transporters in the efflux of etoposide using Madin-Darby canine kidney (MDCK) cells overexpressing P-glycoprotein (Pgp), multidrug resistance-associated protein (MRP1), and canalicular multispecific organic anion transporter	80
786	(cMOAT). 2002 , 30, 457-63 Pharmacokinetic role of P-glycoprotein in oral bioavailability and intestinal secretion of grepafloxacin in vivo. 2002 , 300, 1063-9	64

785	Paclitaxel-resistant human ovarian cancer cells undergo c-Jun NH2-terminal kinase-mediated apoptosis in response to noscapine. 2002 , 277, 39777-85	104
784	A novel electron paramagnetic resonance approach to determine the mechanism of drug transport by P-glycoprotein. 2002 , 277, 45688-94	64
783	Ganglioside GD3 sensitizes human hepatoma cells to cancer therapy. 2002 , 277, 49870-6	39
782	Establishment of human tumoral ependymal cell lines and coculture with tubular-like human endothelial cells. 2002 , 21, 775	
781	A novel membrane protein, Ros3p, is required for phospholipid translocation across the plasma membrane in Saccharomyces cerevisiae. 2002 , 277, 37855-62	107
78o	Organic anion transporters. 1999 , 12, 471-91	5
779	Thyroid hormone export varies among primary cells and appears to differ from hormone uptake. 2002 , 143, 476-83	20
778	"Pros and cons" on how to measure multidrug resistance in leukemias. 2002 , 43, 711-7	7
777	Psychoactive drugs affect glucose transport and the regulation of glucose metabolism. 2002, 51, 503-30	10
776	Role for c-jun N-terminal kinase in treatment-refractory acute myeloid leukemia (AML): signaling to multidrug-efflux and hyperproliferation. 2002 , 16, 799-812	50
775	Medicinal chemistry in the new millennium. A glance into the future. 2002 , 74, 703-785	48
774	A common P-glycoprotein polymorphism is associated with nortriptyline-induced postural hypotension in patients treated for major depression. 2002 , 2, 191-6	171
773	Antibiotic Treatment of Infections with Intracellular Bacteria. 2002, 281-293	3
772	Interaction of common azole antifungals with P glycoprotein. 2002 , 46, 160-5	197
771	Multidrug-resistance transporters. 1999 , 12, 353-86	84
770	Influence of ceramide metabolism on P-glycoprotein function in immature acute myeloid leukemia KG1a cells. 2002 , 62, 304-12	32
769	Topical colchicine selection of keratinocytes transduced with the multidrug resistance gene (MDR1) can sustain and enhance transgene expression in vivo. 2002 , 99, 13096-101	28
768	Evidence of active efflux in resistance to ciprofloxacin and to ethidium bromide by Mycoplasma hominis. 2002 , 46, 672-9	52

767	Effect of P-glycoprotein on the pharmacokinetics and tissue distribution of enaminone anticonvulsants: analysis by population and physiological approaches. 2002 , 302, 1096-104	38
766	TUMOR IMAGING APPLICATIONS IN THE TESTING OF NEW DRUGS. 2002, 353-cp3	1
765	Characterization of drug transport, ATP hydrolysis, and nucleotide trapping by the human ABCG2 multidrug transporter. Modulation of substrate specificity by a point mutation. 2002 , 277, 47980-90	170
764	Structural and functional asymmetry of the nucleotide-binding domains of P-glycoprotein investigated by attenuated total reflection Fourier transform infrared spectroscopy. 2002 , 277, 5008-16	40
763	Characterization of two pharmacophores on the multidrug transporter P-glycoprotein. 2002 , 62, 1288-98	104
762	A gene encoding multidrug resistance (MDR)-like protein is induced by aluminum and inhibitors of calcium flux in wheat. 2002 , 43, 177-85	59
761	The relationship between adipose tissue skatole levels, rates of hepatic microsomal skatole metabolism and hepatic cytochrome P450IIE1 expression in two breeds of pig. 2002 , 74, 461-468	26
760	Biotransformation of a taxadiene by ginkgo cell cultures and the tumor multi-drug resistant reversal activities of the metabolites. 2011 , 59, 1038-41	3
759	Increased P-glycoprotein expression in mitochondria is related to acquired multidrug resistance in human hepatoma cells depleted of mitochondrial DNA. 2012 , 40, 109-18	11
758	Discovering natural product modulators to overcome multidrug resistance in cancer chemotherapy. 2011 , 12, 609-20	126
757	Metformin inhibits P-glycoprotein expression via the NF- B pathway and CRE transcriptional activity through AMPK activation. 2011 , 162, 1096-108	131
756	Human AP endonuclease (APE1/Ref-1) and its acetylation regulate YB-1-p300 recruitment and RNA polymerase II loading in the drug-induced activation of multidrug resistance gene MDR1. 2011 , 30, 482-93	94
755	Enhancement of drug efflux activity via MDR1 protein by spheroid culture of human hepatic cancer cells. 2011 , 111, 590-3	40
754	Reversal effects of two new milbemycin compounds on multidrug resistance in MCF-7/adr cells in vitro. 2011 , 659, 108-13	9
753	A novel indirubin derivative PHII-7 potentiates adriamycin cytotoxicity via inhibiting P-glycoprotein expression in human breast cancer MCF-7/ADR cells. 2011 , 669, 38-44	16
75 ²	Alkaloids derived from genus Veratrum and Peganum of Mongolian origin as multidrug resistance inhibitors of cancer cells. 2011 , 82, 570-5	19
75 ¹	Reversion of resistance to immunosuppressive agents in three patients with psoriatic arthritis by cyclosporine A: modulation of P-glycoprotein function. 2011 , 138, 9-13	10
750	The effect of ABCB1 genetic variants on chemotherapy response in HIV and cancer treatment. 2011 , 12, 1465-83	10

749	Bioavailability study of berberine and the enhancing effects of TPGS on intestinal absorption in rats. 2011 , 12, 705-11	181
748	Nanoparticles: a promising modality in the treatment of sarcomas. 2011 , 28, 260-72	12
747	Lipophilicity and its relationship with passive drug permeation. 2011 , 28, 962-77	224
746	Distribution study of peplomycin in rat kidney revealed by immunocytochemistry using monoclonal antibodies. <i>Histochemistry and Cell Biology</i> , 2011 , 135, 93-101	5
745	Allyl sulfur compounds and cellular detoxification system: effects and perspectives in cancer therapy. 2011 , 41, 103-12	41
744	P-glycoprotein enhances radiation-induced apoptotic cell death through the regulation of miR-16 and Bcl-2 expressions in hepatocellular carcinoma cells. 2011 , 16, 524-35	19
743	Multi drug resistance-1 (MDR1) expression in response to chronic diazinon exposure: an in vitro study on Caco-2 cells. 2011 , 86, 105-9	5
742	The effect of glucosylceramide synthase on P-glycoprotein function in K562/AO2 leukemia drug-resistance cell line. 2011 , 93, 361-367	14
74 ¹	Effect of pluronic P123 and F127 block copolymer on P-glycoprotein transport and CYP3A metabolism. 2011 , 34, 1719-28	38
740	Curcumin prevents induced drug resistance: a novel function?. 2011 , 23, 218-23	10
739	Multidrug-resistance proteins are weak tumor associated antigens for colorectal carcinoma. 2011 , 12, 38	5
738	Cytometric assessment of mitochondria using fluorescent probes. 2011 , 79, 405-25	245
737	The effect of combined CJZ3, a lomerizine derivative, with verapamil on P-glycoprotein efflux function in vitro. 2011 , 72, 305-309	
736	[11C]sorafenib: radiosynthesis and preliminary PET study of brain uptake in P-gp/Bcrp knockout mice. 2011 , 21, 2220-3	45
735	Strategies to optimize the brain availability of central nervous system drug candidates. 2011 , 6, 371-81	45
734	Impact of ATP-binding cassette, subfamily B, member 1 pharmacogenetics on tacrolimus-associated nephrotoxicity and dosage requirements in paediatric patients with liver transplant. 2011 , 10, 9-22	11
733	PEO-PPO block copolymers for passive micellar targeting and overcoming multidrug resistance in cancer therapy. 2011 , 12, 1112-30	98
732	Utility of P-glycoprotein and organic cation transporter 1 double-transfected LLC-PK1 cells for studying the interaction of YM155 monobromide, novel small-molecule survivin suppressant, with P-glycoprotein. 2011 , 39, 2314-20	40

731	Molecular dissection of dual pseudosymmetric solute translocation pathways in human P-glycoprotein. 2011 , 79, 443-52	42
730	Surgical and pharmacological animal models used in drug metabolism and pharmacokinetics. 2011 , 41, 687-700	7
729	Renal Ontogeny of P-Glycoprotein/MDR1 in Rat. 2011 , 11,	
728	Expression of Multidrug Resistance 1, Lung Resistance Protein and Breast Cancer Resistance Protein Genes in Chronic Leukemias. 2011 , 21, 92-100	
727	Unravelling the folding and stability of an ABC (ATP-binding cassette) transporter. 2011, 39, 751-60	7
726	Establishment and characterization of clinically relevant models of ependymoma: a true challenge for targeted therapy. 2011 , 13, 748-58	19
725	Flavonoids as Anticancer Agents: Recent Progress and State of the Art?. 2011 , 15, 2608-2615	23
724	'Genetic profiling' and ovarian cancer therapy (review). 2011 , 4, 771-7	22
723	In vitro folding and assembly of the Escherichia coli ATP-binding cassette transporter, BtuCD. 2011 , 286, 18807-15	16
722	Exosomal evasion of humoral immunotherapy in aggressive B-cell lymphoma modulated by ATP-binding cassette transporter A3. 2011 , 108, 15336-41	240
722 721		240
	ATP-binding cassette transporter A3. 2011 , 108, 15336-41 Enriching lipid nanovesicles with short-chain glucosylceramide improves doxorubicin delivery and	<u> </u>
721	ATP-binding cassette transporter A3. 2011 , 108, 15336-41 Enriching lipid nanovesicles with short-chain glucosylceramide improves doxorubicin delivery and efficacy in solid tumors. 2011 , 25, 280-9 Nuclear factor-kappa B activity regulates brain expression of P-glycoprotein in the kainic	50
721 720	ATP-binding cassette transporter A3. 2011, 108, 15336-41 Enriching lipid nanovesicles with short-chain glucosylceramide improves doxorubicin delivery and efficacy in solid tumors. 2011, 25, 280-9 Nuclear factor-kappa B activity regulates brain expression of P-glycoprotein in the kainic acid-induced seizure rats. 2011, 2011, 670613 Influence of ATP-Binding Cassette Transporters in Root Exudation of Phytoalexins, Signals, and in	50
721 720 719	ATP-binding cassette transporter A3. 2011, 108, 15336-41 Enriching lipid nanovesicles with short-chain glucosylceramide improves doxorubicin delivery and efficacy in solid tumors. 2011, 25, 280-9 Nuclear factor-kappa B activity regulates brain expression of P-glycoprotein in the kainic acid-induced seizure rats. 2011, 2011, 670613 Influence of ATP-Binding Cassette Transporters in Root Exudation of Phytoalexins, Signals, and in Disease Resistance. 2012, 3, 149 Overcoming multidrug-resistance in vitro and in vivo using the novel P-glycoprotein inhibitor 1416.	50 30 25
721 720 719 718	Enriching lipid nanovesicles with short-chain glucosylceramide improves doxorubicin delivery and efficacy in solid tumors. 2011, 25, 280-9 Nuclear factor-kappa B activity regulates brain expression of P-glycoprotein in the kainic acid-induced seizure rats. 2011, 2011, 670613 Influence of ATP-Binding Cassette Transporters in Root Exudation of Phytoalexins, Signals, and in Disease Resistance. 2012, 3, 149 Overcoming multidrug-resistance in vitro and in vivo using the novel P-glycoprotein inhibitor 1416. 2012, 32, 559-66	50 30 25 26
721 720 719 718 717	ATP-binding cassette transporter A3. 2011, 108, 15336-41 Enriching lipid nanovesicles with short-chain glucosylceramide improves doxorubicin delivery and efficacy in solid tumors. 2011, 25, 280-9 Nuclear factor-kappa B activity regulates brain expression of P-glycoprotein in the kainic acid-induced seizure rats. 2011, 2011, 670613 Influence of ATP-Binding Cassette Transporters in Root Exudation of Phytoalexins, Signals, and in Disease Resistance. 2012, 3, 149 Overcoming multidrug-resistance in vitro and in vivo using the novel P-glycoprotein inhibitor 1416. 2012, 32, 559-66 Three decades of P-gp inhibitors: skimming through several generations and scaffolds. 2012, 19, 1946-2025 Inhibition of protein N-myristoylation: a therapeutic protocol in developing anticancer agents. 2012	50 30 25 26 332

713	F2A sequence linking MGMT(P140K) and MDR1 in a bicistronic lentiviral vector enables efficient chemoprotection of haematopoietic stem cells. 2012 , 19, 802-10	10
712	Immunocytochemistry for vancomycin using a monoclonal antibody that reveals accumulation of the drug in rat kidney and liver. 2012 , 56, 5883-91	20
711	REIC/Dkk-3-encoding adenoviral vector as a potentially effective therapeutic agent for bladder cancer. 2012 , 41, 559-64	17
710	Reversion of multidrug resistance in a chemoresistant human breast cancer cell line by Elemene. 2012 , 89, 303-12	33
709	Respiratory toxicity of buprenorphine results from the blockage of P-glycoprotein-mediated efflux of norbuprenorphine at the blood-brain barrier in mice. 2012 , 40, 3215-23	47
708	History of Biomarkers. 2012 , 15-44	1
707	Inhibitory effects of epigallocatechin-3-gallate on cell proliferation and the expression of HIF-1 and P-gp in the human pancreatic carcinoma cell line PANC-1. 2012 , 27, 1567-72	15
706	Analysis of Porphyra membrane transporters demonstrates gene transfer among photosynthetic eukaryotes and numerous sodium-coupled transport systems. 2012 , 158, 2001-12	31
705	Glutathione S-Transferases. 2012 , 147-164	1
704	Short-term feedback regulation of bile salt uptake by bile salts in rodent liver. 2012 , 56, 2387-97	27
703	Synthesis, characterization and anticancer activity of 3-aza-analogues of DP-7. 2012 , 21, 4002-4009	9
702	Protein kinase Caprotects against multidrug resistance in human colon cancer cells. 2012 , 34, 61-9	25
701	P-glycoproteins and other multidrug resistance transporters in the pharmacology of anthelmintics: Prospects for reversing transport-dependent anthelmintic resistance. 2012 , 2, 58-75	126
700	Evidence for modulatory sites at the lipid-protein interface of the human multidrug transporter P-glycoprotein. 2012 , 51, 2852-66	12
699	Detection of frequent ABCB1 polymorphisms by high-resolution melting curve analysis and their effect on breast carcinoma prognosis. 2012 , 50, 1999-2007	13
698	Antivascular therapy for multidrug-resistant ovarian tumors by macitentan, a dual endothelin receptor antagonist. 2012 , 5, 39-47	28
697	Mutual interactions between flavonoids and enzymatic and transporter elements responsible for flavonoid disposition via phase II metabolic pathways. 2012 , 2, 7948-7963	49
696	Substituted chromones as highly potent nontoxic inhibitors, specific for the breast cancer resistance protein. 2012 , 55, 966-70	67

(2012-2012)

695	A furantaxane with an unusual 6/8/6/5 ring system and potent tumor MDR reversal activity obtained via microbial transformation. 2012 , 14, 4106-9		10	
694	Reversal of multidrug resistance by morning glory resin glycosides in human breast cancer cells. 2012 , 75, 93-7		59	
693	Transfected MDCK cell line with enhanced expression of CYP3A4 and P-glycoprotein as a model to study their role in drug transport and metabolism. 2012 , 9, 1877-86		7	
692	Rationally designed aberrant kinase-targeted endogenous protein nanomedicine against oncogene mutated/amplified refractory chronic myeloid leukemia. 2012 , 9, 3062-78		15	
691	P-glycoprotein and its inhibition in tumors by phytochemicals derived from Chinese herbs. 2012 , 141, 557-70		90	
690	Reversal effect of Tween-20 on multidrug resistance in tumor cells in vitro. <i>Biomedicine and Pharmacotherapy</i> , 2012 , 66, 187-94	7.5	13	
689	ATP-binding cassette transporters as pharmacogenetic biomarkers for kidney transplantation. 2012 , 413, 1326-37		25	
688	Montmorillonite/poly-(Laprolactone) composites as versatile layered material: reservoirs for anticancer drug and controlled release property. 2012 , 47, 265-72		41	
687	Effect of dietary polyphenols on K562 leukemia cells: a Foodomics approach. 2012 , 33, 2314-27		46	
686	Molecular buckets: cyclodextrins for oral cancer therapy. 2012 , 3, 43-57		16	
685	Reversion of P-glycoprotein-mediated multidrug resistance by guggulsterone in multidrug-resistant human cancer cell lines. 2012 , 694, 39-44		17	
684	Microbial transformations of taxadienes and the multi-drug resistant tumor reversal activities of the metabolites. 2012 , 68, 9539-9549		13	
683	76 Syntheses of Bacteriochlorins and Isobacteriochlorins. 2012 , 1-112		36	
682	Taxol, Camptothecin and Beyond for Cancer Therapy. 2012 , 133-178		3	
681	Cellular delivery of doxorubicin via pH-controlled hydrazone linkage using multifunctional nano vehicle based on poly(El-malic acid). 2012 , 13, 11681-93		66	
680	RLIP76 regulates PI3K/Akt signaling and chemo-radiotherapy resistance in pancreatic cancer. 2012 , 7, e34582		33	
679	Prediction of promiscuous p-glycoprotein inhibition using a novel machine learning scheme. 2012 , 7, e33829		21	
678	Nilotinib counteracts P-glycoprotein-mediated multidrug resistance and synergizes the antitumoral effect of doxorubicin in soft tissue sarcomas. 2012 , 7, e37735		34	

677	Clitocine reversal of P-glycoprotein associated multi-drug resistance through down-regulation of transcription factor NF- B in R-HepG2 cell line. 2012 , 7, e40720	49
676	Clinical trials and chemotherapy. 2012 , 306-315	
675	Homology modeling and structural analysis of human P-glycoprotein. 2012 , 8, 1066-74	8
674	Evaluation of the C3435T polymorphism in the MDR1 gene in patients with hepatocellular carcinoma. 2012 , 11, 899-906	18
673	Photochemical internalization-mediated delivery of chemotherapeutic agents in human breast tumor cell lines. 2012 , 31, 49-59	13
672	Impact of small molecules immunosuppressants on P-glycoprotein activity and T-cell function. 2012 , 15, 407-19	6
671	Chemotherapy and Mechanisms of Resistance in Breast Cancer. 2012,	
670	Differential selectivity of efflux transporter inhibitors in Caco-2 and MDCK-MDR1 monolayers: a strategy to assess the interaction of a new chemical entity with P-gp, BCRP, and MRP2. 2012 , 101, 1888-97	52
669	P-glycoprotein binds to ezrin at amino acid residues 149-242 in the FERM domain and plays a key role in the multidrug resistance of human osteosarcoma. 2012 , 130, 2824-34	46
668	Study of the anticancer properties of tin(IV) carboxylate complexes on a panel of human tumor cell lines. 2012 , 7, 301-10	42
667	Tyrosine kinase inhibitors influence ABCG2 expression in EGFR-positive MDCK BCRP cells via the PI3K/Akt signaling pathway. 2012 , 7, 650-62	60
666	Inhibition of P-glycoprotein by two artemisinin derivatives. 2012 , 2, 59-64	10
665	Transport and cytotoxicity of the anticancer drug 3-bromopyruvate in the yeast Saccharomyces cerevisiae. 2012 , 44, 155-61	26
664	MDR-1-overexpression in HT 29 colon cancer cells grown in SCID mice. 2012 , 114, 594-602	8
663	pH-sensitive chitosan-derived nanoparticles as doxorubicin carriers for effective anti-tumor activity: preparation and in vitro evaluation. 2012 , 94, 184-91	83
662	Computational models for predicting substrates or inhibitors of P-glycoprotein. 2012 , 17, 343-51	107
661	The role of bioreductive activation of antitumour anthracycline drugs in cytotoxic activity against sensitive and multidrug resistant leukaemia HL60 cells. 2012 , 674, 112-25	4
660	P-glycoprotein mediates resistance to A3 adenosine receptor agonist 2-chloro-N6-(3-iodobenzyl)-adenosine-5'-n-methyluronamide in human leukemia cells. 2012 , 227, 676-85	16

(2013-2012)

659	The influence of lead on different proteins in gill cells from the freshwater bivalve, Corbicula fluminea, from defense to repair biomarkers. 2012 , 62, 56-67	26
658	Induction of acquired drug resistance in endothelial cells and its involvement in anticancer therapy. 2013 , 6, 49	29
657	Molecular Mechanisms of Tumor Cell Resistance to Chemotherapy. 2013,	5
656	Biomedical applications and colloidal properties of amphiphilically modified chitosan hybrids. 2013 , 38, 1307-1328	77
655	Drug Resistance in Leishmania Parasites. 2013 ,	12
654	Enhanced intracellular drug delivery of pH-sensitive doxorubicin/poly(ethylene glycol)-block-poly(4-vinylbenzylphosphonate) nanoparticles in multi-drug resistant human epidermoid KB carcinoma cells. 2013 , 1, 361-367	24
653	Bile formation and secretion. 2013, 3, 1035-78	428
652	Na+-substrate coupling in the multidrug antiporter norm probed with a spin-labeled substrate. 2013 , 52, 5790-9	18
651	Collateral Sensitivity in Drug-Resistant Tumor Cells. 2013 , 187-211	5
650	Clinically Relevant Drug-Drug and Drug-Food Interactions. 2013 , 27, 9-23	7
649	Guggulsterone regulates the function and expression of P-glycoprotein in rat brain microvessel endothelial cells. 2013 , 718, 24-9	5
648	Evidence and Rational Based Research on Chinese Drugs. 2013,	11
647	Effects of food lectins on the transport system of human intestinal Caco-2 cell monolayers. 2013 , 77, 1917-24	13
646	Entamoeba histolytica P-glycoprotein (EhPgp) inhibition, induce trophozoite acidification and enhance programmed cell death. 2013 , 135, 532-40	4
645	Sensitivity and mechanisms of taxol-resistant prostate adenocarcinoma cells to Vernonia amygdalina extract. 2013 , 65, 759-65	8
644	Phospholipase D activation mediates cobalamin-induced downregulation of Multidrug Resistance-1 gene and increase in sensitivity to vinblastine in HepG2 cells. 2013 , 45, 213-20	6
643	P-gp substrate-induced neurotoxicity in an Abcb1a knock-in/Abcb1b knock-out mouse model with a mutated canine ABCB1 targeted insertion. 2013 , 94, 656-61	8
642	Fluorine-Containing Taxoid Anticancer Agents and Their Tumor-Targeted Drug Delivery. 2013 , 152, 157-165	23

641	Inhibition of ATP-Binding Cassette Transporters by Chinese Herbs and Phytochemicals. 2013 , 283-331	O
640	ATPase activity of nucleotide binding domains of human MDR3 in the context of MDR1. 2013 , 1831, 683-90	12
639	Reversal effect of rosmarinic acid on multidrug resistance in SGC7901/Adr cell. 2013 , 15, 276-85	14
638	The Role of ABC Transporters in Drug-Resistant Leishmania. 2013 , 237-258	3
637	Pharmacophore-based drug design and biological evaluation of novel ABCB1 inhibitors. 2013 , 81, 349-58	4
636	Dendritic cells phenotype fitting under hypoxia or lipopolysaccharide; adenosine 5'-triphosphate-binding cassette transporters far beyond an efflux pump. 2013 , 172, 444-54	8
635	Anticancer activity of essential oils: a review. 2013 , 93, 3643-53	138
634	An integrated in vitro model for simultaneous assessment of drug uptake, metabolism, and efflux. 2013 , 10, 3152-63	11
633	Establishment of a robust hepatitis C virus replicon cell line over-expressing P-glycoprotein that facilitates analysis of P-gp drug transporter effects on inhibitor antiviral activity. 2013 , 85, 21-8	2
632	Advances in brain targeting and drug delivery of anti-HIV therapeutic agents. 2013 , 10, 973-85	12
631	Sav1866 from Staphylococcus aureus and P-glycoprotein: similarities and differences in ATPase activity assessed with detergents as allocrites. 2013 , 52, 3297-309	16
630	Non-Hodgkin's B-cell lymphoma: advances in molecular strategies targeting drug resistance. 2013 , 238, 971-90	38
629	Polymer therapeutics for treating cancer. 2013 , 113-133	
628	De novo prediction of p-glycoprotein-mediated efflux liability for druglike compounds. 2013 , 4, 108-12	9
627	MDR1 C3435T polymorphism and interaction with environmental factors in risk of Parkinson's disease: a case-control study in Japan. 2013 , 28, 138-43	14
626	Bioimaging real-time PXR-dependent mdr1a gene regulation in mdr1a.fLUC reporter mice. 2013 , 345, 438-45	10
625	Quantitative determination of paclitaxel and its metabolites, 6thydroxypaclitaxel and p-3'-hydroxypaclitaxel, in human plasma using column-switching liquid chromatography/tandem mass spectrometry. 2013 , 27, 539-44	11
624	Death inducing and cytoprotective autophagy in T-47D cells by two common antibacterial drugs: sulphathiazole and sulphacetamide. 2013 , 37, 348-58	10

623	Enhanced doxorubicin transport to multidrug resistant breast cancer cells via TiO2 nanocarriers. 2013 , 3, 20855	41
622	Grape seed procyanidin reversal of p-glycoprotein associated multi-drug resistance via down-regulation of NF- B and MAPK/ERK mediated YB-1 activity in A2780/T cells. 2013 , 8, e71071	66
621	Metabolic profiles and free radical scavenging activity of Cordyceps bassiana fruiting bodies according to developmental stage. 2013 , 8, e73065	12
620	Therapy's Shadow: A Short History of the Study of Resistance to Cancer Chemotherapy. 2013 , 4, 58	10
619	P-glycoprotein inhibition as a therapeutic approach for overcoming multidrug resistance in cancer: current status and future perspectives. 2013 , 13, 326-46	262
618	Alternativas para o controle de nematoides gastrintestinais de pequenos ruminantes. 2013 , 80, 253-263	18
617	Genome-wide identification, functional analysis and expression profiling of pleiotropic drug resistance (PDR) sub-family in potato. 2013 , 12, 4722-4729	
616	Karanjin interferes with ABCB1, ABCC1, and ABCG2. 2014 , 17, 92-105	15
615	Effect of Piperine, Quercetin, Polysorbate 80 on the Oral Bioavailability of Losartan in Male Wistar Rats. 2014 , 2, 49-55	0
614	Modulation of Drug-Metabolizing Enzymes and Transporters by Polyphenols as an Anticarcinogenic Effect. 2014 , 1127-1135	1
613	PEGylated polymer micelles for anticancer drug delivery carrier. 2014 , 285-298	1
612	Advances in investigations on the mechanism of cancer multidrug resistance and the liposomes-based treatment strategy. 2014 , 44, 493-504	6
611	Structural Characterization of the Drug Translocation Path of MRP1/ABCC1. 2014 , 54, 1382-1393	5
610	Digging up the human genome: current progress in deciphering adverse drug reactions. 2014 , 2014, 824343	7
609	P-glycoprotein and drug resistance in systemic autoimmune diseases. 2014 , 15, 4965-76	33
608	Reduced Intracellular Drug Accumulation in Drug-Resistant Leukemia Cells is Not Only Solely Due to MDR-Mediated Efflux but also to Decreased Uptake. <i>Frontiers in Oncology</i> , 2014 , 4, 306	18
607	Resveratrol reverses multidrug resistance in human breast cancer doxorubicin-resistant cells. 2014 , 7, 1611-1616	55
606	Recent advances in candidate-gene and whole-genome approaches to the discovery of anthelmintic resistance markers and the description of drug/receptor interactions. 2014 , 4, 164-84	125

605	ERG induces taxane resistance in castration-resistant prostate cancer. 2014 , 5, 5548	81
604	In vitro experimental system for evaluating inhibitory effect of investigational drugs on P-glycoprotein-mediated transcellular transport of tacrolimus (FK506). 2014 , 35, 135-44	3
603	In silico screening for inhibitors of p-glycoprotein that target the nucleotide binding domains. 2014 , 86, 716-26	17
602	CHAPTER 1:Manganese Transport, Trafficking and Function in Invertebrates. 2014 , 1-33	6
601	Differential drug resistance acquisition to doxorubicin and paclitaxel in breast cancer cells. 2014 , 142	49
600	Class C ABC transporters and vacuole fusion. 2014 , 4, e943588	5
599	Interrogation of multidrug resistance (MDR1) P-glycoprotein (ABCB1) expression in human pancreatic carcinoma cells: correlation of 99mTc-Sestamibi uptake with western blot analysis. 2014 , 35, 1067-70	13
598	Roots of Medicinal Importance. 2014 , 443-467	Ο
597	Human Prenatal Small Intestine Cells as a Valuable Source of Stem Cells and Epithelial Cells: Phenotypic and Functional Characterization. 2014, 1	
596	Subtherapeutic ganciclovir (GCV) levels and GCV-resistant cytomegalovirus in lung transplant recipients. 2014 , 16, 941-50	27
595	Y-box-binding protein 1 (YB1) in breast carcinomas: relation to aggressive tumor phenotype and identification of patients at high risk for relapse. 2014 , 40, 289-96	23
594	Nanoparticle-directed sub-cellular localization of doxorubicin and the sensitization breast cancer cells by circumventing GST-mediated drug resistance. 2014 , 35, 1227-39	107
593	Spermine metabolism and radiation-derived reactive oxygen species for future therapeutic implications in cancer: an additive or adaptive response. 2014 , 46, 487-98	9
592	Sinapine as an active compound for inhibiting the proliferation of Caco-2 cells via downregulation of P-glycoprotein. 2014 , 67, 187-92	13
591	Intestinal drug transport: ex vivo evaluation of the interactions between ABC transporters and anthelmintic molecules. 2014 , 37, 332-7	12
590	Root Engineering. 2014,	4
589	Drug promiscuity of P-glycoprotein and its mechanism of interaction with paclitaxel and doxorubicin. 2014 , 10, 438-45	33
588	The network of P-glycoprotein and microRNAs interactions. 2014 , 135, 253-63	41

587	Bioavailability of Flavonoids: The Role of Cell Membrane Transporters. 2014 , 489-511	14
586	CD44/cellular prion protein interact in multidrug resistant breast cancer cells and correlate with responses to neoadjuvant chemotherapy in breast cancer patients. 2014 , 53, 686-97	34
585	Expression of P-glycoprotein in human retinoblastoma and its clinical significance. 2014 , 35, 11735-40	7
584	Nanodiamond-mitoxantrone complexes enhance drug retention in chemoresistant breast cancer cells. 2014 , 11, 2683-91	68
583	Paclitaxel-loaded N-octyl-O-sulfate chitosan micelles for superior cancer therapeutic efficacy and overcoming drug resistance. 2014 , 11, 145-57	57
582	Modulating cancer multidrug resistance by sertraline in combination with a nanomedicine. 2014 , 354, 290-8	39
581	Synthesis of poly[N-(2-hydroxypropyl)methacrylamide] conjugates of inhibitors of the ABC transporter that overcome multidrug resistance in doxorubicin-resistant P388 cells in vitro. 2014 , 15, 3030-43	21
580	Autophagy promotes paclitaxel resistance of cervical cancer cells: involvement of Warburg effect activated hypoxia-induced factor 1-mediated signaling. <i>Cell Death and Disease</i> , 2014 , 5, e1367	103
579	Characterisation of the multixenobiotic resistance (MXR) mechanism in the freshwater snail Physa acuta from Patagonia (Argentina). 2014 , 48, 86-96	7
578	A liquid chromatography-tandem mass spectrometry-based targeted proteomics assay for monitoring P-glycoprotein levels in human breast tissue. 2014 , 436, 283-9	14
577	Water-soluble and cleavable quercetin-amino acid conjugates as safe modulators for P-glycoprotein-based multidrug resistance. 2014 , 57, 7216-33	41
576	Recent advances in the discovery of N-myristoyltransferase inhibitors. 2014 , 9, 2425-37	25
575	Structural basis for gating mechanisms of a eukaryotic P-glycoprotein homolog. 2014 , 111, 4049-54	134
574	P-gp efflux pump inhibition potential of common environmental contaminants determined in vitro. 2014 , 33, 804-13	12
573	Taxol, Taxoids, and Related Taxanes. 2014 , 127-180	2
57²	Magnetic core-shell nanocapsules with dual-targeting capabilities and co-delivery of multiple drugs to treat brain gliomas. 2014 , 3, 1250-60	85
571	Respiratory sensitizer hexamethylene diisocyanate inhibits SOD 1 and induces ERK-dependent detoxifying and maturation pathways in dendritic-like cells. 2014 , 72, 238-46	9
570	Medicinal properties of organotin compounds and their limitations caused by toxicity. 2014 , 423, 2-13	49

569	Design, synthesis, and biological evaluations of tumor-targeting dual-warhead conjugates for a taxoid-camptothecin combination chemotherapy. 2014 , 57, 5777-91	55
568	Modulation of drug resistance in ovarian adenocarcinoma using chemotherapy entrapped in hyaluronan-grafted nanoparticle clusters. 2014 , 8, 2183-95	74
567	Drug-induced nephrotoxicity: clinical impact and preclinical in vitro models. 2014 , 11, 1933-48	106
566	The DrrAB efflux system of Streptomyces peucetius is a multidrug transporter of broad substrate specificity. 2014 , 289, 12633-46	32
565	In vitro antileukaemic activity of extracts from Daphne gnidium leaves against sensitive and multidrug resistant K562/R7 cells. 2014 , 35, 8991-8	4
564	[(11)C-carbonyl]CEP-32496: radiosynthesis, biodistribution and PET study of brain uptake in P-gp/BCRP knockout mice. 2014 , 24, 3574-7	9
563	The combined treatment with chloroquine and the enzymatic oxidation products of spermine overcomes multidrug resistance of melanoma M14 ADR2 cells: a new therapeutic approach. 2014 , 45, 1109-22	14
562	Elemene, a compound derived from Rhizoma zedoariae, reverses multidrug resistance mediated by the ABCB1 transporter. 2014 , 31, 858-66	41
561	A Flow Cytometric Clonogenic Assay Reveals the Single-Cell Potency of Doxorubicin. 2015 , 104, 4409-4416	10
560	Combination of Taxol and dichloroacetate results in synergistically inhibitory effects on Taxol-resistant oral cancer cells under hypoxia. 2015 , 11, 2935-40	10
559	Drug Metabolism, Transport, and Pharmacogenomics. 2015 , 626-638	
558	Dexamethasone protects normal human liver cells from apoptosis induced by tumor necrosis factor-related apoptosis-inducing ligand by upregulating the expression of P-glycoproteins. 2015 , 12, 8093-100	10
557	Chemoprotection of murine hematopoietic cells by combined gene transfer of cytidine deaminase (CDD) and multidrug resistance 1 gene (MDR1). 2015 , 34, 148	5
556	Upregulation of cellular glutathione levels in human ABCB5- and murine Abcb5-transfected cells. 2015 , 16, 37	3
555	Suppression of multidrug resistance by rosiglitazone treatment in human ovarian cancer cells through downregulation of FZD1 and MDR1 genes. 2015 , 26, 706-15	28
554	Determination of fexofenadine in Hank's balanced salt solution by high-performance liquid chromatography with ultraviolet detection: application to Caco-2 cell permeability studies. 2015 , 29, 537-44	4
553	Curcumin and its analogue induce apoptosis in leukemia cells and have additive effects with bortezomib in cellular and xenograft models. 2015 , 2015, 968981	18
552	Studying the Impact of Presence of Alpha Acid Glycoprotein and Protein Glycoprotein in Chronic Myeloid Leukemia Patients Treated with Imatinib Mesylate in the State of Qatar. 2015 , 7, 63-7	5

(2015-2015)

551	Validation of a P-Glycoprotein (P-gp) Humanized Mouse Model by Integrating Selective Absolute Quantification of Human MDR1, Mouse Mdr1a and Mdr1b Protein Expressions with In Vivo Functional Analysis for Blood-Brain Barrier Transport. 2015 , 10, e0118638	23
550	HMGB1 Contributes to the Expression of P-Glycoprotein in Mouse Epileptic Brain through Toll-Like Receptor 4 and Receptor for Advanced Glycation End Products. 2015 , 10, e0140918	38
549	P-Glycoprotein Induction Ameliorates Colistin Induced Nephrotoxicity in Cultured Human Proximal Tubular Cells. 2015 , 10, e0136075	13
548	Myriad Molecules to Overcome Efflux Drug Transporters and Drug-Metabolizing Enzymes: A Journey from Synthetic to Natural. 2015 , 32, 441-60	1
547	Equilibrated atomic models of outward-facing P-glycoprotein and effect of ATP binding on structural dynamics. 2015 , 5, 7880	32
546	A mutation within the extended X loop abolished substrate-induced ATPase activity of the human liver ATP-binding cassette (ABC) transporter MDR3. 2015 , 290, 4896-4907	22
545	APO866 Increases Antitumor Activity of Cyclosporin-A by Inducing Mitochondrial and Endoplasmic Reticulum Stress in Leukemia Cells. 2015 , 21, 3934-45	28
544	Cell cycle arrest and apoptogenic properties of opium alkaloids noscapine and papaverine on breast cancer stem cells. 2015 , 25, 388-95	29
543	Aliphatic acid-conjugated antimicrobial peptidespotential agents with anti-tumor, multidrug resistance-reversing activity and enhanced stability. 2015 , 13, 7673-80	5
542	Effect of lyophilized grapefruit juice on P-glycoprotein-mediated drug transport in-vitro and in-vivo. 2015 , 41, 375-81	20
541	Effect of shikonin on multidrug resistance in HepG2: The role of SIRT1. 2015 , 53, 1016-21	15
540	Aldo-keto reductase 1C3 (AKR1C3) is associated with the doxorubicin resistance in human breast cancer via PTEN loss. <i>Biomedicine and Pharmacotherapy</i> , 2015 , 69, 317-25	31
539	P-glycoprotein inhibitors of natural origin as potential tumor chemo-sensitizers: A review. 2015 , 6, 45-62	191
538	Resistance to Targeted ABC Transporters in Cancer. 2015,	3
537	Design, synthesis, and biological evaluation of theranostic vitamin-linker-taxoid conjugates. 2015 , 58, 2406-16	30
536	Mechanisms of improvement of intestinal transport of baicalin and puerarin by extracts of Radix Angelicae Dahuricae. 2015 , 29, 220-7	13
535	Understanding cancer and the anticancer activities of naphthoquinones he review. 2015 , 5, 20309-20338	189
534	Can the assessment of ABCB1 gene expression predict its function in vitro?. 2015 , 95, 150-9	11

533	Molecular basis of the polyspecificity of P-glycoprotein (ABCB1): recent biochemical and structural studies. 2015 , 125, 71-96		84
532	Xanthone analogues as potent modulators of intestinal P-glycoprotein. <i>European Journal of Medicinal Chemistry</i> , 2015 , 93, 237-45	6.8	20
531	The synthetic compound 2?-hydroxy-2,4,6?-trimethoxychalcone overcomes P-glycoprotein-mediated multi-drug resistance in drug-resistant uterine sarcoma MES-SA/DX5 cells. 2015 , 58, 105-109		6
530	Gene therapy for radioprotection. 2015 , 22, 172-80		10
529	⊞rocopherols modify the membrane dipole potential leading to modulation of ligand binding by P-glycoprotein. 2015 , 56, 1543-50		15
528	The overexpression of MRP4 is related to multidrug resistance in osteosarcoma cells. 2015 , 11, 18-23		17
527	Contribution of hepatic organic anion-transporting polypeptides to docetaxel uptake and clearance. 2015 , 14, 994-1003		27
526	Selective targeting of FAK-Pyk2 axis by alpha-naphthoflavone abrogates doxorubicin resistance in breast cancer cells. 2015 , 362, 25-35		24
525	Influence of multidrug resistance and drug transport proteins on chemotherapy drug metabolism. 2015 , 11, 795-809		45
524	Impact of Genetic Polymorphisms of ABCB1 (MDR1, P-Glycoprotein) on Drug Disposition and Potential Clinical Implications: Update of the Literature. 2015 , 54, 709-35		158
523	Allocrite Sensing and Binding by the Breast Cancer Resistance Protein (ABCG2) and P-Glycoprotein (ABCB1). 2015 , 54, 6195-206		18
522	Celecoxib enhanced the cytotoxic effect of cisplatin in drug-resistant human gastric cancer cells by inhibition of cyclooxygenase-2. 2015 , 769, 1-7		8
521	Plumbagin-silver nanoparticle formulations enhance the cellular uptake of plumbagin and its antiproliferative activities. 2015 , 9, 264-72		20
520	Nuclear Targeting with an Auger Electron Emitter Potentiates the Action of a Widely Used Antineoplastic Drug. 2015 , 26, 2397-407		35
519	Predicting Activators and Inhibitors of the Breast Cancer Resistance Protein (ABCG2) and P-Glycoprotein (ABCB1) Based on Mechanistic Considerations. 2015 , 12, 4026-37		18
518	6,7-Dimethoxy-2-{2-[4-(1H-1,2,3-triazol-1-yl)phenyl]ethyl}-1,2,3,4-tetrahydroisoquinolines as superior reversal agents for P-glycoprotein-mediated multidrug resistance. 2015 , 10, 336-44		13
517	Ligand-directed stearic acid grafted chitosan micelles to increase therapeutic efficacy in hepatic cancer. 2015 , 12, 644-52		40
516	Coencapsulated doxorubicin and bromotetrandrine lipid nanoemulsions in reversing multidrug resistance in breast cancer in vitro and in vivo. 2015 , 12, 274-86		57

(2016-2015)

515	Modulation of P-glycoprotein efflux pump: induction and activation as a therapeutic strategy. 2015 , 149, 1-123	221
5 1 4	Fragment-Based Strategy for Investigating and Suppressing the Efflux of Bioactive Small Molecules. 2015 , 1, 53-8	8
513	Targeting the eIF4A RNA helicase as an anti-neoplastic approach. 2015 , 1849, 781-91	57
512	Overcoming multidrug resistance with nanomedicines. 2015 , 12, 223-38	51
511	Does P-glycoprotein contribute to amphotericin B epithelial transport in Caco-2 cells?. 2015 , 41, 1130-6	7
510	Anticancer and Antineurodegenerative Effects of Ginsenosides. 2016 , 50, 131-158	2
509	Synergistic effects of A-B-C-type amphiphilic copolymer on reversal of drug resistance in MCF-7/ADR breast carcinoma. 2016 , 11, 5205-5220	6
508	Microtubule Stabilization. 2016 , 305-326	1
507	Overexpression of P-glycoprotein on fibroblast-like synoviocytes in refractory rheumatoid arthritis patients: a potential mechanism for multidrug resistance in rheumatoid arthritis treatment. 2016 , 15,	7
506	Improvement of Transmembrane Transport Mechanism Study of Imperatorin on P-Glycoprotein-Mediated Drug Transport. 2016 , 21,	10
505	A P-Glycoprotein Is Linked to Resistance to the Bacillus thuringiensis Cry3Aa Toxin in a Leaf Beetle. 2016 , 8,	35
504	Alisol F 24 Acetate Enhances Chemosensitivity and Apoptosis of MCF-7/DOX Cells by Inhibiting P-Glycoprotein-Mediated Drug Efflux. 2016 , 21,	11
503	Tumor Heterogeneity, Single-Cell Sequencing, and Drug Resistance. 2016, 9,	70
502	Evaluation of P-Glycoprotein Inhibitory Potential Using a Rhodamine 123 Accumulation Assay. 2016 , 8,	66
501	Investigative Approaches for Oral Delivery of Anticancer Drugs: A Patent Review. 2016 , 10, 24-43	4
500	Evaluation of Near Infrared Dyes as Markers of P-Glycoprotein Activity in Tumors. 2016 , 7, 426	3
499	Role of ABC-Transporters in Epileptogenesis and Pharmacoresistant Epilepsy. 2016,	
498	How can nanomedicines overcome cellular-based anticancer drug resistance?. 2016 , 4, 5078-5100	29

497	Overexpression of ubiquitin carboxyl terminal hydrolase-L1 enhances multidrug resistance and invasion/metastasis in breast cancer by activating the MAPK/Erk signaling pathway. 2016 , 55, 1329-42	32
496	Natural Polyphenols in Cancer Chemoresistance. 2016 , 68, 879-91	35
495	Dual-Targeting Lactoferrin-Conjugated Polymerized Magnetic Polydiacetylene-Assembled Nanocarriers with Self-Responsive Fluorescence/Magnetic Resonance Imaging for In Vivo Brain Tumor Therapy. 2016 , 5, 688-95	53
494	Glycosphingolipid storage in Fabry mice extends beyond globotriaosylceramide and is affected by ABCB1 depletion. 2016 , 2, FSO147	5
493	Metalloprobes: Fluorescence imaging of multidrug resistance (MDR1) P-Glycoprotein (Pgp)-mediated functional transport activity in cellulo. 2016 , 159, 159-64	3
492	Deeper insights into the drug defense of glioma cells against hydrophobic molecules. 2016 , 503, 56-67	9
491	Human Mutations Affecting Antibiotics. 2016, 353-393	1
490	Overcoming ABC transporter-mediated multidrug resistance: Molecular mechanisms and novel therapeutic drug strategies. 2016 , 27, 14-29	362
489	pH and near-infrared light dual-stimuli responsive drug delivery using DNA-conjugated gold nanorods for effective treatment of multidrug resistant cancer cells. 2016 , 232, 9-19	98
488	Calorie Restriction Increases P-Glycoprotein and Decreases Intestinal Absorption of Digoxin in Mice. 2016 , 44, 366-9	6
487	Cholesterol-dependent conformational changes of P-glycoprotein are detected by the 15D3 monoclonal antibody. 2016 , 1861, 188-95	6
486	Does the Clearance of Inhaled (99m)Tc-Sestamibi Correlate with Multidrug Resistance Protein 1 Expression in the Human Lung?. 2016 , 280, 924-30	7
485	Coordination compounds of a hydrazone derivative with Co(III), Ni(II), Cu(II) and Zn(II): synthesis, characterization, reactivity assessment and biological evaluation. 2016 , 40, 5885-5895	12
484	Involvement of CD147 on multidrug resistance through the regulation of P-glycoprotein expression in K562/ADR leukemic cell line. 2016 , 6, 33-8	3
483	Hernandezine, a Bisbenzylisoquinoline Alkaloid with Selective Inhibitory Activity against Multidrug-Resistance-Linked ATP-Binding Cassette Drug Transporter ABCB1. 2016 , 79, 2135-42	13
482	[Herb-drug enzyme-mediated interactions and the associated experimental methods: a review]. 2016 , 36, 392-408	13
481	Profiling gene mutations, translocations, and multidrug resistance in pediatric acute lymphoblastic leukemia: a step forward to personalizing medicine. 2016 , 33, 98	4
480	Regulation of Multi-drug Resistance in hepatocellular carcinoma cells is TRPC6/Calcium Dependent. 2016 , 6, 23269	66

479	The Role of Transporters in Drug Delivery and Excretion. 2016 , 62-102	1
478	Alterations in the intestine of Patagonian silverside (Odontesthes hatcheri) exposed to microcystin-LR: Changes in the glycosylation pattern of the intestinal wall and inhibition of multidrug resistance proteins efflux activity. 2016 , 178, 106-17	12
477	Lipids modulate the conformational dynamics of a secondary multidrug transporter. 2016, 23, 744-51	81
476	Synergism between ivermectin and the tyrosine kinase/P-glycoprotein inhibitor crizotinib against Haemonchus contortus larvae in vitro. 2016 , 227, 64-8	6
475	Simple graph-theoretical model for flavonoid binding to P-glycoprotein. 2016 , 67, 55-60	
474	Modulation of P-glycoprotein activity by novel synthetic curcumin derivatives in sensitive and multidrug-resistant T-cell acute lymphoblastic leukemia cell lines. 2016 , 305, 216-233	21
473	Ocean acidification increases cadmium accumulation in marine bivalves: a potential threat to seafood safety. 2016 , 6, 20197	70
472	Acquisition of anticancer drug resistance is partially associated with cancer stemness in human colon cancer cells. 2016 , 49, 2558-2568	47
471	Effects of 2 Polyoxyethylene Alkyl Ethers on the Function of Intestinal P-glycoprotein and Their Inhibitory Mechanisms. 2016 , 105, 3668-3679	7
470	A RNA nanotechnology platform for a simultaneous two-in-one siRNA delivery and its application in synergistic RNAi therapy. 2016 , 6, 32363	19
469	Methylation of Notch3 modulates chemoresistance via P-glycoprotein. 2016 , 792, 7-14	3
468	One-Step Self-Assembling Nanomicelles for Pirarubicin Delivery To Overcome Multidrug Resistance in Breast Cancer. 2016 , 13, 3934-3944	12
467	Crystal Structure of Eukaryotic P-glycoprotein Homolog from Cyanidioschyzon merolae. 2016 , 56, 315-318	
466	Effects of the multidrug resistance-1 gene on drug resistance in primary immune thrombocytopenia. 2016 , 49, 486-495	5
465	Genetic Polymorphisms of P-glycoprotein: Echoes of Silence. 2016 , 105-134	2
464	Recurrence rate and progression of chondrosarcoma is correlated with heat shock protein expression. 2016 , 11, 521-524	11
463	Sinapine reverses multi-drug resistance in MCF-7/dox cancer cells by downregulating FGFR4/FRS2ERK1/2 pathway-mediated NF- B activation. 2016 , 23, 267-73	31
462	Molecular profiling of head and neck squamous cell carcinoma. 2016 , 38 Suppl 1, E1625-38	68

461	Heterogeneous transport of digitalis-like compounds by P-glycoprotein in vesicular and cellular assays. 2016 , 32, 138-45		5
460	Fluorimetric Methods for Analysis of Permeability, Drug Transport Kinetics, and Inhibition of the ABCB1 Membrane Transporter. 2016 , 1395, 87-103		8
459	Celecoxib enhanced the cytotoxic effect of cisplatin in chemo-resistant gastric cancer xenograft mouse models through a cyclooxygenase-2-dependent manner. 2016 , 776, 1-8		16
458	Liposome Delivery Systems for Inhalation: A Critical Review Highlighting Formulation Issues and Anticancer Applications. 2016 , 25 Suppl 2, 60-72		88
457	Fabrication of Alginate/Calcium Carbonate Hybrid Microparticles for Synergistic Drug Delivery. 2016 , 61, 32-40		11
456	Interaction of ABC Transporters with Drugs. 2016 , 135-151		
455	Recapitulation of complex transport and action of drugs at the tumor microenvironment using tumor-microenvironment-on-chip. 2016 , 380, 319-29		29
454	Multidrug resistant tumour cells shed more microvesicle-like EVs and less exosomes than their drug-sensitive counterpart cells. 2016 , 1860, 618-27		38
453	CIP2A is associated with multidrug resistance in cervical adenocarcinoma by a P-glycoprotein pathway. 2016 , 37, 2673-82		11
452	Dietary Factors May Influence the Clinical Outcome of Chemotherapy in Cancer Multidrug Resistance. 2016 , 307-319		1
451	Critical Dietary Factors in Cancer Chemoprevention. 2016,		2
450	Association of the ABCB1 C3435T polymorphism with responsiveness to and toxicity of DMARDs in rheumatoid arthritis: A meta-analysis. 2016 , 75, 707-15		16
449	Strategic Incorporation of Fluorine into Taxoid Anticancer Agents for Medicinal Chemistry and Chemical Biology Studies. 2017 , 198, 10-23		19
448	Development and qualification of an LC-MS/MS method for investigating the biological implications of micelle entrapped paclitaxel in cell culture and rats. 2017 , 31, e3960		3
447	Progress in the Molecular Characterization of Hepatobiliary Transporters. 2017 , 35, 197-202		18
446	ABC Transporters: From Targets to Antitargets and Back. 2017 , 107-118		1
445	Paclitaxel resistance development is associated with biphasic changes in reactive oxygen species, mitochondrial membrane potential and autophagy with elevated energy production capacity in lung cancer cells: A chronological study. 2017 , 39, 1010428317694314		26
444	Parkinson's disease and pesticides: A meta-analysis of disease connection and genetic alterations. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 90, 638-649	7.5	56

443	Construction, expression, and activity of a novel immunotoxin comprising a humanized antiepidermal growth factor receptor scFv and modified Pseudomonas aeruginosa exotoxin A. 2017 , 28, 263-270		7
442	Cellular Osmolytes. 2017 ,		3
441	DNA origami/gold nanorod hybrid nanostructures for the circumvention of drug resistance. 2017 , 9, 7	750-77	54 76
440	Design, synthesis and biological evaluation of novel peptides as potential agents with anti-tumor and multidrug resistance-reversing activities. 2017 , 49, 1355-1364		4
439	6,7-dimethoxy-1,2,3,4-tetrahydro-isoquinoline-3-carboxylic acid attenuates heptatocellular carcinoma in rats with NMR-based metabolic perturbations. 2017 , 3, FSO202		10
438	Synthesis and biological evaluation of novel peptides based on antimicrobial peptides as potential agents with antitumor and multidrug resistance-reversing activities. 2017 , 90, 972-980		10
437	Clinical Implications of Osmolytes in Various Human Diseases. 2017 , 161-193		
436	Cremophor EL Alters the Plasma Protein Binding and Pharmacokinetic Profile of Valspodar in Rats. 2017 , 67, 591-595		1
435	The evaluations of Tc cyclopentadienyl tricarbonyl triphenyl phosphonium cation for multidrug resistance. 2017 , 27, 3551-3554		6
434	Identification of molecular targets in vulvar cancers. 2017 , 146, 305-313		18
433	Comprehensive Synthesis of Photoreactive Phenylthiourea Derivatives for the Photoaffinity Labeling. 2017 , 2, 160-164		7
432	Folding correction of ABC-transporter ABCB1 by pharmacological chaperones: a mechanistic concept. 2017 , 5, e00325		5
432			5
	PEG-PE/clay composite carriers for doxorubicin: Effect of composite structure on release, cell		
431	concept. 2017, 5, e00325 PEG-PE/clay composite carriers for doxorubicin: Effect of composite structure on release, cell interaction and cytotoxicity. 2017, 55, 443-454 Effects of a detergent micelle environment on P-glycoprotein (ABCB1)-ligand interactions. 2017,		28
431 430	PEG-PE/clay composite carriers for doxorubicin: Effect of composite structure on release, cell interaction and cytotoxicity. 2017, 55, 443-454 Effects of a detergent micelle environment on P-glycoprotein (ABCB1)-ligand interactions. 2017, 292, 7066-7076 Quercetin-glutamic acid conjugate with a non-hydrolysable linker; a novel scaffold for multidrug	7.5	28
431 430 429	PEG-PE/clay composite carriers for doxorubicin: Effect of composite structure on release, cell interaction and cytotoxicity. 2017, 55, 443-454 Effects of a detergent micelle environment on P-glycoprotein (ABCB1)-ligand interactions. 2017, 292, 7066-7076 Quercetin-glutamic acid conjugate with a non-hydrolysable linker; a novel scaffold for multidrug resistance reversal agents through inhibition of P-glycoprotein. 2017, 25, 1219-1226 MiR-129 regulates cisplatin-resistance in human gastric cancer cells by targeting P-gp. <i>Biomedicine</i>	7.5	28 33 17

425	ABCB1 and ABCC1-like transporters in immune system cells from sea urchins Echinometra lucunter and Echinus esculentus and oysters Crassostrea gasar and Crassostrea gigas. 2017 , 70, 195-203	7
424	Global alteration of the drug-binding pocket of human P-glycoprotein (ABCB1) by substitution of fifteen conserved residues reveals a negative correlation between substrate size and transport efficiency. 2017 , 143, 53-64	20
423	Novel combination of salinomycin and resveratrol synergistically enhances the anti-proliferative and pro-apoptotic effects on human breast cancer cells. 2017 , 22, 1246-1259	40
422	⊕yrone Derivatives from a Streptomyces Strain Resensitize Tamoxifen Resistance in Breast Cancer Cells. 2017 , 7, 329-334	5
421	Immunohistochemical expression of MDR1-Pgp 170 in canine cutaneous and oral melanomas: pattern of expression and association with tumour location and phenotype. 2017 , 15, 1393-1402	1
420	Structures of the Multidrug Transporter P-glycoprotein Reveal Asymmetric ATP Binding and the Mechanism of Polyspecificity. 2017 , 292, 446-461	120
419	Multidrug-resistant cancer cells and cancer stem cells hijack cellular systems to circumvent systemic therapies, can natural products reverse this?. 2017 , 74, 777-801	25
418	Treated secondary acute myeloid leukemia: a distinct high-risk subset of AML with adverse prognosis. 2017 , 1, 1312-1323	55
417	Drug Resistance Driven by Cancer Stem Cells and Their Niche. 2017 , 18,	273
416	Study of Absorption Characteristics of the Total Saponins from Radix Ilicis Pubescentis in an In Situ Single-Pass Intestinal Perfusion (SPIP) Rat Model by Using Ultra Performance Liquid Chromatography (UPLC). 2017 , 22,	6
415	Evolutionary Trajectories of Entomopathogenic Fungi ABC Transporters. 2017 , 98, 117-154	13
414	Targeting Cancer Stem Cells and Their Niche: Current Therapeutic Implications and Challenges in Pancreatic Cancer. 2017 , 2017, 6012810	9
413	Upregulations of Clcn3 and P-Gp Provoked by Lens Osmotic Expansion in Rat Galactosemic Cataract. 2017 , 2017, 3472735	0
412	Phenothiazines and Related Drugs as Multi Drug Resistance Reversal Agents in Cancer Chemotherapy Mediated by p-glycoprotein. 2017 , 13,	1
411	The Association Between Cancer and ABC Transporters. 2017 , 10,	
410	Exostosin 1 regulates cancer cell stemness in doxorubicin-resistant breast cancer cells. 2017 , 8, 70521-70537	14
409	Polysaccharide-based nanoparticles for co-loading mitoxantrone and verapamil to overcome multidrug resistance in breast tumor. 2017 , 12, 7337-7350	17
408	IDENTIFICATION OF FUNCTIONAL SNPs OF MDR1 GENE AMONG NEPHROTIC SYNDROME CHILDREN IN SOUTH INDIA. 2017 , 10, 418	1

407	Tetrahydroisoquinolines. 2018 , 356-413		1
406	1,4-Dihydropyridines. 2018 , 59-82		1
405	6,7-dimethoxy-1,2,3,4-tetrahydro-isoquinoline-3-carboxylic acid attenuates colon carcinogenesis via blockade of IL-6 mediated signals. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 100, 282-295	7.5	5
404	Understanding of human ATP binding cassette superfamily and novel multidrug resistance modulators to overcome MDR. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 100, 335-348	7.5	99
403	Barbigerone reverses multidrug resistance in breast MCF-7/ADR cells. 2018 , 32, 733-740		2
402	LysoTracker and MitoTracker Red are transport substrates of P-glycoprotein: implications for anticancer drug design evading multidrug resistance. 2018 , 22, 2131-2141		29
401	Micelle System Based on Molecular Economy Principle for Overcoming Multidrug Resistance and Inhibiting Metastasis. 2018 , 15, 1005-1016		16
400	Targeted inhibitors of P-glycoprotein increase chemotherapeutic-induced mortality of multidrug resistant tumor cells. 2018 , 8, 967		133
399	Comprehensive Synthesis of Amino Acid-Derived Thiazole Peptidomimetic Analogues to Understand the Enigmatic Drug/Substrate-Binding Site of P-Glycoprotein. 2018 , 61, 834-864		15
398	Inhibit or Evade Multidrug Resistance P-Glycoprotein in Cancer Treatment. 2018 , 61, 5108-5121		132
397	P-glycoprotein-9 and macrocyclic lactone resistance status in selected strains of the ovine gastrointestinal nematode, Teladorsagia circumcincta. 2018 , 8, 70-80		8
396	Molecular dynamics simulation and molecular docking studies of 1,4-Dihydropyridines as P-glycoprotein's allosteric inhibitors. 2018 , 36, 112-125		23
395	Cholecalciferol-PEG Conjugate Based Nanomicelles of Doxorubicin for Treatment of Triple-Negative Breast Cancer. 2018 , 19, 792-802		14
394	Histatin-5 induces the reversal of Pdr5p mediated fluconazole resistance in Saccharomyces ´cerevisae. 2018 , 28, 137-142		2
393	Intestinal P-glycoprotein inhibitors, benzoxanthone analogues. 2018 , 70, 234-241		10
392	MDR1 gene C3435T polymorphism in chronic hepatitis C patients. 2018 , 114, 63-67		1
391	TLR4 and NF B signaling is critical for taxol resistance in ovarian carcinoma cells. 2018 , 233, 2489-2501		30
390	Association between NF- B expression and drug resistance of liver cancer. 2019 , 17, 1030-1034		2

389	Allosteric Role of Substrate Occupancy Toward the Alignment of P-glycoprotein Nucleotide Binding Domains. 2018 , 8, 14643		11
388	Bioavailability of Flavonoids: The Role of Cell Membrane Transporters. 2018 , 295-320		5
387	Theoretical Prediction of the Complex P-Glycoprotein Substrate Efflux Based on the Novel Hierarchical Support Vector Regression Scheme. 2018 , 23,		12
386	Chitosan-Based Polyelectrolyte Complexes for Doxorubicin and Zoledronic Acid Combined Therapy to Overcome Multidrug Resistance. 2018 , 10,		5
385	Assessment of P-glycoprotein gene expression in adult stage of Haemonchus contortus in vivo exposed to ivermectin. 2018 , 264, 1-7		13
384	Repurposing of Bromocriptine for Cancer Therapy. 2018 , 9, 1030		15
383	The Novel Autophagy Inhibitor Alpha-Hederin Promoted Paclitaxel Cytotoxicity by Increasing Reactive Oxygen Species Accumulation in Non-Small Cell Lung Cancer Cells. 2018 , 19,		21
382	The Role of ABC Transporters in Drug-Resistant Leishmania. 2018 , 247-272		
381	Pancreatic cancer stem cells: features and detection methods. 2018 , 24, 797-805		41
380	Mechanism underlying bergapten-mediated regulation of vincristine transport in MDCK-MDR1 cells. 2018 , 10, 255-262		
379	Neurocognitive Function in Adult Cancer Patients. 2018, 36, 653-674		8
378	Synergistic Effect of Endogenous and Exogenous Aldehydes on Doxorubicin Toxicity in Yeast. 2018 , 2018, 4938189		2
377	Inhibition of HIF1Dependent Upregulation of Phospho-l-Plastin Resensitizes Multiple Myeloma Cells to Frontline Therapy. 2018 , 19,		7
376	C-phycocyanin to overcome the multidrug resistance phenotype in human erythroleukemias with or without interaction with ABC transporters. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 106, 532-542	7.5	10
375	Syntheses and evaluations of the methoxy modified 99mTc-labeled triphenyl phosphonium cations: Potential radiometallic probes for multidrug resistance detection. 2018 , 871, 28-35		7
374	p53 and P-glycoprotein influence chemoresistance in hepatocellular carcinoma. 2018 , 10, 461-468		18
373	Drug Resistance in Leishmania Parasites. 2018 ,		О
372	Mapping discontinuous epitopes for MRK-16, UIC2 and 4E3 antibodies to extracellular loops 1 and 4 of human P-glycoprotein. 2018 , 8, 12716		12

371	Therapeutic Strategies Targeting Cancer Stem Cells and Their Microenvironment. <i>Frontiers in Oncology</i> , 2019 , 9, 1104	5.3	38	
370	Identification of ligands from natural products as inhibitors of glutathione S-transferases using enzyme immobilized mesoporous magnetic beads with high-performance liquid chromatography plus quadrupole time-of-flight mass spectrometry and molecular docking. 2019 , 42, 3611-3620		6	
369	A Y receptor ligand synergized with a P-glycoprotein inhibitor improves the therapeutic efficacy of multidrug resistant breast cancer. 2019 , 7, 4748-4757		10	
368	Triple-Negative Breast Cancer: Current Understanding and Future Therapeutic Breakthrough Targeting Cancer Stemness. 2019 , 11,		85	
367	Stimuli-responsive nanodrug self-assembled from amphiphilic drug-inhibitor conjugate for overcoming multidrug resistance in cancer treatment. 2019 , 9, 5755-5768		30	
366	ABC Transporters in and Their Expression Under Different Environmental Conditions Including Okadaic Acid Production. 2019 , 17,		3	
365	Evidence for the Interaction of A Adenosine Receptor Agonists at the Drug-Binding Site(s) of Human P-glycoprotein (ABCB1). 2019 , 96, 180-192		5	
364	Synergistic effect of paclitaxel and verapamil to overcome multi-drug resistance in breast cancer cells. 2019 , 516, 183-188		5	
363	Simultaneous defeat of MCF7 and MDA-MB-231 resistances by a hypericin PDT-tamoxifen hybrid therapy. 2019 , 5, 13		35	
362	Imaging of water soluble CdTe/CdS core-shell quantum dots in inhibiting multidrug resistance of cancer cells. 2019 , 201, 309-316		14	
361	Psoralen-loaded lipid-polymer hybrid nanoparticles enhance doxorubicin efficacy in multidrug-resistant HepG2 cells. 2019 , 14, 2207-2218		17	
360	A journey through the emergence of nanomedicines with poly(alkylcyanoacrylate) based nanoparticles. 2019 , 27, 502-524		11	
359	An Energetically Favorable Ligand Entrance Gate of a Multidrug Transporter Revealed by Partial Nudged Elastic Band Simulations. 2019 , 17, 319-323		2	
358	Large-scale purification of functional human P-glycoprotein (ABCB1). 2019 , 159, 60-68		13	
357	Cisplatin Synergistically Enhances Antitumor Potency of Conditionally Replicating Adenovirus via p53 Dependent or Independent Pathways in Human Lung Carcinoma. 2019 , 20,		8	
356	Autophagy inhibition with chloroquine reverts paclitaxel resistance and attenuates metastatic potential in human nonsmall lung adenocarcinoma A549 cells via ROS mediated modulation of Eatenin pathway. 2019 , 24, 414-433		29	
355	Calponin 3 Regulates Cell Invasion and Doxorubicin Resistance in Gastric Cancer. 2019 , 2019, 3024970		12	
354	Development of high-resolution melting analysis for ABCB1 promoter methylation: Clinical consequences in breast and ovarian carcinoma. 2019 , 42, 763-774		6	

353	Prediction of P-glycoprotein inhibitors with machine learning classification models and 3D-RISM-KH theory based solvation energy descriptors. 2019 , 33, 965-971		4
352	Erastin Reverses ABCB1-Mediated Docetaxel Resistance in Ovarian Cancer. <i>Frontiers in Oncology</i> , 2019 , 9, 1398	5.3	36
351	Effective reconstruction of functional organotypic kidney spheroid for in vitro nephrotoxicity studies. 2019 , 9, 17610		9
350	Multidrug resistance phenotype: Relation between phenotype induction and its characteristics in erythroleukemia cells. 2019 , 43, 214-219		3
349	Probing the Pharmacological Binding Sites of P-Glycoprotein Using Umbrella Sampling Simulations. 2019 , 59, 2287-2298		8
348	Recent progress in the strategic incorporation of fluorine into medicinally active compounds. 2019 , 217, 29-40		43
347	Immuno-oncology agent IPI-549 is a modulator of P-glycoprotein (P-gp, MDR1, ABCB1)-mediated multidrug resistance (MDR) in cancer: In vitro and in vivo. 2019 , 442, 91-103		22
346	Acetazolamide-Loaded pH-Responsive Nanoparticles Alleviating Tumor Acidosis to Enhance Chemotherapy Effects. 2019 , 19, e1800366		11
345	Assessment of the long-acting ivermectin formulation in sheep: Further insight into potential pharmacokinetic interactions. 2019 , 42, 189-196		4
344	Kidney-on-a-chip. 2020 , 233-253		3
344	Kidney-on-a-chip. 2020 , 233-253 Efflux transporters in cancer resistance: Molecular and functional characterization of P-glycoprotein. 2020 , 1-30		3 0
	Efflux transporters in cancer resistance: Molecular and functional characterization of	5.1	
343	Efflux transporters in cancer resistance: Molecular and functional characterization of P-glycoprotein. 2020 , 1-30 Design, synthesis and SAR study of 3rd-generation taxoids bearing 3-CH, 3-CFO and 3-CHFO groups	5.1	0
343	Efflux transporters in cancer resistance: Molecular and functional characterization of P-glycoprotein. 2020 , 1-30 Design, synthesis and SAR study of 3rd-generation taxoids bearing 3-CH, 3-CFO and 3-CHFO groups at the C2-benzoate position. <i>Bioorganic Chemistry</i> , 2020 , 95, 103523 Investigation of mechanisms of toxicity and exclusion by transporters of the preservatives triclosan	5.1	o 5
343 342 341	Efflux transporters in cancer resistance: Molecular and functional characterization of P-glycoprotein. 2020, 1-30 Design, synthesis and SAR study of 3rd-generation taxoids bearing 3-CH, 3-CFO and 3-CHFO groups at the C2-benzoate position. <i>Bioorganic Chemistry</i> , 2020, 95, 103523 Investigation of mechanisms of toxicity and exclusion by transporters of the preservatives triclosan and propylparaben using batteries of Schizosaccharomyces pombe strains. 2020, 183, 108983 BceAB-Type Antibiotic Resistance Transporters Appear To Act by Target Protection of Cell Wall	5.1	O 5 2
343 342 341 340	Efflux transporters in cancer resistance: Molecular and functional characterization of P-glycoprotein. 2020, 1-30 Design, synthesis and SAR study of 3rd-generation taxoids bearing 3-CH, 3-CFO and 3-CHFO groups at the C2-benzoate position. <i>Bioorganic Chemistry</i> , 2020, 95, 103523 Investigation of mechanisms of toxicity and exclusion by transporters of the preservatives triclosan and propylparaben using batteries of Schizosaccharomyces pombe strains. 2020, 183, 108983 BceAB-Type Antibiotic Resistance Transporters Appear To Act by Target Protection of Cell Wall Synthesis. 2020, 64, Human ABCB1 with an ABCB11-like degenerate nucleotide binding site maintains transport activity	5.1	o 5 2 17
343 342 341 340 339	Efflux transporters in cancer resistance: Molecular and functional characterization of P-glycoprotein. 2020, 1-30 Design, synthesis and SAR study of 3rd-generation taxoids bearing 3-CH, 3-CFO and 3-CHFO groups at the C2-benzoate position. <i>Bioorganic Chemistry</i> , 2020, 95, 103523 Investigation of mechanisms of toxicity and exclusion by transporters of the preservatives triclosan and propylparaben using batteries of Schizosaccharomyces pombe strains. 2020, 183, 108983 BceAB-Type Antibiotic Resistance Transporters Appear To Act by Target Protection of Cell Wall Synthesis. 2020, 64, Human ABCB1 with an ABCB11-like degenerate nucleotide binding site maintains transport activity by avoiding nucleotide occlusion. 2020, 16, e1009016	5.1	o 5 2 17 4

335	Adjudin-loaded redox-sensitive paclitaxel-prodrug micelles for overcoming multidrug resistance with efficient targeted Colon cancer therapy. 2020 , 27, 1094-1105	5
334	The Effects of Traditional Chinese Medicine on P-Glycoprotein-Mediated Multidrug Resistance and Approaches for Studying the Herb-P-Glycoprotein Interactions. 2020 , 48, 972-979	4
333	In situ forming implants exposed to ultrasound enhance therapeutic efficacy in subcutaneous murine tumors. 2020 , 324, 146-155	3
332	Can short-term exposure to copper and atrazine be cytotoxic to microalgae?. 2020 , 27, 27961-27970	4
331	Decreased expression of FBXW7 by ERK1/2 activation in drug-resistant cancer cells confers transcriptional activation of MDR1 by suppression of ubiquitin degradation of HSF1. <i>Cell Death and Disease</i> , 2020 , 11, 395	6
330	Active transport of rhodamine 123 by the human multidrug transporter P-glycoprotein involves two independent outer gates. 2020 , 8, e00572	3
329	[Localization and Accumulation Studies of Daptomycin in Rats Kidney Using Immunohistochemistry]. 2020 , 140, 569-576	0
328	Upregulated expression and function of the [40] integrin in multiple myeloma cells resistant to bortezomib. 2020 , 252, 29-40	6
327	Molecular analysis of the massive GSH transport mechanism mediated by the human Multidrug Resistant Protein 1/ABCC1. 2020 , 10, 7616	11
326	Enhancement of Loading Efficiency by Coloading of Doxorubicin and Quercetin in Thermoresponsive Polymeric Micelles. 2020 , 21, 1427-1436	25
325	Chronic exposure of human glioblastoma tumors to low concentrations of a pesticide mixture induced multidrug resistance against chemotherapy agents. 2020 , 202, 110940	6
324	Structural and Mechanistic Principles of ABC Transporters. <i>Annual Review of Biochemistry</i> , 2020 , 89, 605- <u>63</u> .6	98
323	NIR-cleavable drug adducts of gold nanostars for overcoming multidrug-resistant tumors. 2020 , 8, 1934-1950	7
322	Shenmai injection suppresses multidrug resistance in MCF-7/ADR cells through the MAPK/NF- B signalling pathway. 2020 , 58, 276-285	6
321	Role of Osmolytes in Amyloidosis. 2020 ,	0
320	Exploiting evolutionary steering to induce collateral drug sensitivity in cancer. 2020 , 11, 1923	31
319	ABC proteins activity and cytotoxicity in zebrafish hepatocytes exposed to triclosan. 2021 , 271, 116368	5
318	Dextran sulfate sodium-induced colitis and ginseng intervention altered oral pharmacokinetics of cyclosporine A in rats. 2021 , 265, 113251	5

317	P-glycoprotein induction and its energetic costs in rainbow trout (Oncorhynchus mykiss). 2021 , 47, 265-279	0
316	Ellagic Acid and Schisandrins: Natural Biaryl Polyphenols with Therapeutic Potential to Overcome Multidrug Resistance in Cancer. <i>Cells</i> , 2021 , 10,	5
315	Plant-Derivatives Small Molecules with Antibacterial Activity. 2021 , 10,	9
314	Pharmacogenetics of ATP binding cassette transporter MDR1(1236C>T) gene polymorphism with glioma patients receiving Temozolomide-based chemoradiation therapy in Indian population. 2021 , 21, 262-272	1
313	RLIP depletion induces apoptosis associated with inhibition of JAK2/STAT3 signaling in melanoma cells. 2021 , 42, 742-752	2
312	Molecular Action of Polyphenols in Leukaemia and Their Therapeutic Potential. 2021 , 22,	3
311	Flavonoid-Mediated Modulation of CYP3A Enzyme and P-Glycoprotein Transporter: Potential Effects on Bioavailability and Disposition of Tyrosine Kinase Inhibitors.	0
310	Hybrid Drugs-A Strategy for Overcoming Anticancer Drug Resistance?. 2021 , 26,	11
309	Nanodiamonds and their potential applications in breast cancer therapy: a narrative review. 2021, 1	0
308	Multiple Molecular Mechanisms to Overcome Multidrug Resistance in Cancer by Natural Secondary Metabolites. 2021 , 12, 658513	9
307	Innovations in Biomaterial Design toward Successful RNA Interference Therapy for Cancer Treatment. 2021 , 10, e2100350	7
306	ABC transporter Pdr5 is required for cantharidin resistance in Saccharomyces cerevisiae. 2021 , 553, 141-147	O
305	Dacomitinib improves chemosensitivity of cisplatin-resistant human ovarian cancer cells. 2021 , 22, 569	0
304	Designing potent inhibitors against the multidrug resistance P-glycoprotein. 2021 , 1-13	
303	The role of CD44 in cancer chemoresistance: A concise review. 2021 , 903, 174147	14
302	Berberine as a Potential Multi-Target Agent for Metabolic Diseases: A Review of Investigations for Berberine. 2021 , 21, 971-979	5
301	Network pharmacology of triptolide in cancer cells: implications for transcription factor binding. 2021 , 39, 1523-1537	3
300	An insight into the cancer stem cell survival pathways involved in chemoresistance in triple-negative breast cancer. 2021 , 17, 4185-4206	18

299	Y box binding protein 1 inhibition as a targeted therapy for ovarian cancer. 2021 , 28, 1206-1220.e6	6
298	From Magic Bullet to Magic Bomb: Reductive Bioactivation of Antiparasitic Agents. 2021 , 7, 2777-2786	1
297	Novel inexpensive Eurn-onl'fluorescent biosensor for the sensitive detection of DNA damage induced by epirubicin. 2021 , 168, 106535	1
296	Transporter hypothesis in pharmacoresistant epilepsies Is it at the central or peripheral level?. 2021	O
295	Curious effects of fluorine on medicinally active compounds. 2021 , 241-276	O
294	The roles of the human ATP-binding cassette transporters P-glycoprotein and ABCG2 in multidrug resistance in cancer and at endogenous sites: future opportunities for structure-based drug design of inhibitors 2021 , 4, 784-804	3
293	Drug Resistance in Kidney Diseases. 2021 , 279-294	
292	Neurological Disorders: Biochemistry of Drug Resistance and Future Challenges. 2021 , 255-277	
291	polymorphism in clopidogrel-treated Montenegrin patients. 2021 , 16, 142-149	1
290	Hepatic Transport. 2008 , 277-332	2
290 289	Hepatic Transport. 2008, 277-332 Experimental models of mucosal inflammation. 2006, 579, 55-97	12
289	Experimental models of mucosal inflammation. 2006 , 579, 55-97	12
289	Experimental models of mucosal inflammation. 2006 , 579, 55-97 Pathobiology of antineoplastic therapy in undifferentiated thyroid cancer. 2004 , 122, 357-67	12
289 288 287	Experimental models of mucosal inflammation. 2006, 579, 55-97 Pathobiology of antineoplastic therapy in undifferentiated thyroid cancer. 2004, 122, 357-67 Lipids in Alzheimer Disease Brain. 2009, 563-582	12 2 3
289 288 287 286	Experimental models of mucosal inflammation. 2006, 579, 55-97 Pathobiology of antineoplastic therapy in undifferentiated thyroid cancer. 2004, 122, 357-67 Lipids in Alzheimer Disease Brain. 2009, 563-582 Targeting the Tumor Microenvironment (Stroma) for Treatment of Metastasis. 2008, 259-270	12 2 3
289 288 287 286 285	Experimental models of mucosal inflammation. 2006, 579, 55-97 Pathobiology of antineoplastic therapy in undifferentiated thyroid cancer. 2004, 122, 357-67 Lipids in Alzheimer® Disease Brain. 2009, 563-582 Targeting the Tumor Microenvironment (Stroma) for Treatment of Metastasis. 2008, 259-270 Multidrug Resistance Transporter. 1996, 243-257	12 2 3 1

281	Multidrug Resistance in Cancer: A Tale of ABC Drug Transporters. 2013 , 1-34	5
280	Complex Transport Around Tumor: Need for Realistic In Vitro Tumor Transport Model. 2013 , 667-685	1
279	Optimizing Drugs for Brain Action. 2001 , 281-309	1
278	The roles of P-glycoprotein and MRP1 in the blood-brain and blood-cerebrospinal fluid barriers. 2001 , 500, 365-72	36
277	MDR and MRP gene families as cellular determinant factors for resistance to clinical anticancer agents. 2002 , 112, 49-66	25
276	In vitro models of multiple drug resistance. 1994 , 73, 69-106	5
275	In vivo models of P-glycoprotein-mediated multidrug resistance. 1994 , 73, 107-28	10
274	Molecular events that regulate cell proliferation: an approach for the development of new anticancer drugs. 2000 , 4, 219-33	6
273	Evidence for functional discrimination between leukemic cells overexpressing multidrug-resistance associated protein and P-glycoprotein. 1999 , 457, 151-60	5
272	Treatment of poor prognosis AML patients using PSC833 (valspodar) plus mitoxantrone, etoposide, and cytarabine (PSC-MEC). 1999 , 457, 47-56	36
271	Assessment of P-glycoprotein expression by immunocytochemistry and flow cytometry using two different monoclonal antibodies coupled with functional efflux analysis in 34 patients with acute myeloid leukemia. 1999 , 457, 57-63	4
270	Structure and function of multidrug transporters. 1998 , 456, 145-58	13
269	Cholesterol Trafficking in CaCo-2 Cells. 1998 , 123-145	2
268	IL-2 gene transfer for chemosensitization of multidrug-resistant human colon carcinoma cells. 1998 , 451, 145-9	2
267	Prognostic factors in ovarian cancer. 1998 , 95, 287-352	15
266	Direct Transfer of Control and Multidrug Resistance. 1996 , 283-292	2
265	Mechanisms of Cisplatin Resistance and Its Reversal In Human Tumors. 1995 , 225-264	2
264	The Contribution of Protein Kinase C to Multiple Drug Resistance in Cancer. 1995 , 173-190	3

263	Modulation of P-Glycoprotein on Tumour Cells. 1997 , 117-124	2
262	ABC Transporter Proteins and Cellular Drug Resistance. 2004 , 129-162	2
261	Cytokines and Pharmacokinetic Drug Interactions. 2007 , 275-296	3
260	P-Glycoprotein Expression and Function in the Retinal Pigment Epithelium. 2008, 235-253	2
259	Targeting the Transferrin Receptor to Overcome Resistance to Anti-Cancer Agents. 2008, 13-27	1
258	Carbon nanotubes as intracellular carriers for multidrug resistant cells studied by capillary electrophoresis-laser-induced fluorescence. 2010 , 625, 153-68	7
257	Membrane Transport of Anticancer Drugs and Drug Resistance. 1995 , 413-431	1
256	Human melanoma: drug resistance. 2003, 161, 93-110	17
255	Metalloradiopharmaceuticals. 1999 , 45-115	5
254	The Molecular Basis for Pleiotropic Drug Resistance in the Yeast Saccharomyces Cerevisiae: Regulation of Expression, Intracellular Trafficking and Proteolytic Turnover of ATP Binding Cassette (ABC) Multidrug Resistance Transporters. 1997 , 305-317	2
253	Contribution of the Retroviral Leader to Gene Transfer and Expression in Packaging Cells and Myeloid Stem and Progenitor Cells. 1996 , 219-228	1
252	Mammalian ABC Transporters and Leaderless Secretion: Facts and Speculations. 1997 , 137-159	1
251	Anthracyclines and Anthracenediones. 2011 , 87-102	4
250	Secretion of natural and synthetic toxic compounds from filamentous fungi by membrane transporters of the ATP-binding cassette and major facilitator superfamily. 2002 , 719-734	7
249	Rodent models of chronic intestinal inflammation. 2001 , 241-263	2
248	Roles of Hepatic Drug Transporters in Drug Disposition and Liver Toxicity. 2019 , 1141, 293-340	13
247	Agents Active against Parasites and Pneumocystis. 2010, 631-668	1
246	Anticancer drugs. 2012 , 673-688	2

245	Overexpression and purification of the carboxyl-terminal nucleotide-binding domain from mouse P-glycoprotein. Strategic location of a tryptophan residue 1994 , 269, 22983-22989	61
244	A yeast metal resistance protein similar to human cystic fibrosis transmembrane conductance regulator (CFTR) and multidrug resistance-associated protein 1994 , 269, 22853-22857	273
243	Nucleotide-induced conformational changes of MalK, a bacterial ATP binding cassette transporter protein 1994 , 269, 20456-20461	50
242	Contribution of the Leishmania P-glycoprotein-related gene ltpgpA to oxyanion resistance 1994 , 269, 11980-11986	81
241	Functional expression of P-glycoproteins in secretory vesicles 1994 , 269, 12277-12284	100
240	Interaction of prenylcysteine methyl esters with the multidrug resistance transporter 1994 , 269, 15973-1597	76 25
239	Functional consequences of glycine mutations in the predicted cytoplasmic loops of P-glycoprotein 1994 , 269, 7243-7248	108
238	Reconstitution of drug-stimulated ATPase activity following co-expression of each half of human P-glycoprotein as separate polypeptides 1994 , 269, 7750-7755	140
237	Molecular cloning and expression of the Saccharomyces cerevisiae STS1 gene product. A yeast ABC transporter conferring mycotoxin resistance 1994 , 269, 4180-4186	178
236	Cholesterol movement from plasma membrane to rough endoplasmic reticulum. Inhibition by progesterone 1994 , 269, 3411-3414	61
235	ATPase activity of purified and reconstituted P-glycoprotein from Chinese hamster ovary cells 1994 , 269, 3745-3754	169
234	Cholesterol homeostasis. Modulation by amphiphiles 1994 , 269, 29371-29374	96
233	Mycalolide B, a novel actin depolymerizing agent 1994 , 269, 29710-29714	119
232	NF-IL6, a member of the C/EBP family of transcription factors, binds and trans-activates the human MDR1 gene promoter 1994 , 269, 29715-29719	67
231	The MRP gene encodes an ATP-dependent export pump for leukotriene C4 and structurally related conjugates 1994 , 269, 27807-27810	595
230	A protein that activates expression of a multidrug efflux transporter upon binding the transporter substrates 1994 , 269, 28506-28513	135
229	Organic anion-transporting ATPase of rat liver. I. Purification, photoaffinity labeling, and regulation by phosphorylation 1994 , 269, 27566-27573	25
228	Organic anion-transporting ATPase of rat liver. II. Functional reconstitution of active transport and regulation by phosphorylation 1994 , 269, 27574-27579	20

227	Transport of polypeptide ionophores into proteoliposomes reconstituted with rat liver P-glycoprotein. 1994 , 269, 26058-26065	34
226	Functional studies of P-glycoprotein in inside-out plasma membrane vesicles derived from murine erythroleukemia cells overexpressing MDR 3. Properties and kinetics of the interaction of vinblastine with P-glycoprotein and evidence for its active mediated transport 1994 , 269, 31059-31066	35
225	Solubilization and characterization of the overexpressed PDR5 multidrug resistance nucleotide triphosphatase of yeast 1994 , 269, 12797-12803	97
224	Leukocyte chemotactic activity of cyclophilin 1992 , 267, 11968-11971	143
223	Monoclonal antibodies against MDR1 P-glycoprotein inhibit chloride conductance and label a 65-kDa protein in pancreatic zymogen granule membranes 1994 , 269, 24410-24417	30
222	Prolonged association of temperature-sensitive mutants of human P-glycoprotein with calnexin during biogenesis 1994 , 269, 28683-28689	96
221	Targeted disruption of the mouse mdr1b gene reveals that steroid hormones enhance mdr gene expression 1993 , 268, 27127-27132	45
220	Fluorescent cellular indicators are extruded by the multidrug resistance protein 1993 , 268, 21493-21496	376
219	Novel mutations in the gene encoding ATP-binding cassette 1 in four Tangier disease kindreds. 2000 , 41, 433-441	105
218	Esterification of plasma membrane cholesterol and triacylglycerol-rich lipoprotein secretion in CaCo-2 cells: possible role of p-glycoprotein. 1995 , 36, 1533-1543	55
217	ATP-dependent phosphatidylcholine translocation in rat liver canalicular plasma membrane vesicles. 1996 , 37, 1125-1136	36
216	Topoisomerase II inhibitors. 2003 , 21, 103-25	19
215	Topoisomerase II inhibitors. 2005 , 22, 101-21	23
214	Peptidomimetics designed for oral absorption. 1999 , 89-123	2
213	In vitro and in vivo activity and cross resistance profiles of novel ruthenium (II) organometallic arene complexes in human ovarian cancer.	5
212	Role of glycine-534 and glycine-1179 of human multidrug resistance protein (MDR1) in drug-mediated control of ATP hydrolysis. <i>Biochemical Journal</i> , 2001 , 356, 71-5	28
211	RTM1: a member of a new family of telomeric repeated genes in yeast. 1995 , 140, 945-56	71
210	Therapeutic approach to drug resistant tumors. 1998 , 20, 577-80	6

209	Resistance to anticancer drugs: are we ready to use biologic information for the treatment of patients with cancer?. 1998 , 20, 581-7	3
208	Anti-cancer property of Lenzites betulina (L) Fr. on cervical cancer cell lines and its anti-tumor effect on HeLa-implanted mice.	1
207	Exploiting evolutionary herding to control drug resistance in cancer.	7
206	Potentiation of anticancer-drug cytotoxicity by multidrug-resistance chemosensitizers involves alterations in membrane fluidity leading to increased membrane permeability. 1995 , 228, 1020-9	141
205	Drug effects on intracellular mycobacteria determined by mass spectrometric analysis of the Na(+)-to-K+ ratios of individual bacterial organisms. 1996 , 40, 2047-53	4
204	A novel ATP-binding cassette transporter involved in multidrug resistance in the phytopathogenic fungus Penicillium digitatum. 1998 , 64, 3983-8	140
203	Reduced virulence of Candida albicans mutants affected in multidrug resistance. 1995 , 63, 4515-8	58
202	MdfA, an Escherichia coli multidrug resistance protein with an extraordinarily broad spectrum of drug recognition. 1997 , 179, 2274-80	255
201	Novel retroviral vectors for efficient expression of the multidrug resistance (mdr-1) gene in early hematopoietic cells. 1995 , 69, 7541-7	192
200	Nucleotide sequence of the yeast STE14 gene, which encodes farnesylcysteine carboxyl methyltransferase, and demonstration of its essential role in a-factor export. 1994 , 14, 1438-1449	40
199	Fungal lipopeptide mating pheromones: a model system for the study of protein prenylation. 1995 , 59, 406-22	94
198	Proton-dependent multidrug efflux systems. 1996 , 60, 575-608	848
197	Multidrug resistance in cancer. 1994 , 308, 148-9	10
196	A light in multidrug resistance: Photodynamic treatment of multidrug-resistant tumors. 2003 , 10, 361	1
195	Tamoxifen blocks chloride channels. A possible mechanism for cataract formation. 1994 , 94, 1690-7	140
194	Regulation of biliary lipid secretion by mdr2 P-glycoprotein in the mouse. 1995 , 95, 31-8	174
193	Basolateral localization and export activity of the human multidrug resistance-associated protein in polarized pig kidney cells. 1996 , 97, 1211-8	200
192	Full blockade of intestinal P-glycoprotein and extensive inhibition of blood-brain barrier P-glycoprotein by oral treatment of mice with PSC833. 1997 , 100, 2430-6	206

(2000-1998)

191	Drug export activity of the human canalicular multispecific organic anion transporter in polarized kidney MDCK cells expressing cMOAT (MRP2) cDNA. 1998 , 101, 1310-9	421
190	The drug transporter P-glycoprotein limits oral absorption and brain entry of HIV-1 protease inhibitors. 1998 , 101, 289-94	812
189	HIV-1 protease inhibitors and the MDR1 multidrug transporter. 1998 , 101, 287-8	57
188	Absence or pharmacological blocking of placental P-glycoprotein profoundly increases fetal drug exposure. 1999 , 104, 1441-7	273
187	Enhanced MDR1 Gene Expression in Human T-Cell Leukemia Virus-I I hfected Patients Offers New Prospects for Therapy. 1998 , 91, 2467-2474	2
186	P-Glycoprotein Protects Leukemia Cells Against Caspase-Dependent, but not Caspase-Independent, Cell Death. 1999 , 93, 1075-1085	16
185	Treatment of Refractory and Relapsed Acute Myelogenous Leukemia With Combination Chemotherapy Plus the Multidrug Resistance Modulator PSC 833 (Valspodar). 1999 , 93, 787-795	5
184	HMBA induces activation of a caspase-independent cell death pathway to overcome P-glycoprotein-mediated multidrug resistance. 2000 , 95, 2378-2385	2
183	Cancer: a single disease with a multitude of manifestions?. 2003 , 2, 9	10
182	HE4 overexpression decreases pancreatic cancer Capan-1 cell sensitivity to paclitaxel via cell cycle regulation. 2020 , 20, 163	4
181	Using Nanoparticles to Target Drugs to the Central Nervous System. 2000,	2
180	Principles of Drug Absorption. 2002 ,	3
179	Glutathione-Conjugate Transport and Stress-Response Signaling. 2006, 231-256	6
178	Nitrous Oxide Regimens More Effective than Midazolam for Reducing Distress during Laceration Repair in Young Children. B82. 1998 , 43, 68-68	1
177	Brain bilirubin content is increased in P-glycoprotein-deficient transgenic null mutant mice. 1998 , 44, 763-6	61
176	Drug efflux mediated by the human multidrug resistance P-glycoprotein is inhibited by cell swelling. 1994 , 107, 3281-3290	15
175	The multidrug-resistant phenotype associated with overexpression of the new ABC half-transporter, MXR (ABCG2). 2000 , 113, 2011-2021	378
174	Role of the ribosome in sequence-specific regulation of membrane targeting and translocation of P-glycoprotein signal-anchor transmembrane segments. 2000 , 113, 2545-2555	4

173	Characterization of the amino-terminal regions in the human multidrug resistance protein (MRP1). 2000 , 113, 4451-4461	93
172	Alterations of ionic membrane permeabilities in multidrug-resistant neuroblastoma x glioma hybrid cells 1998 , 201, 21-31	20
171	Enhanced xenobiotic transporter expression in normal teleost hepatocytes: response to environmental and chemotherapeutic toxins. 2001 , 204, 217-227	29
170	Inhibition of ABCB1 (MDR1) expression by an siRNA nanoparticulate delivery system to overcome drug resistance in osteosarcoma. 2010 , 5, e10764	111
169	Sensitivity to TOP2 targeting chemotherapeutics is regulated by Oct1 and FILIP1L. 2012, 7, e42921	11
168	Giant Lysosomes as a Chemotherapy Resistance Mechanism in Hepatocellular Carcinoma Cells. 2014 , 9, e114787	28
167	HZ08 reverse P-glycoprotein mediated multidrug resistance in vitro and in vivo. 2015 , 10, e0116886	6
166	The Metastatic Potential and Chemoresistance of Human Pancreatic Cancer Stem Cells. 2016 , 11, e0148807	33
165	High baseline serum total and LDL cholesterol levels are associated with MDR1 haplotypes in Brazilian hypercholesterolemic individuals of European descent. 2005 , 38, 1389-97	41
164	High-Dose Therapy for Ovarian Carcinoma. 1997 , 2, 330-339	2
163	Secretion of platelet-activating factor is mediated by MDR1 P-glycoprotein in cultured human mesangial cells. 1999 , 10, 2306-13	55
162	P-glycoprotein-mediated drug secretion in mouse proximal tubule perfused in vitro. 2001 , 12, 177-181	28
161	Combination treatment including targeted therapy for advanced hepatocellular carcinoma. 2016 , 7, 71036-71	10521
160	Synergistic effect of farnesyl transferase inhibitor lonafarnib combined with chemotherapeutic agents against the growth of hepatocellular carcinoma cells. 2017 , 8, 105047-105060	5
159	Recent advances in the search of BCRP- and dual P-gp/BCRP-based multidrug resistance modulators 2019 , 2, 710-743	3
158	Imaging probes for non-invasive tumoral detection and functional monitoring of cancer multidrug resistance 2020 , 3, 209-224	1
157	Intrinsic resistance to chemotherapeutic agents in murine osteosarcoma cells. 2000, 82-A, 963-9	7
156	In Vitro Inhibition Effect and Molecular Docking Study of Curcumin, Resveratrol, and Quercetin on Human Erythrocyte Glutathione Transferase. 2020 , 15, 197-205	4

155	Proton Transfer in Bacterial Reaction Centers and Bacteriorhodopsin in the Presence of Dipyridamole. 2001 , 26, 287-299	3
154	Various Partial Charge Schemes on 3D-QSAR Models for P-gp Inhibiting Adamantyl Derivatives. 2011 , 32, 1604-1612	2
153	Effects of Non-Saponin Red Ginseng Components on Multi-drug Resistance. 2007, 31, 74-78	4
152	Electrochemical Characteristics of CNT/TiO2Nanocomposites Electrodes for Cancer Cell Sensor. 2008 , 11, 105-108	2
151	The Effects of on the Apoptosis Induction and the Reversal of Multidrug Resistance in HL-60/MX2. 2008 , 24, 29-36	3
150	Drug Resistance Mechanisms in Non-Small Cell Lung Carcinoma. 2013 , 2, 265-282	41
149	Multidrug resistance-associated protein 1 predicts relapse in Iranian childhood acute lymphoblastic leukemia. 2012 , 13, 2285-9	8
148	Plant-Based Drugs as an Adjuvant to Cancer Chemotherapy.	2
147	Mukoviszidose (Zystische Fibrose, CF). 2000 , 173-194	
146	Imaging Gene Expression in Cancer: Functional Identification of Multidrug Resistance P-glycoprotein In Vivo. 2000 , 273-283	
145	Epithelien. 2000 , 719-736	
144	The Relevance of P-Glycoprotein in Drug Transport to the Brain. 2000 ,	
143	Expression of the multidrug resistance P glycoprotein (Pgp) and multidrug resistance associated protein (MRP1) in Down syndrome brains. 2001 , 35-45	3
142	Zytostatika. 2002 , 719-738	
141	Flavonolignans from Silybum marianum L 2002 , 329-335	
140	Parvovirus Vectors for the Gene Therapy of Cancer. 2002 , 53-79	
139	Drug Resistance.	
138	P-Glycoproteins.	_

137	Molecular Imaging in Oncology. 2003 , 633-651	
136	Membrane Structure and the Transport of Small Molecules and Ions.	
135	Modulation of P-glycoprotein Activity by Flavonoids in Human Uterine Sarcoma Cells. 2003, 33, 305-310	
134	The ABC of Canalicular Transport. 2004 , 21-35	
133	New Therapeutic Approaches to Myeloma. 2004 , 319-353	
132	Drug-Metabolizing Enzymes and P-Glycoprotein. 2004 , 43-67	
131	Effect of Flavonoids on Efflux and Cytotoxicity of Daunomycin. 2004 , 34, 95-99	
130	Pharmacokinetic Interaction between Nifedipine and Quercetin in Rabbits. 2004 , 34, 283-288	
129	Effect of Naringin on the Pharmacokinetics of Nifedipine in Rabbits. 2005 , 35, 101-106	1
128	Effect of Natural Compounds on P-glycoprotein Activity in Human Uterine Sarcoma Cells. 2005 , 35, 249-254	
127	IMAGING OF PHARMACODYNAMIC END POINTS IN CLINICAL TRIALS. 2006 , 299-336	
126	Drug Interactions of Grapefruit and Other Citrus_What Have We Learned?. 2006 , 147-190	
125	Cancer chemotherapy. 2007, 718-735	1
124	MDR1, MultiDrug Resistance Exporter 1. 2007 , 1-9	
123	Effect of Cimetidine on the Transport of Quinolone Antibiotics in Caco-2 Cell monolayers. 2007 , 15, 102-107	0
122	Chloroquine uptake and activity is determined by binding to ferriprotoporphyrin IX in Plasmodium falciparum. 1999 , 226, 252-60; discussion 260-4	5
121	How to Overcome Cisplatin Resistance Through Proton Pump Inhibitors. 2009 , 109-114	
120	Drug Transporters in Health and Disease. 2009 , 387-415	

QSAR Studies on ABC Transporter [How to Deal with Polyspecificity. 2009, 195-214 119 Multidrug Resistance in Fungi: The Role of Pleiotropic Drug Resistance Genes. 2010, 147-171 118 ABC transporters in ophthalmic disease. 2010, 637, 221-30 117 Transporter Interactions in the ADME Pathway of Drugs. 116 Membrane Structure and Transport of Small Molecules and Ions. 1 115 Blood-Brain Barrier. 2011, 147-161 114 Hedgehog Signaling and Cancer Treatment Resistance. 2011, 151-161 113 P-Glycoprotein. 2011, 2831-2835 112 Mass Action Kinetic Analysis of Multidrug Resistance Transporters Expressed in Confluent Cell 111 Monolayers. 2011, 241-272 Effects of Kaempferol, an Antioxidant, on the Bioavailability and Pharmacokinetics of Nimodipine 110 in Rats. 2011, 41, 301-307 Gender and pharmacokinetics*. 2012, 226-230 109 Pharmacogenomics of Gynecological Disorders. 2013, 707-741 108 Structure and Mechanism of a Eukaryotic ABC Multidrug Transporter. 2014, 56, 224-229 107 ABC Transporters: Maintenance of the Cancer Stem Cell Phenotype. 106 Inhibitors of the Human Immunodeficiency Virus Protease. 113-135 105 Activation of the mouse mdr3 gene by insertion of retroviruses in multidrug-resistant P388 tumor 104 cells. 1993, 13, 7380-7392 Molecular analysis of the multidrug transporter. 1994, 33-62 103 Spectrofluorimetric Investigation of Multidrug Resistant Versus Sensitive Cells Using JC-1. 1995, 527-530 102

101	TAP Peptide Transporters and Antigen Presentation. 1996 , 35-63
100	Molecular basis of drug resistance. 1996 , 198-207
99	The Effects of Development of the MDR1 Phenotype on Cell Susceptibility to Undergoing Lipid Peroxidation and Ionizing Radiation 1996 , 65-73
98	Calciumantagonisten zur Berwindung von P-Glykoprotein-bedingter Multidrug Resistance Von Krebserkrankungen. 1996 , 345-353
97	Leber. 1997 , 1022-1039
96	MDR1. 1997 , 562-563
95	Zytostatika und Immunsuppressiva. 1997 , 683-704
94	A Role for Progesterone in Multidrug Resistance. 1997 , 123-151
93	Active Efflux Mechanisms for Cellular Resistance. 1997 , 323-347
92	Cytokine Prestimulation as a Gene Therapy Strategy: Implications for Using the MDR1 Gene as a Dominant Selectable Marker. 1997 , 89, 146-154
91	Nutrition in the aetiology of diseases. 1997 , 537-549
90	Ribozymes as Biotherapeutic Tools for the Modulation of Gene Expression. 1998 , 97-130
89	Leber. 1998 , 1022-1039
88	Pleiotrope Zytostatikaresistenz (Multidrug resistance) und Hochdosischemotherapie. 1998 , 65-87
87	Some Reflections on P-Glycoprotein Expression in Acute Leukemia. 1998 , 431-443
86	Molecular analysis of the multidrug transporter, P-glycoprotein. 1998 , 31-60
85	Inhibition of P-Glycoprotein and Recovery of Drug Sensitivity of Human Acute Leukemic Blast Cells by Multidrug Resistance Gene (mdr1) Antisense Oligonucleotides. 1998 , 91, 3163-3171
84	Expression of Proteins Controlling Transbilayer Movement of Plasma Membrane Phospholipids in the B Lymphocytes From a Patient With Scott Syndrome. 1998 , 92, 1707-1712

83	Drug Resistance in Breast Cancer. 1999 , 481-517	
82	MDR1 Gene Transfer to Hematopoietic Cells. 1999 , 201-213	
81	Zytostatika und Immunsuppressiva. 1999 , 683-704	
80	Assessment of Multidrug Resistance. 1999 , 371-381	1
79	Thwarting Resistance. 1999 ,	
78	Drugs Affecting Epigenetic Modifications of ABC Transporters for Drug Resistance. 2015 , 273-297	
77	Encyclopedia of Cancer. 2015 , 1-5	
76	Isoreserpine Reverses Multidrug Resistance Mediated by ABCB1. 2015 , 4, 188-194	
75	The Role of Exosomes and its Cargos in Drug Resistance of Cancer. 2015 , 4, 179-187	
74	Sphingolipid metabolism affects the anticancer effect of cisplatin. 2016 , 5, 37	Ο
73	Encyclopedia of Cancer. 2017 , 3502-3506	
72	Involvement of P Glycoprotein from Human R7 Cells Derived from Erythroleukemia in Its Attachment to the Progesterone Binding Site. 2018 , 09, 299-306	
71	Allosteric Role of Substrate Occupancy Toward the Alignment of P-glycoprotein Nucleotide Binding Domains.	
70	BceAB-type antibiotic resistance transporters appear to act by target protection of cell wall synthesis.	2
69	- - -2020, 5-20	1
68	Silencing of the ARK5 gene reverses the drug resistance of multidrug-resistant SGC7901/DDP gastric cancer cells. 2020 , 8, e9560	O
67	A Marine Natural Products as Modulators of Multidrug Resistance. 9, 96-101	

5.8

Downregulated Mucin 1 alleviates paclitaxel resistance in non-small cell lung cancer cells. **2020**, 22, 2966-2972 1

64 The Human Mult 1998 , 39-41	tidrug Transporter (MDR1) Expressed in the Baculovirus-SF9 Insect Cell System.
--	--

63	Tubulin interacting agents. 2006 , 101-131		
62	Mechanisms of Breast Cancer Resistance to Chemotherapy. 2006 , 783-803		
61	Basis of Tumor Imaging 2: Scintigraphic and Pathophysiologic Correlation. 2006 , 278-304		
60	Cytoplasmic and nuclear localization sites of phosphatidylinositol 3-kinase in human osteosarcoma sensitive and multidrug-resistant Saos-2 cells. <i>Histochemistry and Cell Biology</i> , 1996 , 106, 457-464	2.4	1
59	A Salmonella protein that is required for resistance to antimicrobial peptides and transport of potassium. <i>EMBO Journal</i> , 1994 , 13, 3964-72	13	54
58	Ribozyme-mediated cleavage of the MDR-1 transcript restores chemosensitivity in previously resistant cancer cells. <i>EMBO Journal</i> , 1994 , 13, 4645-52	13	9
57	Protein kinase C-mediated phosphorylation of the human multidrug resistance P-glycoprotein regulates cell volume-activated chloride channels. <i>EMBO Journal</i> , 1995 , 14, 68-75	13	44
56	A P-glycoprotein protects Caenorhabditis elegans against natural toxins. <i>EMBO Journal</i> , 1995 , 14, 1858	-66	41
55	The ATP binding cassette transporter ABC1, is required for the engulfment of corpses generated by apoptotic cell death. <i>EMBO Journal</i> , 1996 , 15, 226-35	13	45
54	Multidrug resistance in Lactococcus lactis: evidence for ATP-dependent drug extrusion from the inner leaflet of the cytoplasmic membrane. <i>EMBO Journal</i> , 1996 , 15, 4239-45	13	46

55	The ATP binding cassette transporter ABC1, is required for the engulfment of corpses generated by apoptotic cell death. <i>EMBO Journal</i> , 1996 , 15, 226-35	13	45
54	Multidrug resistance in Lactococcus lactis: evidence for ATP-dependent drug extrusion from the inner leaflet of the cytoplasmic membrane. <i>EMBO Journal</i> , 1996 , 15, 4239-45	13	46
53	The multidrug resistance P-glycoprotein modulates cell regulatory volume decrease. <i>EMBO Journal</i> , 1996 , 15, 4460-8	13	17
52	Protein secretion in gram-negative bacteria: assembly of the three components of ABC protein-mediated exporters is ordered and promoted by substrate binding. <i>EMBO Journal</i> , 1996 , 15, 5804-11	13	47
51	Homologues of the human multidrug resistance genes MRP and MDR contribute to heavy metal resistance in the soil nematode Caenorhabditis elegans. <i>EMBO Journal</i> , 1996 , 15, 6132-43	13	61
50	Functional analysis of the human NRAMP family expressed in fission yeast. <i>Biochemical Journal</i> , 1999 , 344 Pt 1, 211-9	3.8	11
49	Cloning, characterization and tissue distribution of the rat ATP-binding cassette (ABC) transporter ABC2/ABCA2. <i>Biochemical Journal</i> , 2000 , 350 Pt 3, 865-72	3.8	13

Chronic cyclosporin A nephrotoxicity, P-glycoprotein overexpression, and relationships with intrarenal angiotensin II deposits. *American Journal of Pathology*, **1997**, 151, 1705-14

48

47	Expression cloning of cDNAs that render cancer cells resistant to Pseudomonas and diphtheria toxin and immunotoxins. <i>Molecular Medicine</i> , 1995 , 1, 206-16	6.2	12
46	Cyclosporin A aerosol improves the anticancer effect of paclitaxel aerosol in mice. <i>Transactions of the American Clinical and Climatological Association</i> , 2004 , 115, 395-404; discussion 404	0.9	12
45	Molecular alterations of canalicular transport systems in experimental models of cholestasis: possible functional correlations. <i>Yale Journal of Biology and Medicine</i> , 1997 , 70, 365-78	2.4	11
44	Protein multifunctionality: principles and mechanisms. <i>Translational Oncogenomics</i> , 2008 , 3, 99-136		4
43	Identification of the Interaction between P-Glycoprotein and Anxa2 in Multidrug-resistant Human Breast Cancer Cells. <i>Cancer Biology and Medicine</i> , 2012 , 9, 99-104	5.2	3
42	Construction of a model cell line for the assay of MDR1 (multi drug resistance gene-1) substrates/inhibitors using HeLa cells. <i>Die Pharmazie</i> , 2009 , 64, 296-300	1.5	3
41	Enterestin 2 is associated with multidrug resistance in breast cancer cells through regulating MDR1 gene expression. <i>International Journal of Clinical and Experimental Pathology</i> , 2015 , 8, 1354-63	1.4	14
40	Pharmacokinetic Interaction Study of Ranitidine and Daijokito in Healthy Volunteers. <i>Yonago Acta Medica</i> , 2016 , 59, 111-7	1.3	2
39	Identification of genes associated with SiHa cell sensitivity to paclitaxel by CRISPR-Cas9 knockout screening. <i>International Journal of Clinical and Experimental Pathology</i> , 2018 , 11, 1972-1978	1.4	2
38	Synthetic Biology Based on Genetic Logic Circuit, Using the Expression of Drug Resistance, BCRP Pump in MCF-7 Cancer Cell Line. <i>Iranian Journal of Pharmaceutical Research</i> , 2020 , 19, 195-205	1.1	1
37	CO-driven seawater acidification increases cadmium toxicity in a marine copepod. <i>Marine Pollution Bulletin</i> , 2021 , 173, 113145	6.7	0
36	Design, synthesis and SAR study of Fluorine-containing 3rd-generation taxoids <i>Bioorganic Chemistry</i> , 2021 , 119, 105578	5.1	Ο
35	Multidrug transporters in cancer resistance. 2002 , 4, 167-169		
34	Interaction of A adenosine receptor ligands with the human multidrug transporter ABCG2 European Journal of Medicinal Chemistry, 2022 , 231, 114103	6.8	O
33	Role of Globotriaosylceramide in Physiology and Pathology <i>Frontiers in Molecular Biosciences</i> , 2022 , 9, 813637	5.6	0
32	THE P-GLYCOPROTEIN MULTIDRUG TRANSPORTER. 2022 , 199-211		O
31	Preclinical studies of the triazolo[1,5-a]pyrimidine derivative WS-716 as a highly potent, specific and orally active P-glycoprotein (P-gp) inhibitor. <i>Acta Pharmaceutica Sinica B</i> , 2022 ,	15.5	1
30	YB-1 as an Oncoprotein: Functions, Regulation, Post-Translational Modifications, and Targeted Therapy <i>Cells</i> , 2022 , 11,	7.9	O

29	Targeting breast cancer resistance protein (BCRP/ABCG2): Functional inhibitors and expression modulators <i>European Journal of Medicinal Chemistry</i> , 2022 , 237, 114346	6.8	5
28	The exacerbation of soil acidification correlates with structural and functional succession of the soil microbiome upon agricultural intensification <i>Science of the Total Environment</i> , 2022 , 154524	10.2	O
27	Apoptotic And Antiangiogenic Effects of Noscapine In Human Lung Cancer (A549) Cells. <i>Celal Bayar Diversitesi Sal</i> Bilimleri Enstit Dergisi,		
26	Table_1.docx. 2018 ,		
25	Characterization of SN38-resistant T47D breast cancer cell sublines overexpressing BCRP, MRP1, MRP2, MRP3, and MRP4 <i>BMC Cancer</i> , 2022 , 22, 446	4.8	1
24	Allostery and missense mutations as intermittently linked promising aspects of modern computational drug discovery <i>Journal of Molecular Biology</i> , 2022 , 167610	6.5	1
23	The multi-molecular mechanisms of tumor-targeted drug resistance in precision medicine. <i>Biomedicine and Pharmacotherapy</i> , 2022 , 150, 113064	7.5	1
22	Cellular Factors for Resistance against Antiretroviral Agents. Antiviral Therapy, 2000 , 5, 181-185	1.6	18
21	Nkx2.8 promotes chemosensitivity in bladder urothelial carcinoma via transcriptional repression of MDR1. <i>Cell Death and Disease</i> , 2022 , 13,	9.8	
20	The potential roles of retinoids in combating drug resistance in cancer: implications of ATP-binding cassette (ABC) transporters. <i>Open Biology</i> , 2022 , 12,	7	O
19	Cell-in-Cell Events in Oral Squamous Cell Carcinoma. Frontiers in Oncology, 12,	5.3	O
18	The AbcCl1 transporter of Colletotrichum lindemuthianum acts as a virulence factor involved in fungal detoxification during common bean (Phaseolus vulgaris) infection. <i>Brazilian Journal of Microbiology</i> ,	2.2	
17	Interplay Between Chemotherapy-Activated Cancer Associated Fibroblasts and Cancer Initiating Cells Expressing CD44v6 Promotes Colon Cancer Resistance. 12,		0
16	- Amphotericin B: A drug of choice for Visceral Leishmaniasis. 2022 , 106661		3
15	A Microfluidic In Vitro Three-Dimensional Dynamic Model of the Blood B rain Barrier to Study the Transmigration of Immune Cells. 2022 , 12, 1293		0
14	P-Glycoprotein (MDR1/ABCB1) Restricts Brain Accumulation of the Novel EGFR Inhibitor EAI045 and Oral Elacridar Coadministration Enhances Its Brain Accumulation and Oral Exposure. 2022 , 15, 112-	4	O
13	The Tetrahydroisoquinoline Scaffold in ABC Transporter Inhibitors that Act as Multidrug Resistance (MDR) Reversers. 2022 , 23,		0
12	Low-dose IL-2 improved clinical symptoms by restoring reduced regulatory T cells in patients with refractory rheumatoid arthritis: A randomized controlled trial. 13,		О

CITATION REPORT

11	species: New frontiers in the study of adaptation to ocean acidification. 2022 , 185, 114365	O
10	The glycosylatedN-terminal domain of MUC1 is involved in chemoresistance by modulating drug permeation across the plasma membrane. MOLPHARM-AR-2022-000597	O
9	Functional Analysis by Site-Directed Mutagenesis of the Complex Polymorphism in Rat Transporter Associated with Antigen Processing. 1998 , 160, 2767-2779	13
8	A Novel Model of Inflammatory Bowel Disease: Mice Deficient for the Multiple Drug Resistance Gene, mdr1a, Spontaneously Develop Colitis. 1998 , 161, 5733-5744	57
7	mdr1a-Encoded P-Glycoprotein Is Not Required for Peripheral T Cell Proliferation, Cytokine Release, or Cytotoxic Effector Function in Mice. 1999 , 163, 2621-2627	5
6	MULTIDRUG RESISTANCE TO ANTICANCER AGENTS: SUITABLE TARGETS FOR MODULATION?. 1995 , 30, 455s-466s	O
5	Subcellular analysis of blood-brain barrier function by micro-impalement of vessels in acute brain slices. 2023 , 14,	O
4	The Role of Solute Carrier Transporters in Efficient Anticancer Drug Delivery and Therapy. 2023 , 15, 364	O
3	Microtubule Inhibitors. 1-18	O
2	Recent advances in the strategic incorporation of fluorine into new-generation taxoid anticancer agents. 2023 , 267, 110106	O
1	Unfolding Individual Domains of BmrA, a Bacterial ABC Transporter Involved in Multidrug Resistance. 2023 , 24, 5239	О