

# Paleoenvironments and paleoclimates in Tierra del Fuego South America

Palaeogeography, Palaeoclimatology, Palaeoecology  
102, 53-68

DOI: [10.1016/0031-0182\(93\)90005-4](https://doi.org/10.1016/0031-0182(93)90005-4)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A high-resolution record of atmospheric CO <sub>2</sub> content from carbon isotopes in pet. <i>Nature</i> , 1994, 367, 153-156.	13.7	153
2	Fluctuations of the South Patagonian Ice-field during the last glaciation and the Holocene. <i>Journal of Quaternary Science</i> , 1995, 10, 197-209.	1.1	62
3	Three Late Quaternary pollen diagrams from Southern Patagonia and their palaeoecological implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1995, 118, 1-24.	1.0	96
4	Fluctuations of local glaciers at the termination of the Pleistocene: 18-8 ka BP. <i>Quaternary International</i> , 1995, 28, 41-50.	0.7	36
5	The Pleistocene-Holocene Transition in Southern South America. <i>Interdisciplinary Contributions To Archaeology</i> , 1996, , 339-354.	0.1	22
6	Full-glacial " late-glacial palaeoclimate of the Southern Andes: evidence from pollen, beetle and glacial records. <i>Journal of Quaternary Science</i> , 1996, 11, 173-184.	1.1	64
7	Limnogeology of Laguna Miscanti: evidence for mid to late Holocene moisture changes in the Atacama Altiplano (Northern Chile). <i>Journal of Paleolimnology</i> , 1996, 16, 1.	0.8	87
8	Character of rapid vegetation and climate change during the late-glacial in southernmost South America. , 1997, , 81-90.		9
9	Late-glacial fluctuations of South Patagonian Icefield, Torres del Paine National Park, southern Chile. <i>Quaternary International</i> , 1997, 38-39, 61-68.	0.7	31
10	The Pleistocene-Holocene boundary from cores of Lago El Trábol, Patagonia, Argentina: paleolimnological evidences. <i>Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology</i> , 1997, 26, 805-808.	0.1	1
11	Reply to the Letter to the Editor on "Late Quaternary Vegetational and Climatic Changes in the Pampa Grassland of Argentina" by M. Iriondo. <i>Quaternary Research</i> , 1997, 48, 253-256.	1.0	0
12	Title is missing!. <i>Journal of Paleolimnology</i> , 1998, 20, 235-252.	0.8	24
13	Vegetational changes during the Holocene in Extra-Andean Patagonia, Santa Cruz Province, Argentina. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1998, 138, 207-219.	1.0	68
14	Paleovegetational and paleoclimatic changes during the Late Quaternary in southwestern Buenos Aires Province and Southern Tierra del Fuego (Argentina). <i>Palynology</i> , 1998, 22, 67-82.	0.7	35
15	Title is missing!. <i>Plant Ecology</i> , 1999, 140, 61-75.	0.7	50
16	The Prehistoric Exploration and Colonization of Fuego-Patagonia. <i>Journal of World Prehistory</i> , 1999, 13, 321-355.	1.1	87
17	Fossil pollen from Los Toldos locality: A record of the Late-glacial transition in the Extra-Andean Patagonia. <i>Quaternary International</i> , 1999, 53-54, 69-75.	0.7	42
18	Palaeoenvironmental conditions during the early peopling of Southernmost South America (Late) Tj ETQq1 1 0.784314 rgBT /Overloc 1	0.7	50

#	ARTICLE	IF	CITATIONS
19	Human dispersal and climatic conditions during Late Pleistocene times in Fuego-Patagonia. <i>Quaternary International</i> , 1999, 53-54, 93-99.	0.7	30
20	Stable isotope analyses on the last 30 ka molluscan fauna from Pampa grassland, Bonaerense region, Argentina. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1999, 153, 289-308.	1.0	55
21	Isozyme variation and recent biogeographical history of the long-lived conifer <i>Fitzroya cupressoides</i> . <i>Journal of Biogeography</i> , 2000, 27, 251-260.	1.4	142
22	Surface carbonate and land-derived clastic marine sediments from southern Chile: mineralogical and geochemical investigation. <i>Journal of South American Earth Sciences</i> , 2000, 13, 775-784.	0.6	8
23	A 106ka paleoclimate record from drill core of the Salar de Atacama, northern Chile. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2001, 173, 21-42.	1.0	174
24	Tracking abrupt climate change in the Southern Hemisphere: a seismic stratigraphic study of Lago Cardiel, Argentina (49°S). <i>Terra Nova</i> , 2001, 13, 443-448.	0.9	75
25	Multiproxy Record of Late Pleistocene–Holocene Climate and Vegetation Changes from a Peat Bog in Patagonia. <i>Quaternary Research</i> , 2001, 55, 168-178.	1.0	110
26	The Archaeological Record of Human Impacts on Animal Populations. <i>Journal of World Prehistory</i> , 2001, 15, 1-68.	1.1	338
27	Late Quaternary Eolian Records of the Americas and Their Paleoclimatic Significance. , 2001, , 183-216.		56
28	Pole-Equator-Pole Paleoclimates of the Americas Integration. , 2001, , 433-442.		11
29	The Midlatitudes of North and South America During the Last Glacial Maximum and Early Holocene. , 2001, , 391-416.		24
30	LGM–Holocene changes and Holocene millennial-scale oscillations of dust particles in the EPICA Dome C ice core, East Antarctica. <i>Annals of Glaciology</i> , 2002, 35, 306-312.	2.8	13
31	Late Pleistocene and Holocene landscape evolution and environmental change in the Lake Sullivan area, Falkland Islands, South Atlantic. <i>Quaternary Science Reviews</i> , 2002, 21, 1821-1840.	1.4	24
32	Vegetation and climate during the Holocene in Southwest Patagonia, Argentina. <i>Review of Palaeobotany and Palynology</i> , 2002, 122, 101-115.	0.8	50
33	Response of chironomids to Late Quaternary environmental change in the Taitao Peninsula, southern Chile. <i>Journal of Quaternary Science</i> , 2002, 17, 101-111.	1.1	88
34	Early to Mid-Holocene Aridity in Central Chile and the Southern Westerlies: The Laguna Aculeo Record (34°S). <i>Quaternary Research</i> , 2002, 58, 160-170.	1.0	117
35	PHYLOGEOGRAPHIC STRUCTURE AND CRYPTIC SPECIATION IN THE TRANS-ANTARCTIC MOSS <i>PYRRHOBRYUM MNIOIDES</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 205-215.	1.1	130
36	A synthesis of abrupt changes in the Asian summer monsoon since the last deglaciation. <i>Holocene</i> , 2003, 13, 465-476.	0.9	353

#	ARTICLE	IF	CITATIONS
37	Late Holocene climatic fluctuations and soil genesis in southern Patagonia: effects on the archaeological record. <i>Journal of Archaeological Science</i> , 2003, 30, 1657-1664.	1.2	25
38	When Patagonia was colonized: people mobility at high latitudes during Pleistocene/Holocene transition. <i>Quaternary International</i> , 2003, 109-110, 95-111.	0.7	69
39	PHYLOGEOGRAPHIC STRUCTURE AND CRYPTIC SPECIATION IN THE TRANS-ANTARCTIC MOSS PYRRHOBRYUM MNIOIDES. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 205.	1.1	34
40	Holocene Fire Frequency and Climate Change at Rio Rubens Bog, Southern Patagonia. , 2003, , 357-380.		19
41	The southernmost bear:Pararctotherium(Carnivora, Ursidae, Tremarctinae) in the latest Pleistocene of southern Patagonia, Chile. <i>Journal of Vertebrate Paleontology</i> , 2003, 23, 709-712.	0.4	17
42	Radiocarbon Age Offsets Between Living Organisms from the Marine and Continental Reservoir in Coastal Localities of Patagonia (Argentina). <i>Radiocarbon</i> , 2003, 45, 9-15.	0.8	28
43	Seismic stratigraphy, buried beach ridges and contourite drifts: the Late Quaternary history of the closed Lago Cardiel basin, Argentina (49°S). <i>Sedimentology</i> , 2004, 52, 1-23.	1.6	59
44	Late-glacial and Holocene vegetation history of the Magellanic rain forest in southwestern Patagonia, Chile. <i>Vegetation History and Archaeobotany</i> , 2004, 13, 249-255.	1.0	39
45	Late Pleistocene and Holocene palaeoclimate and glacier fluctuations in Patagonia. <i>Global and Planetary Change</i> , 2004, 43, 79-101.	1.6	153
46	Geographical and temporal trends in Late Quaternary fire histories of Fuego-Patagonia, South America. <i>Quaternary Science Reviews</i> , 2004, 23, 1079-1097.	1.4	99
47	Prehistoric Maritime Adaptations of the Subarctic and Subantarctic Zones: The Aleutian/Fuegian Connection Reconsidered. <i>Arctic Anthropology</i> , 2004, 41, 76-97.	0.7	14
49	Palaeohydrology of Laguna de Tagua Tagua (34° 30' S) and moisture fluctuations in Central Chile for the last 46 000 yr. <i>Journal of Quaternary Science</i> , 2005, 20, 625-641.	1.1	82
51	Mid-Holocene strengthening of the Southern Westerlies in South America – Sedimentological evidences from Lago Cardiel, Argentina (49°S). <i>Global and Planetary Change</i> , 2005, 49, 75-93.	1.6	103
52	Mid-Holocene climatic variability reconstruction from pollen records (32°–52°S, Argentina). <i>Quaternary International</i> , 2005, 132, 47-59.	0.7	119
53	The dynamics of chironomid assemblages and vegetation during the Late Quaternary at Laguna Facil, Chonos Archipelago, southern Chile. <i>Quaternary Science Reviews</i> , 2005, 24, 2510-2522.	1.4	40
54	Early formation of gnammas (weathering pits) in a recently glaciated area of Torres del Paine, southern Patagonia (Chile). <i>Geomorphology</i> , 2006, 76, 137-147.	1.1	24
55	Crater lakes of the Pali Aike Volcanic Field as key sites for paleoclimatic and paleoecological reconstructions in southern Patagonia, Argentina. <i>Journal of South American Earth Sciences</i> , 2006, 21, 294-309.	0.6	97
56	Classification of wetlands in a Patagonian National Park, Chile. <i>Wetlands</i> , 2006, 26, 217-229.	0.7	18

#	ARTICLE	IF	CITATIONS
57	Comment on: G. Wenzens 2005: Glacier advances east of the Southern Andes between the Last Glacial Maximum and 5,000 BP compared with lake terraces of the endorheic Lago Cardiel (49 S, Patagonia,) Tj ETQq0 0 OrgBT /Overlock 10 T		
58	Soil genesis related to medieval climatic fluctuations in southern Patagonia and Tierra del Fuego (Argentina): Chronological and paleoclimatic considerations. <i>Quaternary International</i> , 2007, 162-163, 158-165.	0.7	12
59	Late Pleistoceneâ€“Holocene environments in Valle Carbajal, Tierra del Fuego, Argentina. <i>Journal of South American Earth Sciences</i> , 2007, 23, 321-335.	0.6	25
60	Genetic variation in the widespread <i>Embothrium coccineum</i> (Proteaceae) endemic to Patagonia: effects of phylogeny and historical events. <i>Australian Journal of Botany</i> , 2007, 55, 809.	0.3	24
61	Six millennia of atmospheric dust deposition in southern South America (Isla Navarino, Chile). <i>Holocene</i> , 2007, 17, 561-572.	0.9	40
62	Lateglacial and Holocene wetâ€“dry cycles in southern Patagonia: chronology, sedimentology and geochemistry of a lacustrine record from Laguna Potrok Aike, Argentina. <i>Holocene</i> , 2007, 17, 297-310.	0.9	161
63	Transient simulations, empirical reconstructions and forcing mechanisms for the Mid-holocene hydrological climate in southern Patagonia. <i>Climate Dynamics</i> , 2007, 29, 333-355.	1.7	55
64	Changes in fire regimes since the Last Glacial Maximum: an assessment based on a global synthesis and analysis of charcoal data. <i>Climate Dynamics</i> , 2008, 30, 887-907.	1.7	590
65	The sedimentary record of glacial retreat, Marinelli Fjord, Patagonia: Regional correlations and climate ties. <i>Marine Geology</i> , 2008, 255, 165-178.	0.9	46
66	Quaternary Fossil Insects from Patagonia. <i>Developments in Quaternary Sciences</i> , 2008, , 393-410.	0.1	6
67	Late Quaternary Vegetation and Climate of Patagonia. <i>Developments in Quaternary Sciences</i> , 2008, , 351-367.	0.1	28
68	Late and Postglacial Paleoenvironments of Tierra del Fuego. <i>Developments in Quaternary Sciences</i> , 2008, 11, 369-382.	0.1	16
69	Diatoms from Patagonia and Tierra del Fuego. <i>Developments in Quaternary Sciences</i> , 2008, 11, 383-392.	0.1	14
70	Archeological Hunter-Gatherer Landscapes Since the Latest Pleistocene in Fuego-Patagonia. <i>Developments in Quaternary Sciences</i> , 2008, 11, 437-483.	0.1	34
71	The glacial geomorphology and Pleistocene history of South America between 38Â°S and 56Â°S. <i>Quaternary Science Reviews</i> , 2008, 27, 365-390.	1.4	184
72	Mid- to Late Holocene climate change: an overview. <i>Quaternary Science Reviews</i> , 2008, 27, 1791-1828.	1.4	1,389
73	Estimating Neotropical palaeotemperature and palaeoprecipitation using plant family climatic optima. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 265, 226-237.	1.0	34
74	The Glacial Map of southern South America. <i>Journal of Maps</i> , 2008, 4, 175-196.	1.0	65

#	ARTICLE	IF	CITATIONS
75	Clay minerals in late Quaternary sediments from the south Chilean margin as indicators of provenance and palaeoclimate. <i>Clay Minerals</i> , 2008, 43, 235-253.	0.2	16
76	Pollen-based biome reconstructions for Latin America at 0, 6000 and 18 000 radiocarbon years ago. <i>Climate of the Past</i> , 2009, 5, 725-767.	1.3	87
77	Climate Change in Southern South America During the Last Two Millennia. <i>Developments in Palaeoenvironmental Research</i> , 2009, , 353-393.	7.5	39
78	The Little Ice Age in Southern South America: Proxy and Model Based Evidence. <i>Developments in Palaeoenvironmental Research</i> , 2009, , 395-412.	7.5	9
79	Glacial geomorphology of the Pleistocene Lake Fagnano ice lobe, Tierra del Fuego, southern South America. <i>Geomorphology</i> , 2009, 112, 67-81.	1.1	53
80	Variability of the phytolith record in fisherâ€“hunterâ€“gatherer sites: An example from the Yamana society (Beagle Channel, Tierra del Fuego, Argentina). <i>Quaternary International</i> , 2009, 193, 184-191.	0.7	20
81	Millennial-scale variability in Southern Hemisphere westerly wind activity over the last 5000 years in SW Patagonia. <i>Quaternary Science Reviews</i> , 2009, 28, 25-38.	1.4	123
82	Holocene vegetation and climate changes from a peat pollen record of the forest â€“ steppe ecotone, Southwest of Patagonia (Argentina). <i>Quaternary Science Reviews</i> , 2009, 28, 1490-1497.	1.4	69
83	Between the Forest and the Sea: Hunter-Gatherer Occupations in the Subantarctic Forests in Tierra del Fuego, Argentina. <i>Arctic Anthropology</i> , 2009, 46, 144-157.	0.7	22
84	Holocene climatic fluctuations and positioning of the Southern Hemisphere westerlies in Tierra del Fuego (54Â° S), Patagonia. <i>Journal of Quaternary Science</i> , 2010, 25, 1063-1075.	1.1	61
85	High genetic variation in marginal fragmented populations at extreme climatic conditions of the Patagonian Cypress <i>Austrocedrus chilensis</i> . <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 941-949.	1.2	32
86	Out in the cold: genetic variation of <i>Nothofagus pumilio</i> (Nothofagaceae) provides evidence for latitudinally distinct evolutionary histories in austral South America. <i>Molecular Ecology</i> , 2010, 19, 371-385.	2.0	80
87	The evolution of South American endemic canids: a history of rapid diversification and morphological parallelism. <i>Journal of Evolutionary Biology</i> , 2010, 23, 311-322.	0.8	91
88	Covariability of the Southern Westerlies and atmospheric CO <sub>2</sub> during the Holocene. <i>Geology</i> , 2010, 38, 727-730.	2.0	136
89	Multiproxy record of Holocene paleoenvironmental change, Tierra del Fuego, Argentina. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 286, 1-16.	1.0	63
90	Late and postglacial vegetation and fire history in Southern Patagonia and Tierra del Fuego. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 297, 351-366.	1.0	108
91	Southern-most <i>Nothofagus</i> trees enduring ice ages: Genetic evidence and ecological niche retrodiction reveal high latitude (54Â°S) glacial refugia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 298, 247-256.	1.0	59
92	Geophysical evidence of multiple glacier advances in Lago Fagnano (54Â°S), southernmost Patagonia. <i>Quaternary Science Reviews</i> , 2010, 29, 1188-1200.	1.4	46

#	ARTICLE	IF	CITATIONS
93	A geochemical and sedimentary record of high southern latitude Holocene climate evolution from Lago Fagnano, Tierra del Fuego. <i>Earth and Planetary Science Letters</i> , 2011, 302, 1-13.	1.8	31
94	Late Quaternary palaeoenvironmental change in western Staaten Island (54.5° S, 64° W), Fuegian Archipelago. <i>Quaternary International</i> , 2011, 233, 89-100.	0.7	42
95	Constraining the time of extinction of the South American fox <i>Dusicyon avus</i> (Carnivora, Canidae) during the late Holocene. <i>Quaternary International</i> , 2011, 245, 209-217.	0.7	28
96	The "Rodados Patagónicos" (Patagonian shingle formation) of eastern Patagonia: environmental conditions of gravel sedimentation. <i>Biological Journal of the Linnean Society</i> , 2011, 103, 336-345.	0.7	52
97	Chronostratigraphy and lake-level changes of Laguna Cari-Laufquén, Río Negro, Argentina. <i>Quaternary Research</i> , 2011, 76, 430-440.	1.0	26
98	Atmospheric circulation changes and neoglacial conditions in the Southern Hemisphere mid-latitudes: insights from PMIP2 simulations at 6 kyr. <i>Climate Dynamics</i> , 2011, 37, 357-375.	1.7	30
99	A single Mid-Pleistocene long-distance dispersal by a bird can explain the extreme bipolar disjunction in crowberries ( <i>Empetrum</i> ). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 6520-6525.	3.3	121
100	A Holocene peat record in the central South Atlantic: an archive of precipitation changes. <i>Gff</i> , 2011, 133, 195-206.	0.4	5
101	Hunter-gatherers, biogeographic barriers and the development of human settlement in Tierra del Fuego. <i>Antiquity</i> , 2012, 86, 71-87.	0.5	62
102	Gualas Glacier sedimentary record of climate and environmental change, Golfo Elefantes, Western Patagonia (46.5°S). <i>Holocene</i> , 2012, 22, 451-463.	0.9	9
103	Postglacial vegetation dynamics of western Tierra del Fuego. <i>Holocene</i> , 2012, 22, 1337-1350.	0.9	24
104	Phylogeography of two hybridizing southern beeches ( <i>Nothofagus</i> spp.) with different adaptive abilities. <i>Tree Genetics and Genomes</i> , 2012, 8, 659-673.	0.6	25
105	Pollen and fungal remains as environmental indicators in surface sediments of Isla Grande de Tierra del Fuego, southernmost Patagonia. <i>Palynology</i> , 2012, 36, 162-179.	0.7	28
106	Subantarctic peatlands and their potential as palaeoenvironmental and palaeoclimatic archives. <i>Quaternary International</i> , 2012, 268, 65-76.	0.7	27
107	Deglacial changes of the southern margin of the southern westerly winds revealed by terrestrial records from SW Patagonia (52°S). <i>Quaternary Science Reviews</i> , 2012, 41, 1-21.	1.4	83
108	A review of Glacial and Holocene paleoclimate records from southernmost Patagonia (49°-55°S). <i>Quaternary Science Reviews</i> , 2012, 53, 1-23.	1.4	179
109	Middle- to late-Holocene environmental changes in Bajo de la Quinta, NE Patagonia, inferred by palynological records and their relation to human occupation. <i>Holocene</i> , 2012, 22, 1271-1281.	0.9	19
110	Peat decomposition records in three pristine ombrotrophic bogs in southern Patagonia. <i>Biogeosciences</i> , 2012, 9, 1479-1491.	1.3	140



#	ARTICLE	IF	CITATIONS
111	Investigating late Holocene variations in hydroclimate and the stable isotope composition of precipitation using southern South American peatlands: an hypothesis. <i>Climate of the Past</i> , 2012, 8, 1457-1471.	1.3	15
112	A 17,300-year record of mercury accumulation in a pristine lake in southern Chile. <i>Journal of Paleolimnology</i> , 2013, 49, 547-561.	0.8	36
113	Palaeoenvironment and early human occupation of southernmost South America (South Patagonia, Tierra del Fuego). <i>Journal of Quaternary Science</i> , 2013, 33, 107-118.	0.7	32
114	Timing and nature of alluvial fan and strath terrace formation in the Eastern Precordillera of Argentina. <i>Quaternary Science Reviews</i> , 2013, 80, 143-168.	1.4	23
115	Reconstruction of palaeoprecipitation based on pollen transfer functions – the record of the last 16,000 years from Laguna Potrok Aike, southern Patagonia. <i>Quaternary Science Reviews</i> , 2013, 71, 175-190.	1.4	48
116	Paleoecology of the mammalian predator guild of Southern Patagonia during the latest Pleistocene: Ecomorphology, stable isotopes, and taphonomy. <i>Quaternary International</i> , 2013, 305, 74-84.	0.7	67
117	Latest Pleistocene and Holocene glacier fluctuations in southernmost Tierra del Fuego, Argentina. <i>Quaternary Science Reviews</i> , 2013, 77, 70-79.	1.4	53
118	A molecular sequence proxy for <i>Musoctopus januarii</i> and calibration of recent divergence among a group of mesobenthic octopuses. <i>Journal of Experimental Marine Biology and Ecology</i> , 2013, 447, 106-122.	0.7	18
119	Multi-proxy evidence of Late Quaternary environmental changes in the coastal area of Puerto Lobos (northern Patagonia, Argentina). <i>Quaternary International</i> , 2013, 305, 188-205.	0.7	23
120	Using a newly developed chironomid transfer function for reconstructing mean annual air temperature at Lake Potrok Aike, Patagonia, Argentina. <i>Ecological Indicators</i> , 2013, 24, 201-210.	2.6	39
121	Múltiples Indicadores de los Cambios Ambientales Desde el Holoceno Medio en el Noreste de Patagonia (Bajo de la Quinta), Argentina. <i>Ameghiniana</i> , 2014, 51, 344-360.	0.3	11
122	Integrated reconstruction of Holocene millennial-scale environmental changes in Tierra del Fuego, southernmost South America. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 399, 294-309.	1.0	21
123	Extinctions in near time: new radiocarbon dates point to a very recent disappearance of the South American fox <i>Dusicyon avus</i> (Carnivora: Canidae). <i>Biological Journal of the Linnean Society</i> , 2015, 116, 704-720.	0.7	38
124	Tracing Driftwood in Archaeological Contexts: Experimental Data and Anthracological Studies at the Orejas De Burro 1 Site (Patagonia, Argentina). <i>Archaeometry</i> , 2015, 57, 175-193.	0.6	8
125	Halfway encounters: Meeting points of colonization routes among the southern beeches <i>Nothofagus pumilio</i> and <i>N. antarctica</i> . <i>Molecular Phylogenetics and Evolution</i> , 2015, 85, 197-207.	1.2	20
126	Sea spray, trace elements, and decomposition patterns as possible constraints on the evolution of CH <sub>4</sub> and CO <sub>2</sub> concentrations and isotopic signatures in oceanic ombrotrophic bogs. <i>Biogeochemistry</i> , 2015, 122, 327-342.	1.7	18
127	First Pollen Record in South America. Commentary: Die Zeichenschrift der Pollenstatistik. <i>Frontiers in Earth Science</i> , 2016, 4, .	0.8	5
128	Combination of humans, climate, and vegetation change triggered Late Quaternary megafauna extinction in the Ñeltima Esperanza region, southern Patagonia, Chile. <i>Ecography</i> , 2016, 39, 125-140.	2.1	84



#	ARTICLE	IF	CITATIONS
129	Palaeoenvironmental change in Southern Patagonia during the Lateglacial and Holocene: Implications for forest refugia and climate reconstructions. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 447, 1-11.	1.0	28
130	Late Pleistocene and Holocene palaeoenvironmental changes in central Tierra del Fuego (~54°S) inferred from pollen analysis. <i>Vegetation History and Archaeobotany</i> , 2016, 25, 117-130.	1.0	18
131	Late Quaternary palaeoenvironmental reconstruction of central Tierra del Fuego (Argentina) based on pollen and fungi. <i>Quaternary International</i> , 2017, 442, 13-25.	0.7	19
132	Postglacial environments in the southern coast of Lago Fagnano, central Tierra del Fuego, Argentina, based on pollen and fungal microfossils analyses. <i>Review of Palaeobotany and Palynology</i> , 2017, 238, 43-54.	0.8	16
133	Alteration of hydrogeomorphic processes by invasive beavers in southern South America. <i>Science of the Total Environment</i> , 2017, 574, 183-190.	3.9	35
134	Disease: A Hitherto Unexplored Constraint on the Spread of Dogs ( <i>Canis lupus familiaris</i> ) in Pre-Columbian South America. <i>Journal of World Prehistory</i> , 2017, 30, 301-349.	1.1	12
135	Late Holocene wet/dry intervals from Fuegian steppe at Laguna Carmen, southern Argentina, based on a multiproxy record. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 499, 56-71.	1.0	15
136	Methods of acquisition and use of firewood among hunter-gatherer groups in Patagonia (Argentina) during the Holocene. <i>Vegetation History and Archaeobotany</i> , 2019, 28, 465-479.	1.0	6
137	Postglacial vegetation, fire, and climate history along the eastern Andes, Argentina and Chile (lat. Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	1.4	24
138	Temperature, Wind, Cloud, and the Postglacial Tree Line History of Sub-Antarctic Campbell Island. <i>Forests</i> , 2019, 10, 998.	0.9	7
139	Late glacial and Holocene landscape change and rapid climate and coastal impacts in the Canal Beagle, southernmost Patagonia. <i>Journal of Quaternary Science</i> , 2019, 34, 674-684.	1.1	13
140	The glaciogenic origin of the Pleistocene calcareous dust in Argentina on the basis of field, mineralogical, textural, and geochemical analyses. <i>Quaternary Research</i> , 2019, 91, 218-233.	1.0	3
141	Late glacial and Holocene climate variability, southernmost Patagonia. <i>Quaternary Science Reviews</i> , 2020, 229, 106131.	1.4	28
142	Genetic diversity and population structure in <i>Nothofagus pumilio</i> , a foundation species of Patagonian forests: defining priority conservation areas and management. <i>Scientific Reports</i> , 2020, 10, 19231.	1.6	9
143	Multiproxy analysis of a Lateglacial-Holocene sedimentary section in the Fuegian steppe (northern) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 variability and sea-level fluctuations. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 557, 109941.	1.0	5
144	Differential Distribution of Projectile Points in Southern Patagonia during the Early Holocene: Peopling Implications?. <i>PaleoAmerica</i> , 2020, 6, 250-267.	0.4	1
145	The evolution of the Patagonian Ice Sheet from 35 ka to the present day (PATICE). <i>Earth-Science Reviews</i> , 2020, 204, 103152.	4.0	137
146	δ <sup>13</sup> C and δ <sup>15</sup> N variation on guanacos in Tierra del Fuego: references for terrestrial foodwebs in a high-latitude island. <i>Archaeological and Anthropological Sciences</i> , 2020, 12, 1.	0.7	7

#	ARTICLE	IF	CITATIONS
147	Paleolimnological response to climate variability during Late Glacial and Holocene times: A record from Lake Arturo, located in the Fuegian steppe, southern Argentina. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 550, 109737.	1.0	8
148	Paleoenvironmental analysis of wet meadow in the Deseado Massif: Implications for the Holocene occupation of Argentinian Patagonia. <i>Holocene</i> , 2021, 31, 1609-1620.	0.9	3
149	Fossil rodents in Mylodon Cave as indicators of late Pleistocene–Holocene environmental evolution in southern Chile. <i>Quaternary Research</i> , 0, , 1-17.	1.0	3
150	Last millennium climate variability of the varved Lake Jeinimeni geochemical record from NE Chilean Patagonia. <i>Quaternary Science Reviews</i> , 2021, 269, 107134.	1.4	2
151	Early Occupations in the Southern Cone. , 2008, , 59-77.		21
152	Changes in ostracod assemblages and morphologies during lake-level variations of Lago Cardiel (49°S), Patagonia, Argentina, over the last 15.6 ka. <i>Boreas</i> , 2019, 48, 746-760.	1.2	6
153	Historia Ambiental Holocénica de la Región sur-austral de Chile (X-XII región). <i>Revista Austral De Ciencias Sociales</i> , 2007, , 79-92.	0.0	5
154	Morphometry and spatial distribution of glacial cirques in the Western Fuegian Andes of Argentina, southernmost South America. <i>Andean Geology</i> , 2020, 47, 316.	0.2	9
159	Genetic variation of the Chilean endemic long-haired mouse <i>Abrothrix longipilis</i> (Rodentia). <i>TJ ETQq0 0 0 rgBT/Overlock 10 Tf 50 4</i>	0.9	12
160	Diet and environment of <i>Mylodon darwini</i> based on pollen of a Late-Glacial coprolite from the Mylodon Cave in southern Chile. <i>Review of Palaeobotany and Palynology</i> , 2022, 296, 104549.	0.8	3
161	Title is missing!. <i>Estudios Geologicos</i> , 2002, 58, .	0.7	0
162	Glacial Geomorphology. <i>SpringerBriefs in Earth System Sciences</i> , 2014, , 45-67.	0.0	0
163	REVIEW OF THE PALAEOENVIRONMENTAL RECONSTRUCTION OF LATE QUATERNARY MARINE SEQUENCES, TIERRA DEL FUEGO (ARGENTINA). <i>Publicacion Electronica De La Asociacion Paleontologica Argentina</i> , 0, , .	0.2	4
164	POSTGLACIAL VEGETATION AND CLIMATE CHANGES INFERRED FROM A PEAT POLLEN RECORD IN THE RÃO PIPO VALLEY, SOUTHERN TIERRA DEL FUEGO. <i>Publicacion Electronica De La Asociacion Paleontologica Argentina</i> , 0, , .	0.2	1
165	ANÁLISIS Y MÃ%ODOS PALEOECOLÓGICOS PARA LA RECONSTRUCCIÓN DE COMUNIDADES DE BOSQUE Y ESTEPAS DE PATAGONIA, ARGENTINA. <i>Publicacion Electronica De La Asociacion Paleontologica Argentina</i> , 0, , .	0.2	3
166	HISTORIA DE LA PALINOLOGÍA DEL CUATERNARIO EN LA ARGENTINA: UNA RESEÑA A 90 AÃOS DE SUS COMIENZOS. <i>Publicacion Electronica De La Asociacion Paleontologica Argentina</i> , 2018, , .	0.2	3
167	LA PALINOLOGÍA COMO UNA HERRAMIENTA PARA LA CARACTERIZACIÓN DE PALEOAMBIENTES CONTINENTALES Y MARINOS DEL CUATERNARIO TARDÃO EN EL ARCHIPIÃ%LAGO DE TIERRA DEL FUEGO. <i>Publicacion Electronica De La Asociacion Paleontologica Argentina</i> , 0, , .	0.2	1
168	Middle to late Holocene environmental conditions inferred from paleosols at the perched dune in the Laguna Arturo, Fuegian steppe, southern Argentina. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 588, 110806.	1.0	1

#	ARTICLE	IF	CITATIONS
170	Holocene environmental changes in the fuegian forest and steppe, Argentina. <i>Journal of South American Earth Sciences</i> , 2022, , 103952.	0.6	2
171	Leguminosae endemic to the Chaco facing quaternary climate fluctuations. <i>Acta Botanica Brasilica</i> , 0, 36, .	0.8	0
172	Paleoenvironmental Changes for the Last 3000 Cal Years BP in the Pueyrredón Lake Basin, Southern Patagonia, Argentina. <i>Quaternary</i> , 2022, 5, 49.	1.0	0
173	Volcanic, tectonic and climate controls on lacustrine sedimentary supplies over the last millenia in NE Chilean Patagonia (Lake Esponja, Aysen, 45°S). <i>Holocene</i> , 2023, 33, 518-535.	0.9	0
174	The effects of climate, natural disturbances, and human occupation on the rainforest boundary at the eastern foothills of Northern Patagonian Andes since the Late Glacial period. <i>Quaternary Science Reviews</i> , 2023, 306, 108040.	1.4	0