CITATION REPORT List of articles citing

Nature of environmental changes in South America at the Last Glacial Maximum

DOI: 10.1016/0031-0182(93)90012-8 Palaeogeography, Palaeoclimatology, Palaeoecology, 1993, 101, 189-208.

Source: https://exaly.com/paper-pdf/24002578/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
244	Glacier Modeling and the Climate of Patagonia during the Last Glacial Maximum. 1994 , 42, 1-19		100
243	Present Antarctic aerosol composition: A memory of ice age atmospheric dust?. 1994 , 21, 879-882		17
242	A climatic model for southwestern Amazonia in Last Glacial times. 1994 , 21, 163-169		38
241	Late Quaternary marginal marine deposits and palaeoenvironments from northeastern Buenos Aires Province, Argentina: A review. 1995 , 14, 223-254		89
240	A review of lateglacial pollen records from Ecuador and Peru with reference to the Younger Dryas event. 1995 , 14, 853-865		26
239	Late glacial stage and holocene tropical ice core records from huascaran, peru. 1995 , 269, 46-50		637
238	The nature, distribution and formation of pans in arid zones. <i>Earth-Science Reviews</i> , 1995 , 38, 1-69	10.2	119
237	Ice Age terrestrial carbon changes revisited. 1995 , 9, 377-389		169
236	Fluctuations of local glaciers at the termination of the Pleistocene: 18-8 ka BP. 1995 , 28, 41-50		33
235	Cooling of Tropical Brazil (5{degrees}C) During the Last Glacial Maximum. 1995, 269, 379-83		479
234	The Mactracea, Tellinacea and Myacea (Bivalvia) in the marine Holocene of northeastern Buenos Aires Province (Argentina, South America): indicators of environmental change. 1995 , 19, 297-332		5
233	The fluvial geochemistry and denudation rate of the Guayana Shield in Venezuela, Colombia, and Brazil. 1995 , 59, 3301-3325		271
232	Historical Diversification of Birds in Northwestern South America: A Molecular Perspective on the Role of Vicariant Events. 1996 , 50, 1607		57
231	Reply to comment of Drs U. Radtke and G. Schellmann on the paper by Aguirre, M.L. and Whatley, R.C. (1995). Late quaternary marginal marine deposits and palaeoenvironments from Northeastern Buenos Aires Province, Argentina: A review. Quaternary science reviews, 14, 223â\(\mathbb{Z}\)54. 1996 , 15, 1063-1	064	1
230	HISTORICAL DIVERSIFICATION OF BIRDS IN NORTHWESTERN SOUTH AMERICA: A MOLECULAR PERSPECTIVE ON THE ROLE OF VICARIANT EVENTS. 1996 , 50, 1607-1624		67
229	The response of geomorphic systems to climatic and hydrological change during the Late Glacial and early Holocene in the humid and sub-humid tropics. 1996 , 115, 139-153		3
228	Late Quaternary variations of sea surface salinity and temperature in the western tropical Atlantic: Evidence from ¶8O of Globigerinoides sacculifer. 1997 , 12, 764-772		26

(2000-1997)

227	Hypothesis on the cause of extinction of the South American mastodonts. <i>Journal of South American Earth Sciences</i> , 1997 , 10, 29-38	25
226	Sr-Nd isotopes as tracers of fine-grained detrital sediments: the South-Barbados accretionary prism during the last 150 kyr. 1997 , 136, 225-243	24
225	Geographic patterns of genetic diversity in Poulsenia armata (Moraceae): implications for the theory of Pleistocene refugia and the importance of riparian forest. 1998 , 25, 695-705	55
224	The last occurrence of Pleistocene megafauna in the Ecuadorian Andes. <i>Journal of South American Earth Sciences</i> , 1998 , 11, 581-586	25
223	Provenance change coupled with increased clay flux during deglacial times in the western equatorial Atlantic. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 1998 , 142, 217-230	21
222	Late Quaternary precessional cycles of terrigenous sediment input off the Norte Chico, Chile (27.5°S) and palaeoclimatic implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1998 , 2.9 141, 233-251	94
221	Remote sensing of dust in deep ice at the South Pole. 1998 , 103, 17041-17056	13
220	An alternative hypothesis for the origin of Amazonian bird diversity. 1999 , 26, 475-485	129
219	Pleistocene Precipitation Balance in the Amazon Basin Recorded in Deep Sea Sediments. 1999 , 51, 14-26	102
218	High-Resolution Marine Record of Climatic Change in Mid-latitude Chile during the Last 28,000 Years Based on Terrigenous Sediment Parameters. 1999 , 51, 83-93	185
217	On the Reconstruction of Paleosalinities. 1999 , 207-228	10
216	Predominance of arid climates indicated by mammals in the pampas of Argentina during the Late Pleistocene and Holocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology,</i> 1999 , 147, 257-281	143
215	Hunterâlıatherer Land Use Patterns in Later Stone Age East Africa. 1999 , 18, 165-200	31
214	Ice-core palaeoclimate records in tropical South America since the Last Glacial Maximum. 2000 , 15, 377-394	237
213	Interhemispheric synchroneity of Marine Oxygen Isotope Stage 2 glacier fluctuations along the American cordilleras transect. 2000 , 15, 435-468	45
212	Species Richness in the Amazonian Bird Fauna from an Evolutionary Perspective. 2000 , 100, 419-430	13
211	Tropical South America during the Last Glacial Maximum: evidence from glacial, periglacial and fluvial records. 2000 , 72, 7-21	42
210	Late Quaternary environmental changes and the alluvial record in humid tropical environments. 2000 , 72, 23-36	44

209	Climatic events during the Late Pleistocene and Holocene in the Upper Parana River: Correlation with NE Argentina and South-Central Brazil. 2000 , 72, 73-85	77
208	Cool glacial temperatures and changes in moisture source recorded in oman groundwaters. 2000 , 287, 842-5	134
207	A 22,000-Year Record of Monsoonal Precipitation from Northern Chile's Atacama Desert. 2000 , 289, 1542-1546	273
206	THE MAMMALS OF PARACOU, FRENCH GUIANA: A NEOTROPICAL LOWLAND RAINFOREST FAUNA PART 2. NONVOLANT SPECIES. 2001 , 263, 3-236	134
205	Testing models of diversification in mice in the Abrothrix olivaceus/xanthorhinus complex in Chile and Argentina. 2001 , 10, 397-405	52
204	Late Quaternary Paleoclimate in Semiarid Northeastern Brazil from U-Series Dating of Travertine and Water-Table Speleothems. 2001 , 55, 159-167	100
203	Neoproterozoic Chuar Group (~800â¼42Ma), Grand Canyon: a record of cyclic marine deposition during global cooling and supercontinent rifting. 2001 , 141-142, 465-499	42
202	Glaciation During Marine Isotope Stage 2 in the American Cordillera. 2001 , 173-181	3
201	LGMâHolocene changes and Holocene millennial-scale oscillations of dust particles in the EPICA Dome C ice core, East Antarctica. 2002 , 35, 306-312	10
200	El Ni ô -like pattern in ice age tropical Pacific sea surface temperature. 2002 , 297, 226-30	457
199	The systematics of Aconaemys (Rodentia, Octodontidae) and the distribution of A. sagei in Chile. 2002 , 67, 105-112	1
198	Revision of the Southern South American Endemic Genus Aulacopalpus Gufin-Mħeville with Phylogenetic and Biogeographic Analyses of the Subtribe Brachysternina (Coleoptera: Scarabaeidae: Rutelinae: Anoplognathini). 2002 , 56, 379-437	9
197	Carbon storage in Amazonia during the last glacial maximum: secondary data and uncertainties. 2002 , 49, 821-35	16
196	Impulsos climflicos da evoluß na Amazñia durante o Cenozíco: sobre a teoria dos Refgios da diferenciaß billica. 2002 , 16, 175-206	25
195	Deer fauna from Pleistocene and Holocene localities of Ecuador (South America). 2002, 35, 631-645	7
194	Late Pleistocene and Holocene palaeoenvironments in Golfo San Jorge, Patagonia: molluscan evidence. 2003 , 194, 3-30	35
193	Using anticyclonicity to determine the position of the Southern Hemisphere westerlies: Implications for the LGM. 2003 , 30, n/a-n/a	13
192	A Late Quaternary diatom record of tropical climatic history from Lake Titicaca (Peru and Bolivia). Palaeogeography, Palaeoclimatology, Palaeoecology, 2003 , 194, 139-164	123

191	A new Andean deep ice core from Nevado Illimani (6350 m), Bolivia. 2003 , 212, 337-350	104
190	Convergent and divergent evolution in rain-forest populations and communities of cyprinodontiform fishes (Aphyosemion and Rivulus) in Africa and South America. 2003 , 81, 1484-1493	9
189	The implications of Tertiary and Quaternary sea level rise events for avian distribution patterns in the lowlands of northern South America. 2004 , 13, 149-161	64
188	Holocene vegetation change and the mammal faunas of South America and Africa. 2004 , 31, 943-957	139
187	Mammalian biostratigraphy of Pleistocene fluvial deposits in northern Uruguay, South America. 2004 , 115, 347-357	35
186	Climate variability at the southern boundaries of the Namib (southwestern Africa) and Atacama (northern Chile) coastal deserts during the last 120,000 yr. 2004 , 62, 301-309	124
185	Comparing the Epica and Vostok dust records during the last 220,000 years: stratigraphical correlation and provenance in glacial periods. <i>Earth-Science Reviews</i> , 2004 , 66, 63-87	212
184	Late Pleistocene vertebrates from northern Uruguay: tools for biostratigraphic, climatic and environmental reconstruction. 2004 , 114, 129-142	69
183	Historical climate change and speciation: neotropical seasonally dry forest plants show patterns of both tertiary and quaternary diversification. 2004 , 359, 515-37	282
182	Evidence of history in explaining diversity patterns in tropical riverine fish. 2005 , 32, 1899-1907	56
181	Diet and habitat of toxodont megaherbivores (Mammalia, Notoungulata) from the late Quaternary of South and Central America. 2005 , 64, 113-124	93
180	Population genetic structure of two columnar cacti with a patchy distribution in eastern Brazil. 2005 , 125, 311-23	26
179	Paleobiogeography of the late Pleistocene pampatheres of South America. <i>Journal of South American Earth Sciences</i> , 2005 , 20, 131-138	43
178	Planktonic foraminiferal Mg/Ca as a proxy for past oceanic temperatures: a methodological overview and data compilation for the Last Glacial Maximum. 2005 , 24, 821-834	188
177	Morphological variability of Brachidontes Swainson (Bivalvia, Mytilidae) in the marine Quaternary of Argentina (SW Atlantic). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2006 , 239, 100-125	40
176	PARALLEL EVOLUTION AND VICARIANCE IN THE GUPPY (POECILIA RETICULATA) OVER MULTIPLE SPATIAL AND TEMPORAL SCALES. 2006 , 60, 2352	5
175	PARALLEL EVOLUTION AND VICARIANCE IN THE GUPPY (POECILIA RETICULATA) OVER MULTIPLE SPATIAL AND TEMPORAL SCALES. 2006 , 60, 2352-2369	77
174	Adaptive Governance and Climate Change in the Tropical Highlands of Western South America. 2006 , 78, 63-102	94

173	Phylogeography and Pleistocene demographic history of the endangered marsh deer (Blastocerus dichotomus) from the RB de la Plata Basin. 2006 , 7, 563-575	29
172	Geomorphology and chronology of Late Quaternary dune fields of western Argentina. Palaeogeography, Palaeoclimatology, Palaeoecology, 2007 , 251, 300-320 2.9	63
171	An integrated geophysical and geological study of the Monturaqui impact crater, Chile. 2007 , 42, 2153-2163	9
170	Genetic diversity and evidence of recent demographic expansion in waterbird populations from the Brazilian Pantanal. 2007 , 67, 849-57	24
169	Rock outcrop habitats in the Venezuelan Guayana lowlands: their main vegetation types and floristic components. 2007 , 30, 599-609	17
168	Chloroplast DNA variation in the Turnera sidoides L. complex (Turneraceae): biogeographical implications. 2007 , 34, 427-436	35
167	New Glyptodont from the Codore Formation (Pliocene), Falch State, Venezuela, its relationship with the Asterostemma problem, and the paleobiogeography of the Glyptodontinae. 2008 , 82, 139-152	31
166	Population genetic study of mitochondrial DNA in Roseate spoonbill (Aves; Platalea ajaja) breeding colonies from the Pantanal wetlands, Brazil. 2008 , 46, 492-505	6
165	Functional anatomy of the limbs of erethizontidae (Rodentia, Caviomorpha): Indicators of locomotor behavior in Miocene porcupines. 2008 , 269, 552-93	95
164	Genetic diversity and population structure in wild stands of cacao trees (Theobroma cacao L.) in French Guiana. 2008 , 65, 310	18
163	Volcanic impediments in the progressive development of pre-Columbian civilizations in the Ecuadorian Andes. 2008 , 176, 344-355	21
162	Late Cenozoic Glaciations in Patagonia and Tierra del Fuego. 2008 , 151-204	114
161	Hypotheses to explain the origin of species in Amazonia. 2008 , 68, 917-47	125
160	Glacial cycles promote greater dispersal, which can help explain larger clutch sizes, in north temperate birds. 2009 ,	
159	Paleobiogeography, biostratigraphy and systematics of the Hoplophorini (Xenarthra, Glyptodontoidea, Hoplophorinae) from the Ensenadan Stage (early Pleistocene to early-middle Pleistocene). 2009 , 210, 82-92	11
158	Holocene intramontane lake development: A new model in the Jöhal River Valley, Andean Precordillera, San Juan, Argentina. <i>Journal of South American Earth Sciences</i> , 2009 , 28, 229-238	5
157	The high-Andean Jivarus Giglio-Tos (Orthoptera, Acridoidea, Melanoplinae): systematics, phylogenetic and biogeographic considerations. 2010 , 35, 692-721	9
156	Latitudinal and Downcore (0a͡/I50 ka) Changes in Nalkane Chain Lengths in the Eastern Equatorial Pacific. 2010 , 73, 573-582	20

(2012-2010)

155	The topographic imprint of a transient climate episode: the western Andean flank between 15년 and 41년 S. 2010 , 35, 1516-1534	20
154	Petrography and geochemistry of late Quaternary dune fields of western Argentina: Provenance of aeolian materials in southern South America. 2010 , 2, 33-48	25
153	Water-stable isotopes in the LMDZ4 general circulation model: Model evaluation for present-day and past climates and applications to climatic interpretations of tropical isotopic records. 2010 , 115,	215
152	A review of the Quaternary Tayassuidae (Mammalia, Artiodactyla) from the Tarija Valley, Bolivia. 2010 , 34, 7-20	13
151	Neosclerocalyptus spp. (Cingulata: Glyptodontidae: Hoplophorini): cranial morphology and palaeoenvironments along the changing Quaternary. 2011 , 45, 893-914	13
150	Mamferos del pleistoceno superior de santiago del estero (Argentina) y sus afinidades paleobiogeogrficas. 2011 , 51, 83-100	8
149	Pleistocene Glaciations in Southern Patagonia and Tierra del Fuego. 2011 , 715-727	11
148	Potential impacts of climate change on the environmental services of humid tropical alpine regions. 2011 , 20, 19-33	235
147	Isolation and differentiation of Rivulus hartii across Trinidad and neighboring islands. 2011 , 20, 601-18	11
146	Late Cenozoic glaciations in Patagonia and Tierra del Fuego: an updated review. 2011 , 103, 316-335	143
145	A new genus and species of rodent from the Brazilian Atlantic Forest (Rodentia: Cricetidae: Sigmodontinae: Oryzomyini), with comments on oryzomyine biogeography. 2011 , 161, 357-390	77
144	Late Quaternary paleoenvironments and paleoclimatic conditions in the distal Andean piedmont, southern Mendoza, Argentina. 2011 , 76, 253-263	34
143	Genetic structure and demographic history of new world screwworm across its current geographic range. 2011 , 48, 280-90	13
142	Introduction. 2011 , 15, 1-14	19
141	Rapid phenotypic evolution during incipient speciation in a continental avian radiation. 2012, 279, 1847-56	56
140	How did sea spiders recolonize the Chilean fjords after glaciation? DNA barcoding of Pycnogonida, with remarks on phylogeography of Achelia assimilis (Haswell, 1885). 2012 , 10, 361-374	12
139	Multiple quaternary refugia in the eastern Guiana shield revealed by comparative phylogeography of 12 frog species. 2012 , 61, 461-89	96
138	Northern genetic richness and southern purity, but just one species in the Chelonoidis chilensis complex. 2012 , 41, 220-232	19

137	Extremely low genetic diversity and weak population differentiation in the endangered Colombian river turtle Podocnemis lewyana (Testudines: Podocnemididae). 2012 , 13, 65-77	20
136	Identifying the Sister Species to the Rapid Capuchino Seedeater Radiation (Passeriformes: Sporophila)Identificacifi de la Especie Hermana de la Radiacifi Rpida de los Capuchinos del Sur (Sporophila, Passeriformes). 2013 , 130, 645-655	16
135	Decapoda of southern Chile: DNA barcoding and integrative taxonomy with focus on the genera Acanthocyclus and Eurypodius. 2013 , 11, 389-404	8
134	Grass ptamo as hunter-gatherer landscape. 2013 , 23, 898-915	38
133	Late middle to late Pleistocene paleoecology and paleoenvironments in the coastal plain of Rio Grande do Sul State, Southern Brazil, from stable isotopes in fossils of Toxodon and 2.9 Stegomastodon. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013 , 369, 385-394	28
132	New Late Pleistocene megafaunal assemblage with well-supported chronology from the Pampas of southern South America. 2013 , 305, 97-103	18
131	Dunes and dunefields in the Bolivian Chaco as potential records of environmental change. 2013 , 10, 89-102	11
130	The volcanic response to deglaciation: Evidence from glaciated arcs and a reassessment of global eruption records. <i>Earth-Science Reviews</i> , 2013 , 122, 77-102	66
129	Quaternary range and demographic expansion of Liolaemus darwinii (Squamata: Liolaemidae) in the Monte Desert of Central Argentina using Bayesian phylogeography and ecological niche modelling. 2013 , 22, 4038-54	26
128	Neoproterozoic Glaciation: Reconciling Low Paleolatitudes and the Geologic Record. 2013 , 145-159	6
127	Influence of Last Glacial Maximum boundary conditions on the global water isotope distribution in an atmospheric general circulation model. 2013 , 9, 789-809	18
126	The Relictual Population of the Purple ClamAmiantis purpurata(L.) in Northern Patagonia (Argentina): The History of a Warm-Temperate-Water Neogene Survivor. 2014 , 51, 333-343	4
125	Phylogeography and population history of Leopardus guigna, the smallest American felid. 2014 , 15, 631-653	27
124	Phylogeography and genetic structure of two Patagonian shag species (Aves: Phalacrocoracidae). 2014 , 72, 42-53	18
123	Radiocarbon dating and stable isotopes analyses of Caiman latirostris (Daudin, 1801) (Crocodylia, Alligatoridae) from the late Pleistocene of Northeastern Brazil, with comments on spatial distribution of the species. 2014 , 352, 159-163	2
122	Independent Demographic Responses to Climate Change among Temperate and Tropical Milksnakes (Colubridae: Genus Lampropeltis). 2015 , 10, e0128543	8
121	The GABI in Southern South America. 2015 , 71-96	
120	Deformed microbial mat structures in a semiarid temperate coastal setting. 2015 , 325, 106-118	12

119	Phylogeny and biogeography of the New World siskins and goldfinches: rapid, recent diversification in the Central Andes. 2015 , 87, 28-45	30
118	References. 2015 , 559-665	
117	Dry and humid phases in the highlands of southern Brazil during the last 34,000 years, and their influence on the paleoenvironments of the region. 2015 , 377, 102-111	7
116	Pollen. 2015 , 405-451	1
115	Cord® Formation: loess deposits in the southern coastal plain of the state of Rio Grande do Sul, Brazil. 2016 , 88, 2143-2166	10
114	First Fossil Assemblage of Darkling Beetles (Coleoptera: Tenebrionidae) from Buenos Aires, Argentina: Evidence of Dry Climate During the Late Pleistocene in the Humid Pampas. 2016 , 66, 643-652	4
113	A multiproxy approach to the climate and marine productivity variations along MIS 5 in SE Brazil: A comparison between major components of calcareous nannofossil assemblages and geochemical records. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 449, 275-288	8
112	Phylogenetic relationships within the Callicebus cupreus species group (Pitheciidae: Primates): Biogeographic and taxonomic implications. 2016 , 102, 208-19	7
111	Form changes in Amiantis purpurata (Bivalvia, Veneridae) shells over the past 100,000 years in North Patagonia (Argentina). 2016 , 96, 1243-1250	4
110	Differences between Last Glacial Maximum and present-day temperature and precipitation in southern South America. 2016 , 150, 221-233	14
109	Late Quaternary Permafrost Distributions Downscaled for South America: Examinations of GCM-based Maps with Observations. 2016 , 27, 43-55	10
108	First Fossil Predaceous Diving Beetle from the Late Pleistocene of Buenos Aires, Argentina. 2016 , 53, 512-516	1
107	Phylogeographic Studies Depict the Role of Space and Time Scales of Plant Speciation in a Highly Diverse Neotropical Region. 2016 , 35, 215-230	26
106	Demographic history inferred from genome-wide data reveals two lineages of sheldgeese endemic to a glacial refugium in the southern Atlantic. 2016 , 43, 1979-1989	9
105	Strongly seasonal Proterozoic glacial climate in low palaeolatitudes: Radically different climate system on the pre-Ediacaran Earth. 2016 , 7, 555-571	25
104	Phylogeography of Cnesterodon decemmaculatus (Cyprinodontiformes: poeciilidae) in Southern Pampas, Argentina: ancient versus recent patterns in freshwater fishes. 2016 , 99, 293-307	10
103	An Optical luminescence chronology for late Pleistocene aeolian activity in the Colombian and Venezuelan Llanos. 2016 , 85, 299-312	7
102	Climatic, Tectonic, Eustatic, and Volcanic Controls on the Stratigraphic Record of Penfisula Valds. 2017 , 1-22	4

101	Relict glacial landscape in the Sierra Baguales Mountain Range (50°-51° S): evidence of glaciation dynamics and types in the eastern foothills of the southern Patagonian Andes. <i>Journal of Mountain Science</i> , 2017 , 14, 282-295	I	1
100	The mitochondrial control region reveals genetic structure in southern kingcroaker populations on the coast of the Southwestern Atlantic. 2017 , 191, 87-94		7
99	Song evolution, speciation, and vocal learning in passerine birds. 2017 , 71, 786-796		63
98	Holocene stratigraphic evolution of saline lakes in Nhecolfidia, southern Pantanal wetlands (Brazil). 2017 , 88, 472-490		18
97	Dispersal Strategies, Genetic Diversity, and Distribution of Two Wolf Spiders (Araneae, Lycosidae): Potential Bio-Indicators of Ecosystem Health of Coastal Dune Habitats of South America. 2017 , 109-135		1
96	Paleoecology explains Holocene chemical changes in lakes of the Nhecolfidia (Pantanal-Brazil). 2017 , 815, 1		6
95	Decreasing water availability across the globe improves the effectiveness of protective ant-plant mutualisms: a meta-analysis. 2017 , 92, 1785-1794		14
94	Mountaintops phylogeography: A case study using small mammals from the Andes and the coast of central Chile. 2017 , 12, e0180231		4
93	Assessment of geomorphological and hydrological changes produced by Pleistocene glaciations in a Patagonian basin. <i>Journal of South American Earth Sciences</i> , 2018 , 83, 195-209		2
92	New world paleoenvironments during the Last Glacial Maximum: Implications for habitable land area and human dispersal. 2018 , 19, 166-176		3
91	Niche dynamics of two cryptic Prosopis invading South American drylands. 2018 , 20, 181-194		6
90	Quaternary Glaciations and Chronology. 2018 , 77-101		16
89	Differences in the structure of the bat community between a cloud forest refuge and a surrounding semi-arid Caatinga scrubland in the northeastern Brazil. 2018 , 151, 41-48		3
88	Mesophotic ecosystems: Distribution, impacts and conservation in the South Atlantic. 2018 , 25, 255		8
87	Insights into the evolutionary dynamics of Neotropical biomes from the phylogeography and paleodistribution modeling of Bromelia balansae. 2018 , 105, 1725-1734		3
86	Impact of Pleistocene geoclimatic events on the genetic structure in mid-latitude South American plants: insights from the phylogeography of Turnera sidoides complex (Passifloraceae, 2.2 Turneroideae). <i>Botanical Journal of the Linnean Society</i> , 2018 ,	2	O
85	Groundwater evolution and mean water age inferred from hydrochemical and isotopic tracers in a tropical confined aquifer. 2018 , 32, 2158-2175		15
84	Phylogeography and species distribution modelling reveal the effects of the Pleistocene ice ages on an intertidal limpet from the south-eastern Pacific. 2018 , 45, 1751-1767		8

(2021-2019)

83	Body size and genetic variation in the White-tipped Plantcutter (Phytotoma rutila: Cotingidae) suggest ecological divergence across the ChacoâAndes dry forest belt. 2019 , 160, 947-961		3
82	Analysis of the human Y-chromosome haplogroup Q characterizes ancient population movements in Eurasia and the Americas. 2019 , 17, 3		17
81	Revisiting the chronology and environmental conditions for the accretion of late Pleistocene-early Holocene Pampean loess (Argentina). 2019 , 213, 105-119		7
80	Genetic variation and phylogeography of the Triatoma dimidiata complex evidence a potential center of origin and recent divergence of haplogroups having differential Trypanosoma cruzi and DTU infections. 2019 , 13, e0007044		14
79	Move to stay: genetic structure and demographic history of a wolf spider inhabiting coastal sand dunes of southern South America. 2019 , 17, 635-649		1
78	The glaciogenic origin of the Pleistocene calcareous dust in Argentina on the basis of field, mineralogical, textural, and geochemical analyses. 2019 , 91, 218-233		2
77	A human role in Andean megafaunal extinction?. 2019 , 205, 154-165		11
76	Anticipating the response of the Brazilian giant earthworm (Rhinodrilus alatus) to climate change: implications for its traditional use. 2019 , 91, e20180308		2
75	The soda lakes of Nhecolfidia: A conservation opportunity for the Pantanal wetlands. 2019 , 17, 9-18		7
74	Lake-level variability in Salar de Coipasa, Bolivia during the past ~40,000 yr. 2019 , 91, 881-891		8
73	An unexpected large Crested Tinamou (Eudromia, Tinamidae, Aves) near to Last Glacial Maximum (MIS 2, late Pleistocene) of the Argentine Pampas. 2020 , 32, 330-338		
72	New insights on sources contributing dust to the loess record of the western edge of the Pampean Plain during the transition from the late MIS 2 to the early Holocene. 2020 , 30, 537-545		3
71	Late Pleistocene-Holocene fossils from Mirim Lake, Southern Brazil, and their paleoenvironmental significance: I - Vertebrates. <i>Journal of South American Earth Sciences</i> , 2020 , 100, 102566	2	9
70	The evolution of the Patagonian Ice Sheet from 35 ka to the present day (PATICE). <i>Earth-Science Reviews</i> , 2020 , 204, 103152	10.2	63
69	The extinction of the Pleistocene megafauna in the Pampa of southern Brazil. 2020, 242, 106428		7
68	The Pre-Columbian Peopling and Population Dispersals of South America. 2021 , 29, 93-151		4
67	Late Pleistocene sediment accumulation in the lower slope off the Rio Grande terrace, southern Brazilian Continental Margin. 2021 , 571, 97-116		3
66	Population genetic structure and species delimitation in the Cryptanthus zonatus complex (Bromeliaceae). <i>Botanical Journal of the Linnean Society</i> , 2021 , 196, 123-140	2.2	Ο

65	Species diversification in the lowlands of mid-latitude South America: Turnera sidoides subsp. carnea as a case study. 2021 , 93, e20201067		О
64	The fossil record of the ocelot Leopardus pardalis (Carnivora, Felidae): a new record from the southern range of its distribution and its paleoenvironmental context. 2021 , 41,		1
63	Ecological and spatial patterns associated with diversification of South American Physaria (Brassicaceae) through the general concept of species. <i>Organisms Diversity and Evolution</i> , 2021 , 21, 161-18	7 8	1
62	Risk of Nest Flooding in a Population of the Magdalena River Turtle (Podocnemis lewyana) Inhabiting the Climatic Equator in Northern Colombia. 2021 , 20,		
61	Quantifying Tectonic and Glacial Controls on Topography in the Patagonian Andes (46.5°S) From Integrated Thermochronometry and Thermo-Kinematic Modeling. <i>Journal of Geophysical Research 5: Earth Surface</i> , 2021 , 126, e2020JF005993	8	2
60	From Patagonia to RÖ de la Plata: Multistep long-distance littoral transport of Andean volcaniclastic sand along the Argentine passive margin.		4
59	Late Pleistocene subglacial fissure-related volcanism at Caviahue-Copahue Volcanic Complex (37° 51° S, 71° 05â[w), South Volcanic Zone. <i>Journal of South American Earth Sciences</i> , 2021 , 110, 103309		1
58	Late Pleistocene-Holocene diatomites from the coastal plain of southern Brazil: Paleoenvironmental implications. 2021 , 598, 38-55		2
57	A 125-ka record of northern South American precipitation and the role of high-to-low latitude teleconnections. 2021 , 270, 107159		O
56	Identification of priority areas for Eschweilera tetrapetala (Lecythidaceae) conservation in response to climate change. 72,		O
55	Did Humans Cause the Late Pleistocene-Early Holocene Mammalian Extinctions in South America in a Context of Shrinking Open Areas?. 2009 , 125-144		44
54	Avian Diversity in Humid Tropical and Subtropical South American Forests, with a Discussion About Their Related Climatic and Geological Underpinnings. 2020 , 145-188		1
53	Halophytic Life in Brazilian Salt Flats: Biodiversity, Uses and Threats. 2016 , 11-27		8
52	Ecophysiological response of lowland tropical plants to Pleistocene climate. 2011 , 359-380		2
51	Landscape Sensitivity in the Humid Tropics âl'A Geomorphological Appraisal. 1998 , 17-47		3
50	Tropical Forests and Global Atmospheric Change. 2005,		26
49	Late twentieth-century patterns and trends in the climate of tropical forest regions. 2005, 3-16		13
48	Twenty-first century atmospheric change and deforestation: potential impacts on tropical forests. 2005 , 17-30		3

(2005-2005)

47	Forestâdlimate interactions in fragmented tropical landscapes. 2005 , 31-39		4
46	Predicting the impacts of global environmental changes on tropical forests. 2005, 41-56		1
45	Ecophysiological and biogeochemical responses to atmospheric change. 2005 , 57-66		1
44	The effects of drought on tropical forest ecosystems. 2005 , 75-84		12
43	Late twentieth-century patterns and trends in Amazon tree turnover. 2005, 107-128		2
42	Error propagation and scaling for tropical forest biomass estimates. 2005 , 155-164		5
41	Climate change and speciation in neotropical seasonally dry forest plants. 2005, 199-214		2
40	The prospects for tropical forests in the twenty-first-century atmosphere. 2005 , 215-226		1
39	Influence of LGM boundary conditions on the global water isotope distribution in an atmospheric general circulation model.		1
38	Historical connections among river basins and climatic changes explain the biogeographic history of a water rat. <i>PeerJ</i> , 2018 , 6, e5333	3.1	3
37	OUP accepted manuscript. Botanical Journal of the Linnean Society,	2.2	0
36	Glacial Catchment Erosion From Detrital Zircon (U-Th)/He Thermochronology: Patagonian Andes. <i>Journal of Geophysical Research F: Earth Surface</i> , 2021 , 126, e2021JF006141	3.8	
35	Ecological responses of Amazonian forests to El Niô-induced surface fires. 2005 , 87-96		
34	Late twentieth-century trends in tree-community composition in an Amazonian forest. 2005 , 97-106		1
33	Late twentieth-century trends in the biomass of Amazonian forest plots. 2005, 129-142		2
32	Late twentieth-century trends in the structure and dynamics of South American forests. 2005 , 143-154		
31	The longevity and resilience of the Amazon rainforest. 2005 , 167-182		
30	Tropical forests dynamics in response to a CO2-rich atmosphere. 2005 , 67-74		

29 Amazonian ecosystems and atmospheric change since the last glacial maximum. **2005**, 183-190

28	Modelling the past and the future fate of the Amazonian forest. 2005 , 191-198		1
27	Two evolutionary units on the South American razor clam Ensis macha (Bivalvia: Pharidae): genetic and morphometric evidence. <i>Organisms Diversity and Evolution</i> , 2020 , 20, 331-344	1.7	О
26	A new species of freshwater crab genus Pretzmann, 1967 (Crustacea: Brachyura: Pseudothelphusidae) from a naturally isolated orographic forest enclave within the semiarid Caatinga in Cear[northeastern Brazil. <i>PeerJ</i> , 2020 , 8, e9370	3.1	1
25	Ecophysiological response of lowland plants to Pleistocene climate. 2007, 333-349		
24	Eumysops marplatensis Olivares and Verzi 2015 (Rodentia, Hystricognathi) from the Plio-Pleistocene of the Northern Pampa in Argentina: Paleoenvironmental and paleobiogeographic implications. <i>Journal of South American Earth Sciences</i> , 2022 , 113, 103670	2	
23	Last Glacial Maximum, Late Glacial and Holocene of Patagonia. <i>The Latin American Studies Book Series</i> , 2022 , 59-84	0.2	4
22	Two-tiered reconstruction of Late Pleistocene to Holocene changes in the freezing level height in the largest glacierized areas of the Colombian Andes. <i>Journal of Mountain Science</i> , 2022 , 19, 615-636	2.1	
21	Molecular data confirm Triatoma pallidipennis Stl) 1872 (Hemiptera: Reduviidae: Triatominae) as a novel cryptic species complex <i>Acta Tropica</i> , 2022 , 229, 106382	3.2	О
20	A century of stasis: Taxonomy of Ctenomys (Rodentia: Hystricomorpha) populations in northeastern Patagonia limits, Argentina. <i>Zoologischer Anzeiger</i> , 2022 ,	1.1	O
19	Geosite Assessment in Northern Patagonia (Argentina): a Case Study of the Coastal Geomorphology of the Caleta de Los Loros Natural Protected Area. <i>Geoheritage</i> , 2022 , 14,	2.6	
18	Loss of Migratory Traditions Makes the Endangered Patagonian Huemul Deer a Year-Round Refugee in Its Summer Habitat. <i>Conservation</i> , 2022 , 2, 322-348		1
17	A cryptic species of Ensis (Bivalvia: Pharidae) from the southeastern Pacific coast revealed by geometric morphometric methods. <i>Scientia Marina</i> , 2022 , 86, e032	1.8	
16	Andean retroarc-basin dune fields and Pampean Sand Sea (Argentina): Provenance and drainage changes driven by tectonics and climate. <i>Earth-Science Reviews</i> , 2022 , 231, 104077	10.2	0
15	An extended last glacial maximum in the Southern Hemisphere: A contribution to the SHeMax project. <i>Earth-Science Reviews</i> , 2022 , 231, 104090	10.2	O
14	Patterns of Vegetation Dynamics to the Hydroclimate of Ne Brazil Over the Last 130 Kyrs. <i>SSRN Electronic Journal</i> ,	1	
13	Preface. 2005 , v-viii		
12	Contributors. 2005 , xiii-xvi		

11 Copyright Page. **2005**, iv-iv

10	Comparative genomics uncovers the evolutionary history, demography, and molecular adaptations of South American canids. 2022 , 119,	O
9	Interplay between conservatism and divergence in climatic niche evolution of Brassicaceae tribe Eudemeae shaped their distribution across the different environments of the Andes.	0
8	Response of vegetation to hydroclimate changes in northeast Brazil over the last 130 kyrs. 2022 , 605, 111232	O
7	Leguminosae endemic to the Chaco facing quaternary climate fluctuations. 36,	O
6	Insect trace fossils as indicators of climatic conditions during the uppermost Pleistocene deposits in southern Brazilian Atlantic coast. 1-12	O
5	Population structure of mud flounder Paralichthys orbignyanus from the south-western Atlantic Ocean.	О
4	Survivors and colonizers: Contrasting biogeographic histories reconciled in the Antarctic freshwater copepod Boeckella poppei. 10,	O
3	Paleoenvironmental changes in the Brazilian Pampa based on carbon and oxygen stable isotope analysis of Pleistocene camelid tooth enamel.	0
2	1975âØ018: 43 Years of Glacial Retreat in the Incachiriasca Glacier (Nevado Salcantay, Vilcabamba Range, Peru). 2023 , 263-278	O
1	South American mountain ecosystems and global change âla case study for integrating theory and field observations for land surface modelling and ecosystem management.	0