

Multivariate data analysis in palaeoecology and palaeob

Palaeogeography, Palaeoclimatology, Palaeoecology
105, 199-234

DOI: [10.1016/0031-0182\(93\)90084-v](https://doi.org/10.1016/0031-0182(93)90084-v)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Taphofacies analysis of recent shelly cheniers (beach ridges), northeastern baja california, Mexico. <i>Facies</i> , 1994, 31, 209-241.	0.7	84
2	Canonical community ordination. Part I: Basic theory and linear methods. <i>Ecoscience</i> , 1994, 1, 127-140.	0.6	534
3	A quantitative analysis on the distribution of Baigendzhinian-Early Kungurian (Early Permian) brachiopod faunas in the western Pacific region. <i>Journal of Southeast Asian Earth Sciences</i> , 1995, 11, 189-205.	0.1	22
4	Palaeobiogeography of Kazanian-Midian (Late Permian) western Pacific Brachiopod faunas. <i>Journal of Southeast Asian Earth Sciences</i> , 1995, 12, 129-141.	0.1	23
5	Trace fossils and population paleoecology: comparative analysis of size-frequency distributions derived from burrows. <i>Lethaia</i> , 1996, 29, 113-124.	0.6	10
6	Automated biostratigraphic correlation of palynological records on the basis of shapes of pollen curves and evaluation of next-best solutions. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1996, 124, 17-37.	1.0	4
7	Spatial Response of Mammals to Late Quaternary Environmental Fluctuations. <i>Science</i> , 1996, 272, 1601-1606.	6.0	544
8	Limited membership in Pleistocene reef coral assemblages from the Huon Peninsula, Papua New Guinea: constancy during global change. <i>Paleobiology</i> , 1996, 22, 152-176.	1.3	212
9	The relationship between zooplankton, conductivity and lake-water ionic composition in 111 lakes from the Interior Plateau of British Columbia, Canada. <i>International Journal of Salt Lake Research</i> , 1996, 5, 1-15.	0.1	38
10	Paläobiogeographie jurassischer Muschelfaunen: Beziehung zwischen Süd- und Nordrand der Tethys. <i>Palaontologische Zeitschrift</i> , 1996, 70, 97-128.	0.8	17
11	Western Pacific Permian marine invertebrate palaeobiogeography—. <i>Australian Journal of Earth Sciences</i> , 1996, 43, 635-641.	0.4	32
12	Assessing the reliability of salinity inference models from diatom assemblages: an examination of a 219-lake data set from western North America. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 1996, 53, 1580-1594.	0.7	121
13	A quantitative palaeobiogeographical analysis on the distribution of Sterlitamakian-Artastinian (Early Tertiary) diatoms from the Tj ETQq0 0,0,rgBT /Overlock 10	0.7	16
14	Oligo-Miocene palynology of the Rio Chama sequence (Western Venezuela), with comments on fossil algae as paleoenvironmental indicators. <i>Palynology</i> , 1997, 21, 213-229.	0.7	25
15	A continuous Late Glacial and Holocene record of vegetation changes in Kazakhstan. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1997, 136, 281-292.	1.0	81
16	Tectonic and palaeobiogeographic significance of the Chatham Islands, South Pacific, Late Cretaceous fauna. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1997, 136, 97-119.	1.0	28
17	Distribution of diatoms in surface sediments of Prydz Bay, Antarctica. <i>Marine Micropaleontology</i> , 1997, 32, 209-229.	0.5	68
18	Study of the modern pollen rain in Western Uganda with a numerical approach. <i>Review of Palaeobotany and Palynology</i> , 1997, 96, 145-168.	0.8	59

#	ARTICLE	IF	CITATIONS
19	Bivalve provinces in the Proto-Atlantic and along the southern margin of the Tethys in the Jurassic. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1998, 137, 127-151.	1.0	34
20	Stepwise Faunal Change during Evolutionary Turnover: A Case Study from the Neogene of Curacao, Netherlands Antilles. <i>Palaios</i> , 1998, 13, 170.	0.6	42
21	Mode of subglacial transport deduced from till properties, MÃ½rdalsjÃ¶kull, Iceland. <i>Sedimentary Geology</i> , 1999, 128, 271-292.	1.0	26
22	Title is missing!. <i>Hydrobiologia</i> , 1999, 392, 129-141.	1.0	48
23	The palaeozoogeography of Oligocene to Recent marine Ostracoda from the Neotropics (mid- and Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50	0.5	17
24	Middle to Upper Miocene benthonic foraminiferal palaeoecology of the Tap Marls (Alicante Province,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 <i>Palaeoecology</i> , 1999, 145, 141-156.	1.0	29
25	Wuchiapingian (early Lopingian, Permian) global brachiopod palaeobiogeography: a quantitative approach. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000, 162, 299-318.	1.0	49
26	Palaeobiogeography of Marine Communities. , 0, , 440-444.		1
27	An extension of presence/absence coefficients to abundance data: a new look at absence. <i>Journal of Vegetation Science</i> , 2001, 12, 401-410.	1.1	26
28	Distinguishing between tills from Valdaian ice sheets in the Arkhangelsk region, Northwest Russia. <i>Global and Planetary Change</i> , 2001, 31, 201-214.	1.6	20
29	Cretaceous corals from Tibet (China) â€™ stratigraphic and palaeobiogeographic aspects. <i>Journal of Asian Earth Sciences</i> , 2001, 19, 661-667.	1.0	10
30	Paleozoic Brachiopod Biogeography. <i>The Paleontological Society Papers</i> , 2001, 7, 207-222.	0.8	4
31	COMMUNITY STRUCTURE OF PLEISTOCENE CORAL REEFS OF CURAÃ¶AO, NETHERLANDS ANTILLES. <i>Ecological Monographs</i> , 2001, 71, 49-67.	2.4	31
32	Biogeography of Australian freshwater fishes. <i>Journal of Biogeography</i> , 2001, 28, 1053-1089.	1.4	275
33	Molecular analysis of an interspecific hybrid ornamental eucalypt for parental identification. <i>Euphytica</i> , 2001, 122, 165-170.	0.6	8
34	Impact of Paleocene/Eocene Greenhouse Warming on North American Paratropical Forests. <i>Palaios</i> , 2001, 16, 266-278.	0.6	32
35	Evidence from diatoms for Holocene climate fluctuation along the East Antarctic margin. <i>Holocene</i> , 2001, 11, 455-466.	0.9	28
36	Changhsingian (Late Permian) brachiopod Palaeobiogeography. <i>Historical Biology</i> , 2001, 15, 121-134.	0.7	30

#	ARTICLE	IF	CITATIONS
37	Permian Phytogeographic Patterns and Climate Data/Model Comparisons. <i>Journal of Geology</i> , 2002, 110, 1-31.	0.7	226
38	Euconodont paleobiogeography and the closure of the Iapetus Ocean. <i>Geology</i> , 2002, 30, 1091.	2.0	13
39	The biosphere revisited: plant species patterns close to waterpoints in small, fenced paddocks in chenopod shrublands of South Australia. <i>Journal of Arid Environments</i> , 2002, 51, 547-560.	1.2	0
40	Statistical testing of community patterns: uppermost Hamilton Group, Middle Devonian (New York) Tj ETQq1 1 0.784314 rgBT /Overl 1.0 29	1.0	29
41	Postglacial marine diatom record of the Palmer Deep, Antarctic Peninsula (ODP Leg 178, Site 1098) 2. Diatom assemblages. <i>Paleoceanography</i> , 2002, 17, PAL 2-1-PAL 2-12.	3.0	45
42	The biosphere revisited: plant species patterns close to waterpoints in small, fenced paddocks in chenopod shrublands of South Australia. <i>Journal of Arid Environments</i> , 2002, 51, 547-560.	1.2	18
43	Biogeography of the tenebrionid beetles (Coleoptera, Tenebrionidae) on the Aegean Islands (Greece). <i>Journal of Biogeography</i> , 2002, 29, 49-67.	1.4	125
44	A spatially constrained ecological classification: rationale, methodology and implementation. <i>Plant Ecology</i> , 2002, 158, 153-169.	0.7	13
45	Sedimentary Cladoceran remains and their relationship to nutrients and other limnological variables in 53 lakes from British Columbia, Canada. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2003, 60, 1177-1189.	0.7	51
47	Biotic Element Analysis in Biogeography. <i>Systematic Biology</i> , 2003, 52, 717-723.	2.7	106
48	Comparative Taxonomic Richness and Abundance of Late Ordovician Gastropods and Bivalves in Mollusc-rich Strata of the Cincinnati Arch. <i>Palaios</i> , 2003, 18, 559-571.	0.6	29
49	Body size structure in north-western Mediterranean Plio-Pleistocene mammalian faunas. <i>Global Ecology and Biogeography</i> , 2004, 13, 163-176.	2.7	33
50	Foraminifera and ostracodes across the Pliensbachian-Toarcian boundary in the Arctic Realm (stratigraphy, palaeobiogeography and biofacies). <i>Geological Society Special Publication</i> , 2004, 230, 137-174.	0.8	28
51	Microfacies and depositional environment of an Upper Triassic intra-platform carbonate basin: the Fatric Unit of the West Carpathians (Slovakia). <i>Facies</i> , 2004, 50, 77-105.	0.7	31
52	Global Campanian (Upper Cretaceous) ostracod palaeobiogeography. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004, 213, 379-398.	1.0	10
53	The influence of recent geography, palaeogeography and climate on the composition of the fauna of the central Aegean Islands. <i>Biological Journal of the Linnean Society</i> , 2005, 84, 785-795.	0.7	83
54	Palaeozoogeography of Western European Lower Jurassic (Pliensbachian and Toarcian) Ostracoda. <i>Geobios</i> , 2005, 38, 697-724.	0.7	17
55	The buried caldera of Misti volcano, Peru, revealed by combining a self-potential survey with elliptic Fourier function analysis of topography. <i>Journal of Volcanology and Geothermal Research</i> , 2005, 141, 283-297.	0.8	14

#	ARTICLE	IF	CITATIONS
56	Geographical patterns of genetic variation in the world collections of wild annual <i>Cicer</i> characterized by amplified fragment length polymorphisms. <i>Theoretical and Applied Genetics</i> , 2005, 110, 381-391.	1.8	48
58	A biogeographical analysis of the tenebrionid beetles (Coleoptera, Tenebrionidae) of the island of Thasos in the context of the Aegean Islands (Greece). <i>Journal of Natural History</i> , 2005, 39, 3919-3949.	0.2	38
59	Early-Middle Pleistocene structural changes in mammalian communities from the Italian peninsula. <i>Geological Society Special Publication</i> , 2005, 247, 251-262.	0.8	12
60	Highlighting the Early-Middle Pleistocene transition in Italian and French large-mammal faunas: similarities and faunal renewals. <i>Geological Society Special Publication</i> , 2005, 247, 263-276.	0.8	5
61	The avifaunas of some fragmented, periurban, coastal woodlands in south-eastern Australia. <i>Landscape and Urban Planning</i> , 2005, 72, 297-312.	3.4	19
62	Alpha, beta, or gamma: Numerical view on the Early Cambrian world. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2005, 220, 207-225.	1.0	25
63	Survival strategies of brachiopod faunas from the end-Permian mass extinction. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2005, 224, 232-269.	1.0	109
65	Testing for faunal stability across a regional biotic transition: quantifying stasis and variation among recurring coral-rich biofacies in the Middle Devonian Appalachian Basin. <i>Paleobiology</i> , 2006, 32, 20-37.	1.3	33
66	Multivariate analyses of Cenozoic mammalian faunas from Riversleigh, northwestern Queensland. <i>Alcheringa</i> , 2006, 30, 323-349.	0.5	49
67	Les faunes de grands mammifères de la Caune de l'Arago (Tautavel) dans le cadre biochronologique des faunes du Pliocène moyen italien. <i>Anthropologie</i> , 2006, 110, 788-831.	0.1	81
68	Bryozoan faunas in the Middle Miocene of Hungary: biodiversity and biogeography. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2006, 233, 300-314.	1.0	18
69	Arenig (Middle Ordovician) ostracods from Baltoscandia: Fauna, assemblages and biofacies. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2006, 241, 492-514.	1.0	20
70	BRACHIOPOD AND BIVALVE ECOLOGY IN THE LATE TRIASSIC (ALPS, AUSTRIA): ONSHORE-OFFSHORE REPLACEMENTS CAUSED BY VARIATIONS IN SEDIMENT AND NUTRIENT SUPPLY. <i>Palaïos</i> , 2006, 21, 344-368.	0.6	36
71	Input data, analytical methods and biogeography of <i>Elegia</i> (Restionaceae). <i>Journal of Biogeography</i> , 2006, 33, 47-62.	1.4	51
72	Misconceptions about parsimony analysis of endemicity. <i>Journal of Biogeography</i> , 2006, 33, 2099-2106.	1.4	73
73	Lake depth rather than fish planktivory determines cladoceran community structure in Faroese lakes ? evidence from contemporary data and sediments. <i>Freshwater Biology</i> , 2006, 51, 2124-2142.	1.2	42
74	Development and testing of transfer functions for generating quantitative climatic estimates from Australian pollen data. <i>Journal of Quaternary Science</i> , 2006, 21, 723-733.	1.1	19
75	Testing for faunal stability across a regional biotic transition: quantifying stasis and variation among recurring coral-rich biofacies in the Middle Devonian Appalachian Basin. <i>Paleobiology</i> , 2006, 32, 20-37.	1.3	18

#	ARTICLE	IF	CITATIONS
76	A Robust Distance Coefficient between Distribution Areas Incorporating Geographic Distances. <i>Systematic Biology</i> , 2006, 55, 170-175.	2.7	28
78	Living deep-sea benthic foraminifera from the warm and oxygen-depleted environment of the Sulu Sea. <i>Deep-Sea Research Part II: Topical Studies in Oceanography</i> , 2007, 54, 145-176.	0.6	31
79	A statistical method for idiographic analyses in biogeographical research. <i>Diversity and Distributions</i> , 2007, 13, 836-844.	1.9	5
80	Dissolution point and isolation robustness: Robustness criteria for general cluster analysis methods. <i>Journal of Multivariate Analysis</i> , 2008, 99, 1154-1176.	0.5	107
81	Ecological and historical factors affecting distribution pattern and richness of endemic plant species: the case of the Maritime and Ligurian Alps hotspot. <i>Diversity and Distributions</i> , 2008, 14, 47-58.	1.9	79
82	Biochronological, taphonomical, and paleoenvironmental background of the fossil great ape <i>Pierolapithecus catalaunicus</i> (Primates, Hominidae). <i>Journal of Human Evolution</i> , 2008, 55, 589-603.	1.3	51
83	Quantitative estimation of bioclimatic parameters from presence/absence vegetation data in North America by the modern analog technique. <i>Quaternary Science Reviews</i> , 2008, 27, 1234-1254.	1.4	22
84	Low-light and nutrient-rich coral assemblages in an Upper Aptian carbonate platform of the southern Maestrat Basin (Iberian Chain, eastern Spain). <i>Cretaceous Research</i> , 2008, 29, 509-534.	0.6	44
85	Biogeography, land snails and incomplete data sets: the case of three island groups in the Aegean Sea. <i>Journal of Natural History</i> , 2008, 42, 467-490.	0.2	26
86	A TEST OF BIOGEOGRAPHICAL, ENVIRONMENTAL, AND ECOLOGICAL EFFECT ON MIDDLE AND LATE TRIASSIC BRACHIOPOD AND BIVALVE ABUNDANCE PATTERNS. <i>Palaios</i> , 2008, 23, 43-54.	0.6	6
87	Paleoecology Of Early-Middle Permian Marine Communities In Eastern Australia: Response To Global Climate Change In the Aftermath Of the Late Paleozoic Ice Age. <i>Palaios</i> , 2008, 23, 738-750.	0.6	45
88	How Are Global Patterns Of Faunal Turnover Expressed At Regional Scales? Evidence From the Upper Mississippian (Chesterian Series), Illinois Basin, USA. <i>Palaios</i> , 2008, 23, 760-772.	0.6	24
89	A Comparison of Sampling and Statistical Techniques for Analyzing Bulk-sampled Biofacies Composition. <i>Palaios</i> , 2008, 23, 313-321.	0.6	14
90	ECOLOGICAL RESTRUCTURING AFTER EXTINCTION: THE LATE ORDOVICIAN (MOHAWKIAN) OF THE EASTERN UNITED STATES. <i>Palaios</i> , 2009, 24, 118-130.	0.6	14
91	Assessment of the effect of earthquake activity on regional vegetation – High-resolution pollen study of the Ein Feshka section, Holocene Dead Sea. <i>Review of Palaeobotany and Palynology</i> , 2009, 155, 42-51.	0.8	11
92	Distribution of recent benthic foraminifera along continental slope of the Sunda Shelf (South China) Tj ETQq1 1 0.784314 rgBT /Over 0,5 23	0.5	23
93	Biochronology, paleobiogeography and faunal turnover in western Mediterranean Cenozoic mammals. <i>Integrative Zoology</i> , 2009, 4, 367-386.	1.3	32
94	Inventory, differentiation, and proportional diversity: a consistent terminology for quantifying species diversity. <i>Oecologia</i> , 2009, 159, 15-26.	0.9	182

#	ARTICLE	IF	CITATIONS
95	A critical evaluation of different methods for the determination of areas of endemism and biotic elements: an Alpine study. <i>Journal of Biogeography</i> , 2009, 36, 2056-2065.	1.4	14
96	The influence of geographical and ecological factors on island beta diversity patterns. <i>Journal of Biogeography</i> , 2010, 37, 1061-1070.	1.4	55
97	Do different dispersal capacities influence the biogeography of the western Palearctic dragonflies (Odonata)? <i>Biological Journal of the Linnean Society</i> , 0, 99, 177-195.	0.7	30
98	Multivariate hierarchical analyses of Early Jurassic Ostracoda assemblages. <i>Lethaia</i> , 2009, 42, 495-510.	0.6	8
99	Both Recent and Pleistocene geography determine animal distributional patterns in the Tuscan Archipelago. <i>Journal of Zoology</i> , 2009, 277, 291-301.	0.8	39
100	Complex Wavelet Structural Similarity: A New Image Similarity Index. <i>IEEE Transactions on Image Processing</i> , 2009, 18, 2385-2401.	6.0	475
101	Roadian–Wordian (Guadalupian, Middle Permian) global palaeobiogeography of brachiopods. <i>Global and Planetary Change</i> , 2009, 65, 166-181.	1.6	86
102	Ammonite diversity and its palaeobiogeographical structure during the early Pliensbachian (Jurassic) in the western Tethys and adjacent areas. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 280, 64-77.	1.0	31
103	Late Miocene turnover of molluscan faunas, New Zealand: Taxonomic and ecological reassessment of diversity changes at multiple spatial and temporal scales. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 280, 275-290.	1.0	9
104	Middle and late Pleistocene faunas of Pinnacle Point and their paleoecological implications. <i>Journal of Human Evolution</i> , 2010, 59, 340-357.	1.3	94
105	Partitioning the turnover and nestedness components of beta diversity. <i>Global Ecology and Biogeography</i> , 2010, 19, 134-143.	2.7	2,527
106	Unravelling the underestimated diversity of Philippine water monitor lizards (Squamata: Varanus) Tj ETQq1 1 0.784314 rgBT /Overloc 1.	0.2	22
107	BENTHIC FORAMINIFERAL ASSEMBLAGES IN TEMPERATE CORAL-BEARING DEPOSITS FROM THE LATE PLIOCENE. <i>Journal of Foraminiferal Research</i> , 2010, 40, 61-78.	0.1	19
108	THE INFLUENCE OF DATA SELECTION AND TYPE OF ANALYSIS ON INTERPRETATIONS OF TEMPORAL STABILITY IN OLIGOCENE FAUNAS OF MISSISSIPPI. <i>Palaios</i> , 2010, 25, 769-779.	0.6	6
109	10.1007/s11506-008-1005-z. , 2010, , .		4
110	Palaeobiogeography and palaeogeographical implications of Permian marine bivalve faunas in Northeast Asia (Kolyma–Omolon and Verkhoyansk–Okhotsk regions, northeastern Russia). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 298, 42-53.	1.0	12
111	Influence of Recent Geography and Paleogeography on the Structure of Reptile Communities in a Land-Bridge Archipelago. <i>Journal of Herpetology</i> , 2010, 44, 242-252.	0.2	23
112	Fuzzy Chorotypes as a Conceptual Tool to Improve Insight into Biogeographic Patterns. <i>Systematic Biology</i> , 2011, 60, 645-660.	2.7	44

#	ARTICLE	IF	CITATIONS
114	Trilobite associations, taphonomy, lithofacies and environments of the Silurian reefs of North Greenland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 302, 142-155.	1.0	11
115	Environmental implications of micromammals accumulated close to the MIS 6 to MIS 5 transition at Pinnacle Point Cave 9 (Mossel Bay, Western Cape Province, South Africa). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 302, 213-229.	1.0	66
116	Common ground between two British Pennsylvanian wetland floras: Using large, first-hand datasets to assess utility of historical museum collections. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 308, 405-417.	1.0	10
117	Spatial Patterns of Phytodiversity - Assessing Vegetation Using (Dis) Similarity Measures. , 2011, , .		1
118	Characterization of karstic networks by automatic extraction of geometrical and topological parameters: comparison between observations and stochastic simulations. <i>Geological Society Special Publication</i> , 2012, 370, 247-264.	0.8	10
119	Regional-scale spatial heterogeneity in the late Paleocene paratropical forests of the U.S. Gulf Coast. <i>Paleobiology</i> , 2012, 38, 15-39.	1.3	13
120	Patterns of beta diversity in riparian ground beetle assemblages (Coleoptera Carabidae): A case study in the River Aniene (Central Italy). <i>Italian Journal of Zoology</i> , 2012, 79, 136-150.	0.6	7
121	Global palaeobiogeographical patterns in brachiopods from survival to recovery after the end-Ordovician mass extinction. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 317-318, 196-205.	1.0	20
122	Megaherbivorous dinosaur turnover in the Dinosaur Park Formation (upper Campanian) of Alberta, Canada. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 350-352, 124-138.	1.0	75
123	Plant biodiversity changes in Carboniferous tropical wetlands. <i>Earth-Science Reviews</i> , 2012, 114, 124-155.	4.0	76
124	Early Carboniferous (Mississippian) ammonoid biogeography. <i>Geobios</i> , 2012, 45, 67-77.	0.7	26
125	Biogeographical kinetics on an island volcano (Capelinhos, Azores): fast colonisation rates and dominance of arthropod exotic species. <i>Insect Conservation and Diversity</i> , 2012, 5, 358-366.	1.4	5
126	Endemicity analysis, parsimony and biotic elements: a formal comparison using hypothetical distributions. <i>Cladistics</i> , 2012, 28, 645-654.	1.5	38
127	Tracking the boundary between the Palaearctic and the Oriental region: new insights from dragonflies and damselflies (Odonata). <i>Journal of Biogeography</i> , 2013, 40, 2047-2058.	1.4	16
129	Provincialization of terrestrial faunas following the end-Permian mass extinction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 8129-8133.	3.3	140
130	Global palaeobiogeography of brachiopod faunas during the early Katian (Late Ordovician) greenhouse episode. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 389, 78-86.	1.0	10
131	Latest Cretaceous multituberculates of the Black Butte Station local fauna (Lance Formation,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 107 faunas of the Western Interior. <i>Journal of Vertebrate Paleontology</i> , 2013, 33, 677-695.	0.4	12
132	Patterns and processes in complex landscapes: testing alternative biogeographical hypotheses through integrated analysis of phylogeography and community ecology in Hawai'i. <i>Molecular Ecology</i> , 2013, 22, 3613-3628.	2.0	11

#	ARTICLE	IF	CITATIONS
133	Palaeoecology and sedimentology of Carboniferous glacial and post-glacial successions in the Paganzo and R��o Blanco basins of northwestern Argentina. Geological Society Special Publication, 2013, 376, 109-140.	0.8	4
134	Species ecological preferences predict extinction risk in urban tenebrionid beetle guilds. Animal Biology, 2013, 63, 93-106.	0.6	14
135	Areas of Endemism: Methodological and Applied Biogeographic Contributions from South America. , 2013, , .		0
136	Variation in zoogeographical composition along an elevational gradient: the tenebrionid beetles of Latium (Central Italy). Entomologia, 2013, , e6.	1.0	2
137	Middle Ordovician cephalopod biofacies and palaeoenvironments of Baltoscandia. Lethaia, 2014, 47, 275-295.	0.6	11
138	Visual stability analysis for model selection in graded possibilistic clustering. Information Sciences, 2014, 279, 37-51.	4.0	7
139	Biogeography of western Mediterranean butterflies: combining turnover and nestedness components of faunal dissimilarity. Journal of Biogeography, 2014, 41, 1639-1650.	1.4	45
140	Lingulate brachiopods and the Early Palaeozoic history of the Iapetus Ocean. Lethaia, 2014, 47, 456-468.	0.6	4
141	Coexistence of brachiopod and bivalves in the Late Paleozoic of Western Argentina. Palaeogeography, Palaeoclimatology, Palaeoecology, 2014, 414, 133-145.	1.0	5
142	A comparison of novel and traditional numerical methods for the analysis of modern pollen assemblages from major vegetation landform types. Review of Palaeobotany and Palynology, 2014, 210, 22-36.	0.8	20
143	Biodiversity, biofacies and biogeography of middle Cambrian (Series 3) arthropods (Trilobita and Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50 3	3.0	20
144	Global paleobiogeography of brachiopods during the Mississippian Response to the global tectonic reconfiguration, ocean circulation, and climate changes. Gondwana Research, 2014, 26, 1173-1185.	3.0	40
145	Analysis and Interpretation of Haynesville Shale Subsurface Properties, Completion Variables, and Production Performance Using Ordination, a Multivariate Statistical Analysis Technique. , 2014, , .		4
146	The relationship between environmental change and the extinction of the nannoplankton <i>Discoaster</i> in the early Pleistocene. Paleoceanography, 2015, 30, 863-876.	3.0	19
147	Optimising Regionalisation Techniques: Identifying Centres of Endemism in the Extraordinarily Endemic-Rich Cape Floristic Region. PLoS ONE, 2015, 10, e0132538.	1.1	21
148	Biostratigraphy and paleoecology of Upper Paleocene to Lower Oligocene deposits in Southeast of the Hajjiabad Area (Zagros Basin, SW Iran). Arabian Journal of Geosciences, 2015, 8, 8295-8312.	0.6	0
149	Biogeography of Triassic Ammonoids. Topics in Geobiology, 2015, , 163-187.	0.6	10
150	On asymmetric matching between sets. Information Sciences, 2015, 312, 89-103.	4.0	16

#	ARTICLE	IF	CITATIONS
151	Content-based search of gene expression databases using binary fingerprints of differential expression profiles. <i>Network Modeling Analysis in Health Informatics and Bioinformatics</i> , 2015, 4, 1.	1.2	0
152	Controls on the diversity and structure of earliest metazoan communities: Early Cambrian reefs from Siberia. <i>Earth-Science Reviews</i> , 2015, 147, 18-29.	4.0	20
154	Independence of total species richness and richness difference are not the same thing. <i>Ecological Informatics</i> , 2015, 30, 119-123.	2.3	1
156	Palaeobiogeography of the Bajocian–Oxfordian macrofauna of Gebel Maghara (North Sinai, Egypt): Implications for eustasy and basin topography. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2015, 417, 261-273.	1.0	33
157	Effects of cyclone-generated disturbance on a tropical reef foraminifera assemblage. <i>Scientific Reports</i> , 2016, 6, 24846.	1.6	8
158	Similarity of Scenic Bilevel Images. <i>IEEE Transactions on Image Processing</i> , 2016, 25, 5063-5076.	6.0	1
159	Paleobiogeography and Fossils. , 2016, , 186-197.		0
160	Paleoecology, biogeography, and evolution of reef ecosystems in the Panthalassa Ocean during the Late Triassic: Insights from reef limestone of the Sambosan Accretionary Complex, Shikoku, Japan. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 457, 31-51.	1.0	20
161	Global brachiopod palaeobiogeographical evolution from Changhsingian (Late Permian) to Rhaetian (Late Triassic). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016, 448, 4-25.	1.0	38
162	Late Devonian global ostracod palaeobiogeography. <i>Lethaia</i> , 2017, 50, 7-25.	0.6	15
163	Quantitative allochem compositional analysis of Lochkovian-Pragian boundary sections in the Prague Basin (Czech Republic). <i>Sedimentary Geology</i> , 2017, 354, 43-59.	1.0	7
164	Community replacement, ecological shift and early warning signals prior to the end-Permian mass extinction: A case study from a nearshore clastic-shelf section in South China. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 487, 118-135.	1.0	26
165	Paleobiogeography of the early Late Ordovician –Trentonian–(latest Sandbian to middle Katian) brachiopod fauna during a major marine transgression and colonization of the epicontinental seas in Laurentia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 487, 105-117.	1.0	8
166	Llandovery (Silurian) conodont provincialism: An update based on quantitative analysis. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 661-672.	1.0	12
167	Assessment of reduced-complexity landscape evolution model suitability to adequately simulate flood events in complex flow conditions. <i>Natural Hazards</i> , 2017, 86, 1-29.	1.6	29
168	Community benthic paleoecology from high-resolution climate records: Mollusca and foraminifera in post-glacial environments of the California margin. <i>Quaternary Science Reviews</i> , 2017, 155, 179-197.	1.4	14
169	First report of ostracods (Crustacea) associated with Bithynian (Anisian, Middle Triassic) <i>Tubiphytes</i> microbial reef in the North Dobrogean Orogen (Romania). <i>Papers in Palaeontology</i> , 2018, 4, 211-244.	0.7	10
170	Congruent patterns between species richness and areas of endemism of the Greenideinae aphids (Hemiptera: Aphididae) revealed by global-scale data. <i>Zoological Journal of the Linnean Society</i> , 2018, 183, 791-807.	1.0	16

#	ARTICLE	IF	CITATIONS
171	Iberian micromammals show local extent of Vallesian Crisis. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 496, 18-31.	1.0	8
172	Middle Ordovician actinocerid nautiloids (Cephalopoda) from Xainza County, Tibet, western China, and their paleogeographic implications. <i>Journal of Paleontology</i> , 2018, 92, 398-411.	0.5	9
173	Comparisons between Cambrian Lagerstatten assemblages using multivariate, parsimony and Bayesian methods. <i>Gondwana Research</i> , 2018, 55, 30-41.	3.0	24
174	Species richness and taxonomic composition of trawl macrofauna of the North Pacific and its adjacent seas. <i>Scientific Reports</i> , 2018, 8, 16604.	1.6	18
175	The Lopingian palynological <i>Guttulapollenites hannonicus</i> – <i>Cladaitina veteadensis</i> assemblage zone of Argentina, stratigraphical implications for Gondwana. <i>Journal of South American Earth Sciences</i> , 2018, 88, 673-692.	0.6	15
176	The biogeography of non-marine molluscs in the Tuscan Archipelago reveals combined effects of current eco-geographical drivers and paleogeography. <i>Organisms Diversity and Evolution</i> , 2018, 18, 443-457.	0.7	4
177	Heterogeneity of conodont faunas in the Cache Creek Terrane, Canada; significance for tectonic reconstructions of the North American Cordillera. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 506, 208-216.	1.0	7
178	Middle-Upper Devonian palynofloras from Argentina, systematic and correlation. <i>Review of Palaeobotany and Palynology</i> , 2018, 257, 95-116.	0.8	10
179	Co-occurrence patterns of ice-rafted dropstones and brachiopods in the Middle Permian Wandrawandian Siltstone of the southern Sydney Basin (southeastern Australia) and palaeoecological implications. <i>Journal of the Geological Society</i> , 2018, 175, 850-864.	0.9	4
180	Gigantoproductid and allied productid brachiopods from the ‘Calcaires ˆ Productus’ (late) Tj ETQq1 1 0.784314 rgBT /Overlock position in the Palaeotethys. <i>Geobios</i> , 2019, 55, 17-40.	0.7	8
181	Arctic shrub colonization lagged peak postglacial warmth: Molecular evidence in lake sediment from Arctic Canada. <i>Global Change Biology</i> , 2019, 25, 4244-4256.	4.2	43
182	Ammonoid biostratigraphy and paleobiogeography of Lower Jurassic sections from Sonora (northwest Mexico) and their tectonic implications. <i>Journal of South American Earth Sciences</i> , 2019, 93, 267-282.	0.6	1
183	Palaeobiogeographic and tectonic significance of mid-Cretaceous invertebrate taxa from Batavia Knoll, eastern Indian Ocean. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 522, 89-97.	1.0	0
184	Ferns of the Lower Jurassic from the Mecsek Mountains (Hungary): taxonomy and palaeoecology. <i>Palaontologische Zeitschrift</i> , 2019, 93, 151-185.	0.8	8
185	Measuring DNA Copy Number Variation Using High-Density Methylation Microarrays. <i>Journal of Computational Biology</i> , 2019, 26, 295-304.	0.8	12
186	Dynamic variation of Middle to Late Ordovician cephalopod provincialism in the northeastern peri-Gondwana region and its implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 521, 127-137.	1.0	15
187	Why a Book on Paleoenvironmental Reconstruction from Faunal Remains?. , 2019, , 1-11.		0
188	Fundamentals of Ecology and Biogeography. , 2019, , 12-47.		1

#	ARTICLE	IF	CITATIONS
189	Analytical Assumptions. , 2019, , 48-76.		0
190	Background of Select Paleozoological Samples. , 2019, , 77-91.		0
191	Environmental Reconstructions Based on the Presence/Absence of Taxa. , 2019, , 92-122.		0
192	Environmental Reconstruction Based on Taxonomic Abundances. , 2019, , 123-154.		0
193	Taxon-Free Techniques. , 2019, , 155-196.		0
194	Environmental Inferences Based on Taxonomic Diversity. , 2019, , 197-233.		0
195	Transfer Functions and Quantitative Paleoenvironmental Reconstruction. , 2019, , 234-265.		1
196	Size Clines as Paleoenvironmental Indicators. , 2019, , 266-300.		0
197	Some Final Thoughts. , 2019, , 301-310.		0
200	Palaeogeographic distribution and diversity of cephalopods during the Cambrianâ€“Ordovician transition. <i>Palaeoworld</i> , 2019, 28, 51-57.	0.5	13
201	Improving the reliability of landslide susceptibility mapping through spatial uncertainty analysis: a case study of Al Hoceima, Northern Morocco. <i>Geocarto International</i> , 2019, 34, 43-77.	1.7	14
202	Late Devonian palaeobiogeography of marine organic-walled phytoplankton. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 531, 108706.	1.0	6
203	Taxa, turnover and taphofacies: a preliminary analysis of facies-assemblage relationships in the Ediacara Member (Flinders Ranges, South Australia). <i>Australian Journal of Earth Sciences</i> , 2020, 67, 905-914.	0.4	11
204	Regional persistence of the extant coral genus <i>Stephanocoenia</i> since the Early Cretaceous in the Western Atlantic. <i>Palaontologische Zeitschrift</i> , 2020, 94, 17-39.	0.8	2
205	Evaluating tectonic models for the formation of the North American Cordillera using multivariate statistical analysis of Late Triassic conodont faunas. <i>Palaeobiodiversity and Palaeoenvironments</i> , 2020, 100, 135-149.	0.6	4
206	Climatic affinities of Neotropical species of Capparaeaceae: an approach from ecological niche modelling and numerical ecology. <i>Botanical Journal of the Linnean Society</i> , 2020, 193, 263-275.	0.8	7
207	Central Iberia in the middle MIS 3. Paleocological inferences during the period 34â€“40â€“calâ€“kyr BP. <i>Quaternary Science Reviews</i> , 2020, 228, 106027.	1.4	14
208	Dramatic recent changes in small mammal assemblages from Northern Patagonia: A caution for paleoenvironmental reconstructions. <i>Holocene</i> , 2020, 30, 1579-1590.	0.9	12

#	ARTICLE	IF	CITATIONS
209	Late Pleistocene toxodont remains of Tamaulipas, Mexico. Confirmation of the occurrence of <i>Mixotoxodon larensis</i> (Van Frank, 1957) and an analysis of sexual dimorphism. <i>Journal of South American Earth Sciences</i> , 2020, 104, 102849.	0.6	2
210	Bounded by crises: An overview of the evolution of marine ostracods during the Triassic. <i>Marine Micropaleontology</i> , 2022, 174, 101925.	0.5	11
211	Unraveling late Pennsylvanian brachiopod assemblages from the San Rafael Basin (Argentina): Biostratigraphic implications to southwestern Gondwana. <i>Journal of South American Earth Sciences</i> , 2021, 106, 102980.	0.6	7
212	Bryozoans from the lower Silurian (Telychian) Hanchiatien Formation from southern Chongqing, South China. <i>Journal of Paleontology</i> , 2021, 95, 252-267.	0.5	1
213	From fossil associations to ecological communities: a case study from the "Cipit boulders" of the upper Ladinian-lower Carnian St Cassian Formation, Dolomites, NE Italy. <i>Lethaia</i> , 2021, 54, 166-184.	0.6	0
214	Cambrian reefs in the lower Poleta Formation: a new occurrence of a thick archaeocyathan reef near Gold Point, Nevada, USA. <i>Facies</i> , 2021, 67, 1.	0.7	4
215	Clustering with the Average Silhouette Width. <i>Computational Statistics and Data Analysis</i> , 2021, 158, 107190.	0.7	72
216	Middle-Late Pennsylvanian conodonts from South China: Implications for the Global Moscovian-Kasimovian boundary and faunal provincialism. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 577, 110565.	1.0	6
217	Ordination analysis in sedimentology, geochemistry and palaeoenvironment—Background, current trends and recommendations. <i>Depositional Record</i> , 2021, 7, 541-563.	0.8	10
218	Palaeobotanical experiences of plant diversity in deep time. 2: How to measure and analyse past plant biodiversity. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 580, 110618.	1.0	15
219	Design of Dissimilarity Measures: A New Dissimilarity Between Species Distribution Areas. , 2006, , 29-37.		24
220	Approaches to the analysis of faunal change during the East African Pliocene. , 2007, , 1-24.		4
221	Comparing Fuzzy Clusterings in High Dimensionality. <i>Lecture Notes in Computer Science</i> , 2015, , 50-71.	1.0	1
223	Regional-scale spatial heterogeneity in the late Paleocene paratropical forests of the U.S. Gulf Coast. <i>Paleobiology</i> , 2012, 38, 15-39.	1.3	5
224	Changes in the Early Miocene palynoflora and vegetation in the east of the Rubielos de Mora Basin (SEI) Tj ETQq0 0 0 rgBT /Overlock 10 171-204.	0.2	14
225	Statistical Issues in Microbial Source Identification. , 0, , 181-210.		1
226	A Windermere Interstadial marine sequence: environmental and relative sea level interpretations for the western Forth valley, Scotland. <i>Scottish Journal of Geology</i> , 2002, 38, 41-54.	0.1	7
227	SIMILARITY RELATIONSHIPS AMONG GREEK MIDDLE MIOCENE TO EARLY - MIDDLE PLEISTOCENE MAMMAL ASSEMBLAGES. <i>Bulletin of the Geological Society of Greece</i> , 2018, 40, 134.	0.2	1

#	ARTICLE	IF	CITATIONS
228	Biogeography of tenebrionid beetles (Coleoptera: Tenebrionidae) in the circum-Sicilian islands (Italy). <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf Entomology</i> , 2011, 108, 659-672.	1.2	10
229	Morphology and ecological zonation of Caribbean reef corals: the <i>Montastraea</i> "annularis"™ species complex. <i>Marine Ecology - Progress Series</i> , 2008, 369, 89-102.	0.9	20
230	El registro sedimentario de la Cuenca del Bajo Segura (SE España) a través del análisis de correspondencia: implicaciones paleoambientales. <i>Estudios Geológicos</i> , 2017, 73, 071.	0.7	3
231	What is the boundary for the quaternary period and Pleistocene epoch? The contribution of turnover patterns in large mammalian complexes from North-Western mediterranean to the debate. <i>Quaternaire</i> , 2007, , 35-53.	0.1	16
232	A comparison of clustering methods for biogeography with fossil datasets. <i>PeerJ</i> , 2016, 4, e1720.	0.9	10
233	Encrustation patterns on brachiopods from the Middle-Upper Devonian and their paleo-environmental implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 584, 110703.	1.0	4
234	Tuning Graded Possibilistic Clustering by Visual Stability Analysis. <i>Lecture Notes in Computer Science</i> , 2011, , 164-171.	1.0	1
235	Robustness and Outliers. , 2015, , 674-699.		0
236	Binary Coefficients Redux. , 2018, , 143-160.		2
237	Rediscovering the Lys collection in the Muséum national d'Histoire naturelle (Paris, France): first report on Middle Permian ostracods from occidental Hindu Kush, Afghanistan. <i>Geodiversitas</i> , 2018, 40, 471.	0.2	2
238	Quantitative Biofacies Analysis to Identify Relationships and Refine Controls on Paleosol Development, Prince Creek Formation, North Slope Alaska, USA. <i>Geosciences (Switzerland)</i> , 2021, 11, 460.	1.0	1
239	Global biogeography of living brachiopods: Bioregionalization patterns and possible controls. <i>PLoS ONE</i> , 2021, 16, e0259004.	1.1	4
240	Successional development of wood-inhabiting fungi associated with dominant tree species in a natural temperate floodplain forest. <i>Fungal Ecology</i> , 2022, 59, 101116.	0.7	8
241	Distribution pattern of Middle Permian fusulinids in the Lhasa Block, Tibet and their paleogeographic implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 586, 110780.	1.0	4
242	Appearance and disappearance rates of Phanerozoic marine animal paleocommunities. <i>Geology</i> , 2022, 50, 341-345.	2.0	2
243	Unveiling the Permian and Triassic record of drilling predation on ostracods. <i>Marine Micropaleontology</i> , 2022, 173, 102113.	0.5	4
244	High-resolution Bronze Age palaeoenvironmental change in the Eastern Mediterranean: exploring the links between climate and societies. <i>Palynology</i> , 2022, 46, 1-20.	0.7	4
245	Quantitative palaeobiogeography of the Kungurian"Roadian brachiopod faunas in the Tethys: Implications of allometric drifting of Cimmerian blocks and opening of the Meso-Tethys Ocean. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 601, 111078.	1.0	7

#	ARTICLE	IF	CITATIONS
246	Palaeogeographic significance of rugose corals: El Guadiato Area (Southwestern Spain) as a case study. <i>Journal of Iberian Geology</i> , 0, , .	0.7	0
247	Exploring the Species Richness Pattern and Areas of Endemism of Tenebrionidae (Coleoptera) in Xinjiang, China. <i>Diversity</i> , 2022, 14, 558.	0.7	0
248	Tracing ecological fluctuations during the Middle to Late Jurassic of Jhura, Kutch, India, using foraminifera. <i>Marine Micropaleontology</i> , 2022, 177, 102183.	0.5	0
249	Biogeographic patterns in Late Paleozoic trilobites. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 609, 111319.	1.0	2
250	A Comparison of Different Clustering Approaches for High-Dimensional Presence-Absence Data. <i>Emerging Topics in Statistics and Biostatistics</i> , 2022, , 299-318.	0.1	0
251	Sea ice and productivity changes over the last glacial cycle in the AdÃ©lie Land region, East Antarctica, based on diatom assemblage variability. <i>Climate of the Past</i> , 2023, 19, 419-437.	1.3	0
252	Multivariate analyses in paleobiogeography of Devonian rugose corals for revealing the multiple accretionary processes of the southwestern Central Asian Orogenic Belt. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 615, 111455.	1.0	0
253	Phytolith analyses of tropical plants and topsoil from western Peninsular Malaysia and their implications for paleoenvironmental reconstruction. <i>Holocene</i> , 2023, 33, 659-670.	0.9	0
256	Trilobite systematics, biostratigraphy and palaeoecology of the Lower Ordovician Komstad Limestone and Huk Formations, southern Scandinavia. <i>Fossils and Strata</i> , 1995, , 1-374.	2.0	34
264	Matching Between Sets with Binary Coding. <i>Studies in Computational Intelligence</i> , 2024, , 41-62.	0.7	0
265	Matching Between Ordinary Sets. <i>Studies in Computational Intelligence</i> , 2024, , 21-40.	0.7	0
266	Introduction and Main Assumptions. <i>Studies in Computational Intelligence</i> , 2024, , 1-8.	0.7	0