

CITATION REPORT

List of articles citing

Effect of internal mammary harvest on postoperative pain and pulmonary function

DOI: 10.1016/0003-4975(95)90025-x
Annals of Thoracic Surgery, 1993, 56, 1107-9.

Source: <https://exaly.com/paper-pdf/24025093/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
606	Coronary artery bypass grafting after pneumonectomy. <i>Annals of Thoracic Surgery</i> , 1994 , 58, 1538-40	2.7	18
605	Cardiac valvular chondroma. <i>Annals of Thoracic Surgery</i> , 1994 , 58, 1540-2	2.7	10
604	Chronic obstructive pulmonary disease in patients undergoing coronary artery bypass grafting. 1995 , 109, 574-81		57
603	Alterations in pulmonary function after retroperitoneoscopic surgery. 1996 , 78, 821-5		1
602	Effect of different methods of internal thoracic artery harvest on pulmonary function. <i>Annals of Thoracic Surgery</i> , 1997 , 63, 653-5	2.7	31
601	Phrenic nerve injury after coronary artery grafting: is it always benign?. <i>Annals of Thoracic Surgery</i> , 1997 , 64, 148-53	2.7	37
600	STS and EACTS Will Celebrate Jointly the Arrival of the 21st Century in Vienna, June 13-16, 2000. <i>Annals of Thoracic Surgery</i> , 1997 , 63, 655	2.7	
599	The effects of cardiac surgery on early and late pulmonary functions. 1997 , 41, 1193-9		73
598	Anesthetic Management of a Patient Undergoing Minimally Invasive Myocardial Revascularization Before Lung Transplantation. 1998 , 86, 939-942		1
597	Respiratory complications after coronary artery bypass surgery with unilateral or bilateral internal mammary artery grafting. 1998 , 113, 1285-9		48
596	Anesthetic management of a patient undergoing minimally invasive myocardial revascularization before lung transplantation. 1998 , 86, 939-42		4
595	Effect of internal thoracic artery preparation on blood loss, lung function, and pain. <i>Annals of Thoracic Surgery</i> , 1999 , 67, 1078-82	2.7	39
594	Ministernotomy versus median sternotomy for aortic valve replacement: a prospective, randomized study. <i>Annals of Thoracic Surgery</i> , 1999 , 67, 1583-7; discussion 1587-8	2.7	106
593	Respiratory dysfunction after cardiac surgery: effects of avoiding cardiopulmonary bypass and the use of bilateral internal mammary arteries. 2000 , 18, 31-7		78
592	Effects of minimal invasive coronary artery bypass on pulmonary function and postoperative pain. <i>Annals of Thoracic Surgery</i> , 2000 , 70, 461-5	2.7	56
591	Different CABG methods in patients with chronic obstructive pulmonary disease. <i>Annals of Thoracic Surgery</i> , 2001 , 71, 152-7	2.7	99
590	Relationship between nurses' pain knowledge and pain management outcomes for their postoperative cardiac patients. 2001 , 36, 535-45		122

589	Chronic post-sternotomy pain. 2001 , 45, 935-9	161
588	The incidence of chronic post-sternotomy pain after cardiac surgery--a prospective study. 2001 , 45, 940-4	114
587	Ministernotomy versus complete sternotomy for coronary bypass operations: no difference in postoperative pulmonary function. 2001 , 121, 702-7	23
586	Postoperative pulmonary function in coronary artery bypass graft surgery patients undergoing early tracheal extubation: a comparison between short-term mechanical ventilation and early extubation. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2002 , 16, 27-31	2.1 52
585	Pulmonary function 4 months after coronary artery bypass graft surgery. 2003 , 97, 317-22	62
584	Application of the sequential organ failure assessment score to cardiac surgical patients. 2003 , 123, 1229-39	71
583	Daily comparison of respiratory functions between on-pump and off-pump patients undergoing CABG. 2003 , 23, 589-94	36
582	Can chronic poststernotomy pain after cardiac valve replacement be reduced using thoracic epidural analgesia?. 2004 , 48, 871-4	22
581	Respiratory movements are altered three months and one year following cardiac surgery. 2004 , 38, 98-103	46
580	Short-term changes in pulmonary function and respiratory movements after cardiac surgery via median sternotomy. 2004 , 38, 46-52	58
579	The effect of oral prednisolone with chronic obstructive pulmonary disease undergoing coronary artery bypass surgery. 2005 , 20, 252-6	26
578	Introducing the Cardibra: a randomised pilot study of a purpose designed support bra for women having cardiac surgery. 2005 , 4, 220-6	6
577	Pulmonary function after percutaneous coronary intervention and bypass surgery. 2005 , 99, 141-2	
576	Preservation of pleural integrity during coronary artery bypass surgery affects respiratory functions and postoperative pain: a prospective study. 2006 , 13, 145-9	19
575	OPCAB surgery after right pneumonectomy. 2006 , 21, 92-3	4
574	The outcome of sternal wire removal on persistent anterior chest wall pain after median sternotomy. 2006 , 29, 920-4	8
573	Women@ Recovery from Sternotomy-Extension (WREST-E) study: examining long-term pain and discomfort following sternotomy and their predictors. 2008 , 94, 493-7	30
572	Cardiac surgery in patients with previous pneumonectomy. 2008 , 3, 11	8

571	Control of separation in sternal instability by supportive devices: a comparison of an adjustable fastening brace, compression garment, and sports tape. 2008 , 89, 1775-81		21
570	Coronary artery surgery and extracorporeal circulation: the search for a new standard. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2008 , 22, 594-610	2.1	10
569	Single-dose pharmacokinetics of the cholesteryl sulfate complex of amphotericin B in critically ill patients with cholestatic liver failure. 2008 , 12, P23		78
568	Analytical survey of human rabies and animal bite prevalence during one decade in the province of Kerman, Iran. 2008 , 12, P1		0
567	What do people really know about MRSA? A survey of knowledge and attitudes in the general public and hospital visitors. 2008 , 12, P2		78
566	Intensive care infections: risk factors and mortality. 2008 , 12, P3		78
565	Gram-positive nosocomial infections in a general ICU: searching for a clue. 2008 , 12, P4		1
564	Descriptive analysis of ICU patients with hospital-acquired, ventilator-associated, and healthcare-associated pneumonia at four academic medical centers. 2008 , 12, P5		78
563	European multicenter survey on antibiotic prophylaxis in liver transplant patients. 2008 , 12, P6		1
562	A national survey on current practice of use of selective digestive decontamination in the United Kingdom. 2008 , 12, P7		5
561	Community-acquired and healthcare-related urosepsis: a multicenter prospective study. 2008 , 12, P8		1
560	Bedside laparoscopy to diagnose intrabdominal pathology in the ICU. 2008 , 12, P9		78
559	A potential role for the chest X-ray in the transmission of resistant bacteria in the ICU. 2008 , 12, P10		78
558	Healthcare-related bacteraemia admitted to the ICU. 2008 , 12, P11		78
557	Incidence of nosocomial infection in patients with nontraumatic or traumatic coma. 2008 , 12, P12		1
556	Comparative study on infection of the central nervous system in patients with head trauma and spontaneous cerebral hemorrhage. 2008 , 12, P13		2
555	Respiratory community-acquired and healthcare-related sepsis: are they different?. 2008 , 12, P14		78
554	Antibiotic costs in bacteremic and nonbacteremic patients treated with the de-escalation approach. 2008 , 12, P15		78

553	When appropriate antibiotic therapy is relevant in bacteremic septic patients. 2008 , 12, P16	78
552	Incidence of candidemia before and after fluconazole prophylaxis implementation in a 14-bed general ICU. 2008 , 12, P17	78
551	Comparison between mortality and airway colonisation versus noncolonisation with <i>Candida</i> species in critically ill adults. 2008 , 12, P18	78
550	Risk factors for lung colonization by <i>Candida albicans</i> in a general ICU. 2008 , 12, P19	1
549	Combination therapy with efungumab for the treatment of invasive <i>Candida</i> infections: several illustrative case reports. 2008 , 12, P20	3
548	Pooled analysis of safety for micafungin. 2008 , 12, P21	1
547	Pharmacokinetics of micafungin in adult patients with invasive candidiasis and candidaemia. 2008 , 12, P22	78
546	Serum tobramycin levels during selective decontamination of the digestive tract in ICU patients on renal replacement therapy. 2008 , 12, P24	78
545	The pharmacokinetics of dalbavancin in subjects with mild, moderate, or severe hepatic impairment. 2008 , 12, P25	78
544	Dalbavancin dosage adjustments not required for patients with mild to moderate renal impairment. 2008 , 12, P26	78
543	Dalbavancin safety in the phase 2/3 clinical development program. 2008 , 12, P27	78
542	Efficacy of telavancin for treatment of surgical site infections. 2008 , 12, P28	78
541	Recurrence of skin infections in patients treated with telavancin versus vancomycin for complicated skin and soft tissue infections in a New Orleans emergency department. 2008 , 12, P29	2
540	Daptomycin therapy for Gram-positive bacterial infections: a retrospective study of 30 cardiac surgery patients. 2008 , 12, P30	78
539	Therapy with teicoplanin in the ICU: continuous intravenous infusion or intermittent intravenous administration?. 2008 , 12, P31	78
538	Bacterial population and antibiotic resistance in an ICU during a 4-year period. 2008 , 12, P32	78
537	Relationship of microorganism carriage and infections in ICU patients. 2008 , 12, P33	78
536	Rifampicin and colistin association in the treatment of severe multiresistant <i>Acinetobacter baumannii</i> infections. 2008 , 12, P34	78

535	Trends of resistance of Gram-negative bacteria in the ICU during a 3-year period. 2008 , 12, P35	78
534	Colonization and infection by potential Gram-negative multiresistant microorganism in a medical/surgical ICU. 2008 , 12, P36	0
533	Changing resistance pattern for Acinetobacter baumannii through the years. 2008 , 12, P37	78
532	Catheter-related bloodstream infection according to central venous accesses. 2008 , 12, P38	78
531	Comparison of oligon central venous catheters with standard multilumen central venous catheters in cardiac surgery ICU patients. 2008 , 12, P39	78
530	A multicenter randomized controlled clinical trial comparing central venous catheters impregnated with either 5-fluorouracil or chlorhexidine/silver sulfadiazine in preventing catheter colonization. 2008 , 12, P40	3
529	High epithelial lining fluid concentrations of NKTR-061 (inhaled amikacin) twice daily achieved in pneumonic portions of lung. 2008 , 12, P41	78
528	NKTR-061 (inhaled amikacin) delivers high lung doses in mechanically ventilated patients with pneumonia and in healthy subjects. 2008 , 12, P42	4
527	Ten-year exploratory retrospective study on empyema. 2008 , 12, P43	78
526	Validation of predictive rules for ICU patients with community-acquired pneumonia. 2008 , 12, P44	78
525	Effect of age on resolution of ventilator-associated pneumonia. 2008 , 12, P45	78
524	An endotracheal tube with a polyurethane cuff and subglottic secretion drainage reduces the incidence of primary and secondary endogenous ventilator-associated pneumonia. 2008 , 12, P46	1
523	Effect of continuous aspiration of subglottic secretions on the prevention of ventilator-associated pneumonia in mechanically ventilated patients. 2008 , 12, P47	6
522	Effect of an oral care protocol in preventing ventilator-associated pneumonia in ICU patients. 2008 , 12, P48	3
521	Soluble triggering receptor expressed on myeloid cells-1 in bronchoalveolar lavage is not predictive for ventilator-associated pneumonia. 2008 , 12, P49	78
520	Ventilator-associated pneumonia in an ICU: epidemiology, etiology and comparison of two bronchoscopic methods for microbiological specimen sampling. 2008 , 12, P50	78
519	Presence of human metapneumovirus in bronchoalveolar lavage fluid samples detected by means of real-time polymerase chain reaction. 2008 , 12, P51	78
518	Prebiotic, probiotic and synbiotic usage and gastrointestinal and trachea colonization in mechanically ventilated patients. 2008 , 12, P52	78

517	Comparison of the surveillance with quantitative and nonquantitative ETA cultures in predicting ventilator-associated pneumonia etiology in patients receiving antibiotic therapy. 2008 , 12, P53	78
516	Errors regarding specific preventive measures of ventilator-associated pneumonia in the ICU. 2008 , 12, P54	78
515	Clinical predictors for septic shock in patients with ventilator-associated pneumonia. 2008 , 12, P55	78
514	Antibiotic-related acute effects within the intestinal microcirculation in experimental sepsis. 2008 , 12, P56	1
513	Intraperitoneal lipopolysaccharide-induced neutrophil sequestration in the lung microvasculature is due to a factor produced in the peritoneal cavity. 2008 , 12, P57	78
512	Correlation between microcirculatory flow, density and heterogeneity scores in septic shock patients. 2008 , 12, P58	78
511	Effect of iloprost on the microcirculation and liver function after orthotopic liver transplantation. 2008 , 12, P59	78
510	Noninvasive monitoring of peripheral perfusion with physical examination and the peripheral flow index correlates with dynamic near-infrared spectroscopy measurements in patients with septic shock. 2008 , 12, P60	2
509	Effect of intravenous nitroglycerin on the sublingual microcirculation in patients admitted to the intensive cardiac care unit. 2008 , 12, P61	78
508	Relationship between the sublingual microcirculation and lactate levels in patients with heart failure. 2008 , 12, P62	78
507	Sidestream dark-field imaging versus orthogonal polarization spectroscopic imaging: a comparative study. 2008 , 12, P63	1
506	Finger reactive hyperaemia to measure endothelial function in sepsis and health (the FRESH study). 2008 , 12, P64	1
505	Microcirculatory investigation in severe trauma injury. 2008 , 12, P65	78
504	Assessment of tissue hypoperfusion by subcutaneous microdialysis during septic shock: cases with bacteremia versus nonbacteremia. 2008 , 12, P66	1
503	Tissue perfusion evaluation with near-infrared spectroscopy during treatment with activated protein C. 2008 , 12, P67	78
502	Tissue oxygen saturation does not correlate with the oxygen delivery index during major abdominal surgery. 2008 , 12, P68	78
501	Near-infrared spectroscopy as a potential surrogate for mixed venous oxygen saturation for evaluation of patients with hemodynamic derangements. 2008 , 12, P69	3
500	Changes in thenar eminence tissue oxygen saturation measured using near-infrared spectroscopy suggest ischaemic preconditioning in a repeated arterial occlusion forearm ischaemia model. 2008 , 12, P70	1

499	Tissue oxygen saturation during anaesthesia, cardiopulmonary bypass and intensive care stay for cardiac surgery. 2008 , 12, P71	78
498	Near-infrared spectroscopy during stagnant ischemia: a marker of ScvO ₂ /SvO ₂ mismatch in septic patients with low cardiac output. 2008 , 12, P72	78
497	Relationship between central venous oxygen saturation measured in the inferior and superior vena cava. 2008 , 12, P73	78
496	Early worst central venous oxygen saturation is predictive of mortality in severe head trauma but not in moderate head trauma. 2008 , 12, P74	1
495	Comparison between continuous and discontinuous central venous oxygen saturation in the ICU: a prospective study and preliminary results. 2008 , 12, P75	78
494	Influence of tissue perfusion on the outcome of high-risk surgical patients needing blood transfusion. 2008 , 12,	78
493	Hyperlactatemia and low central venous saturation can predict prognosis after cardiac surgery. 2008 , 12,	78
492	Clinical utility of arterialised capillary earlobe sampling in the critical care setting. 2008 , 12, P78	2
491	Emergent internal jugular vein cannulation as a risk factor associated with arterial puncture. 2008 , 12, P79	78
490	Use of ultrasound for central venous catheter placement. 2008 , 12, P80	0
489	Is there a safe mean airways pressure in preterm babies with hyaline membrane disease: an echocardiographic retrospective approach. 2008 , 12, P81	78
488	Right ventricular dysfunction in liver failure: a hemodynamic study. 2008 , 12, P82	78
487	Diastolic function abnormalities in ICU patients with chronic obstructive pulmonary disease. 2008 , 12, P83	78
486	Noninvasive rodent cardiac output: comparison of a compact clinical monitor with echocardiography and proposal of a simple correction factor. 2008 , 12, P84	78
485	Prospective, observational study of the reliability of achieving diagnostic quality transthoracic echocardiography images in critically ill adult patients. 2008 , 12, P85	78
484	Evaluation of bedside lung ultrasonography in the diagnosis of alveolar-interstitial syndrome and pleural effusion in the ICU. 2008 , 12, P86	78
483	Measurement of vena cava inferior diameter in hemorrhagic shock diagnosis. 2008 , 12, P87	1
482	Arterial pressure changes during the Valsalva maneuver to predict fluid responsiveness in spontaneously breathing patients. 2008 , 12, P88	1

481	Passive leg raising predicts fluid responsiveness after cardiac surgery. 2008 , 12,	78
480	Variation of hemodynamic parameters after fluid challenge. 2008 , 12, P90	2
479	Comparison of pulse pressure variation and end-diastolic volume index in an experimental model of hemorrhagic shock in the pig. 2008 , 12,	78
478	Evaluation of systolic pressure variation and pulse pressure variation in an experimental model of acute normovolemic hemodilution. 2008 , 12,	78
477	Venous return in ICU patients. 2008 , 12, P93	2
476	Prediction of fluid responsiveness by FloTrac and PiCCOplus in cardiac surgery patients. 2008 , 12, P94	78
475	Myocardial dysfunction in sepsis studied with the pressure recording analytical method. 2008 , 12, P95	78
474	TruCCOMS: real-time continuous cardiac output?. 2008 , 12, P96	78
473	Evaluation of a modified FloTrac algorithm for cardiac output measurement in cardiac surgery patients. 2008 , 12, P97	78
472	Reliability of continuous pulse contour cardiac output measurement. 2008 , 12, P98	78
471	Indication of peripheral decoupling during extreme hyperdynamic conditions in septic patients. 2008 , 12, P99	78
470	How accurate are different arterial pressure-derived estimates of cardiac output and stroke volume variation measures in critically ill patients?. 2008 , 12, P100	78
469	Uncalibrated arterial pulse contour analysis in major vascular surgery. 2008 , 12, P101	78
468	Comparison of Niccom bioimpedance cardiac output with lithium dilution (LIDCO) in ICU patients. 2008 , 12, P102	0
467	Intrathoracic blood volume measurement: comparison of transpulmonary lithium indicator dilution with indocyanine green indicator dilution. 2008 , 12, P103	78
466	Global end-diastolic volume as an indicator of cardiac preload in hemorrhagic shock and resuscitation in swine. 2008 , 12, P104	78
465	Prognostic value of the extravascular lung water index in critically ill septic shock patients. 2008 , 12, P105	78
464	Conjunctival microcirculation in patients with traumatic brain injury. 2008 , 12, P106	2

463	Novel models for the prediction of mortality after traumatic brain injury requiring intensive care. 2008 , 12, P107	78
462	Changes in cerebral physiology following cranioplasty: a 15oxygen positron emission tomography study. 2008 , 12, P108	78
461	Brain tissue oxygenation: more than a number. 2008 , 12, P109	78
460	Fatty acid binding protein and tau levels are related to brain damage and outcome after subarachnoid hemorrhage. 2008 , 12, P110	78
459	Transdermal nicotine replacement is associated with lower mortality among active smokers admitted with spontaneous subarachnoid hemorrhage. 2008 , 12, P111	1
458	Impact of treatment with pravastatin on delayed ischemic disease and mortality after aneurysmal subarachnoid hemorrhage. 2008 , 12, P112	12
457	Pentraxin 3 as a marker of vasospasm following subarachnoid hemorrhage. 2008 , 12, P113	78
456	Transcranial sonography investigations of the cerebral blood flow disturbances after hypothalamic pituitary and brain stem surgery. 2008 , 12, P114	78
455	Flow velocity in head injury of different severity: findings of transcranial duplex sonography. 2008 , 12, P115	78
454	Transcranial Doppler in serious malaria. 2008 , 12, P116	78
453	Noninvasive assessment of intracranial pressure using ocular sonography in neurocritical care patients. 2008 , 12, P117	5
452	Clinical and prognostic role of intracranial pressure monitoring in patients with aneurysmal subarachnoid haemorrhage. 2008 , 12, P118	78
451	Electroencephalogram desynchronization in brain trauma patients. 2008 , 12, P119	1
450	Effects of mannitol and melatonin on magnetic resonance imaging findings in secondary brain damage. 2008 , 12, P120	78
449	Brain trauma care targets analysis using a high-rate recording and computing network. 2008 , 12, P121	78
448	Audit of compliance with ventilation protocol in severe head injuries: a retrospective study. 2008 , 12, P122	78
447	c-Jun N-terminal kinase pathway activation in human and experimental traumatic brain injury: neuroprotective effects of its inhibition. 2008 , 12, P123	78
446	Hormones and cytokines as biomarkers for immediate cure measures in severe neurosurgical patients: base for inclusion in a neuromonitoring algorithm. 2008 , 12, P124	78

445	Is the ratio of lactated to pyrostaphylic acid in cerebral tissue a prognostic index for the outcome of patients with intracerebral hemorrhage?. 2008 , 12, P125	78
444	Coagulopathy predicts poor outcome in traumatic brain injury. 2008 , 12, P126	0
443	Alteplase for acute ischemic stroke: 2 years in a community hospital without previous experience in stroke thrombolysis. 2008 , 12, P127	78
442	Acute lung injury in a neurosciences critical care unit. 2008 , 12, P128	78
441	Hemodynamic changes after hypothalamic and brain stem surgery: interdisciplinary approach to studying. 2008 , 12, P129	78
440	Evaluation of development of diabetes insipidus in the early phase following traumatic brain injury in critically ill patients. 2008 , 12, P130	6
439	Hypernatremia and mortality in patients with severe traumatic brain injury. 2008 , 12, P131	78
438	Gastric tubes in patients with severe brain injury. 2008 , 12, P132	1
437	Alcohol: a risk factor for head injury. 2008 , 12, P133	78
436	Existence of microalbuminuria during evolution of acute coronary syndrome is a powerful short-term and long-term prognostic factor. 2008 , 12, P134	1
435	Nonoperative management of blunt trauma in abdominal solid organ: a prospective study to evaluate the success rate and predictive factors of failure. 2008 , 12, P135	1
434	Evidence for early presence of intestinal epithelial cell damage in multitrauma patients. 2008 , 12, P136	78
433	ICU predictors of morbidity after major trauma. 2008 , 12, P137	78
432	Hospital mortality and length of ICU stay in severely burned patients. 2008 , 12, P138	78
431	Sympathetic responses during hemorrhagic shock. 2008 , 12, P139	78
430	Metabolic evaluation during weaning from mechanical ventilation using indirect calorimetry. 2008 , 12, P140	1
429	Hypocaloric nutrition and outcome in critically ill patients with prolonged ICU stay. 2008 , 12, P141	78
428	Early introduction of enteral feeding for patients with percutaneous cardiopulmonary support. 2008 , 12, P142	78

427	Nutritional activation of the cholinergic pathway after hemorrhagic shock reduces inflammation and preserves intestinal integrity. 2008 , 12, P143	78
426	Inflammatory response in patients requiring parenteral nutrition: comparison of a new fish-oil-containing emulsion (SMOF [®]) versus an olive/soybean oil-based formula. 2008 , 12, P144	6
425	Lipid-enriched nutrition reduces inflammation via local activation of the autonomic nervous system by cholecystokinin. 2008 , 12, P145	78
424	Efficacy of glutamine dipeptide-supplemented total parenteral nutrition in critically ill patients: a prospective, double-blind randomized trial. 2008 , 12, P146	78
423	Arginine reduces leukocyte/endothelial cell interaction in a model of normotensive endotoxemia without attenuating capillary perfusion failure. 2008 , 12, P147	78
422	Antioxidant intake by intensive care patients. 2008 , 12, P148	78
421	Influence of first glycemia determination in acute coronary syndrome: long-term prognosis. 2008 , 12, P149	78
420	Tight blood glucose control decreases surgical wound infection in the cardiac surgical patient population in the ICU. 2008 , 12, P150	78
419	Mechanisms of kidney protection by intensive insulin therapy during critical illness. 2008 , 12, P151	78
418	Complement activation after uncomplicated coronary artery bypass grafting: role of strict glucose control. 2008 , 12, P152	78
417	Relationship between admission blood glucose level and prognosis in acute ischemic and hemorrhagic stroke patients. 2008 , 12, P153	78
416	Significance of the suppression of blood glucose variability in acutely ill severe patients with glucose intolerance evaluated by means of bedside-type artificial pancreas. 2008 , 12, P154	2
415	Implementing intensive insulin therapy in daily practice reduces the incidence of critical illness polyneuropathy and/or myopathy. 2008 , 12, P155	1
414	Evaluation of the implementation of a fully automated algorithm (eMPC) in an interacting infusion pump system for the establishment of tight glycaemic control in medical ICU patients. 2008 , 12, P156	78
413	Tight glucose control by intensive insulin therapy in Belgian ICU: an evaluation of practice. 2008 , 12, P157	1
412	Glucose control and the incidence of severe hypoglycaemia in a burns population following the introduction of intensive insulin therapy. 2008 , 12, P158	78
411	Achieving glycemic control with intensive insulin therapy in the ICU. 2008 , 12, P159	78
410	Intensive insulin therapy: protocols in use in The Netherlands. 2008 , 12, P160	78

409	Serum insulin-like growth factor binding protein 1 and C-peptide to assess insulin resistance in septic patients. 2008 , 12, P161	78
408	Insulin increases deformation-induced lung cell death. 2008 , 12, P162	78
407	Factors influencing accuracy of blood glucose measurements in critically ill patients. 2008 , 12, P163	78
406	Evaluation of a noninvasive blood glucose monitoring device for critically ill patients. 2008 , 12, P164	78
405	Evaluation of a near-infrared automated blood glucose monitor for use in critical care settings. 2008 , 12, P165	2
404	Comparison of accuracy of three point-of-care glucometers in an adult ICU. 2008 , 12, P166	0
403	Accuracy of point-of-care blood glucose measurements in the medical ICU. 2008 , 12, P167	78
402	Tight glycemic control: comparison of a real-time continuous interstitial tissue glucose monitoring system with arterial plasma glucose measurement in critically ill patients. 2008 , 12, P168	1
401	Lactate measurement by the capillary method in shocked patients. 2008 , 12, P169	78
400	Influence of Stewart acidBase variables on plasma pH in critically ill patients. 2008 , 12, P170	78
399	Value of postoperative C-reactive protein and leukocyte count after elective thoracoabdominal aneurysm surgery. 2008 , 12, P171	78
398	Role of inflammation in nonhemorrhagic strokes. 2008 , 12, P172	78
397	Biomarkers that might improve prognostic accuracy in ICU patients. 2008 , 12, P173	78
396	Plasma C-reactive protein and albumin as predictors of readmission to intensive care. 2008 , 12, P174	78
395	Role of the leukocyte antisedimentation rate in prediction of early recognition of post-stroke infection. 2008 , 12, P175	78
394	Identifying sepsis in the emergency room: the best clinical and laboratory variables. 2008 , 12, P176	78
393	Procalcitonin, cytokine and NOx in diabetic ketoacidosis. 2008 , 12, P177	1
392	Assessment of procalcitonin values in deep mycosis associated with high BD-glucan values. 2008 , 12, P178	78

391	Elevation of procalcitonin in chronic dialysed patients. 2008 , 12, P179	1
390	Role of procalcitonin in diagnostics of acute adrenal insufficiency. 2008 , 12, P180	78
389	Use of procalcitonin as an aid to antibiotic prescribing in intensive care. 2008 , 12, P181	78
388	Procalcitonin to guide length of antibiotic therapy in surgical intensive care patients. 2008 , 12, P182	78
387	Validation of procalcitonin measurement to the side of the stream bed as marking infection in intensive therapy patients. 2008 , 12, P183	78
386	Prognostic value of raised procalcitonin when combined with routine biomarkers of sepsis among critically ill patients. 2008 , 12, P184	78
385	Procalcitonin in elective colorectal surgery and its predictive value for an early discharge of fast-track patients. 2008 , 12, P185	1
384	Endotoxin adsorption method may affect serum procalcitonin. 2008 , 12, P186	1
383	Discriminative procalcitonin values for diagnosis of systemic inflammatory response syndrome and sepsis in the ICU. 2008 , 12, P187	78
382	Measurement of procalcitonin in bronchoalveolar lavage and serum as early predictors in acute respiratory distress syndrome. 2008 , 12, P188	78
381	Correlation of endotoxin, procalcitonin and C-reactive peptide patterns with ICU admission. 2008 , 12, P189	2
380	Why measure endotoxin in septic shock patients?. 2008 , 12, P190	1
379	Measuring endotoxin with newly developed endotoxin scattering photometry. 2008 , 12, P191	78
378	Biochemical markers of the iron metabolism and their relationship with the inflammatory status in multiple trauma patients. 2008 , 12, P192	1
377	Compartmentalization of the inflammatory response in abdominal sepsis. 2008 , 12, P193	78
376	Early elevation of plasma soluble CD14 subtype, a novel biomarker for sepsis, in a rabbit cecal ligation and puncture model. 2008 , 12, P194	22
375	Proinflammatory versus anti-inflammatory cytokine profiles as an early predictor of outcome in severe multiple trauma. 2008 , 12, P195	2
374	Immunoparalysis in patients with acute respiratory distress syndrome. 2008 , 12, P196	78

373	Transforming growth factor beta 1 gene transcription in infection and severe sepsis displays distinguishing characteristics. 2008 , 12, P197	78
372	Accumulation of advanced glycation end products in intensive care patients. 2008 , 12, P198	78
371	Total antioxidant status and lipid metabolism in patients with severe multiple trauma. 2008 , 12, P199	78
370	Evaluation of plasma thiolic groups and reactive oxygen metabolites in critically ill patients. 2008 , 12, P200	78
369	Decreased apolipoprotein A1 levels correlate with sepsis and adverse outcome among ICU patients. 2008 , 12, P201	7
368	Coagulation in hospitalized community-acquired pneumonia: disturbances in even the least ill. 2008 , 12, P202	2
367	Testing of anti-activated protein C antibodies in four drotrecogin alfa (activated) severe sepsis studies. 2008 , 12, P203	78
366	Early infusion of recombinant human activated protein C decreases the number of years lost due to premature death. 2008 , 12, P204	1
365	Extended drotrecogin alfa (activated) therapy in patients with persistent requirement for vasopressor support after 96-hour infusion with commercial drotrecogin alfa (activated). 2008 , 12, P205	2
364	Drotrecogin alfa: start early, ensure response, stop early!. 2008 , 12, P206	78
363	Association of mortality in the surgical ICU with plasma concentrations of plasminogen activator inhibitor-1 and soluble E-selectin. 2008 , 12, P207	78
362	Efficacy of antithrombin administration in the acute phase of burn injury. 2008 , 12, P208	1
361	Whole blood coagulation and platelet activation in the athlete: a comparison of marathon, triathlon and long-distance running. 2008 , 12, P209	78
360	Admission platelet count as a prognostic indicator in intensive care. 2008 , 12, P210	1
359	A phase 1 trial of nebulized heparin in acute lung injury. 2008 , 12, P211	1
358	Thromboelastography in clinical decision-making in the critically ill patient in a district general hospital ICU. 2008 , 12, P212	1
357	Modifications of coagulation imbalance during antithrombin treatment in preeclamptic patients: our experience. 2008 , 12, P213	6
356	Thrombocytopenia is associated with mortality in hospitalized patients with low risk of death. 2008 , 12, P214	78

355	Functional state of the hemostasis system in physiological pregnancy and late toxicosis. 2008 , 12, P215	78
354	Plasma fibrinolysis is related to the SOFA score but not to the von Willebrand factor on ICU admission. 2008 , 12, P216	1
353	Perioperative monitoring of coagulation in patients after abdominal surgery. 2008 , 12, P217	78
352	Neutrophil oxidative burst evaluation during acute normovolemic hemodilution. 2008 , 12,	1
351	Reticulocyte counts and their relation to hemoglobin levels in trauma patients. 2008 , 12, P219	78
350	Geographic variation in the reversal of vitamin K antagonist-associated coagulopathy. 2008 , 12, P220	78
349	Prothrombin complex concentrate use in surgical patients: a retrospective analysis of efficacy and safety for coumarin reversal and bleeding management. 2008 , 12, P221	78
348	Postoperative dose of tranexamic acid decreases postoperative bleeding and inflammatory response associated with cardiopulmonary bypass: a randomized, double-blind study. 2008 , 12, P222	78
347	Predicting response to recombinant activated factor VIIa administration in the critically ill. 2008 , 12, P223	78
346	A multicentre prospective open-label study assessing efficacy and safety of a triple-secured fibrinogen concentrate in the treatment of postpartum haemorrhage. 2008 , 12, P224	0
345	Comparison of prothrombin complex concentrate and fresh frozen plasma on thrombin generation and hemorrhage in experimental dilutional coagulopathy. 2008 , 12, P225	78
344	Potential effects of infused particles in paediatric intensive care patients. 2008 , 12, P226	78
343	What is the efficacy of a filter needle in the retention of typical bacterial pathogens?. 2008 , 12, P227	78
342	Administration of a standardized plasma-protein solution (Biseko [®]) in high-risk patients with systemic inflammatory response syndrome: influence on cytokine levels and survival. 2008 , 12, P228	0
341	Albumin versus colloids in colon surgery patients: preliminary results. 2008 , 12, P229	2
340	Influence of hydroxylethyl starch infusions on cerebral blood flow in patients with severe traumatic brain injury. 2008 , 12, P230	78
339	Haemodynamic effects of a fluid challenge with hydroxylethyl starch 130/0.4 (Voluven [®]) in patients suffering from symptomatic vasospasm after subarachnoid haemorrhage. 2008 , 12, P231	78
338	Hydroxyethyl starch 200/0.5 induces more renal macrophage infiltration than hydroxyethyl starch 130/0.42 in an isolated renal perfusion model. 2008 , 12, P232	78

337	Hydroxyethyl starch 130/0.42/6:1 for perioperative plasma volume replacement is safe and effective in children. 2008 , 12, P233	78
336	Effects of two different hydroxyethylstarch solutions on colloid osmotic pressure and renal function in ovine endotoxemic shock. 2008 , 12, P234	78
335	Transfusion policy and outcome in critically ill patients with a long ICU stay. 2008 , 12, P235	78
334	Outcome of surgical patients who needed blood transfusion. 2008 , 12,	78
333	Immediate transfusion without crossmatching. 2008 , 12, P237	78
332	Intraoperative red blood transfusion is associated with adverse outcome after cardiac surgery. 2008 , 12,	2
331	Acute transfusion reactions in critically ill pediatric patients. 2008 , 12, P239	78
330	Utility of an artificial oxygen carrier in a rat haemorrhagic shock model. 2008 , 12, P240	78
329	Clinical outcome and mortality associated with postoperative low cardiac output after cardiopulmonary bypass: a cohort study. 2008 , 12, P241	78
328	Renal insufficiency is a powerful predictor of worse outcome in patients with acute heart failure. 2008 , 12, P242	78
327	Study of risk factors and prognoses in female patients younger than 60 years old with acute myocardial infarction. 2008 , 12, P243	78
326	Impact factors of multiple organ dysfunction syndromes complicating acute myocardial infarction in the elderly: multivariate logistic regression analysis. 2008 , 12, P244	1
325	Impact factors of pneumonia in hospitalized patients with acute myocardial infarction. 2008 , 12, P245	78
324	Left ventricular TEI index: comparison between flow and tissue Doppler analyses and its association with postoperative atrial fibrillation in cardiopulmonary bypass surgery. 2008 , 12, P246	78
323	Color-coded speckle tracking radial strain dyssynchrony analysis in a canine model of left bundle branch block and cardiac resynchronization therapy. 2008 , 12,	78
322	Endotoxin impairs the human pacemaker current If. 2008 , 12, P248	78
321	Cardiac cycle efficiency correlates with pro-B-type natriuretic peptide in cardiac surgery patients. 2008 , 12, P249	3
320	Bradford Acute Coronary Syndrome study IIthe impact of primary percutaneous coronary intervention in a tertiary centre: a review of the process. 2008 , 12, P250	78

319	Preoperative tissue Doppler imaging and diastolic filling patterns on postoperative new-onset atrial fibrillation in cardiopulmonary bypass surgery. 2008 , 12, P251	78
318	Risk factors of hospitalisation in general surgery units: new application of International Classification of Diseases. 2008 , 12, P252	78
317	Prophylactic modalities against venous thromboembolism in complicated surgery for cancer patients. 2008 , 12, P253	78
316	Cardiac output and oxygen delivery are affected by intraoperative hyperthermic intrathoracic chemotherapy. 2008 , 12, P254	78
315	Influence of donor gender in early outcome after lung transplantation. 2008 , 12, P255	78
314	Early outcome following single versus bilateral lung transplantation in recipients 60 years of age and older. 2008 , 12, P256	1
313	Acute mesenteric ischemia: a comparative study of causes and mortality rates in Shiraz, Southern Iran. 2008 , 12, P257	78
312	Systemic inflammatory response syndrome post cardiac surgery: a useful concept?. 2008 , 12, P258	1
311	Modulation of the inflammatory response induced during coronary artery bypass graft surgery. 2008 , 12, P259	78
310	Intraoperative optimization of hemodynamic parameters is associated with a better outcome after cardiac surgery. 2008 , 12,	78
309	Effects of inhaled iloprost on right ventriculovascular coupling and ventricular interdependence in acute pulmonary hypertension. 2008 , 12, P261	78
308	Dobutamine in acute myocardial infarction: should we use it for reduction of pulmonary hypertension and pulmonary capillary wedge pressure in acute myocardial infarction?. 2008 , 12, P262	78
307	Dobutamine protects lymphocytes against staurosporin-induced apoptosis: investigation of the antioxidative action of the dobutamine molecule. 2008 , 12, P263	78
306	Hemodynamic effects of levosimendan in patients with low-output heart failure. 2008 , 12, P264	78
305	Levosimendan does not improve resuscitation success after hypovolemic cardiac arrest. 2008 , 12, P265	1
304	Early experience with levosimendan in children with low-output syndrome after cardiac surgery. 2008 , 12,	78
303	Effects of levosimendan in acute heart failure, cardiogenic and septic shock. 2008 , 12, P267	78
302	Sedation during mechanical ventilation: a comparison of sedation and awake sedation. 2008 , 12, P268	78

301	Multiparametric evaluation of sedation in the ICU. 2008 , 12, P269	1
300	Short-term sevoflurane sedation using the anaesthetic conserving device AnaConDa [®] after cardiac surgery: feasibility, recovery and clinical issues. 2008 , 12, P270	1
299	Thoracal epidural analgesia in upper abdominal surgery. 2008 , 12, P271	1
298	Etomidate and relative adrenal insufficiency in cardiopulmonary bypass surgery: impact on the postoperative hemodynamic status. 2008 , 12, P272	78
297	Economic evaluation of remifentanyl-based versus conventional sedation for patients with an anticipated mechanical ventilation duration of 28 days in Germany. 2008 , 12, P273	78
296	Propofol pharmacokinetics in preterm and term neonates: the relevance of both postmenstrual and postnatal age. 2008 , 12, P274	1
295	Comparison of sedation with dexmedetomidine versus lorazepam in septic ICU patients. 2008 , 12, P275	13
294	Dexmedetomidine-based sedation for noninvasive ventilation failure. 2008 , 12, P276	78
293	Dexmedetomidine for endovascular neurosurgery. 2008 , 12, P277	78
292	Single-centre audit on the use of intravenous paracetamol in neonates. 2008 , 12, P278	78
291	Postmenstrual age and CYP2D6 polymorphisms determine urinary tramadol O-demethylation excretion in critically ill neonates and infants. 2008 , 12, P279	1
290	Pressure support ventilation improves oxygenation by redistribution of pulmonary blood flow in experimental lung injury. 2008 , 12, P280	78
289	Model based analysis reveals differences in viscoelasticity between acute respiratory distress syndrome and healthy lungs. 2008 , 12, P281	78
288	Short time efficacy and safety of modified pressure-controlled ventilation recruitment maneuver in a group of patients with acute respiratory distress syndrome. 2008 , 12, P282	78
287	Effect of frequency on lung protection during high-frequency oscillation ventilation in a sheep acute respiratory distress syndrome model. 2008 , 12, P283	78
286	Hungarian sites of the multinational VALID study are responsive to training measures advocating the ARDS Network ventilation protocol. 2008 , 12, P284	78
285	High-frequency oscillatory ventilation and adult patients with acute respiratory distress syndrome: our impressions and experience. 2008 , 12, P285	78
284	Perfusion pressure and positive end-expiratory pressure influence edema formation in isolated porcine lungs. 2008 , 12, P286	78

283	Closed system endotracheal suction to reduce loss in functional residual capacity during pressure-controlled mechanical ventilation. 2008 , 12, P287	78
282	Effects of melatonin in an experimental model of ventilator-induced lung injury. 2008 , 12, P288	1
281	Hyperoxia inhibits alveolar epithelial repair by inhibiting the transdifferentiation of alveolar epithelial type II cells into type I cells. 2008 , 12, P289	0
280	Pretreatment with atorvastatin ameliorates lung injury caused by high-pressure/high-tidal-volume mechanical ventilation in isolated normal rabbit lungs. 2008 , 12, P290	78
279	Systemic markers of inflammation in mechanically ventilated brain-injured patients in the absence of sepsis and acute lung injury: the effect of positive end-expiratory pressure. 2008 , 12, P291	78
278	Shotgun proteomics reveals biochemistry of normal and acute respiratory distress syndrome bronchoalveolar lavage fluid proteome. 2008 , 12, P292	78
277	Surrogate markers of pulmonary edema and severity of lung injury do not accurately reflect measured extravascular lung water. 2008 , 12, P293	78
276	Different tidal volumes induce similar elevation of lung injury markers in animals sensitized to injury by previous anesthesia and surgery. 2008 , 12, P294	78
275	Effects of an open lung approach following the ARDS Network ventilatory strategy in patients with early acute lung injury/acute respiratory distress syndrome. 2008 , 12, P295	78
274	From low-tidal-volume ventilation to lowest-tidal-volume ventilation. 2008 , 12, P296	78
273	Relationship of the stress index, lung recruitment and gas exchange in patients with acute respiratory distress syndrome. 2008 , 12, P297	1
272	Pulmonary homogeneity changes during recruitment maneuvers and positive end-expiratory pressure in dogs with acute respiratory distress syndrome. 2008 , 12, P298	78
271	Positive end-expiratory pressure-induced changes of the vibration response image. 2008 , 12, P299	78
270	Effect of positive end-expiratory pressure application on inflammation in acute respiratory distress syndrome patients during pressure-volume curve maneuver. 2008 , 12, P300	78
269	Airway pressure release ventilation: an alternative ventilation mode for pediatric acute respiratory distress syndrome. 2008 , 12, P301	78
268	Influence of rhDNase on the duration of mechanical ventilation in intensive care patients. 2008 , 12, P302	78
267	Respiratory dialysis: a new therapy for chronic obstructive pulmonary disease. 2008 , 12, P303	78
266	Effect of the inspiratory flow pattern on inspiration/expiration transition of lung vibrations in mechanically ventilated patients. 2008 , 12, P304	78

265	Effect of the pressure ramp on the breathing pattern and respiratory drive in pressure support ventilation. 2008 , 12, P305	78
264	Knowledge acquisition to design a fuzzy system for disease-specific automatic control of mechanical ventilation. 2008 , 12, P306	78
263	Use of chest sonography to estimate alveolar recruitment in general anesthesia. 2008 , 12, P307	78
262	Lung sound analysis to detect recruitment processes during mechanical ventilation. 2008 , 12, P308	2
261	Lung sound patterns of exacerbation of congestive heart failure, chronic obstructive pulmonary disease and asthma. 2008 , 12, P309	78
260	Determination of expiratory lung mechanics using cardiogenic oscillations during decelerated expiration. 2008 , 12, P310	78
259	Cardiogenic oscillations reflect nonlinear lung mechanics. 2008 , 12, P311	78
258	Functional residual capacity measurements during mechanical ventilation in ICU patients. 2008 , 12, P312	78
257	Clinical evaluation of a system for measuring functional residual capacity in mechanically ventilated patients. 2008 , 12, P313	78
256	Effects of alveolar recruitment in patients after cardiac surgery: a prospective, randomized, controlled clinical trial. 2008 , 12, P314	1
255	Evaluation of homogeneity of alveolar ventilation with electrical impedance tomography during anaesthesia and laparoscopic surgery. 2008 , 12, P315	78
254	Serum level of growth-related oncogene alpha during abdominal aortic aneurysm repair in humans. 2008 , 12, P316	78
253	Serum bilirubin over 50 $\mu\text{mol/l}$ on postoperative day 5: causes, consequences and outcome. 2008 , 12, P317	1
252	Liver stiffness measurement for diagnosis of portal hypertension-related digestive bleeding in the ICU. 2008 , 12, P318	78
251	Small intestinal transit time in critically ill patients using endoscopic video capsule. 2008 , 12, P319	1
250	Transpulmonary pressure evaluation in an obese patient under mechanical ventilation. 2008 , 12, P320	78
249	Passive mechanical properties of rat diaphragms: a new method for analyzing mechanical tissue properties. 2008 , 12, P321	78
248	Negative pressure therapy improved outcome in a clinically applicable abdominal compartment syndrome porcine model. 2008 , 12, P322	78

247	Clinically applicable porcine model of abdominal compartment syndrome. 2008 , 12, P323	78
246	Relation between ventilatory pressures and intra-abdominal pressure. 2008 , 12, P324	4
245	Evaluation of the role of noninvasive positive pressure ventilation in prevention of postextubation respiratory failure in high-risk patients. 2008 , 12, P325	78
244	A randomized control trial comparing adaptive support ventilation with pressure-regulated volume control ventilation in weaning patients after cardiac surgery. 2008 , 12, P326	1
243	Effectiveness of a spontaneous breathing trial with a low-pressure support protocol for liberation from the mechanical ventilator in a general surgical ICU. 2008 , 12, P327	78
242	Predicting success in weaning from mechanical ventilation. 2008 , 12, P328	1
241	Is the threshold useful in accelerating weaning from mechanical ventilation?. 2008 , 12, P329	1
240	Addition of a spontaneous awakening trial improves outcome in mechanically ventilated medical ICU patients. 2008 , 12, P330	78
239	Early versus late tracheotomy in the ICU. 2008 , 12, P331	1
238	Precocious tracheotomy versus prolonged intubation in a medical ICU. 2008 , 12, P332	78
237	Claglia Blue Dolphin: a new technique for percutaneous tracheostomy using balloon dilation. 2008 , 12, P333	2
236	Percutaneous dilatation tracheostomy in critically ill patients with documented coagulopathy. 2008 , 12, P334	78
235	An audit of perioperative staffing and complications during percutaneous and surgical tracheostomy insertion. 2008 , 12, P335	78
234	Severe airway compromise after percutaneous dilatational tracheostomy. 2008 , 12, P336	78
233	Incidence of postoperative sore throat and cough: comparison of a polyvinylchloride tube and an armoured tube. 2008 , 12, P337	1
232	Efficacy of postprocedural chest radiographs after percutaneous dilational tracheostomy. 2008 , 12, P338	78
231	Tracheal wall pressures in the clinical setting: comparing Portex Soft Seal and Lotrach cuffs. 2008 , 12, P339	78
230	Intraluminal measurement probe increases resistance of pediatric endotracheal tubes. 2008 , 12, P340	78

229	Effect of telemedicine for a prehospital suburban emergency medical service. 2008 , 12, P341	3
228	An improved Bussignac device for the delivery of noninvasive continuous positive airway pressure: the SUPER-Bussignac. 2008 , 12, P342	78
227	Abstract withdrawn. 2008 , 12, P343	78
226	How quick is soon? Early response to continuous positive airway pressure: a randomized controlled trial. 2008 , 12, P344	1
225	Conventional versus noninvasive ventilation in acute respiratory failure. 2008 , 12, P345	78
224	Can the delta Rapid Shallow Breathing Index predict respiratory failure in spontaneously breathing patients receiving positive pressure ventilation?. 2008 , 12, P346	78
223	Plain radiological investigations in admissions to a trauma centre ICU. 2008 , 12, P347	78
222	Needlestick injuries and infectious diseases in emergency medicine. 2008 , 12, P348	78
221	Impact of a pandemic triage tool on intensive care admission. 2008 , 12, P349	1
220	Pneumonia Severity Index: a validation and assessment study for its use as a triage tool in the emergency department. 2008 , 12, P350	78
219	Injuries sustained by patients with behavioral disturbances brought to an emergency department in police custody. 2008 , 12, P351	78
218	A study on the reliability and validity of two four-level emergency triage systems. 2008 , 12, P352	78
217	Patterns of medical illness and injuries in emotionally disturbed patients brought to an emergency department in police custody. 2008 , 12, P353	78
216	Factors of hospitalization for mild heat illness. 2008 , 12, P354	78
215	Missed opportunities to facilitate the diagnosis of colon cancer in emergency department patients. 2008 , 12, P355	4
214	When are chest X-ray scans performed in the emergency department useful?. 2008 , 12, P356	78
213	Management of acute organophosphorus poisoning at a university hospital. 2008 , 12, P357	78
212	Suicidal intoxication by the black stone in Tunisia. 2008 , 12, P358	78

211	Prognosis factors of poisonings treated with extracorporeal life support in the ICU. 2008 , 12, P359	1
210	Prognostic factors of acute calcium-channel blocker poisonings. 2008 , 12, P360	78
209	Retrospective study of patients following deliberate self-poisoning admitted to Cardiff and Vale NHS critical care services between April 2006 and December 2007. 2008 , 12, P361	78
208	Immunological manifestations in paraphenylenediamine poisoning. 2008 , 12, P362	78
207	Introducing rapid response teams in Slovenia. 2008 , 12, P363	78
206	Emergency call system in the hospital. 2008 , 12, P364	78
205	Relevance of a cardiac arrest team in an Indian cancer hospital ICU. 2008 , 12, P365	78
204	Outcome after ICU admission following out-of-hospital cardiac arrest in a UK teaching hospital. 2008 , 12, P366	78
203	Comparison of the characteristics and outcome between patients suffering from out-of-hospital primary cardiac arrest and drowning victims with cardiac arrest: an analysis of variables based on the Utstein Style for Drowning. 2008 , 12, P367	78
202	Trends (1998-2006) in hospital mortality for admissions to UK critical care units following cardiopulmonary resuscitation. 2008 , 12, P368	78
201	Return of spontaneous circulation after cardiac arrest using mechanical chest compressions with the Lund Cardiac Arrest System compared with manual chest compressions. 2008 , 12, P369	78
200	Abstract withdrawn. 2008 , 12, P370	78
199	Return of spontaneous circulation and neurological outcome after in-hospital Lund University Cardiac Arrest System cardiopulmonary resuscitation. 2008 , 12, P371	78
198	Etiology of prehospital cardiac arrest largely determines outcome in patients treated with mild hypothermia. 2008 , 12, P372	78
197	Good neurological recovery at ICU discharge of asystole patients treated with induced mild hypothermia. 2008 , 12, P373	1
196	Use of hypothermia for out-of-hospital cardiac arrest survivors: a single-centre experience. 2008 , 12, P374	78
195	Therapeutic hypothermia preserves the brain by reducing nitric oxide synthase after asphyxial cardiac arrest in rats. 2008 , 12, P375	1
194	Cerebral blood flow and cerebrovascular reactivity during hypothermia after cardiac arrest. 2008 , 12, P376	78

193	Early therapeutic hypothermia in sudden cardiac death and following return of spontaneous circulation. 2008 , 12, P377	78
192	Effect of therapeutic mild hypothermia initiated by cold fluids after cardiac arrest on haemostasis as measured by thrombelastography. 2008 , 12, P378	78
191	Immunomodulatory effects of esmolol in a septic animal model due to multidrug-resistant <i>Pseudomonas aeruginosa</i> pyelonephritis. 2008 , 12, P379	2
190	Applying the 2003 SCCM/ESICM/ACCP/ATS/SIS instead of the 1992 ACCP/SCCM sepsis definitions increases the numbers of patients with systemic inflammatory response syndrome shock and septic shock but decreases mortality rates. 2008 , 12, P380	78
189	Systemic inflammatory response syndrome as a clinical detection tool and inclusion criterion in sepsis trials: too blunt an instrument?. 2008 , 12, P381	78
188	Pharmacokinetic-pharmacodynamic analysis of human purified C1-esterase inhibitor in patients with sepsis. 2008 , 12, P382	1
187	Nitrite consumption and production in the cardiopulmonary circulation during hemorrhagic shock and resuscitation. 2008 , 12, P383	78
186	Postconditioning in a rat model of gut ischemia-reperfusion. 2008 , 12, P384	78
185	Endotoxin-induced activation of hypoxia-inducible factor 1 α in cultured human hepatocytes and monocytes: impact on cellular and mitochondrial respiration. 2008 , 12, P385	78
184	Induction of hypoxia inducible factor 1 β by Toll-like receptors in human dendritic cells. 2008 , 12, P386	1
183	Association between ATP production and oxidative mtDNA damage through mitochondrial respiratory chain in the rat caecal ligation and puncture heart injury model. 2008 , 12, P387	78
182	Cecal ligation and perforation, when disrupting proper abscess formation, provides highly reproducible results and has common features with human data. 2008 , 12, P388	78
181	Hydrogen sulfide for organ protection. 2008 , 12, P389	78
180	Experimental wound healing in severe sepsis and septic shock in humans. 2008 , 12, P390	1
179	Effect of increasing endotoxin doses on oxidative injury and cyclooxygenase-mediated inflammation in the anaesthetised pig. 2008 , 12, P391	78
178	Nitric oxide synthase 2-derived NO in endotoxemia is not sufficient to cause hemodynamic effects. 2008 , 12, P392	78
177	Lipopolysaccharide modulation of phenylephrine-dependent vasoconstriction is dependent on intercellular communication. 2008 , 12, P393	78
176	Effects of inhaled carbon monoxide and glucocorticoids in porcine endotoxin sepsis. 2008 , 12, P394	0

175	Endotoxemia induces an early differential metabolic response in the heart and liver as determined by metabolomic analysis. 2008 , 12, P395	78
174	Noradrenaline for treatment of endotoxemic shock in pigs is associated with improved hepatic mitochondrial respiration. 2008 , 12, P396	78
173	Central-line-related septic shock: early appropriate antimicrobial therapy and rapid source control reduce mortality. 2008 , 12, P397	78
172	Optimal hemodynamic management according to the Surviving Sepsis Guidelines is not applicable to all ICU patients. 2008 , 12, P398	78
171	Outcome and mortality risk factors of patients presenting to the ICU with severe sepsis and septic shock. 2008 , 12, P399	78
170	Evaluation of indications for performing blood cultures in ICU patients: a pilot study. 2008 , 12, P400	78
169	Meta-analysis of dopexamine and its effect on mortality in patients undergoing major surgery. 2008 , 12, P401	78
168	Glucose metabolism during hyperdynamic septic shock: comparison between noradrenaline and vasopressin. 2008 , 12, P402	1
167	Continuous terlipressin versus vasopressin infusion in septic shock: the TERLIVAP study. 2008 , 12, P403	5
166	Hemodynamic effects of association of vasopressin and norepinephrine in patients with septic shock. 2008 , 12, P404	1
165	Vasopressin and terlipressin as first-line therapy in fulminant ovine septic shock. 2008 , 12, P405	3
164	Terlipressin in catecholamine-resistant hyperdynamic shock patients after cardiac surgery. 2008 , 12,	1
163	Selective V1a receptor agonist FE 202158 reverses platelet-activating factor-induced hypotension, vascular leak, impaired tissue perfusion, and mortality in rats. 2008 , 12, P407	8
162	Comparison of vasoactive medications and investigation determinants of mortality in children. 2008 , 12, P408	78
161	Importance of adequate fluid resuscitation in patients with severe septic shock on high catecholamine doses. 2008 , 12, P409	78
160	Low cardiac function index predicts ICU mortality in patients with severe sepsis or septic shock. 2008 , 12, P410	2
159	Australasian Resuscitation in Sepsis Evaluation study. 2008 , 12, P411	78
158	Survival sepsis campaign bundles, compliance and mortality: prospective single-center study. 2008 , 12, P412	78

157	Compliance of Surviving Sepsis Campaign bundles: single-center perspective of 3 years. 2008 , 12, P413	78
156	Compliance with the sepsis care resuscitation bundles is associated with decreased mortality in patients with septic shock. 2008 , 12, P414	78
155	Severe sepsis: international and specialty variations in initial management. 2008 , 12, P415	2
154	Surviving sepsis in Scotland: is the emergency department ready?. 2008 , 12, P416	78
153	A multicentre study on early goal-directed therapy of severe sepsis and septic shock patients in the ICU: collaborative study group on early goal-directed therapy in Zhejiang Province, China. 2008 , 12, P417	1
152	Effect of prolonged emergency department length of stay on inpatient length of stay and inhospital mortality in severe sepsis and septic shock. 2008 , 12, P418	78
151	Does early antibiotic administration affect disposition or length of stay in patients with cryptic shock? A retrospective pilot study. 2008 , 12, P419	78
150	Location of presentation of septic shock has an impact on clinical outcome. 2008 , 12, P420	78
149	Effects of hydrocortisone on posttraumatic stress disorder after septic shock: results from the CORTICUS Berlin Study Group. 2008 , 12, P421	4
148	Possible pharmacologic interactions caused by mixed infusion. 2008 , 12, P422	78
147	Influence of the number of nurses on survival in multiple system organ failure. 2008 , 12, P423	78
146	Racial disparities in quality of care in community-acquired pneumonia. 2008 , 12, P424	78
145	Global assessment of performance of ICUs: a French experience. 2008 , 12, P425	78
144	AIMing to save lives. 2008 , 12, P426	1
143	Standard operating procedures in postresuscitation care: facilitated realisation therapeutic measures in daily practice. 2008 , 12, P427	78
142	Artificial intelligence to reduce practice variation in the ICU. 2008 , 12, P428	78
141	Design, implementation and evaluation of a new drug chart in an intensive care/high-dependency unit. 2008 , 12, P429	78
140	Northern Ireland Critical Care Incident Monitoring Study. 2008 , 12, P430	78

139	Four-dimensional approach to quality and performance of intensive care: rapid routine overview of performance by derived indexes. 2008 , 12, P431	78
138	Quality improvement: reducing ventilator-associated pneumonia. 2008 , 12, P432	1
137	Ventilator-associated pneumonia bundle impact in an intermediate respiratory care unit. 2008 , 12, P433	78
136	Implementing national guidelines in intensive care patients with ventilator-associated, hospital-acquired, and healthcare-associated pneumonia: the IMPACT-HAP project. 2008 , 12, P434	78
135	Prevention of unplanned extubations in the ICU: results of a nurse-driven endotracheal tube care protocol. 2008 , 12, P435	78
134	Evidence-based guidelines for preventing ventilator-associated pneumonia: results of a knowledge test among 3329 European intensive care nurses. 2008 , 12, P436	78
133	Preliminary investigation into the response of free cortisol to the low-dose corticotrophin test in patients with septic shock. 2008 , 12, P437	78
132	Copeptin as a marker of shock and predictor of adverse outcome in critically ill patients. 2008 , 12, P438	0
131	Copeptin and acute renal failure in critically ill patients. 2008 , 12, P439	2
130	Prognostic value of N-terminal B-type natriuretic peptide in patients at high risk of systemic inflammatory response syndrome/sepsis. 2008 , 12, P440	78
129	Incremental power of the combination of brain natriuretic peptide and tumoral antigen carbohydrate 125 for risk stratification in patients with acute heart failure. 2008 , 12, P441	78
128	Pro-brain natriuretic peptide as a marker of successful thrombolysis in patients with submassive pulmonary thromboembolism. 2008 , 12, P442	78
127	Serum measurement of N-terminal pro-brain peptide among septic patients. 2008 , 12, P443	78
126	Plasma brain natriuretic peptide and cardiac troponin I concentrations after adult cardiac surgery: association with cardiovascular death, postoperative cardiac, renal and pulmonary dysfunction. 2008 , 12,	78
125	Prognostic value of plasma amino-terminal pro-brain natriuretic peptide in a large, representative ICU population. 2008 , 12, P445	78
124	N-terminal B-type natriuretic peptide and renal function parameters in cerebral salt wasting syndrome. 2008 , 12, P446	78
123	Sepsis-associated diastolic dysfunction without elevated plasma B-type natriuretic peptide. 2008 , 12, P447	78
122	Effects of postoperative hyperlactatemia on patientsQntensive therapy unit length of stay. 2008 , 12, P449	78

121	Intraoperative base excess and carbon dioxide gap predict length of intensive care stay after cardiac surgery. 2008 , 12, P450	78
120	Lactate clearance: the earlier the better?. 2008 , 12, P451	78
119	Interpretation of serum lactate levels in septic hyperlactatemic patients with acute respiratory distress syndrome. 2008 , 12, P452	78
118	Intravenous immunoglobulin reduces the ischemia/reperfusion-induced renal injury by increasing insulin-like growth factor-I production in mice. 2008 , 12, P453	78
117	Comparative study between intravenous immunoglobulins and standard treatment in septic patients. 2008 , 12, P454	78
116	Lipopolysaccharide adsorption in combined therapy of patients with severe sepsis. 2008 , 12, P455	3
115	Relationship between the use of polymyxin B-immobilized fiber for hemofiltration and some laboratory parameters (endocannabinoids, high mobility group box-1 protein and oxidative stress) in severe pneumonia patients. 2008 , 12, P456	78
114	Effectiveness of continuous venovenous hemodiafiltration using a polymethylmethacrylate membrane hemofilter in septic shock patients. 2008 , 12, P457	78
113	Polymyxin B hemoperfusion in high endotoxin activity level septic shock patients. 2008 , 12, P458	1
112	Efficacy of the CTR-001 direct hemoperfusion adsorption column in sepsis. 2008 , 12, P459	78
111	Coupled plasma filtration adsorption in peritonitis-induced porcine hyperdynamic septic shock. 2008 , 12, P460	78
110	Clinical efficacy of long-term performance with polymyxin-B immobilized fiber treatment for septic shock. 2008 , 12, P461	78
109	Association of IL-6 promoter polymorphism -174C/G with outcome in severe sepsis. 2008 , 12, P462	4
108	Association of (CCTTT)10, a nitric oxide synthase 2 promoter polymorphism, with death due to acute lung injury. 2008 , 12, P463	78
107	Tranexamic acid effects on postoperative bleeding in cardiopulmonary bypass surgery according to the plasminogen activator inhibitor-1 polymorphism. 2008 , 12, P464	78
106	Effect of the IL-6 promoter polymorphism -174 G/C on risk and outcome of pneumonia. 2008 , 12, P465	3
105	Relationship between angiotensin-converting enzyme gene polymorphism (insertion/deletion) and the clinical condition of sepsis. 2008 , 12, P466	78
104	Incidence of renal failure following orthotopic liver transplantation is lower in the Asian population. 2008 , 12, P467	78

103	Renal protection in the ICU: role of fenoldopam. 2008 , 12, P468	78
102	Renal hemodynamic, microcirculatory and metabolic responses to peritonitis-induced acute kidney injury in pigs. 2008 , 12, P469	2
101	Risk factors and outcome of rhabdomyolysis after cardiac surgery. 2008 , 12,	4
100	Requirement for renal replacement therapy following orthotopic liver transplantation in adults is associated with prolonged mechanical ventilation and higher incidence of pneumonia. 2008 , 12, P471	78
99	Slow continuous ultrafiltration: just fluids?. 2008 , 12, P472	78
98	New technology for mini invasive slow continuous ultrafiltration to avoid mechanical ventilation in cardiorespiratory failure: preliminary experience. 2008 , 12, P473	78
97	Provision of intermittent renal replacement service outside an ICU is safe and effective. 2008 , 12, P474	78
96	The Hannover Dialysis Outcome (HAN-D-OUT) study: comparison of standard versus intensified dialysis in treatment of patients with acute kidney injury in the ICU. 2008 , 12, P475	2
95	High-volume continuous venovenous hemofiltration reduces mortality in critically ill patients with acute renal failure. 2008 , 12, P476	78
94	High fluid volume removal with continuous renal replacement therapy as a therapeutic option for early posttraumatic acute respiratory distress syndrome. 2008 , 12, P477	78
93	Serum urea as a marker for initiation of renal replacement therapy in ICU patients with acute kidney injury. 2008 , 12, P478	2
92	Initiation of renal replacement therapy in patients with acute kidney injury and severe lactic acidosis. 2008 , 12, P479	78
91	Pharmacokinetics of ranitidine during hemodiafiltration. 2008 , 12, P480	78
90	Ceftriaxone pharmacokinetic properties during continuous venovenous haemofiltration using an in vitro model. 2008 , 12, P481	1
89	Intermittent versus continuous enoxaparine for anticoagulation during continuous venovenous hemofiltration. 2008 , 12, P482	78
88	Mechanical ventilation in a critical care unit in southern Brazil: mortality risk factors. 2008 , 12, P483	78
87	Long-stay critically ill patients Characteristics and outcomes: a cohort study. 2008 , 12, P484	1
86	Respiratory organ dysfunction: a leading risk factor for hospital mortality in patients with severe sepsis or septic shock. 2008 , 12, P485	78

85	Improved ICU risk prediction modelling using a multivariable fractional polynomial approach. 2008 , 12, P486	78
84	Risk factors for the development of acute lung injury in patients with septic shock: an observational cohort study. 2008 , 12, P487	4
83	Outcome in severe sepsis and septic shock patients with hematological malignancies: impact of recent intravenous chemotherapeutic treatment. 2008 , 12, P488	78
82	Outcome of patients with haematological malignancy admitted to the general ICU. 2008 , 12, P489	78
81	Prognostic factors of cancer patients admitted to the ICU in Brazil: a prospective cohort. 2008 , 12, P490	78
80	Organ dysfunction influences outcome in medical oncology patients without multiorgan failure. 2008 , 12, P491	78
79	Causes and risk factors of maternal mortality in the ICU. 2008 , 12, P492	78
78	Epidemiology and outcome in acute respiratory failure. 2008 , 12, P493	2
77	Outcome for immunocompromised pediatric critical patients. 2008 , 12, P494	78
76	Immunocompromised pediatric patients with acute respiratory failure: outcome and prognosis factors. 2008 , 12, P495	78
75	ICU patients: does age make any difference?. 2008 , 12, P496	0
74	How does care differ for neurological patients admitted to a neuro-ICU versus a general ICU? The Greater New York Hospital Association ICU Prevalence Survey. 2008 , 12, P497	78
73	Analysis of morbimortality in patients with multiorgan dysfunction. 2008 , 12, P498	1
72	Determination of SpO ₂ /FiO ₂ thresholds to impute for PaO ₂ /FiO ₂ ratios in the Sequential Organ Failure Assessment score. 2008 , 12, P499	78
71	Validation of APACHE IV in patients with severe acute pancreatitis. 2008 , 12, P500	1
70	Disparity in outcome prediction between APACHE II, APACHE III and APACHE IV. 2008 , 12, P501	1
69	Assessment of the performance of the SAPS 3, SAPS II, and APACHE II prognostic models in a surgical ICU. 2008 , 12, P502	1
68	Prediction of hospital mortality by support vector machine versus logistic regression in patients with a haematological malignancy admitted to the ICU. 2008 , 12, P503	1

67	Incidence, risk factors and outcome of venous thromboembolism in critically ill obstetric patients. 2008 , 12, P504	78
66	Quality of life after prolonged ICU stay: preliminary results of a prospective survey in critically ill patients. 2008 , 12, P505	78
65	Abstract withdrawn. 2008 , 12, P506	78
64	Quality of life 4 months after ICU discharge. 2008 , 12, P507	78
63	Quality of life among survivors of prolonged critical illness; a mixed methods study. 2008 , 12, P508	78
62	Long-term resource use, quality of life, and cost-effectiveness of liberal and conservative fluid strategies in acute lung injury. 2008 , 12, P509	78
61	Pain in intensive care after sternotomy is predictive for chronic thoracic pain. 2008 , 12, P510	2
60	Pharmacokinetics of oral melatonin in patients recovering from critical illness. 2008 , 12, P511	78
59	Current awareness of delirium in the ICU: a postal survey in The Netherlands. 2008 , 12, P512	78
58	Risk factors associated with delirium in a general ICU: role of S-100 protein. 2008 , 12, P513	78
57	Nicotine replacement therapy is associated with improved outcomes in critically ill smokers. 2008 , 12, P514	78
56	Translation, retranslation and validation of the Dutch Confusion Assessment Method for the Intensive Care Unit. 2008 , 12, P515	5
55	Efficacy of electrical muscle stimulation on preserving the muscle mass of critically ill patients. 2008 , 12, P516	1
54	End of life practices in India. 2008 , 12, P517	78
53	End of life care: communication in a retrospective survey. 2008 , 12, P518	78
52	Care of terminally ill patients: an opinion survey among healthcare providers in the Middle East. 2008 , 12, P519	78
51	Prognostic factors of elderly patients admitted to an ICU. 2008 , 12,	78
50	Intensive care use and mortality in the very elderly patients. 2008 , 12, P521	78

49	Decisions to limit care: evaluation of newly graduated physicians during a selection process for medical residency in Brazil. 2008 , 12, P522	78
48	Interdisciplinary ethics consultation on the surgical ICU: indication Qn a gut levelQ 2008 , 12, P523	78
47	Safety assessment of the direct sequence spread spectrum wireless local area network with a medical device. 2008 , 12, P524	78
46	Consumption of ICU resources by long-stay patients does not change over time: 10-year observation in a teaching hospital in The Netherlands. 2008 , 12, P525	1
45	Microcosting study of ICU costs in three European countries. 2008 , 12, P526	3
44	Indication and use of chest X-ray scans in the ICU. 2008 , 12, P527	78
43	Technology in the ICU; the nursesQpoint of view. 2008 , 12, P528	78
42	Overflow critical care facility in a teaching hospital: how often do we use it?. 2008 , 12, P529	78
41	Visiting policies in Italian pediatric ICUs: a national survey. 2008 , 12, P530	78
40	Multidisciplinary educational needs assessment of critical care in community hospitals. 2008 , 12, P531	78
39	Intensive care not confined to the bedspace: successfully implemented ventilation and monitoring solution for ICU intrahospital transport that is offering improvements in patient care. 2008 , 12, P532	78
38	Quantification and characterisation of work done by intensive care doctors outside the ICU. 2008 , 12, P533	78
37	Information management framework in adult critical care: experience from a large Canadian health region. 2008 , 12, P534	78
36	Serial evaluation of the Multiple Organ Dysfunction Score, Sequential Organ Failure Assessment and Logistic Organ Dysfunction scores to predict ICU mortality in mixed critically ill patients. 2008 , 12, P535	0
35	Impact of the opening of a ward-based noninvasive ventilation unit on critical care. 2008 , 12, P536	78
34	ICU admission during round time is associated with increased mortality. 2008 , 12, P537	78
33	Prognosis of patients with haematological malignancies admitted to the ICU. 2008 , 12, P538	78
32	Communication survey on use of cellphones versus pagers among anesthesiologists. 2008 , 12, P539	78

31	Online learning resources in emergency medicine for primary care professionals. 2008 , 12, P540	78
30	Simulation-based training on emergencies in cardiology: experience with 497 trainees. 2008 , 12, P541	78
29	Myofascial pain at post-sternotomy patients after cardiac surgery: A clinical study in 1226 patients. 2008 , 21, 239-243	2
28	Preserved pleural integrity provides better respiratory function and pain score after coronary surgery. 2009 , 24, 374-8	9
27	Pain experiences of men and women after coronary artery bypass graft surgery. 2010 , 25, E9-E15	28
26	Off-pump coronary artery bypass grafting in elderly and high-risk patients--a review. 2011 , 20, 694-703	14
25	Risk factors for chronic thoracic pain after cardiac surgery via sternotomy. 2011 , 40, 1309-13	35
24	Influence of pleural drain insertion in lung function of patients undergoing coronary artery bypass grafting. 2012 , 62, 696-708	1
23	Coronary artery bypass grafting and/or valvular surgery in patients with previous pneumonectomy. 2012 , 7, 110	4
22	Chronic poststernotomy pain after cardiac surgery: correlation of computed tomography findings on sternal healing with postoperative chest pain. 2013 , 61, 202-8	11
21	Sternotomy Techniques. 2018 , 213-227	
20	Sternal Wound Complications. 2018 , 229-239	1
19	Incidence and risk factors of pulmonary atelectasis in mechanically ventilated trauma patients in ICU: a prospective study. 2019 , 17, 44-52	1
18	RARAY Operation: Operative Description and Early Results for Achieving Total Arterial Coronary Revascularisation. 2020 , 29, 1873-1879	0
17	Chronic post sternotomy pain: the role of sternal wire removal a review. 2020 , 5, 31-31	0
16	Plastic and Thoracic Surgery, Orthopedics and Ophthalmology. 2020 ,	
15	The impact of nurses' empathic responses on patients' pain management in acute care. 2000 , 49, 191-200	49
14	Comparison consequences of Jackson-Pratt drain versus chest tube after coronary artery bypass grafting: A randomized controlled clinical trial. 2017 , 22, 134	2

13	A Quality Improvement Survey to Assess Pain Management in Cardiac Surgery Patients. 2015 , 05, 105-112		4
12	Comparing the prevalence of chronic pain after sternotomy in patients undergoing coronary artery bypass grafting using the internal mammary artery and other open heart surgeries. 2014 , 4, e17969		9
11	Immediate changes in hemodynamics and gas exchange after initiation of noninvasive ventilation in cardiac surgical patients. 2020 , 23, 59-64		5
10	Comparison of upper thoracic epidural analgesia versus low thoracic epidural analgesia in off-pump coronary artery bypass graft for perioperative pain management and fast tracking. 2020 , 23, 183-188		1
9	Coronary artery bypass grafting nine months after pneumonectomy. <i>Texas Heart Institute Journal</i> , 2001 , 28, 146-8	0.8	7
8	Arterial myocardial revascularization using bilateral radial artery 17 years after right pneumonectomy. <i>Texas Heart Institute Journal</i> , 2004 , 31, 96-8	0.8	2
7	Effects of pleurotomy on respiratory sequelae after internal mammary artery harvesting. <i>Texas Heart Institute Journal</i> , 2006 , 33, 116-21	0.8	11
6	Subxiphoid versus intercostal chest tubes: comparison of postoperative pain and pulmonary morbidities after coronary artery bypass grafting. <i>Texas Heart Institute Journal</i> , 2012 , 39, 507-12	0.8	6
5	Long-term pulmonary functional status following coronary artery bypass grafting surgery. <i>ARYA Atherosclerosis</i> , 2015 , 11, 163-6	0.7	5
4	COMPARISON OF CHANGES IN THORACIC FLUID CONTENT BETWEEN ON-PUMP AND OFF-PUMP CABG BY USE OF ELECTRICAL CARDIOMETRY. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2022 ,	2.1	
3	Preoperative frailty and chronic pain after cardiac surgery: a prospective observational study. <i>BMC Anesthesiology</i> , 2022 , 22,	2.4	0
2	Effect of Coronary Artery Bypass Grafting Surgery on Pulmonary Function Tests and Arterial Blood Gases. 2022 , 58, 161-164		1
1	A Single Center Observational Study of Spirometry Assessments in Children with Congenital Heart Disease after Surgery. 2023 , 59, 764		0