

The climate in Western Europe during the last Glacial/Interglacial transition: Evidence from pollen and insect remains

Palaeogeography, Palaeoclimatology, Palaeoecology
103, 73-93

DOI: 10.1016/0031-0182(93)90053-I

Citation Report

#	ARTICLE	IF	CITATIONS
1	Late quaternary interglacial stages warmer than present. <i>Quaternary Science Reviews</i> , 1993, 12, 825-831.	1.4	57
2	The Weichselian Late-glacial in southwestern Europe (Iberian Peninsula, Pyrenees, Massif Central.) <i>Tj ETQq1 1 0.784314 rgBT/Overlo</i>	1.1	57
3	Late Devensian and Holocene palaeoecology and palaeoenvironments of the Morrone Birkwoods, Aberdeenshire, Scotland. <i>Journal of Quaternary Science</i> , 1994, 9, 311-336.	1.1	49
4	Climate variations in Europe over the past 140 kyr deduced from rock magnetism. <i>Nature</i> , 1994, 371, 503-506.	13.7	313
5	Eemian climate fluctuations observed in a European pollen record. <i>Nature</i> , 1994, 371, 779-783.	13.7	189
6	Role of the thermohaline circulation in the abrupt warming after Heinrich events. <i>Nature</i> , 1994, 372, 162-164.	13.7	119
7	A multi-disciplinary macrofossil study of Middle Weichselian sediments at Kobbegård, Møn, Denmark. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1994, 111, 1-15.	1.0	27
8	Paleoclimate implications of mass spectrometric dating of a British flowstone. <i>Geology</i> , 1995, 23, 309.	2.0	40
9	Marine evidence for climatic instability during the last interglacial in shelf records from northwest Europe. <i>Journal of Quaternary Science</i> , 1995, 10, 77-82.	1.1	75
10	Eemian climate and pollen. <i>Nature</i> , 1995, 376, 27-28.	13.7	28
11	Eemian climate and pollen. <i>Nature</i> , 1995, 376, 28-28.	13.7	1
12	The Eem Stable Isotope Record along the GRIP Ice Core and Its Interpretation. <i>Quaternary Research</i> , 1995, 43, 117-124.	1.0	95
13	Do Greenland Ice Cores Reflect NW European Interglacial Climate Variations?. <i>Quaternary Research</i> , 1995, 43, 125-132.	1.0	48
14	Rissian, Eemian and Würmian Coleoptera assemblages from La Grande Pile (Vosges, France). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1995, 114, 1-41.	1.0	87
15	Palaeoclimate of the North Atlantic seaboard during the last glacial/interglacial transition. <i>Quaternary International</i> , 1995, 28, 51-61.	0.7	50
16	The hierarchical structure of glacial climatic oscillations: interactions between ice-sheet dynamics and climate. <i>Climate Dynamics</i> , 1995, 11, 162-177.	1.7	21
17	Vegetation history and climate of the last 15,000 years at Laghi Di Monticchio, southern Italy. <i>Quaternary Science Reviews</i> , 1996, 15, 113-132.	1.4	166
18	Quantification of paleotemperature changes during isotopic stage 2 in the La Draga continental sequence (NE Spain) based on the Mg/Ca ratio of freshwater ostracods. <i>Quaternary Science Reviews</i> , 1996, 15, 237-245.	1.4	56

#	ARTICLE	IF	CITATIONS
19	Quaternary palaeoecology and ecology. Quaternary Science Reviews, 1996, 15, 591-606.	1.4	57
20	Palaeolithic landscapes of Europe and environs, 150,000-25,000 years ago: An overview. Quaternary Science Reviews, 1996, 15, 481-500.	1.4	304
21	High frequency pulses of East Asian monsoon climate in the last two glaciations: link with the North Atlantic. Climate Dynamics, 1996, 12, 701-709.	1.7	141
22	Title is missing!. Journal of Paleolimnology, 1996, 17, 347-367.	0.8	28
23	Implications of Stratigraphic and Paleoclimatic Records of the Last Interglaciatiion from the Nordic Seas. Quaternary Research, 1996, 46, 260-269.	1.0	29
24	The vegetation and climate of northwest Iberia over the last 14,000 years. Journal of Quaternary Science, 1996, 11, 125-147.	1.1	183
25	Rapid changes in ocean circulation and heat flux in the Nordic seas during the last interglacial period. Nature, 1996, 383, 806-810.	13.7	115
26	An 800,000-year pollen record from Owens Lake, California; preliminary analyses. , 1997, , .		9
27	CH ₄ and $\delta^{18}O$ of O ₂ records from Antarctic and Greenland ice: A clue for stratigraphic disturbance in the bottom part of the Greenland Ice Core Project and the Greenland Ice Sheet Project 2 ice cores. Journal of Geophysical Research, 1997, 102, 26547-26557.	3.3	94
28	Asian provenance of glacial dust (stage 2) in the Greenland Ice Sheet Project 2 Ice Core, Summit, Greenland. Journal of Geophysical Research, 1997, 102, 26765-26781.	3.3	523
29	Eemian and Early Weichselian (140-60 ka) Paleoceanography and paleoclimate in the Nordic Seas with comparisons to Holocene conditions. Paleoceanography, 1997, 12, 443-462.	3.0	126
30	Changes in sea surface hydrology associated with Heinrich event 4 in the North Atlantic Ocean between 40° and 60°N. Earth and Planetary Science Letters, 1997, 146, 29-45.	1.8	178
31	Age model estimation in paleoclimatic research: fuzzy regression and radiocarbon uncertainties. Palaeogeography, Palaeoclimatology, Palaeoecology, 1997, 128, 29-37.	1.0	12
32	The reconstruction of past climates using multi-proxy evidence: An example of the weichselian pleniglacial in northwest and central Europe. Quaternary Science Reviews, 1997, 16, 513-533.	1.4	76
33	How long and how stable was the last interglacial?. Quaternary Science Reviews, 1997, 16, 605-612.	1.4	184
34	The mutual climatic range method of palaeoclimate reconstruction based on insect fossils: New applications and interhemispheric comparisons. Quaternary Science Reviews, 1997, 16, 1217-1225.	1.4	75
35	Eemian Climatic and Hydrographical Instability on a Marine Shelf in Northern Denmark. Quaternary Research, 1997, 47, 218-234.	1.0	46
36	Distribution of Proteus (Amphibia: Urodela: Proteidae) and its possible explanation. Journal of Biogeography, 1997, 24, 263-280.	1.4	87

#	ARTICLE	IF	CITATIONS
37	Middle Pleistocene temperate deposits at DingÅ©, Ille-et-Vilaine, northwest France: pollen, plant and insect macrofossil analysis. <i>Journal of Quaternary Science</i> , 1997, 12, 309-331.	1.1	12
38	Climatic Reconstruction in Europe for 18,000 YR B.P. from Pollen Data. <i>Quaternary Research</i> , 1998, 49, 183-196.	1.0	381
39	Climatic reconstruction of the Weichselian Pleniglacial in northwestern and Central Europe. <i>Journal of Quaternary Science</i> , 1998, 13, 391-417.	1.1	220
40	Identification of the last glacial maximum in the Upper Paleolithic of Portugal using magnetic susceptibility measurements of CaldeirÃ©o Cave sediments. <i>Geoarchaeology - an International Journal</i> , 1998, 13, 55-71.	0.7	25
41	Environmental hypotheses of hominin evolution. , 1998, 107, 93-136.		383
42	Holocene climatic change in Morocco: a quantitative reconstruction from pollen data. <i>Climate Dynamics</i> , 1998, 14, 883-890.	1.7	158
43	A LONG POLLEN RECORD FROM LAC DU BOUCHET, MASSIF CENTRAL, FRANCE: FOR THE PERIOD ca. 325 TO 100 ka BP (OIS 9c to OIS 5e). <i>Quaternary Science Reviews</i> , 1998, 17, 1107-1123.	1.4	102
44	Variability in surface and deep water conditions in the nordic seas during the last interglacial period. <i>Quaternary Science Reviews</i> , 1998, 17, 963-985.	1.4	79
45	Was the climate of the Eemian stable? A quantitative climate reconstruction from seven European pollen records. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1998, 143, 73-85.	1.0	155
46	Temperatures at the last interglacial simulated by a coupled ocean-atmosphere climate model. <i>Paleoceanography</i> , 1998, 13, 170-177.	3.0	29
47	Abrupt cold spells in the northwest Mediterranean. <i>Paleoceanography</i> , 1998, 13, 316-322.	3.0	105
48	A mutual climatic range method for reconstructing palaeoclimate from plant remains. <i>Journal of the Geological Society</i> , 1999, 156, 381-396.	0.9	37
49	Last Glacial Maximum climate of the former Soviet Union and Mongolia reconstructed from pollen and plant macrofossil data. <i>Climate Dynamics</i> , 1999, 15, 227-240.	1.7	140
50	Reconstructing and modelling Late Weichselian climates: the Younger Dryas in Europe as a case study. <i>Earth-Science Reviews</i> , 1999, 48, 1-38.	4.0	97
51	Reconstruction of climatic changes during the Late Pleistocene, based on sediment records from the Konya Basin (Central Anatolia, Turkey). <i>Geological Journal</i> , 1999, 34, 175-198.	0.6	54
52	Sudden climate transitions during the Quaternary. <i>Progress in Physical Geography</i> , 1999, 23, 1-36.	1.4	152
53	High resolution palynological record off the Iberian margin: direct land-sea correlation for the Last Interglacial complex. <i>Earth and Planetary Science Letters</i> , 1999, 171, 123-137.	1.8	364
54	Evidence for a steeper Eemian than Holocene sea surface temperature gradient between Arctic and sub-Arctic regions. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1999, 145, 95-117.	1.0	69

#	ARTICLE	IF	CITATIONS
55	Climatic interpretation of terrestrial malacofaunas of the last interglacial in southeastern France. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1999, 151, 321-336.	1.0	17
56	Hydrological relationship between the North Atlantic Ocean and the Mediterranean Sea during the past 15-75 kyr. <i>Paleoceanography</i> , 1999, 14, 626-638.	3.0	65
58	Geochronology and palaeoenvironment of marine Quaternary deposits in Denmark: new evidence from northern Jutland. <i>Geological Magazine</i> , 1999, 136, 561-578.	0.9	16
59	Does an asymmetric thermohaline-ice-sheet oscillator drive 100 000-yr glacial cycles?. <i>Journal of Quaternary Science</i> , 2000, 15, 301-318.	1.1	37
60	Changing river styles in response to Weichselian climate changes in the Vecht valley, eastern Netherlands. <i>Sedimentary Geology</i> , 2000, 133, 115-134.	1.0	80
61	Activity, Climate, and Postcranial Robusticity. <i>Current Anthropology</i> , 2000, 41, 569-607.	0.8	203
62	Reconstructing palaeotemperatures for the Early and Middle Pleistocene using the mutual climatic range method based on plant fossils. <i>Quaternary Science Reviews</i> , 2000, 19, 1785-1799.	1.4	72
63	Rapid climatic variability of the North Atlantic Ocean and global climate: a focus of the IMAGES program. <i>Quaternary Science Reviews</i> , 2000, 19, 227-241.	1.4	27
64	Middle Pleistocene deposits at La C�te, Val-de-Lans, Is�re department, France: plant macrofossil, palynological and fossil insect investigations. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000, 159, 53-83.	1.0	35
65	Rapid oscillations in western North America vegetation and climate during oxygen isotope stage 5 inferred from pollen data from Santa Barbara Basin (Hole 893A). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000, 161, 407-421.	1.0	36
66	Rapid climate change during the last glacial-interglacial transition; implications for stratigraphic subdivision, correlation and dating. <i>Global and Planetary Change</i> , 2001, 30, 59-72.	1.6	23
67	Oxygen isotopic composition of the Mediterranean Sea since the Last Glacial Maximum: constraints from pore water analyses. <i>Earth and Planetary Science Letters</i> , 2001, 192, 1-14.	1.8	36
68	The systematics of Pyrenean and Cantabrian <i>Cochlostoma</i> (Gastropoda, Cyclophoroidea) revisited. <i>Journal of Natural History</i> , 2001, 35, 1277-1369.	0.2	10
69	5.2-5.8 ka BP Paleoenvironment of the Southern Slope of Mount Raizan, Japan. <i>Radiocarbon</i> , 2001, 43, 703-710.	0.8	3
70	Paleoclimate and intersite correlations from Late Pleistocene/Holocene cave sites: Results from Southern Europe. <i>Geoarchaeology - an International Journal</i> , 2001, 16, 433-463.	0.7	43
71	Quantitative Reconstruction of Younger Dryas to Mid-Holocene Paleoclimates at Le Locle, Swiss Jura, Using Pollen and Lake-Level Data. <i>Quaternary Research</i> , 2001, 56, 170-180.	1.0	122
72	Supersensitive clay for radium uptake. <i>Nature</i> , 2001, 410, 771-771.	13.7	100
73	Not just old but old and cold?. <i>Nature</i> , 2001, 410, 771-772.	13.7	186

#	ARTICLE	IF	CITATIONS
74	The Impact of Climatic Changes on the Demography of Late Neandertal and Early Anatomically Modern Populations in Europe. , 2002, , 493-507.		3
75	Widespread evidence of 1500 yr climate variability in North America during the past 14 000 yr. <i>Geology</i> , 2002, 30, 455.	2.0	94
76	EXPANSION VS. COMPRESSION OF BIRD ALTITUDINAL RANGES ON A MEDITERRANEAN ISLAND. <i>Ecology</i> , 2002, 83, 1294-1306.	1.5	36
77	Modern pollen/climate calibration for southern South America. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2002, 181, 375-397.	1.0	67
78	Palaeotemperature calculations from the Praetiglian/Tiglian (Plioâ€“Pleistocene) pollen record of Lieth, northern Germany: implications for the climatic evolution of NW Europe. <i>Global and Planetary Change</i> , 2002, 34, 253-267.	1.6	37
79	The Climate and Landscape of the Middle Part of the Weichselian Glaciation in Europe: The Stage 3 Project. <i>Quaternary Research</i> , 2002, 57, 2-8.	1.0	139
80	Reconstruction of paleoclimates by isotopic analysis: What can the fossil isotopic record tell us about the plant life of past environments?. <i>Phytochemistry Reviews</i> , 2003, 2, 163-177.	3.1	10
81	The thermal history of human fossils and the likelihood of successful DNA amplification. <i>Journal of Human Evolution</i> , 2003, 45, 203-217.	1.3	227
82	Precise dating of Dansgaardâ€“Oeschger climate oscillations in western Europe from stalagmite data. <i>Nature</i> , 2003, 421, 833-837.	13.7	549
83	Continental European Eemian and early WÃ¼rmian climate evolution: comparing signals using different quantitative reconstruction approaches based on pollen. <i>Global and Planetary Change</i> , 2003, 36, 277-294.	1.6	99
84	The last climatic cycles in Western Europe: a comparison between long continuous lacustrine sequences from France and other terrestrial records. <i>Quaternary International</i> , 2003, 111, 59-74.	0.7	89
85	Stable oxygen and carbon isotopes in Late Glacialâ€“Holocene freshwater carbonates from Belarus and their palaeoclimatic implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004, 209, 73-101.	1.0	37
86	Eemian to early WÃ¼rmian climate dynamics: history and pattern of changes in Central Europe. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004, 211, 107-126.	1.0	51
87	Magnetic susceptibility applied as an ageâ€“depthâ€“climate relative dating technique using sediments from Scladina Cave, a Late Pleistocene cave site in Belgium. <i>Journal of Archaeological Science</i> , 2004, 31, 283-293.	1.2	43
88	Reindeer specialization in the early Upper Palaeolithic: the evidence from south west France. <i>Journal of Archaeological Science</i> , 2004, 31, 613-617.	1.2	44
89	Sea surface temperature variability in the North Atlantic during the last two glacialâ€“interglacial cycles: comparison of faunal, oxygen isotopic, and Mg/Ca-derived records. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004, 204, 145-164.	1.0	62
90	Climate variability in the SE Alps of Italy over the past 17 000 years reconstructed from a stalagmite record. <i>Boreas</i> , 2005, 34, 445-455.	1.2	107
91	Late-Glacial climatic changes in Eastern France (Lake Lautrey) from pollen, lake-levels, and chironomids. <i>Quaternary Research</i> , 2005, 64, 197-211.	1.0	112

#	ARTICLE	IF	CITATIONS
92	Rapid climatic changes of the last 90 kyr recorded on the European continent. <i>Comptes Rendus - Geoscience</i> , 2005, 337, 970-982.	0.4	31
93	The Last Glacial Maximum and Heinrich Event 1 in terms of climate and vegetation around the Alboran Sea: a preliminary model-data comparison. <i>Comptes Rendus - Geoscience</i> , 2005, 337, 983-992.	0.4	54
94	Increasing vegetation and climate gradient in Western Europe over the Last Glacial Inception (122â€“110) Tj ETQq0 0 rgBT /Overlock	1.8	156
95	Is vegetation responsible for glacial inception during periods of muted insolation changes?. <i>Quaternary Science Reviews</i> , 2005, 24, 1361-1374.	1.4	96
96	Phytoliths as quantitative indicators for the reconstruction of past environmental conditions in China I: phytolith-based transfer functions. <i>Quaternary Science Reviews</i> , 2006, 25, 945-959.	1.4	203
97	Timing and dynamics of the last deglaciation from European and North African $\delta^{13}C$ stalagmite profilesâ€”comparison with Chinese and South Hemisphere stalagmites. <i>Quaternary Science Reviews</i> , 2006, 25, 2118-2142.	1.4	236
98	Last Glacial Maximum temperatures over the North Atlantic, Europe and western Siberia: a comparison between PMIP models, MARGO seaâ€”surface temperatures and pollen-based reconstructions. <i>Quaternary Science Reviews</i> , 2006, 25, 2082-2102.	1.4	170
99	Reconstruction of the Grande Pile Eemian using inverse modeling of biomes and $\delta^{13}C$. <i>Quaternary Science Reviews</i> , 2006, 25, 2806-2819.	1.4	42
100	Bayesian palaeoclimate reconstruction. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2006, 169, 395-438.	0.6	104
101	Rodent paleofaunas as indicators of climatic change in Europe during the last 125,000 years. <i>Quaternary Research</i> , 2006, 65, 308-323.	1.0	35
102	Reconstruction of climate and vegetation changes of Lake Bayanchagan (Inner Mongolia): Holocene variability of the East Asian monsoon. <i>Quaternary Research</i> , 2006, 65, 411-420.	1.0	235
103	An open source implementation of the Modern Analog Technique (MAT) within the R computing environment. <i>Computers and Geosciences</i> , 2006, 32, 818-833.	2.0	22
104	Pollen-inferred palaeoclimate reconstructions in mountain areas: problems and perspectives. <i>Journal of Quaternary Science</i> , 2006, 21, 615-627.	1.1	55
105	Molar microwear pattern and palaeoecology of ungulates from La Berbie (Dordogne, France): environment of Neanderthals and modern human populations of the Middle/Upper Palaeolithic. <i>Boreas</i> , 2006, 35, 272-278.	1.2	23
106	14. Abrupt cooling events at the very end of the last interglacial. <i>Developments in Quaternary Sciences</i> , 2007, , 207-229.	0.1	10
107	15. Estimates of temperature and precipitation variations during the Eemian interglacial: New data from the grande pile record (GP XXI). <i>Developments in Quaternary Sciences</i> , 2007, , 231-238.	0.1	4
108	The GRIP deuterium-excess record. <i>Quaternary Science Reviews</i> , 2007, 26, 1-17.	1.4	113
109	Chapter Thirteen Transfer Functions: Methods for Quantitative Paleoceanography Based on Microfossils. <i>Developments in Marine Geology</i> , 2007, 1, 523-563.	0.4	84

#	ARTICLE	IF	CITATIONS
110	Evidence for early warming and cooling in North Atlantic surface waters during the last interglacial. <i>Paleoceanography</i> , 2007, 22, n/a-n/a.	3.0	52
111	Response of East Asian climate to Dansgaard/Oeschger and Heinrich events in a coupled model of intermediate complexity. <i>Journal of Geophysical Research</i> , 2007, 112, .	3.3	35
112	Last interglacial (MIS 5e) surface water conditions at the VÅring Plateau (Norwegian Sea), based on dinoflagellate cysts. <i>Polar Research</i> , 2008, 27, 175-186.	1.6	19
113	Molar microwear pattern and palaeoecology of ungulates from La Berbie (Dordogne, France): environment of Neanderthals and modern human populations of the Middle/Upper Palaeolithic. <i>Boreas</i> , 2008, 35, 272-278.	1.2	5
114	A late Pleistocene long pollen record from Lake Urmia, Nw Iran. <i>Quaternary Research</i> , 2008, 69, 413-420.	1.0	197
115	Climate dynamics in the borderlands of the Aegean Sea during formation of sapropel S1 deduced from a marine pollen record. <i>Quaternary Science Reviews</i> , 2008, 27, 832-845.	1.4	192
116	Contrasting impacts of Dansgaard-Oeschger events over a western European latitudinal transect modulated by orbital parameters. <i>Quaternary Science Reviews</i> , 2008, 27, 1136-1151.	1.4	366
117	Biomization and quantitative climate reconstruction techniques in northwestern Mexico—With an application to four Holocene pollen sequences. <i>Global and Planetary Change</i> , 2008, 61, 242-266.	1.6	23
118	East Asian Monsoon and paleoclimatic data analysis: a vegetation point of view. <i>Climate of the Past</i> , 2008, 4, 137-145.	1.3	23
119	Last Interglacial palaeovegetation, palaeoenvironments and chronology: a new record from Lago Grande di Monticchio, southern Italy. <i>Quaternary Science Reviews</i> , 2009, 28, 1521-1538.	1.4	92
120	Millennial-scale climate variability during the Last Interglacial recorded in a speleothem from south-western France. <i>Quaternary Science Reviews</i> , 2009, 28, 3263-3274.	1.4	67
121	Abrupt climate change, sea surface salinity and paleoproductivity in the western Mediterranean Sea (Gulf of Lion) during the last 28 kyr. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2009, 279, 96-113.	1.0	59
122	Pronounced warmth during early Middle Pleistocene interglacials: Investigating the Mid-Brunhes Event in the British terrestrial sequence. <i>Earth-Science Reviews</i> , 2010, 103, 183-196.	4.0	71
123	Paleoclimatic implications of the spatial patterns of modern and LGM European land-snail shell $\delta^{18}O$. <i>Quaternary Research</i> , 2010, 74, 166-176.	1.0	40
124	Speleothem evidence of warm episodes in northeast France during Marine Oxygen Isotope Stage 3 and implications for permafrost distribution in northern Europe. <i>Quaternary Research</i> , 2010, 74, 246-251.	1.0	12
125	Pollen-inferred palaeoclimate reconstruction in the Alps during the Lateglacial and the early Holocene: how to estimate the effect of elevation and local parameters. <i>Journal of Quaternary Science</i> , 2010, 25, 651-661.	1.1	10
126	An improved methodology of the modern analogues technique for palaeoclimate reconstruction in arid and semi-arid regions. <i>Boreas</i> , 2010, 39, 145-153.	1.2	54
127	Isotopic characterization of rapid climatic events during OIS3 and OIS4 in Villars Cave stalagmites (SW-France) and correlation with Atlantic and Mediterranean pollen records. <i>Quaternary Science Reviews</i> , 2010, 29, 2799-2820.	1.4	64

#	ARTICLE	IF	CITATIONS
128	Petrographic and isotopic evidence for Holocene long-term climate change and shorter-term environmental shifts from a stalagmite from the Serra do Courel of northwestern Spain, and implications for climatic history across Europe and the Mediterranean. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011, 305, 172-184.	1.0	58
129	Evidence for delayed poleward expansion of North Atlantic surface waters during the last interglacial (MIS 5e). <i>Quaternary Science Reviews</i> , 2011, 30, 934-946.	1.4	57
130	Pollen-based continental climate reconstructions at 6 and 21 Åka: a global synthesis. <i>Climate Dynamics</i> , 2011, 37, 775-802.	1.7	536
131	Palynology of Neogene sediments at the Gray Fossil Site, Tennessee, USA: Floristic implications. <i>Review of Palaeobotany and Palynology</i> , 2012, 184, 36-48.	0.8	20
132	Core Correlation. <i>Developments in Paleoenvironmental Research</i> , 2012, , 415-430.	7.5	10
133	Pollen, vegetation change and climate at Lake Barombi Mbo (Cameroon) during the last ca. 33 000 cal yr BP: a numerical approach. <i>Climate of the Past</i> , 2012, 8, 59-78.	1.3	35
134	Quantitative climate reconstruction from late-glacial and early Holocene plant macrofossils in western Norway using the probability density function approach. <i>Review of Palaeobotany and Palynology</i> , 2012, 170, 27-39.	0.8	12
135	Occupation dynamics north of the Carpathians and Sudetes during the Weichselian (MIS5d-3): The Lower Silesia (SW Poland) case study. <i>Quaternary International</i> , 2013, 294, 20-40.	0.7	35
136	Evidence for large-amplitude biome and climate changes in Atlantic Canada during the last interglacial and mid-Wisconsinan periods. <i>Quaternary Research</i> , 2013, 79, 242-255.	1.0	14
137	The response of vegetation at the end of the last glacial period (<sc>MIS</sc> 3 and <sc>MIS</sc>) Tj ETQq1 1.0.784314 rgBT /Dv 1.2 12	1.2	12
138	Synthesis of the Nature and Causes of Rapid Climate Transitions During the Quaternary. <i>Geophysical Monograph Series</i> , 0, , 9-52.	0.1	21
139	CREST (Climate REconstruction SofTware): a probability density function (PDF)-based quantitative climate reconstruction method. <i>Climate of the Past</i> , 2014, 10, 2081-2098.	1.3	40
140	Environment during the Middle to Late Palaeolithic transition in southern France: The archaeological sequence of Tournal Cave (Bize-Minervois, France). <i>Quaternary International</i> , 2014, 337, 43-63.	0.7	12
141	The Last Interglacialâ€“Glacial cycle (MIS 5â€“2) re-examined based on long proxy records from central and northern Europe. <i>Quaternary Science Reviews</i> , 2014, 86, 115-143.	1.4	150
142	Summer air temperature, reconstructions from the last glacial stage based on rodents from the site Taillis-des-Coteaux (Vienne), Western France. <i>Quaternary Research</i> , 2014, 82, 420-429.	1.0	13
143	Supra-regional correlations of the most ancient paleosols and Paleolithic layers of Kostenki-Borschevo region (Russian Plain). <i>Quaternary International</i> , 2015, 365, 114-134.	0.7	9
145	Pollen. , 2015, , 405-451.		2
146	The Last Interglacial Stage: Definitions and marine highstand, North America and Eurasia. <i>Quaternary International</i> , 2015, 383, 158-173.	0.7	91

#	ARTICLE	IF	CITATIONS
147	Changes in ecosystems, climate and societies in the Jura Mountains between 40 and 8 kâ€aBP. <i>Quaternary International</i> , 2015, 378, 40-72.	0.7	24
148	Plant use and local vegetation patterns during the second half of the Late Pleistocene in southwestern Germany. <i>Archaeological and Anthropological Sciences</i> , 2015, 7, 151-167.	0.7	22
149	Predicting reach-specific properties of fluvial terraces to guide future fieldwork. A case study for the Late Quaternary River Allier (France) with the FLUVER2 model. <i>Earth Surface Processes and Landforms</i> , 2016, 41, 2256-2268.	1.2	4
150	How reliable are non-pollen palynomorphs in tracing vegetation changes and grazing activities? Study from the Darjeeling Himalaya, India. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 475, 23-40.	1.0	27
151	A new middle Pleistocene (Marine Oxygen Isotope Stage 6) cold herpetofaunal assemblage from the central Iberian Peninsula (Manzanares Valley, Madrid). <i>Quaternary Research</i> , 2017, 87, 499-515.	1.0	13
152	Two decades of numerical modelling to understand long term fluvial archives: Advances and future perspectives. <i>Quaternary Science Reviews</i> , 2017, 166, 177-187.	1.4	18
153	Were Western European Neandertals Able to Make Fire?. <i>Journal of Paleolithic Archaeology</i> , 2018, 1, 54-79.	0.7	35
154	Was there an abrupt cold climatic event in the middle Eemian? Pollen record from a palaeolake at the Hieronimowo site, NE Poland. <i>Quaternary International</i> , 2018, 467, 96-106.	0.7	8
155	Towards a Middle Pleistocene terrestrial climate reconstruction based on herpetofaunal assemblages from the Iberian Peninsula: State of the art and perspectives. <i>Quaternary Science Reviews</i> , 2018, 191, 167-188.	1.4	26
156	Numerical reconstructions of the flow and basal conditions of the Rhine glacier, European Central Alps, at the Last Glacial Maximum. <i>Cryosphere</i> , 2018, 12, 2515-2544.	1.5	22
157	Holocene vegetation evolution and climatic dynamics inferred from an ombrotrophic peat sequence in the southern Altai Mountains within China. <i>Global and Planetary Change</i> , 2019, 179, 10-22.	1.6	53
158	Climate, Diversification and Refugia in the Common Shrew: Evidence from the Fossil Record. , 2019, , 407-454.		0
159	Paleoclimate variations and impact on groundwater recharge in multi-layer aquifer systems using a multi-tracer approach (northern Aquitaine basin, France). <i>Hydrogeology Journal</i> , 2019, 27, 1439-1457.	0.9	3
160	Pollen-based temperature and precipitation changes in the Ohrid Basin (western Balkans) between 160 and 70 kâ€a. <i>Climate of the Past</i> , 2019, 15, 53-71.	1.3	19
161	Marine Isotope Stage 4 in Australasia: A full glacial culminating 65,000 years ago â€ Global connections and implications for human dispersal. <i>Quaternary Science Reviews</i> , 2019, 204, 187-207.	1.4	38
162	Clumped isotope paleotemperatures from MIS 5 soil carbonates in southern Hungary. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 518, 72-81.	1.0	14
163	Early Holocene Thermal Maximum recorded by branched tetraethers and pollen in Western Europe (Massif Central, France). <i>Quaternary Science Reviews</i> , 2020, 228, 106109.	1.4	33
164	Pollen-recorded bioclimatic variations of the last ~2000 years retrieved from Bayan Nuur in the western Mongolian Plateau. <i>Boreas</i> , 2020, 49, 350-362.	1.2	11

#	ARTICLE	IF	CITATIONS
165	Summer temperatures and lake development during the MIS 5a interstadial: New data from the Unterangerberg palaeolake in the Eastern Alps, Austria. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 560, 110020.	1.0	4
166	Preservation of the last aggradation phase in climate-driven terraces: Evidence from Late Quaternary reach-specific fluvial dynamics of the Allier River (France). <i>Earth Surface Processes and Landforms</i> , 2020, 45, 3381-3395.	1.2	0
167	Chronostratigraphy of silt-dominated Pleistocene periglacial slope deposits on Mt. ÅslÄ™Å¼a (SW, Poland): Palaeoenvironmental and pedogenic significance. <i>Catena</i> , 2020, 190, 104549.	2.2	6
168	Impacts of Greenland and Antarctic Ice Sheet melt on future KÄƒppen climate zone changes simulated by an atmospheric and oceanic general circulation model. <i>Applied Geography</i> , 2020, 119, 102216.	1.7	10
169	Multi-decadal trends in Antarctic sea-ice extent driven by ENSOâ€™SAM over the last 2,000 years. <i>Nature Geoscience</i> , 2021, 14, 156-160.	5.4	26
170	Summer temperatures during the last glaciation (MIS 5c to MIS 3) inferred from a 50,000-year chironomid record from FÄƒramoos, southern Germany. <i>Quaternary Science Reviews</i> , 2021, 264, 107008.	1.4	8
171	Multi-method approach using small vertebrate assemblages to reconstruct the Marine Isotope Stage 6 climate and environment of the Lazaret cave sequence (Maritime Alps, Nice, France). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 577, 110529.	1.0	8
172	Environmental hypotheses of hominin evolution. <i>American Journal of Physical Anthropology</i> , 1998, 107, 93-136.	2.1	50
173	The Southern Levant During the Last Glacial and Zooarchaeological Evidence for the Effects of Climate-Forcing on Hominin Population Dynamics. <i>Vertebrate Paleobiology and Paleoanthropology</i> , 2017, , 7-25.	0.1	5
174	<i>Paleoecology.</i> , 2001, , 451-462.		2
175	Malacofaunes des loess du PlÄƒniglaciaire weichselien supÄ™rieur dÄ™Europe de lÄ™Ouest : compilation et analyse prÄ™liminaire de la base de donnÄ™es.. <i>Quaternaire</i> , 2008, , 11-29.	0.1	35
176	Impacts environnementaux sur lÄ™Ä™rosion des sols au PlÄƒistocÄ™ne supÄ™rieur et Ä™ lÄ™holocÄ™ne dans le cratÄ™re de maar du lac du Bouchet (Massif central, France). <i>Quaternaire</i> , 2009, , 149-159.	0.1	8
177	Interactions vÄ™gÄ™tationâ€™climat au cours des derniers 425.000 ans en Europe occidentale. Le message du pollen des archives marines. <i>Quaternaire</i> , 2006, , 3-25.	0.1	19
178	Climatic and environmental variations during the last interglacial recorded in a Northern France tufa(Caours, Somme basin). comparisons with regional records.. <i>Quaternaire</i> , 2016, , 249-261.	0.1	9
179	La formation de Don, Toronto, Canada, de lÄ™interglaciaire sangamonien au dÄ™but du wisconsinien (de) Tj ETQgQ 0 0 rgBÄ™ /Overlock	0.1	4
180	Palaeoclimate research in Villars Cave (Dordogne, SW-France). <i>International Journal of Speleology</i> , 2008, 37, 173-191.	0.4	60
181	Sea surface temperature in the Indian sector of the Southern Ocean over the Late Glacial and Holocene. <i>Climate of the Past</i> , 2020, 16, 1451-1467.	1.3	12
184	Decomposition of dinosaurian remains inferred by invertebrate traces on vertebrate bone reveal new insights into Late Jurassic ecology, decay, and climate in western Colorado. <i>PeerJ</i> , 2020, 8, e9510.	0.9	8

#	ARTICLE	IF	CITATIONS
185	Two pollen-based methods of Eemian climate reconstruction employed in the study of the Å»abieniec-Jagodne palaeolakes in central Poland. <i>Quaternary International</i> , 2022, 632, 21-35.	0.7	3
188	Fossils for Cold-adapted Beetles Obtained from the Plio-Pleistocene Tokai Group in Tado-cho, Mie Prefecture, Central Japan.. <i>The Quaternary Research</i> , 1996, 35, 373-381.	0.2	1
189	Instability of the environment at the end of the Eemian Interglacial as illustrated by isopollen maps of Poland. <i>Geological Quarterly</i> , 2016, , .	0.1	2
190	The reconstruction of paleoenvironments and human activities based on studies of fossil insects. <i>The Quaternary Research</i> , 2020, 59, 43-61.	0.2	0
191	Impact of climate changes on vegetation and human societies during the Holocene in the South Caucasus (Vanevan, Armenia): A multiproxy approach including pollen, NPPs and brGDGTs. <i>Quaternary Science Reviews</i> , 2022, 277, 107297.	1.4	10
192	Activity, Climate, and Postcranial Robusticity: Implications for Modern Human Origins and Scenarios of Adaptive Change. <i>Current Anthropology</i> , 2000, 41, 569.	0.8	46
193	The hierarchical structure of glacial climatic oscillations: interactions between ice-sheet dynamics and climate. <i>Climate Dynamics</i> , 1995, 11, 162-177.	1.7	1
194	High-frequency vegetation and climatic changes during the Lateglacial inferred from the Lapsou pollen record (Cantal, southern Massif Central, France). <i>Quaternary International</i> , 2022, 636, 69-80.	0.7	6
195	Lâ€™™Ã©cologie quantifiÃ©e. Essai de description de lâ€™™environnement continental Ã lâ€™™aide des microvertÃ©brÃ©s. , 2010, , .		6
196	Contexts and Subject Matter. , 2022, , 13-66.		0
197	Climate changes during the Late Glacial in southern Europe: new insights based on pollen and brGDGTs of Lake Matese in Italy. <i>Climate of the Past</i> , 2023, 19, 493-515.	1.3	3