

Macroporous polymeric stationary-phase rod as continuous reversed-phase chromatography

Analytical Chemistry

65, 2243-2248

DOI: [10.1021/ac00065a013](https://doi.org/10.1021/ac00065a013)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Pore-size-specific modification of porous materials. <i>Advanced Materials</i> , 1994, 6, 242-244.	21.0	9
2	Reversed-phase chromatography of small molecules and peptides on a continuous rod of macroporous poly (styrene-co-divinylbenzene). <i>Journal of Chromatography A</i> , 1994, 669, 230-235.	3.7	171
3	Photopolymerization and characterization of methacrylate-based reactive composite membranes. <i>Journal of Membrane Science</i> , 1995, 100, 171-179.	8.2	7
4	Molecular imprinting: selective materials for separations, sensors and catalysis. <i>Current Opinion in Biotechnology</i> , 1995, 6, 218-224.	6.6	110
5	Modified poly(glycidyl methacrylate-co-ethylene dimethacrylate) continuous rod columns for preparative-scale ion-exchange chromatography of proteins. <i>Journal of Chromatography A</i> , 1995, 702, 89-95.	3.7	189
6	Separation of biomolecules using adsorptive membranes. <i>Journal of Chromatography A</i> , 1995, 702, 3-26.	3.7	375
7	Preparation of Continuous Beds Derivatized with One-Step Alkyl and Sulfonate Groups for Capillary Electrochromatography. <i>Analytical Chemistry</i> , 1996, 68, 3468-3472.	6.5	196
8	Molded Monolithic Rod of Macroporous Poly(styrene-co-divinylbenzene) as a Separation Medium for HPLC of Synthetic Polymers: "On-Column" Precipitation/Redissolution Chromatography as an Alternative to Size Exclusion Chromatography of Styrene Oligomers and Polymers. <i>Analytical Chemistry</i> , 1996, 68, 315-321.	6.5	126
9	New Designs of Macroporous Polymers and Supports: From Separation to Biocatalysis. <i>Science</i> , 1996, 273, 205-211.	12.6	585
10	Molded separation media: An inexpensive, efficient, and versatile alternative to packed columns for the fast HPLC separation of peptides, proteins, and synthetic oligomers and polymers. <i>Macromolecular Symposia</i> , 1996, 110, 203-216.	0.7	14
11	New formats of polymeric stationary phases for HPLC separations: Molded macroporous disks and rods. , 1996, 9, 326-334.		16
12	Molded continuous poly(styrene-co-divinylbenzene) rod as a separation medium for the very fast separation of polymers Comparison of the chromatographic properties of the monolithic rod with columns packed with porous and non-porous beads in high-performance liquid chromatography of polystyrenes. <i>Journal of Chromatography A</i> , 1996, 752, 59-66.	3.7	103
13	"Molded" Macroporous Poly(glycidyl methacrylate-co-trimethylolpropane trimethacrylate) Materials with Fine Controlled Porous Properties: Preparation of Monoliths Using Photoinitiated Polymerization. <i>Chemistry of Materials</i> , 1997, 9, 463-471.	6.7	196
14	Rigid porous polyacrylamide-based monolithic columns containing butyl methacrylate as a separation medium for the rapid hydrophobic interaction chromatography of proteins. <i>Journal of Chromatography A</i> , 1997, 775, 65-72.	3.7	145
15	Fast Ion-Exchange HPLC of Proteins Using Porous Poly(glycidyl methacrylate-co-ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 187 Td (<i>Biotechnology Progress</i> , 1997, 13, 597-600.	2.6	90
16	New packing materials for protein chromatography. <i>Biomedical Applications</i> , 1997, 699, 3-27.	1.7	83
17	Thermally responsive rigid polymer monoliths. <i>Advanced Materials</i> , 1997, 9, 630-633.	21.0	91
18	Application of compact porous tubes for preparative isolation of clotting factor VIII from human plasma. <i>Journal of Chromatography A</i> , 1997, 760, 117-123.	3.7	65

#	ARTICLE	IF	CITATIONS
19	Effect of skeleton size on the performance of octadecylsilylated continuous porous silica columns in reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 1997, 762, 135-146.	3.7	324
20	Preparation of continuous beds for electrochromatography and reversed-phase liquid chromatography of low-molecular-mass compounds. <i>Journal of Chromatography A</i> , 1997, 767, 33-41.	3.7	167
21	Stationary phases for peptide analysis by high performance liquid chromatography: a review. <i>Analytica Chimica Acta</i> , 1997, 352, 1-19.	5.4	36
22	Designing monolithic double-pore silica for high-speed liquid chromatography. <i>Journal of Chromatography A</i> , 1998, 797, 133-137.	3.7	167
23	Performance of an octadecylsilylated continuous porous silica column in polypeptide separations. <i>Journal of Chromatography A</i> , 1998, 828, 83-90.	3.7	113
24	Structure Design of Double-Pore Silica and Its Application to HPLC. <i>Journal of Sol-Gel Science and Technology</i> , 1998, 13, 163-169.	2.4	99
25	Effect of domain size on the performance of octadecylsilylated continuous porous silica columns in reversed-phase liquid chromatography. <i>Journal of Chromatography A</i> , 1998, 797, 121-131.	3.7	266
26	Chromatographic Properties of Miniaturized Silica Rod Columns. <i>Journal of High Resolution Chromatography</i> , 1998, 21, 477-479.	1.4	84
27	Molded Rigid Monolithic Porous Polymers: An Inexpensive, Efficient, and Versatile Alternative to Beads for the Design of Materials for Numerous Applications. <i>Industrial & Engineering Chemistry Research</i> , 1999, 38, 34-48.	3.7	237
28	Membrane Chromatography: Preparation and Applications to Protein Separation. <i>Biotechnology Progress</i> , 1999, 15, 1003-1019.	2.6	181
29	Separation of oligonucleotides on novel monolithic columns with ion-exchange functional surfaces. <i>Journal of Chromatography A</i> , 1999, 852, 297-304.	3.7	135
30	Rapid reversed-phase separation of proteins and peptides using optimized "moulded" monolithic poly(styrene-co-divinylbenzene) columns. <i>Journal of Chromatography A</i> , 1999, 865, 169-174.	3.7	105
31	Modeling and simulation of the dynamic behavior of monoliths. <i>Journal of Chromatography A</i> , 1999, 865, 13-25.	3.7	82
32	Preparation of Beaded Organic Polymers and Their Applications in Size Exclusion Chromatography. , 1999, , 3-26.		3
33	Application of Membranes and Compact, Porous Units for the Separation of Biopolymers. <i>Industrial & Engineering Chemistry Research</i> , 1999, 38, 333-342.	3.7	82
34	Fast Analytical-Scale Separations by Capillary Electrophoresis and Liquid Chromatography. <i>Chemical Reviews</i> , 1999, 99, 3081-3132.	47.7	68
35	Immobilization of trypsin onto "molded" macroporous poly(glycidyl methacrylate-co-ethylene) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 2000, 49, 355-363.		97
36	An Introduction to Monolithic Disks as Stationary Phases for High Performance Biochromatography. <i>Journal of High Resolution Chromatography</i> , 2000, 23, 27-38.	1.4	92

#	ARTICLE	IF	CITATIONS
37	A New Monolithic-Type HPLC Column For Fast Separations. <i>Journal of High Resolution Chromatography</i> , 2000, 23, 93-99.	1.4	306
38	Rapid determination of molecular parameters of synthetic polymers by precipitation/redissolution high-performance liquid chromatography using ?molded? monolithic column. <i>Journal of Polymer Science Part A</i> , 2000, 38, 2767-2778.	2.3	38
39	Recent developments in polymer-based sorbents for solid-phase extraction. <i>Journal of Chromatography A</i> , 2000, 885, 51-72.	3.7	281
40	Solid-phase trapping of solutes for further chromatographic or electrophoretic analysis. <i>Journal of Chromatography A</i> , 2000, 902, 137-166.	3.7	85
41	Current developments in electrophoretic and chromatographic separation methods on microfabricated devices. <i>TrAC - Trends in Analytical Chemistry</i> , 2000, 19, 352-363.	11.4	176
42	A New Class of Continuous Polymer Supports Prepared by Ring-Opening Metathesis Polymerization:Â A Straightforward Route to Functionalized Monoliths. <i>Macromolecules</i> , 2000, 33, 5777-5786.	4.8	156
43	Adsorptive membranes for bioseparations. <i>Separation Science and Technology</i> , 2000, 2, 453-474.	0.2	4
44	Construction of Large-Volume Monolithic Columns. <i>Analytical Chemistry</i> , 2000, 72, 5693-5699.	6.5	153
45	Solâ~Gel Monolithic Columns with Reversed Electroosmotic Flow for Capillary Electrochromatography. <i>Analytical Chemistry</i> , 2000, 72, 4090-4099.	6.5	210
46	Application of monoliths as supports for affinity chromatography and fast enzymatic conversion. <i>Journal of Proteomics</i> , 2001, 49, 153-174.	2.4	101
47	Affinity membrane chromatography for the analysis and purification of proteins. <i>Journal of Proteomics</i> , 2001, 49, 199-240.	2.4	215
48	PREPARATION AND CHROMATOGRAPHIC BEHAVIOR OF A BIFUNCTIONAL CONTINUOUS ROD FOR WEAK CATION EXCHANGE AND IMMOBILIZED METAL AFFINITY CHROMATOGRAPHY. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2001, 24, 2983-2998.	1.0	8
49	HIGH PERFORMANCE REVERSED-PHASE LIQUID CHROMATOGRAPHY USING NOVEL CIM RP-SDVB MONOLITHIC SUPPORTS. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2001, 24, 2429-2443.	1.0	20
50	Grafted Macroporous Polymer Monolithic Disks:Â A New Format of Scavengers for Solution-Phase Combinatorial Chemistry. <i>ACS Combinatorial Science</i> , 2001, 3, 216-223.	3.3	80
51	Hyphenation of Capillary Electrochromatography and Mass Spectrometry: Instrumental Aspects, Separation Systems, and Applications. <i>Journal of Chromatography Library</i> , 2001, , 271-316.	0.1	7
52	Ammonia-functionalized particulate poly(glycidyl methacrylate-co-ethylene dimethacrylate)-based polymers as stationary phase for protein retention. <i>Journal of Chemical Technology and Biotechnology</i> , 2001, 76, 1171-1178.	3.2	10
53	Poly(glycidyl methacrylateâ€“divinylbenzeneâ€“triallylisocyanurate) continuous-bed protein chromatography. <i>Journal of Chromatography A</i> , 2001, 912, 31-38.	3.7	46
54	Chromatographic separation of proteins on metal immobilized iminodiacetic acid-bound molded monolithic rods of macroporous poly(glycidyl methacrylateâ€“co-ethylene dimethacrylate). <i>Journal of Chromatography A</i> , 2001, 926, 255-264.	3.7	122

#	ARTICLE	IF	CITATIONS
55	New synthetic ways for the preparation of high-performance liquid chromatography supports. <i>Journal of Chromatography A</i> , 2001, 918, 233-266.	3.7	150
56	Monoliths as stationary phases for separation of proteins and polynucleotides and enzymatic conversion. <i>Biomedical Applications</i> , 2001, 752, 191-205.	1.7	193
57	CHARACTERIZATION OF PVA-BASED MAGNETIC AFFINITY SUPPORT FOR PROTEIN ADSORPTION. <i>Separation Science and Technology</i> , 2001, 36, 2449-2461.	2.5	13
58	Capillary Column Technology: Continuous Polymer Monoliths. <i>Journal of Chromatography Library</i> , 2001, , 183-240.	0.1	10
59	ENANTIOSEPARATION OF DL-PHENYLALANINE, BASED ON A CONTINUOUS MOLECULARLY IMPRINTED POLYMER ROD, USING A SERIES QUARTZ CRYSTAL SENSOR AS THE DETECTOR. <i>Instrumentation Science and Technology</i> , 2002, 30, 455-464.	1.8	7
60	Chromatographic Reactors Based on Biological Activity. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2002, 76, 165-210.	1.1	8
61	Porous Polymer Monoliths: An Alternative to Classical Beads. <i>Advances in Biochemical Engineering/Biotechnology</i> , 2002, 76, 87-125.	1.1	27
62	Ultra-fast HPLC separation of common anions using a monolithic stationary phase. <i>Analyst, The</i> , 2002, 127, 451-454.	3.5	69
63	The Moment Equations of Chromatography for Monolithic Stationary Phases. <i>Journal of Physical Chemistry B</i> , 2002, 106, 8898-8909.	2.6	90
64	Functionalized glycidyl methacrylate based polymers as stationary phases for protein retention. <i>Separation and Purification Technology</i> , 2002, 27, 1-10.	7.9	13
65	Physically adsorbed chiral stationary phase of avidin on monolithic silica column for capillary electrochromatography and capillary liquid chromatography. <i>Electrophoresis</i> , 2002, 23, 2973-2981.	2.4	91
66	Effect of porosity and surface chemistry on the characterization of synthetic polymers by HPLC using porous polymer monolithic columns. <i>Journal of Separation Science</i> , 2002, 25, 909-916.	2.5	16
67	High-performance affinity chromatography with immobilization of protein A and L-histidine on molded monolith. <i>Biotechnology and Bioengineering</i> , 2002, 80, 481-489.	3.3	76
68	Recent progress in adsorbed stationary phases for capillary electrochromatography. <i>Electrophoresis</i> , 2002, 23, 3954-3972.	2.4	49
69	Characterization of plant oils on a monolithic silica column by high-performance liquid chromatography-atmospheric pressure chemical ionization-mass spectrometry. <i>Chromatographia</i> , 2002, 56, S69-S73.	1.3	20
70	Applications of metathesis in heterogeneous catalysis and separation sciences. <i>Journal of Molecular Catalysis A</i> , 2002, 190, 145-158.	4.8	21
71	High-performance affinity chromatography for characterization of human immunoglobulin G digestion with papain. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2002, 776, 139-147.	2.3	41
72	Capillary monoliths for the analysis of nucleic acids by high-performance liquid chromatography-electrospray ionization mass spectrometry. <i>TrAC - Trends in Analytical Chemistry</i> , 2002, 21, 166-174.	11.4	93

#	ARTICLE	IF	CITATIONS
73	Determination of the porosities of monolithic columns by inverse size-exclusion chromatography. <i>Journal of Chromatography A</i> , 2002, 975, 275-284.	3.7	168
74	Ureaâ€‘formaldehyde resin monolith as a new packing material for affinity chromatography. <i>Journal of Chromatography A</i> , 2002, 943, 209-218.	3.7	34
75	Monolithic silica columns for high-efficiency chromatographic separations. <i>Journal of Chromatography A</i> , 2002, 965, 35-49.	3.7	478
76	Monolithic stationary phases for liquid chromatography and capillary electrochromatography. <i>Journal of Chromatography A</i> , 2002, 954, 5-32.	3.7	353
77	Advances in capillary electrochromatography and micro-high performance liquid chromatography monolithic columns for separation science. <i>Electrophoresis</i> , 2003, 24, 917-944.	2.4	212
78	Influence of the amination conditions on the textural properties and chromatographic behaviour of amino-functionalized glycidyl methacrylate-based particulate supports. <i>Acta Materialia</i> , 2003, 51, 6189-6198.	7.9	17
79	Monolithic Stationary Phases for the Separation of Small Molecules. <i>Journal of Chromatography Library</i> , 2003, 67, 373-387.	0.1	1
80	Separation of Peptides and Proteins. <i>Journal of Chromatography Library</i> , 2003, 67, 389-415.	0.1	0
81	Rigid Macroporous Organic Polymer Monoliths Prepared by Free Radical Polymerization. <i>Journal of Chromatography Library</i> , 2003, 67, 19-50.	0.1	11
82	Rapid Method for Analysis of Aspirinâ€‘Butalbital in Serum Utilizing a Monolithic C18 Column. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2003, 26, 2567-2579.	1.0	3
83	Large Scale Separations. <i>Journal of Chromatography Library</i> , 2003, , 561-599.	0.1	3
84	Rigid Polymers Prepared by Ring-Opening Metathesis Polymerization. <i>Journal of Chromatography Library</i> , 2003, 67, 103-120.	0.1	6
85	Analytical Chemistry on Microsystems. , 0, , 213-249.		0
86	Survey of Chromatographic and Electromigration Separations. <i>Journal of Chromatography Library</i> , 2003, , 623-658.	0.1	0
88	Characterization of some physical and chromatographic properties of monolithic poly(styreneâ€‘co-divinylbenzene) columns. <i>Journal of Chromatography A</i> , 2004, 1030, 201-208.	3.7	105
89	Preparation and HPLC applications of rigid macroporous organic polymer monoliths. <i>Journal of Separation Science</i> , 2004, 27, 747-766.	2.5	225
90	Characterization of monolithic columns for HPLC. <i>Journal of Separation Science</i> , 2004, 27, 853-873.	2.5	108
91	Comparison of monolithic silica and polymethacrylate capillary columns for LC. <i>Journal of Separation Science</i> , 2004, 27, 789-800.	2.5	55

#	ARTICLE	IF	CITATIONS
92	Applications of silica-based monolithic HPLC columns. <i>Journal of Separation Science</i> , 2004, 27, 843-852.	2.5	385
93	Preparative and analytical chromatography of pegylated myelopoietin using monolithic media. <i>Journal of Chromatography A</i> , 2004, 1041, 87-93.	3.7	21
94	Assay for the simultaneous determination of acetaminophen and caffeine butalbital in human serum using a monolithic column. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2004, 36, 737-741.	2.8	30
95	Photopolymerized monolithic capillary columns for rapid micro high-performance liquid chromatographic separation of proteins. <i>Journal of Chromatography A</i> , 2004, 1051, 53-60.	3.7	94
96	Polystyrene monolithic column functionalized with copper-aminodiacetate complex as a stationary phase for open tubular capillary electrochromatography. <i>Journal of Chromatography A</i> , 2004, 1044, 229-236.	3.7	41
97	High-throughput chromatographic approaches to liquid chromatographic/tandem mass spectrometric bioanalysis to support drug discovery and development. <i>Analytica Chimica Acta</i> , 2004, 509, 1-9.	5.4	37
98	Poly (methacrylic acid-ethylene glycol dimethacrylate) monolithic capillary for in-tube solid phase microextraction coupled to high performance liquid chromatography and its application to determination of basic drugs in human serum. <i>Analytica Chimica Acta</i> , 2004, 523, 251-258.	5.4	159
99	Design and characterization of nanoporous polymeric materials via reactive encapsulation of a chemically inert solvent. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2004, 241, 119-125.	4.7	21
100	In-Gel Digestion of Proteins Using a Solid-Phase Extraction Microplate. <i>Analytical Chemistry</i> , 2004, 76, 2040-2045.	6.5	22
101	High-Performance Affinity Monolith Chromatography: Development and Evaluation of Human Serum Albumin Columns. <i>Analytical Chemistry</i> , 2004, 76, 7013-7022.	6.5	127
102	Metathesis-Based Polymers for Organic Synthesis and Catalysis. , 2005, , 345-370.		1
103	Simple Fabrication of Efficient HPLC Columns Utilizing Supercritical Carbon Dioxide as a Diluent. <i>Kobunshi Ronbunshu</i> , 2005, 62, 291-296.	0.2	0
104	Properties and performance of novel high-resolution/high-permeability ion-exchange media for protein chromatography. <i>Journal of Chromatography A</i> , 2005, 1069, 43-52.	3.7	51
105	Poly(acrylamide-vinylpyridine-N-methylene bisacrylamide) monolithic capillary for in-tube solid-phase microextraction coupled to high performance liquid chromatography. <i>Journal of Chromatography A</i> , 2005, 1099, 84-91.	3.7	92
106	Polystyrene/Divinylbenzene Based Monolithic and Encapsulated Capillary Columns for the Analysis of Nucleic Acids by High-Performance Liquid Chromatography-Electrospray Ionisation Mass Spectrometry. <i>Engineering in Life Sciences</i> , 2005, 5, 431-435.	3.6	7
107	Comparing monolithic and microparticulate capillary columns for the separation and analysis of peptide mixtures by liquid chromatography-mass spectrometry. <i>Journal of Separation Science</i> , 2005, 28, 1666-1674.	2.5	39
108	Extending the array of crosslinkers suitable for the preparation of polymethacrylate-based monoliths. <i>Journal of Separation Science</i> , 2005, 28, 2401-2406.	2.5	31
109	Poly(Styrene-Divinylbenzene) Based Media for Liquid Chromatography. <i>Chemical Engineering and Technology</i> , 2005, 28, 1457-1472.	1.5	41

#	ARTICLE	IF	CITATIONS
110	Affinity Monoliths for Ultrafast Immunoextraction. <i>Analytical Chemistry</i> , 2005, 77, 2362-2372.	6.5	87
111	Chapter 2 Capillary high-performance liquid chromatography for proteomic and peptidomic analysis. <i>Comprehensive Analytical Chemistry</i> , 2005, , 69-148.	1.3	1
112	Monolithic Materials: Promises, Challenges, Achievements. <i>Analytical Chemistry</i> , 2006, 78, 2100-2107.	6.5	347
114	Metathesis Polymerization To and From Surfaces. , 0, , 137-171.		31
115	Synthesis of macroporous polymer rods based on an acrylamide derivative monomer. <i>Journal of Polymer Science Part A</i> , 2006, 44, 6616-6623.	2.3	11
116	CHROMATOGRAPHIC SEPARATION AT A PREPARATIVE SCALE OF EGG WHITE OVALBUMIN AND ITS APPLICATION IN THE ELABORATION OF YOGURT MOUSSE. <i>Journal of Food Process Engineering</i> , 2006, 29, 36-52.	2.9	1
117	Fast determination of anions on a short coated column. <i>Journal of Chromatography A</i> , 2006, 1118, 46-50.	3.7	22
118	Monolithic poly(p-methylstyrene-co-1,2-bis(p-vinylphenyl)ethane) capillary columns as novel styrene stationary phases for biopolymer separation. <i>Journal of Chromatography A</i> , 2006, 1117, 56-66.	3.7	54
119	Poly(cyclooctene)-based monolithic columns for capillary high performance liquid chromatography prepared via ring-opening metathesis polymerization. <i>Journal of Chromatography A</i> , 2006, 1132, 124-131.	3.7	34
120	Capillary scale monolithic trap column for desalting and preconcentration of peptides and proteins in one- and two-dimensional separations. <i>Journal of Chromatography A</i> , 2006, 1136, 210-220.	3.7	40
121	Permeability, porosity, and structure of monolithic capillary columns in gas chromatography. <i>Russian Journal of Physical Chemistry A</i> , 2006, 80, 120-123.	0.6	12
122	Chromatographic Retention of Epigallocatechin Gallate on Oligo- β -Cyclodextrin Coupled Sepharose Media Investigated Using NMR. <i>Chromatographia</i> , 2006, 64, 7-11.	1.3	8
124	Monolithic media in microfluidic devices for proteomics. <i>Electrophoresis</i> , 2006, 27, 3547-3558.	2.4	53
125	Preparation of a monolithic column for weak cation exchange chromatography and its application in the separation of biopolymers. <i>Journal of Separation Science</i> , 2006, 29, 5-13.	2.5	29
126	Stationary phase-based two-dimensional chromatography combining both covalent and noncovalent interactions on a single HPLC column. <i>Journal of Separation Science</i> , 2006, 29, 959-965.	2.5	9
127	NopM and NopD Are Rhizobial Nodulation Outer Proteins: Identification Using LC-MALDI and LC-ESI with a Monolithic Capillary Column. <i>Journal of Proteome Research</i> , 2007, 6, 1029-1037.	3.7	80
128	Preparation and application of monolithic beds in the separation of selected natural biologically important compounds. <i>Journal of Separation Science</i> , 2007, 30, 55-66.	2.5	25
129	Developments in ion chromatography using monolithic columns. <i>Journal of Separation Science</i> , 2007, 30, 1628-1645.	2.5	52

#	ARTICLE	IF	CITATIONS
130	Alkylated poly(styrene- <i>co</i> -divinylbenzene) monolithic columns for HPLC and CEC separation of phenolic acids. <i>Journal of Separation Science</i> , 2007, 30, 3018-3026.	2.5	38
131	Single step synthesis of carbohydrate monolithic capillary columns for affinity chromatography of lectins. <i>Journal of Separation Science</i> , 2007, 30, 2828-2835.	2.5	29
132	Pore structural characterization of monolithic silica columns by inverse size-exclusion chromatography. <i>Journal of Chromatography A</i> , 2007, 1144, 14-29.	3.7	39
133	Stability and repeatability of capillary columns based on porous monoliths of poly(butyl) Tj ETQq1 1 0.784314 rgBT/Overlock 10 Tf 50 E	3.7	113
134	Ground, sieved, and C18 modified monolithic silica particles for packing material of microcolumn high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2007, 1144, 269-274.	3.7	22
135	Monolithic columns in high-performance liquid chromatography. <i>Journal of Chromatography A</i> , 2007, 1168, 101-168.	3.7	758
136	Polymeric monolithic materials: Syntheses, properties, functionalization and applications. <i>Polymer</i> , 2007, 48, 2187-2198.	3.8	235
137	On-line clean-up and screening of oxacillin and cloxacillin in human urine and plasma with a weak ion exchange monolithic column. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 854, 85-90.	2.3	29
138	Molded rods of macroporous polymer for preparative separations of biological products. <i>Biotechnology and Bioengineering</i> , 1995, 48, 476-480.	3.3	64
139	Less common applications of monoliths. <i>Journal of Chromatography A</i> , 2008, 1184, 281-295.	3.7	89
140	Comparative study on the separation behavior of monolithic columns prepared via ring-opening metathesis polymerization and via electron beam irradiation triggered free radical polymerization for proteins. <i>Journal of Chromatography A</i> , 2008, 1191, 268-273.	3.7	28
141	Chromatographic characterisation of monolithic capillary columns for liquid chromatography based on methyltrimethoxysilane as sole precursor. <i>Journal of Chromatography A</i> , 2008, 1191, 282-291.	3.7	16
142	Thermo-responsive monolithic materials. <i>Journal of Chromatography A</i> , 2008, 1203, 160-167.	3.7	29
143	Monolithic porous polymer stationary phases in polyimide chips for the fast high-performance liquid chromatography separation of proteins and peptides. <i>Journal of Chromatography A</i> , 2008, 1200, 55-61.	3.7	104
145	Membrane Chromatography. , 2008, , 25-63.		2
147	Investigation of HPLC-MS Using a Monolithic Column to Separate a Diverse Suite of Steroids. <i>Journal of Chromatographic Science</i> , 2009, 47, 52-56.	1.4	3
148	1 mm ID poly(styrene- <i>co</i> -divinylbenzene) monolithic columns for high peak capacity one- and two-dimensional liquid chromatographic separations of intact proteins. <i>Journal of Separation Science</i> , 2009, 32, 2504-2509.	2.5	39
149	Biocompatible polymeric monoliths for protein and peptide separations. <i>Journal of Separation Science</i> , 2009, 32, 3369-3378.	2.5	54

#	ARTICLE	IF	CITATIONS
150	Development of an epoxy-based monolith used for the affinity capturing of Escherichia coli bacteria. Journal of Chromatography A, 2009, 1216, 3794-3801.	3.7	38
151	Influence of the polymerisation time on the porous and chromatographic properties of monolithic poly(1,2-bis(p-vinylphenyl)ethane capillary columns. Journal of Chromatography A, 2009, 1216, 7747-7754.	3.7	81
152	Accelerating the Quality Control of Pharmaceuticals Using Monolithic Stationary Phases: A Review of Recent HPLC Applications. Journal of Chromatographic Science, 2009, 47, 443-451.	1.4	17
153	Downscaling Limits and Confinement Effects in the Miniaturization of Porous Polymer Monoliths in Narrow Bore Capillaries. Analytical Chemistry, 2009, 81, 7390-7396.	6.5	52
154	Massively-parallel ultra-high-aspect-ratio nanochannels as mesoporous membranes. Lab on A Chip, 2009, 9, 586-591.	6.0	72
155	Macroporous monolithic materials: synthesis, properties and application. Russian Chemical Reviews, 2009, 78, 77-88.	6.5	21
156	Monolithic Stationary Phases in HPLC. Chromatographic Science, 2010, , 3-45.	0.1	1
157	Advances in the preparation of porous polymer monoliths in capillaries and microfluidic chips with focus on morphological aspects. Analytical and Bioanalytical Chemistry, 2010, 397, 953-960.	3.7	70
158	Towards porous polymer monoliths for the efficient, retention-independent performance in the isocratic separation of small molecules by means of nano-liquid chromatography. Journal of Chromatography A, 2010, 1217, 7514-7522.	3.7	92
159	Synthesis of 2-(diethylamino)ethyl methacrylate-based polymers. Reactive and Functional Polymers, 2010, 70, 890-899.	4.1	15
160	Visible light initiated polymerization of styrenic monolithic stationary phases using 470nm light emitting diode arrays. Journal of Separation Science, 2010, 33, 61-66.	2.5	38
161	A Novel Route to Prepare Highly Reactive and Versatile Chromatographic Monoliths. Macromolecular Rapid Communications, 2010, 31, 1785-1790.	3.9	19
162	Photochromic spiropyran monolithic polymers: Molecular photo-controllable electroosmotic pumps for micro-fluidic devices. Sensors and Actuators B: Chemical, 2010, 148, 569-576.	7.8	13
163	Fast separation of low molecular weight analytes on structurally optimized polymeric capillary monoliths. Journal of Chromatography A, 2010, 1217, 3223-3230.	3.7	57
164	High-efficiency liquid chromatography-mass spectrometry separations with 50mm, 250mm, and 1m long polymer-based monolithic capillary columns for the characterization of complex proteolytic digests. Journal of Chromatography A, 2010, 1217, 6610-6615.	3.7	57
165	Kinetic performance appraisal of poly(styrene-co-divinylbenzene) monolithic high-performance liquid chromatography columns for biomolecule analysis. Journal of Chromatography A, 2010, 1217, 3765-3769.	3.7	15
166	Monoliths from poly(ethylene glycol) diacrylate and dimethacrylate for capillary hydrophobic interaction chromatography of proteins. Journal of Chromatography A, 2010, 1217, 4934-4945.	3.7	64
167	Hypercrosslinking: New approach to porous polymer monolithic capillary columns with large surface area for the highly efficient separation of small molecules. Journal of Chromatography A, 2010, 1217, 8212-8221.	3.7	150

#	ARTICLE	IF	CITATIONS
168	Control of Selectivity via Nanochemistry: Monolithic Capillary Column Containing Hydroxyapatite Nanoparticles for Separation of Proteins and Enrichment of Phosphopeptides. <i>Analytical Chemistry</i> , 2010, 82, 8335-8341.	6.5	138
169	Selection of Column Dimensions and Gradient Conditions to Maximize the Peak-Production Rate in Comprehensive Off-Line Two-Dimensional Liquid Chromatography Using Monolithic Columns. <i>Analytical Chemistry</i> , 2010, 82, 7015-7020.	6.5	28
170	Polymer Monoliths with Exchangeable Chemistries: Use of Gold Nanoparticles As Intermediate Ligands for Capillary Columns with Varying Surface Functionalities. <i>Analytical Chemistry</i> , 2010, 82, 7416-7421.	6.5	141
171	Efficient Separation of Small Molecules Using a Large Surface Area Hypercrosslinked Monolithic Polymer Capillary Column. <i>Analytical Chemistry</i> , 2010, 82, 1621-1623.	6.5	143
172	Remotely Detected NMR for the Characterization of Flow and Fast Chromatographic Separations Using Organic Polymer Monoliths. <i>Analytical Chemistry</i> , 2011, 83, 6004-6010.	6.5	22
173	Monolithic silica with HPLC separation and solid phase extraction materials for determination of drugs in biological materials. <i>Analytical Methods</i> , 2011, 3, 2189.	2.7	20
174	A More Informative Approach for Characterization of Polymer Monolithic Phases: Small Angle Neutron Scattering/Ultrasmall Angle Neutron Scattering. <i>Analytical Chemistry</i> , 2011, 83, 9201-9205.	6.5	10
176	Novel liquid-chromatography columns for proteomics research. <i>TrAC - Trends in Analytical Chemistry</i> , 2011, 30, 1809-1818.	11.4	24
177	Fabrication of highly crosslinked methacrylate-based polymer monoliths with well-defined macropores via living radical polymerization. <i>Polymer</i> , 2011, 52, 4644-4647.	3.8	40
178	References to Part One. <i>Comprehensive Analytical Chemistry</i> , 2011, 56, 151-163.	1.3	0
179	Potential of poly(styrene-co-divinylbenzene) monolithic columns for the LC-MS analysis of protein digests. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 399, 1845-1852.	3.7	11
180	Porous polymer monoliths for small molecule separations: advancements and limitations. <i>Analytical and Bioanalytical Chemistry</i> , 2011, 400, 2289-2304.	3.7	103
181	Monolith as a new sample preparation material: Recent devices and applications. <i>Journal of Separation Science</i> , 2011, 34, 901-924.	2.5	101
182	Reversed-phase monoliths prepared by UV polymerization of divinylbenzene. <i>Journal of Separation Science</i> , 2011, 34, 2047-2053.	2.5	10
183	Multicolor Polymer-Dispersed Liquid Crystal. <i>Advanced Materials</i> , 2011, 23, 884-888.	21.0	50
184	Study of the abnormal late co-elution phenomenon of low density polyethylene in size exclusion chromatography using high temperature size exclusion chromatography and high temperature asymmetrical flow field-flow fractionation. <i>Journal of Chromatography A</i> , 2011, 1218, 4240-4248.	3.7	24
185	Incorporation of carbon nanotubes in porous polymer monolithic capillary columns to enhance the chromatographic separation of small molecules. <i>Journal of Chromatography A</i> , 2011, 1218, 2546-2552.	3.7	172
186	Polymerisation and surface modification of methacrylate monoliths in polyimide channels and polyimide coated capillaries using 660 nm light emitting diodes. <i>Journal of Chromatography A</i> , 2011, 1218, 2954-2962.	3.7	22

#	ARTICLE	IF	CITATIONS
187	Microfabrication of polymers for bioMEMS. , 2012, , 3-45.		7
188	Preparation and characterization of alkyl methacrylate capillary monolithic columns. Journal of Saudi Chemical Society, 2012, 16, 271-278.	5.2	12
189	Impact of mobile phase composition on the performance of porous polymeric monoliths in the elution of small molecules. Journal of Chromatography A, 2012, 1263, 108-112.	3.7	22
190	Modification of VTMS hybrid monolith via thiol-ene click chemistry for capillary electrochromatography. Talanta, 2012, 91, 52-59.	5.5	41
191	New trends in reversed-phase liquid chromatographic separations of therapeutic peptides and proteins: Theory and applications. Journal of Pharmaceutical and Biomedical Analysis, 2012, 69, 9-27.	2.8	120
192	One-pot Synthesis of Spheres-on-Sphere Silica Particles from a Single Precursor for Fast HPLC with Low Back Pressure. Advanced Materials, 2012, 24, 6042-6048.	21.0	52
193	Preparation of aligned porous silica monolithic capillary columns and their evaluation for HPLC. Analytical Methods, 2012, 4, 3942.	2.7	16
194	Current and Forthcoming Applications of ROMP-Derived Polymers. , 2012, , 597-632.		4
195	A novel surface modification technique for forming porous polymer monoliths in poly(dimethylsiloxane). Biomicrofluidics, 2012, 6, 016506.	2.4	14
196	Recent developments and future possibilities for polymer monoliths in separation science. Analyst, The, 2012, 137, 5179.	3.5	68
197	Thermoresponsive polymers in liquid chromatography. Analytical Methods, 2012, 4, 34-43.	2.7	51
198	Preparation of porous polymer monoliths featuring enhanced surface coverage with gold nanoparticles. Journal of Chromatography A, 2012, 1261, 121-128.	3.7	115
199	“Thiol-ene” click chemistry: a facile and versatile route for the functionalization of porous polymer monoliths. Analyst, The, 2012, 137, 4114.	3.5	76
200	One-pot synthesis of <i>N</i> -methylimidazolium-based porous polymer monolith for capillary electrochromatography via free radical copolymerization and quaterisation. Electrophoresis, 2012, 33, 2005-2011.	2.4	10
201	On the chromatographic efficiency of analytical scale column format porous polymer monoliths: Interplay of morphology and nanoscale gel porosity. Journal of Chromatography A, 2012, 1236, 152-163.	3.7	51
202	Fast chromatographic determination of caffeine in food using a capillary hexyl methacrylate monolithic column. Food Chemistry, 2012, 132, 2217-2223.	8.2	45
203	Organic monoliths for high-performance reversed-phase liquid chromatography. Journal of Separation Science, 2013, 36, 2767-2781.	2.5	56
204	Preparation and characterization of alkyl methacrylate-based monolithic columns for capillary gas chromatography applications. Journal of Chromatography A, 2013, 1301, 200-208.	3.7	12

#	ARTICLE	IF	CITATIONS
205	Highly crosslinked polymeric monoliths with various C6 functional groups for reversed-phase capillary liquid chromatography of small molecules. <i>Journal of Chromatography A</i> , 2013, 1321, 80-87.	3.7	21
206	High-speed gradient separations of peptides and proteins using polymer-monolithic poly(styrene-co-divinylbenzene) capillary columns at ultra-high pressure. <i>Journal of Chromatography A</i> , 2013, 1304, 177-182.	3.7	28
207	Advances in the development of organic polymer monolithic columns and their applications in food analysis—a review. <i>Journal of Chromatography A</i> , 2013, 1313, 37-53.	3.7	105
208	Stationary Phases and Their Performance. , 2013, , 191-362.		1
209	Porous polymer monoliths: Morphology, porous properties, polymer nanoscale gel structure and their impact on chromatographic performance. <i>Journal of Chromatography A</i> , 2013, 1287, 39-58.	3.7	110
210	Preparation and evaluation of lauryl methacrylate monoliths with embedded silver nanoparticles for capillary electrochromatography. <i>Electrophoresis</i> , 2013, 34, 925-934.	2.4	32
211	Advances in monolithic materials for sample preparation in drug and pharmaceutical analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2013, 45, 182-196.	11.4	79
212	Preparation and electrochromatographic characterization of methacrylate-based weak cation exchange columns for capillary electrochromatography. <i>Analyst</i> , The, 2013, 138, 2118.	3.5	8
213	Assessing the Nanoscale Structure and Mechanical Properties of Polymer Monoliths used for Chromatography. <i>Analytical Chemistry</i> , 2013, 85, 5645-5649.	6.5	43
214	Fabrication of a poly(vinyl alcohol) monolith via thermally impacted non-solvent-induced phase separation. <i>Polymer Journal</i> , 2013, 45, 1101-1106.	2.7	49
215	Nanostructured porous polymer monolithic columns for capillary liquid chromatography of peptides. <i>Journal of Chromatography A</i> , 2014, 1374, 171-179.	3.7	33
216	Fabrication of highly cross-linked reversed-phase monolithic columns via living radical polymerization. <i>Journal of Chromatography A</i> , 2014, 1367, 90-98.	3.7	20
217	Mass transport of small retained molecules in polymer-based monolithic columns. <i>Journal of Chromatography A</i> , 2014, 1362, 49-61.	3.7	26
218	Facile preparation of octadecyl monoliths with incorporated carbon nanotubes and neutral monoliths with coated carbon nanotubes stationary phases for HPLC of small and large molecules by hydrophobic and π-π interactions. <i>Talanta</i> , 2014, 129, 565-574.	5.5	39
219	Preparation and evaluation of monolithic poly(N-vinylcarbazole-co-1,4-divinylbenzene) capillary columns for the separation of small molecules. <i>Analytical and Bioanalytical Chemistry</i> , 2014, 406, 5897-5907.	3.7	23
220	Critical differences in chromatographic properties of silica- and polymer-based monoliths. <i>Journal of Chromatography A</i> , 2014, 1358, 165-171.	3.7	36
221	Applications of monolithic materials for sample preparation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014, 87, 130-141.	2.8	72
222	Particulate/Cell Separations Using Macroporous Monolithic Matrices. <i>Chromatographic Science</i> , 2014, , 69-88.	0.1	1

#	ARTICLE	IF	CITATIONS
223	Hydrophobic-hydrophilic monolithic dual-phase layer for two-dimensional thin-layer chromatography coupled with surface-enhanced Raman spectroscopy detection. <i>Journal of Separation Science</i> , 2015, 38, 2737-2745.	2.5	6
224	Hydrophilic interaction chromatography: A promising alternative to reversed-phase liquid chromatography systems for the purification of small protonated bases. <i>Journal of Separation Science</i> , 2015, 38, 1633-1641.	2.5	7
225	Preparation of cucurbit[6]uril-modified polymer monolithic column for microextraction of nitroaromatics. <i>RSC Advances</i> , 2015, 5, 5850-5857.	3.6	8
227	Robust naphthyl methacrylate monolithic column for high performance liquid chromatography of a wide range of solutes. <i>Journal of Chromatography A</i> , 2015, 1409, 166-172.	3.7	19
228	Radical-mediated step-growth: Preparation of hybrid polymer monolithic columns with fine control of nanostructural and chromatographic characteristics. <i>Journal of Chromatography A</i> , 2015, 1412, 112-125.	3.7	32
229	Recent advances in nonpolar and polar organic monoliths for HPLC and CEC. <i>Electrophoresis</i> , 2015, 36, 76-100.	2.4	41
230	Semi-micro reversed-phase liquid chromatography for the separation of alkyl benzenes and proteins exploiting methacrylate- and polystyrene-based monolithic columns. <i>Journal of Separation Science</i> , 2016, 39, 1648-1655.	2.5	14
231	Monoliths in capillary electrochromatography and capillary liquid chromatography in conjunction with mass spectrometry. <i>Electrophoresis</i> , 2016, 37, 880-912.	2.4	23
232	Optimization of poly(methyl styrene-co-bis(p-vinylbenzyl)dimethylsilane)-based capillary monoliths for separation of low, medium, and high molecular-weight analytes. <i>Journal of Chromatography A</i> , 2016, 1443, 126-135.	3.7	4
233	Amine Gradient Stationary Phases on In-House Built Monolithic Columns for Liquid Chromatography. <i>Analytical Chemistry</i> , 2016, 88, 5941-5949.	6.5	21
234	Hypercrosslinked cholesterol-based polystyrene monolithic capillary columns. <i>Journal of Chromatography A</i> , 2016, 1477, 11-21.	3.7	13
235	Fabrication of an ionic liquid-based macroporous polymer monolithic column via atom transfer radical polymerization for the separation of small molecules. <i>Talanta</i> , 2016, 149, 62-68.	5.5	34
236	Advances in organic polymer-based monolithic column technology for high-resolution liquid chromatography-mass spectrometry profiling of antibodies, intact proteins, oligonucleotides, and peptides. <i>Journal of Chromatography A</i> , 2017, 1498, 8-21.	3.7	71
237	Glycopolymer monoliths for affinity bioseparation of proteins in a continuous-flow system: glycomonoliths. <i>Journal of Materials Chemistry B</i> , 2017, 5, 1148-1154.	5.8	10
238	Monolithic columns with organic sorbent based on poly-1-vinylimidazole for high performance liquid chromatography. <i>Russian Journal of Physical Chemistry A</i> , 2017, 91, 581-585.	0.6	3
239	Monolithic columns: A historical overview. <i>Electrophoresis</i> , 2017, 38, 2810-2820.	2.4	43
241	One-pot preparation of mercaptotetrazole-silica hybrid monoliths by the thiol-ene click reaction for mixed-mode capillary liquid chromatography. <i>Journal of Separation Science</i> , 2017, 40, 2344-2354.	2.5	17
242	Use of monolithic supports for high-throughput protein and peptide separation in proteomics. <i>Electrophoresis</i> , 2017, 38, 2851-2869.	2.4	24

#	ARTICLE	IF	CITATIONS
243	Macroporous Gel with a Permeable Reaction Platform for Catalytic Flow Synthesis. ACS Omega, 2017, 2, 8796-8802.	3.5	17
244	Porous Monolithic Layers and Mass Spectrometry. , 2017, , 141-178.		3
245	Robust open cellular porous polymer monoliths made from cured colloidal gels of latex particles. Green Chemistry, 2018, 20, 2499-2511.	9.0	5
246	Extraction Properties of New Polymeric Sorbents Applied to Wine. Journal of Agricultural and Food Chemistry, 2018, 66, 10086-10096.	5.2	2
247	Multi-lumen capillary based trypsin micro-reactor for the rapid digestion of proteins. Analyst, The, 2018, 143, 4944-4953.	3.5	11
248	Monolithic rod columns for HPLC based on divinylbenzene-styrene copolymer with 1-vinylimidazole and 4-vinylpyridine. Journal of Liquid Chromatography and Related Technologies, 2018, 41, 458-466.	1.0	9
249	Simultaneous Determination of Paracetamol and Chlorzoxazone in Their Combined Pharmaceutical Formulations by Reversed-phase Capillary Liquid Chromatography Using a Polymethacrylate Monolithic Column. Journal of Chromatographic Science, 2018, 56, 819-827.	1.4	15
250	Comparative Estimation of the Selectivity Parameters for Monolith HPLC Columns with Organic Sorbents. Russian Journal of Physical Chemistry A, 2018, 92, 1615-1620.	0.6	0
251	Development and validation of a (RP)UHPLC-UV-(HESI/Orbitrap)MS method for the identification and quantification of mixtures of intact therapeutical monoclonal antibodies using a monolithic column. Journal of Pharmaceutical and Biomedical Analysis, 2018, 159, 437-448.	2.8	7
252	Using of Nanomaterials to Enhance the Separation Efficiency of Monolithic Columns. , 2018, , 299-322.		3
253	Challenges and Advances in the Fabrication of Monolithic Bioseparation Materials and their Applications in Proteomics Research. Advanced Materials, 2019, 31, e1902023.	21.0	52
254	Fabrication of a monolithic, macroporous diallyl maleate-based material and its application for fast separation of intact proteins from human plasma with reversed-phase chromatography. Journal of Chromatography A, 2019, 1592, 197-201.	3.7	2
255	Effect of shearing stress on the radial heterogeneity and chromatographic performance of styrene-based polymerised high internal phase emulsions prepared in capillary format. RSC Advances, 2019, 9, 7301-7313.	3.6	4
256	An online immobilized pepsin microreactor based on polymer monoliths for screening inhibitors from natural products. Analytical Methods, 2019, 11, 2465-2472.	2.7	16
258	Monolith columns for liquid chromatographic separations of intact proteins: A review of recent advances and applications. Analytica Chimica Acta, 2019, 1046, 48-68.	5.4	70
259	Guidelines for tuning the macropore structure of monolithic columns for high-performance liquid chromatography. Journal of Separation Science, 2019, 42, 522-533.	2.5	20
260	A comprehensive investigation of the peak capacity for the reversed-phase gradient liquid-chromatographic analysis of intact proteins using a polymer-monolithic capillary column. Journal of Chromatography A, 2020, 1609, 460462.	3.7	8
261	Monolithic Poly(styrene-co-divinylbenzene) Columns for Supercritical Fluid Chromatographyâ€“Mass Spectrometry Analysis of Polypeptide. Analytical Chemistry, 2020, 92, 11525-11529.	6.5	10

#	ARTICLE	IF	CITATIONS
262	Fast construction of polymer monolithic columns inside fluorinated ethylene propylene (FEP) tubes for separation of proteins by reversed-phase liquid chromatography. <i>Talanta</i> , 2020, 217, 121063.	5.5	6
263	Preparation of palladium-loaded polymer hydrogel catalysts with high durability and recyclability. <i>Polymer Journal</i> , 2020, 52, 671-679.	2.7	12
264	A Monolithic Column with a Sorbent Based on 1-Vinyl-1,2,4-Triazole for Hydrophilic HPLC. <i>Protection of Metals and Physical Chemistry of Surfaces</i> , 2020, 56, 49-53.	1.1	5
265	Solid-phase extraction. , 2021, , 281-421.		2
266	Surface-initiated ARGET ATRP of poly(glycidyl methacrylate) from macroporous hydrogels via oil-in-water high internal phase emulsion templates for specific capture of Enterovirus 71. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2021, 615, 126233.	4.7	4
268	Characterization of a macroporous epoxy-polymer based resin for the ion-exchange chromatography of therapeutic proteins. <i>Journal of Chromatography A</i> , 2021, 1656, 462503.	3.7	8
270	Affinity Chromatography for Recombinant Proteins. , 1996, , 73-81.		2
271	C18 Modified Monolith Silica Particles of 3-5 μ m. <i>Bulletin of the Korean Chemical Society</i> , 2008, 29, 2281-2283.	1.9	13
272	Rapid Determination of Molecular Parameters of Synthetic Polymers Using Precipitation-Redissolution HPLC and a "Molded" Monolithic Column. , 2003, , 155-186.		1
274	Polymer brush-grafted monolithic macroporous polyHIPes obtained by surface-initiated ARGET ATRP and heparinized for Enterovirus 71 purification. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50427.	2.6	3
275	Correlation of the organic sorbents texture with chromatographic characteristics of monolithic HPLC columns based on 1-vinyl-2-pyrrolidone. <i>Microchemical Journal</i> , 2022, 175, 107119.	4.5	1
276	Fabrication of monolithic frits and columns for chip-based multidimensional separation devices. <i>Journal of Separation Science</i> , 2022, , .	2.5	3
277	Styrene-based polymerised high internal phase emulsions using monomers in the internal phase as co-surfactants for improved liquid chromatography. <i>RSC Advances</i> , 2022, 12, 9773-9785.	3.6	0
278	Ionic Liquids in Liquid Chromatography. , 0, , .		2
279	Microfabrication of polymers for bioMEMS. , 0, , 1-45.		0
280	Analytical HPLC columns and their characteristics. , 2022, , 271-337.		0
281	Control of Accessible Surface Areas and Height Equivalent to a Theoretical Plate using Grafted Dextran during Anion-Exchange Chromatography of Therapeutic Proteins. <i>Journal of Chemical Engineering of Japan</i> , 2022, 55, 267-274.	0.6	0
282	Comparative analysis of trilobal capillary-channeled polymer fiber columns with superficially porous and monolithic phases toward reversed-phase protein separations. <i>Journal of Separation Science</i> , 2022, 45, 3811-3826.	2.5	3

#	ARTICLE	IF	CITATIONS
283	Reversed-Phase Liquid Chromatography of Peptides for Bottom-Up Proteomics: A Tutorial. Journal of Proteome Research, 2022, 21, 2846-2892.	3.7	17
284	Monolithic stationary phases preparation for use in chromatographic and electromigration techniques: The state-of-the-art. Microchemical Journal, 2023, 190, 108598.	4.5	3
285	Trends in monoliths: Packings, stationary phases and nanoparticles. Journal of Chromatography A, 2023, 1691, 463819.	3.7	7
286	Monoliths Media: Stationary Phases and Nanoparticles. , 0, , .		0
287	Food, drug and model mix analysis by organic monolithic columns based on heterocyclic monomers. Journal of Liquid Chromatography and Related Technologies, 0, , 1-7.	1.0	0
288	A protocol for fabrication of polymer monolithic capillary columns and tuning the morphology targeting high-resolution bioanalysis in gradient-elution liquid chromatography. Journal of Separation Science, 2023, 46, .	2.5	1