

CITATION REPORT

List of articles citing

The Physical Activity Scale for the Elderly (PASE): development and evaluation

DOI: 10.1016/0895-4356(93)90053-4
Journal of Clinical Epidemiology, 1993, 46, 153-62.

Source: <https://exaly.com/paper-pdf/24057396/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2316	Dissociation of blood pressure level and reactivity. 1994 , 23, 676-7		2
2315	Physical activity epidemiology as applied to elderly populations. 1994 , 8, 7-27		16
2314	Socioeconomic status and exercise self-efficacy in late life. 1995 , 18, 355-76		40
2313	The reliability, validity, and stability of a measure of physical activity in the elderly. 1996 , 77, 793-5		116
2312	Three generations of telecare of the elderly. 1996 , 2, 71-80		73
2311	A home-based exercise program for nondisabled older adults. 1996 , 44, 644-9		98
2310	Validation of a physical activity questionnaire in the elderly. 1996 , 74, 528-33		32
2309	“Lifestyle” Interventions for Promoting Physical Activity: A Kilocalorie Expenditure-Based Home Feasibility Study. 1996 , 312, 68-75		
2308	Risk factors for inguinal hernia in women: a case-control study. The Coala Trial Group. 1997 , 146, 721-6		75
2307	Recruitment of managed care Medicare patients for a physical activity study. 1997 , 12, 98-101		10
2306	Continuous automated telecare assessment of the elderly. 1997 , 3 Suppl 1, 23-5		48
2305	A randomized controlled trial of weight reduction and exercise for diabetes management in older African-American subjects. 1997 , 20, 1503-11		272
2304	Effect of calcium and vitamin D supplementation on bone density in men and women 65 years of age or older. 1997 , 337, 670-6		1759
2303	Relative validity and repeatability of a new questionnaire on physical activity. 1997 , 26, 37-43		40
2302	Training physicians to conduct physical activity counseling. 1997 , 26, 382-8		119
2301	Older women and physical activity: using the telephone to walk. 1997 , 7, 24-9		41
2300	Validity of the Physical Activity Scale for the Elderly (PASE): according to energy expenditure assessed by the doubly labeled water method. <i>Journal of Clinical Epidemiology</i> , 1997 , 50, 541-6	5.7	237

2299	Methodological aspects of physical activity assessment in epidemiological studies. 1998 , 14, 63-70	47
2298	Acceptability and feasibility of physician-based activity counseling. The PAL project. 1998 , 15, 95-102	58
2297	Physical activity interventions targeting older adults. A critical review and recommendations. 1998 , 15, 316-33	435
2296	Pain, physical activity, and disability in individuals with late effects of polio. 1998 , 79, 915-9	73
2295	Activity counseling by primary care physicians. 1998 , 27, 506-13	132
2294	Selection of an instrument to measure the physical activity of elderly people in rural areas. 1998 , 23, 309-14	15
2293	Muscular performance in heart failure. 1998 , 4, 97-104	28
2292	Bone density, bone turnover, and hormone levels in men over age 75. 1998 , 53, M419-25	28
2291	Association between self-reported leisure-time physical activity and measures of cardiorespiratory fitness in an elderly population. 1998 , 147, 921-31	64
2290	Lack of an association between insulin-like growth factor-I and body composition, muscle strength, physical performance or self-reported mobility among older persons with functional limitations. 1998 , 46, 822-8	32
2289	Preventing disability and managing chronic illness in frail older adults: a randomized trial of a community-based partnership with primary care. 1998 , 46, 1191-8	183
2288	Effect of 50- and 100-mg vitamin E supplements on cellular immune function in noninstitutionalized elderly persons. 1999 , 69, 1273-81	106
2287	Correlates of the "don't know" response to questions about snoring. 1999 , 160, 1812-5	18
2286	Physical activity and its correlates among urban primary care patients aged 55 years or older. 1999 , 54, S41-8	112
2285	The vagaries of self-reports of physical activity: a problem revisited and addressed in a study of exercise promotion in the over 65s in general practice. 1999 , 16, 152-7	58
2284	Falls prevention over 2 years: a randomized controlled trial in women 80 years and older. 1999 , 28, 513-8	323
2283	Physician-based physical activity counseling for middle-aged and older adults: a randomized trial. 1999 , 21, 40-7	125
2282	[Freiburg Questionnaire of physical activity--development, evaluation and application]. 1999 , 44, 55-64	178

2281	Effects of 6 months of moderate aerobic exercise training on immune function in the elderly. 1999 , 109, 1-19		118
2280	Spinal deformity and mobility self-confidence among women with osteoporosis and vertebral fractures. 1999 , 11, 235-45		3
2279	The physical activity scale for the elderly (PASE): evidence for validity. <i>Journal of Clinical Epidemiology</i> , 1999 , 52, 643-51	5:7	646
2278	Functional biochemical and nutrient indices in frail elderly people are partly affected by dietary supplements but not by exercise. 1999 , 129, 2028-36		45
2277	THE AUTHORS REPLY. 1999 , 150, 218-219		
2276	Re: "Self-perceived health and 5-year mortality risks among the elderly in Shanghai, China". 1999 , 150, 219		6
2275	Peer-Led Minimal Intervention: An Exercise Approach for Elderly Women. 1999 , 23, 52-60		11
2274	Methodologic issues in measuring physical activity and physical fitness when evaluating the role of dietary supplements for physically active people. 2000 , 72, 541S-50S		48
2273	Dietary supplements and physical exercise affecting bone and body composition in frail elderly persons. 2000 , 90, 947-54		44
2272	Recording Activity in Older Women With TriTrac. 2000 , 24, 370-378		9
2271	Physical activity maintenance in elders with cardiac problems. 2000 , 21, 200-203		9
2270	Physical performance tests after stroke: reliability and validity. 2000 , 79, 519-25		39
2269	Effect of dietary supplements and physical exercise on sensory perception, appetite, dietary intake and body weight in frail elderly subjects. 2000 , 83, 605-13		40
2268	Physical activity maintenance in elders with cardiac problems. 2000 , 21, 200-3		9
2267	[A multidimensional questionnaire as a component of preventive geriatric assessment: comparison of self-assessment version with the interview version]. 2000 , 45, 134-46		6
2266	Timed loaded standing: a measure of combined trunk and arm endurance suitable for people with vertebral osteoporosis. 2000 , 11, 914-22		35
2265	Associations of the collagen type I alpha1 Sp1 polymorphism with five-year rates of bone loss in older adults. 2000 , 66, 268-71		47
2264	Muscle and tendon stiffness in patients with upper motor neuron lesion following a stroke. 2000 , 82, 275-9		34

2263	Effect of withdrawal of calcium and vitamin D supplements on bone mass in elderly men and women. 2000 , 72, 745-50	106
2262	Safety and risk issues in using telecare. 2000 , 6, 249-62	24
2261	Determinants of bone density in healthy older men with low testosterone levels. 2000 , 55, M492-7	71
2260	Assessment of physical activity by self-report: status, limitations, and future directions. 2000 , 71 Suppl 2, 1-14	1237
2259	Contribution of genetic and environmental influences to ankle-brachial blood pressure index in the NHLBI Twin Study. National Heart, Lung, and Blood Institute. 2000 , 151, 452-8	57
2258	Immunity in frail elderly: a randomized controlled trial of exercise and enriched foods. 2000 , 32, 2005-11	34
2257	Reliability, validity, and methodological issues in assessing physical activity in older adults. 2000 , 71 Suppl 2, 89-96	94
2256	Effectiveness of physician-based assessment and counseling for exercise in a staff model HMO. 2000 , 30, 513-23	104
2255	Association of muscle power with functional status in community-dwelling elderly women. 2000 , 55, M192-9	413
2254	Oxygen consumption during treadmill walking with and without body weight support in patients with hemiparesis after stroke and in healthy subjects. 2000 , 81, 953-7	81
2253	The summary of diabetes self-care activities measure: results from 7 studies and a revised scale. 2000 , 23, 943-50	1493
2252	The contribution of genetic influences to measures of lower-extremity function in older male twins. 2000 , 55, B49-53	54
2251	Assessing the association of walking with health services use and costs among socioeconomically disadvantaged older adults. 2001 , 32, 492-501	33
2250	Physical exercise and/or enriched foods for functional improvement in frail, independently living elderly: a randomized controlled trial. 2001 , 82, 811-7	55
2249	Gait variability and fall risk in community-living older adults: a 1-year prospective study. 2001 , 82, 1050-6	1571
2248	Dynamic water exercise in individuals with late poliomyelitis. 2001 , 82, 66-72	73
2247	Enhancing the Psychological Well-Being of Elderly Individuals Through Tai Chi Exercise: A Latent Growth Curve Analysis. 2001 , 8, 53-83	68
2246	Accuracy and repeatability of the Yale physical activity survey in assessing physical activity of older adults. 2001 , 93, 163-77	22

2245	Interventions to promote physical activity by older adults. 2001 , 56 Spec No 2, 36-46	220
2244	Psychosocial Barriers to Diabetes Self-Management and Quality of Life. 2001 , 14, 33-41	143
2243	Correlates of knowledge of one's blood pressure and cholesterol levels among older members of a managed care plan. 2001 , 13, 95-104	6
2242	Methodology for Physical Activity Assessment. 51-61	
2241	Etiology and modification of gait instability in older adults: a randomized controlled trial of exercise. 2001 , 90, 2117-29	139
2240	An evaluation of three self-report physical activity instruments for older adults. 2001 , 33, 962-70	318
2239	Making Geriatric Assessment Work: Selecting Useful Measures. 2001 , 81, 1233-1252	94
2238	[Test-retest reliability of a German language multidimensional assessment instrument in elderly probands]. 2001 , 34, 196-206	5
2237	Implementing a psychological intervention to improve lifestyle self-management in patients with type 2 diabetes. 2001 , 42, 247-56	70
2236	Validation of questionnaires to estimate physical activity and functioning in end-stage renal disease. 2001 , 59, 1121-7	188
2235	Simultaneous validation of ten physical activity questionnaires in older men: a doubly labeled water study. 2001 , 49, 28-35	171
2234	Muscle power of the ankle flexors predicts functional performance in community-dwelling older women. 2001 , 49, 1161-7	235
2233	How well are community-living women treated for osteoporosis after hip fracture?. 2001 , 49, 1197-204	75
2232	Tai Chi, self-efficacy, and physical function in the elderly. 2001 , 2, 229-39	79
2231	Physician-based activity counseling: intervention effects on mediators of motivational readiness for physical activity. 2001 , 23, 2-10	163
2230	An evaluation of the effects of Tai Chi exercise on physical function among older persons: a randomized controlled trial. 2001 , 23, 139-46	144
2229	Effects of transdermal testosterone on bone and muscle in older men with low bioavailable testosterone levels. 2001 , 56, M266-72	326
2228	A comparison of the Yale Physical Activity Survey with other physical activity measures. 2001 , 33, 955-61	48

2227	Physical activity, muscle performance and quality of life in patients treated with chronic peritoneal dialysis. 2001 , 35, 71-8	22
2226	Resistance training reduces susceptibility to eccentric exercise-induced muscle dysfunction in older women. 2001 , 56, B384-90	38
2225	Development and validation of a questionnaire for the assessment of physical activity in epidemiological studies in Sub-Saharan Africa. 2001 , 30, 1361-8	52
2224	Reliability of the physical activity scale for the elderly (PASE). 2002 , 2, 1-12	15
2223	Physical exercise or micronutrient supplementation for the wellbeing of the frail elderly? A randomised controlled trial. 2002 , 36, 126-31	37
2222	Growth hormone and sex steroid administration in healthy aged women and men: a randomized controlled trial. 2002 , 288, 2282-92	326
2221	A double-blind, placebo-controlled, randomized clinical trial of recombinant human chorionic gonadotropin on muscle strength and physical function and activity in older men with partial age-related androgen deficiency. 2002 , 87, 3125-35	83
2220	Tai Chi as a Means to Enhance Self-Esteem: A Randomized Controlled Trial. 2002 , 21, 70-89	37
2219	Physical Activity in Older Women of Color. 2002 , 18, 21-33	15
2218	Measurement Issues Related to Actigraphy Use in Older Women. 2002 , 18, 68-79	
2217	Calcium intake influences the association of protein intake with rates of bone loss in elderly men and women. 2002 , 75, 773-9	240
2216	Application of a falls prevention program for older people to primary health care practice. 2002 , 34, 546-53	41
2215	A randomized controlled trial of resistance exercise training to improve glycemic control in older adults with type 2 diabetes. 2002 , 25, 2335-41	516
2214	Preoperative physical activity, anesthesia, and analgesia: effects on early postoperative walking after total hip replacement. 2002 , 15, 19-27	8
2213	Surgical treatment of redisplaced fractures of the distal radius in patients older than 60 years. 2002 , 27, 714-23	99
2212	The physical activity scale for individuals with physical disabilities: development and evaluation. 2002 , 83, 193-200	301
2211	Use of item response theory to link 3 modules of functional status items from the Asset and Health Dynamics Among the Oldest Old study. 2002 , 83, 383-94	29
2210	Relationship between estrogen use and musculoskeletal function in postmenopausal women. 2002 , 42, 119-27	31

2209	Participant characteristics associated with errors in self-reported energy intake from the Women's Health Initiative food-frequency questionnaire. 2002 , 76, 766-73	98
2208	Mapping of quantitative ultrasound of the calcaneus bone to chromosome 1 by genome-wide linkage analysis. 2002 , 13, 796-802	52
2207	Physical activity: measurement in mid-life women. 2002 , 81, 595-602	13
2206	Cardiovascular health and physical activity in older adults: an integrative review of research methodology and results. 2002 , 38, 219-34	29
2205	The relationship between leg power and physical performance in mobility-limited older people. 2002 , 50, 461-7	432
2204	High-velocity resistance training increases skeletal muscle peak power in older women. 2002 , 50, 655-62	319
2203	Weighted stair climbing in mobility-limited older people: a pilot study. 2002 , 50, 663-70	102
2202	Prevalence of sarcopenia and predictors of skeletal muscle mass in healthy, older men and women. 2002 , 57, M772-7	571
2201	Genome screen for quantitative trait loci contributing to normal variation in bone mineral density: the Framingham Study. 2002 , 17, 1718-27	107
2200	Dietary silicon intake is positively associated with bone mineral density in men and premenopausal women of the Framingham Offspring cohort. 2004 , 19, 297-307	241
2199	Estrogen receptor beta polymorphisms are associated with bone mass in women and men: the Framingham Study. 2004 , 19, 773-81	58
2198	Measurement of Activity Levels is an Important Part of Physiotherapy Assessment. 2003 , 89, 585-593	2
2197	Physical functioning over three years in knee osteoarthritis: role of psychosocial, local mechanical, and neuromuscular factors. 2003 , 48, 3359-70	358
2196	Daily living activities in older adults: Part I—review of physical activity and dietary intake assessment methods. 2003 , 32, 389-404	10
2195	Effects of vitamin D supplementation on strength, physical function, and health perception in older, community-dwelling men. 2003 , 51, 1762-7	136
2194	Effect of n-3 fatty acids on heart rate variability and baroreflex sensitivity in middle-aged subjects. 2003 , 146, E4	34
2193	The D-Net diabetes self-management program: long-term implementation, outcomes, and generalization results. 2003 , 36, 410-9	215
2192	Predicting long-term maintenance of physical activity in older adults. 2003 , 37, 110-8	328

2191	Age, gender, and body mass effects on quantitative trait loci for bone mineral density: the Framingham Study. 2003 , 33, 308-16	85
2190	Community-based group exercise improves balance and reduces falls in at-risk older people: a randomised controlled trial. 2003 , 32, 407-14	465
2189	Estimating human energy expenditure: a review of techniques with particular reference to doubly labelled water. 2003 , 33, 683-98	163
2188	An hybrid refinement methodology for multivariate simulation in home health telecare.	4
2187	Is stair negotiation measured appropriately in functional assessment scales?. 2003 , 17, 325-33	24
2186	Prevalence of sarcopenia and predictors of skeletal muscle mass in nonobese women who are long-term users of estrogen-replacement therapy. 2003 , 58, M436-40	66
2185	Association of physical activity and visual attention in older adults. 2003 , 15, 534-47	34
2184	Psychosocial and perceived environmental correlates of physical activity in rural and older african american and white women. 2003 , 58, P329-37	165
2183	Health status and functional capacity in a group of successfully ageing 65-85-year-olds. 2003 , 25, 1044-51	16
2182	Striking similarities in systemic factors contributing to decreased exercise capacity in patients with severe chronic heart failure or COPD. 2003 , 123, 1416-24	155
2181	Changes in function and disability after resistance training: does velocity matter?: a pilot study. 2003 , 82, 605-13	51
2180	Quadriceps strength and osteoarthritis progression in malaligned and lax knees. 2003 , 138, 613-9	223
2179	The Impact of Chronic Musculoskeletal Pain on Exercise Attitudes, Self-Efficacy, and Physical Activity. 2003 , 11, 275-283	11
2178	Older Women's Reactions to Revealing and Nonrevealing Exercise Attire. 2003 , 11, 445-458	13
2177	Validation of a soy food-frequency questionnaire and evaluation of correlates of plasma isoflavone concentrations in postmenopausal women. 2003 , 77, 674-80	74
2176	Vitamin K intake and bone mineral density in women and men. 2003 , 77, 512-6	176
2175	Changes in Mini-Mental State Exam in community-dwelling older persons over 6 years: relationship to health and neuropsychological measures. 2003 , 22, 23-30	12
2174	Vitamin B-12 status is associated with bone mineral content and bone mineral density in frail elderly women but not in men. 2003 , 133, 801-7	83

2173	Effects of a brief tailored intervention on the process and predictors of lifestyle behaviour change in patients with type 2 diabetes. 2004 , 9, 440-449	20
2172	Self-efficacy intervention effect on physical activity in older adults. 2004 , 26, 31-46; discussion 47-58	79
2171	Genetic contribution to biological aging: the Framingham Study. 2004 , 59, 218-26	40
2170	Balance confidence improves with resistance or agility training. Increase is not correlated with objective changes in fall risk and physical abilities. 2004 , 50, 373-82	92
2169	Outcomes of progressive resistance strength training following stroke: a systematic review. 2004 , 18, 27-39	167
2168	Differences in sustainability of exercise and health-related quality of life outcomes following home or hospital-based cardiac rehabilitation. 2004 , 11, 313-9	68
2167	The deleterious effects of bed rest among community-living older persons. 2004 , 59, 755-61	65
2166	Resilience of community-dwelling older persons. 2004 , 52, 257-62	190
2165	Resistance and agility training reduce fall risk in women aged 75 to 85 with low bone mass: a 6-month randomized, controlled trial. 2004 , 52, 657-65	239
2164	The effects of endurance training in persons with a hereditary myosin myopathy. 2004 , 110, 80-6	9
2163	Tai chi and self-rated quality of sleep and daytime sleepiness in older adults: a randomized controlled trial. 2004 , 52, 892-900	227
2162	The effectiveness of a community-based program for reducing the incidence of falls in the elderly: a randomized trial. 2004 , 52, 1487-94	355
2161	The health of normally aging men: The Massachusetts Male Aging Study (1987-2004). 2004 , 39, 975-84	92
2160	Effects of a tailored lifestyle self-management intervention in patients with type 2 diabetes. 2004 , 9, 365-79	111
2159	Interactions of interleukin-6 promoter polymorphisms with dietary and lifestyle factors and their association with bone mass in men and women from the Framingham Osteoporosis Study. 2004 , 19, 552-9	63
2158	Low plasma vitamin B12 is associated with lower BMD: the Framingham Osteoporosis Study. 2005 , 20, 152-8	50
2157	Establishing the compliance in elderly women for use of a low level mechanical stress device in a clinical osteoporosis study. 2004 , 15, 918-26	25
2156	Correlates of strength training in older rural African American and Caucasian women. 2004 , 40, 1-20	129

2155	Effects of a Pedometer-Based Physical Activity Program on Older Adults' Mobility-Related Self-Efficacy and Physical Performance. 2004 , 28, 19-33	9
2154	Both resistance and agility training increase cortical bone density in 75- to 85-year-old women with low bone mass: a 6-month randomized controlled trial. 2004 , 7, 390-8	83
2153	Genome screen for a combined bone phenotype using principal component analysis: the Framingham study. 2004 , 34, 547-56	54
2152	Age, body mass index, and serum prostate-specific antigen correlate with bone loss in men with prostate cancer not receiving androgen deprivation therapy. 2004 , 64, 335-40	35
2151	Comparison of the LASA Physical Activity Questionnaire with a 7-day diary and pedometer. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 252-8	5-7 362
2150	Assessing multiple risk behaviors in primary care. Screening issues and related concepts. 2004 , 27, 42-53	76
2149	Musculoskeletal pain in polio survivors and strength-matched controls. 2004 , 85, 1679-83	12
2148	Evaluation of the 7-day physical activity recall in urban and rural men. 2004 , 36, 1646-54	29
2147	Importance of physical activity, nutrition, and social support for optimal aging. 2004 , 18, 200-6	17
2146	Exercise, health, and aging. 2004 , 12, 170-84	8
2145	Factors associated with recovery of independence among newly disabled older persons. 2005 , 165, 106-12	86
2144	Increasing lifestyle physical activity in patients with depression or other serious mental illness. 2005 , 11, 379-88	49
2143	Neighborhood influences on physical activity in middle-aged and older adults: a multilevel perspective. 2005 , 13, 87-114	87
2142	Suitability of physical activity questionnaires for older adults in fall-prevention trials: a systematic review. 2005 , 13, 461-81	44
2141	Physical activity enhances long-term quality of life in older adults: efficacy, esteem, and affective influences. 2005 , 30, 138-45	197
2140	Improving physical function and blood pressure in older adults through cobblestone mat walking: a randomized trial. 2005 , 53, 1305-12	26
2139	Association between Parkinson's disease and low bone density and falls in older men: the osteoporotic fractures in men study. 2005 , 53, 1559-64	72
2138	The beneficial effects of group-based exercises on fall risk profile and physical activity persist 1 year postintervention in older women with low bone mass: follow-up after withdrawal of exercise. 2005 , 53, 1767-73	43

2137	Effects of ultra-low-dose estrogen therapy on muscle and physical function in older women. 2005 , 53, 1973-7	28
2136	Objective measures of health-related quality of life over 24 months post-liver transplantation. 2005 , 19, 1-9	59
2135	Hip abduction moment and protection against medial tibiofemoral osteoarthritis progression. 2005 , 52, 3515-9	197
2134	Depression and bone mineral density: is there a relationship in elderly Asian men? Results from Mr. Os (Hong Kong). 2005 , 16, 610-5	78
2133	Home-based resistance training improves femoral bone mineral density in women on hormone therapy. 2005 , 16, 1096-108	35
2132	Both resistance and agility training reduce back pain and improve health-related quality of life in older women with low bone mass. 2005 , 16, 1321-9	55
2131	Bone mineral density and the risk of peripheral arterial disease in men and women: results from Mr. and Ms Os, Hong Kong. 2005 , 16, 1933-8	93
2130	Association between change in systolic blood pressure and cognitive decline among elderly Mexican Americans: data from the Hispanic established population for epidemiology study of the elderly. 2005 , 31, 35-54	14
2129	Physical activity, self-efficacy, and self-esteem: longitudinal relationships in older adults. 2005 , 60, P268-75	87
2128	Practical and relevant self-report measures of patient health behaviors for primary care research. 2005 , 3, 73-81	113
2127	Measuring disability and function in older women: psychometric properties of the late-life function and disability instrument. 2005 , 60, 901-9	88
2126	Vitamin D supplementation in older women. 2005 , 60, 754-9	17
2125	Profile of physical activity levels in community-dwelling older adults. 2005 , 37, 1774-84	134
2124	Cuantificaci3n de la actividad f3sica en personas mayores. 2005 , 40, 47-52	1
2123	Question 3-6. Les questionnaires d'activit3 physique - application aux BPCO. 2005 , 22, 47-53	
2122	Lack of association between androgen receptor polymorphisms and bone mineral density or physical function in older men. 2005 , 31, 285-93	18
2121	Design and baseline characteristics of the osteoporotic fractures in men (MrOS) study--a large observational study of the determinants of fracture in older men. 2005 , 26, 569-85	571
2120	The effect of hormone replacement on physical performance in community-dwelling elderly women. 2005 , 118, 1232-9	32

2119	Fear of falling limiting activity in young-old women is associated with reduced functional mobility rather than psychological factors. 2005 , 34, 281-7	93
2118	Correlates for a low ankle-brachial index in elderly Chinese. 2006 , 186, 360-6	28
2117	Serum androgen levels in black, Hispanic, and white men. 2006 , 91, 4326-34	105
2116	Physical activity assessment: validation of a clinical assessment tool. 2006 , 31, 484-91	46
2115	Angiotensin converting enzyme inhibitor use is associated with higher bone mineral density in elderly Chinese. 2006 , 38, 584-8	103
2114	Prevalence, severity, and health correlates of lower urinary tract symptoms among older men: the MrOS study. 2006 , 68, 804-9	104
2113	Risk factors for lower urinary tract symptoms in southern Chinese men. 2006 , 68, 1009-14	28
2112	Effectiveness of exercise interventions in reducing pain symptoms among older adults with knee osteoarthritis: a review. 2006 , 14, 212-35	51
2111	Pilot study comparing physical and psychological responses in medical qigong and walking. 2006 , 14, 241-53	15
2110	Relationship of proxy efficacy and reliance to home-based physical activity after cardiac rehabilitation.. 2006 , 51, 224-231	26
2109	Predicting walking intentions and exercise in individuals with intermittent claudication: An application of the theory of planned behavior.. 2006 , 51, 299-305	32
2108	Colas, but not other carbonated beverages, are associated with low bone mineral density in older women: The Framingham Osteoporosis Study. 2006 , 84, 936-42	163
2107	Examining the Role of Acculturation in Health Behaviors of Older Mexican Americans. 2006 , 30, 684-699	28
2106	Physical activity and functional limitations in older women: influence of self-efficacy. 2006 , 61, P270-7	85
2105	Physical activity, public health, and aging: critical issues and research priorities. 2006 , 61, S267-73	95
2104	Associations of physical activity and inactivity before and during pregnancy with glucose tolerance. 2006 , 108, 1200-7	172
2103	Exploring the feasibility of a community-based strength training program for older people with depressive symptoms and its impact on depressive symptoms. 2006 , 6, 18	43
2102	The effect of Tai Chi Chuan in reducing falls among elderly people: design of a randomized clinical trial in the Netherlands [ISRCTN98840266]. 2006 , 6, 6	24

2101	Dimensions and volumetric BMD of the proximal femur and their relation to age among older U.S. men. 2006 , 21, 1197-206	88
2100	Predictors of non-spine fracture in elderly men: the MrOS study. 2007 , 22, 211-9	127
2099	Physical activity and quality of life in older adults: influence of health status and self-efficacy. 2006 , 31, 99-103	175
2098	The determinants of bone mineral density in Chinese men--results from Mr. Os (Hong Kong), the first cohort study on osteoporosis in Asian men. 2006 , 17, 297-303	109
2097	Femoral bone mineral density in patients with heart failure. 2006 , 17, 1420-7	46
2096	Körperliche Aktivität im Alter. 2006 , 1, 140-144	2
2095	Lower urinary tract symptoms and depressive symptoms in elderly men. 2006 , 96, 83-8	63
2094	Measurement properties of the CHAMPS physical activity questionnaire in a sample of older Australians. 2006 , 9, 319-26	50
2093	Randomised controlled trial of welfare rights advice accessed via primary health care: pilot study [ISRCTN61522618]. 2006 , 6, 162	22
2092	Study protocol of a cluster randomised controlled trial investigating the effectiveness of a tailored energy balance programme for recent retirees. 2006 , 6, 293	4
2091	Nordic walking and chronic low back pain: design of a randomized clinical trial. 2006 , 7, 77	14
2090	Risk of depression in patients with chronic respiratory diseases: results from two large cohort studies in Chinese elderly from Hong Kong. 2006 , 21, 233-8	33
2089	Nutrient intake and psychological health in an elderly Chinese population. 2006 , 21, 1036-43	94
2088	The effect of prior disability history on subsequent functional transitions. 2006 , 61, 272-7	30
2087	Power training improves balance in healthy older adults. 2006 , 61, 78-85	195
2086	Falls-related self-efficacy is independently associated with balance and mobility in older women with low bone mass. 2006 , 61, 832-8	55
2085	Transitions between frailty states among community-living older persons. 2006 , 166, 418-23	613
2084	Effect of cholecalciferol plus calcium on falling in ambulatory older men and women: a 3-year randomized controlled trial. 2006 , 166, 424-30	78

2083	A pilot randomised controlled trial of a home-based exercise programme aimed at improving endurance and function in adults with neuromuscular disorders. 2006 , 77, 959-62	25
2082	Effects of GH and/or sex steroids on circulating IGF-I and IGFBPs in healthy, aged women and men. 2006 , 290, E1006-13	33
2081	Effects of modest testosterone supplementation and exercise for 12 weeks on body composition and quality of life in elderly men. 2006 , 155, 867-75	44
2080	Medical illnesses are more important than medications as risk factors of falls in older community dwellers? A cross-sectional study. 2006 , 35, 246-51	47
2079	The Baltimore activity scale for intermittent claudication: a validation study. 2006 , 40, 383-91	16
2078	Older adults' physical activity participation and perceptions of wellbeing: Examining the role of social support for leisure. 2006 , 11, 164-185	48
2077	Quantifying physical activity in daily life with questionnaires and motion sensors in COPD. 2006 , 27, 1040-55	316
2076	Management of distal radial fractures. 2007 , 89, 2051-62	103
2075	Do statins affect androgen levels in men? Results from the Boston area community health survey. 2007 , 16, 1587-94	51
2074	The association between isoflavone and lower urinary tract symptoms in elderly men. 2007 , 98, 1237-42	19
2073	Serum C3 is a stronger inflammatory marker of insulin resistance than C-reactive protein, leukocyte count, and erythrocyte sedimentation rate: comparison study in an elderly population. 2007 , 30, 2362-8	80
2072	Smoking is a risk factor for decreased physical performance in elderly women. 2007 , 62, 93-100	37
2071	Milk supplementation and bone health in young adult chinese women. 2007 , 16, 692-702	21
2070	Reliability and validity of the Flemish Physical Activity Computerized Questionnaire in adults. 2007 , 78, 293-306	83
2069	Nutrition as a determinant of successful aging: description of the Quebec longitudinal study Nuage and results from cross-sectional pilot studies. 2007 , 10, 377-86	100
2068	Sensory-specific balance training in older adults: effect on proprioceptive reintegration and cognitive demands. 2007 , 87, 1274-83	46
2067	Association of fewer hours of sleep at 6 months postpartum with substantial weight retention at 1 year postpartum. 2008 , 167, 178-87	102
2066	Progressive exercise for anabolism in kidney disease (PEAK): a randomized, controlled trial of resistance training during hemodialysis. 2007 , 18, 1594-601	227

2065	Level of physical activity in the week preceding an ischemic stroke. 2007 , 24, 296-300	32
2064	Experience of famine and bone health in post-menopausal women. 2007 , 36, 1143-50	16
2063	Higher antibody, but not cell-mediated, responses to vaccination in high physically fit elderly. 2007 , 102, 1090-8	55
2062	Testing the efficacy of the theory of planned behavior to explain strength training in older adults. 2007 , 15, 1-12	30
2061	Development and evaluation of the physical activity questionnaire for elderly Japanese: the Nakanojo study. 2007 , 15, 398-411	56
2060	Long-term follow-up of physical activity behavior in older adults. 2007 , 26, 375-80	128
2059	An interdisciplinary expert consensus statement on assessment of pain in older persons. 2007 , 23, S1-43	419
2058	Determinants of walking exercise among individuals with intermittent claudication: does pain play a role?. 2007 , 27, 107-13	11
2057	Preservation of eccentric torque of the knee extensors and flexors in patients with COPD. 2007 , 27, 411-6	19
2056	Physical activity recommendations and decreased risk of mortality. 2007 , 167, 2453-60	264
2055	Physical Activity and Function in Older Adults: Theory of Planned Behavior. 2007 , 31, 203-214	33
2054	Influence of self-efficacy on the functional relationship between ratings of perceived exertion and exercise intensity. 2007 , 27, 303-8; quiz 309-10	13
2053	The impact of chronic low back pain on older adults: a comparative study of patients and controls. 2007 , 131, 293-301	150
2052	Comorbidities in head and neck cancer: agreement between self-report and chart review. 2007 , 136, 536-42	45
2051	Pacing Evaluation-Atrial Support Study in Cardiac Resynchronization Therapy (PEGASUS CRT): design and rationale. 2007 , 153, 7-13	12
2050	Television, walking, and diet: associations with postpartum weight retention. 2007 , 32, 305-11	105
2049	Predictors of change in physical activity during and after pregnancy: Project Viva. 2007 , 32, 312-9	252
2048	Intérêt des programmes d'exercices physiques dirigés par un kinésithérapeute ou non dirigés dans l'arthrose des membres inférieurs. Élaboration de recommandations françaises pour la pratique clinique. 2007 , 50, 747-758	4

2047	Supervised or unsupervised exercise for the treatment of hip and knee osteoarthritis. Clinical practice recommendations. 2007 , 50, 759-68, 747-58	14
2046	Greater trochanteric pain syndrome: epidemiology and associated factors. 2007 , 88, 988-92	297
2045	Centre of mass motion during stair negotiation in young and older men. 2007 , 26, 463-9	46
2044	Genetic variation at the low-density lipoprotein receptor-related protein 5 (LRP5) locus modulates Wnt signaling and the relationship of physical activity with bone mineral density in men. 2007 , 40, 587-96	99
2043	Clinically relevant depressive symptoms and peripheral arterial disease in elderly men and women. Results from a large cohort study in Southern China. 2007 , 63, 471-6	11
2042	Circuit training in community-living "younger" men after stroke. 2007 , 16, 122-9	20
2041	Incident fall risk and physical activity and physical performance among older men: the Osteoporotic Fractures in Men Study. 2007 , 165, 696-703	167
2040	The effects of calcium and vitamin D supplementation on blood glucose and markers of inflammation in nondiabetic adults. 2007 , 30, 980-6	477
2039	Associated factors and health impact of sarcopenia in older chinese men and women: a cross-sectional study. 2007 , 53, 404-10	160
2038	Risk of falls and motor vehicle collisions in glaucoma. 2007 , 48, 1149-55	226
2037	Strength training improves muscle quality and insulin sensitivity in Hispanic older adults with type 2 diabetes. 2006 , 4, 19-27	192
2036	[Knowledge, perception and health behavior about metabolic syndrome for an at risk group in a rural community area]. 2007 , 37, 790-800	18
2035	Varus foot alignment and hip conditions in older adults. 2007 , 56, 2993-8	40
2034	A perturbation-based balance training program for older adults: study protocol for a randomised controlled trial. 2007 , 7, 12	62
2033	Fall risk in an active elderly population--can it be assessed?. 2007 , 6, 2	54
2032	BMI, body composition, and physical functioning in older adults. 2007 , 15, 1886-94	118
2031	Physical Activity and Social Physique Anxiety in Older Women: The Moderating Effects of Self-Presentation Efficacy. 2007 , 8, 116-127	13
2030	The Effects of Physical Activity Enjoyment on Sedentary Older Adults' Physical Activity Attitudes and Intentions1. 2007 , 11, 29-43	4

2029	Efficacy and feasibility of a novel tri-modal robust exercise prescription in a retirement community: a randomized, controlled trial. 2007 , 55, 1-10	52
2028	Alcohol use, physical performance, and functional limitations in older men. 2007 , 55, 212-20	40
2027	Predisposing factors and precipitants for bathing disability in older persons. 2007 , 55, 534-40	17
2026	Independent relationship between heart rate recovery and C-reactive protein in older adults. 2007 , 55, 747-51	20
2025	Frailty in older men: prevalence, progression, and relationship with mortality. 2007 , 55, 1216-23	342
2024	Bath aids and the subsequent development of bathing disability in community-living older persons. 2007 , 55, 1757-63	15
2023	Effects of change in physical activity on physical function limitations in older women: mediating roles of physical function performance and self-efficacy. 2007 , 55, 1967-73	68
2022	Recruiting older participants to a randomised trial of a community-based fall prevention program. 2007 , 26, 35-39	15
2021	Development, feasibility and performance of a health risk appraisal questionnaire for older persons. 2007 , 7, 1	150
2020	The PRO-AGE study: an international randomised controlled study of health risk appraisal for older persons based in general practice. 2007 , 7, 2	38
2019	The effects of hip muscle strengthening on knee load, pain, and function in people with knee osteoarthritis: a protocol for a randomised, single-blind controlled trial. 2007 , 8, 121	40
2018	Effects of laterally wedged insoles on symptoms and disease progression in medial knee osteoarthritis: a protocol for a randomised, double-blind, placebo controlled trial. 2007 , 8, 96	15
2017	Beyond the lower urinary tract: the association of urologic and sexual symptoms with common illnesses. 2007 , 52, 407-15	69
2016	Association between smoking, passive smoking, and erectile dysfunction: results from the Boston Area Community Health (BACH) Survey. 2007 , 52, 416-22	69
2015	Degenerative meniscus tears and mobility impairment in women with knee osteoarthritis. 2007 , 15, 701-8	52
2014	Race and ethnic variation in proximal femur structure and BMD among older men. 2008 , 23, 121-30	95
2013	Lean mass and not fat mass is associated with male proximal femur strength. 2008 , 23, 189-98	95
2012	Balance impairment is related to vertebral fracture rather than thoracic kyphosis in individuals with osteoporosis. 2007 , 18, 543-51	40

2011	Vibrotactile threshold measurement for detecting peripheral neuropathy: defining variability and a normal range for clinical and research use. 2007 , 50, 2305-12	31
2010	Mobility assessment in older people: new possibilities and challenges. 2007 , 4, 3-12	103
2009	Factors influencing disease self-management among veterans with diabetes and poor glycemic control. 2007 , 22, 442-7	68
2008	Lower extremity muscle mass predicts functional performance in mobility-limited elders. 2008 , 12, 493-8	160
2007	Additive benefit of higher testosterone levels and vitamin D plus calcium supplementation in regard to fall risk reduction among older men and women. 2008 , 19, 1307-14	28
2006	Association of Parkinson's disease with accelerated bone loss, fractures and mortality in older men: the Osteoporotic Fractures in Men (MrOS) study. 2008 , 19, 1277-82	55
2005	Muscle power is related to tibial bone strength in older women. 2008 , 19, 1725-32	28
2004	Association of left ventricular function with bone mineral density in older women: a population-based study. 2008 , 82, 27-33	12
2003	Acid-suppressive medications and risk of bone loss and fracture in older adults. 2008 , 83, 251-9	163
2002	Pathways from physical activity to quality of life in older women. 2008 , 36, 13-20	61
2001	Physical activity and the older adult: Measurement, benefits, and risks. 2008 , 2, 305-310	4
2000	[Instrument for the assessment of middle-aged and older adults' physical activity: design, reliability and application of the German-PAQ-50+]. 2008 , 41, 208-16	41
1999	The MOBILIZE Boston Study: design and methods of a prospective cohort study of novel risk factors for falls in an older population. 2008 , 8, 16	106
1998	Association of depressive symptoms with bone mineral density in older men: a population-based study. 2008 , 23, 1119-26	13
1997	Health behaviors of head and neck cancer patients the first year after diagnosis. 2008 , 30, 93-102	56
1996	A randomized controlled trial of the people with arthritis can exercise program: symptoms, function, physical activity, and psychosocial outcomes. 2008 , 59, 92-101	79
1995	Genetics of the musculoskeletal system: a pleiotropic approach. 2008 , 23, 788-802	74
1994	Physical performance and risk of hip fractures in older men. 2008 , 23, 1037-44	108

1993	Self-Efficacy and Adherence to Exercise During and as a Follow-Up to Cardiac Rehabilitation. 2008 , 38, 2072-2087	10
1992	The association between sleep duration and obesity in older adults. 2008 , 32, 1825-34	187
1991	The association between vitamin D and inflammation with the 6-minute walk and frailty in patients with heart failure. 2008 , 56, 454-61	132
1990	Older women with age-related macular degeneration have a greater risk of falls: a physiological profile assessment study. 2008 , 56, 800-7	48
1989	Otago home-based strength and balance retraining improves executive functioning in older fallers: a randomized controlled trial. 2008 , 56, 1821-30	210
1988	Relationship between frailty and cognitive decline in older Mexican Americans. 2008 , 56, 1845-52	141
1987	Association between testosterone and estradiol and age-related decline in physical function in a diverse sample of men. 2008 , 56, 2000-8	56
1986	Prognostic significance of potential frailty criteria. 2008 , 56, 2211-16	326
1985	Validity and reliability of the Physical Activity Scale for the Elderly (PASE) in Japanese elderly people. 2008 , 8, 143-51	99
1984	Cluster analysis and lower urinary tract symptoms in men: findings from the Boston Area Community Health Survey. 2008 , 101, 1247-56	24
1983	Do urological symptoms cluster among women? Results from the Boston Area Community Health Survey. 2008 , 101, 1257-66	31
1982	The utility of the 6-minute walk test as a measure of frailty in older adults with heart failure. 2008 , 17, 7-12	48
1981	Misperceived pre-pregnancy body weight status predicts excessive gestational weight gain: findings from a US cohort study. 2008 , 8, 54	68
1980	Less healthy, but more active: opposing selection biases when recruiting older people to a physical activity study through primary care. 2008 , 8, 182	26
1979	Residual attentional capacity amongst young and elderly during dual and triple task walking. 2008 , 27, 496-512	50
1978	Socioeconomic status, not race/ethnicity, contributes to variation in the prevalence of erectile dysfunction: results from the Boston Area Community Health (BACH) Survey. 2008 , 5, 1325-33	47
1977	Muscle mass is more strongly related to hip bone mineral density than is quadriceps strength or lower activity level in adults over age 50 year. 2008 , 11, 503-10	43
1976	Validity of the modified Baecke questionnaire: comparison with energy expenditure according to the doubly labeled water method. 2008 , 5, 30	67

1975	A comparison of direct versus self-report measures for assessing physical activity in adults: a systematic review. 2008 , 5, 56	1660
1974	Neighborhood satisfaction, functional limitations, and self-efficacy influences on physical activity in older women. 2008 , 5, 13	36
1973	Actual and perceived activity levels in polio survivors and older controls: a longitudinal study. 2008 , 89, 297-303	18
1972	Pain, frailty and comorbidity on older men: the CHAMP study. 2008 , 140, 224-230	100
1971	Efficacy of percutaneous electrical nerve stimulation and therapeutic exercise for older adults with chronic low back pain: a randomized controlled trial. 2008 , 140, 344-357	39
1970	Polymorphisms in the endothelial nitric oxide synthase gene and bone density/ultrasound and geometry in humans. 2008 , 42, 53-60	17
1969	An examination of the association of abuse (physical, sexual, or emotional) and female sexual dysfunction: results from the Boston Area Community Health Survey. 2008 , 90, 957-64	34
1968	The ExStroke Pilot Trial: rationale, design, and baseline data of a randomized multicenter trial comparing physical training versus usual care after an ischemic stroke. 2008 , 29, 410-7	12
1967	Assessment of pain in the elderly adult. 2008 , 24, 213-36, v-vi	26
1966	Prevalence and psychosocial correlates of symptoms suggestive of painful bladder syndrome: results from the Boston area community health survey. 2008 , 180, 599-606	43
1965	Effects of Tai Chi on glucose homeostasis and insulin sensitivity in older adults with type 2 diabetes: a randomised double-blind sham-exercise-controlled trial. 2008 , 37, 64-71	56
1964	Association of nutritional risk and depressive symptoms with physical performance in the elderly: the Quebec longitudinal study of nutrition as a determinant of successful aging (NuAge). 2008 , 27, 492-8	23
1963	Self-perceived social status and health in older Hong Kong Chinese women compared with men. 2008 , 48, 209-34	31
1962	Loop diuretic use and increased rates of hip bone loss in older men: the Osteoporotic Fractures in Men Study. 2008 , 168, 735-40	73
1961	Increased risk of falling in older community-dwelling women with mild cognitive impairment. 2008 , 88, 1482-91	150
1960	Association of the ACTN3 genotype and physical functioning with age in older adults. 2008 , 63, 1227-34	52
1959	Visual impairment and postural sway among older adults with glaucoma. 2008 , 85, 489-97	77
1958	Construct validation of physical activity surveys in culturally diverse older adults: a comparison of four commonly used questionnaires. 2008 , 79, 42-50	25

1957	Contribution of patient and physician factors to cardiac rehabilitation referral: a prospective multilevel study. 2008 , 5, 653-62	52
1956	Effect of vitamin K supplementation on insulin resistance in older men and women. 2008 , 31, 2092-6	117
1955	Self-reported physical activity after ischemic stroke correlates with physical capacity. 2008 , 10, 188-194	19
1954	Improved physical fitness of cancer survivors: a randomised controlled trial comparing physical training with physical and cognitive-behavioural training. 2008 , 47, 825-34	54
1953	Prestroke physical activity is associated with severity and long-term outcome from first-ever stroke. 2008 , 71, 1313-8	86
1952	Physical activity is negatively associated with the metabolic syndrome in the elderly. 2008 , 101, 713-21	36
1951	Contribution of patient and physician factors to cardiac rehabilitation enrollment: a prospective multilevel study. 2008 , 15, 548-56	96
1950	Correlates of low testosterone and symptomatic androgen deficiency in a population-based sample. 2008 , 93, 3870-7	122
1949	Correlations between serum testosterone, estradiol, and sex hormone-binding globulin and bone mineral density in a diverse sample of men. 2008 , 93, 2135-41	69
1948	Functional decline in cognitive impairment--the relationship between physical and cognitive function. 2008 , 31, 167-73	139
1947	Correlation between the rate of weight loss and changes in body composition in obese postmenopausal women after 5 weeks: a pilot study. 2008 , 33, 347-55	6
1946	Prevalence of and risk factors for urine leakage in a racially and ethnically diverse population of adults: the Boston Area Community Health (BACH) Survey. 2008 , 167, 390-9	151
1945	Explaining the effect of gender on functional transitions in older persons. 2008 , 54, 79-86	70
1944	Strength versus muscle power-specific resistance training in community-dwelling older adults. 2008 , 63, 83-91	162
1943	Depression, antidepressants, and bone mineral density in a population-based cohort. 2008 , 63, 1410-5	43
1942	Detraining and retraining in older adults following long-term muscle power or muscle strength specific training. 2008 , 63, 751-8	69
1941	Translation of an effective tai chi intervention into a community-based falls-prevention program. 2008 , 98, 1195-8	82
1940	Sex, age, season, and habitual physical activity of older Japanese: the Nakanojo study. 2008 , 16, 3-13	88

1939	The Phone-FITT: a brief physical activity interview for older adults. 2008 , 16, 292-315	49
1938	Physical activity measurement in older adults: relationships with mental health. 2008 , 16, 369-80	30
1937	Saskatoon in motion: class- versus home-based exercise intervention for older adults with chronic health conditions. 2008 , 5, 74-87	8
1936	Anxious temperament and disease progression at diagnosis: the case of type 2 diabetes. 2008 , 70, 837-43	10
1935	Vitamin K, circulating cytokines, and bone mineral density in older men and women. 2008 , 88, 356-63	65
1934	Estimating activity energy expenditure: how valid are physical activity questionnaires?. 2008 , 87, 279-91	149
1933	Alkaline diets favor lean tissue mass in older adults. 2008 , 87, 662-5	86
1932	Weight regain is related to decreases in physical activity during weight loss. 2008 , 40, 1781-8	46
1931	An evaluation of self-report physical activity instruments used in studies involving cardiac patients. 2008 , 28, 358-69	19
1930	Skeletal Muscle Strength and Endurance in Recipients of Lung Transplants. 2008 , 19, 84-93	18
1929	Ageing and older people. 2008 , 161-223	1
1928	ASSESSMENT OF PAIN IN OLDER ADULTS. 2009 , 14-24	
1927	Prevalence and risk factors for upper extremity entrapment neuropathies in polio survivors. 2009 , 41, 26-31	18
1926	Frailty and incidence of activities of daily living disability among older Mexican Americans. 2009 , 41, 892-7	88
1925	Sex differences in mortality among older frail Mexican Americans. 2009 , 18, 1647-51	31
1924	Self-care strategies and barriers among kidney transplant recipients: a qualitative study. 2009 , 5, 75-91	38
1923	The association of bone mineral density with prostate cancer risk in the Osteoporotic Fractures in Men (MrOS) Study. 2009 , 18, 148-54	16
1922	Are rural older Icelanders less physically active than those living in urban areas? A population-based study. 2009 , 37, 409-17	26

1921	Dual-task gait performance among community-dwelling senior women: the role of balance confidence and executive functions. 2009 , 64, 975-82	56
1920	Frailty and the degradation of complex balance dynamics during a dual-task protocol. 2009 , 64, 1304-11	104
1919	Older men with higher self-rated socioeconomic status have shorter telomeres. 2009 , 38, 553-8	32
1918	Fatigue and physical activity in older patients with cancer: a six-month follow-up study. 2009 , 36, 194-202	40
1917	Alterations in muscle attenuation following detraining and retraining in resistance-trained older adults. 2009 , 55, 217-23	172
1916	A comparison of questionnaire, accelerometer, and pedometer: measures in older people. 2009 , 41, 1392-402	143
1915	Modification of vascular function after handgrip exercise training in 73- to 90-yr-old men. 2009 , 41, 1429-35	23
1914	Ten years of growth hormone (GH) replacement normalizes muscle strength in GH-deficient adults. 2009 , 94, 809-16	59
1913	Whole-grain intake and cereal fiber are associated with lower abdominal adiposity in older adults. 2009 , 139, 1950-5	94
1912	The effects of serum testosterone, estradiol, and sex hormone binding globulin levels on fracture risk in older men. 2009 , 94, 3337-46	193
1911	Effects of beer, wine, and liquor intakes on bone mineral density in older men and women. 2009 , 89, 1188-96	119
1910	Relation between serum testosterone, serum estradiol, sex hormone-binding globulin, and geometrical measures of adult male proximal femur strength. 2009 , 94, 853-60	29
1909	Potassium bicarbonate attenuates the urinary nitrogen excretion that accompanies an increase in dietary protein and may promote calcium absorption. 2009 , 94, 645-53	71
1908	Vitamin D deficiency in older men. 2009 , 94, 1214-22	125
1907	Frailty syndrome is associated with altered circulating redox balance and increased markers of oxidative stress. 2009 , 22, 819-27	68
1906	Recurrent and injurious falls in the year following hip fracture: a prospective study of incidence and risk factors from the Sarcopenia and Hip Fracture study. 2009 , 64, 599-609	133
1905	Chronic musculoskeletal pain and the occurrence of falls in an older population. 2009 , 302, 2214-21	338
1904	Impact of resistance training with or without caloric restriction on physical capacity in obese older women. 2009 , 16, 66-72	60

1903	Trajectory of declines in physical activity in community-dwelling older women: social cognitive influences. 2009 , 64, 543-50	39
1902	Pretreatment health behaviors predict survival among patients with head and neck squamous cell carcinoma. 2009 , 27, 1969-75	108
1901	Peripheral arterial disease is associated with higher rates of hip bone loss and increased fracture risk in older men. 2009 , 119, 2305-12	90
1900	Vitamin D, parathyroid hormone and the metabolic syndrome in middle-aged and older European men. 2009 , 161, 947-54	88
1899	Vitamin K supplementation and progression of coronary artery calcium in older men and women. 2009 , 89, 1799-807	171
1898	Gamma-carboxylation of osteocalcin and insulin resistance in older men and women. 2009 , 90, 1230-5	137
1897	What factors are associated with physical activity in older people, assessed objectively by accelerometry?. 2009 , 43, 442-50	145
1896	Factors associated with recovery of prehospital function among older persons admitted to a nursing home with disability after an acute hospitalization. 2009 , 64, 1296-303	33
1895	Longitudinal association between depressive symptoms and disability burden among older persons. 2009 , 64, 1325-32	73
1894	Cohort Profile: the Concord Health and Ageing in Men Project (CHAMP). 2009 , 38, 374-8	145
1893	The relation of plasma homocysteine to radiographic knee osteoarthritis. 2009 , 17, 766-71	4
1892	Associations between physical activity and quality of life in cancer patients receiving palliative care: a pilot survey. 2009 , 38, 785-96	50
1891	Intensity and timing of physical activity in relation to postmenopausal breast cancer risk: the prospective NIH-AARP diet and health study. 2009 , 9, 349	37
1890	The Intensive Diet and Exercise for Arthritis (IDEA) trial: design and rationale. 2009 , 10, 93	56
1889	Sexual activity, erectile dysfunction and their correlates among 1,566 older Chinese men in Southern China. 2009 , 6, 74-80	19
1888	Is hyperlipidemia or its treatment associated with erectile dysfunction?: Results from the Boston Area Community Health (BACH) Survey. 2009 , 6, 1402-13	25
1887	A prospective study on the association between lower urinary tract symptoms (LUTS) and erectile dysfunction: results from a large study in elderly Chinese in Southern China. 2009 , 6, 2024-31	16
1886	[Structured review of physical activity measurement with questionnaires and scales in older adults and the elderly]. 2009 , 23, 334.e1-334.e17	9

1885	Dietary macronutrients, cholesterol, and sodium and lower urinary tract symptoms in men. 2009 , 55, 1179-89	28
1884	Frailty in the elderly is associated with insulin resistance of glucose metabolism in the postabsorptive state only in the presence of increased abdominal fat. 2009 , 44, 740-4	41
1883	Chronic endurance exercise training prevents aging-related cognitive decline in healthy older adults: a randomized controlled trial. 2010 , 25, 1055-64	93
1882	Meniscal tear in knees without surgery and the development of radiographic osteoarthritis among middle-aged and elderly persons: The Multicenter Osteoarthritis Study. 2009 , 60, 831-9	283
1881	Effect of thigh strength on incident radiographic and symptomatic knee osteoarthritis in a longitudinal cohort. 2009 , 61, 1210-7	149
1880	Haemoglobin levels are associated with bone mineral density in the elderly: a population-based study. 2009 , 28, 145-51	27
1879	Functional performance in community-dwelling and institutionalized elderly women. 2009 , 121, 383-90	13
1878	Serum 25-hydroxyvitamin D and bone mineral density among Hispanic men. 2009 , 20, 245-55	18
1877	Resistive Exercise for Arthritic Cartilage Health (REACH): a randomized double-blind, sham-exercise controlled trial. 2009 , 9, 1	38
1876	The effects of high frequency subthalamic stimulation on balance performance and fear of falling in patients with Parkinson's disease. 2009 , 6, 13	21
1875	The European Male Ageing Study (EMAS): design, methods and recruitment. 2009 , 32, 11-24	109
1874	Development and psychometric testing of the Scale of Older Adults' Routine. 2009 , 65, 672-83	14
1873	No effect of fish oil supplementation on serum inflammatory markers and their interrelationships: a randomized controlled trial in healthy, middle-aged individuals. 2009 , 63, 1353-9	56
1872	Physical fitness assessment of older adults in the primary care setting. 2009 , 21, 101-7	26
1871	Investigation of skeletal muscle quantity and quality in end-stage renal disease. 2010 , 15, 454-63	59
1870	Longitudinal analysis of physical activity, fluid intake, and graft function among kidney transplant recipients. 2009 , 22, 990-8	41
1869	Prevalence and determinants of physical activity and fluid intake in kidney transplant recipients. 2010 , 24, E69-81	24
1868	Lower urinary tract symptoms increase the risk of falls in older men. 2009 , 104, 63-8	127

1867	Self-reported dietary intake of omega-3 fatty acids and association with bone and lower extremity function. 2009 , 57, 1781-8	69
1866	Osteoporosis risk in frail older adults in assisted living. 2009 , 57, 76-81	11
1865	High oxidative stress is correlated with frailty in elderly chinese. 2009 , 57, 1666-71	87
1864	Validation and comparison of two frailty indexes: The MOBILIZE Boston Study. 2009 , 57, 1532-9	159
1863	Physical activity and executive function in aging: the MOBILIZE Boston Study. 2009 , 57, 1750-6	64
1862	Risk factors for disability subtypes in older persons. 2009 , 57, 1850-5	43
1861	Sleep-wake disturbances and frailty in community-living older persons. 2009 , 57, 2094-100	63
1860	Defining sarcopenia in terms of risk of physical limitations: a 5-year follow-up study of 3,153 chinese men and women. 2009 , 57, 2224-31	82
1859	Integrating the theory of planned behaviour and self-determination theory in health behaviour: a meta-analysis. 2009 , 14, 275-302	409
1858	Methodology and baseline characteristics for the Sarcopenia and Hip Fracture study: a 5-year prospective study. 2009 , 64, 568-74	64
1857	Association of C-reactive protein and lower urinary tract symptoms in men and women: results from Boston Area Community Health survey. 2009 , 73, 950-7	65
1856	Comparison of lifelong and late life exercise on oxidative stress in the cerebellum. 2009 , 30, 903-9	52
1855	Prevalence and correlates of musculoskeletal pain in Chinese elderly and the impact on 4-year physical function and quality of life. 2009 , 123, 549-56	65
1854	The consequences of anxious temperament for disease detection, self-management behavior, and quality of life in Type 2 diabetes mellitus. 2009 , 67, 297-305	31
1853	Whole-body vibration augments resistance training effects on body composition in postmenopausal women. 2009 , 63, 79-83	49
1852	Measures of physical ability are unrelated to objectively measured physical activity behavior in older adults residing in continuing care retirement communities. 2009 , 90, 982-6	25
1851	Association of dynamic joint power with functional limitations in older adults with symptomatic knee osteoarthritis. 2009 , 90, 1821-8	21
1850	Knee extensor strength does not protect against incident knee symptoms at 30 months in the multicenter knee osteoarthritis (MOST) cohort. 2009 , 1, 459-65	33

1849	Treatment with potassium bicarbonate lowers calcium excretion and bone resorption in older men and women. 2009 , 94, 96-102	96
1848	Association between serum osteocalcin and markers of metabolic phenotype. 2009 , 94, 827-32	316
1847	Physical activity and quality of life in community dwelling older adults. 2009 , 7, 10	81
1846	Frailty and health related quality of life in older Mexican Americans. 2009 , 7, 70	76
1845	Activities of life: the COPD patient. 2009 , 6, 192-200	42
1844	Walking and the preservation of cognitive function in older populations. 2009 , 49 Suppl 1, S86-93	47
1843	Are racial/ethnic disparities in the prevalence of nocturia due to socioeconomic status? Results of the BACH survey. 2009 , 181, 1756-63	22
1842	Frailty and 10-year mortality in community-living Mexican American older adults. 2009 , 55, 644-51	115
1841	Association between 25-hydroxyvitamin D levels and cognitive performance in middle-aged and older European men. 2009 , 80, 722-9	108
1840	Improving access to dementia care: development and evaluation of a rural and remote memory clinic. 2009 , 13, 17-30	89
1839	The Relationship Between Physical Performance and Obesity in Elderly African-American Women. 2009 , 27, 423-440	5
1838	Prevalence and characteristics associated with self-reported gall bladder disease in Mexican American elders: results from the Hispanic Established Populations for Epidemiologic Studies in the Elderly (H-EPESE). 2009 , 21, 33-7	
1837	Sarcopenic/obesity and physical capacity in older men and women: data from the Nutrition as a Determinant of Successful Aging (NuAge)-the Quebec longitudinal Study. 2009 , 17, 2082-8	195
1836	Development of a simple scoring tool in the primary care setting for prediction of recurrent falls in men and women aged 65 years and over living in the community. 2009 , 18, 1038-48	20
1835	Sex hormones and frailty in older men: the osteoporotic fractures in men (MrOS) study. 2009 , 94, 3806-15	120
1834	Association of lower urinary tract symptoms and the metabolic syndrome: results from the Boston Area Community Health Survey. 2009 , 182, 616-24; discussion 624-5	106
1833	Association of urological symptoms and chronic illness in men and women: contributions of symptom severity and duration--results from the BACH Survey. 2009 , 181, 694-700	78
1832	Relationships between body composition, muscular strength, and bone mineral density in estrogen-deficient postmenopausal women. 2009 , 12, 292-8	24

1831	Effects of soy protein isolate on bone mineral density and physical performance indices in postmenopausal women--a 2-year randomized, double-blind, placebo-controlled trial. 2009 , 16, 320-8	39
1830	Activity monitoring in chronic obstructive pulmonary disease. 2009 , 29, 341-7	28
1829	Mexican Americans and frailty: findings from the Hispanic established populations epidemiologic studies of the elderly. 2009 , 99, 673-9	121
1828	Weight, rather than obesity distribution, explains peak external knee adduction moment during level gait. 2009 , 88, 180-8; quiz 189-91, 246	52
1827	Promoting self-efficacy and outcome expectations to enable adherence to resistance training after cardiac rehabilitation. 2009 , 24, 316-27	15
1826	Muscle torque preservation and physical activity in individuals with stroke. 2009 , 41, 1353-60	30
1825	Consistency of leg extension power assessments in older men: the Osteoporotic Fractures in Men (MrOS) Study. 2009 , 88, 934-40	13
1824	The Association of Activity Assessed by Life-Space Assessment with Physical Function and Instrumental Activities of Daily Living for Elderly People. 2009 , 24, 721-726	5
1823	Managing Weight in Persons Living with Severe Mental Illness in Community Settings: A Review of Strategies Used in Community Interventions. 2009 , 30, 660-668	17
1822	Repeatability and accuracy of CHAMPS as a measure of physical activity in a community sample of older Australian adults. 2009 , 6, 221-9	37
1821	Global self-regulation and outcome expectations: influences on constraint self-regulation and physical activity. 2009 , 17, 307-26	14
1820	ExStroke Pilot Trial of the effect of repeated instructions to improve physical activity after ischaemic stroke: a multinational randomised controlled clinical trial. 2009 , 339, b2810	82
1819	Effects of lifestyle and diet on bone health in young adult Chinese women living in Hong Kong and Beijing. 2009 , 30, 370-8	14
1818	Physical activity resources and changes in walking in a cohort of older men. 2010 , 100, 654-60	59
1817	Chinese tea consumption is associated with longer telomere length in elderly Chinese men. 2010 , 103, 107-13	51
1816	Fit and Strong!: bolstering maintenance of physical activity among older adults with lower-extremity osteoarthritis. 2010 , 34, 750-63	48
1815	Hysterectomies and Urologic Symptoms: Results from the Boston Area Community Health (BACH) Survey. 2010 , 16, 37-47	5
1814	Lumbar spondylolisthesis among elderly men: prevalence, correlates, and progression. 2010 , 35, 1072-8	30

1813	Effects of ankle power training on movement time in mobility-impaired older women. 2010 , 42, 1233-40	30
1812	Behavioral changes after a 1-yr exercise program and predictors of maintenance. 2010 , 42, 886-92	18
1811	Beyond recreational physical activity: examining occupational and household activity, transportation activity, and sedentary behavior in relation to postmenopausal breast cancer risk. 2010 , 100, 2288-95	54
1810	Epidemiology of rib fractures in older men: Osteoporotic Fractures in Men (MrOS) prospective cohort study. 2010 , 340, c1069	62
1809	Influence of Lifestyle Factors on Quantitative Heel Ultrasound Measurements in Middle-Aged and Elderly Men. 2010 , 86, 211-219	21
1808	The effect of telomere length, a marker of biological aging, on bone mineral density in elderly population. 2010 , 21, 89-97	20
1807	Impact of supplementation with bicarbonate on lower-extremity muscle performance in older men and women. 2010 , 21, 1171-9	37
1806	Bone mineral density and prevalent osteoarthritis of the hip in older men for the Osteoporotic Fractures in Men (MrOS) Study Group. 2010 , 21, 1307-16	46
1805	Gonadal sex steroid status and bone health in middle-aged and elderly European men. 2010 , 21, 1331-9	33
1804	Effects of 25-hydroxyvitamin D level and its change on parathyroid hormone in premenopausal Chinese women. 2010 , 21, 1935-41	16
1803	Race/ethnic differences in bone mineral densities in older men. 2010 , 21, 2115-23	55
1802	[Reliability of the PRISCUS-PAQ. Questionnaire to assess physical activity of persons aged 70 years and older]. 2010 , 43, 399-406	12
1801	Impact of childhood experience of famine on late life health. 2010 , 14, 91-5	19
1800	Relative strength as a determinant of mobility in elders 67-84 years of age. a nuage study: nutrition as a determinant of successful aging. 2010 , 14, 190-5	85
1799	Plasma very long-chain n-3 polyunsaturated fatty acids and age-related hearing loss in older adults. 2010 , 14, 347-51	21
1798	No effect of bicarbonate treatment on insulin sensitivity and glucose control in non-diabetic older adults. 2010 , 38, 221-6	11
1797	Inverse association between serum 25(OH) vitamin D levels and non-melanoma skin cancer in elderly men. 2010 , 21, 387-91	71
1796	Serum 25-OH vitamin D levels and risk of developing prostate cancer in older men. 2010 , 21, 1297-303	42

1795	Hip strengthening reduces symptoms but not knee load in people with medial knee osteoarthritis and varus malalignment: a randomised controlled trial. 2010 , 18, 621-8	178
1794	Quadriceps weakness predicts risk for knee joint space narrowing in women in the MOST cohort. 2010 , 18, 769-75	158
1793	Subjects with higher physical activity levels have more severe focal knee lesions diagnosed with 3T MRI: analysis of a non-symptomatic cohort of the osteoarthritis initiative. 2010 , 18, 776-86	103
1792	Efficacy of patient education and supervised exercise vs patient education alone in patients with hip osteoarthritis: a single blind randomized clinical trial. 2010 , 18, 1237-43	57
1791	Interindividual variations in resting metabolic rate during weight loss in obese postmenopausal women A pilot study. 2010 , 59, 478-85	5
1790	Dynamic alignment and its association with knee adduction moment in medial knee osteoarthritis. 2010 , 17, 210-6	37
1789	Charting the progression of disability in Parkinson disease: study protocol for a prospective longitudinal cohort study. 2010 , 10, 110	35
1788	Promotion of the mind through exercise (PROMoTE): a proof-of-concept randomized controlled trial of aerobic exercise training in older adults with vascular cognitive impairment. 2010 , 10, 14	45
1787	Design of the Resistance and Endurance exercise After ChemoTherapy (REACT) study: a randomized controlled trial to evaluate the effectiveness and cost-effectiveness of exercise interventions after chemotherapy on physical fitness and fatigue. 2010 , 10, 658	19
1786	Design of the EXercise Intervention after Stem cell Transplantation (EXIST) study: a randomized controlled trial to evaluate the effectiveness and cost-effectiveness of an individualized high intensity physical exercise program on fitness and fatigue in patients with multiple myeloma or (non-) Hodgkin's lymphoma treated with high dose chemotherapy and autologous stem cell	33
1785	Effect of an individually tailored one-year energy balance programme on body weight, body composition and lifestyle in recent retirees: a cluster randomised controlled trial. 2010 , 10, 110	27
1784	The Sydney Diabetes Prevention Program: a community-based translational study. 2010 , 10, 328	40
1783	Lean mass, muscle strength, and physical function in a diverse population of men: a population-based cross-sectional study. 2010 , 10, 508	39
1782	Efficacy of a multimodal physiotherapy treatment program for hip osteoarthritis: a randomised placebo-controlled trial protocol. 2010 , 11, 238	15
1781	The 6-minute walk is associated with frailty and predicts mortality in older adults with heart failure. 2010 , 16, 208-13	91
1780	Correlates of trabecular and cortical volumetric bone mineral density at the femoral neck and lumbar spine: the osteoporotic fractures in men study (MrOS). 2010 , 25, 1958-71	44
1779	Association of cognitive performance with the metabolic syndrome and with glycaemia in middle-aged and older European men: the European Male Ageing Study. 2010 , 26, 668-76	38
1778	Coping strategies and self-efficacy as predictors of outcome in osteoarthritis: a systematic review. 2010 , 8, 224-36	61

1777	Effect of standing posture during whole body vibration training on muscle morphology and function in older adults: a randomised controlled trial. 2010 , 10, 74	45
1776	Multi-centre cluster randomised trial comparing a community group exercise programme with home based exercise with usual care for people aged 65 and over in primary care: protocol of the ProAct 65+ trial. 2010 , 11, 6	29
1775	Longitudinal physical activity changes in older men in the Osteoporotic Fractures in Men Study. 2010 , 58, 1128-33	17
1774	Effects of transdermal testosterone on bone and muscle in older men with low bioavailable testosterone levels, low bone mass, and physical frailty. 2010 , 58, 1134-43	169
1773	Indoor and outdoor falls in older adults are different: the maintenance of balance, independent living, intellect, and Zest in the Elderly of Boston Study. 2010 , 58, 2135-41	162
1772	Loss of muscle strength, mass (sarcopenia), and quality (specific force) and its relationship with functional limitation and physical disability: the Concord Health and Ageing in Men Project. 2010 , 58, 2055-62	307
1771	Factors influencing heart failure patients' sleep quality. 2010 , 66, 1730-40	33
1770	The effect of diabetes mellitus on age-associated lean mass loss in 3153 older adults. 2010 , 27, 1366-71	43
1769	Depressive symptoms in older male Italian immigrants in Australia: the Concord Health and Ageing in Men Project. 2010 , 192, 158-62	8
1768	The contributions of self-efficacy, trait anxiety, and fear of falling to physical activity behavior among residents of continuing care retirement communities. 2010 , 1, 4	4
1767	Evaluation of the Korean Version of Physical Activity Scale for the Elderly (K-PASE). 2010 , 16, 47	32
1766	[Association of physical functions with leisure-time, household, and occupational physical activity in community-dwelling older adults]. 2010 , 47, 592-600	12
1765	Dietary macronutrient and energy intake and urinary incontinence in women. 2010 , 171, 1116-25	23
1764	Frailty and use of health and community services by community-dwelling older men: the Concord Health and Ageing in Men Project. 2010 , 39, 228-33	114
1763	Cohort profile: research on Osteoarthritis/Osteoporosis Against Disability study. 2010 , 39, 988-95	160
1762	Active Living Among Older Residents of a Rural Naturally Occurring Retirement Community. 2010 , 29, 531-553	9
1761	Only half the problem is being addressed: underinsurance is as big a problem as uninsurance. 2010 , 40, 507-23	13
1760	Health-related variables and functional fitness among older adults. 2010 , 70, 107-18	16

1759	Efficacy of gaze stability exercises in older adults with dizziness. 2010 , 34, 64-9	47
1758	Interaction of HDL cholesterol concentrations on the relationship between physical function and inflammation in community-dwelling older persons. 2010 , 39, 74-80	14
1757	Standing Strong. 2010 , 26, 335-352	1
1756	Serum phosphorus levels and the spectrum of ankle-brachial index in older men: the Osteoporotic Fractures in Men (MrOS) study. 2010 , 171, 909-16	19
1755	Effect of intra-dialytic, low-intensity strength training on functional capacity in adult haemodialysis patients: a randomized pilot trial. 2010 , 25, 1936-43	142
1754	Pedometer counts superior to physical activity scale for identifying health markers in older adults. 2010 , 44, 756-61	33
1753	Effect of quadriceps strength and proprioception on risk for knee osteoarthritis. 2010 , 42, 2081-8	78
1752	Low physical function predicts either 2-year weight loss or weight gain in healthy community-dwelling older adults. the NuAge Longitudinal Study. 2010 , 65, 1362-8	12
1751	An active lifestyle prior to coronary surgery is associated with improved survival in elderly patients. 2010 , 65, 758-63	12
1750	Evaluation of the incidental and planned activity questionnaire (IPEQ) for older people. 2010 , 44, 1029-34	119
1749	Effects of testosterone on muscle strength, physical function, body composition, and quality of life in intermediate-frail and frail elderly men: a randomized, double-blind, placebo-controlled study. 2010 , 95, 639-50	455
1748	Development and Validation of the Comprehensive Falls Risk Screening Instrument. 2010 , 28, 181-194	10
1747	Exploring the Role of Housing Type on Physical Activity and Health Status in Community-Dwelling Older Adults. 2010 , 34, 98-114	6
1746	Immunity to Popular Stereotypes of Aging? Seniors and Stereotype Threat. 2010 , 36, 353-371	33
1745	Post-traumatic growth among cardiac outpatients: degree comparison with other chronic illness samples and correlates. 2010 , 15, 1049-63	35
1744	Effects of smoking cessation on body composition in postmenopausal women. 2010 , 19, 1651-7	19
1743	Depressive symptoms and lifestyle factors as risk factors of lower urinary tract symptoms in Southern Chinese men: a prospective study. 2010 , 13, 113-9	45
1742	Serum 25-hydroxyvitamin D, parathyroid hormone, and mortality in older men. 2010 , 95, 4625-34	81

1741	Serum iron parameters, HFE C282Y genotype, and cognitive performance in older adults: results from the FACIT study. 2010 , 65, 1312-21	23
1740	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. 2010 , 69, 1448-52	68
1739	Patellar cartilage: T2 values and morphologic abnormalities at 3.0-T MR imaging in relation to physical activity in asymptomatic subjects from the osteoarthritis initiative. 2010 , 254, 509-20	114
1738	Effects of height loss on morbidity and mortality in 3145 community-dwelling Chinese older women and men: a 5-year prospective study. 2010 , 39, 699-704	17
1737	Meniscal pathology on MRI increases the risk for both incident and enlarging subchondral bone marrow lesions of the knee: the MOST Study. 2010 , 69, 1796-802	99
1736	25-Hydroxyvitamin D levels and cognitive performance and decline in elderly men. 2010 , 74, 33-41	147
1735	Physical activities and future risk of Parkinson disease. 2010 , 75, 341-8	218
1734	Clinically important improvement in function is common in people with or at high risk of knee OA: the MOST study. 2010 , 37, 1244-51	38
1733	Determinants of living situation in a population of community-dwelling and assisted living-dwelling elders. 2010 , 11, 140-4	10
1732	Back pain, neurogenic symptoms, and physical function in relation to spondylolisthesis among elderly men. 2010 , 10, 865-73	35
1731	Testing an adaptation of the EPIC physical activity questionnaire in Portuguese adults: a validation study that assesses the seasonal bias of self-report. 2010 , 37, 185-97	23
1730	What do IPAQ questions mean to older adults? Lessons from cognitive interviews. 2010 , 7, 35	66
1729	Culturally specific dance to reduce obesity in African American women. 2010 , 11, 465-73	33
1728	Effect of a home program of hip abductor exercises on knee joint loading, strength, function, and pain in people with knee osteoarthritis: a clinical trial. 2010 , 90, 895-904	119
1727	Low serum testosterone and frailty in older men and women. 2010 , 67, 348-52	43
1726	Sex-specific effect of Pirin gene on bone mineral density in a cohort of 4000 Chinese. 2010 , 46, 543-50	14
1725	Evidence for pleiotropic factors in genetics of the musculoskeletal system. 2010 , 46, 1226-37	82
1724	Effects of combined whole-body vibration and resistance training on muscular strength and bone metabolism in postmenopausal women. 2010 , 47, 650-6	66

1723	ACE inhibitor use was associated with lower serum dehydroepiandrosterone concentrations in older men. 2010 , 411, 1122-5	12
1722	Sex hormones and the risk of incident prostate cancer. 2010 , 76, 1034-40	28
1721	Editorial comment. Sex hormones and the risk of incident prostate cancer. 2010 , 76, 1040-1	
1720	Relative contributions of modifiable risk factors to erectile dysfunction: results from the Boston Area Community Health (BACH) Survey. 2010 , 50, 19-25	46
1719	Moving to maintain function in knee osteoarthritis: evidence from the osteoarthritis initiative. 2010 , 91, 714-21	42
1718	Endothelial dysfunction evaluated by flow mediated dilation is strongly associated to metabolic syndrome in the elderly. 2010 , 22, 303-7	10
1717	Current best evidence recommendations on measurement and interpretation of physical function in patients with chronic kidney disease. 2010 , 40, 1055-74	36
1716	Self-administered physical activity questionnaires for the elderly: a systematic review of measurement properties. 2010 , 40, 601-23	127
1715	Postprandial insulin sensitivity and thermogenesis in frail elderly women. 2010 , 35, 526-33	4
1714	Rest/activity rhythms and mortality rates in older men: MrOS Sleep Study. 2010 , 27, 363-77	70
1713	Changes in objective and self-reported measures of physical capacity after an intervention in obese older women. 2010 , 22, 34-46	7
1712	The relationship of chronic disease and demographic variables to physical activity in a sample of women aged 65 to 79 years. 2010 , 50, 459-74	1
1711	Participation frequency and perceived participation restrictions at older age: applying the International Classification of Functioning, Disability and Health (ICF) framework. 2011 , 33, 2208-16	20
1710	An instrument to assess the needs of patients with type 2 diabetes mellitus for health-promotion activities. 2011 , 4, 115-23	0
1709	Late life function and disability instrument in African American women: function component. 2011 , 51, 482-96	4
1708	The association of adiposity and overactive bladder appears to differ by gender: results from the Boston Area Community Health survey. 2011 , 185, 955-63	46
1707	Change in knee cartilage volume in individuals completing a therapeutic exercise program for knee osteoarthritis. 2011 , 41, 708-22	21
1706	Fatigue and Physical Activity Levels of 65 and Over Older People Living in Rest Home. 2011 , 5, 13-16	19

1705	Comparison of the validity of four fall-related psychological measures in a community-based falls risk screening. 2011 , 82, 545-54	30
1704	Surrogate screening models for the low physical activity criterion of frailty. 2011 , 23, 209-16	24
1703	Depressive symptoms and change in abdominal obesity in the elderly: positive or negative association?. 2011 , 19, 730-42	11
1702	The frailty syndrome: definition and natural history. 2011 , 27, 1-15	872
1701	Validation of the Physical Activity Scale for individuals with physical disabilities. 2011 , 92, 923-8	59
1700	Five times sit-to-stand test performance in Parkinson's disease. 2011 , 92, 1431-6	142
1699	Dietary macronutrient intake and lower urinary tract symptoms in women. 2011 , 21, 421-9	11
1698	A prospective analysis of prolonged sitting time and risk of renal cell carcinoma among 300,000 older adults. 2011 , 21, 787-90	22
1697	Peripheral neuropathy, decreased muscle strength and obesity are strongly associated with walking in persons with type 2 diabetes without manifest mobility limitations. 2011 , 91, 32-9	64
1696	Lower vitamin D levels are associated with depression among community-dwelling European men. 2011 , 25, 1320-8	81
1695	Cardiorespiratory fitness and its association with body composition and physical activity in Hong Kong Chinese women aged from 55 to 94 years. 2011 , 69, 348-53	15
1694	Attributions about cause of illness in chronic obstructive pulmonary disease. 2011 , 70, 465-72	17
1693	Falls in people with chronic obstructive pulmonary disease: an observational cohort study. 2011 , 105, 461-9	109
1692	Questionnaire d'activit� physique pour les personnes g�es (QAPPA): validation d'un nouvel instrument de mesure en langue fran�aise. 2011 , 26, 11-18	13
1691	Disparities in the prevalence of obesity in Boston: results from the Boston Area Community Health (BACH) survey. 2011 , 126, 700-7	4
1690	[Association of the physical activity of community-dwelling older adults with transportation modes, depression and social networks]. 2011 , 48, 516-23	8
1689	Deficits in muscle strength, mass, quality, and mobility in people with chronic obstructive pulmonary disease. 2011 , 31, 120-4	57
1688	Postural Control Is Impaired in People with COPD: An Observational Study. 2011 , 63, 423-31	27

1687	Pedometer counts superior to physical activity scale for identifying health markers in older adults. 2011 , 2011, 115-118	
1686	Assessment of physical activity in older people with and without cognitive impairment. 2011 , 19, 347-72	26
1685	Cardiorespiratory fitness, hippocampal volume, and frequency of forgetting in older adults. 2011 , 25, 545-53	74
1684	Increased cognitive load leads to impaired mobility decisions in seniors at risk for falls. 2011 , 26, 253-9	50
1683	Reliability and validity of the International Physical Activity Questionnaire (IPAQ) in elderly adults: the Fujiwara-kyo Study. 2011 , 21, 459-65	185
1682	Association of sleep characteristics and cognition in older community-dwelling men: the MrOS sleep study. 2011 , 34, 1347-56	147
1681	Health coverage and its relation to the prevalence and intensity of symptomatic knee osteoarthritis. 2011 , 59, 956-60	5
1680	Depressive symptoms and functional transitions over time in older persons. 2011 , 19, 783-91	42
1679	Prevalence of post-micturition symptoms in association with lower urinary tract symptoms and health-related quality of life in men and women. 2011 , 108, 1452-8	23
1678	Serum 25-hydroxyvitamin D concentration and physical function in adult men. 2011 , 74, 370-6	63
1677	Inferior visual field reductions are associated with poorer functional status among older adults with glaucoma. 2011 , 31, 283-91	41
1676	Mortality risk in older men associated with changes in weight, lean mass, and fat mass. 2011 , 59, 233-40	89
1675	The nonlinear relationship between gait speed and falls: the Maintenance of Balance, Independent Living, Intellect, and Zest in the Elderly of Boston Study. 2011 , 59, 1069-73	166
1674	A randomized controlled clinical trial of the Seattle Protocol for Activity in older adults. 2011 , 59, 1188-96	25
1673	Association between insulin resistance and lean mass loss and fat mass gain in older men without diabetes mellitus. 2011 , 59, 1217-24	113
1672	Metabolic syndrome and physical performance in elderly men: the osteoporotic fractures in men study. 2011 , 59, 1376-84	17
1671	Characteristics of chronic pain associated with sleep difficulty in older adults: the Maintenance of Balance, Independent Living, Intellect, and Zest in the Elderly (MOBILIZE) Boston study. 2011 , 59, 1385-92	80
1670	Associations between sleep architecture and sleep-disordered breathing and cognition in older community-dwelling men: the Osteoporotic Fractures in Men Sleep Study. 2011 , 59, 2217-25	98

1669	Vastus lateralis/vastus medialis cross-sectional area ratio impacts presence and degree of knee joint abnormalities and cartilage T2 determined with 3T MRI - an analysis from the incidence cohort of the Osteoarthritis Initiative. 2011 , 19, 65-73	35
1668	Instruments to assess physical activity in patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. 2011 , 19, 620-33	131
1667	Prevalence and predictors of sleep difficulty in a national cohort of women with primary breast cancer three to four months postsurgery. 2011 , 42, 710-20	54
1666	Diffuse idiopathic skeletal hyperostosis and its relation to back pain among older men: the MrOS Study. 2011 , 41, 131-8	72
1665	A comprehensive systematic review of the development process of 104 patient-reported outcomes (PROs) for physical activity in chronically ill and elderly people. 2011 , 9, 116	26
1664	Association between serum 25-hydroxyvitamin D and psychological health in older Chinese men in a cohort study. 2011 , 130, 251-9	71
1663	Intakes of vitamins and minerals in relation to urinary incontinence, voiding, and storage symptoms in women: a cross-sectional analysis from the Boston Area Community Health survey. 2011 , 59, 1039-47	18
1662	Obesity increases and physical activity decreases lower urinary tract symptom risk in older men: the Osteoporotic Fractures in Men study. 2011 , 60, 1173-80	51
1661	[Frailty criteria in the elderly: a pilot study]. 2011 , 43, 190-6	16
1660	Trajectories of change in self-esteem in older adults: exercise intervention effects. 2011 , 34, 298-306	21
1659	[Multimorbidity and successful aging: the population-based KORA-Age study]. 2011 , 44 Suppl 2, 41-54	64
1658	Low bone mineral density is associated with increased mortality in elderly men: MrOS Sweden. 2011 , 22, 1411-8	25
1657	Socioeconomic status and bone health in community-dwelling older men: the CHAMP Study. 2011 , 22, 1343-53	15
1656	Influence of insulin-like growth factor binding protein (IGFBP)-1 and IGFBP-3 on bone health: results from the European Male Ageing Study. 2011 , 88, 503-10	20
1655	Effects of food groups and dietary nutrients on bone loss in elderly Chinese population. 2011 , 15, 287-94	23
1654	Physical frailty in older adults is associated with metabolic and atherosclerotic risk factors and cognitive impairment independent of muscle mass. 2011 , 15, 857-62	66
1653	Serum 25-hydroxyvitamin D, bone mineral density, and non-vertebral fracture risk in community-dwelling older men: results from Mr. Os, Hong Kong. 2011 , 6, 21-30	17
1652	Psychometric properties of two physical activity questionnaires, the AQuAA and the PASE, in cancer patients. 2011 , 11, 30	38

1651	A validation of the first genome-wide association study of calcaneus ultrasound parameters in the European Male Ageing Study. 2011 , 12, 19	10
1650	Non-leisure time physical activity is an independent predictor of longevity for a Taiwanese elderly population: an eight-year follow-up study. 2011 , 11, 428	21
1649	A qualitative study of older adults' responses to sitting-time questions: do we get the information we want?. 2011 , 11, 458	43
1648	Determinants of self-rated health in old age: a population-based, cross-sectional study using the International Classification of Functioning. 2011 , 11, 670	59
1647	Functional outcome in older adults with joint pain and comorbidity: design of a prospective cohort study. 2011 , 12, 241	13
1646	Comparison of neuromuscular and quadriceps strengthening exercise in the treatment of varus malaligned knees with medial knee osteoarthritis: a randomised controlled trial protocol. 2011 , 12, 276	35
1645	Measuring enjoyment of physical activity in older adults: invariance of the physical activity enjoyment scale (paces) across groups and time. 2011 , 8, 103	134
1644	BMI and fracture risk in older men: the osteoporotic fractures in men study (MrOS). 2011 , 26, 496-502	183
1643	Serum uric acid is associated with bone health in older men: a cross-sectional population-based study. 2011 , 26, 955-64	96
1642	Physical activity levels and functional performance in the osteoarthritis initiative: a graded relationship. 2011 , 63, 127-36	111
1641	Physical activity is associated with magnetic resonance imaging-based knee cartilage T2 measurements in asymptomatic subjects with and those without osteoarthritis risk factors. 2011 , 63, 2248-56	65
1640	Back pain in older male Italian-born immigrants in Australia: the importance of socioeconomic factors. 2011 , 15, 70-6	12
1639	Higher testosterone levels are associated with less loss of lean body mass in older men. 2011 , 96, 3855-63	54
1638	Dietary, but not supplemental, intakes of carotenoids and vitamin C are associated with decreased odds of lower urinary tract symptoms in men. 2011 , 141, 267-73	18
1637	Ethnicity and falls in older men: low rate of falls in Italian-born men in Australia. 2011 , 40, 595-601	18
1636	Basic Psychological Needs Satisfaction, Motivation, and Exercise in Older Adults. 2011 , 35, 181-196	20
1635	Is fat mass distribution related to impaired mobility in older men and women? Nutrition as a determinant of successful aging: the Quebec longitudinal study. 2011 , 37, 346-57	14
1634	A telemedicine home care based activity monitor device. 2011 ,	3

1633	Quality of life following participation in cardiac rehabilitation programs of longer or shorter than 6 months: does duration matter?. 2011 , 14, 181-8	9
1632	Functional Fitness of Older Adults. 2011 , 35, 197-209	3
1631	Gait speed and survival in older adults. 2011 , 305, 50-8	2508
1630	The impact of perceived stress, social support, and home-based physical activity on mental health among older adults. 2011 , 72, 137-54	70
1629	Insulin sensitizers may attenuate lean mass loss in older men with diabetes. 2011 , 34, 2381-6	97
1628	A randomized trial of effects of health risk appraisal combined with group sessions or home visits on preventive behaviors in older adults. 2011 , 66, 591-8	43
1627	Agility and perturbation training techniques in exercise therapy for reducing pain and improving function in people with knee osteoarthritis: a randomized clinical trial. 2011 , 91, 452-69	89
1626	Health risk appraisal for older people 5: self-efficacy in patient-doctor interactions. 2011 , 12, 348-56	4
1625	Shorter telomere length is associated with greater decrease in ankle-brachial index in elderly Chinese women but not men. 2011 , 62, 87-91	3
1624	Determinants of bone mineral density in older postmenopausal Chinese women. 2011 , 14, 378-83	21
1623	Six-year follow-up of a randomised controlled trial examining hospital versus home-based exercise training after coronary artery bypass graft surgery. 2011 , 97, 1169-74	50
1622	Reliability and validity of food frequency questionnaire and nutrient biomarkers in elders with and without mild cognitive impairment. 2011 , 25, 49-57	35
1621	Trajectories of physical function decline and psychological functioning: the Quebec longitudinal study on nutrition and successful aging (NuAge). 2011 , 66 Suppl 1, i82-90	58
1620	Safe physical human-robot interaction of mobility assistance robots: evaluation index and control. 2011 , 29, 767-785	6
1619	Nonsteroidal antiinflammatory drug use and lower urinary tract symptoms: results from the Boston area community health survey. 2011 , 173, 1022-31	9
1618	Factors associated with exercise behavior in people with Parkinson disease. 2011 , 91, 1838-48	112
1617	Changes in reproductive hormone concentrations predict the prevalence and progression of the frailty syndrome in older men: the concord health and ageing in men project. 2011 , 96, 2464-74	84
1616	Usual physical activity and hip fracture in older men: an application of semiparametric methods to observational data. 2011 , 173, 578-86	12

1615	Association of incident cardiovascular disease with periodic limb movements during sleep in older men: outcomes of sleep disorders in older men (MrOS) study. 2011 , 124, 1223-31	129
1614	Comparative validity of physical activity measures in older adults. 2011 , 43, 867-76	160
1613	Is walking endurance associated with activity and participation late after stroke?. 2011 , 33, 2053-7	33
1612	The relationship between intervening hospitalizations and transitions between frailty states. 2011 , 66, 1238-43	83
1611	Physical inactivity as a contributing factor for onset of idiopathic benign paroxysmal positional vertigo. 2011 , 131, 624-7	13
1610	Type of dietary fat is associated with the 25-hydroxyvitamin D3 increment in response to vitamin D supplementation. 2011 , 96, 3170-4	49
1609	Gait variability is associated with frailty in community-dwelling older adults. 2011 , 66, 568-76	115
1608	Knee cartilage T2 characteristics and evolution in relation to morphologic abnormalities detected at 3-T MR imaging: a longitudinal study of the normal control cohort from the Osteoarthritis Initiative. 2011 , 261, 507-15	78
1607	Amount of time spent in sedentary behaviors and cause-specific mortality in US adults. 2012 , 95, 437-45	466
1606	Contribution of frailty markers in explaining differences among individuals in five samples of older persons. 2012 , 67, 1197-204	35
1605	Stanford Seven-Day Physical Activity Recall questionnaire in COPD. 2012 , 40, 356-62	35
1604	Predictors of sleep quality in community-dwelling older adults in Northern Taiwan. 2012 , 20, 249-60	16
1603	The role of systematic inpatient cardiac rehabilitation referral in increasing equitable access and utilization. 2012 , 32, 41-7	33
1602	Living in a well-serviced urban area is associated with maintenance of frequent walking among seniors in the VoisiNuAge study. 2012 , 67, 76-88	43
1601	Social cognitive influences on physical activity behavior in middle-aged and older adults. 2012 , 67, 18-26	71
1600	Stability and change in affect among centenarians. 2012 , 75, 337-49	7
1599	Quantifying physical activity levels of survivors of intensive care: a prospective observational study. 2012 , 92, 1507-17	20
1598	Randomized controlled trial of community-based dancing to modify disease progression in Parkinson disease. 2012 , 26, 132-43	204

1597	Characteristics of androgen deficiency in late-onset hypogonadism: results from the European Male Aging Study (EMAS). 2012 , 97, 1508-16	207
1596	Lumbosacral transitional vertebrae: association with low back pain. 2012 , 265, 497-503	79
1595	The role of physical activity and diabetes status as a moderator: functional disability among older Mexican Americans. 2012 , 41, 752-8	18
1594	Serum 25-hydroxyvitamin D and parathyroid hormone levels in relation to blood pressure in a cross-sectional study in older Chinese men. 2012 , 26, 20-7	32
1593	DNA methylation and cognitive functioning in healthy older adults. 2012 , 107, 744-8	11
1592	Prospective associations between household-, work-, and leisure-based physical activity and all-cause mortality among older Taiwanese adults. 2012 , 24, 795-805	24
1591	Plasma alkylresorcinols, biomarkers of whole-grain intake, are related to lower BMI in older adults. 2012 , 142, 1859-64	28
1590	Frailty as a predictor of falls in older Mexican Americans. 2012 , 24, 641-53	38
1589	Physical activity among older people and related factors. 2012 , 71, 144-153	14
1588	Association of hypogonadism with vitamin D status: the European Male Ageing Study. 2012 , 166, 77-85	138
1587	The Relationship between Beliefs about Pain and Functioning with Rheumatologic Conditions. 2012 , 2012, 206263	5
1586	Physical activity, ambulation, and motor impairment late after stroke. 2012 , 2012, 818513	18
1585	Associations between dietary patterns and demographics, lifestyle, anthropometry and blood pressure in Chinese community-dwelling older men and women. 2012 , 1, e20	19
1584	Health risk appraisal for older people 4: case finding for hypertension, hyperlipidaemia and diabetes mellitus in older people in English general practice before the introduction of the Quality and Outcomes Framework. 2012 , 13, 22-9	3
1583	High-risk prescribing and incidence of frailty among older community-dwelling men. 2012 , 91, 521-8	200
1582	The association of race/ethnicity with objectively measured sleep characteristics in older men. 2011 , 10, 54-69	31
1581	Effect of physical activity on functional performance and knee pain in patients with osteoarthritis : analysis with marginal structural models. 2012 , 23, 631-40	56
1580	Predictors of pain among patients with head and neck cancer. 2012 , 138, 1147-54	36

1579	Promoting physical activity in sedentary elderly Malays with type 2 diabetes: a protocol for randomised controlled trial. 2012 , 2,	6
1578	Impairments in systems underlying control of balance in COPD. 2012 , 141, 1496-1503	110
1577	Utility of the late life function and disability instrument as an outcome measure in patients participating in outpatient cardiac rehabilitation: a preliminary study. 2012 , 64, 53-62	17
1576	Sleep characteristics of self-reported long sleepers. 2012 , 35, 641-8	58
1575	Heterogeneity of falls among older adults: implications for public health prevention. 2012 , 102, 2149-56	101
1574	The association of educational attainment and SBP among older community-living adults: the Maintenance of Balance, Independent Living, Intellect and Zest in the Elderly (MOBILIZE) Boston Study. 2012 , 30, 1518-25	6
1573	Short- and long-term effects of continuous versus intermittent restrictive diet approaches on body composition and the metabolic profile in overweight and obese postmenopausal women: a pilot study. 2012 , 19, 870-6	34
1572	Comparison of the IPAQ-Short Form and accelerometry predictions of physical activity in older adults. 2012 , 20, 64-79	95
1571	Patterns of yoga practice and physical activity following a yoga intervention for adults with or at risk for type 2 diabetes. 2012 , 9, 53-61	15
1570	Comparison of frailty indicators based on clinical phenotype and the multiple deficit approach in predicting mortality and physical limitation. 2012 , 60, 1478-86	209
1569	Serum albumin in relation to change in muscle mass, muscle strength, and muscle power in older men. 2012 , 60, 1663-72	20
1568	Effectiveness of peer-led self-management coaching for patients recently diagnosed with Type 2 diabetes mellitus in primary care: a randomized controlled trial. 2012 , 29, e390-7	50
1567	Physical activity and psychosocial and mental health of older caregivers and non-caregivers. 2012 , 33, 358-65	26
1566	High serum adiponectin predicts incident fractures in elderly men: Osteoporotic fractures in men (MrOS) Sweden. 2012 , 27, 1390-6	40
1565	Does the use of ACE inhibitors or angiotensin receptor blockers affect bone loss in older men?. 2012 , 23, 2159-67	56
1564	Relative impact of neuromuscular and cardiovascular factors on bone strength index of the hemiparetic distal radius epiphysis among individuals with chronic stroke. 2012 , 23, 2369-79	9
1563	Prevalence of frailty and factors associated with frailty in the elderly population of Lleida, Spain: the FRALLE survey. 2012 , 55, 625-31	93
1562	Associations of physical activity with neighborhood environments and transportation modes in older Japanese adults. 2012 , 55, 113-8	45

1561	Inferior physical performance test results of 10,998 men in the MrOS Study is associated with high fracture risk. 2012 , 41, 339-44	32
1560	Inferior physical performance tests in 10,998 men in the MrOS study is associated with recurrent falls. 2012 , 41, 740-6	22
1559	Depression and body composition among older adults. 2012 , 16, 167-72	5
1558	Sodium intake and physical activity impact cognitive maintenance in older adults: the NuAge Study. 2012 , 33, 829.e21-8	44
1557	Determinants of physical activity in palliative cancer patients: an application of the theory of planned behavior. 2012 , 10, 30-6	16
1556	Free-living energy expenditure reduced after deep brain stimulation surgery for Parkinson's disease. 2012 , 32, 214-20	14
1555	Validity of an exercise test based on habitual gait speed in mobility-limited older adults. 2012 , 93, 344-50	2
1554	Inter- and intrarater reliability of isokinetic thigh muscle strength tests in postmenopausal women with osteopenia. 2012 , 93, 420-7	11
1553	Musculoskeletal comorbidities in cardiac patients: prevalence, predictors, and health services utilization. 2012 , 93, 856-62	21
1552	Quadriceps muscle tone, elasticity and stiffness in older males: reliability and symmetry using the MyotonPRO. 2012 , 55, e31-9	107
1551	Preventing weight gain through exercise and physical activity in the elderly: a systematic review. 2012 , 72, 13-22	23
1550	Alternative scoring for Physical Activity Scale for the Elderly (PASE). 2012 , 72, 379-82	7
1549	Polypharmacy cutoff and outcomes: five or more medicines were used to identify community-dwelling older men at risk of different adverse outcomes. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 989-95	5-7 661
1548	The association between aerobic fitness and executive function is mediated by prefrontal cortex volume. 2012 , 26, 811-9	205
1547	Physical activity, function, and quality of life: design and methods of the FlexToBa trial. 2012 , 33, 228-36	28
1546	Referral and use of heart failure clinics: what factors are related to use?. 2012 , 28, 483-9	11
1545	A prospective examination of disease management program use by complex cardiac outpatients. 2012 , 28, 490-6	3
1544	Change in hip bone mineral density and risk of subsequent fractures in older men. 2012 , 27, 2179-88	36

1543	Addition of telephone coaching to a physiotherapist-delivered physical activity program in people with knee osteoarthritis: a randomised controlled trial protocol. 2012 , 13, 246	19
1542	Efficacy of acupuncture for chronic knee pain: protocol for a randomised controlled trial using a Zelen design. 2012 , 12, 161	18
1541	Patient-reported physical activity questionnaires: a systematic review of content and format. 2012 , 10, 28	37
1540	Direct and indirect measurement of physical activity in older adults: a systematic review of the literature. 2012 , 9, 148	123
1539	The association of concurrent vitamin D and sex hormone deficiency with bone loss and fracture risk in older men: the osteoporotic fractures in men (MrOS) study. 2012 , 27, 2306-13	35
1538	Supervised walking groups to increase physical activity in elderly women with and without hypertension: effect on pulse wave velocity. 2012 , 35, 988-93	22
1537	Residential proximity to nearest major roadway and cognitive function in community-dwelling seniors: results from the MOBILIZE Boston Study. 2012 , 60, 2075-80	91
1536	Sleep quality among community-dwelling elderly people and its demographic, mental, and physical correlates. 2012 , 75, 75-80	63
1535	Knee malalignment is associated with an increased risk for incident and enlarging bone marrow lesions in the more loaded compartments: the MOST study. 2012 , 20, 1227-33	62
1534	Effects of high-intensity progressive resistance training and targeted multidisciplinary treatment of frailty on mortality and nursing home admissions after hip fracture: a randomized controlled trial. 2012 , 13, 24-30	162
1533	Tai chi and postural stability in patients with Parkinson's disease. 2012 , 366, 511-9	530
1532	Operationalizing a wireless wearable fall detection sensor for older adults. 2012 ,	8
1531	Casein protein results in higher prandial and exercise induced whole body protein anabolism than whey protein in chronic obstructive pulmonary disease. 2012 , 61, 1289-300	18
1530	Non-traumatic anterior cruciate ligament abnormalities and their relationship to osteoarthritis using morphological grading and cartilage T2 relaxation times: data from the Osteoarthritis Initiative (OAI). 2012 , 41, 1435-43	35
1529	Normal protein anabolic response to hyperaminoacidemia in insulin-resistant patients with lung cancer cachexia. 2012 , 31, 765-73	81
1528	Time perspective and weight management behaviors in newly diagnosed Type 2 diabetes: a mediational analysis. 2012 , 35, 569-80	37
1527	Reproducibility and respiratory function correlates of exhaled breath fingerprint in chronic obstructive pulmonary disease. 2012 , 7, e45396	39
1526	Validation and reliability of the Physical Activity Scale for the Elderly in Chinese population. 2012 , 44, 462-5	53

1525	Validity and reliability of korean version of international physical activity questionnaire short form in the elderly. 2012 , 33, 144-51	164
1524	Consumer products and fall-related injuries in seniors. 2012 , 103, e332-7	3
1523	Physical activity levels in public school teachers. 2012 , 46, 104-9	11
1522	Nível de atividade física em mulheres mastectomizadas e submetidas a reconstrução mamária. 2012 , 27, 556-561	5
1521	Wellness for the aging adult. 2012 , 446-456	
1520	Characteristics of persons with overactive bladder of presumed neurologic origin: results from the Boston Area Community Health (BACH) survey. 2012 , 31, 1149-55	9
1519	Knee confidence as it relates to physical function outcome in persons with or at high risk of knee osteoarthritis in the osteoarthritis initiative. 2012 , 64, 1437-46	36
1518	Pretransplant physical activity predicts all-cause mortality in kidney transplant recipients. 2012 , 35, 17-23	47
1517	Survival benefit of abdominal adiposity: a 6-year follow-up study with Dual X-ray absorptiometry in 3,978 older adults. 2012 , 34, 597-608	18
1516	Alpe d'HuZes cancer rehabilitation (A-CaRe) research: four randomized controlled exercise trials and economic evaluations in cancer patients and survivors. 2012 , 19, 143-56	23
1515	Frailty and cognitive impairment as predictors of mortality in older Mexican Americans. 2012 , 16, 142-7	61
1514	The Alu polymorphism of angiotensin I converting enzyme (ACE) and atherosclerosis, incident chronic diseases and mortality in an elderly Chinese population. 2012 , 16, 262-8	2
1513	Efficacy of a home-based intervention programme on the physical activity level and functional ability of older people using domestic services: a randomised study. 2012 , 16, 370-7	31
1512	Sex steroids and bone health in older Chinese men. 2012 , 23, 1553-62	40
1511	No association between dietary vitamin K intake and fracture risk in chinese community-dwelling older men and women: a prospective study. 2012 , 90, 396-403	20
1510	Are commonly used psychoactive medications associated with lower urinary tract symptoms?. 2012 , 68, 783-91	12
1509	Not all elderly people benefit from vitamin D supplementation with respect to physical function: results from the Osteoporotic Fractures in Men Study, Hong Kong. 2012 , 60, 290-5	28
1508	Depressive symptoms, chronic pain, and falls in older community-dwelling adults: the MOBILIZE Boston Study. 2012 , 60, 230-7	91

1507	Non steroidal anti-inflammatory drug use and levels of oestrogens and androgens in men. 2012 , 76, 272-80	5
1506	Cardiac rehabilitation and quality of life: a systematic review. 2012 , 49, 755-71	109
1505	Low dietary or supplemental zinc is associated with depression symptoms among women, but not men, in a population-based epidemiological survey. 2012 , 136, 781-8	60
1504	Nocturia and quality of life: results from the Boston area community health survey. 2012 , 61, 78-84	105
1503	Reevaluating the implications of recurrent falls in older adults: location changes the inference. 2012 , 60, 517-24	47
1502	Routine physical activity and mortality in Mexican Americans aged 75 and older. 2012 , 60, 1085-91	28
1501	Atrial support pacing in heart failure: results from the multicenter PEGASUS CRT trial. 2012 , 23, 1317-25	36
1500	Effects of exercise on bone density and falls risk factors in post-menopausal women with osteopenia: a randomised controlled trial. 2012 , 15, 102-9	42
1499	Impact of health literacy on outcomes and effectiveness of an educational intervention in patients with chronic diseases. 2012 , 87, 143-51	76
1498	A randomized, placebo-controlled trial of vitamin D supplementation to improve glycaemia in overweight and obese African Americans. 2012 , 14, 789-94	87
1497	Commonly used antihypertensives and lower urinary tract symptoms: results from the Boston Area Community Health (BACH) Survey. 2012 , 109, 1676-84	24
1496	Association of overactive bladder and C-reactive protein levels. Results from the Boston Area Community Health (BACH) Survey. 2012 , 110, 401-7	26
1495	Reliability and validity of the Physical Activity Scale for the Elderly (PASE) in patients with hip osteoarthritis. 2012 , 13, 26	55
1494	Low serum vitamin D is associated with increased mortality in elderly men: MrOS Sweden. 2012 , 23, 991-9	45
1493	EQ-5D as a predictor of mortality and hospitalization in elderly people. 2012 , 21, 269-80	47
1492	Dietary protein intake in community-dwelling, frail, and institutionalized elderly people: scope for improvement. 2012 , 51, 173-9	198
1491	Remote ischemic preconditioning in thrombolysed stroke patients: randomized study of activating endogenous neuroprotection - design and MRI measurements. 2013 , 8, 141-6	23
1490	Factors affecting center of pressure in older adults: the Framingham Foot Study. 2013 , 6, 18	17

1489	Physical activity and quality of life in older adults: an 18-month panel analysis. 2013 , 22, 1647-54	41
1488	Objective measures of physical activity, fractures and falls: the osteoporotic fractures in men study. 2013 , 61, 1080-8	50
1487	A cross sectional study to examine the association between dietary patterns and cognitive impairment in older Chinese people in Hong Kong. 2013 , 17, 757-65	56
1486	The association of a priori and a posterior dietary patterns with the risk of incident stroke in Chinese older people in Hong Kong. 2013 , 17, 866-74	41
1485	Vitamin D status among older community dwelling men living in a sunny country and associations with lifestyle factors: the Concord Health and Ageing in Men Project, Sydney, Australia. 2013 , 17, 587-93	24
1484	Dietary patterns and relationship to obesity-related health outcomes and mortality in adults 75 years of age or greater. 2013 , 17, 566-72	29
1483	Strength Training for Arthritis Trial (START): design and rationale. 2013 , 14, 208	36
1482	Home-based functional walking program for advanced cancer patients receiving palliative care: a case series. 2013 , 12, 22	17
1481	A novel approach to long-term respiratory care: results of a community-based post-rehabilitation maintenance program in COPD. 2013 , 107, 1210-6	29
1480	Association of trochlear dysplasia with degenerative abnormalities in the knee: data from the Osteoarthritis Initiative. 2013 , 42, 1383-92	44
1479	Predicting fat-free mass index and sarcopenia: a pilot study in community-dwelling older adults. 2013 , 35, 2423-34	28
1478	Fitness, fatness and survival in elderly populations. 2013 , 35, 973-84	19
1477	The relationship between quadriceps muscle weakness and worsening of knee pain in the MOST cohort: a 5-year longitudinal study. 2013 , 21, 1154-9	74
1476	Physical activity in relation to knee cartilage T2 progression measured with 3 T MRI over a period of 4 years: data from the Osteoarthritis Initiative. 2013 , 21, 1558-66	59
1475	Physical activity, alignment and knee osteoarthritis: data from MOST and the OAI. 2013 , 21, 789-95	38
1474	The relationship between aging expectations and various modes of physical activity among aging adults. 2013 , 14, 569-576	33
1473	Nutritional intervention and physical training in malnourished frail community-dwelling elderly persons carried out by trained lay "buddies": study protocol of a randomized controlled trial. 2013 , 13, 1232	38
1472	The ReSPonD trial--rivastigmine to stabilise gait in Parkinson's disease a phase II, randomised, double blind, placebo controlled trial to evaluate the effect of rivastigmine on gait in patients with Parkinson's disease who have fallen. 2013 , 13, 188	21

1471	The prevalence of moderate to severe radiographic sacroiliitis and the correlation with health status in elderly Swedish men--the MrOS study. 2013 , 14, 352	9
1470	Sex differences in circumstances and consequences of outdoor and indoor falls in older adults in the MOBILIZE Boston cohort study. 2013 , 13, 133	73
1469	Measuring Physical Activity in Older Adults with and without Early Stage Alzheimer's Disease. 2013 , 36, 356-374	22
1468	Effects of Meditation on Symptoms of Knee Osteoarthritis. 2013 , 19, 139-146	6
1467	Does frequency of resistance training affect tibial cortical bone density in older women? A randomized controlled trial. 2013 , 24, 623-32	23
1466	Sarcopenia and its relationship with bone mineral density in middle-aged and elderly European men. 2013 , 24, 87-98	190
1465	Excess body weight and four-year function outcomes: comparison of African Americans and whites in a prospective study of osteoarthritis. 2013 , 65, 5-14	23
1464	Is symptomatic knee osteoarthritis a risk factor for a trajectory of fast decline in gait speed? Results from a longitudinal cohort study. 2013 , 65, 187-94	53
1463	Factor Structure and Correlates of Functional Fitness of Older Adults in Taiwan. 2013 , 7, 158-161	2
1462	Stiffness control of balance during dual task and prospective falls in older adults: the MOBILIZE Boston Study. 2013 , 38, 757-63	22
1461	Prospective study on risk factors for falling in elderly persons with mild to moderate intellectual disabilities. 2013 , 34, 3754-65	21
1460	New technology-based functional assessment tools should avoid the weaknesses and proliferation of manual functional assessments. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 619-32	5-7 3
1459	Factors related to performance-based mobility and self-reported physical activity in individuals 1-3 years after stroke: a cross-sectional cohort study. 2013 , 22, e426-34	30
1458	Vibration platform training in women at risk for symptomatic knee osteoarthritis. 2013 , 5, 201-9; quiz 209	15
1457	Effects of resistance and Tai Ji training on mobility and symptoms in knee osteoarthritis patients. 2013 , 2, 209-214	20
1456	Physical activity is inversely associated with multimorbidity in elderly men: results from the KORA-Age Augsburg Study. 2013 , 57, 17-9	64
1455	The Boston Rehabilitative Impairment Study of the Elderly: a description of methods. 2013 , 94, 347-55	35
1454	Bone mineralization is elevated and less heterogeneous in adults with type 2 diabetes and osteoarthritis compared to controls with osteoarthritis alone. 2013 , 54, 76-82	23

1453	Association between chair stand strategy and mobility limitations in older adults with symptomatic knee osteoarthritis. 2013 , 94, 375-83	15
1452	The ability of three different models of frailty to predict all-cause mortality: results from the European Male Aging Study (EMAS). 2013 , 57, 360-8	96
1451	Active vitamin D (1,25-dihydroxyvitamin D) and bone health in middle-aged and elderly men: the European Male Aging Study (EMAS). 2013 , 98, 995-1005	55
1450	Association between body size and composition and erectile dysfunction in older men: Osteoporotic Fractures in Men Study. 2013 , 61, 46-54	7
1449	Assessment of physical activity in chronic kidney disease. 2013 , 23, 123-31	28
1448	Sex steroid hormone levels and body composition in men. 2013 , 98, 2442-50	57
1447	Association of lower urinary tract symptoms and the metabolic syndrome: results from the Boston area community health survey. 2013 , 189, S107-14; discussion S115-6	53
1446	Association between indicators of disability burden and subsequent depression among older persons. 2013 , 68, 286-92	32
1445	Skeletal muscle mitochondrial energetics are associated with maximal aerobic capacity and walking speed in older adults. 2013 , 68, 447-55	178
1444	Use of complementary and alternative medicine (CAM) and changes in depressive symptoms from 3 to 15 months after surgery for primary breast cancer: results from a nationwide cohort study. 2013 , 141, 277-85	4
1443	Efficacy of a self-management intervention for weight control in overweight and obese adults: a randomized controlled trial. 2014 , 37, 781-92	9
1442	Physical activity behavior two to six years following cardiac rehabilitation: a socioecological analysis. 2013 , 36, 96-102	9
1441	Physical activity among the elderly in China: a qualitative study. 2013 , 18, 340-2, 344, 346-8 passim	13
1440	[Outcome evaluation of a health promotion among the elderly]. 2013 , 75, e5-10	7
1439	Soft drink intake and progression of radiographic knee osteoarthritis: data from the osteoarthritis initiative. 2013 , 3,	9
1438	Depression, antidepressants, and falls among community-dwelling elderly people: the MOBILIZE Boston study. 2013 , 68, 1575-81	50
1437	Progressing toward, and recovering from, knee replacement surgery: a five-year cohort study. 2013 , 65, 3304-13	29
1436	Prevalence and sex difference of lumbar disc space narrowing in elderly chinese men and women: osteoporotic fractures in men (Hong Kong) and osteoporotic fractures in women (Hong Kong) studies. 2013 , 65, 1004-10	48

1435	Validity and reliability of the Chinese translation of the Physical Activity Scale for the Elderly (PASE). 2013 , 35, 191-7	31
1434	Preserving cognition, quality of life, physical health and functional ability in Alzheimer's disease: the effect of physical exercise (ADEX trial): rationale and design. 2013 , 41, 198-207	36
1433	A comparison of barriers to use of home- versus site-based cardiac rehabilitation. 2013 , 33, 297-302	22
1432	The role of social participation and walking in depression among older adults: results from the VoisiNuAge study. 2013 , 32, 1-12	22
1431	Age-associated changes in hypothalamic-pituitary-testicular function in middle-aged and older men are modified by weight change and lifestyle factors: longitudinal results from the European Male Ageing Study. 2013 , 168, 445-55	245
1430	Mobilization of ventilated older adults. 2013 , 36, 162-8	20
1429	Screening for severe physical inactivity in chronic obstructive pulmonary disease: the value of simple measures and the validation of two physical activity questionnaires. 2013 , 10, 19-27	28
1428	Frailty and sexual health in older European men. 2013 , 68, 837-44	28
1427	The old, old-old, and the oldest old: continuation or distinct categories? An examination of the relationship between age and changes in health, function, and wellbeing. 2013 , 77, 37-57	58
1426	Improving physical activity in COPD: towards a new paradigm. 2013 , 14, 115	96
1425	Association of self-efficacy and outcome expectations with physical activity in adults with arthritis. 2013 , 2013, 621396	15
1424	Barriers to exercise in people with Parkinson disease. 2013 , 93, 628-36	165
1423	Association of frequent knee bending activity with focal knee lesions detected with 3T magnetic resonance imaging: data from the osteoarthritis initiative. 2013 , 65, 1441-8	18
1422	Cystatin C and frailty in older men. 2013 , 61, 1530-6	23
1421	Are older adults with chronic musculoskeletal pain less active than older adults without pain? A systematic review and meta-analysis. 2013 , 14, 1316-31	100
1420	The mediating effect of chronic pain on the relationship between obesity and physical function and disability in older adults. 2013 , 61, 2079-2086	27
1419	A prospective study of thyroid function, bone loss, and fractures in older men: The MrOS study. 2013 , 28, 472-9	47
1418	Does measurement of ankle-brachial index contribute to prediction of adverse health outcomes in older Chinese people?. 2013 , 43, 1017-23	3

1417	A comparison of risk factors as predictors of cardiovascular and non-cardiovascular mortality in the elderly people--relevance of N-terminal pro-B-type natriuretic peptide and low systolic blood pressure. 2013 , 67, 1182-91	12
1416	Age and gender differences in correlations of leisure-time, household, and work-related physical activity with physical performance in older Japanese adults. 2013 , 13, 919-27	25
1415	Associations between frailty and serum 25-hydroxyvitamin D and 1,25-dihydroxyvitamin D concentrations in older Australian men: the Concord Health and Ageing in Men Project. 2013 , 68, 1112-21	58
1414	The association of frailty with serum 25-hydroxyvitamin D and parathyroid hormone levels in older European men. 2013 , 42, 352-9	65
1413	Cohort profile: the European Male Ageing Study. 2013 , 42, 391-401	33
1412	Common prescription medication use and erectile dysfunction: results from the Boston Area Community Health (BACH) survey. 2013 , 112, 1178-87	15
1411	Physical activity levels of older adults receiving a home care service. 2013 , 21, 140-54	21
1410	The perceived importance of physical activity: associations with psychosocial and health-related outcomes. 2013 , 10, 343-9	10
1409	Dog ownership, functional ability, and walking in community-dwelling older adults. 2013 , 10, 646-55	31
1408	Resistance training congruent with minimal guidelines improves function in older adults: a pilot study. 2013 , 10, 769-76	6
1407	Physical activity and physical function in older adults with knee osteoarthritis. 2013 , 10, 777-83	42
1406	Parameters Representing Muscle Tone, Elasticity and Stiffness of Biceps Brachii in Healthy Older Males: Symmetry and Within-Session Reliability Using the MyotonPRO. 2013 , 01,	41
1405	A prospective cohort study examining the associations of dietary calcium intake with all-cause and cardiovascular mortality in older Chinese community-dwelling people. 2013 , 8, e80895	20
1404	The Physical Activity Scale for the Elderly (PASE) questionnaire; does it predict physical health?. 2013 , 10, 3967-86	48
1403	Obstructive sleep apnea during rapid eye movement sleep, daytime sleepiness, and quality of life in older men in Osteoporotic Fractures in Men (MrOS) Sleep Study. 2013 , 9, 191-8	33
1402	DHA serum levels were significantly higher in celiac disease patients compared to healthy controls and were unrelated to depression. 2014 , 9, e97778	10
1401	Patterns, predictors, and outcomes of falls trajectories in older adults: the MOBILIZE Boston Study with 5 years of follow-up. 2014 , 9, e106363	28
1400	Trunk muscle activity is modified in osteoporotic vertebral fracture and thoracic kyphosis with potential consequences for vertebral health. 2014 , 9, e109515	23

1399	Shorter telomeres in peripheral blood mononuclear cells from older persons with sarcopenia: results from an exploratory study. 2014 , 6, 233	37
1398	The Effect of Depression and Cognitive Impairment on 7-year Cardiorespiratory Fitness in Chinese Aged 65 and Older. 2014 , 03,	
1397	Factors influencing physical activity in older adults. 2014 , 10, 45-52	35
1396	Use of non-benzodiazepine sedative hypnotics and risk of falls in older men. 2014 , 3, 158	32
1395	Periodic limb movements during sleep and cardiac arrhythmia in older men (MrOS sleep). 2014 , 10, 7-11	17
1394	[Determinants of changes in physical fitness after a square-stepping exercise program in community-dwelling older Japanese females]. 2014 , 51, 251-8	3
1393	A Structured Literature Synthesis to Identify Measures for Screening for the Risk of Adverse Outcomes in Individuals Following Distal Radius Fracture. 2014 , 26, 145-164	4
1392	Can Muscular Impairment be the Key for Femoral Fracture?. 2014 , 03,	5
1391	Exercise for reducing fear of falling in older people living in the community. 2014 , CD009848	117
1390	Objective measures of activity level and mortality in older men. 2014 , 62, 2079-87	58
1389	Effect of supplemental vitamin D and calcium on serum sclerostin levels. 2014 , 170, 645-50	39
1388	Multiple, but not traditional risk factors predict mortality in older people: the Concord Health and Ageing in Men Project. 2014 , 36, 9732	16
1387	Determining the Feasibility of a Lifestyle Activity Program for Inclusion in a Restorative Home Care Service: A Pilot Study. 2014 , 38, 79-93	5
1386	Association between physical activity, multimorbidity, self-rated health and functional limitation in the Spanish population. 2014 , 14, 1170	55
1385	Implementing the NICE osteoarthritis guidelines: a mixed methods study and cluster randomised trial of a model osteoarthritis consultation in primary care--the Management of OsteoArthritis In Consultations (MOSAICS) study protocol. 2014 , 9, 95	47
1384	Effects of aerobic exercise on cognition and hippocampal volume in Alzheimer's disease: study protocol of a randomized controlled trial (The FIT-AD trial). 2014 , 15, 394	27
1383	Frailty and hip osteoarthritis in men in the MrOS cohort. 2014 , 69, 602-8	17
1382	Higher 25(OH)D2 is associated with lower 25(OH)D3 and 1,25(OH)2D3. 2014 , 99, 2736-44	24

1381	Lifestyle and health factors associated with progressing and remitting trajectories of untreated lower urinary tract symptoms among elderly men. 2014 , 17, 265-72	18
1380	Predicting participation restriction in community-dwelling older men: the Concord Health and Ageing in Men Project. 2014 , 43, 31-7	15
1379	Ambient air pollution and depressive symptoms in older adults: results from the MOBILIZE Boston study. 2014 , 122, 553-8	92
1378	Disentangling the disabling process: insights from the precipitating events project. 2014 , 54, 533-49	57
1377	Associations of objectively and subjectively measured sleep quality with subsequent cognitive decline in older community-dwelling men: the MrOS sleep study. 2014 , 37, 655-63	125
1376	A randomised controlled trial of aerobic exercise after transient ischaemic attack or minor stroke to prevent cognitive decline: the MoveIT study protocol. 2014 , 4, e007065	20
1375	Low prolactin is associated with sexual dysfunction and psychological or metabolic disturbances in middle-aged and elderly men: the European Male Aging Study (EMAS). 2014 , 11, 240-53	46
1374	Significance of preradiographic magnetic resonance imaging lesions in persons at increased risk of knee osteoarthritis. 2014 , 66, 1811-9	64
1373	Cohort profile: the Amirkola Health and Ageing Project (AHAP). 2014 , 43, 1393-400	55
1372	Abnormalities in cortical bone, trabecular plates, and stiffness in postmenopausal women treated with glucocorticoids. 2014 , 99, 4231-40	33
1371	Incidence, reversibility, risk factors and the protective effect of high body mass index against sarcopenia in community-dwelling older Chinese adults. 2014 , 14 Suppl 1, 15-28	91
1370	Pain characteristics associated with the onset of disability in older adults: the maintenance of balance, independent living, intellect, and zest in the Elderly Boston Study. 2014 , 62, 1007-16	123
1369	Mediators of physical exercise for improvement in cancer survivors' quality of life. 2014 , 23, 330-8	31
1368	Role of physical activity in reducing cognitive decline in older Mexican-American adults. 2014 , 62, 1786-91	13
1367	Associations between serum 25-hydroxyvitamin D concentrations and multiple health conditions, physical performance measures, disability, and all-cause mortality: the Concord Health and Ageing in Men Project. 2014 , 62, 417-25	36
1366	Life-space mobility and mortality in older men: a prospective cohort study. 2014 , 62, 1288-96	37
1365	Living Longer Living Stronger—a community-delivered strength training program improving function and quality of life. 2014 , 33, 22-5	8
1364	Determinants of MSK health and disability: lifestyle determinants of symptomatic osteoarthritis. 2014 , 28, 435-60	22

1363	Physical performance and radiographic and clinical vertebral fractures in older men. 2014 , 29, 2101-8	28
1362	Physical activity in Iranian older adults who experienced fall during the past 12 months. 2014 , 14, 115	5
1361	Reduced knee joint loading with lateral and medial wedge insoles for management of knee osteoarthritis: a protocol for a randomized controlled trial. 2014 , 15, 405	10
1360	The impact of waist circumference on function and physical activity in older adults: longitudinal observational data from the osteoarthritis initiative. 2014 , 13, 81	34
1359	Variables explaining health-related quality of life in community-dwelling older adults. 2014 , 37, 83-91	19
1358	Companion confidence in the balance of community-dwelling older adults: implications for physical activity promotion. 2014 , 37, 121-6	3
1357	Statins and physical activity in older men: the osteoporotic fractures in men study. 2014 , 174, 1263-70	68
1356	Effect of physical therapy on pain and function in patients with hip osteoarthritis: a randomized clinical trial. 2014 , 311, 1987-97	98
1355	An expanded framework to determine physical activity and falls risks among diverse older adults. 2014 , 36, 95-114	7
1354	Improvements to executive function during exercise training predict maintenance of physical activity over the following year. 2014 , 8, 353	69
1353	Positive affect is associated with fewer sleep problems in older caregivers but not noncaregivers. 2014 , 54, 559-69	14
1352	The association of dietary patterns and weight change in rural older adults 75 years and older. 2014 , 33, 357-75	1
1351	Association of total protein intake with bone mineral density and bone loss in men and women from the Framingham Offspring Study. 2014 , 17, 2570-6	24
1350	Association of stressful life events with incident falls and fractures in older men: the Osteoporotic Fractures in Men (MrOS) Study. 2014 , 43, 103-8	7
1349	Delayed recovery of leg fatigue symptoms following a maximal exercise session in people with multiple sclerosis. 2014 , 28, 139-48	11
1348	Change in Balance Confidence and Its Associations With Increasing Disability in Older Community-Dwelling Women at Risk for Falling. 2014 , 26, 616-636	11
1347	Prestroke physical activity is associated with good functional outcome and arterial recanalization after stroke due to a large vessel occlusion. 2014 , 37, 304-11	29
1346	Protein intake protects against weight loss in healthy community-dwelling older adults. 2014 , 144, 321-6	36

1345	Long-term exposure to ambient air pollution and serum leptin in older adults: results from the MOBILIZE Boston study. 2014 , 56, e73-7	29
1344	Differential trajectories of well-being in older adult women: the role of optimism. 2014 , 6, 362-80	6
1343	A stiff price to pay: does joint stiffness predict disability in an older population?. 2014 , 62, 1891-9	8
1342	Habitual physical activity (HPA) as a factor in sustained executive function in Alzheimer-type dementia: a cohort study. 2014 , 59, 91-7	11
1341	Performance characteristics of the verbal QuickDASH. 2014 , 39, 100-7	38
1340	Neurovascular coupling in normal aging: a combined optical, ERP and fMRI study. 2014 , 85 Pt 1, 592-607	145
1339	Cross-Sectional and Longitudinal Associations of Categories of Physical Activities with Dimensions of Subjective Well-Being in Taiwanese Older Adults. 2014 , 117, 705-718	11
1338	Bewegung zur Prävention von Demenz. 2014 , 9, 92-98	1
1337	Measurement of physical activity in cancer survivors: a validity study. 2014 , 8, 205-12	8
1336	Low physical activity levels and functional decline in individuals with lung cancer. 2014 , 83, 292-9	99
1335	Validity and reproducibility of the Physical Activity Scale for the Elderly (PASE) questionnaire for the measurement of the physical activity level in patients after total knee arthroplasty. 2014 , 15, 46	27
1334	Intramuscular fat and inflammation differ in older adults: the impact of frailty and inactivity. 2014 , 18, 532-8	83
1333	Physiotherapy Rehabilitation for Osteoporotic Vertebral Fracture (PROVE): study protocol for a randomised controlled trial. 2014 , 15, 22	14
1332	Correlates of perceived health related quality of life in obese, overweight and normal weight older adults: an observational study. 2014 , 14, 35	35
1331	Multi-morbidity, dependency, and frailty singly or in combination have different impact on health outcomes. 2014 , 36, 923-31	52
1330	Accelerometry analysis of physical activity and sedentary behavior in older adults: a systematic review and data analysis. 2014 , 11, 35-49	201
1329	Milk consumption and progression of medial tibiofemoral knee osteoarthritis: data from the Osteoarthritis Initiative. 2014 , 66, 802-9	24
1328	Tai Ji Quan and global cognitive function in older adults with cognitive impairment: a pilot study. 2014 , 58, 434-9	38

1327	Transitions in frailty states among community-living older adults and their associated factors. 2014 , 15, 281-6	173
1326	Macronutrients, diet quality, and frailty in older men. 2014 , 69, 695-701	76
1325	Serum sclerostin levels vary with season. 2014 , 99, E149-52	17
1324	Frequency, severity and determinants of functional limitations in older adults with joint pain and comorbidity: results of a cross-sectional study. 2014 , 59, 98-106	19
1323	Low holotranscobalamin and cobalamins predict incident fractures in elderly men: the MrOS Sweden. 2014 , 25, 131-40	6
1322	Fit and Strong! Plus: design of a comparative effectiveness evaluation of a weight management program for older adults with osteoarthritis. 2014 , 37, 178-88	13
1321	Serum estradiol associates with blood hemoglobin in elderly men: the MrOS Sweden study. 2014 , 99, 2549-56	20
1320	Association Between Thyroid Function and Objective and Subjective Sleep Quality in Older Men: The Osteoporotic Fractures in Men (MrOS) Study. 2014 , 20, 576-86	11
1319	Low levels of 25-hydroxy vitamin D and active 1,25-dihydroxyvitamin D independently associated with type 2 diabetes mellitus in older Australian men: the Concord Health and Ageing in Men Project. 2014 , 62, 1741-7	22
1318	Association of stressful life events with accelerated bone loss in older men: the osteoporotic fractures in men (MrOS) study. 2014 , 25, 2833-9	10
1317	Association of 25-hydroxyvitamin D, 1,25-dihydroxyvitamin D and parathyroid hormone with mortality among middle-aged and older European men. 2014 , 43, 528-35	16
1316	Sleep disturbances and risk of falls in older community-dwelling men: the outcomes of Sleep Disorders in Older Men (MrOS Sleep) Study. 2014 , 62, 299-305	111
1315	Enhanced cardiovascular risk and altered oxidative status in elders with moderate excessive body fat. 2014 , 17, 334-40	12
1314	Effect of oral magnesium supplementation on physical performance in healthy elderly women involved in a weekly exercise program: a randomized controlled trial. 2014 , 100, 974-81	81
1313	Telomere length is associated with decline in grip strength in older persons aged 65 years and over. 2014 , 36, 9711	27
1312	Older adults' reporting of specific sedentary behaviors: validity and reliability. 2014 , 14, 734	46
1311	A multicentre, pragmatic, parallel group, randomised controlled trial to compare the clinical and cost-effectiveness of three physiotherapy-led exercise interventions for knee osteoarthritis in older adults: the BEEP trial protocol (ISRCTN: 93634563). 2014 , 15, 254	34
1310	Postmenopausal women with osteopenia and a healed wrist fracture have reduced physical function and quality of life compared to a matched, healthy control group with no fracture. 2014 , 14, 92	14

1309	A randomized controlled longitudinal naturalistic trial testing the effects of automatic self transcending meditation on heart rate variability in late life depression: study protocol. 2014 , 14, 307	1
1308	Fracture risk in diabetic elderly men: the MrOS study. 2014 , 57, 2057-65	174
1307	The association between gestational weight gain and substantial weight retention 1-year postpartum. 2014 , 290, 493-9	15
1306	Predicting fat-free mass index and sarcopenia in assisted-living older adults. 2014 , 36, 9674	16
1305	The selection of a screening test for frailty identification in community-dwelling older adults. 2014 , 18, 199-203	35
1304	Associations of dietary protein intake on subsequent decline in muscle mass and physical functions over four years in ambulant older Chinese people. 2014 , 18, 171-7	45
1303	Reliability and acceptability of measuring sniff nasal inspiratory pressure (SNIP) and peak inspiratory flow (PIF) to assess respiratory muscle strength in older adults: a preliminary study. 2014 , 26, 171-6	9
1302	Association between anemia and falls in community-dwelling older people: cross-sectional results from the KORA-Age study. 2014 , 14, 29	13
1301	Applicability of global positioning system for the assessment of walking ability in patients with arterial claudication. 2014 , 60, 973-81.e1	15
1300	Decline in functional capacity is unaffected by diet quality alone or in combination with physical activity among generally healthy older adults with T2D from the NuAge cohort. 2014 , 105, 399-407	1
1299	Functional imaging in OA: role of imaging in the evaluation of tissue biomechanics. 2014 , 22, 1349-59	36
1298	[Association between Mini Nutritional Assessment and the Fried frailty index in older people living in the community]. 2014 , 143, 191-5	16
1297	Physical activity in community-dwelling stroke survivors and a healthy population is not explained by motor function only. 2014 , 6, 139-45	20
1296	Perceived health and motivation to physical activity in seniors. 2014 , 16, e44-e50	3
1295	Peripheral nerve function and lower extremity muscle power in older men. 2014 , 95, 726-33	13
1294	Tibiofemoral subchondral surface ratio (SSR) is a predictor of osteoarthritis symptoms and radiographic progression: data from the Osteoarthritis Initiative (OAI). 2014 , 22, 771-8	17
1293	Diastolic dysfunction and cardiovascular risk in old subjects: possible association with NAFLD?. 2014 , 58, 188-95	8
1292	Incremental predictive value of sarcopenia for incident fracture in an elderly Chinese cohort: results from the Osteoporotic Fractures in Men (MrOs) Study. 2014 , 15, 551-8	109

1291	Life-Space Assessment and Physical Activity Scale for the Elderly: validity of proxy informant responses. 2014 , 95, 1527-32	13
1290	The association between sleep patterns and obesity in older adults. 2014 , 38, 1159-64	101
1289	Nonsteroidal anti-inflammatory drugs (NSAIDs) in older people: prescribing patterns according to pain prevalence and adherence to clinical guidelines. 2014 , 155, 1814-1820	14
1288	Intelligent mobile support for therapy adherence and behavior change. 2014 , 51, 137-51	44
1287	Age and gender, two key factors in the associations between physical activity and strength during the ageing process. 2014 , 78, 106-12	27
1286	Differences in skeletal and non-skeletal factors in a diverse sample of men with and without type 2 diabetes mellitus. 2014 , 28, 679-83	14
1285	Risk factors for restricting back pain in older persons. 2014 , 15, 62-7	15
1284	Physical activity attitudes, beliefs, and practices among adults 50 and older: baseline community assessment. 2013 , 34, 235-54	4
1283	Validation of a computerized use of time recall for activity measurement in advanced-aged adults. 2014 , 22, 245-54	4
1282	How do older adults respond to active Australia physical activity questions? Lessons from cognitive interviews. 2014 , 22, 74-86	7
1281	Factors associated with pain experience outcome in knee osteoarthritis. 2014 , 66, 1828-35	31
1280	Blood levels of the omega-3 fatty acid docosahexaenoic acid are associated with gait and lower limb power in older females. 2015 , 74,	
1279	The effects of an omega-3 fatty acid enriched supplement on physical performance in older women – a randomised double-blind placebo controlled study. 2015 , 74,	
1278	Disentangling racial/ethnic and socioeconomic differences in self-reported sleep measures: the Boston Area Community Health Survey. 2015 , 1, 90-97	10
1277	Telomere length is not associated with frailty in older Chinese elderly: Cross-sectional and longitudinal analysis. 2015 , 152, 74-9	24
1276	Associations between walking and depressive symptoms among older adults: Do purposes and amounts of walking matter? Results from the VoisiNuAge Study. 2015 , 8, 37-43	4
1275	Adequacy of nutritional intake among older men living in Sydney, Australia: findings from the Concord Health and Ageing in Men Project (CHAMP). 2015 , 114, 812-21	29
1274	Older adults at risk of a cardiovascular event: a preliminary investigation of their experiences of an active lifestyle scheme in England. 2015 , 35, 2141-2155	1

1273	An Experience Sampling Approach to Investigating Associations between Pet Presence and Indicators of Psychological Wellbeing and Mood in Older Australians. 2015 , 28, 403-420	39
1272	A Healthier Lifestyle Pattern for Cardiovascular Risk Reduction Is Associated With Better Bone Mass in Southern Chinese Elderly Men and Women. 2015 , 94, e1283	4
1271	A multi-environment dataset for activity of daily living recognition in video streams. 2015 , 2015, 747-50	1
1270	Contralateral knee effect on self-reported knee-specific function and global functional assessment: data from the Osteoarthritis Initiative. 2015 , 67, 374-81	12
1269	Obesity, fat distribution, and risk of frailty in two population-based cohorts of older adults in Spain. 2015 , 23, 847-55	53
1268	Moderate-to-High Intensity Physical Exercise in Patients with Alzheimer's Disease: A Randomized Controlled Trial. 2016 , 50, 443-53	146
1267	Does Subclinical Thyroid Dysfunction Contribute to the Frailty Syndrome in Men over 65 Years of Age?. 2015 , 27, 336-338	
1266	Comparative effects of horse exercise versus traditional exercise programs on gait, muscle strength, and body balance in healthy older adults. 2015 , 23, 78-89	13
1265	Relationship of falls and fear of falling to activity limitations and physical inactivity in Parkinson's disease. 2015 , 23, 187-93	33
1264	Reliability and Validity of 2 Self-Report Measures to Assess Sedentary Behavior in Older Adults. 2015 , 12, 727-32	31
1263	Strength, Static Balance, Physical Activity, and Age Predict Maximal Gait Speed in Healthy Older Adults From a Rural Community: A Cross-Sectional Study. 2015 , 23, 580-7	3
1262	Transportation mode usage and physical, mental and social functions in older Japanese adults. 2015 , 2, 44-49	17
1261	Prevalence and associations of respiratory-related leg movements: the MrOS sleep study. 2015 , 16, 1236-44	12
1260	Associations of 25-Hydroxyvitamin D and 1,25-Dihydroxyvitamin D With Bone Mineral Density, Bone Mineral Density Change, and Incident Nonvertebral Fracture. 2015 , 30, 1403-13	25
1259	Potassium Bicarbonate Supplementation Lowers Bone Turnover and Calcium Excretion in Older Men and Women: A Randomized Dose-Finding Trial. 2015 , 30, 2103-11	34
1258	Workplace cohort studies in times of economic instability. 2015 , 58, 138-51	6
1257	Physical therapy vs. internet-based exercise training (PATH-IN) for patients with knee osteoarthritis: study protocol of a randomized controlled trial. 2015 , 16, 264	20
1256	Effect of exercises with weight vests and a patient education programme for women with osteopenia and a healed wrist fracture: a randomized, controlled trial of the OsteoACTIVE programme. 2015 , 16, 352	5

1255	Neighborhood Integration and Connectivity Predict Cognitive Performance and Decline. 2015 , 1,	16
1254	Relationships between sleep stages and changes in cognitive function in older men: the MrOS Sleep Study. 2015 , 38, 411-21	66
1253	Theory-based behavioural interventions for prediabetic state and people with diabetes mellitus. 2015 ,	
1252	Physical activity preferences of older home care clients. 2015 , 10, 170-8	26
1251	Intramuscular Fat Infiltration Contributes to Impaired Muscle Function in COPD. 2015 , 47, 1334-41	33
1250	Erectile Dysfunction is Associated with Subsequent Cardiovascular and Respiratory Mortality in Cohort of 1,436 Chinese Elderly Men. 2015 , 12, 1568-76	12
1249	Difference in adherence to and influencing factors of a healthy lifestyle between middle-aged and elderly people in Korea: A multilevel analysis. 2015 , 15, 778-88	5
1248	Adherence to exercise and affective responses: comparison between outdoor and indoor training. 2015 , 22, 731-40	25
1247	Evaluation of the Usefulness of Consensus Definitions of Sarcopenia in Older Men: Results from the Observational Osteoporotic Fractures in Men Cohort Study. 2015 , 63, 2247-59	73
1246	Normal Weight with Central Obesity, Physical Activity, and Functional Decline: Data from the Osteoarthritis Initiative. 2015 , 63, 1552-60	20
1245	Oxandrolone Augmentation of Resistance Training in Older Women: A Randomized Trial. 2015 , 47, 2257-67	10
1244	No Direct Survival Effect of Light to Moderate Alcohol Drinking in Community-Dwelling Older Adults. 2015 , 63, 2526-2533	11
1243	Effects of Creatine and Resistance Training on Bone Health in Postmenopausal Women. 2015 , 47, 1587-95	38
1242	Physical Activity and Depressive Symptoms in Advanced Age: LiLACS NZ. 2015 , 05,	
1241	[Factors Influencing Physical Activity among Community-dwelling Older Adults with Type 2 Diabetes: A Path Analysis]. 2015 , 45, 329-36	7
1240	Les stratégies d'intervention pour aider les jeunes à gérer leur pratique d'activité physique. Une revue de la littérature. 2015 , n° 109, 57	4
1239	Physical activity after total knee arthroplasty: A critical review. 2015 , 6, 614-22	38
1238	Dietary Patterns and Risk of Frailty in Chinese Community-Dwelling Older People in Hong Kong: A Prospective Cohort Study. 2015 , 7, 7070-84	66

1237	Physical Activity and Aging Research: A Bibliometric Analysis. 2015,	
1236	Omega-3 Fatty Acid Supplementation for 12 Weeks Increases Resting and Exercise Metabolic Rate in Healthy Community-Dwelling Older Females. 2015, 10, e0144828	78
1235	Validation and User Evaluation of a Sensor-Based Method for Detecting Mobility-Related Activities in Older Adults. 2015, 10, e0137668	8
1234	Effectiveness of Personalized Feedback Alone or Combined with Peer Support to Improve Physical Activity in Sedentary Older Malays with Type 2 Diabetes: A Randomized Controlled Trial. 2015, 3, 178	15
1233	Do Behavioral Risk Factors for Prediabetes and Insulin Resistance Differ across the Socioeconomic Gradient? Results from a Community-Based Epidemiologic Survey. 2015, 2015, 806257	8
1232	Age and gender differences in relationships between physical activity and sense of coherence in community-dwelling older adults. 2015, 81, 159-169	4
1231	A community-based Falls Management Exercise Programme (FaME) improves balance, walking speed and reduced fear of falling. 2015, 16, 138-46	9
1230	Reexamining the Effect of Antihypertensive Medications on Falls in Old Age. 2015, 66, 183-9	48
1229	Ischemic heart disease, prescription of optimal medical therapy and geriatric syndromes in community-dwelling older men: A population-based study. 2015, 192, 49-55	21
1228	Essential amino acids in the gluten-free diet and serum in relation to depression in patients with celiac disease. 2015, 10, e0122619	16
1227	A randomized controlled study examining the effect of exercise on inflammatory cytokine levels in post-menopausal women. 2015, 21, 9-15	29
1226	Exploratory longitudinal cohort study of associations of fatigue after stroke. 2015, 46, 1052-8	53
1225	Higher Protein Intake Is Associated with Higher Lean Mass and Quadriceps Muscle Strength in Adult Men and Women. 2015, 145, 1569-75	80
1224	Low heel ultrasound parameters predict mortality in men: results from the European Male Ageing Study (EMAS). 2015, 44, 801-7	4
1223	Effects of Gesture-Based Fitness Games on Functional Fitness of the Elders. 2015,	2
1222	Elevated circulating vascular cell Adhesion Molecule-1 (sVCAM-1) is associated with concurrent depressive symptoms and cerebral white matter Hyperintensities in older adults. 2015, 15, 62	14
1221	Association Between Estimated Net Endogenous Acid Production and Subsequent Decline in Muscle Mass Over Four Years in Ambulatory Older Chinese People in Hong Kong: A Prospective Cohort Study. 2015, 70, 905-11	29
1220	Examining the Validity and Reliability of the ABC-6 in Underserved Older Adults. 2015, 34, 761-78	4

1219	The Relationship between Diet Quality and Falls Risk, Physical Function and Body Composition in Older Adults. 2015 , 19, 1037-42	21
1218	Characterization of physical activity and sitting time among patients on hemodialysis using a new physical activity instrument. 2015 , 25, 25-30	16
1217	Greater fruit intake was associated with better bone mineral status among Chinese elderly men and women: results of Hong Kong Mr. Os and Ms. Os studies. 2015 , 16, 309-15	23
1216	Bone quality in osteopenic postmenopausal women is not improved after 12 months of whole-body vibration training. 2015 , 26, 911-20	28
1215	The role of neighborhood characteristics in racial/ethnic disparities in type 2 diabetes: results from the Boston Area Community Health (BACH) Survey. 2015 , 130, 79-90	43
1214	Retirement community residents' physical activity, depressive symptoms, and functional limitations. 2015 , 24, 7-28	6
1213	Exercises including weight vests and a patient education program for women with osteopenia: a feasibility study of the OsteoACTIVE rehabilitation program. 2015 , 45, 97-105, C1-4	5
1212	Femoral volumetric bone density, geometry, and strength in relation to 25-hydroxy vitamin D in older men. 2015 , 30, 562-9	21
1211	Physical function in older men with hyperkyphosis. 2015 , 70, 635-40	33
1210	Active vitamin D (1,25 dihydroxyvitamin D) is associated with chronic pain in older Australian men: the Concord Health and Ageing in Men Project. 2015 , 70, 387-95	9
1209	Frailty, cognitive impairment, and functional disability in older women with female pelvic floor dysfunction. 2015 , 26, 823-30	31
1208	Detecting and predicting balance decline in Parkinson disease: a prospective cohort study. 2015 , 5, 131-9	15
1207	The Association Between BMI and QCT-Derived Proximal Hip Structure and Strength in Older Men: A Cross-Sectional Study. 2015 , 30, 1301-8	18
1206	An update on risk factors for cartilage loss in knee osteoarthritis assessed using MRI-based semiquantitative grading methods. 2015 , 25, 883-93	22
1205	Can structural joint damage measured with MR imaging be used to predict knee replacement in the following year?. 2015 , 274, 810-20	56
1204	Risk factors for falls among seniors: implications of gender. 2015 , 181, 521-31	109
1203	Physical activity among older people living alone in Shanghai, China. 2015 , 74, 156-167	7
1202	Fear of falling in people with chronic obstructive pulmonary disease. 2015 , 109, 483-9	21

1201	Cross-sectional and longitudinal associations between the active vitamin D metabolite (1,25 dihydroxyvitamin D) and haemoglobin levels in older Australian men: the Concord Health and Ageing in Men Project. 2015 , 37, 9749	12
1200	Construct validity of the BESTest, mini-BESTest and briefBESTest in adults aged 50 years and older. 2015 , 42, 301-5	32
1199	Relationship of unilateral total hip arthroplasty (THA) to contralateral and ipsilateral knee joint degeneration - a longitudinal 3T MRI study from the Osteoarthritis Initiative (OAI). 2015 , 23, 1144-53	20
1198	Transit use and walking as potential mediators of the association between accessibility to services and amenities and social participation among urban-dwelling older adults: Insights from the VoisiNuAge study. 2015 , 2, 35-43	16
1197	The relationship between diet quality and falls risk, physical function and body composition in older adults. 2015 ,	
1196	Treatment of Vitamin D Insufficiency in Postmenopausal Women: A Randomized Clinical Trial. 2015 , 175, 1612-21	114
1195	The Physical Activity Scale for the Elderly (PASE): Validity and Reliability Among Community-Dwelling Older Adults in Malaysia. 2015 , 27, 62S-72S	23
1194	Circulating vascular cell adhesion molecule-1 is associated with cerebral blood flow dysregulation, mobility impairment, and falls in older adults. 2015 , 66, 340-6	29
1193	Geographic variations in sleep duration: a multilevel analysis from the Boston Area Community Health (BACH) Survey. 2015 , 69, 63-9	17
1192	OH-BUDDY: Mobile Phone Texting Based Intervention for Diabetes and Oral Health Management. 2015 ,	7
1191	The mediating effect of leptin on the relationship between body weight and knee osteoarthritis in older adults. 2015 , 67, 169-75	47
1190	Cross-Sectional and Longitudinal Associations Between Anemia and Frailty in Older Australian Men: The Concord Health and Aging in Men Project. 2015 , 16, 614-20	26
1189	Circadian rest-activity rhythms predict future increases in depressive symptoms among community-dwelling older men. 2015 , 23, 495-505	29
1188	Bone turnover markers predict hip bone loss in elderly European men: results of the European Male Ageing Study (EMAS). 2015 , 26, 617-27	9
1187	The self-reported Physical Activity Scale for the Elderly (PASE) is a valid and clinically applicable measure in lung cancer. 2015 , 23, 3211-8	18
1186	Relative Validity of a Diet History Questionnaire Against a Four-Day Weighed Food Record among Older Men in Australia: The Concord Health and Ageing in Men Project (CHAMP). 2015 , 19, 603-10	20
1185	MultiComponent Exercise and theRApeutic lifeStyle (CERgAS) intervention to improve physical performance and maintain independent living among urban poor older people--a cluster randomised controlled trial. 2015 , 15, 8	9
1184	Comparison of physical activity questionnaires for the elderly with the International Classification of Functioning, Disability and Health (ICF)--an analysis of content. 2015 , 15, 249	17

1183	Physical ACTivity facilitation for Elders (PACE): study protocol for a randomised controlled trial. 2015 , 16, 91	5
1182	Sarcopenia Is Associated With Incident Disability, Institutionalization, and Mortality in Community-Dwelling Older Men: The Concord Health and Ageing in Men Project. 2015 , 16, 607-13	121
1181	Association between muscular strength and inflammatory markers among elderly persons with cardiac disease: results from the KORA-Age study. 2015 , 104, 982-9	23
1180	Action seniors! - secondary falls prevention in community-dwelling senior fallers: study protocol for a randomized controlled trial. 2015 , 16, 144	19
1179	Exercise therapy may postpone total hip replacement surgery in patients with hip osteoarthritis: a long-term follow-up of a randomised trial. 2015 , 74, 164-9	70
1178	Reliability and concurrent validity of the Acti'MET calculator: A new tool to assess physical activity in cardiac rehabilitation. 2015 , 58, 157-60	4
1177	Early T2 changes predict onset of radiographic knee osteoarthritis: data from the osteoarthritis initiative. 2015 , 74, 1353-9	79
1176	Can we trace very cold dust from its emission alone?. 2015 , 574, L5	25
1175	The effects of inspiratory muscle training in older adults. 2015 , 47, 691-7	32
1174	Impaired healing of fragility fractures in type 2 diabetes: clinical and radiographic assessments and serum cytokine levels. 2015 , 27 Suppl 1, S37-44	14
1173	Association of Urinary 6-Sulfatoxymelatonin (aMT6s) Levels and Objective and Subjective Sleep Measures in Older Men: The MrOS Sleep Study. 2015 , 70, 1569-77	9
1172	Subclinical Thyroid Dysfunction and Frailty Among Older Men. 2015 , 100, 4524-32	26
1171	Predictors of the antibody response to influenza vaccination in older adults with type 2 diabetes. 2015 , 3, e000140	40
1170	Sleep Architecture and Mental Health Among Community-Dwelling Older Men. 2015 , 70, 673-81	19
1169	Association between habitual light-intensity physical activity and lower-extremity performance: a cross-sectional study of community-dwelling older Japanese adults. 2015 , 15, 268-75	16
1168	Self-rated health and associated factors among older people living alone in Shanghai. 2015 , 15, 457-64	24
1167	Associations between sleep-disordered breathing, nocturnal hypoxemia, and subsequent cognitive decline in older community-dwelling men: the Osteoporotic Fractures in Men Sleep Study. 2015 , 63, 453-61	72
1166	A systematic review of changes in women's physical activity before and during pregnancy and the postnatal period. 2015 , 33, 325-358	17

1165	Socio-demographic, treatment-related, and health behavioral predictors of persistent pain 15 months and 7-9 years after surgery: a nationwide prospective study of women treated for primary breast cancer. 2015 , 152, 645-58	21
1164	Minimal important difference of the 6-minute walk distance in lung cancer. 2015 , 12, 146-54	66
1163	Patterns of Physical Activity Among Older Adults in New York City: A Latent Class Approach. 2015 , 49, e13-22	21
1162	Impact of obesity on disability, function, and physical activity: data from the Osteoarthritis Initiative. 2015 , 44, 495-502	39
1161	Micronucleus frequency in peripheral blood lymphocytes and frailty status in elderly. A lack of association with clinical features. 2015 , 780, 47-54	5
1160	Frailty and physical function in chronic kidney disease: the CanFIT study. 2015 , 2, 32	31
1159	Circadian rhythm mediates the relationship between physical activity and quality of life in younger and older cancer survivors. 2015 , 32, 1417-26	4
1158	Genetic associations of periodic limb movements of sleep in the elderly for the MrOS sleep study. 2015 , 16, 1360-1365	18
1157	Latent activity rhythm disturbance sub-groups and longitudinal change in depression symptoms among older men. 2015 , 32, 1427-37	23
1156	Reproducibility and validity of the physical activity scale for the elderly (PASE) questionnaire in patients after total hip arthroplasty. 2015 , 95, 86-94	15
1155	Obesity in the Context of Aging: Quality of Life Considerations. 2015 , 33, 655-72	23
1154	Ability of Low-Cost Force-Feedback Device to Influence Postural Stability. 2015 , 8, 130-9	6
1153	Smoking cessation-related weight gain--beneficial effects on muscle mass, strength and bone health. 2015 , 110, 326-35	18
1152	Association of moderate to severe lower urinary tract symptoms with incident type 2 diabetes and heart disease. 2015 , 193, 581-6	12
1151	Walking energetics, fatigability, and fatigue in older adults: the study of energy and aging pilot. 2015 , 70, 487-94	32
1150	Effects of vertical and side-alternating vibration training on fall risk factors and bone turnover in older people at risk of falls. 2015 , 44, 115-22	25
1149	Association of peripheral microvascular dysfunction and erectile dysfunction. 2015 , 193, 612-7	24
1148	Associations of Parent Health Behaviors and Parenting Practices with Sleep Duration in Overweight and Obese Children. 2016 , 12, 1493-1498	10

1147	Physical rehabilitation for lung transplant candidates and recipients: An evidence-informed clinical approach. 2016 , 6, 517-31	51
1146	Psychometric properties of the Physical Activity Scale for the Elderly in Chinese patients with COPD. 2017 , 12, 105-114	7
1145	The association of muscle mass and muscle strength with mobility limitation and history of falls in older adults -focusing on sarcopenia and dynapenia-. 2016 , 65, 491-501	1
1144	Aerobic Activity in the Healthy Elderly Is Associated with Larger Plasticity in Memory Related Brain Structures and Lower Systemic Inflammation. 2016 , 8, 319	10
1143	Comparing Aging and Fitness Effects on Brain Anatomy. 2016 , 10, 286	22
1142	Association of Circulating 25(OH)D and Lower Urinary Tract Symptoms: A Four-Year Prospective Study among Elderly Chinese Men. 2016 , 8,	1
1141	Sleep Disordered Breathing and Risk of Stroke in Older Community-Dwelling Men. 2016 , 39, 531-40	52
1140	Physical Activity Patterns in Normal-Weight and Overweight/Obese Pregnant Women. 2016 , 11, e0166254	17
1139	Degeneration in ACL Injured Knees with and without Reconstruction in Relation to Muscle Size and Fat Content-Data from the Osteoarthritis Initiative. 2016 , 11, e0166865	16
1138	Efficacy of L-carnitine supplementation on frailty status and its biomarkers, nutritional status, and physical and cognitive function among prefrail older adults: a double-blind, randomized, placebo-controlled clinical trial. 2016 , 11, 1675-1686	27
1137	A Comparison of Collagen Crosslink Content in Bone Specimens from Elective Total Hip Arthroplasty Patients with and without Type 2 Diabetes. 2016 , 2,	
1136	Actigraphy- and Polysomnography-Measured Sleep Disturbances, Inflammation, and Mortality Among Older Men. 2016 , 78, 686-96	50
1135	Interactions Between Depression and Lower Urinary Tract Symptoms: The Role of Adverse Life Events and Inflammatory Mechanisms. Results From the European Male Ageing Study. 2016 , 78, 758-69	9
1134	Prevalence of the geriatric syndromes and frailty in older men living in the community: The Concord Health and Ageing in Men Project. 2016 , 35, 255-261	18
1133	Fruit and Vegetable Intake in Relation to Lower Urinary Tract Symptoms and Erectile Dysfunction Among Southern Chinese Elderly Men: A 4-Year Prospective Study of Mr OS Hong Kong. 2016 , 95, e2557	17
1132	Associations between daily physical activity, handgrip strength, muscle mass, physical performance and quality of life in prefrail and frail community-dwelling older adults. 2016 , 25, 3129-3138	44
1131	The potential benefits of Zumba Gold(®) in people with mild-to-moderate Parkinson's: Feasibility and effects of dance styles and number of sessions. 2016 , 27, 68-73	11
1130	Leisure time physical activity before and during mid-pregnancy and offspring adiposity in mid-childhood. 2016 , 11, 81-7	8

1129	Risk Factors for Hip Fracture in Older Men: The Osteoporotic Fractures in Men Study (MrOS). 2016 , 31, 1810-1819	77
1128	Accelerometer-measured physical activity among older adults in urban India: Results of a study on global AGEing and adult health substudy. 2016 , 28, 412-20	4
1127	Activity, balance, learning, and exposure (ABLE): a new intervention for fear of falling. 2016 , 31, 791-8	21
1126	Serum 25-hydroxyvitamin D level and incident type 2 diabetes in older men, the Osteoporotic Fractures in Men (MrOS) study. 2016 , 90, 181-4	12
1125	Maintaining physical activity during head and neck cancer treatment: Results of a pilot controlled trial. 2016 , 38 Suppl 1, E1086-96	28
1124	Effects of Prefracture Depressive Illness and Postfracture Depressive Symptoms on Physical Performance After Hip Fracture. 2016 , 64, e171-e176	13
1123	Frailty and bone health in European men. 2017 , 46, 635-641	15
1122	Physical Activity and Risk of Colon Cancer in Diabetic and Nondiabetic US Adults. 2016 , 91, 1693-1705	8
1121	Comparison of different measures of obesity in their association with health-related quality of life in older adults - results from the KORA-Age study. 2016 , 19, 3276-3286	8
1120	COMMUNITY-based Rehabilitation after Knee Arthroplasty (CORKA): study protocol for a randomised controlled trial. 2016 , 17, 501	6
1119	Accelerometry and physical activity questionnaires - a systematic review. 2016 , 16, 515	153
1118	Cystatin C and the Risk of Frailty and Mortality in Older Men. 2017 , 72, 965-970	7
1117	Barriers, Motivations, and Preferences for Physical Activity Among Female African American Older Adults. 2016 , 2, 2333721416677399	41
1116	Longitudinal relationships of periodic limb movements during sleep and incident atrial fibrillation. 2016 , 25, 78-86	17
1115	Are people following hip and knee arthroplasty at greater risk of experiencing a fall and fracture? Data from the Osteoarthritis Initiative. 2016 , 136, 865-72	19
1114	The Transtheoretical Model, Physical Activity, and Falls Risks Among Diverse Older Adults. 2016 , 40, 35-52	11
1113	Temporal Trend in Androgen Status and Androgen-Sensitive Outcomes in Older Men. 2016 , 101, 1836-46	28
1112	Handgrip strength is inversely and independently associated with multimorbidity among older women: Results from the KORA-Age study. 2016 , 31, 35-40	28

1111	Relationship of Bisphosphonate Therapy and Atrial Fibrillation/Flutter: Outcomes of Sleep Disorders in Older Men (MrOS Sleep) Study. 2016 , 149, 1173-80	9
1110	Association of frailty with the serine protease HtrA1 in older adults. 2016 , 81, 8-12	19
1109	Self-reported physical activity in essential tremor: Relationship with tremor, balance, and cognitive function. 2016 , 366, 240-245	11
1108	Dietary Antioxidants and Longitudinal Changes in Lower Urinary Tract Symptoms in Elderly Men: The Osteoporotic Fractures in Men Study. 2016 , 2, 310-318	3
1107	Muscle strength, physical performance and physical activity as predictors of future knee replacement: a prospective cohort study. 2016 , 24, 1350-6	8
1106	Are patient-reported outcome measures in orthopaedics easily read by patients?. 2016 , 474, 246-55	36
1105	Physical Activity Levels and Their Associations With Postural Control in the First Year After Stroke. 2016 , 96, 1389-96	16
1104	Restless Legs Syndrome and Depression: Effect Mediation by Disturbed Sleep and Periodic Limb Movements. 2016 , 24, 1105-1116	24
1103	Association of Opioids with Falls, Fractures, and Physical Performance among Older Men with Persistent Musculoskeletal Pain. 2016 , 31, 463-9	28
1102	Neuromuscular function in different stages of sarcopenia. 2016 , 81, 28-36	14
1101	ARB users exhibit a lower fracture incidence than ACE inhibitor users among older hypertensive men. 2017 , 46, 57-64	18
1100	Physical Activity and Aging Research: A Bibliometric Analysis. 2016 , 24, 476-83	23
1099	A multidisciplinary telehealth program in patients with combined chronic obstructive pulmonary disease and chronic heart failure: study protocol for a randomized controlled trial. 2016 , 17, 462	21
1098	Sensorimotor Peripheral Nerve Function and Physical Activity in Older Men. 2016 , 24, 559-566	5
1097	To dance or not to dance? A comparison of balance, physical fitness and quality of life in older Irish set dancers and age-matched controls. 2016 , 141, 56-62	11
1096	Association of urinary melatonin levels and aging-related outcomes in older men. 2016 , 23, 73-80	7
1095	Long-Term High-Effort Endurance Exercise in Older Adults: Diminishing Returns for Cognitive and Brain Aging. 2016 , 24, 659-675	7
1094	SHBG, Sex Steroids, and Kyphosis in Older Men: The MrOS Study. 2016 , 31, 2123-2128	6

1093	Physical Activity and Alzheimer Disease: A Protective Association. 2016 , 91, 999-1020	68
1092	A Rapid Bedside Screen to Predict Unplanned Hospitalization and Death in Outpatients With Cirrhosis: A Prospective Evaluation of the Clinical Frailty Scale. 2016 , 111, 1759-1767	102
1091	Ethnic differences in bone geometry between White, Black and South Asian men in the UK. 2016 , 91, 180-5	35
1090	Relation between mealtime distribution of protein intake and lean mass loss in free-living older adults of the NuAge study. 2016 , 104, 694-703	88
1089	Physical activity as a risk factor for prostate cancer diagnosis: a prospective biopsy cohort analysis. 2016 , 117, E29-35	29
1088	Comparison of energy estimates in chronic kidney disease using doubly-labelled water. 2016 , 29, 59-66	12
1087	Reduced knee adduction moments for management of knee osteoarthritis:: A three month phase I/II randomized controlled trial. 2016 , 50, 60-68	13
1086	Role of physical activity in cartilage damage progression of subjects with baseline full-thickness cartilage defects in medial tibiofemoral compartment: data from the Osteoarthritis Initiative. 2016 , 24, 1898-1904	8
1085	The Role of Physical Activity and Physical Function on the Risk of Falls in Older Mexican Americans. 2016 , 24, 342-9	12
1084	Standing from the Floor in Community-Dwelling Older Adults. 2016 , 24, 207-13	11
1083	Physical Activity Predicts Higher Physical Function in Older Adults: The Osteoarthritis Initiative. 2016 , 13, 6-16	13
1082	Elevated Soluble Vascular Cell Adhesion Molecule-1 Is Associated With Cerebrovascular Resistance and Cognitive Function. 2017 , 72, 560-566	11
1081	Inflammatory Markers and the Risk of Hip and Vertebral Fractures in Men: the Osteoporotic Fractures in Men (MrOS). 2016 , 31, 2129-2138	47
1080	Postural Stability in Older Adults with a Distal Radial Fracture. 2016 , 98, 1176-82	21
1079	Progressive Temporal Change in Serum SHBG, But Not in Serum Testosterone or Estradiol, Is Associated With Bone Loss and Incident Fractures in Older Men: The Concord Health and Ageing in Men Project. 2016 , 31, 2115-2122	25
1078	Inflammation and Fat Mass as Determinants of Changes in Physical Capacity and Mobility in Older Adults Displaying A Large Variability in Body Composition: The NuAge Study. 2016 , 42, 403-417	4
1077	Physical activity as intervention for age-related loss of muscle mass and function: protocol for a randomised controlled trial (the LISA study). 2016 , 6, e012951	12
1076	Periodic Limb Movements in Sleep are Associated with Greater Cognitive Decline in Older Men without Dementia. 2016 , 39, 1807-1810	23

1075	A training programme involving automatic self-transcending meditation in late-life depression: preliminary analysis of an ongoing randomised controlled trial. 2016 , 2, 195-198	9
1074	Prevalent peripheral arterial disease and inflammatory burden. 2016 , 16, 213	10
1073	Contribution of Axial Motor Impairment to Physical Inactivity in Parkinson Disease. 2016 , 95, 348-54	15
1072	Physical Therapist-Delivered Pain Coping Skills Training and Exercise for Knee Osteoarthritis: Randomized Controlled Trial. 2016 , 68, 590-602	87
1071	Understanding the role of contrasting urban contexts in healthy aging: an international cohort study using wearable sensor devices (the CURHA study protocol). 2016 , 16, 96	25
1070	Loneliness and physical activity: A systematic review. 2016 , 9, 231-260	77
1069	The telephone lifestyle intervention 'Hartcoach' has modest impact on coronary risk factors: A randomised multicentre trial. 2016 , 23, 1658-68	17
1068	Restricted activity and persistent pain following motor vehicle collision among older adults: a multicenter prospective cohort study. 2016 , 16, 86	10
1067	Chemotherapy in frail elderly patients with hormone-refractory prostate cancer: A "real world" experience. 2016 , 4, 15-9	8
1066	Physical activity, self-efficacy, and quality of life in older Czech adults. 2016 , 13, 5-14	14
1065	Could the EQ-5D be Used to Predict Mortality and Hospitalization Over a Long Term Period?. 2016 , 128, 813-834	1
1064	Sexual Function and Mortality in Older Men: The Concord Health and Ageing in Men Project. 2017 , 72, 520-527	8
1063	Low vitamin D and the risk of developing chronic widespread pain: results from the European male ageing study. 2016 , 17, 32	19
1062	Functional performance, nutritional status, and body composition in ambulant community-dwelling individuals 1-3 years after suffering from a cerebral infarction or intracerebral bleeding. 2016 , 16, 48	13
1061	Chronic effects of stroke on hip bone density and tibial morphology: a longitudinal study. 2016 , 27, 591-603	15
1060	Performance on the flanker task predicts driving cessation in older adults. 2016 , 31, 169-75	7
1059	Effect of Knee Extensor Strength on Incident Radiographic and Symptomatic Knee Osteoarthritis in Individuals With Meniscal Pathology: Data From the Multicenter Osteoarthritis Study. 2016 , 68, 1640-1646	12
1058	Longitudinal Change in Thigh Muscle Strength Prior to and Concurrent With Minimum Clinically Important Worsening or Improvement in Knee Function: Data From the Osteoarthritis Initiative. 2016 , 68, 826-36	18

1057	A Prospective Cohort Study to Examine the Association Between Dietary Patterns and Sarcopenia in Chinese Community-Dwelling Older People in Hong Kong. 2016 , 17, 336-42	70
1056	Sex hormones, sex hormone binding globulin, and vertebral fractures in older men. 2016 , 84, 271-278	32
1055	Beyond METs: types of physical activity and depression among older adults. 2016 , 45, 103-9	32
1054	Type 2 diabetes prevention in the community: 12-Month outcomes from the Sydney Diabetes Prevention Program. 2016 , 112, 13-19	16
1053	Feasibility and effects of home-based smartphone-delivered automated feedback training for gait in people with Parkinson's disease: A pilot randomized controlled trial. 2016 , 22, 28-34	122
1052	Testing the Independence of Multiple Personality Factors in Relation to Health Among Community-Dwelling Older Men. 2016 , 28, 571-86	7
1051	Intakes of folate, vitamin B6 and B12 and risk of depression in community-dwelling older adults: the Quebec Longitudinal Study on Nutrition and Aging. 2016 , 70, 380-5	41
1050	Relating wrist accelerometry measures to disability in older adults. 2016 , 62, 68-74	18
1049	Muscle Mass Index and Animal Source of Dietary Protein Are Positively Associated with Insulin Resistance in Participants of the NuAge Study. 2016 , 20, 90-7	8
1048	Telomere Length Maintenance and Cardio-Metabolic Disease Prevention Through Exercise Training. 2016 , 46, 1213-37	46
1047	Associations of total and free 25OHD and 1,25(OH)2D with serum markers of inflammation in older men. 2016 , 27, 2291-2300	22
1046	Chronic widespread pain is associated with worsening frailty in European men. 2016 , 45, 268-74	49
1045	Lower Urinary Tract Symptoms and Risk of Nonspine Fractures among Older Community Dwelling U.S. Men. 2016 , 196, 166-72	10
1044	Liraglutide and obesity in elderly: efficacy in fat loss and safety in order to prevent sarcopenia. A perspective case series study. 2016 , 28, 1251-1257	21
1043	Long-Term Effect of Exercise Therapy and Patient Education on Impairments and Activity Limitations in People With Hip Osteoarthritis: Secondary Outcome Analysis of a Randomized Clinical Trial. 2016 , 96, 818-27	17
1042	Deterioration in physical activity and function differs according to treatment type in non-small cell lung cancer - future directions for physiotherapy management. 2016 , 102, 256-63	25
1041	Two-Year Trajectory of Fall Risk in People With Parkinson Disease: A Latent Class Analysis. 2016 , 97, 372-379.e16	16
1040	Older adults' perceptions of ageing and their health and functioning: a systematic review of observational studies. 2016 , 21, 531-50	33

1039	Measurement of ageing effects on muscle tone and mechanical properties of rectus femoris and biceps brachii in healthy males and females using a novel hand-held myometric device. 2016 , 62, 59-67	61
1038	Study of Hyperkyphosis, Exercise and Function (SHEAF) Protocol of a Randomized Controlled Trial of Multimodal Spine-Strengthening Exercise in Older Adults With Hyperkyphosis. 2016 , 96, 371-81	25
1037	The relationship between habitual physical activity status and executive function in individuals with Alzheimer's disease: a longitudinal, cross-lagged panel analysis. 2016 , 23, 234-52	11
1036	Theory-based physical activity beliefs by race and activity levels among older adults. 2016 , 21, 181-95	7
1035	Sleep-disordered Breathing and Incident Heart Failure in Older Men. 2016 , 193, 561-8	49
1034	Measurement of physical activity in older adult interventions: a systematic review. 2016 , 50, 464-70	59
1033	Energy and protein intakes and their association with a decline in functional capacity among diabetic older adults from the NuAge cohort. 2016 , 55, 1729-39	12
1032	Association of serum vitamin D with change in weight and total body fat in a German cohort of older adults. 2016 , 70, 136-9	6
1031	Sixteen weeks of resistance training decrease plasma heat shock protein 72 (eHSP72) and increase muscle mass without affecting high sensitivity inflammatory markers' levels in sarcopenic men. 2016 , 28, 207-14	16
1030	The Relationship Between Subjective Falls-Risk Assessment Tools and Functional, Health-Related, and Body Composition Characteristics. 2017 , 36, 156-172	3
1029	'You can't walk with cramp!' A qualitative exploration of individuals' beliefs and experiences of walking as treatment for intermittent claudication. 2017 , 22, 255-265	20
1028	Relationship between built environment attributes and physical function in Japanese community-dwelling older adults. 2017 , 17, 382-390	21
1027	Telephone Coaching to Enhance a Home-Based Physical Activity Program for Knee Osteoarthritis: A Randomized Clinical Trial. 2017 , 69, 84-94	50
1026	Body composition and physical function after progressive resistance and balance training among older adults after stroke: an exploratory randomized controlled trial. 2017 , 39, 1207-1214	10
1025	In hip osteoarthritis, Nordic Walking is superior to strength training and home-based exercise for improving function. 2017 , 27, 873-886	41
1024	Task-Specific Fatigue Among Older Primary Care Patients. 2017 , 29, 310-323	2
1023	Acute recovery from exercise in people with multiple sclerosis: an exploratory study on the effect of exercise intensities. 2017 , 39, 551-558	11
1022	Evaluation of cognitive subdomains, 25-hydroxyvitamin D, and 1,25-dihydroxyvitamin D in the European Male Ageing Study. 2017 , 56, 2093-2103	10

1021	Dietary Fat Intake and Radiographic Progression of Knee Osteoarthritis: Data From the Osteoarthritis Initiative. 2017 , 69, 368-375	41
1020	Physical activity in Black breast cancer survivors: implications for quality of life and mood at baseline and 6-month follow-up. 2017 , 26, 822-828	9
1019	The effect of physical activity on depressive symptoms and quality of life among elderly nursing home residents: Randomized controlled trial. 2017 , 70, 92-98	47
1018	Cross-cultural adaptation and psychometric study of the Turkish version of the Rapid Assessment of Physical Activity. 2017 , 17, 1837-1842	8
1017	Phase II randomised controlled trial of a 6-month self-managed community exercise programme for people with Parkinson's disease. 2017 , 88, 204-211	16
1016	Factors Associated with the Use of Hyaluronic Acid and Corticosteroid Injections among Patients with Radiographically Confirmed Knee Osteoarthritis: A Retrospective Data Analysis. 2017 , 39, 347-358	10
1015	Prognostic factors in early breast cancer associated with body mass index, physical functioning, physical activity, and comorbidity: data from a nationwide Danish cohort. 2017 , 162, 159-167	11
1014	Cardiorespiratory Fitness after Transient Ischemic Attack and Minor Ischemic Stroke: Baseline Data of the MoveIT Study. 2017 , 26, 1114-1120	9
1013	Ergometer-cycling with strict versus minimal contact supervision among the oldest adults: A cluster-randomised controlled trial. 2017 , 70, 112-122	3
1012	Health status, health behaviours and anxiety symptoms of older male caregivers: Findings from the Concord Health and Ageing in Men Project. 2017 , 36, 151-157	3
1011	Physical activity and osteoarthritis: a consensus study to harmonise self-reporting methods of physical activity across international cohorts. 2017 , 37, 469-478	13
1010	Ethnic differences in male reproductive hormones and relationships with adiposity and insulin resistance in older men. 2017 , 86, 660-668	5
1009	Contextual Correlates of Physical Activity among Older Adults: A Neighborhood Environment-Wide Association Study (NE-WAS). 2017 , 26, 495-504	20
1008	Glycemia but not the Metabolic Syndrome is Associated with Cognitive Decline: Findings from the European Male Ageing Study. 2017 , 25, 662-671	13
1007	The Effect of Widespread Pain on Knee Pain Worsening, Incident Knee Osteoarthritis (OA), and Incident Knee Pain: The Multicenter OA (MOST) Study. 2017 , 44, 493-498	11
1006	Food groups associated with measured net acid excretion in community-dwelling older adults. 2017 , 71, 420-424	7
1005	Physical activity in solid organ transplant recipients: Participation, predictors, barriers, and facilitators. 2017 , 31, e12929	24
1004	Health risk appraisal in older people 7: long-acting benzodiazepine use in community-dwelling older adults in London: is it related to physical or psychological factors?. 2017 , 18, 253-260	2

1003	Physical activities impact sense of coherence among community-dwelling older adults. 2017 , 17, 2208-2215	6
1002	Older Men With Anemia Have Increased Fracture Risk Independent of Bone Mineral Density. 2017 , 102, 2199-2206	28
1001	Determinants of Change in Objectively Assessed Sleep Duration Among Older Men. 2017 , 185, 933-940	7
1000	Is Weight Loss Associated with Less Progression of Changes in Knee Articular Cartilage among Obese and Overweight Patients as Assessed with MR Imaging over 48 Months? Data From the Osteoarthritis Initiative. 2017 , 284, 508-520	42
999	Anxiety symptoms and risk of cognitive decline in older community-dwelling men. 2017 , 29, 1137-1145	23
998	Physical Activity and Other Determinants of Survival in the Oldest Adults. 2017 , 65, 402-406	7
997	A longitudinal study of the influence of comorbidities and lifestyle factors on low back pain in older men. 2017 , 158, 1571-1576	6
996	Even mealtime distribution of protein intake is associated with greater muscle strength, but not with 3-y physical function decline, in free-living older adults: the Quebec longitudinal study on Nutrition as a Determinant of Successful Aging (NuAge study). 2017 , 106, 113-124	69
995	Ambient Fine Particulate Matter Air Pollution and Physical Activity: A Longitudinal Study of University Retirees in Beijing, China. 2017 , 41, 401-410	22
994	Associations of Incident Cardiovascular Events With Restless Legs Syndrome and Periodic Leg Movements of Sleep in Older Men, for the Outcomes of Sleep Disorders in Older Men Study (MrOS Sleep Study). 2017 , 40,	42
993	Systolic and pulse pressure associate with incident knee osteoarthritis: data from the Osteoarthritis Initiative. 2017 , 36, 2121-2128	21
992	Global, Yet Incomplete Overview of Cohort Studies in Parkinson's disease. 2017 , 7, 423-432	16
991	The influence of pain-related beliefs on physical activity and health attitudes in patients with claudication: A pilot study. 2017 , 22, 378-384	14
990	Nonandrogenic Anabolic Hormones Predict Risk of Frailty: European Male Ageing Study Prospective Data. 2017 , 102, 2798-2806	14
989	Telephone-Delivered Exercise Advice and Behavior Change Support by Physical Therapists for People with Knee Osteoarthritis: Protocol for the Telecare Randomized Controlled Trial. 2017 , 97, 524-536	17
988	Design of the ExCersion-VCI study: The effect of aerobic exercise on cerebral perfusion in patients with vascular cognitive impairment. 2017 , 3, 157-165	12
987	Neighborhood Disorder and Physical Activity among Older Adults: A Longitudinal Study. 2017 , 94, 30-42	15
986	Larger Lateral Prefrontal Cortex Volume Predicts Better Exercise Adherence Among Older Women: Evidence From Two Exercise Training Studies. 2017 , 72, 804-810	14

985	Analgesic use and risk of recurrent falls in participants with or at risk of knee osteoarthritis: data from the Osteoarthritis Initiative. 2017 , 25, 1390-1398	27
984	Cardiorespiratory fitness, cognition and brain structure after TIA or minor ischemic stroke. 2017 , 12, 724-731	9
983	Readability of Orthopaedic Patient-reported Outcome Measures: Is There a Fundamental Failure to Communicate?. 2017 , 475, 1936-1947	24
982	Impact of Cane Use on Bone Marrow Lesion Volume in People With Medial Knee Osteoarthritis (CUBA Trial). 2017 , 97, 537-549	2
981	The effect of group singing on the voice and swallow function of healthy, sedentary, older adults: A pilot study. 2017 , 55, 40-45	3
980	The effect of an interactive cycling training on cognitive functioning in older adults with mild dementia: study protocol for a randomized controlled trial. 2017 , 17, 73	15
979	Long-term exercise training and soy isoflavones to improve quality of life and climacteric symptoms. 2017 , 20, 233-239	5
978	Dancing for Parkinson Disease: A Randomized Trial of Irish Set Dancing Compared With Usual Care. 2017 , 98, 1744-1751	52
977	Association of Increased Urinary Albumin With Risk of Incident Clinical Fracture and Rate of Hip Bone Loss: the Osteoporotic Fractures in Men Study. 2017 , 32, 1090-1099	4
976	A novel approach using actigraphy to quantify the level of disruption of sleep by in-home polysomnography: the MrOS Sleep Study: Sleep disruption by polysomnography. 2017 , 32, 97-104	15
975	Longitudinal associations between body composition, sarcopenic obesity and outcomes of frailty, disability, institutionalisation and mortality in community-dwelling older men: The Concord Health and Ageing in Men Project. 2017 , 46, 413-420	90
974	Polypharmacy in older adults: Association Rule and Frequent-Set Analysis to evaluate concomitant medication use. 2017 , 116, 39-44	9
973	Association between physical activity and physical functioning in community-dwelling older adults. 2017 , 19, 40-47	11
972	Depressive symptoms and structural disease progression in knee osteoarthritis: data from the Osteoarthritis Initiative. 2017 , 36, 155-163	17
971	Diet quality and its implications on the cardio-metabolic, physical and general health of older men: the Concord Health and Ageing in Men Project (CHAMP). 2017 , 118, 130-143	19
970	Body weight status and health-care expenditure among university retirees in Beijing, China. 2017 , 36, E21-E27	1
969	Are frailty components associated with disability in specific activities of daily living in community-dwelling older adults? A multicenter Canadian study. 2017 , 73, 187-194	18
968	Individual Characteristics and Physical Activity in Older Adults: A Systematic Review. 2017 , 63, 443-459	62

967	Measurement of Fall Prevention Awareness and Behaviours among Older Adults at Home. 2017 , 36, 522-535	10
966	Association of Incident, Clinically Undiagnosed Radiographic Vertebral Fractures With Follow-Up Back Pain Symptoms in Older Men: the Osteoporotic Fractures in Men (MrOS) Study. 2017 , 32, 2263-2268	17
965	Associations of cord blood metabolites with perinatal characteristics, newborn anthropometry, and cord blood hormones in project viva. 2017 , 76, 11-22	29
964	Dietary acrylamide exposure was associated with increased cancer mortality in Chinese elderly men and women: a 11-year prospective study of Mr. and Ms. OS Hong Kong. 2017 , 143, 2317-2326	19
963	Dietary acrylamide exposure was associated with mild cognition decline among non-smoking Chinese elderly men. 2017 , 7, 6395	15
962	Bone Loss at the Hip and Subsequent Mortality in Older Men: The Osteoporotic Fractures in Men (MrOS) Study. 2017 , 1, 31-35	5
961	Protocol for the residents in action pilot cluster randomised controlled trial (RiAT): evaluating a behaviour change intervention to promote walking, reduce sitting and improve mental health in physically inactive older adults in retirement villages. 2017 , 7, e015543	7
960	Optimal retraining time for regaining functional fitness using multicomponent training after long-term detraining in older adults. 2017 , 73, 227-233	4
959	Rest-activity circadian rhythms and bone mineral density in elderly men. 2017 , 7, 156-163	6
958	Demographic, clinical, lifestyle-related, and social-cognitive correlates of physical activity in head and neck cancer survivors. 2018 , 26, 1447-1456	6
957	Association of air particulate pollution with bone loss over time and bone fracture risk: analysis of data from two independent studies. 2017 , 1, e337-e347	51
956	The Mind Body-Wellness in Supportive Housing (Mi-WiSH) study: Design and rationale of a cluster randomized controlled trial of Tai Chi in senior housing. 2017 , 60, 96-104	12
955	Targeted spine strengthening exercise and posture training program to reduce hyperkyphosis in older adults: results from the study of hyperkyphosis, exercise, and function (SHEAF) randomized controlled trial. 2017 , 28, 2831-2841	41
954	A prospective evaluation of the depression-nutrient intake reverse causality hypothesis in a cohort of community-dwelling older Canadians. 2017 , 117, 1032-1041	16
953	The severity and associated factors of participation restriction among community-dwelling frail older people: an application of the International Classification of Functioning, Disability and Health (WHO-ICF). 2017 , 17, 43	22
952	Trajectories of the relationships of physical activity with body composition changes in older men: the MrOS study. 2017 , 17, 119	12
951	Developing a comprehensive measure of mobility: mobility over varied environments scale (MOVES). 2017 , 17, 513	5
950	Comparison of psychometric properties between usual-week and past-week self-reported physical activity questionnaires: a systematic review. 2017 , 14, 10	22

949	No seasonal variation in physical activity of Han Chinese living in Beijing. 2017 , 14, 48	16
948	The association between social support and physical activity in older adults: a systematic review. 2017 , 14, 56	300
947	Physical Activity in Older Adults With Mild Parkinsonian Signs: A Cohort Study. 2018 , 73, 1682-1687	9
946	Prospective randomised trial of non-operative operative management of olecranon fractures in the elderly. 2017 , 99-B, 964-972	44
945	Green tea, weight loss and physical activity. 2017 , 36, 315	8
944	Sarcopenic Obesity and Its Temporal Associations With Changes in Bone Mineral Density, Incident Falls, and Fractures in Older Men: The Concord Health and Ageing in Men Project. 2017 , 32, 575-583	95
943	Impact of Competing Risk of Mortality on Association of Weight Loss With Risk of Central Body Fractures in Older Men: A Prospective Cohort Study. 2017 , 32, 624-632	14
942	Premorbid exercise engagement and motor reserve in Parkinson's disease. 2017 , 34, 49-53	14
941	Is there a difference in physical activity levels in patients before and up to one year after unilateral total hip replacement? A systematic review and meta-analysis. 2017 , 31, 639-650	17
940	Tall stature in coronary heart disease patients is associated with decreased risk of frailty in late life. 2017 , 17, 1270-1277	2
939	Early High-Intensity Versus Low-Intensity Rehabilitation After Total Knee Arthroplasty: A Randomized Controlled Trial. 2017 , 69, 1360-1368	37
938	Associations between body composition, physical capabilities and pulmonary function in healthy older adults. 2017 , 71, 389-394	12
937	Value-based design for the elderly: An application in the field of mobility aids. 2017 , 29, 76-84	5
936	Reducing Undercarboxylated Osteocalcin With Vitamin K Supplementation Does Not Promote Lean Tissue Loss or Fat Gain Over 3 Years in Older Women and Men: A Randomized Controlled Trial. 2017 , 32, 243-249	20
935	Bone Density Loss Is Associated With Blood Cell Counts. 2017 , 32, 212-220	25
934	Obesity and Falls in a Prospective Study of Older Men: The Osteoporotic Fractures in Men Study. 2017 , 29, 1235-1250	11
933	Meniscal Surgery: Risk of Radiographic Joint Space Narrowing Progression and Subsequent Knee Replacement-Data from the Osteoarthritis Initiative. 2017 , 282, 807-816	13
932	Relationship Between Attitudes and Beliefs and Physical Activity in Older Adults With Knee Pain: Secondary Analysis of a Randomized Controlled Trial. 2017 , 69, 1192-1200	21

931	Screening for Frailty in Thoracic Surgical Patients. 2017 , 103, 956-961	23
930	Association of Sleep Disordered Breathing with Erectile Dysfunction in Community Dwelling Older Men. 2017 , 197, 776-782	7
929	Short-term and long-term effects of a progressive resistance and balance exercise program in individuals with chronic stroke: a randomized controlled trial. 2017 , 39, 1615-1622	29
928	Thai Yoga improves physical function and well-being in older adults: A randomised controlled trial. 2017 , 20, 494-501	29
927	Fear of falling reduced by a lay led home-based program in frail community-dwelling older adults: A randomised controlled trial. 2017 , 68, 25-32	23
926	Knee Pain and Structural Damage as Risk Factors for Incident Widespread Pain: Data From the Multicenter Osteoarthritis Study. 2017 , 69, 826-832	8
925	Social Cognitive Determinants of Physical Activity in Czech Older Adults. 2017 , 25, 196-204	5
924	Measuring Habitual Physical Activity in Neuromuscular Disorders: A Systematic Review. 2017 , 4, 25-52	17
923	Physical Activity, Functional Ability, and Obesity in Older Adults: A Gender Difference. 2017 , 43, 38-46	16
922	Why do seniors leave resistance training programs?. 2017 , 12, 585-592	20
921	Relationship between sarcopenia and physical activity in older people: a systematic review and meta-analysis. 2017 , 12, 835-845	179
920	Associations between Perceived Neighborhood Walkability and Walking Time, Wellbeing, and Loneliness in Community-Dwelling Older Chinese People in Hong Kong. 2017 , 14,	31
919	Older adults' acceptance of a robot for partner dance-based exercise. 2017 , 12, e0182736	34
918	Perceptions of physical activity and walking in an early stage after stroke or acquired brain injury. 2017 , 12, e0173463	22
917	Automatic machine-learning based identification of jogging periods from accelerometer measurements of adolescents under field conditions. 2017 , 12, e0184216	25
916	Impact of a lay-led home-based intervention programme on quality of life in community-dwelling pre-frail and frail older adults: a randomized controlled trial. 2017 , 17, 154	18
915	The influence of 3 months of physical exercises and verbal stimulation on functional efficiency and use of free time in an older population under institutional care: study protocol for a randomized controlled trial. 2017 , 18, 376	2
914	The Turkish version of the Physical Activity Scale for the Elderly (PASE): its cultural adaptation, validation, and reliability. 2017 , 47, 908-915	25

913	Quality of life and physical activity among older adults living in institutions compared to the community. 2017 , 73, 342	12
912	Low magnesium intake is associated with increased knee pain in subjects with radiographic knee osteoarthritis: data from the Osteoarthritis Initiative. 2018 , 26, 651-658	20
911	Reproductive Hormone Levels Predict Changes in Frailty Status in Community-Dwelling Older Men: European Male Ageing Study Prospective Data. 2018 , 103, 701-709	20
910	Correlates of Physical Activity in Urban African American Adults and Older Adults: Testing the Social Cognitive Theory. 2018 , 52, 743-751	13
909	Higher Dairy Food Intake Is Associated With Higher Spine Quantitative Computed Tomography (QCT) Bone Measures in the Framingham Study for Men But Not Women. 2018 , 33, 1283-1290	6
908	Physical Activity, Function, and Mortality in Advanced Age: A Longitudinal Follow-Up (LiLACS NZ). 2018 , 26, 583-588	3
907	Physical Activity in Relation to Sleep Among Community-Dwelling Older Adults in China. 2018 , 26, 647-654	13
906	Impact of Exercise Counseling on Physical Function in Chronic Kidney Disease: An Observational Study. 2018 , 5, 2054358117753615	9
905	Muscle Strength and Functional Limitations: Preserving Function in Older Mexican Americans. 2018 , 19, 391-398	23
904	Volumetric Bone Mineral Density and Failure Load of Distal Limbs Predict Incident Clinical Fracture Independent HR-pQCT BMD and Failure Load Predicts Incident Clinical Fracture of FRAX and Clinical Risk Factors Among Older Men. 2018 , 33, 1302-1311	38
903	Prospective association between added sugars and frailty in older adults. 2018 , 107, 772-779	13
902	Influence of Dietary Patterns and Inflammatory Markers on Atherosclerosis Using Ankle Brachial Index as a Surrogate. 2018 , 22, 619-626	3
901	Associations of sarcopenic obesity with the metabolic syndrome and insulin resistance over five years in older men: The Concord Health and Ageing in Men Project. 2018 , 108, 99-105	17
900	Do depressive symptoms affect balance in older adults with mild cognitive impairment? Results from the "gait and brain study". 2018 , 108, 106-111	10
899	Dietary patterns and longitudinal change in hip bone mineral density among older men. 2018 , 29, 1135-1145	15
898	Commentary on Martinez-Mendez D. et al. Intra-articular distal radius fractures in elderly patients: a randomized prospective study of casting versus volar plating. 2018 , 43, 148-149	3
897	Impaired Cerebral Hemodynamics and Frailty in Patients with Cardiovascular Disease. 2018 , 73, 1714-1721	6
896	Serum Sodium and Cognition in Older Community-Dwelling Men. 2018 , 13, 366-374	18

895	Risk of Malnutrition Evaluated by Mini Nutritional Assessment and Sarcopenia in Noninstitutionalized Elderly People. 2018 , 33, 879-886	18
894	Increased energy expenditure during posture maintenance and exercise in early Parkinson disease. 2018 , 1, e14	3
893	Association Between Frailty and HIV-Associated Neurodegenerative Disorders Among Older Adults Living with HIV. 2018 , 34, 449-455	17
892	The epidemiology of wrist fractures in older men: the Osteoporotic Fractures in Men (MrOS) study. 2018 , 29, 859-870	12
891	The impact of post-resistance exercise protein consumption on subsequent appetite and daily energy intake of sarcopenic older men: a pilot study. 2018 , 30, 1087-1092	1
890	The perspectives of pre-frail and frail older people on being advised about exercise: a qualitative study. 2018 , 35, 330-335	7
889	Lower Lean Mass Measured by Dual-Energy X-ray Absorptiometry (DXA) is Not Associated with Increased Risk of Hip Fracture in Women: The Framingham Osteoporosis Study. 2018 , 103, 16-23	13
888	Physical therapy vs internet-based exercise training for patients with knee osteoarthritis: results of a randomized controlled trial. 2018 , 26, 383-396	33
887	Frailty as a Risk Factor for Cardiovascular Versus Noncardiovascular Mortality in Older Men: Results From the MrOS Sleep (Outcomes of Sleep Disorders in Older Men) Study. 2018 , 7,	16
886	Cerebral oxygen availability during exercise in COPD patients with cognitive impairment. 2018 , 254, 64-72	4
885	Analysis of medications change in Parkinson's disease progression data. 2018 , 51, 301-337	5
884	Muscular Strength is Independently Associated with Cystatin C: The KORA-Age Study. 2018 , 39, 225-231	3
883	The Association of Frailty With Post-ICU Disability, Nursing Home Admission, and Mortality: A Longitudinal Study. 2018 , 153, 1378-1386	81
882	Predictors of cognitive impairment assessed by Mini Mental State Examination in community-dwelling older adults: relevance of the step test. 2018 , 108, 69-76	6
881	Weight loss in men in late life and bone strength and microarchitecture: a prospective study. 2018 , 29, 1549-1558	9
880	High levels of an endothelial dysfunction marker (sVCAM-1) are associated with injurious and recurrent falls and mortality over a 5-year interval in an older population. 2018 , 106, 1-7	3
879	Developing a Non-Pharmacological Intervention for Individuals With Mild Cognitive Impairment. 2018 , 37, 665-676	10
878	Is there an increased risk of falls and fractures in people with early diagnosed hip and knee osteoarthritis? Data from the Osteoarthritis Initiative. 2018 , 21, 1193-1201	26

877	Physical Activity Behavior After a Diagnosis of Lung Cancer Differs Between Countries: An Observational Cohort Study. 2018 , 17, 493-502	1
876	Correlates of Physical Functioning and Performance Across the Spectrum of Kidney Function. 2018 , 27, 579-596	28
875	Dynamic Effects of Depressive Symptoms on Osteoarthritis Knee Pain. 2018 , 70, 80-88	32
874	Physical activity, muscular strength, and polypharmacy among older multimorbid persons: Results from the KORA-Age study. 2018 , 28, 604-612	12
873	Definition of a Geriatric Depression Scale cutoff based upon quality of life: a population-based study. 2018 , 33, e58-e64	13
872	Longitudinal Associations Between Vitamin D Metabolites and Sarcopenia in Older Australian men: The Concord Health and Aging in Men Project. 2017 , 73, 131-138	31
871	Predictors of Physical Activity Levels in Community-Dwelling Older Adults: A Multivariate Approach Based on a Socio-Ecological Framework. 2018 , 26, 114-120	13
870	BOLD activation of the ventromedial prefrontal cortex in patients with late life depression and comparison participants. 2018 , 30, 629-634	1
869	The Role of Physical Activity and Sedentary Behavior in Predicting Daily Pain and Fatigue in Older Adults: a Diary Study. 2018 , 52, 19-28	12
868	The Impact of 10-Year Physical Activity Changes on 7-Year Mortality in Older Mexican Americans. 2018 , 15, 30-39	13
867	Effects of Mobility and Multimorbidity on Inpatient and Postacute Health Care Utilization. 2018 , 73, 1343-1349	17
866	The relationship between physical activity, and physical performance and psycho-cognitive functioning in older adults living in residential aged care facilities. 2018 , 21, 173-178	11
865	Effect of Footwear on Joint Pain and Function in Older Adults With Lower Extremity Osteoarthritis. 2018 , 41, 85-101	6
864	Association of Vitamin K Status Combined With Vitamin D Status and Lower-Extremity Function: A Prospective Analysis of Two Knee Osteoarthritis Cohorts. 2018 , 70, 1150-1159	10
863	Total Physical Activity, Exercise Intensity, and Walking Speed as Predictors of All-Cause and Cause-Specific Mortality Over 7 Years in Older Men: The Concord Health and Aging in Men Project. 2018 , 19, 216-222	16
862	2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS): Document covering atherosclerotic disease of extracranial carotid and vertebral, mesenteric, renal, upper and lower extremity arteries Endorsed by the European Stroke Organization (ESO) The Task Force for the	1274
861	The Effect of Physical Activity and Cardiorespiratory Fitness on All-Cause Mortality in Hong Kong Chinese Older Adults. 2018 , 73, 1132-1137	1
860	Comparing Class-Based and Home-Based Exercise for Older Adults With Chronic Health Conditions: 12-Month Follow-Up of a Randomized Clinical Trial. 2018 , 26, 471-485	3

859	High dairy protein intake is associated with greater bone strength parameters at the distal radius and tibia in older men: a cross-sectional study. 2018 , 29, 69-77	22
858	Association Between Dietary Fiber Intake and Bone Loss in the Framingham Offspring Study. 2018 , 33, 241-249	26
857	Metabolic phenotyping using kinetic measurements in young and older healthy adults. 2018 , 78, 167-178	26
856	Editor's Choice - 2017 ESC Guidelines on the Diagnosis and Treatment of Peripheral Arterial Diseases, in collaboration with the European Society for Vascular Surgery (ESVS). 2018 , 55, 305-368	449
855	Does physical activity change following hip and knee replacement? Matched case-control study evaluating Physical Activity Scale for the Elderly data from the Osteoarthritis Initiative. 2018 , 104, 80-90	11
854	Role of Brain Structure in Predicting Adherence to a Physical Activity Regimen. 2018 , 80, 69-77	10
853	Use of proton-pump inhibitors is associated with depression: a population-based study. 2018 , 30, 153-159	17
852	Patient-reported physical activity and the association with health-related quality of life in head and neck cancer survivors. 2018 , 26, 1087-1095	9
851	Dietary sugar intake was associated with increased body fatness but decreased cardiovascular mortality in Chinese elderly: an 11-year prospective study of Mr and Ms OS of Hong Kong. 2018 , 42, 808-816	11
850	Joint Trajectories of Cognition and Frailty and Associated Burden of Patient-Reported Outcomes. 2018 , 19, 304-309.e2	27
849	Vertebral fractures and their association with health-related quality of life, back pain and physical function in older women. 2018 , 29, 89-99	17
848	The effects of knee joint angle on neuromuscular activity during electrostimulation in healthy older adults. 2018 , 5, 2055668318779506	1
847	Characteristics and Factors related to Fatigue in Older Adults at a Senior Welfare Center. 2018 , 30, 516	2
846	PRACTICAL CONSIDERATIONS FOR STANDARDIZED RECORDING OF MUSCLE MECHANICAL PROPERTIES USING A MYOMETRIC DEVICE: RECORDING SITE, MUSCLE LENGTH, STATE OF CONTRACTION AND PRIOR ACTIVITY. 2018 , 21, 1850010	4
845	Changes in Dietary Intake and Adherence to the NU-AGE Diet Following a One-Year Dietary Intervention among European Older Adults-Results of the NU-AGE Randomized Trial. 2018 , 10,	25
844	Feasibility of Weighted Vest Use during a Dietary Weight Loss Intervention and Effects on Body Composition and Physical Function in Older Adults. 2018 , 7, 198-203	6
843	The pace and prognosis of peripheral sensory loss in advanced age: association with gait speed and falls. 2018 , 18, 274	10
842	Influence of Chronic Pain on Perceived Health Status and Physical Activity in Elderly People After Lumbar Surgery. 2018 , 34, 118-123	2

841	Resilience to cognitive impairment in the oldest-old: design of the EMIF-AD 90+ study. 2018 , 18, 289	15
840	Validity of the International Physical Activity Questionnaire (IPAQ) for assessing moderate-to-vigorous physical activity and sedentary behaviour of older adults in the United Kingdom. 2018 , 18, 176	78
839	A Cross-Sectional Analysis of Body Composition Among Healthy Elderly From the European NU-AGE Study: Sex and Country Specific Features. 2018 , 9, 1693	18
838	Home-Based Adapted Physical Activity by Means of a Motivational Aide Solution. 2018 , 39, 394-399	1
837	Factors Associated with Depression among the Elderly Living in Urban Vietnam. 2018 , 2018, 2370284	17
836	Body Mass Index Mediates the Association between Dietary Fiber and Symptomatic Knee Osteoarthritis in the Osteoarthritis Initiative and the Framingham Osteoarthritis Study. 2018 , 148, 1961-1967	8
835	Randomized Controlled Trial of Exercise to Improve Walking Energetics in Older Adults. 2018 , 2, igy022	4
834	Electrical Somatosensory Stimulation in Early Rehabilitation of Arm Paresis After Stroke: A Randomized Controlled Trial. 2018 , 32, 899-912	8
833	Immunological alterations in frail older adults: A cross sectional study. 2018 , 112, 119-126	22
832	Normal limits of home measured spatial gait parameters of the elderly population and their association with health variables. 2018 , 8, 13193	5
831	A randomized controlled trial of the impact of protein supplementation on leg lean mass and integrated muscle protein synthesis during inactivity and energy restriction in older persons. 2018 , 108, 1060-1068	36
830	Task-Switching Performance Improvements After Tai Chi Chuan Training Are Associated With Greater Prefrontal Activation in Older Adults. 2018 , 10, 280	29
829	A 16-Week Aerobic Exercise Intervention Does Not Affect Hippocampal Volume and Cortical Thickness in Mild to Moderate Alzheimer's Disease. 2018 , 10, 293	20
828	Physical Activity, Nutrition, Cognition, Neurophysiology, and Short-Time Synaptic Plasticity in Healthy Older Adults: A Cross-Sectional Study. 2018 , 10, 242	7
827	Physical Activity Scale for the Elderly: Translation, Cultural Adaptation, and Validation of the Italian Version. 2018 , 2018, 8294568	24
826	Inverse Association Between Neck Pain and All-Cause Mortality in Community-Dwelling Older Adults. 2018 , 19, 2377-2386	1
825	Better preoperative physical performance reduces the odds of complication severity and discharge to care facility after abdominal cancer resection in people over the age of 70 - A prospective cohort study. 2018 , 44, 1760-1767	14
824	The sit-to-stand muscle power test: An easy, inexpensive and portable procedure to assess muscle power in older people. 2018 , 112, 38-43	72

823	The EMIF-AD PreclinAD study: study design and baseline cohort overview. 2018 , 10, 75	24
822	Cross-cultural adaptation and validation of the Arabic version of the Physical Activity Scale for the Elderly among community-dwelling older adults in Saudi Arabia. 2018 , 13, 419-427	10
821	Physical Activity in Early Parkinson Disease. 2018 , 8, 107-111	24
820	Is Neighborhood Green Space Associated With Less Frailty? Evidence From the Mr. and Ms. Os (Hong Kong) Study. 2018 , 19, 528-534	28
819	Self-monitoring physical activity with a smartphone application in cancer patients: a randomized feasibility study (SMART-trial). 2018 , 26, 3915-3923	32
818	Effects of internet-based pain coping skills training before home exercise for individuals with hip osteoarthritis (HOPE trial): a randomised controlled trial. 2018 , 159, 1833-1842	25
817	Relationships between functional fitness and cognitive impairment in Chinese community-dwelling older adults: a cross-sectional study. 2018 , 8, e020695	10
816	Symptoms and medications change patterns for Parkinson's disease patients stratification. 2018 , 91, 82-95	12
815	Longitudinal Patterns of Physical Activity Among Older Adults: A Latent Transition Analysis. 2018 , 187, 1549-1558	4
814	Over-the-counter medication availability could augment self-management of male lower urinary tract symptoms. 2018 , 130, 452-460	1
813	Cognition and mobility show a global association in middle- and late-adulthood: Analyses from the Canadian Longitudinal Study on Aging. 2018 , 64, 238-243	18
812	Orthostatic Hypotension in the Elderly: A Marker of Clinical Frailty?. 2018 , 19, 779-785	21
811	Intentional Weight Loss in Overweight and Obese Patients With Knee Osteoarthritis: Is More Better?. 2018 , 70, 1569-1575	59
810	Health-related quality of life in relation to symptomatic and radiographic definitions of knee osteoarthritis: data from Osteoarthritis Initiative (OAI) 4-year follow-up study. 2018 , 16, 154	13
809	Dietary sugar intake does not pose any risk of bone loss and non-traumatic fracture and is associated with a decrease in all-cause mortality among Chinese elderly: Finding from an 11-year longitudinal study of Mr. and Ms. OS Hong Kong. 2018 , 116, 154-161	7
808	Physical activity and sedentary time are related to clinically relevant health outcomes among adults with obstructive lung disease. 2018 , 18, 98	16
807	Testosterone Replacement, Muscle Strength, and Physical Function. 2018 , 36, 110-122	14
806	Analysis of Plasma MicroRNAs as Predictors and Biomarkers of Aging and Frailty in Humans. 2018 , 2018, 7671850	33

805	CAPACITY: A physical activity self-management program for patients undergoing surgery for lung cancer, a phase I feasibility study. 2018 , 124, 102-109	17
804	Socioeconomic determinants of sarcopenic obesity and frail obesity in community-dwelling older adults: The Seniors-ENRICA Study. 2018 , 8, 10760	10
803	Movement behaviours are associated with lung function in middle-aged and older adults: a cross-sectional analysis of the Canadian longitudinal study on aging. 2018 , 18, 818	5
802	The Effects of Combinations of Cognitive Impairment and Pre-frailty on Adverse Outcomes from a Prospective Community-Based Cohort Study of Older Chinese People. 2018 , 5, 50	39
801	Driving frequency associated with deficits in lower extremity function, dynamic vision, and physical activity in Japanese older adults. 2018 , 9, 282-287	3
800	Measures of Physical Performance and Muscle Strength as Predictors of Fracture Risk Independent of FRAX, Falls, and aBMD: A Meta-Analysis of the Osteoporotic Fractures in Men (MrOS) Study. 2018 , 33, 2150-2157	42
799	The Post Ischaemic Stroke Cardiovascular Exercise Study: Protocol for a randomised controlled trial of fitness training for brain health. 2018 , 3, 379-386	1
798	Investigating the origin and evolution of cerebral small vessel disease: The RUN DMC - InTENse study. 2018 , 3, 369-378	11
797	Change in physical activity level and clinical outcomes in older adults with knee pain: a secondary analysis from a randomised controlled trial. 2018 , 19, 59	8
796	Functional sit-to-stands evoke greater neuromuscular activation than orthopaedic bed exercises in healthy older adults. 2018 , 26, 139-148	
795	Centre- versus home-based exercise among people with mci and mild dementia: study protocol for a randomized parallel-group trial. 2018 , 18, 27	7
794	The effects of an 8-week computerized cognitive training program in older adults: a study protocol for a randomized controlled trial. 2018 , 18, 31	12
793	Reliability and validity of two fitness tracker devices in the laboratory and home environment for older community-dwelling people. 2018 , 18, 103	33
792	A systematic literature review of reviews on techniques for physical activity measurement in adults: a DEDIPAC study. 2018 , 15, 15	145
791	A protocol for a randomised double-blind placebo-controlled feasibility study to determine whether the daily consumption of flavonoid-rich pure cocoa has the potential to reduce fatigue in people with relapsing and remitting multiple sclerosis (RRMS). 2018 , 4, 35	2
790	Telomere attrition is associated with declines in medial temporal lobe volume and white matter microstructure in functionally independent older adults. 2018 , 69, 68-75	11
789	Association of High-resolution Peripheral Quantitative Computed Tomography (HR-pQCT) bone microarchitectural parameters with previous clinical fracture in older men: The Osteoporotic Fractures in Men (MrOS) study. 2018 , 113, 49-56	12
788	Cluster analysis on breath print of newly diagnosed COPD patients: effects of therapy. 2018 , 12, 036022	8

787	Are Nutrition-Related Knowledge and Attitudes Reflected in Lifestyle and Health Among Elderly People? A Study Across Five European Countries. 2018 , 9, 994	30
786	Changes in health parameters in older lay volunteers who delivered a lifestyle-based program to frail older people at home. 2018 , 130, 637-644	4
785	Rest-Activity Rhythms and Cognitive Decline in Older Men: The Osteoporotic Fractures in Men Sleep Study. 2018 , 66, 2136-2143	29
784	Determinants of Incident Malnutrition in Community-Dwelling Older Adults: A MaNuEL Multicohort Meta-Analysis. 2018 , 66, 2335-2343	34
783	Physical activity after total joint arthroplasty: a narrative review. 2018 , 9, 55-68	14
782	Physical frailty and cognitive function among men with cardiovascular disease. 2018 , 78, 1-6	4
781	Excessive daytime sleepiness, objective napping and 11-year risk of Parkinson's disease in older men. 2018 , 47, 1679-1686	19
780	Which Sleep Health Characteristics Predict All-Cause Mortality in Older Men? An Application of Flexible Multivariable Approaches. 2018 , 41,	42
779	Persistent Pain Quality as a Novel Approach to Assessing Risk for Disability in Community-Dwelling Elders With Chronic Pain. 2019 , 74, 733-741	3
778	The Association Between Objectively Measured Physical Activity and Subsequent Health Care Utilization in Older Men. 2019 , 74, 820-826	3
777	Associations Between Sedentary Behavior, Physical Activity, and Out-of-Pocket Health Care Expenditure: Evidence From Chinese Older Adults. 2018 , 1-8	5
776	Protective effect of physical activity on mortality in older adults with advanced chronic heart failure: A prospective observational study. 2019 , 26, 481-488	19
775	Knee Surgery Is Associated With Greater Odds of Knee Osteoarthritis Diagnosis. 2019 , 28, 716-723	0
774	A Person-Centered Analysis of Motivation for Physical Activity and Perceived Neighborhood Environment in Residents of Assisted Living Facilities. 2019 , 89, 257-278	1
773	Diagnostic reliability of the procalcitonin serum marker in septic frail patient. 2019 , 31, 727-732	4
772	Patients With a Prolonged Intensive Care Unit Length of Stay Have Decreased Health-Related Quality of Life After Cardiac Surgery. 2019 , 31, 21-31	9
771	One Week of Hospitalization Following Elective Hip Surgery Induces Substantial Muscle Atrophy in Older Patients. 2019 , 20, 35-42	26
770	Preserved anabolic threshold and capacity as estimated by a novel stable tracer approach suggests no anabolic resistance or increased requirements in weight stable COPD patients. 2019 , 38, 1833-1843	7

769	Does Combined Osteopenia/Osteoporosis and Sarcopenia Confer Greater Risk of Falls and Fracture Than Either Condition Alone in Older Men? The Concord Health and Ageing in Men Project. 2019 , 74, 827-834	39
768	Minimal change in physical activity after lower limb joint arthroplasty, but the outcome measure may be contributing to the problem: a systematic review and meta-analysis. 2019 , 105, 35-45	13
767	A Core Outcome Set to Evaluate Physical Activity Interventions for People Living With Dementia. 2020 , 60, 682-692	9
766	The Epidemiology of Patient-Reported Hypersomnia in Persons With Advanced Age. 2019 , 67, 2545-2552	3
765	Validation of the Modified Frailty Phenotype Measure in Older Mexican Americans. 2019 , 67, 2393-2397	3
764	Of Older Mice and Men: Branched-Chain Amino Acids and Body Composition. 2019 , 11,	10
763	Health Behaviors and Social Determinants of Migraine in a Canadian Population-Based Sample of Adults Aged 45-85 Years: Findings From the CLSA. 2019 , 59, 1547-1564	7
762	Effects of PM on Skeletal Muscle Mass and Body Fat Mass of the Elderly in Taipei, Taiwan. 2019 , 9, 11176	8
761	On Solving MDPs With Large State Space: Exploitation of Policy Structures and Spectral Properties. 2019 , 67, 4151-4165	4
760	Physical function-derived cut-points for the diagnosis of sarcopenia and dynapenia from the Canadian longitudinal study on aging. 2019 , 10, 985-999	18
759	The different influence of high levels of physical activity on the incidence of knee OA in overweight and obese men and women-a gender specific analysis. 2019 , 27, 1430-1436	5
758	Eight-year trajectories of changes in health-related quality of life in knee osteoarthritis: Data from the Osteoarthritis Initiative (OAI). 2019 , 14, e0219902	9
757	Fibrates as drugs with senolytic and autophagic activity for osteoarthritis therapy. 2019 , 45, 588-605	45
756	Effectiveness of internet-delivered education and home exercise supported by behaviour change SMS on pain and function for people with knee osteoarthritis: a randomised controlled trial protocol. 2019 , 20, 342	9
755	Development and validation of risk stratification trees for incident slow gait speed in persons at high risk for knee osteoarthritis. 2019 , 78, 1412-1419	3
754	Peak oxygen uptake, six-minute walk distance, six-meter walk speed, and pulse pressure as predictors of seven year all-cause and cardiovascular mortality in community-living older adults. 2019 , 124, 110645	8
753	Circulating amino acids are associated with bone mineral density decline and ten-year major osteoporotic fracture risk in older community-dwelling adults. 2019 , 129, 115082	19
752	Comparing self-reported and objective monitoring of physical activity in Parkinson disease. 2019 , 67, 56-59	14

751	Factors associated with muscle mass in community-dwelling older people in Singapore: Findings from the SHIELD study. 2019 , 14, e0223222	12
750	High Protein Intake Is Associated with Lower Risk of All-Cause Mortality in Community-Dwelling Chinese Older Men and Women. 2019 , 23, 987-996	8
749	Proinflammatory Diet Increases Circulating Inflammatory Biomarkers and Falls Risk in Community-Dwelling Older Men. 2020 , 150, 373-381	4
748	The Impact of Frailty on Technique Failure and Mortality in Patients on Home Dialysis. 2019 , 39, 532-538	12
747	Heberden's Nodes and Knee Osteoarthritis-Related Osseous Structural Damage: Exploratory Study From the Osteoarthritis Initiative. 2019 , 71, 935-940	1
746	Cultural adaptation and psychometric adequacy of the Persian version of the physical activity scale for the elderly (P-PASE). 2019 , 12, 555	5
745	A novel music-based game with motion capture to support cognitive and motor function in the elderly. 2019 ,	4
744	Association Between Hormone Therapy and Muscle Mass in Postmenopausal Women: A Systematic Review and Meta-analysis. 2019 , 2, e1910154	24
743	Association of dietary patterns with the gut microbiota in older, community-dwelling men. 2019 , 110, 1003-1014	34
742	Bone material strength in normoglycemic and hyperglycemic black and white older adults. 2019 , 30, 2429-2435	6
741	The Elderly-Nutrient Rich Food Score Is Associated With Biochemical Markers of Nutritional Status in European Older Adults. 2019 , 6, 150	1
740	Feasibility and Acceptability of Technology-Based Exercise and Posture Training in Older Adults With Age-Related Hyperkyphosis: Pre-Post Study. 2019 , 2, e12199	4
739	Controlling the Uncontrollable: Perceptions of Balance in People With Parkinson Disease. 2019 , 99, 1501-1510	4
738	Effects of an Individualized Exercise Program Plus Behavioral Change Enhancement Strategies for Managing Fatigue in Older People Who Are Frail: Protocol for a Cluster Randomized Controlled Trial. 2019 , 99, 1616-1627	1
737	Exergaming as a Physical Exercise Strategy Reduces Frailty in People With Dementia: A Randomized Controlled Trial. 2019 , 20, 1502-1508.e1	16
736	Cartilage Imaging in Osteoarthritis. 2019 , 23, 569-578	3
735	Individual periodic limb movements with arousal are temporally associated with nonsustained ventricular tachycardia: a case-crossover analysis. 2019 , 42,	6
734	Profiling obesity phenotypes and trajectories in older adults of the Quebec NuAge cohort on nutrition and successful aging: A cluster analysis. 2019 , 9, e12295	3

733	Short-term postoperative physical decline and patient-reported recovery in people aged 70 or older undergoing abdominal cancer resection- A prospective cohort study. 2019 , 10, 610-617	7
732	The Role of Dietary Patterns in the Contribution of Cardiorespiratory Fitness in Community-Dwelling Older Chinese Adults in Hong Kong. 2019 , 20, 558-563	10
731	The effect of vitamin D supplementation on lower-extremity power and function in older adults: a randomized controlled trial. 2019 , 109, 369-379	21
730	The Association between Objectively Measured Physical Activity and the Gut Microbiome among Older Community Dwelling Men. 2019 , 23, 538-546	11
729	Preventing disability in older adults with mild cognitive impairment: A Strategy Training intervention study. 2019 , 15, 100368	4
728	Comparison of weight bearing functional exercise and non-weight bearing quadriceps strengthening exercise on pain and function for people with knee osteoarthritis and obesity: protocol for the TARGET randomised controlled trial. 2019 , 20, 291	13
727	Longitudinal MRI structural findings observed in accelerated knee osteoarthritis: data from the Osteoarthritis Initiative. 2019 , 48, 1949-1959	8
726	Objective napping, cognitive decline, and risk of cognitive impairment in older men. 2019 , 15, 1039-1047	26
725	Doing What Makes You Happy: Health Message Framing for Younger and Older Adults. 2019 , 45, 293-305	6
724	Prevalence and clinical and psychological correlates of high fear of cancer recurrence in patients newly diagnosed with head and neck cancer. 2019 , 41, 3187-3200	17
723	STepped exercise program for patients with knee OsteoArthritis (STEP-KOA): protocol for a randomized controlled trial. 2019 , 20, 254	8
722	Effect of a Home-Based Exercise Program on Subsequent Falls Among Community-Dwelling High-Risk Older Adults After a Fall: A Randomized Clinical Trial. 2019 , 321, 2092-2100	67
721	Moderate- to high-intensity exercise does not modify cortical β amyloid in Alzheimer's disease. 2019 , 5, 208-215	15
720	Gait training using a robotic hip exoskeleton improves metabolic gait efficiency in the elderly. 2019 , 9, 7157	25
719	A cross-sectional study on the correlation between physical activity levels and health-related quality of life in community-dwelling middle-aged and older adults. 2019 , 98, e14895	15
718	The Impact of Physical Activity Before and After Stroke on Stroke Risk and Recovery: a Narrative Review. 2019 , 19, 28	32
717	A ketogenic drink improves brain energy and some measures of cognition in mild cognitive impairment. 2019 , 15, 625-634	78
716	Diet quality in relation to healthy ageing: the Israeli Longitudinal Study on Aging (ILSA)-a study protocol. 2019 , 9, e024673	4

715	The nutrition for healthy living study: A randomised clinical trial assessing the effect of protein sources on healthy ageing. 2019 , 5, 43-51	1
714	Low-Volume High-Intensity Interval Training (HIIT) versus Moderate-Intensity Continuous Training on Body Composition, Cardiometabolic Profile and Physical Capacity in Older Women. 2019 , 27, 879-889	20
713	Associations of Impaired Renal Function With Declines in Muscle Strength and Muscle Function in Older Men: Findings From the CHAMP Study. 2019 , 74, 1812-1820	5
712	The fracture predictive ability of a musculoskeletal composite score in old men - data from the MrOs Sweden study. 2019 , 19, 90	5
711	A pilot randomised controlled trial of physical activity facilitation for older adults: feasibility study findings. 2019 , 5, 40	0
710	Medical History, Questionnaires and Physical Examination. 2019 , 21-36	
709	A single session of trip-specific training modifies trunk control following treadmill induced balance perturbations in stroke survivors. 2019 , 70, 222-228	12
708	A randomised double-blind placebo-controlled feasibility trial of flavonoid-rich cocoa for fatigue in people with relapsing and remitting multiple sclerosis. 2019 , 90, 507-513	10
707	Comparison of psychometric properties between recall methods of interview-based physical activity questionnaires: a systematic review. 2019 , 19, 43	2
706	The (cost-) effectiveness of exergaming in people living with dementia and their informal caregivers: protocol for a randomized controlled trial. 2019 , 19, 50	6
705	Combining a high DHA multi-nutrient supplement with aerobic exercise: Protocol for a randomised controlled study assessing mobility and cognitive function in older women. 2019 , 143, 21-30	4
704	Oral health behaviours of older Australian men: the Concord Health and Ageing in Men Project. 2019 , 64, 246-255	1
703	Association of dietary patterns with serum high-sensitivity C-reactive protein level in community-dwelling older adults. 2019 , 31, 38-47	5
702	Influence of Chronic Stroke on Functional Arm Reaching: Quantifying Deficits in the Ipsilesional Upper Extremity. 2019 , 2019, 5182310	4
701	Multicentre, randomised controlled trial of PDSAFE, a physiotherapist-delivered fall prevention programme for people with Parkinson's. 2019 , 90, 774-782	31
700	Interrelated Neuromuscular and Clinical Risk Factors That Contribute to Falls. 2019 , 74, 1526-1532	6
699	Physical activity mediates the association between striatal dopamine transporter availability and cognition in Parkinson's disease. 2019 , 62, 68-72	9
698	The feasibility of assessing frailty and sarcopenia in hospitalised older people: a comparison of commonly used tools. 2019 , 19, 42	24

697	Acceptability and feasibility of a 12-week yoga vs. educational film program for the management of restless legs syndrome (RLS): study protocol for a randomized controlled trial. 2019 , 20, 134	4
696	Functional status measures for the COPD patient: A practical categorization. 2019 , 16, 1479973118816464	6
695	Multidimensional Sleep and Mortality in Older Adults: A Machine-Learning Comparison With Other Risk Factors. 2019 , 74, 1903-1909	29
694	Importance of medical data preprocessing in predictive modeling and risk factor discovery for the frailty syndrome. 2019 , 19, 33	18
693	The effect of cycling on cognitive function and well-being in older adults. 2019 , 14, e0211779	29
692	Distal radius fracture fixation in the elderly: does better form equal better function?. 2019 , 7, S387	0
691	Accelerometry as a measure of modifiable physical activity in high-risk elderly preoperative patients: a prospective observational pilot study. 2019 , 9, e032346	7
690	Feasibility of a 6-month pilot randomised controlled trial of resistance training on cognition and brain health in Canadian older adults at-risk for diabetes: study protocol. 2019 , 9, e032047	2
689	Physical Activity: Impact on Survival in Gynecologic Cancer. 2019 , 74, 679-692	2
688	Prevalence of Frailty and its Association with Cognitive Status and Functional Fitness among Ambulating Older Adults Residing in Institutions within West Coast of Peninsular Malaysia. 2019 , 16,	4
687	Physical Activity, Muscle Strength, and Functional Fitness. 2019 , 35, 280-288	5
686	The High Precision of Functional and Neuromuscular Measures to Classify Sarcopenia in Older Women. 2019 , 42, E55-E61	
685	Role of full-thickness cartilage defects in knee osteoarthritis (OA) incidence and progression: Data from the OA Initiative. 2019 , 37, 77-83	9
684	The effects of depression, personal characteristics, and some habits on physical activity in the elderly. 2019 , 55, 112-118	5
683	Application of an electronic Frailty Index in Australian primary care: data quality and feasibility assessment. 2019 , 31, 653-660	13
682	Self-reported physical activity levels and clinical progression in early Parkinson's disease. 2019 , 61, 118-125	25
681	Full-Thickness Cartilage Defects Are Important Independent Predictive Factors for Progression to Total Knee Arthroplasty in Older Adults with Minimal to Moderate Osteoarthritis: Data from the Osteoarthritis Initiative. 2019 , 101, 56-63	28
680	Effect of a short multicomponent exercise intervention focused on muscle power in frail and pre frail elderly: A pilot trial. 2019 , 115, 114-121	28

679	Variations in the vitamin D receptor gene are not associated with measures of muscle strength, physical performance, or falls in elderly men. Data from MrOS Sweden. 2019 , 187, 160-165	6
678	Lateral cartilage defects and medial subchondral surface ratio are associated with knee-related disability. 2019 , 37, 378-385	
677	Validation of a new symptom outcome for knee osteoarthritis: the Ambulation Adjusted Score for Knee pain. 2019 , 38, 851-858	2
676	Patient-reported outcomes in stroke clinical trials 2002-2016: a systematic review. 2019 , 28, 1119-1128	11
675	Adjusted Chemotherapy According to Frailty Status in Elderly Patients With Diffuse Large B-Cell Lymphoma: Experience From a Single Referral Center in Mexico City. 2019 , 19, e98-e106	1
674	Physical Activity as a Protective Factor for Lower Urinary Tract Symptoms in Male Patients: A Prospective Cohort Analysis. 2019 , 125, 163-168	5
673	Effects of home-based prescribed pulmonary exercise by patients with chronic obstructive pulmonary disease: study protocol for a randomized controlled trial. 2019 , 20, 41	8
672	Moderate Physical Activity and Prevention of Cartilage Loss in People With Knee Osteoarthritis: Data From the Osteoarthritis Initiative. 2019 , 71, 218-226	10
671	Does Dual-Task Gait Differ in those with Late-Life Depression versus Mild Cognitive Impairment?. 2019 , 27, 62-72	6
670	Chronic multisite pain: evaluation of a new geriatric syndrome. 2019 , 31, 1129-1137	12
669	Understanding physical activity in Veterans with Parkinson disease: A mixed-methods approach. 2019 , 61, 156-160	7
668	The Relationships Between Physical Performance, Activity Levels, and Falls in Older Men. 2019 , 74, 1475-1483	16
667	Obstacle Negotiation, Gait Variability, and Risk of Falling: Results From the "Gait and Brain Study". 2019 , 74, 1422-1428	11
666	Development of a Self-Efficacy Questionnaire for Walking in Patients with Mild Ischemic Stroke. 2019 , 28, 317-324	2
665	Mild Cognitive Impairment Affects Obstacle Negotiation in Older Adults: Results from "Gait and Brain Study". 2019 , 65, 164-173	21
664	Identification and Evaluation of Self-Report Physical Activity Instruments in Adults With Osteoarthritis: A Systematic Review. 2019 , 71, 237-251	6
663	Medial compartment defects progress at a more rapid rate than lateral cartilage defects in older adults with minimal to moderate knee osteoarthritis (OA): data from the OA initiative. 2019 , 27, 2401-2409	5
662	Effects of Sahaj Samadhi meditation on heart rate variability and depressive symptoms in patients with late-life depression. 2019 , 214, 218-224	11

661	Strength training is associated with better functional fitness and perceived healthy aging among physically active older adults: a cross-sectional analysis of the Canadian Longitudinal Study on Aging. 2019 , 31, 1257-1263	12
660	How Dietary Patterns are Related to Inflammaging and Mortality in Community-Dwelling Older Chinese Adults in Hong Kong - A Prospective Analysis. 2019 , 23, 181-194	14
659	A randomized controlled trial of a walking training with simultaneous cognitive demand (dual-task) in chronic stroke. 2019 , 26, 435-441	9
658	Hip abductor muscle volumes are smaller in individuals affected by patellofemoral joint osteoarthritis. 2019 , 27, 266-272	5
657	Concurrent Change in Quadriceps Strength and Physical Function Over Five Years in the Multicenter Osteoarthritis Study. 2019 , 71, 1044-1051	1
656	Behaviour change techniques applied in interventions to enhance physical activity adherence in patients with chronic musculoskeletal conditions: A systematic review and meta-analysis. 2019 , 102, 25-36	21
655	Physical Activity Scale for the Elderly (PASE) Score Is Related to Sarcopenia in Noninstitutionalized Older Adults. 2019 , 42, 130-135	23
654	Spouse's subjective social status predicts older adults' prospective cognitive functioning. 2019 , 23, 277-285	4
653	Physical Activity Level and Risk of Falling in Community-Dwelling Older Adults: Systematic Review and Meta-Analysis. 2018 , 1-10	9
652	Physical Activity Patterns and Sedentary Behavior in Older Women With Urinary Incontinence: an Accelerometer-based Study. 2019 , 25, 318-322	7
651	Level of physical activity in men and women with chronic stroke. 2019 , 35, 947-955	7
650	Physical Function, Relocation, and Mortality Outcomes in Residential Care and Assisted Living Residents. 2019 , 31, 903-924	3
649	Association of Diabetes Mellitus and Biomarkers of Abnormal Glucose Metabolism With Incident Radiographic Knee Osteoarthritis. 2020 , 72, 98-106	5
648	Which impairments, activity limitations and personal factors at hospital discharge predict walking activity across the first 6 months poststroke?. 2020 , 42, 763-769	13
647	Biobehavioral Measures of Presbylaryngeus. 2020 , 34, 415-425	2
646	The inflammatory potential of diet is related to incident frailty and slow walking in older adults. 2020 , 39, 185-191	16
645	Mortality Paradox of Older Italian-Born Men in Australia: The Concord Health and Ageing in Men Project. 2020 , 22, 102-109	9
644	Orthostatic hypotension and health-related quality of life among community-living older people in Korea. 2020 , 29, 303-312	5

643	Midlife resting heart rate, but not its visit-to-visit variability, is associated with late-life frailty status in men with coronary heart disease. 2020 , 23, 1052-1058	
642	An open-label, single-center pilot study to test the effects of an amino acid mixture in older patients admitted to internal medicine wards. 2020 , 69, 110588	1
641	Self-Report Tools for Assessing Physical Activity in Community-Living Older Adults with Multiple Chronic Conditions: A Systematic Review of Psychometric Properties and Feasibility. 2020 , 39, 12-30	1
640	Associations of Body Composition Trajectories with Bone Mineral Density, Muscle Function, Falls, and Fractures in Older Men: The Concord Health and Ageing in Men Project. 2020 , 75, 939-945	11
639	Dietary Intake, D3Cr Muscle Mass, and Appendicular Lean Mass in a Cohort of Older Men. 2020 , 75, 1353-1361	8
638	Outcomes of physical activity for people living with dementia: qualitative study to inform a Core Outcome Set. 2020 , 108, 129-139	3
637	Activity behavior and cognitive performance in older adults living in a senior housing facility: the impact of frailty status. 2020 , 32, 703-709	0
636	Angina pectoris severity and late-life frailty among men with cardiovascular disease. 2020 , 23, 1022-1029	1
635	Physiotherapy rehabilitation for osteoporotic vertebral fracture-a randomised controlled trial and economic evaluation (PROVE trial). 2020 , 31, 277-289	6
634	Commonly Used Screening Instruments to Identify Frailty Among Community-Dwelling Older People in a General Practice (Primary Care) Setting: A Study of Diagnostic Test Accuracy. 2020 , 75, 1134-1142	14
633	Frailty and oral health: Findings from the Concord Health and Ageing in Men Project. 2020 , 37, 28-37	8
632	Association of change in muscle mass assessed by D -creatine dilution with changes in grip strength and walking speed. 2020 , 11, 55-61	19
631	Active lifestyles moderate clinical outcomes in autosomal dominant frontotemporal degeneration. 2020 , 16, 91-105	17
630	Dietary patterns and telomere length in community-dwelling Chinese older men and women: a cross-sectional analysis. 2020 , 59, 3303-3311	3
629	Whey protein but not collagen peptides stimulate acute and longer-term muscle protein synthesis with and without resistance exercise in healthy older women: a randomized controlled trial. 2020 , 111, 708-718	28
628	Dietary Patterns and Progression of Knee Osteoarthritis: Data from the Osteoarthritis Initiative. 2020 , 111, 667-676	9
627	Older patients' attitudes towards, and perceptions of, preoperative physical activity and exercise prior to colorectal cancer surgery-a gap between awareness and action. 2020 , 28, 3945-3953	6
626	Objective measures of moderate to vigorous physical activity are associated with higher distal limb bone strength among elderly men. 2020 , 132, 115198	3

625	Physical Function and Frailty for Predicting Adverse Outcomes in Older Primary Care Patients. 2020 , 101, 592-598	11
624	The effect of physical activity on dose-relationship between serum 25-hydroxyvitamin D and cardiovascular health events in older adults. 2020 , 30, 656-665	2
623	Acute exercise decreases vaccine reactions following influenza vaccination among older adults. 2020 , 1, 100009	7
622	Therapeutic alliance facilitates adherence to physiotherapy-led exercise and physical activity for older adults with knee pain: a longitudinal qualitative study. 2020 , 66, 45-53	22
621	Physical activity in patients with cancer: self-report versus accelerometer assessments. 2020 , 28, 3701-3709	6
620	A personalized behavioral intervention implementing mHealth technologies for older adults: A pilot feasibility study. 2020 , 41, 313-319	13
619	Does telephone-delivered exercise advice and support by physiotherapists improve pain and/or function in people with knee osteoarthritis? Telecare randomised controlled trial. 2020 , 54, 790-797	22
618	Effects of Exergaming on Cognition and Gait in Older Adults at Risk for Falling. 2020 , 52, 754-761	5
617	Slip-Fall Predictors in Community-Dwelling, Ambulatory Stroke Survivors: A Cross-sectional Study. 2020 , 44, 248-255	1
616	Cautionary tails of grip strength in health inequality studies: An analysis from the Canadian longitudinal study on aging. 2020 , 265, 113382	
615	Reducing knee pain and loading with a gait retraining program for individuals with knee osteoarthritis: Protocol for a randomized feasibility trial. 2020 , 2, 100097	1
614	Feasibility of Using Strength Measures, Including Peak Inspiratory Flow, for Routine Monitoring in Case Management Patients Aged 65 and Over. 2020 , 5,	
613	Associations between nutrient intakes and dietary patterns with different sarcopenia definitions in older Australian men: the concord health and ageing in men project. 2021 , 24, 4490-4505	1
612	Age- and memory- related differences in hippocampal gray matter integrity are better captured by NODDI compared to single-tensor diffusion imaging. 2020 , 96, 12-21	7
611	Physical performance and activity among older adults visiting primary healthcare centres in Riyadh. 2020 , 48, 300060520956895	1
610	The reliability and validity of novel clinical strength measures of the upper body in older adults. 2020 , 25, 130-138	2
609	Prediabetes and working memory in older adults. 2020 , 4, 2398212820961725	2
608	Association of Rapid Eye Movement Sleep With Mortality in Middle-aged and Older Adults. 2020 , 77, 1241-1251	20

607	Predictors of multimorbidity among the Kurdish population living in the Northwest of Iran. 2020 , 20, 1094	2
606	HomeSense: Design of an ambient home health and wellness monitoring platform for older adults. 2020 , 10, 1291-1309	8
605	Associations between Pro- and Anti-Inflammatory Gastro-Intestinal Microbiota, Diet, and Cognitive Functioning in Dutch Healthy Older Adults: The NU-AGE Study. 2020 , 12,	14
604	Vitamin D metabolites and the gut microbiome in older men. 2020 , 11, 5997	33
603	The Impact of Self-Efficacy on Activity Limitations in Patients With Hip Osteoarthritis: Results From a Cross-Sectional Study. 2020 , 2, 741-749	2
602	Efficacy and Safety of Testosterone Treatment in Men: An Evidence Report for a Clinical Practice Guideline by the American College of Physicians. 2020 , 172, 105-118	24
601	Cultural adaptation and validation of the Polish version of the physical activity scale for older people living in a community: a cross-sectional study. 2020 , 17, 19	
600	The Short Physical Performance Battery (SPPB): A Quick and Useful Tool for Fall Risk Stratification Among Older Primary Care Patients. 2021 , 22, 1646-1651	6
599	The effectiveness of Tai Chi Chuan on fear of movement, prevention of falls, physical activity, and cognitive status in older adults with mild cognitive impairment: A randomized controlled trial. 2021 , 57, 1273-1281	4
598	ASPIRE trial: study protocol for a double-blind randomised controlled trial of aspirin for overheating during exercise in multiple sclerosis. 2020 , 10, e039691	
597	Current anti-depressant use is associated with cortical bone deficits and reduced physical function in elderly women. 2020 , 140, 115552	4
596	Occupational Physical Stress Is Negatively Associated With Hippocampal Volume and Memory in Older Adults. 2020 , 14, 266	4
595	Sleep behaviours and multimorbidity occurrence in middle-aged and older adults: findings from the Canadian Longitudinal Study on Aging (CLSA). 2020 , 75, 156-162	12
594	Socioeconomic status, health-related behaviours, and death among older people: the Concord health and aging in men project prospective cohort study. 2020 , 20, 261	2
593	Effects of Candesartan vs Lisinopril on Neurocognitive Function in Older Adults With Executive Mild Cognitive Impairment: A Randomized Clinical Trial. 2020 , 3, e2012252	15
592	Association of specific biotypes in patients with Parkinson disease and disease progression. 2020 , 95, e1445-e1460	4
591	A comprehensive analysis of factors related to lung function in older adults: Cross-sectional findings from the Canadian Longitudinal Study on Aging. 2020 , 173, 106157	3
590	Elderly Mobility and Architectural Factors in Apartment Units: A Hierarchical Regression Analysis. 2020 , 1-22	1

589	Volunteer Motivation and Retention of Older Peer Walk Leaders: A 4-Month Long Investigation. 2021 , 61, 1118-1130	4
588	Self-Report Measures of Physical Activity. 2020 , 72 Suppl 10, 717-730	4
587	Train the brain with music (TBM): brain plasticity and cognitive benefits induced by musical training in elderly people in Germany and Switzerland, a study protocol for an RCT comparing musical instrumental practice to sensitization to music. 2020 , 20, 418	7
586	The changes of exercise pattern and clinical symptoms in patients with Parkinson's disease in the era of COVID-19 pandemic. 2020 , 80, 148-151	29
585	Cross-sectional and Prospective Associations of Rest-Activity Rhythms With Metabolic Markers and Type 2 Diabetes in Older Men. 2020 , 43, 2702-2712	6
584	Enabling early detection of osteoarthritis from presymptomatic cartilage texture maps via transport-based learning. 2020 , 117, 24709-24719	15
583	How to Improve the Functional Capacity of Frail and Pre-Frail Elderly People? Health, Nutritional Status and Exercise Intervention. The EXERNET-Elder 3.0 Project. 2020 , 12, 6246	7
582	Co-Occurrence of Lower Urinary Tract Symptoms and Frailty among Community-Dwelling Older Men. 2020 , 68, 2805-2813	6
581	Changes in micronutrient intake and factors associated with this change among older Australian men: the Concord Health and Ageing in Men Project. 2021 , 24, 4454-4465	
580	Health resources for South Africa: A scoping review. 2020 , 25, 1378	1
579	The Development of Leisure Participation Assessment Tool for the Elderly. 2020 , 2020, 9395629	1
578	Relation of chair rising ability to activities of daily living and physical activity in Parkinson's disease. 2020 , 10, 22	0
577	Effects of a 12-week yoga versus a 12-week educational film intervention on symptoms of restless legs syndrome and related outcomes: an exploratory randomized controlled trial. 2020 , 16, 107-119	6
576	Domestic Activities Associated With a Decreased Risk of Cognitive Disorders: Results of the "Frte" Cohort. 2020 , 8, 602238	1
575	Wearable Sensors Technology as a Tool for Discriminating Frailty Levels During Instrumented Gait Analysis. 2020 , 10, 8451	7
574	Development of the Digital Assessment of Precise Physical Activity (DAPPA) Tool for Older Adults. 2020 , 17,	
573	Successful aging and environmental factors in older individuals in urban and rural areas: A cross-sectional study. 2020 , 91, 104229	5
572	Smoking Is Associated with Sex-Specific Effects on Bone Microstructure in Older Men and Women. 2021 , 24, 341-350	0

571	Nutritional Biomarkers and Associated Factors in Community-Dwelling Older Adults: Findings from the SHIELD Study. 2020 , 12,	3
570	Malnutrition According to GLIM Criteria and Adverse Outcomes in Community-Dwelling Chinese Older Adults: A Prospective Analysis. 2021 , 22, 1953-1959.e4	10
569	Physical activity perceptions, experiences, and beliefs of older adults with mild cognitive impairment or Alzheimer's disease and their care partners. 2020 , 45, 1216-1224	5
568	Association of Long-term Strenuous Physical Activity and Extensive Sitting With Incident Radiographic Knee Osteoarthritis. 2020 , 3, e204049	9
567	Individual and joint trajectories of change in bone, lean mass and physical performance in older men. 2020 , 20, 161	0
566	Associations of Per- and Polyfluoroalkyl Substances (PFAS) With Glucose Tolerance During Pregnancy in Project Viva. 2020 , 105,	11
565	Get Moving! Increases in Physical Activity Are Associated With Increasing Functional Connectivity Trajectories in Typically Aging Adults. 2020 , 12, 104	9
564	Comparison of clinical risk factors for incident fracture in obese and non-obese community-dwelling older men. 2020 , 137, 115433	2
563	How do people interpret and respond to self-report sitting time questionnaires? a think-aloud study. 2020 , 50, 101718	2
562	Benefits for Older People Engaged in Environmental Volunteering and Socializing Activities in City Parks: Preliminary Results of a Program in Italy. 2020 , 17,	5
561	Association of Circadian Abnormalities in Older Adults With an Increased Risk of Developing Parkinson Disease. 2020 , 77, 1270-1278	24
560	Adaptive and maladaptive coping strategies in older adults with chronic pain after lumbar surgery. 2020 , 43, 116-122	5
559	Longitudinal Association of Built Environment Pattern with Physical Activity in a Community-Based Cohort of Elderly Hong Kong Chinese: A Latent Profile Analysis. 2020 , 17,	5
558	Association between walking 5000 step/day and fall incidence over six months in urban community-dwelling older people. 2020 , 20, 194	6
557	Falls and older people: preventative interventions. 2020 , 25, 288-292	1
556	Comparison of intradialytic versus home-based exercise programs on physical functioning, physical activity level, adherence, and health-related quality of life: pilot study. 2020 , 10, 8302	6
555	Investigation of the Diet-Gut-Muscle Axis in the Osteoporotic Fractures in Men Study. 2020 , 24, 445-452	10
554	Frailty Phenotype Prevalence in Community-Dwelling Older Adults According to Physical Activity Assessment Method. 2020 , 15, 343-355	5

553	Physical activity trajectories, mortality, hospitalization, and disability in the Toledo Study of Healthy Aging. 2020 , 11, 1007-1017	11
552	The Tribulations of Trials: Lessons Learnt Recruiting 777 Older Adults Into REtirement in ACTion (REACT), a Trial of a Community, Group-Based Active Aging Intervention Targeting Mobility Disability. 2020 , 75, 2387-2395	5
551	Oral Health, Diet, and Frailty at Baseline of the Canadian Longitudinal Study on Aging. 2020 , 68, 959-966	16
550	Late-Life Physical and Cognitive Activities Independently Contribute to Brain and Cognitive Resilience. 2020 , 74, 363-376	13
549	Relationship of Anabolic Hormones With Motor Unit Characteristics in Quadriceps Muscle in Healthy and Frail Aging Men. 2020 , 105,	5
548	Low Protein Intake Irrespective of Source is Associated with Higher Mortality Among Older Community-dwelling Men. 2020 , 24, 900-905	1
547	The association between comorbidity and physical activity levels in people with osteoarthritis: Secondary analysis from two randomised controlled trials. 2020 , 2, 100057	3
546	The Mental Health Benefits of Physical Activity in Older Adults Survive the COVID-19 Pandemic. 2020 , 28, 1046-1057	86
545	Effects of Exergaming on Cognitive and Social Functioning of People with Dementia: A Randomized Controlled Trial. 2020 , 21, 1958-1967.e5	5
544	REM sleep is associated with white matter integrity in cognitively healthy, older adults. 2020 , 15, e0235395	5
543	Stroke survivors' perceptions of their sedentary behaviours three months after stroke. 2020 , 1-13	5
542	Can Smartphone-Derived Step Data Predict Laboratory-Induced Real-Life Like Fall-Risk in Community- Dwelling Older Adults?. 2020 , 2, 73	
541	Factors Associated With Kyphosis and Kyphosis Progression in Older Men: The MrOS Study. 2020 , 35, 2193-2198	6
540	Does subjective social status predict depressive symptoms in Chinese elderly? A longitudinal study from Hong Kong. 2020 , 74, 882-891	5
539	Socioeconomic Inequalities in Frailty in Hong Kong, China: A 14-Year Longitudinal Cohort Study. 2020 , 17,	3
538	Mineral rich algae with pine bark improved pain, physical function and analgesic use in mild-knee joint osteoarthritis, compared to Glucosamine: A randomized controlled pilot trial. 2020 , 50, 102349	3
537	Does the pathway to transportation walking for older adults run through recreational walking?. 2020 , 20, 51-61	2
536	Current Evidence of Measurement Properties of Physical Activity Questionnaires for Older Adults: An Updated Systematic Review. 2020 , 50, 1271-1315	23

535	Association of Visceral Adiposity With Pain but Not Structural Osteoarthritis. 2020 , 72, 1103-1110	8
534	Hyperkyphosis and self-reported and objectively measured sleep quality in older men. 2020 , 15, e0228638	1
533	Effects of Physical Exercises and Verbal Stimulation on the Functional Efficiency and Use of Free Time in an Older Population under Institutional Care: A Randomized Controlled Trial. 2020 , 9,	4
532	Knee Flexion Contracture Associated With a Contracture and Worse Function of the Contralateral Knee: Data From the Osteoarthritis Initiative. 2020 , 101, 624-632	7
531	The Association of Pain Phenotype with Neuromuscular Impairments and Mobility Limitations Among Older Primary Care Patients: A Secondary Analysis of the Boston Rehabilitative Impairment Study of the Elderly. 2020 , 12, 743-753	0
530	Comprehensive metabolic flux analysis to explain skeletal muscle weakness in COPD. 2020 , 39, 3056-3065	9
529	A Randomized Clinical Trial to Evaluate the Efficacy and Safety of the ACTLIFE Exercise Program for Women with Post-menopausal Osteoporosis: Study Protocol. 2020 , 17,	3
528	Endogenous Testosterone Levels and the Risk of Incident Cardiovascular Events in Elderly Men: The MrOS Prospective Study. 2020 , 4, bvaa038	9
527	Cohort Profile: The Precipitating Events Project (PEP Study). 2020 , 24, 438-444	6
526	Assessments used to measure participation in life activities in individuals with cancer: a scoping review. 2020 , 28, 3581-3592	1
525	Burden and Patterns of Multimorbidity: Impact on Disablement in Older Adults. 2020 , 99, 359-365	10
524	Potential functional benefits of a comprehensive evaluation of physical activity for aging adults: a CLSA cross-sectional analysis. 2021 , 33, 285-289	1
523	The association between antioxidant intake, dietary pattern and depressive symptoms in older Australian men: the Concord Health and Ageing in Men Project. 2021 , 60, 443-454	10
522	Dietary patterns are related to cognitive functioning in elderly enriched with individuals at increased risk for Alzheimer's disease. 2021 , 60, 849-860	9
521	Poor sleep quality among newly diagnosed head and neck cancer patients: prevalence and associated factors. 2021 , 29, 1035-1045	10
520	Anxiety as a risk factor for cardiovascular disease independent of depression: a prospective examination of community-dwelling men (the MrOS study). 2021 , 36, 148-163	3
519	The effectiveness of trained volunteer delivered interventions in adults at risk of malnutrition: A systematic review and meta-analysis. 2021 , 40, 710-727	2
518	Impact of Diabetes Mellitus on Knee Osteoarthritis Pain and Physical and Mental Status: Data From the Osteoarthritis Initiative. 2021 , 73, 540-548	6

517	Physical Activity and Physical Function in Older Adults Living in a Retirement Community: A Cross-Sectional Analysis Focusing on Self-Rated Health. 2021 , 15, 279-285	2
516	Differences and similarities of physical activity determinants between older adults who have and have not experienced a fall: Testing an extended health belief model. 2021 , 92, 104247	3
515	Dietary and supplemental antioxidant intake and risk of major adverse cardiovascular events in older men: The concord health and ageing in men project. 2021 , 31, 1102-1112	0
514	Effect of 12 months of creatine supplementation and whole-body resistance training on measures of bone, muscle and strength in older males. 2021 , 27, 151-159	5
513	Association between telomere length, frailty and death in older adults. 2021 , 43, 1015-1027	3
512	Higher-Impact Physical Activity Is Associated With Maintenance of Bone Mineral Density But Not Reduced Incident Falls or Fractures in Older Men: The Concord Health and Aging in Men Project. 2021 , 36, 662-672	2
511	Intestinal function is impaired in patients with Chronic Obstructive Pulmonary Disease. 2021 , 40, 2270-2277	8
510	Impact of specialized oral nutritional supplement on clinical, nutritional, and functional outcomes: A randomized, placebo-controlled trial in community-dwelling older adults at risk of malnutrition. 2021 , 40, 1879-1892	9
509	A ketogenic drink improves cognition in mild cognitive impairment: Results of a 6-month RCT. 2021 , 17, 543-552	41
508	Neighborhood Social Cohesion Associates with Loneliness Differently among Older People According to Subjective Social Status. 2021 , 25, 41-47	6
507	Video-Enhanced Care Management for Medically Complex Older Adults with Cognitive Impairment. 2021 , 69, 77-84	6
506	A Comprehensive Overview of Activities of Daily Living in Existing Frailty Instruments: A Systematic Literature Search. 2021 , 61, e12-e22	10
505	Energy expenditure estimates in chronic kidney disease using a novel physical activity questionnaire. 2021 ,	1
504	Does Low Subjective Social Status Predict Cognitive Decline in Chinese Older Adults? A 4-Year Longitudinal Study From Hong Kong. 2021 , 29, 1140-1151	3
503	Physical Activity Improves Anxiety and Apathy in Early Parkinson's Disease: A Longitudinal Follow-Up Study. 2020 , 11, 625897	3
502	Stretching is Superior to Brisk Walking for Reducing Blood Pressure in People With High-Normal Blood Pressure or Stage I Hypertension. 2020 , 18, 21-28	7
501	MIND and Mediterranean Diets Associated with Later Onset of Parkinson's Disease. 2021 , 36, 977-984	12
500	Sport and Recreational Physical Activities Attenuate the Predictive Association of Multimorbidity With Increased Geriatric Depressive Symptoms: A 14-Year Follow-Up Study of Community-Dwelling Older Adults. 2021 , 1-9	0

499	Associations between Food Group Intake and Physical Frailty in Irish Community-Dwelling Older Adults. 2021 , 14, 11786388211006447	0
498	Exercise and other physical therapy interventions in the management of osteoporosis. 2021 , 1649-1663	
497	User-Centered Rating of Well-Being in Older Adults. 2021 , 9, 86824-86842	
496	Associations Between Potentially Modifiable and Nonmodifiable Risk Factors and Gait Speed in Middle- and Older-Aged Adults: Results From the Canadian Longitudinal Study on Aging. 2021 , 76, e253-e263	4
495	An mHealth-Facilitated Personalized Intervention for Physical Activity and Sleep in Community-Dwelling Older Adults. 2021 , 1-10	1
494	The Association Between Frailty and Parkinson's Disease in the ReSPOnD Trial. 2021 , 24, 22-25	0
493	Prospective Analysis of Fruit and Vegetable Variety on Health Outcomes in Community-Dwelling Chinese Older Adults. 2021 , 25, 735-741	1
492	Risk Factors for Incident Falls and Fractures in Older Men With and Without Type 2 Diabetes Mellitus: The Concord Health and Ageing in Men Project. 2021 , 76, 1090-1100	
491	Impact of the COVID-19 pandemic on physical activity, anxiety, and depression in patients with Parkinson's disease. 2021 , 44, 173-176	15
490	Secondary analysis of change in physical function after exercise intervention in older adults with hyperkyphosis and low physical function. 2021 , 21, 133	2
489	Pre-stroke physical activity and admission stroke severity: A systematic review. 2021 , 16, 1009-1018	6
488	The Effect of High-Intensity Power Training on Habitual, Intervention and Total Physical Activity Levels in Older Adults with Type 2 Diabetes: Secondary Outcomes of the GREAT2DO Randomized Controlled Trial. 2021 , 6,	1
487	Socio-Contextual Factors as Determinants of Psychological Wellbeing of Selected Aged in South Africa: A Moderating Approach. 2021 , 29,	0
486	Reshaping the path of vascular cognitive impairment with resistance training: a study protocol for a randomized controlled trial. 2021 , 22, 217	2
485	Effects of Sex and Physical Activity Level on Serum Biomarker-Based Physiological Dysregulation: The Impact to Predict Frailty and Mortality in the Quebec NuAge Cohort. 2021 , 67, 660-673	1
484	Lasa Fiziksel Aktivite AnketiâĖin (LAFAA) TĖkĖ Versiyonunun GĖvenirliĖve GeĖrliĖ	
483	The Aging Brain Cohort (ABC) repository: The University of South CarolinaâĖs multimodal lifespan database for studying the relationship between the brain, cognition, genetics and behavior in healthy aging. 2021 , 1, 100008	0
482	Physical activity as a mediator of anxiety and cognitive functioning in Parkinson's disease. 2021 , 20, 100382	0

481	Modifiable Risk Factors and Change in Cognition of Māori and Non-Māori in Advanced Age: LiLACS NZ. 2022 , 41, 262-273	0
480	Stepped Exercise Program for Patients With Knee Osteoarthritis : A Randomized Controlled Trial. 2021 , 174, 298-307	8
479	Diet quality in an ethnically diverse population of older men in Australia. 2021 , 75, 1792-1800	2
478	Association of Physical Activity and Genotype With Longitudinal Cognitive Change in Early Parkinson Disease. 2021 , 96, e2429-e2437	5
477	Subjective social status moderates back pain and mental health in older men. 2021 , 1-8	1
476	Effects of an Integrated Exercise Program Including "Functional" Inspiratory Muscle Training in Geriatric Individuals with and without Chronic Obstructive Pulmonary Disease. 2021 , 25, 45-54	2
475	Effects of a mixed exercise program on cancer related-fatigue and health-related quality of life in oncogeriatric patients: A feasibility study. 2021 , 12, 915-921	1
474	Comparison of reliability, construct validity and responsiveness of the IPAQ-SF and PASE in adults with osteoarthritis. 2021 ,	3
473	Gender Differences in Factors Associated With Physical Activity in Patients With Coronary Artery Disease. 2021 ,	
472	Height Loss in Old Age and Fracture Risk Among Men in Late Life: A Prospective Cohort Study. 2021 , 36, 1069-1076	0
471	An Optimal Self-Report Physical Activity Measure for Older Adults: Does Physical Function Matter?. 2020 , 29, 193-199	2
470	Memory enhancement by multidomain group cognitive training in patients with Parkinson's disease and mild cognitive impairment: long-term effects of a multicenter randomized controlled trial. 2021 , 268, 4655-4666	1
469	Cross-Sectional and Prospective Associations of Rest-Activity Rhythms with Circulating Inflammatory Markers in Older Men. 2021 ,	2
468	Impact of Physical Activity on Disability Risk in Elderly Patients Hospitalized for Mild Acute Diverticulitis and Diverticular Bleeding Undergone Conservative Management. 2021 , 57,	3
467	Socioeconomic status as an effect modifier of the association between built environment and mortality in elderly Hong Kong Chinese: A latent profile analysis. 2021 , 195, 110830	4
466	Associations of sarcopenia components with physical activity and nutrition in Australian older adults performing exercise training. 2021 , 21, 276	2
465	Bridging the gap from research to practice for enhanced health-related quality of life in people with chronic kidney disease. 2021 , 14, ii34-ii42	1
464	The Relationship between Physical Activity, Self-Perceived Health, and Cognitive Function in Older Adults. 2021 , 11,	1

463	Factors associated with pain resolution in those with knee pain: the MOST study. 2021,	0
462	Association of quality of life with structural, functional and molecular brain imaging in community-dwelling older adults. 2021, 231, 117819	2
461	Body Weight, BMI, Percent Fat and Associations with Mortality and Incident Mobility Limitation in Older Men. 2021, 6,	0
460	Physical Activity as a Predictor of Cognitive Decline in an Elderly Essential Tremor Cohort: A Prospective, Longitudinal Study. 2021, 12, 658527	
459	Neurocognitive Plasticity Is Associated with Cardiorespiratory Fitness Following Physical Exercise in Older Adults with Amnesic Mild Cognitive Impairment. 2021, 81, 91-112	2
458	Sweat the Fall Stuff: Physical Activity Moderates the Association of White Matter Hyperintensities With Falls Risk in Older Adults. 2021, 15, 671464	
457	Knee Confidence Trajectories over 8 Years and Factors Associated with Poor Trajectories in Persons with or at Risk for Knee Osteoarthritis. 2021,	
456	Baseline Infection Burden and Cognitive Function in Elders with Essential Tremor. 2021, 11, 16	
455	Fall prevention interventions in primary care to reduce fractures and falls in people aged 70 years and over: the PreFIT three-arm cluster RCT. 2021, 25, 1-114	1
454	A 'case-mix' approach to understand adherence trajectories for a falls prevention exercise intervention: A longitudinal cohort study. 2021, 147, 1-6	1
453	Correlates of memory and executive function in mid-aged and older adults in the CLSA: A minority stress approach. 2021,	4
452	Learning to play golf for elderly people with subjective memory complaints: feasibility of a single-blinded randomized pilot trial. 2021, 21, 200	0
451	Physical activity decreases the risk of cancer reclassification in patients on active surveillance: a multicenter retrospective study. 2021, 24, 1151-1157	2
450	Mediterranean Diet, Alzheimer Disease Biomarkers and Brain Atrophy in Old Age. 2021,	17
449	The Associations of Handgrip Strength and Leg Extension Power Asymmetry on Incident Recurrent Falls and Fractures in Older Men. 2021, 76, e221-e227	2
448	Does functional performance and upper body strength predict upper extremity reaction and movement time in older women?. 2021, 77, 102796	0
447	Strength and endurance deficits in adults with moderate-to-severe hip osteoarthritis, compared to healthy, older adults. 2021, 1-8	3
446	The psycholinguistic and affective processing of framed health messages among younger and older adults. 2021, 27, 201-212	

445	"It's Better Together": A Nested Longitudinal Study Examining the Benefits of Walking Regularly With Peers Versus Primarily Alone in Older Adults. 2020 , 29, 455-465	3
444	Milk, Yogurt, and Cheese Intake Is Positively Associated With Cognitive Executive Functions in Older Adults of the Canadian Longitudinal Study on Aging. 2021 , 76, 2223-2231	2
443	Measuring adherence to unsupervised, conservative treatment for knee osteoarthritis: A systematic review. 2021 , 3, 100171	1
442	Impaired intestinal function is associated with lower muscle and cognitive health and well-being in patients with congestive heart failure. 2021 ,	1
441	Fracture Incidence and the Relevance of Dietary and Lifestyle Factors Differ in the United Kingdom and Hong Kong: An International Comparison of Longitudinal Cohort Study Data. 2021 , 109, 563-576	0
440	Psychometric properties of the Persian version of the Physical Activity Scale for the Elderly (PASE). 2021 , 21, 383	1
439	Dietary patterns and risk of developing knee osteoarthritis: data from the osteoarthritis initiative. 2021 , 29, 834-840	1
438	Acute and Chronic Effects of Low-Volume High-Intensity Interval Training Compared to Moderate-Intensity Continuous Training on Glycemic Control and Body Composition in Older Women with Type 2 Diabetes. 2021 , 1, 72-87	2
437	Validity and reliability of Turkish version of the Recent Physical Activity Questionnaire. 2021 , 46, 742-755	
436	Clustering of Unhealthy Behaviors: Protocol for a Multiple Behavior Analysis of Data From the Canadian Longitudinal Study on Aging. 2021 , 10, e24887	
435	Towards OPTimal Timing and Method for promoting sUstained adherence to lifestyle and body weight recommendations in postMenopausal breast cancer survivors (the OPTIMUM-study): protocol for a longitudinal mixed-method study. 2021 , 21, 268	0
434	COVEPIC (Cognitive and spOrt Virtual EPIC training) investigating the effects of home-based physical exercise and cognitive training on cognitive and physical functions in community-dwelling older adults: study protocol of a randomized single-blinded clinical trial. 2021 , 22, 505	2
433	Lipid and metabolite correlation networks specific to clinical and biochemical covariate show differences associated with sexual dimorphism in a cohort of nonagenarians. 2021 , 1	0
432	Sleep quality and physical activity level of community dwelling older adults in Lagos State: A cross-sectional study. 2021 , 20, 1-7	
431	Multiplatform metabolomics for an integrative exploration of metabolic syndrome in older men. 2021 , 69, 103440	3
430	A Comparison of Different Frailty Scores and Impact of Frailty on Outcome in Patients With Cirrhosis.. 2022 , 12, 398-408	1
429	Reliability of the Thai version of the International Physical Activity Questionnaire Short Form in chronic obstructive pulmonary disease. 2021 , 27, 55-59	0
428	Longitudinal association of built environment pattern with DXA-derived body fat in elderly Hong Kong Chinese: a latent profile analysis. 2021 , 45, 2629-2637	

427	The predictors of the pulmonary function in community-dwelling older adults.	
426	The Gender-Specific Relationship between Nutritional Status, Physical Activity and Functional Mobility in Irish Community-Dwelling Older Adults. 2021 , 18,	
425	The combined effect of behavioural risk factors on disability in aging adults from the Canadian Longitudinal Study on Aging (CLSA). 2021 , 149, 106609	3
424	Impact of relative muscle power on hospitalization and all-cause mortality in older adults. 2021 ,	3
423	The higher, the better: Cognitive reserve contributes to lifestyle activities in older age. 2021 , 1-8	
422	Social engagement and allostatic load mediate between adverse childhood experiences and multimorbidity in mid to late adulthood: the Canadian Longitudinal Study on Aging. 1-11	4
421	Epigenetic age is associated with baseline and 3-year change in frailty in the Canadian Longitudinal Study on Aging. 2021 , 13, 163	2
420	The relationship between insomnia symptoms and frailty in community-dwelling older persons: a path analysis. 2021 , 84, 237-243	2
419	Transitions Between Frailty States and Its Predictors in a Cohort of Community-Dwelling Spaniards. 2021 ,	0
418	Relationships between physical activity, social isolation, and depression among older adults during COVID-19: A path analysis. 2021 , 42, 1240-1244	3
417	Associations between the composition of functional tooth units and nutrient intake in older men: the Concord Health and Ageing in Men Project. 2021 , 24, 6335-6345	
416	Validity of measures for life space mobility and physical activity in older adults with lower-limb amputation. 2021 , 45, 428-433	0
415	The intersectional impact of sex and social factors on subjective health: analysis of the Canadian longitudinal study on aging (CLSA). 2021 , 21, 473	1
414	Cross-Cultural Adaptation and Validation of Nigerian (Igbo) Version of the Physical Activity Scale for the Elderly. 2020 , 29, 553-561	3
413	Feasibility of a 26-Week Exercise Program to Improve Brain Health in Older Adults at Risk for Type 2 Diabetes: A Pilot Study. 2021 , 45, 546-552	0
412	Efficacy of the Motivational Interviewing-Walk Intervention for Chemotherapy-Induced Peripheral Neuropathy and Quality of Life During Oxaliplatin Treatment: A Pilot Randomized Controlled Trial. 2021 ,	1
411	Frailty and Adverse Outcomes Among Older Patients Undergoing Gastroenterological Surgery in Vietnam. 2021 , 14, 2695-2703	0
410	Mild cognitive impairment, dementia and risk of mortality in essential tremor: A longitudinal prospective study of elders. 2021 , 428, 117563	1

409	Erosive Hand Osteoarthritis: Incidence and Predictive Characteristics Among Participants in the Osteoarthritis Initiative. 2021 , 73, 2015-2024	3
408	Low-volume walking HIIT: Efficient strategy to improve physical capacity and reduce the risk of cardiovascular disease in older women with type 2 diabetes. 2021 , 15, 102233	2
407	Associations between a composite score of hemoglobin, CRP and albumin and physical performance in older patients undergoing gastrointestinal cancer surgery. 2021 , 46, 330-335	
406	Dancing Against falls IN Community-dwelling older adults (DANCE): a study protocol of a stratified, block-randomised trial. 2021 ,	
405	Association of Physical Activity and Poor Health Outcomes in Patients With Advanced CKD. 2021 , 78, 391-398	6
404	Executive functioning predicts discrepancies between objective and self-reported physical activity in older adults: a pilot study. 2021 , 1-11	
403	Serum Amino Acids Patterns and 4-Year Sarcopenia Risk in Community-Dwelling Chinese Older Adults. 2021 , 1-10	0
402	The association between vitamin K and medial tibial-femoral knee osteoarthritis progression: Data from the osteoarthritis initiative. 2021 , 3, 100172	
401	Inflammatory markers are associated with quality of life, physical activity, and gait speed but not sarcopenia in aged men (40-79 years). 2021 ,	3
400	Nonparametric parameters of 24-hour rest-activity rhythms and long-term cognitive decline and incident cognitive impairment in older men. 2021 ,	2
399	Prospective associations of chronic and intrusive pain with sarcopenia and physical disability amongst older Australian men: The Concord Health and Ageing in Men Project. 2021 , 153, 111501	1
398	Validation of an Adapted Questionnaire for Outdoor Walking Among Older Adults: The CHAMPS-OUTDOORS. 2021 , 29, 843-851	1
397	Healthy dietary intake moderates the effects of age on brain iron concentration and working memory performance. 2021 , 106, 183-196	2
396	Association of green space with bone mineral density change and incident fracture in elderly Hong Kong Chinese: Mr. OS and Ms. OS study. 2021 , 201, 111547	4
395	Clustering of obesity-related characteristics: A latent class analysis from the Canadian Longitudinal Study on Aging. 2021 , 153, 106739	0
394	Prospective associations of protein intake parameters with muscle strength and physical performance in community-dwelling older men and women from the Quebec NuAge cohort. 2021 , 113, 972-983	3
393	Social Support and Physical Activity in Older Adults: Identifying Predictors Using Data From the Canadian Longitudinal Study on Aging. 2021 , 1-12	1
392	Vitamin B-6 intake is related to physical performance in European older adults: results of the New Dietary Strategies Addressing the Specific Needs of the Elderly Population for Healthy Aging in Europe (NU-AGE) study. 2021 , 113, 781-789	4

391	Physical activity level, fear of falling and quality of life: a comparison between community-dwelling and assisted-living older adults. 2021 , 21, 12	9
390	Certain dietary patterns are associated with GLIM criteria among Chinese community-dwelling older adults: a cross-sectional analysis. 2021 , 10, e69	2
389	Muscular Strength and Quality of Life in Older Adults: The Role of Polymorphism. 2021 , 18,	1
388	Muscles adaptation to aging and training: architectural changes - a randomised trial. 2021 , 21, 48	7
387	Behavioral Mechanisms Explaining Functional Decline. 2014 , 69-85	1
386	Parkinson-Syndrom. 2013 , 207-233	0
385	Walking Speed and Muscle Mass Estimated by the D-Creatine Dilution Method Are Important Components of Sarcopenia Associated With Incident Mobility Disability in Older Men: A Classification and Regression Tree Analysis. 2020 , 21, 1997-2002.e1	12
384	Enhancing physical function in HIV-infected older adults: A randomized controlled clinical trial. 2016 , 35, 563-73	77
383	Higher Fatigue Prospectively Increases the Risk of Falls in Older Men. 2021 , 5, igaa061	5
382	"Lifestyle" interventions for promoting physical activity: a kilocalorie expenditure-based home feasibility study. 1996 , 312, 68-75	11
381	High intensity strength training improves strength and functional performance after stroke. 2000 , 79, 369-76; quiz 391-4	214
380	Accuracy of self-reported health services use and patterns of care among urban older adults. 1999 , 37, 662-70	179
379	Introduction to a Collection of Physical Activity Questionnaires. 1997 , 29, 5-9	241
378	Physical Activity Scale for the Elderly. 1997 , 29, 122-129	1
377	Validation of the PASE in older adults with knee pain and physical disability. 1999 , 31, 627-33	118
376	Assessment of physical activity level in relation to obesity: current evidence and research issues. 1999 , 31, S522-5	72
375	Racial differences in health status and health behaviors of older adults. 1998 , 47, 243-50	28
374	Study to Weigh the Effect of Exercise Training on BONE quality and strength (SWEET BONE) in type 2 diabetes: study protocol for a randomised clinical trial. 2019 , 9, e027429	1

373	Physical Activity Patterns, Assessment and Motivation in Older Adults. 2001 , 13-39	1
372	Low Plasma Vitamin B12 Is Associated With Lower BMD: The Framingham Osteoporosis Study. 2005 , 20, 152-158	117
371	Relative contributions of geographic, socioeconomic, and lifestyle factors to quality of life, frailty, and mortality in elderly. 2010 , 5, e8775	64
370	Mild cognitive impairment predicts institutionalization among older men: a population-based cohort study. 2012 , 7, e46061	32
369	Housework reduces all-cause and cancer mortality in Chinese men. 2013 , 8, e61529	18
368	Lower urinary tract symptoms (LUTS) as a risk factor for depressive symptoms in elderly men: results from a large prospective study in Southern Chinese men. 2013 , 8, e76017	23
367	A prospective cohort study to examine the association between dietary patterns and depressive symptoms in older Chinese people in Hong Kong. 2014 , 9, e105760	25
366	Predicting cognitive function from clinical measures of physical function and health status in older adults. 2015 , 10, e0119075	14
365	Resistance versus Balance Training to Improve Postural Control in Parkinson's Disease: A Randomized Rater Blinded Controlled Study. 2015 , 10, e0140584	35
364	Randomized controlled trial on the effects of a supervised high intensity exercise program in patients with a hematologic malignancy treated with autologous stem cell transplantation: Results from the EXIST study. 2017 , 12, e0181313	38
363	Fear of falling and postural reactivity in patients with glaucoma. 2017 , 12, e0187220	5
362	The Quick Physical Activity Rating (QPAR) scale: A brief assessment of physical activity in older adults with and without cognitive impairment. 2020 , 15, e0241641	9
361	Quantifying cognitive resilience in Alzheimer's Disease: The Alzheimer's Disease Cognitive Resilience Score. 2020 , 15, e0241707	6
360	Relationship between Age Cognitive Decline and Performance of Cognitive Motor Tasks in Seniors. 2015 , 50, 100-111	1
359	Physical Activity and Health-Related Quality of Life Among Community Dwelling Elderly. 2015 , 7, 845-52	55
358	Rate of Force Development as a Predictor of Mobility in Community-dwelling Older Adults. 2021 , 44, 74-81	8
357	Long-Term Efficacy of Treatment Effects After a Kyphosis Exercise and Posture Training Intervention in Older Community-Dwelling Adults: A Cohort Study. 2021 , 44, 127-138	2
356	The Structure of Self-Regulation and Its Psychological and Physical Health Correlates in Older Adults. 2020 , 6,	2

355	A Pilot Study Exploring the Relationship between Short-Term HRV and Self-Rated Health Status among Elderly People. 001-007	1
354	Decisional balance and self-efficacy of physical activity among the elderly in Rasht in 2013 based on the transtheoretical model. 2017 , 9, 4447-4453	8
353	Management of Distal Radial Fractures. 2007 , 89, 2051-2062	75
352	Evaluation of improvement in quality of life and physical activity after total knee arthroplasty in greek elderly women. 2011 , 5, 343-7	33
351	Reduction of Falls and Factors Affecting Falls a Year After Total Knee Arthroplasty in Elderly Patients with Severe Knee Osteoarthritis. 2016 , 10, 522-531	16
350	Developing a Physical Activity Ontology to Support the Interoperability of Physical Activity Data. 2019 , 21, e12776	7
349	Feasibility of In-Home Sensor Monitoring to Detect Mild Cognitive Impairment in Aging Military Veterans: Prospective Observational Study. 2020 , 4, e16371	11
348	Behavior Change Text Messages for Home Exercise Adherence in Knee Osteoarthritis: Randomized Trial. 2020 , 22, e21749	10
347	Effectiveness of a web-based physical activity intervention in patients with knee and/or hip osteoarthritis: randomized controlled trial. 2013 , 15, e257	95
346	Adherence to a web-based physical activity intervention for patients with knee and/or hip osteoarthritis: a mixed method study. 2013 , 15, e223	46
345	An Internet-Based Counseling Intervention With Email Reminders that Promotes Self-Care in Adults With Chronic Heart Failure: Randomized Controlled Trial Protocol. 2014 , 3, e5	15
344	A comparison of tablet computer and paper-based questionnaires in healthy aging research. 2014 , 3, e38	30
343	Change of the Physical Activity Scale for the Elderly (PASE) score after COVID-19 outbreak. 2021 ,	1
342	ACCURACY AND REPEATABILITY OF THE YALE PHYSICAL ACTIVITY SURVEY IN ASSESSING PHYSICAL ACTIVITY OF OLDER ADULTS. 2001 , 93, 163	6
341	Multicentre cluster randomised trial comparing a community group exercise programme and home-based exercise with usual care for people aged 65 years and over in primary care. 2014 , 18, vii-xxvii, 1-105	94
340	Exercise- and strategy-based physiotherapy-delivered intervention for preventing repeat falls in people with Parkinson's: the PDSAFE RCT. 2019 , 23, 1-150	20
339	Exercise or manual physiotherapy compared with a single session of physiotherapy for osteoporotic vertebral fracture: three-arm PROVE RCT. 2019 , 23, 1-318	5
338	Optimal primary care management of clinical osteoarthritis and joint pain in older people: a mixed-methods programme of systematic reviews, observational and qualitative studies, and randomised controlled trials. 2018 , 6, 1-260	5

337	Randomised controlled trial with economic and process evaluations of domiciliary welfare rights advice for socioeconomically disadvantaged older people recruited via primary health care (the Do-Well study). 2019 , 7, 1-228	1
336	Risk of Knee Osteoarthritis Over 24 Months in Individuals Who Decrease Walking Speed During a 12-Month Period: Data from the Osteoarthritis Initiative. 2017 , 44, 1265-1270	12
335	FRLE : une étude québécoise sur la fragilité. 2013 , 177	3
334	Comparison of body composition, handgrip strength, functional capacity, and physical activity in elderly Koreans and Korean immigrants. 2009 , 2, 20-9	10
333	Testing a theory-based mobility monitoring protocol using in-home sensors: a feasibility study. 2013 , 6, 253-63	19
332	The Relationship Between Reminiscence Functions, Optimism, Depressive Symptoms, Physical Activity, and Pain in Older Adults. 2016 , 9, 223-31	8
331	The Isfahan Comprehensive Elderly Study: Objectives, research design, methodology, and preliminary results. 2017 , 22, 85	3
330	Comparison of self-reported and accelerometer-assessed measurements of physical activity according to socio-demographic characteristics in Korean adults. 2018 , 40, e2018060	4
329	Comparison Between Korean Version of Physical Activity Scale for the Elderly and International Physical Activity Questionnaire-Short Form in Evaluation of Frailty Phenotype. 2017 , 21, 101-107	9
328	Profiling users and non-users of senior services. 2013 , 02, 144-153	1
327	Transfemoral aortic valve replacement with the repositionable Lotus Valve System in high surgical risk patients: the REPRISE I study. 2014 , 9, 1264-70	106
326	Factors that may influence the classification of sleep-wake by wrist actigraphy: the MrOS Sleep Study. 2011 , 7, 357-67	71
325	Periodic leg movements are associated with reduced sleep quality in older men: the MrOS Sleep Study. 2013 , 9, 1109-17	25
324	Frailty Prevalence in the COMPASS-ND Study of Neurodegenerative Disorders. 2019 , 22, 205-212	4
323	The Prevalence of Self-Reported Sleep Problems and Some Factors Affecting It Among the Elderly in Amirkola. 2017 , In Press,	0
322	Korean Version of the Outcome Expectations for Exercise Scale-2: Validation Study. 2012 , 24, 580-587	5
321	Association between objectively measured habitual physical activity levels and mobility limitation: A cross-sectional study of community-dwelling older Japanese women. 2014 , 3, 131-137	2
320	Study protocol and overview of the Kasama Study: Creating a comprehensive, community-based system for preventive nursing care and supporting successful aging. 2017 , 6, 49-57	11

319	Relationship between physical and cognitive performance in community dwelling, ethnically diverse older adults: a cross-sectional study. 2019 , 7, e6159	2
318	Predicting Decisional Determinants of Physical Activity Among Older Adults: An Integrated Behavior Approach. 2021 , 8982643211049079	0
317	Questions to Measure Enjoyment of and Satisfaction With Physical Activity: Are They Appropriate for Use in an Older Population?. 2021 , 5, igab041	0
316	Patterns of physical activity and their relationship with depression among community-dwelling older adults in Shanghai, China: a latent class approach. 2021 , 21, 587	2
315	A Mediterranean lifestyle and frailty incidence in older adults: the Seniors-ENRICA-1 cohort. 2021 ,	0
314	Cognitive frailty is a robust predictor of falls, injuries, and disability among community-dwelling older adults. 2021 , 21, 593	5
313	Adherence to Mediterranean diet and its associations with circulating cytokines, musculoskeletal health and incident falls in community-dwelling older men: The Concord Health and Ageing in Men Project. 2021 , 40, 5753-5763	1
312	Sport, physical activity and social health in older adults. Caring with technology in the COVID-19 pandemic. 101269022110456	0
311	Change in Physical Activity and Function in Patients with Baseline Advanced Nondialysis CKD. 2021 ,	1
310	Test-retest reliability of physical activity questionnaires in Parkinson's disease. 2021 , 21, 399	0
309	Mind the gaps: functional networks disrupted by white matter hyperintensities are associated with greater falls risk. 2021 , 109, 166-175	0
308	Prvention von Behinderung im Alter. 2000 , 39-45	
307	Exercise and Quality of Life in COPD. 2010 , 4119-4131	0
306	Physical Activity, Physical Function and Fall and Fracture Risk in Older Men. 2010 , 375-384	
305	Plasma very long-chain n-3 polyunsaturated fatty acids and age-related hearing loss in older adults.	
304	Physical Exercise for Osteoarthritis of the Knee. 2011 , 503-517	
303	The Korean Physical Activity Questionnaire for Elderly (PAQE): Development and Evaluation of Validity and Reliability. 2012 , 16, 55-65	1
302	Physical activity, perceived self-efficacy and the quality of life in older adults. 2012 , 13, 262-267	

- 301 Chinese Tea and Telomere Length in Elderly Chinese Men. **2013**, 1117-1127
- 300 Construction of a Physical Activity Model for the Elderly. **2013**, 30, 27-39
- 299 Erfassung körperlicher Aktivität - Ein Überblick über Anspruch und Realität einer validen Messung. **2014**, 97-124
- 298 Closed Re-reduction: Is It an Alternative. **2014**, 121-128
- 297 Descrição e construção do questionário senior de atividades físicas para idosos (QSAP). **1998**, 4, 45-64 2
- 296 Parkinson-Syndrom. **2015**, 77-102 2
- 295 Measurement Properties of Physical Activity Questionnaires Used in Studies Involving Populations with Diabetes: A Systematic Review. **2015**, 17, 25-47
- 294 Predictors of Maintenance of Physical Activity among Hypertensive Older Adults in Korea. **2015**, 22, 228-235
- 293 Determining the Development of Insulin Resistance in Older Adults of the NuAge cohort Using Trajectory Modeling of the Homeostatic Model Assessment of Insulin Resistance Score. **2016**, 3, 1-8
- 292 Effects of Depression, and Physical Activity on Fatigue among Elderly with Chronic Disease. **2016**, 17, 260-268 1
- 291 Multi-view Approach to Parkinson's Disease Quality of Life Data Analysis. **2017**, 163-178 2
- 290 The Effects of Aquatic Group Exercise on Body Composition and Mental Health of Elderly Women. **2017**, 12, 103-112 1
- 289 Factors Affecting the Physical Activity of Older Adults in the Community. **2017**, 19, 154-163 3
- 288 Affecting Factors of Physical Activity among Elderly Patients with Type 2 Diabetes. **2017**, 29, 1331-1342 0
- 287 Visualization and Analysis of Parkinson's Disease Status and Therapy Patterns. **2018**, 466-479
- 286 Physical Activity and Subjective Wellbeing. **2018**, 275-291 1
- 285 Validation of the Korean Version of the Engagement Meaningful Activity Survey. **2018**, 73, 79-105 1
- 284 SENYVO AMIAUS MOTERIZINIO AKTYVUMO, GYVENIMO KOKYBĖ IR SUBJEKTYVIOS GEROVĖS YPATUMAI BEI SĖAJOS. **2018**, 28, 18-24

- 283 The validity and reliability of the Turkish version of the Physical Activity Scale for Individuals with Physical Disabilities (PASIPD). **2019**, 49, 1620-1625 1
- 282 Acute Effect of Post-Resistance Exercise Milk-Based Supplement on Substrate Oxidation and Fat Mobilization in Older Men: A Pilot Study. **2019**,
- 281 Reminiscence About Physical Activity: A Pilot Study to Reduce Pain in Older Adults. **2019**, 12, 193-202
- 280 Introducing an Online Measurement System Using Item Response Theory and Computer Adaptive Testing Methods for Measuring the Physical Activity of Community-Dwelling Frail Older Adults. **2019**, 26, 106-114 1
- 279 Feasibility of In-Home Sensor Monitoring to Detect Mild Cognitive Impairment in Aging Military Veterans: Prospective Observational Study (Preprint).
- 278 Predictors of multimorbidity among the Kurdish population living in the Northwest of Iran.
- 277 Physical activity and sedentary behaviour of ambulatory older adults in a developed Asian community: a cross-sectional study. **2020**, 61, 266-271 5
- 276 Validity and reliability of the 12-item Berg Balance Scale in an Italian population with Parkinson's disease: A cross sectional study. **2020**, 78, 419-423 2
- 275 Sleep Disturbance Trajectories in Osteoarthritis. **2021**, 27, e440-e445 1
- 274 Unravelling the Mysteries of the Human Brain (Vol. 24, No. 8, Full Issue). **2020**, 24,
- 273 Capabilities for Physical Activity by Turkish- and Russian-Speaking Immigrants Aged 65 Years and Older in Germany: A Qualitative Study. **2020**, 1-13 0
- 272 Pain management, activities of daily living and the assessment of the WHOQOL-OLD module: results of a cross-sectional analysis of a cohort of older men with oncological diagnoses. 1-9 0
- 271 Cognitive Function and the Relationship With Health Literacy and Secondary Prevention in Patients With Acute Coronary Syndrome at Early Discharge. **2021**, Publish Ahead of Print,
- 270 Life-space Mobility in Older Men: The Role of Perceived Physical and Mental Fatigability. **2021**, 0
- 269 Adaptation of reach action to a novel force-field is not predicted by acuity of dynamic proprioception in either older or younger adults. **2021**, 239, 557-574 2
- 268 Towards biomarkers for outcomes after pancreatic ductal adenocarcinoma and ischaemic stroke, with focus on (co)-morbidity and ageing/cellular senescence (SASKit): protocol for a prospective cohort study. **2020**, 10, e039560 1
- 267 Cross-Cultural Adaptation and Psychometric Evaluation of the Community Healthy Activities Model Program for Seniors Physical Activity Questionnaire in Chinese Older Adults. **2020**, 1-10
- 266 Patient-reported outcome measures for life participation in peritoneal dialysis: a systematic review. **2021**, 36, 890-901 4

265	Neuromuscular exercise for chronic musculoskeletal pain in older people: a randomised controlled trial in primary care in Hong Kong. 2021 , 71, e226-e236	0
264	Ageing men with insufficient vitamin D have a higher mortality risk: no added value of its free fractions or active form. 2021 ,	0
263	Egg protein supplementation improved upper body muscle strength and protein intake in community-dwelling older adult females who attended congregate meal sites or adult learning centers: A pilot randomized controlled trial. 2021 , 2601060211051592	
262	Dietary acrylamide and physical performance tests: A cross-sectional analysis. 2021 , 16, e0259320	0
261	Leisure sedentary time and physical activity are higher in neighbourhoods with denser greenness and better built environments: An analysis of the Canadian Longitudinal Study on Aging. 2021 ,	0
260	Disturbances in branched-chain amino acid profile and poor daily functioning in mildly depressed chronic obstructive pulmonary disease patients. 2021 , 21, 351	
259	Combined effect of daily physical activity and social relationships on sleep disorder among older adults: cross-sectional and longitudinal study based on data from the Kasama study. 2021 , 21, 623	0
258	Adaptation of reach action to a novel force-field is not predicted by acuity of dynamic proprioception in either older or younger adults.	2
257	Is Ratio of Omega-3/Omega-6 Fatty Acids Intake Related with the Level of Omega-3 in the Membrane of Erythrocyte among Institutionalized Elderly?. 2020 , 19, 388-392	
256	MIND diet associated with later onset of Parkinson's disease.	
255	Outpatient physiotherapy versus home-based rehabilitation for patients at risk of poor outcomes after knee arthroplasty: CORKA RCT. 2020 , 24, 1-116	4
254	Validation of a physical activity questionnaire in the elderly. 1996 , 74, 528-533	
253	Health risk appraisal in older people 1: are older people living alone an "at-risk" group?. 2007 , 57, 271-6	175
252	Screening for cognitive impairment in older adults attending an eye clinic. 2005 , 97, 808-14	12
251	Health benefits of Tai Chi for older patients with type 2 diabetes: the "Move It For Diabetes study"--a randomized controlled trial. 2007 , 2, 429-39	38
250	Skeletal muscle strength and endurance in recipients of lung transplants. 2008 , 19, 84-93	10
249	The prediction of physical activity intention and behavior in elderly male residents of a nursing home: a comparison of two behavioral theories. 2012 , 37, 23-31	10
248	Self-efficacy and social support as mediators between culturally specific dance and lifestyle physical activity. 2008 , 22, 192-204	8

247	Disparities in the prevalence of diabetes: is it race/ethnicity or socioeconomic status? Results from the Boston Area Community Health (BACH) survey. 2009 , 19, 288-92	85
246	Influence of lifestyle factors on quantitative heel ultrasound measurements in middle-aged and elderly men. 2010 , 86, 211-9	1
245	Fall Risk is Not Black and White. 2015 , 8, 72-84	4
244	FIT & STRONG! PLUS: DESCRIPTIVE DEMOGRAPHIC AND RISK CHARACTERISTICS IN A COMPARATIVE EFFECTIVENESS TRIAL FOR OLDER AFRICAN-AMERICAN ADULTS WITH OSTEOARTHRITIS. 2018 , 7, 9-16	3
243	Association between body fat and bone mineral density in non-obese post-menopausal women over 60 years old. 2021 , 12, 200-206	1
242	Linking physical activity with clinical, functional, and structural outcomes: an evidence map using the Osteoarthritis Initiative. 2021 , 1	0
241	Motor and Non-motor Symptoms Associated With Exercise Behavior in Parkinson's Disease Patients: Factors Differ Between Patients With and Without Postural Instability.. 2021 , 12, 772391	1
240	Prevalence of low muscle mass and associated factors in community-dwelling older adults in Singapore. 2021 , 11, 23071	1
239	Associations between dietary intake of total protein and sources of protein (plant vs. animal) and risk of all-cause and cause-specific mortality in older Australian men: The Concord Health and Ageing in Men Project. 2021 ,	2
238	Social isolation due to COVID-19: impact on loneliness, sedentary behavior, and falls in older adults. 2021 , 1-8	0
237	The Sport Facilitators in Later Life Scale (SFLLS): Preliminary evidence of reliability and validity. 1-24	0
236	Multidimensional Frailty Predicts Mortality Better than Physical Frailty in Community-Dwelling Older People: A Five-Year Longitudinal Cohort Study. 2021 , 18,	2
235	Relationship Between Personality Measures and Perceived Mental Fatigability. 2021 , 8982643211055032	
234	Knee symptom but not radiographic knee osteoarthritis increases the risk of falls and fractures: results from the Osteoarthritis Initiative. 2021 ,	0
233	Physical activity and depressive symptoms among community-dwelling older adults in the COVID-19 pandemic era: A three-wave cross-lagged study.. 2022 , 70, 102793	0
232	Increased urban greenness associated with improved mental health among middle-aged and older adults of the Canadian Longitudinal Study on Aging (CLSA).. 2021 , 112587	4
231	FIT & STRONG! PLUS: DESCRIPTIVE DEMOGRAPHIC AND RISK CHARACTERISTICS IN A COMPARATIVE EFFECTIVENESS TRIAL FOR OLDER AFRICAN-AMERICAN ADULTS WITH OSTEOARTHRITIS. 2018 , 7, 1-8	3
230	Effect of a postoperative home-based exercise and self-management programme on physical function in people with lung cancer (CAPACITY): protocol for a randomised controlled trial.. 2022 , 9,	

229	Higher fruit and vegetable variety associated with lower risk of cognitive impairment in Chinese community-dwelling older men: a 4-year cohort study.. 2022 , 1	1
228	Skeletal muscle transcriptome response to a bout of endurance exercise in physically active and sedentary older adults.. 2022 ,	3
227	Long-term Effect of Regular Physical Activity and Exercise Habits in Patients With Early Parkinson Disease.. 2022 ,	8
226	Actigraphy-Derived Sleep Health Profiles and Mortality in Older Men and Women.. 2022 ,	1
225	Genetically identical twins show comparable tau PET load and spatial distribution.. 2022 ,	1
224	Factor analysis to determine relative contributions of strength, physical performance, body composition and muscle mass to disability and mobility disability outcomes in older men.. 2022 , 111714	0
223	Functional status of community-dwelling older adults after inpatient rehabilitation. 2022 , 29, 1-12	
222	Association between socio-ecological factors and leisure time physical activity (LTPA) among older adults in Sichuan, China: a structural equation modeling analysis.. 2022 , 22, 60	2
221	Epigenetic Age Acceleration and Change in Frailty in MOBILIZE Boston.. 2022 ,	1
220	Prospective Associations between Physical Activity and Perceived Fatigability in Older Men: Differences by Activity Type and Baseline Marital Status.. 2022 ,	0
219	Dietary Patterns and Intrinsic Capacity in Community-Dwelling Older Adults: A Cross-Sectional Study.. 2022 , 26, 174-182	1
218	Excessive alcohol consumption and the risk of knee osteoarthritis: a prospective study from the Osteoarthritis Initiative.. 2022 ,	0
217	Associations between lung function and physical and cognitive health in the Canadian Longitudinal Study on Aging (CLSA): A cross-sectional study from a multicenter national cohort.. 2022 , 19, e1003909	0
216	Analysis of the associations between the human fecal microbiome and bone density, structure and strength: the MrOS cohort.. 2022 ,	0
215	The Aging, Community and Health Research Unit Community Partnership Program (ACHRU-CPP) for older adults with diabetes and multiple chronic conditions: study protocol for a randomized controlled trial.. 2022 , 22, 99	0
214	Prospective Association of the Portfolio Diet with All-Cause and Cause-Specific Mortality Risk in the Mr. OS and Ms. OS Study.. 2021 , 13,	0
213	Sixteen weeks of aerobic exercise does not alter resting-state connectivity of the precuneus in patients with Alzheimer's disease.. 2022 ,	
212	The medium-term consequences of COVID-19 lockdown on lifestyle among Spanish older people with hypertension, pulmonary, cardiovascular, and musculoskeletal-diseases, depression, and cancer.. 2022 , e2022026	

211	Comparison of Different Physical Activity Measures in a Cardiac Rehabilitation Program: A Prospective Study.. 2022 , 22,	
210	Iterative Development and Applicability of a Tablet-Based e-Coach for Older Adults in Rehabilitation Units to Improve Nutrition and Physical Activity: Usability Study.. 2022 , 9, e31823	1
209	Questionnaires measuring movement behaviours in adults and older adults: Content description and measurement properties. A systematic review.. 2022 , 17, e0265100	2
208	Age and residential differences in functional fitness of Chinese older women.. 2022 ,	0
207	Changes in dietary total and non-haem iron intake is associated with incident frailty in older men: The Concord Health and Ageing in Men Project.. 2022 ,	
206	Fear of Falling Avoidance Behavior Assessment and Intervention in Parkinsonâ€™ Disease: A Scoping Review. Volume 12, 1-17	0
205	Prospective Associations between Physical Activity and Memory in the Canadian Longitudinal Study on Aging: Examining Social Determinants.. 2022 , 1640275211070001	
204	Association between Sarcopenia and Insulin-Like Growth Factor-1, Myostatin, and Insulin Resistance in Elderly Patients Undergoing Hemodialysis.. 2022 , 2022, 1327332	1
203	Trends in frailty and its associated factors in the community dwelling elderly Indian population during the COVID-19 pandemic: A prospective analytical study. 11, 311	
202	Feasibility of a Home-Based Exercise Program for Managing Posttransplant Metabolic Syndrome in Lung and Liver Transplant Recipients: Protocol for a Pilot Randomized Controlled Trial.. 2022 , 11, e35700	
201	Effects of transcranial direct current stimulation on physical and mental health in older adults with chronic musculoskeletal pain: a randomized controlled trial.. 2022 , 1	0
200	Sarcopenic obesity defined by visceral adiposity was associated with osteoporotic vertebral fracture.. 2022 , 17, 41	1
199	Physical activity in surgical lung cancer patients: a systematic review.. 2022 , 1	0
198	Changes in Apolipoprotein A1 and B, Glucose Metabolism, and Skeletal Muscle Mass in Peripheral Artery Disease after Endovascular Treatment: A Pilot Study.	
197	Associations of components of sarcopenia with risk of fracture in the Osteoporotic Fractures in Men (MrOS) study.. 2022 , 1	0
196	Disseminating education to solid organ transplant recipients to promote engagement in physical activity. 2022 , 1, 100024	
195	Iterative Development and Applicability of a Tablet-Based e-Coach for Older Adults in Rehabilitation Units to Improve Nutrition and Physical Activity: Usability Study (Preprint).	
194	COVID-19 enfeksiyonu geđirmişgeriatrik bireylerde dđne riski, fiziksel aktivite dđzeyi ve hareket etme korkusu.	

- 193 Comparison of intradialytic neuromuscular electrical stimulation and oral nutritional supplements in hemodialysis patients: study protocol for a multicenter, parallel-group, randomized controlled trial in Korea.. **2021**, 22, 942
- 192 Investigation of the Effects of Home-Based Exercise and Cognitive Training on Cognitive and Physical Functions in Cardiac Patients: The COVEPICARDIO Study Protocol of a Randomized Clinical Trial.. **2021**, 8, 740834 1
- 191 Longitudinal Associations between Concurrent Changes in Phenotypic Frailty and Lower Urinary Tract Symptoms among Older Men. 1
- 190 The Association between Severity of Radiographic Knee OA and Recurrent Falls in middle aged and older adults: The Osteoarthritis Initiative.. **2022**, 1
- 189 Nutritional and physical improvements in older adults through the doremi remote coaching approach: a real-world study. **2022**, 0
- 188 Roles of physical activity and diet in cognitive aging: is more better?. **2022**, 1-18
- 187 The effects of social isolation due to COVID-19 on the fear of movement, falling, and physical activity in older people.. **2022**, 0
- 186 The ability of eight frailty instruments to identify adverse outcomes across different settings: the FRAILTOOLS project.. **2022**, 1
- 185 The association of serum sulfur amino acids and related metabolites with incident diabetes: a prospective cohort study.. **2022**, 1 0
- 184 The Medium-Term Changes in Health-Related Behaviours among Spanish Older People Lifestyles during Covid-19 Lockdown.. **2022**, 26, 485-494
- 183 The associations of dietary inflammatory potential with musculoskeletal health in Chinese community-dwelling older people: the Mr/Ms. OS (Hong Kong) cohort study.. **2022**, 0
- 182 Erectile dysfunction predicts mortality in middle-aged and older men independent of their sex steroid status.. **2022**, 51, 1
- 181 Balance on the Brain: a randomised controlled trial evaluating the effect of a multimodal exercise programme on physical performance, falls, quality of life and cognition for people with mild cognitive impairment-study protocol.. **2022**, 12, e054725 1
- 180 Table_1.docx. **2018**,
- 179 Image_1.JPEG. **2018**,
- 178 Image_2.JPEG. **2018**,
- 177 Image_3.JPEG. **2018**,
- 176 Table_1.DOCX. **2018**,

175 Table_2.DOCX. 2018,

174 Table_3.docx. 2018,

173 Table_4.docx. 2018,

172 table_1.DOCX. 2018,

171 Table_1.pdf. 2020,

170 Image_1.JPEG. 2018,

169 Image_2.JPEG. 2018,

168 Image_3.JPEG. 2018,

167 Image_4.JPEG. 2018,

166 Image_5.JPEG. 2018,

165 Image_6.JPEG. 2018,

164 Role of frailty in functional recovery after hip fracture, the variable impact in restoring autonomy.. 2022, 92, e2021387

163 Pre-stroke Physical Activity and Cerebral Collateral Circulation in Ischemic Stroke: A Potential Therapeutic Relationship?. 2022, 13, 804187

162 Social Support, General Self-Efficacy, Fear of Falling, and Physical Activity Among Older Adults in a Middle-Income Country.. 2022, 8, 23337214221097750

161 The Influence of a New Intervention Model of Community-Based Physical Fitness Exercise on the Older Adults' Adherence to Physical Activity and the Improvement of Functional Fitness. 2022, 38, 140-148

160 Physiological Systems in Promoting Frailty.. 2022, 12, 1-46

2

159 A Multilevel Physical Activity Intervention Among Chinese Rural Older Adults (Stay Active While Aging): A Study Protocol for a Clustered Randomized Controlled Trial.. 2022, 10, 760457

0

158 Thiazide use and skeletal microstructure: Results from a multi-ethnic study. 2022, 101589

- 157 Reproductive hormone levels, androgen receptor CAG repeat length and their longitudinal relationships with decline in cognitive subdomains in men: The European Male Ageing Study.. **2022**, 252, 113825 ○
- 156 Associations between sleep patterns, smoking, and alcohol use among older adults in Canada: Insights from the Canadian Longitudinal Study on Aging (CLSA).. **2022**, 132, 107345 ○
- 155 Urban Health at a Glance in Italy by PASSI and PASSI d'Argento Surveillance Systems Data. **2022**, 14, 5931 ○
- 154 Fitness and arterial stiffness in healthy aging: Modifiable cardiovascular risk factors contribute to altered default mode network patterns during executive function. **2022**, 108269 ○
- 153 Association of socioeconomic status measures with physical activity and subsequent frailty in older adults.. **2022**, 22, 439 ○
- 152 Repeat Bone Mineral Density Screening Measurement and Fracture Prediction in Older Men: A Prospective Cohort Study.. **2022**, ○
- 151 Longitudinal study on the progression of muscle status among community-dwelling ambulatory older multiethnic Asians with type 2 diabetes mellitus. **2022**, 22, ○
- 150 Peer-Led Diet and Exercise Intervention in Older Urban Dwelling Veterans with Dysmobility: Protocol for a Pilot Feasibility Clinical Trial (Preprint). ○
- 149 Association of sleep abnormalities in older adults with risk of developing Parkinson's disease. ○
- 148 Decreased Diastolic Blood Pressure and Average Grip Strength in Adults with Type 1 Diabetes Compared to Controls: An Analysis of Data from the Canadian Longitudinal Study on Aging (CLSA). **2022**, ○
- 147 Dynamic functional connectivity patterns associated with dementia risk. **2022**, 14, ○
- 146 Capturing the Features of Physical Activity in Old Adults during the COVID-19 Pandemic: Results of an Italian Survey. **2022**, 19, 6868 ○
- 145 Lower Leg Power and Grip Strength are Associated with Increased Fall Injury Risk in Older Men: the Osteoporotic Fractures in Men (MrOS) Study. ○
- 144 Association of Diet Quality With Longevity and Successful Aging in Israeli Adults 65 Years or Older. **2022**, 5, e2214916 ○
- 143 GER°ATR°K B°REYLERDE POL°FARMAS° VE KARD°YAK R°SK FAKTLER°N°N DENGE, DME VE FONKS°YONEL BA°MSIZLIA ETK°S°N°N °NCELENMES°. ○
- 142 Early Diagnosis of Parkinson's Disease by Analyzing Magnetic Resonance Imaging Brain Scans and Patient Characteristic. **2022**, ○
- 141 The Association of Circulating Amino Acids and Dietary Inflammatory Potential with Muscle Health in Chinese Community-Dwelling Older People. **2022**, 14, 2471 ○
- 140 Muscle Strength and Physical Performance are Associated with Risk of Post Fracture Mortality but not Subsequent Fracture in Men. ○

- 139 Gut Microbiota Markers and Dietary Habits Associated with Extreme Longevity in Healthy Sardinian Centenarians. **2022**, 14, 2436 2
- 138 Physical inactivity is associated with Parkinson's disease mild cognitive impairment and dementia. **2022**, 100461 1
- 137 Physical activity and acute exercise benefit influenza vaccination response: A systematic review with individual participant data meta-analysis. **2022**, 17, e0268625
- 136 Distressing dreams and risk of Parkinson's disease: A population-based cohort study. **2022**, 48, 101474 0
- 135 The relation of pain reduction with prevention of knee replacement under dynamic intervention strategies. 0
- 134 Long Term Physical Activity Improves Quality of Life Perception, Healthy Nutrition, and Daily Life Management in Elderly: A Randomized Controlled Trial. **2022**, 14, 2527 0
- 133 Incidence and Predictors of Physical Inactivity Among Malaysian Community-Dwelling Older Persons. **2022**, 1-12 1
- 132 Increased risk of incident knee osteoarthritis in those with greater work-related physical activity. **2022**, 79, 543-549
- 131 Plataforma de análisis de datos para la caracterización poblacional y la evaluación del riesgo cardiovascular en pacientes del centro-occidente de Colombia. **2022**, 54,
- 130 The clinical significance of binge eating among older adult women: an investigation into health correlates, psychological wellbeing, and quality of life. **2022**, 10,
- 129 Nutrition risk, physical activity and fibre intake are associated with body composition in OA: analysis of the Canadian Longitudinal Study on Aging. e000319 1
- 128 Indoor Built Environment and Older Adults's Activity: A Systematic Review. 1-18 1
- 127 Association of Low Muscle Mass With Cognitive Function During a 3-Year Follow-up Among Adults Aged 65 to 86 Years in the Canadian Longitudinal Study on Aging. **2022**, 5, e2219926 0
- 126 Plant-based diets and risk of frailty in community-dwelling older adults: the Seniors-ENRICA-1 cohort. 0
- 125 Ω polyunsaturated fatty acid supplementation improves postabsorptive and prandial protein metabolism in patients with chronic obstructive pulmonary disease: a randomized clinical trial. 1
- 124 Myelin and Physical Activity in Older Adults with Cerebral Small Vessel Disease and Mild Cognitive Impairment. 0
- 123 The effect of subjective social status on health-related quality of life decline in urban Chinese older adults: a four-year longitudinal study from Hong Kong. **2022**, 22,
- 122 Telomere length among Chinese oldest old.

- 121 Effectiveness of a telehealth physiotherapist-delivered intensive dietary weight loss program combined with exercise in people with knee osteoarthritis and overweight or obesity: study protocol for the POWER randomized controlled trial. **2022**, 23,
- 120 Role of sarcopenia in the frailty transitions in older adults: a population-based cohort study. 1
- 119 Data from the PASSI d'Argento Surveillance System on Difficulties Met by Older Adults in Accessing Health Services in Italy as Major Risk Factor to Health Outcomes. **2022**, 19, 10340
- 118 Exploring cognitive and brain oxygenation changes over a 1-year period in physically active individuals with mild cognitive impairment: a longitudinal fNIRS pilot study. **2022**, 22, 0
- 117 Does Shiftwork Impact Cognitive Performance? Findings from the Canadian Longitudinal Study on Aging (CLSA). **2022**, 19, 10124
- 116 Effectiveness of promotion and support for physical activity maintenance post total hip arthroplasty—study protocol for a pragmatic, assessor-blinded, randomized controlled trial (the PANORAMA trial). **2022**, 23,
- 115 Perceptions of fracture and fall risk and of the benefits and barriers to exercise in adults with diabetes. 0
- 114 A seniors exercise park program for older adults with mild balance dysfunction — feasibility study. 1-12 1
- 113 Evaluation of the correlation between depression and physical activity among older persons with osteoporosis: A cross-sectional study.
- 112 Examining the prevalence and correlates of multimorbidity among community-dwelling older adults: cross-sectional evidence from the Canadian Longitudinal Study on Aging (CLSA) first-follow-up data. **2022**, 51, 0
- 111 Effect of an exercise intervention on global cognition after transient ischemic attack or minor stroke: the MoveIT randomized controlled trial. **2022**, 22, 0
- 110 A Protection Motivation Theory Approach to Understanding How Fear of Falling Affects Physical Activity Determinants in Older Adults. 0
- 109 Rationale, Design, and Baseline Characteristics of the VALIANT (COVID-19 in Older Adults: A Longitudinal Assessment) Cohort. 0
- 108 Do the relationships of physical activity and total sleep time with cognitive function vary by age and biological sex? A cross-sectional analysis of the Canadian Longitudinal Study on Aging. **2022**, 166, 41-49 0
- 107 Effects of Low-Volume High-Intensity Interval Training Compared to Moderate-Intensity Continuous Training on Inflammatory Profile in Women with Type 2 Diabetes. 0
- 106 The Predictive Relationships between Advanced Dynamic Balance and Physical Activity/Quality of Life in Parkinson's Disease. 0
- 105 Mood Lifters for Seniors: Development and Evaluation of an Online, Peer-Led Mental Health Program for Older Adults. **2022**, 8, 233372142211174 0
- 104 A Digital Health Intervention to Stabilize the 24-Hour Rhythm of Sleep, Meals, and Physical Activity for Reducing Depression Among Older Bereaved Spouses: Protocol for a Randomized Controlled Trial. 0

103	Factors Influencing Mobility During the COVID-19 Pandemic in Community-Dwelling Older Adults. 2022,	0
102	Physical activity measurement in older adults: Wearables versus self-report. 4,	1
101	Association of sleep abnormalities in older adults with risk of developing Parkinson's disease.	0
100	Foot Anatomical Structural Variations Increase the Risk of Falls in Older Adults. 2022, 12, 9825	0
99	A 2-year randomized controlled trial with low-dose B-vitamin supplementation shows benefits on bone mineral density in adults with lower B12 status.	0
98	Factors Affecting Physical Activity of People with Knee Osteoarthritis in Southern Taiwan: A Multiple Logistic Regression Analysis. 2022, 2022, 1-7	0
97	Associations of 24-hour Light Exposure and Activity Patterns and Risk of Cognitive Impairment and Decline in Older Men: The MrOS Sleep Study.	0
96	WeWalk: Walking with a buddy after stroke. A pilot study evaluating feasibility and acceptability of a person-centred dyadic behaviour change intervention using qualitative methods.	0
95	Physical activity levels in people with Parkinson's disease treated by subthalamic nucleus deep brain stimulation. 1-6	0
94	Joint Associations of Food Groups with All-Cause and Cause-Specific Mortality in the Mr. OS and Ms. OS Study: A Prospective Cohort. 2022, 14, 3915	1
93	Depressive symptoms anticipate behavioral and emotional factors among older adults: A prospective cross-lagged panel design.	0
92	Six-month intervention with wild blueberries improved speed of processing in mild cognitive decline: a double-blind, placebo-controlled, randomized clinical trial.. 1-15	0
91	Healthcare cost expenditures associated to frailty and sarcopenia. 2022, 22,	1
90	Whole grain consumption and risk of radiographic knee osteoarthritis: a prospective study from the Osteoarthritis Initiative.	0
89	Physical Activity in People with Motor Neuron Disease: Validity of the Physical Activity Scale for the Elderly as a Measuring Tool. 2022,	0
88	Social determinants of memory change: A three-year follow-up of the Canadian Longitudinal Study on Aging (CLSA). 2022, 104830	0
87	Vascular Brain Lesions, Cognitive Reserve, and Their Association with Cognitive Profile in Persons with Early-Stage Cognitive Decline. 2022, 6, 607-616	0
86	Relationship Between Dietary Protein Intake and Gut Microbiome Composition in Community-Dwelling Older Men: Findings from the MrOS Study.	1

85	Usability and Feasibility of a Tablet-Based e-Coach for Older Adults in Rehabilitation Units to Improve Nutrition and Physical Activity: Prospective Pilot study (Preprint).	0
84	The Instrumented Stand and Walk (ISAW) test to predict falls in older men.	0
83	Peripheral sensory nerve function, type 2 diabetes and frailty among men with cardiovascular disease. 2022 , 108337	0
82	Oxylipins Associated with D3-Creatine Muscle Mass/Weight and Physical Performance among Community-Dwelling Older Men. 2022 , 23, 12857	0
81	Hyperkyphosis and mortality risk in older men: The osteoporotic fractures in men study.	0
80	Effects of Whey Protein or Its Hydrolysate Supplements Combined with an Energy-Restricted Diet on Weight Loss: A Randomized Controlled Trial in Older Women. 2022 , 14, 4540	0
79	Significant Features for Human Activity Recognition Using Tri-Axial Accelerometers. 2022 , 22, 7482	1
78	Circulating IL-10 is associated with reduced risk of prostate cancer in a prospective cohort of elderly men: the MrOS Study.	0
77	Profile of Tabriz Older People Health Survey (TOPS-2019): a representative community-based cross-sectional study. 2022 , 12,	0
76	Association of Plant Protein Intake with Change in Physical Performance in Chinese Community-Dwelling Older Adults. 2022 , 14, 4534	0
75	Associations of the skin, oral and gut microbiome with aging, frailty and infection risk reservoirs in older adults. 2022 , 2, 941-955	0
74	The Prevalence of Sarcopenia among Hunan Province Community-Dwelling Adults Aged 60 Years and Older and Its Relationship with Lifestyle: Diagnostic Criteria from the Asian Working Group for Sarcopenia 2019 Update. 2022 , 58, 1562	0
73	Patterns of the physical, cognitive, and mental health status of older individuals in a real-life primary care setting and differences in coping styles. 9,	0
72	Association of Sleep and Physical Activity Among Older Adults and the Moderation of Chronotype. 0091415022,11289	0
71	Cognitive benefit of a multidomain intervention for older adults at risk of cognitive decline: a cluster-randomized controlled trial. 2022 ,	1
70	Neighborhood greenness, but not walkability, is associated with self-rated measures of health in older adults: An analysis of the Canadian Longitudinal Study on Aging. 2022 , 30, 102018	0
69	Comparison of Risk Factors of Falls Between Older Community Dwellers With and Without Fear of Falling.	0
68	Predictors of Maintained Transitions Between Robustness and Prefrailty in Community-dwelling Older Spaniards. 2022 ,	0

67	Association of Physical Activity With Neurofilament Light Chain Trajectories in Autosomal Dominant Frontotemporal Lobar Degeneration Variant Carriers.	o
66	The association between subjectiveâjective discrepancies in sleep duration and mortality in older men. 2022 , 12,	o
65	The Leydig cell biomarker INSL3 as a predictor of age-related morbidity: Findings from the EMAS cohort. 13,	o
64	Physiotherapy post Vertebral Fragility Fracture: A Scoping Review. 2022 ,	o
63	A digital health intervention to stabilize the 24-hour rhythm of sleep, meals, and physical activity for reducing depression among older bereaved spouses: Protocol for a randomized controlled trial. 2022 , 107016	o
62	Association of Physical Activity With Cognitive Function Among Older Adults in Rural Sichuan, China. 2022 , 1-7	o
61	C-reactive protein and muscle-related measures over 14 years in Chinese community-dwelling older adults. 2023 , 106, 104878	o
60	Depressive symptoms anticipate behavioral and emotional factors among older adults: A prospective cross-lagged panel design. 2023 , 3, 100096	o
59	Psychometric Properties of the Turkish Adaptation of the Yale Physical Activity Survey. 2022 , 1-8	o
58	Sleep Problems and Psychological Well-Being: Baseline Findings from the Canadian Longitudinal Study on Aging. 1-11	o
57	The effect of different types of physical activity on cognitive reaction time in older adults in China. 10,	o
56	Assessment Tools of Biopsychosocial Frailty Dimensions in Community-Dwelling Older Adults: A Narrative Review. 2022 , 19, 16050	1
55	Correlation between Mild Cognitive Impairment and Sarcopenia: The Prospective Role of Lipids and Basal Metabolic Rate in the Link. 2022 , 14, 5321	o
54	Modifiable Risk Factors, Health Profile and Well-Being of the Elderly Diagnosed with Cancer in Italy: Passi dâArgento Surveillance System 2016â2019 Results. 2022 , 14, 6185	o
53	Association between Immunosenescence, Mitochondrial Dysfunction and Frailty Syndrome in Older Adults. 2023 , 12, 44	o
52	Trends in frailty and its associated factors in the community dwelling elderly Indian population during the COVID-19 pandemic: A prospective analytical study. 11, 311	o
51	Accumulation in visceral adipose tissue over six years is associated with lower paraspinal muscle density.	o
50	The association between social support and mental health in the elderly with hypertension. 2022 ,	o

- 49 Factors Influencing Physical Activity after Discharge from Hospital for Total Hip Arthroplasty Patients. **2022**, 11, 535-545 ○
- 48 Cardiorespiratory Fitness Moderates the Age-Related Association Between Executive Functioning and Mobility: Evidence from Remote Assessments. ○
- 47 A group-based exercise and behavioural maintenance intervention for adults over 65 years with mobility limitations: the REACT RCT. **2022**, 10, 1-172 ○
- 46 Relationship between Visceral Adipose Tissue and Bone Mineral Density in Older People: Results from AHAP Study. **2022**, ○
- 45 Rationale and Design of the PARTNER Trial: Partnered Rhythmic Rehabilitation for Enhanced Motor-Cognition in Prodromal Alzheimer's Disease. **2022**, 1-15 ○
- 44 Prevalence and associated factors of sarcopenia in community-dwelling older adults at risk of malnutrition. **2022**, 22, ○
- 43 The effect of interactions between BMI and sustained depressive symptoms on knee osteoarthritis over 4 years: data from the osteoarthritis initiative. **2023**, 24, ○
- 42 Gender differences in motor and non-motor symptoms in individuals with mild-moderate Parkinson's disease. **2023**, 18, e0272952 ○
- 41 Mediation of post-stroke function by cognition in the Canadian Longitudinal Study on Aging. 1-29 ○
- 40 The relationship between physical activity, physical health, and mental health among older Chinese adults: A scoping review. 10, ○
- 39 WeWalk: walking with a buddy after stroke's pilot study evaluating feasibility and acceptability of a person-centred dyadic behaviour change intervention. **2023**, 9, ○
- 38 Physical Inactivity, Metabolic Syndrome and Prostate Cancer Diagnosis: Development of a Predicting Nomogram. **2023**, 13, 111 ○
- 37 Changes in cognition and brain function following 26 weeks of progressive resistance training in older adults at risk for diabetes: A pilot randomized controlled trial. **2023**, ○
- 36 Bone microstructure in proton pump inhibitor users. **2023**, 168, 116668 ○
- 35 Empowerment-Based Physical Activity Intervention for People with Advanced Dry Age-Related Macular Degeneration: Mixed-Methods Protocol. **2023**, 20, 643 ○
- 34 Menopause hormone therapy and sarcopenia: the Canadian Longitudinal Study on Aging. **2022**, Publish Ahead of Print, ○
- 33 CANOPTIPHYS study protocol: Optimising PHYSical function before CANcer surgery: effects of pre-operative optimisation on complications and physical function after gastrointestinal cancer surgery in older people at risk's multicentre, randomised, parallel-group study. **2023**, 24, ○
- 32 Functional Aging: Integrating Functionality to a Multidimensional Assessment of Healthy Aging. **2023**, 2023, 1-6 ○

31	Age-related changes in peripheral T-cell subpopulations in elderly individuals: An observational study. 2023 , 18,	○
30	Skeletal Microstructure in Caribbean Hispanic Women.	○
29	Obesity and adverse childhood experiences in relation to stress during the COVID-19 pandemic: an analysis of the Canadian Longitudinal Study on Aging.	1
28	Sarcopenia-defining parameters, but not sarcopenia, are associated with cognitive domains in middle-aged and older European men.	○
27	Pulmonary function is associated with frailty, hospitalization and mortality in older people: 5-year follow-up. 2023 , 59, 88-94	○
26	The predictive relationships between advanced dynamic balance and physical activity/quality of life in Parkinson's disease. 2023 , 89, 103076	○
25	Longitudinal associations of body mass index and abdominal circumference with back pain among community-dwelling adults: data from the Osteoarthritis Initiative. 2023 ,	○
24	Changes in executive function in the Canadian longitudinal study on aging over 3-years: A focus on social determinants of health. 14,	○
23	Age and Marital Status Predict Mild Cognitive Impairment During Acute Coronary Syndrome Admission. Publish Ahead of Print,	○
22	Influence of Coaching on Effectiveness, Participation, and Safety of an Exercise Program for Postmenopausal Women with Osteoporosis: A Randomized Trial. Volume 18, 143-155	○
21	Depressive symptoms and physical activity among community-dwelling perimenopausal women: a prospective longitudinal study. 2023 , 23,	○
20	Association of minimally processed and ultra-processed food daily consumption with obesity in overweight adults: a cross-sectional study. 2023 ,	○
19	Exploring the Key Factors of Old Neighborhood Environment Affecting Physical and Mental Health of the Elderly in Skipped-Generation Household Using an RST-DEMATEL Model. 2023 , 11, 104	○
18	A Telehealth Home-Based Exercise Program for Community-Dwelling Older People with Dementia in Indonesia: A Feasibility Study. 2023 , 20, 3397	○
17	The role of comprehensive geriatric assessment in older patients affected by knee osteoarthritis: a systematic review. 2022 , 8,	○
16	Characteristics of Cognitive Function Changes and Related Factors in Individuals With Cognitive Impairment During the Pandemic of COVID-19: A Retrospective Chart Review Study. 2023 , 20, 109-119	○
15	A randomized controlled trial to test a behavioral sleep intervention to improve insomnia symptoms in older adults with mild cognitive impairment: Multicomponent Behavioral Sleep Intervention (MBSI) protocol. 2023 , 127, 107137	○
14	Determinants of physical activity engagement in older adults.	○

- 13 Effect of Retirement on Life Satisfaction in Canada: Evidence from the 2008â2009 Canadian Community Health SurveyâHealthy Aging. **2023**, 49, 48-75 1
- 12 Frail2Fit study protocol: a feasibility and acceptability study of a virtual multimodal intervention delivered by volunteers to improve functional outcomes in older adults with frailty after discharge from hospital. **2023**, 13, e069533 0
- 11 Advanced hybrid closed loop system use in elderly with type 1 diabetes: Effectiveness and safety in a prospective, observational, 1-year follow-up real-world study. 0
- 10 Determinants of a decline in a nutrition risk measure differ by baseline high nutrition risk status: targeting nutrition risk screening for frailty prevention in the Canadian Longitudinal Study on Aging (CLSA). 0
- 9 Development of a UK core dataset for geriatric medicine research: a position statement and results from a Delphi consensus process. **2023**, 23, 0
- 8 Is Cardiorespiratory Fitness Independently Associated with Fatigue in Patients with Transient Ischemic Attack or Minor Stroke?. **2023**, 13, 561 0
- 7 Contributors to mental health resilience in middle-aged and older adults: an analysis of the Canadian Longitudinal Study on Aging. 1-10 0
- 6 The Hospital to Home study (H2H): smartwatch technology-enabled rehabilitation following hip fracture in older adults, a feasibility non-randomised trial. **2023**, 10, 14-20 0
- 5 Fornix fractional anisotropy mediates the association between Mediterranean diet adherence and memory four years later in older adults without dementia. 0
- 4 Physical activity is low before and during hospitalisation: A secondary observational study in older Australian general medical patients. 0
- 3 Influence of Strenuous Physical Activity and Cardiovascular Fitness on Age-Related Differences in Brain Activations During Varieties of Cognitive Control. **2023**, 0
- 2 Stepped care versus center-based cardiopulmonary rehabilitation for older frail adults living in rural MA: Design of a feasibility randomized controlled trial. **2023**, 101147 0
- 1 Effects of home-based manual dexterity training on cognitive function among older adults: a randomized controlled trial. **2023**, 20, 0