Influence of Tillage on Nitrate Loss in Surface Runoff ar

Soil Science Society of America Journal 57, 797-802 DOI: 10.2136/sssaj1993.03615995005700030028x

Citation Report

#	Article	IF	CITATIONS
1	Integrated Soil, Crop and Water Management System to Abate Herbicide and Nitrate Contamination of the Great Lakes. Water Science and Technology, 1993, 28, 497-507.	2.5	64
2	Nonpoint sources. Water Environment Research, 1994, 66, 585-601.	2.7	3
3	Effects of soil compaction and tillage systems on uptake and losses of nutrients. Soil and Tillage Research, 1995, 35, 37-52.	5.6	174
4	ROLE OF SOIL AND GRASS STRIPS IN REDUCING NITRATE-N POLLUTION IN SUBSURFACE DRAINED FARMLANDS: LYSIMETER RESULTS. Canadian Water Resources Journal, 1997, 22, 351-361.	1.2	1
5	NITRATE-N AND WATER MOVEMENT IN SOIL COLUMNS AS INFLUENCED BY TILLAGE AND CORN RESIDUES. Transactions of the American Society of Agricultural Engineers, 1997, 40, 1001-1012.	0.9	3
6	Effect of controlled drainage and tillage on soil structure and tile drainage nitrate loss at the field scale. Water Science and Technology, 1998, 38, 103.	2.5	37
7	Atrazine and metolachlor residues in brookston Cl following conventional and conservation tillage culture. Chemosphere, 1998, 36, 3199-3210.	8.2	15
8	THE IMPORTANCE OF RAIN EVENTS WITHOUT RUNOFF IN MODELING EROSION AT VARIOUS SPATIAL SCALES. Canadian Water Resources Journal, 1998, 23, 273-288.	1.2	0
9	ALTERNATIVE N FERTILIZER MANAGEMENT STRATEGIES EFFECTS ON SUBSURFACE DRAIN EFFLUENT AND N UPTAKE. Applied Engineering in Agriculture, 1998, 14, 469-473.	0.7	29
10	EFFECT OF CONTROLLED DRAINAGE AND SUBIRRIGATION ON SUBSURFACE TILE DRAINAGE NITRATE LOSS AND CROP YIELD AT THE FARM SCALE. Canadian Water Resources Journal, 1999, 24, 177-186.	1.2	28
11	Microbial Biomass and Activities along an Andosol Profile in Relation to Soil Organic Matter Level Microbes and Environments, 2000, 15, 143-150.	1.6	19
12	Nutrient concentrations in soil solution of some Brazilian Oxisols under conventional and no-tillage systems in the early part of the rainy season. Soil Research, 2000, 38, 851.	1.1	14
13	Best Management Practices for Nonpoint Source Pollution Control. , 2000, , .		7
14	SELECTION OF APPROPRIATE EVAPORATION ESTIMATION TECHNIQUE FOR CONTINUOUS MODELING. Journal of the American Water Resources Association, 2000, 36, 585-594.	2.4	7
15	Nitrate Loss in Subsurface Drainage as Affected by Nitrogen Fertilizer Rate. Journal of Environmental Quality, 2001, 30, 1305-1314.	2.0	309
16	Agricultural contaminants in Quaternary aquitards: A review of occurrence and fate in North America. Hydrogeology Journal, 2001, 9, 44-59.	2.1	83
17	CROPPING SYSTEM EFFECTS ON NO3–N LOSS WITH SUBSURFACE DRAINAGE WATER. Transactions of the American Society of Agricultural Engineers, 2002, 45, .	0.9	66
18	Estimation of symbiotic N2 fixation by a low-level, large-scale 15N application technique. Soil Biology and Biochemistry, 2002, 34, 303-314.	8.8	5

#	Article	IF	CITATIONS
19	Controlled drainage and subirrigation influences tile nitrate loss and corn yields in a sandy loam soil in Southwestern Ontario. Agriculture, Ecosystems and Environment, 2002, 90, 81-88.	5.3	65
20	Water and nitrate loss through tiles under a clay loam soil in Ontario after 42 years of consistent fertilization and crop rotation. Agriculture, Ecosystems and Environment, 2002, 93, 121-130.	5.3	52
21	Responses of soil microbial processes and community structure to tillage events and implications for soil quality. Geoderma, 2003, 114, 305-317.	5.1	244
22	DRAINAGE SYSTEM IMPACTS ON SURFACE RUNOFF, NITRATE LOSS, AND CROP YIELD ON A SOUTHERN ALLUVIAL SOIL. Transactions of the American Society of Agricultural Engineers, 2003, 46, 1531-1537.	0.9	18
23	Tillage Effects on Nitrate Leaching Measured by Pan and Wick Lysimeters. Soil Science Society of America Journal, 2003, 67, 1517-1523.	2.2	20
24	Tile spacing impacts on Zea mays L. yield and drainage water nitrate load. Ecological Engineering, 2004, 23, 251-267.	3.6	38
25	Potential nitrate losses under different agricultural practices in the pampas region, Argentina. Agricultural Water Management, 2004, 65, 83-94.	5.6	44
27	CORN-SOYBEAN AND ALTERNATIVE CROPPING SYSTEMS EFFECTS ON NO3-N LEACHING LOSSES IN SUBSURFACE DRAINAGE WATER. Applied Engineering in Agriculture, 2005, 21, 181-188.	0.7	41
28	Nutrient Leaching in Oxisols Under Native and Managed Vegetation in Brazil. Soil Science Society of America Journal, 2005, 69, 1152-1161.	2.2	23
29	Using automated soil water content measurements to estimate soil water budgets. Canadian Journal of Soil Science, 2006, 86, 47-56.	1.2	20
30	Nitrogen- vs. Phosphorus-based Dairy Manure Applications to Field Crops. Journal of Environmental Quality, 2006, 35, 2302-2312.	2.0	56
31	Ridging in autumn as an alternative to mouldboard ploughing in a humid-temperate region. Soil and Tillage Research, 2006, 85, 27-37.	5.6	7
32	Nitrogen Dynamics and Losses in Directâ€Drilled Maize Systems. Communications in Soil Science and Plant Analysis, 2007, 38, 2045-2059.	1.4	6
33	Residual soil nitrogen indicator for agricultural land in Canada. Canadian Journal of Soil Science, 2007, 87, 167-177.	1.2	37
34	Evaluation of LEACHMN for simulating seasonal changes in plant available nitrogen across a variable landscape. Canadian Journal of Soil Science, 2007, 87, 369-381.	1.2	1
35	Influence of Alternative and Conventional Farming Practices on Subsurface Drainage and Water Quality. Journal of Environmental Quality, 2007, 36, 1194-1204.	2.0	42
36	COMPILATION OF MEASURED NUTRIENT LOAD DATA FOR AGRICULTURAL LAND USES IN THE UNITED STATES1. Journal of the American Water Resources Association, 2007, 42, 1163-1178.	2.4	20
37	Nitrate Losses to Surface Water Through Subsurface, Tile Drainage. , 2008, , 145-175.		43

CITATION REPORT

#	Article	IF	CITATIONS
38	Influence of arbuscular mycorrhizae on soil P dynamics, corn P-nutrition and growth in a ridge-tilled commercial field. Canadian Journal of Soil Science, 2008, 88, 283-294.	1.2	7
39	Application of DRAINMOD-Ks-STMAX to Predict Deep Chiseling Effects on a Drained Southern Alluvial Soil. Applied Engineering in Agriculture, 2008, 24, 193-202.	0.7	0
40	Using a sequential density and particle-size fractionation to evaluate carbon and nitrogen storage in the profile of tilled and no-till soils in eastern Canada. Canadian Journal of Soil Science, 2009, 89, 255-267.	1.2	38
41	Risk of water contamination by nitrogen in Canada as estimated by the IROWC-N model. Journal of Environmental Management, 2009, 90, 3169-3181.	7.8	51
42	Scale effects on runoff and erosion losses from arable land under conservation and conventional tillage: The role of residue cover. Journal of Hydrology, 2010, 390, 143-154.	5.4	89
43	An Initial Assessment of a Wetland-Reservoir Wastewater Treatment and Reuse System Receiving Agricultural Drainage Water in Nova Scotia. , 2010, , .		0
44	Nitrogen Dynamics and Indices to Predict Soil Nitrogen Supply in Humid Temperate Soils. Advances in Agronomy, 2011, 112, 55-102.	5.2	126
45	The Significance of Soil Erosion on Soil Fertility Under Different Tillage Systems and Granitic Sandy Soils in Semi-Arid Zimbabwe: A Comparison of Nutrient Losses Due to Sheet Erosion, Leaching and Plant Uptake. , 0, , .		1
46	An assessment of the nitrate leaching risk for different buffer strip establishments. Bioscience Horizons, 2011, 4, 79-89.	0.6	3
47	Nitrate removal using different carbon substrates in a laboratory model. Water Science and Technology, 2011, 63, 2700-2706.	2.5	11
48	Fate of fertilizer 15N in intensive ridge cultivation with plastic mulching under a monsoon climate. Nutrient Cycling in Agroecosystems, 2013, 95, 57-72.	2.2	38
49	A simple method for quantifying dissolved nitrous oxide in tile drainage water. Canadian Journal of Soil Science, 2013, 93, 59-64.	1.2	13
50	Nutrient Leaching during Establishment of Simulated Residential Landscapes. Journal of Environmental Quality, 2013, 42, 260-270.	2.0	11
51	Distribution and Stability of Organic Carbon in Soil Aggregate External and Internal Layers under Three Different Land-Use Systems. Soil Science Society of America Journal, 2013, 77, 1625-1635.	2.2	8
52	Nitrate leaching from organic and conventional arable crop farms in the Seine Basin (France). Nutrient Cycling in Agroecosystems, 2014, 100, 285-299.	2.2	49
53	Cover crops in the upper midwestern United States: Simulated effect on nitrate leaching with artificial drainage. Journal of Soils and Water Conservation, 2014, 69, 292-305.	1.6	57
54	Long-term tillage and drainage influences on greenhouse gas fluxes from a poorly drained soil of central Ohio. Journal of Soils and Water Conservation, 2014, 69, 553-563.	1.6	21
55	Effects of long-term and recently imposed tillage on the concentration and composition of amino sugars in a clay loam soil in Ontario, Canada. Soil and Tillage Research, 2014, 135, 9-17.	5.6	14

CITATION REPORT

ARTICLE IF CITATIONS # Reducing Nitrogen Loss with Managed Drainage and Polymer-Coated Urea. Journal of Environmental 2.0 10 56 Quality, 2015, 44, 256-264. Mathematical Solutions of the Convection-Dispersion Equation. Agronomy, 0, , 361-403. 0.2 58 Nitrogen Management for Improved Use Efficiency. Agronomy, 2015, , 675-693. 0.2 21 Vertical tillage impacts on water quality derived from rainfall simulations. Soil and Tillage Research, 59 2015, 153, 155-160. The MANAGE Drain Load database: Review and compilation of more than fifty years of North American 60 5.6 44 drainage nutrient studies. Agricultural Water Management, 2015, 159, 277-289. Modeling the impacts of tillage practices on water table depth, drain outflow and nitrogen losses using DRAINMOD. Computers and Electronics in Agriculture, 2016, 124, 73-83. Earthworm population dynamics as a consequence of long-term and recently imposed tillage in a clay 62 1.2 0 loam soil. Canadian Journal of Soil Science, 0, , . Surface and Subsurface Transport of Nitrate Loss from the Selected Bioenergy Crop Fields: Systematic 3.1 10 Review, Analysis and Future Directions. Agriculture (Switzerland), 2017, 7, 27 Longâ€term Cropping Effects on Partitioning of Water Flow and Nitrate Loss between Surface Runoff 64 2.0 22 and Tile Drainage. Journal of Environmental Quality, 2018, 47, 820-829. Analysis of the MANAGE Drain Concentration Database to Evaluate Agricultural Management Effects 1.1 on Drainage Water Nutrient Concentrations. Transactions of the ASABE, 2019, 62, 929-939. Brachiaria species influence nitrate transport in soil by modifying soil structure with their root 66 3.3 53 system. Scientific Reports, 2020, 10, 5072. Nitrate Losses to Surface Water through Subsurface, Tile Drainage., 2001, , 95-122. 68 38 Soil and landscape attributes interpret subsurface drainage clusters. Soil Research, 2008, 46, 735. 69 1.1 5 COMPILATION OF MEASURED NUTRIENT LOAD DATA FOR AGRICULTURAL LAND USES IN THE UNITED STATES. Journal of the American Water Resources Association, 2006, 42, 1163-1178. 71 Nitrogen Management to Protect Water Resources. Agronomy, 0, , 911-945. 0.2 15 Reducing Nitrogen Loss in Subsurface Tile Drainage Water with Managed Drainage and Polymer-Coated Urea in a River Bottom Soil. Journal of Water Resource and Protection, 2014, 06, 988-997. The outlook for 2010: Big crops, big demands., 0, , . 73 0 Degradation of groundwater quality of quaternary aquifer at Qena, Egypt. Journal of Environmental 74 0.1 Studies, 2009, 1, 19-32.

CITATION REPORT

	CHAI	ATION REPORT		
#	Article	IF	CITATIONS	
75	Rate of Leaching of Organic and Inorganic Compounds in Tilled and Orchard Soils. , 2016, , 131-148.		0	
78	Patterns of long-term variations of nitrate concentration – Stream discharge relationships for a drained agricultural watershed in Mid-western USA. Journal of Hydrology, 2022, 614, 128479.	5.4	3	
80	Response of nitrate leaching to noâ€ŧillage is dependent on soil, climate, and management factors: A global metaâ€analysis. Global Change Biology, 2023, 29, 2172-2187.	9.5	4	
81	Distinct soil health indicators are associated with variation in maize yield and tile drain nitrate losses. Soil Science Society of America Journal, 2023, 87, 1332-1347.	2.2	0	

D