

CITATION REPORT

List of articles citing

The European Organization for Research and Treatment of Cancer QLQ-C30: a quality-of-life instrument for use in international clinical trials in oncology

DOI: 10.1093/jnci/85.5.365

Journal of the National Cancer Institute, 1993, 85, 365-76.

Source: <https://exaly.com/paper-pdf/24070605/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2224	Role of neuropsychological assessment in cancer patients. 33-43		3
2223	Neuropsychological assessment of adults with cancer. 44-55		2
2222	.		
2221	.		
2220	.		1
2219	Measuring patient-reported outcomes in advanced gastric cancer. 2013 , 7, 351		6
2218	A dedicated website for cancer subjects, the nutritional support study: preliminary results. 2011 , 5, 228		4
2217	Information perception, wishes, and satisfaction in ambulatory cancer patients under active treatment: patient-reported outcomes with QLQ-INFO25. 2014 , 8, 425		12
2216	A validation study of the domains of the core EORTC quality of life questionnaire. 1993 , 2, 319-25		126
2215	Critical review of the international assessments of health-related quality of life. 1993 , 2, 369-95		236
2214	Developing and evaluating cross-cultural instruments from minimum requirements to optimal models. 1993 , 2, 451-9		337
2213	The European Organization for Research and Treatment of Cancer. Approach to quality of life assessment: guidelines for developing questionnaire modules. EORTC Study Group on Quality of Life. 1993 , 2, 287-95		336
2212	The impact of generalized malignant melanoma on quality of life evaluated by the EORTC questionnaire technique. 1993 , 2, 193-203		73
2211	Tamoxifen: a review of pharmacoeconomic and quality-of-life considerations for its use as adjuvant therapy in women with breast cancer. 1993 , 4, 40-66		12
2210	Quality of life measurement in palliative care: philosophy, science or pontification?. 1993 , 1, 6-10		3
2209	Quality of Life Assessment across Cultures. 1994 , 23, 5-27		83
2208	Quality-of-life assessment in unselected oncologic out-patients - a pilot-study. 1994 , 4, 1393-7		4

2207	A comparison of two measures of quality of life: their sensitivity and validity for patients with advanced cancer. 1994 , 8, 282-90	41
2206	Bladder preservation after treatment of invasive bladder cancer. 1994 , 330, 867; author reply 867-8	1
2205	Psychometric properties and responsiveness of the EORTC quality of Life Questionnaire (QLQ-C30) in patients with breast, ovarian and lung cancer. 1994 , 3, 353-64	311
2204	Quality of life of cancer patients with different prognoses. 1994 , 3, 143-54	40
2203	Colorectal cancer screening and quality of life. 1994 , 3, 191-8	39
2202	The Karnofsky Performance Status Scale re-examined: a cross-validation with the EORTC-C30. 1994 , 3, 413-24	93
2201	Quality of life questionnaires in cancer clinical trials: Imputing missing values. 1994 , 3, 215-222	26
2200	Measurement of quality of life in patients with lung cancer in multicenter trials of new therapies. Psychometric assessment of the Lung Cancer Symptom Scale. 1994 , 73, 2087-98	187
2199	Quality of life and the patient with cancer. Individual and policy implications. 1994 , 74, 1445-52	88
2198	Quality of life in patients treated for head and neck cancer: a follow-up study 7 to 11 years after radiotherapy. 1994 , 28, 847-56	254
2197	Evaluation of bone disease in breast cancer. 1994 , 3, 73-78	23
2196	Quality of life assessment in clinical cancer research. 1994 , 70, 1-5	86
2195	The health diary: an examination of its use as a data collection method. 1994 , 19, 782-91	74
2194	Sexuality in patients treated for penile cancer: patients' experience and doctors' judgement. 1994 , 73, 554-60	90
2193	Quality of life in patients treated for penile cancer. A follow-up study. 1994 , 74, 652-7	117
2192	Quality of life after palliative radiotherapy in patients with hormone-resistant prostate cancer: single institution experience. 1994 , 74, 345-51	37
2191	The EORTC QLQ-LC13: a modular supplement to the EORTC Core Quality of Life Questionnaire (QLQ-C30) for use in lung cancer clinical trials. EORTC Study Group on Quality of Life. 1994 , 30A, 635-42	622
2190	The Memorial Symptom Assessment Scale: an instrument for the evaluation of symptom prevalence, characteristics and distress. 1994 , 30A, 1326-36	1141

2189	Quality of life measures in cancer chemotherapy: methodology and implications. 1994 , 5, 376-88	15
2188	The feasibility, reliability and validity of the EORTC QLQ-C30 in assessing the quality of life of patients with a symptomatic HIV infection or AIDS (CDC IV). 1994 , 9, 65-77	24
2187	Development of a European Organization for Research and Treatment of Cancer (EORTC) questionnaire module to be used in quality of life assessments in head and neck cancer patients. EORTC Quality of Life Study Group. 1994 , 33, 879-85	325
2186	Quality of life assessment in palliative care. 1994 , 5, 13-8	36
2185	Lessons learned from measuring health-related quality of life in oncology. 1994 , 12, 608-16	309
2184	Assessing quality of life in palliative oncology. 1994 , 2, 80-86	5
2183	Future directions in clinical research for lung cancer. 1994 , 106, 399S-407S	10
2182	The EORTC Modular Approach to Quality of Life Assessment in Oncology. 1994 , 23, 75-96	82
2181	Duodenum-preserving resection of the head of the pancreas in chronic pancreatitis. A prospective, randomized trial. 1995 , 221, 350-8	211
2180	Back Matter. 1995 , 3, 204-210	
2179	Acute leukaemia and malignant lymphoma patients' experiences of disease, treatment and nursing care during the active treatment phase: an explorative study. 1995 , 4, 133-42	31
2178	'Just grin and bear it and hope that it will go away': coping with urinary symptoms from pelvic radiotherapy. 1995 , 4, 158-65	39
2177	Femorodistal bypass grafting: quality of life and socioeconomic aspects. 1995 , 10, 226-30	29
2176	The Functional Assessment of Cancer Therapy (FACT) scale. Development of a brain subscale and revalidation of the general version (FACT-G) in patients with primary brain tumors. 1995 , 75, 1151-61	376
2175	Sexual quality of life in men with prostate cancer. 1995 , 75, 1949-1953	21
2174	The Bristol-Myers Anorexia/Cachexia Recovery Instrument (BACRI): a brief assessment of patients' subjective response to treatment for anorexia/cachexia. 1995 , 4, 221-31	27
2173	MRC quality of life studies using a daily diary card--practical lessons learned from cancer trials. 1995 , 4, 343-52	24
2172	Methods and problems in measuring quality of life. 1995 , 3, 11-22	64

2171	Quality of life bibliography and indexes: 1993 update. 1995 , 4, 53-74	30
2170	Psychological distress in head and neck cancer patients 7-11 years after curative treatment. 1995 , 71, 592-7	168
2169	Quality of life in colorectal cancer. Stoma vs. nonstoma patients. 1995 , 38, 361-9	339
2168	Quality of life of 125 adults surviving 6-18 years after bone marrow transplantation. 1995 , 40, 479-90	157
2167	The Swedish SF-36 Health Survey--I. Evaluation of data quality, scaling assumptions, reliability and construct validity across general populations in Sweden. 1995 , 41, 1349-58	946
2166	Der deutsche SF-36 Health Survey Übersetzung und psychometrische Testung eines krankheitsübergreifenden Instruments zur Erfassung der gesundheitsbezogenen Lebensqualität. 1995 , 3, 21-36	207
2165	Medical Economics and Quality of Life: Analysis of Factors That Influence the Perception of Medical Cost by Post-surgical Breast Cancer Patients. 1995 , 2, 143-153	1
2164	The McGill Quality of Life Questionnaire: a measure of quality of life appropriate for people with advanced disease. A preliminary study of validity and acceptability. 1995 , 9, 207-19	508
2163	Preconditions for sensitivity in measuring change: visual analogue scales compared to rating scales in a Likert format. 1995 , 77, 475-80	35
2162	Quality of life measurement in patients with oesophageal cancer. 1995 , 37, 505-8	107
2161	Acupuncture for Chronic Pain in a Chinese Out-Patient Clinic. 1995 , 13, 5-9	0
2160	Quality of life in adult cancer patients treated with bone marrow transplantation--a review of the literature. 1995 , 31A, 163-73	50
2159	The EORTC core quality of life questionnaire (QLQ-C30): validity and reliability when analysed with patients treated with palliative radiotherapy. 1995 , 31A, 2260-3	244
2158	Using quality of life assessment methods in patients with advanced cancer: a clinical perspective. 1995 , 31A Suppl 6, S15-7	6
2157	Recent clinical trials of pain control: impact on quality of life. 1995 , 31A Suppl 6, S2-7	30
2156	'Tomudex' (ZD1694): results of a randomised trial in advanced colorectal cancer demonstrate efficacy and reduced mucositis and leucopenia. The 'Tomudex' Colorectal Cancer Study Group. 1995 , 31A, 1945-54	104
2155	Patient self-reported and clinician-rated quality of life in head and neck cancer patients: a cross-sectional study. 1995 , 31B, 235-41	56
2154	Self-reported satisfaction with life and physical health in long-term cancer survivors and a matched control group. 1995 , 31B, 340-5	43

2153	Test for item bias in a quality of life questionnaire. 1995 , 48, 805-16	51
2152	Swedish Obese Subjects (SOS)--an intervention study of obesity. Measuring psychosocial factors and health by means of short-form questionnaires. Results from a method study. 1995 , 48, 817-23	41
2151	The Multidimensional Fatigue Inventory (MFI) psychometric qualities of an instrument to assess fatigue. 1995 , 39, 315-25	2187
2150	Long-term quality of life after ablative intraoral tumour surgery. 1995 , 23, 243-9	59
2149	Reliability and validity of the Functional Assessment of Cancer Therapy-Lung (FACT-L) quality of life instrument. 1995 , 12, 199-220	560
2148	Palliative therapies in elderly cancer patients. 1995 , 6, 192-209	9
2147	Measuring the effect of cancer on health-related quality of life. 1995 , 7, 308-19	18
2146	Health-related quality-of-life evaluation in HIV-infected patients. A review of the literature. 1995 , 8, 291-304	31
2145	Mesures de la qualit'de vie en cancfologie. 1995 , 82, 79-84	2
2144	Quality of life in early prostate cancer. Do we know enough to treat?. 1996 , 10, 691-701	16
2143	Palliative medicine and the medical oncologist. Defining the purview of care. 1996 , 10, 1-20	14
2142	Symptom reporting in cancer patients: the role of negative affect and experienced social stigma. 1996 , 77, 983-95	113
2141	A comparison of two quality-of-life questionnaires for cancer clinical trials: the functional living index--cancer (FLIC) and the quality of life questionnaire core module (QLQ-C30). 1996 , 49, 21-9	41
2140	The quality of life of patients with newly diagnosed M1 prostate cancer: experience with EORTC clinical trial 30853. 1996 , 32A, 72-7	71
2139	Development of an EORTC questionnaire module to be used in quality of life assessment for patients with oesophageal cancer. The EORTC Quality of Life Study Group. 1996 , 32A, 1912-7	143
2138	What do cancer patients mean when they complain of concentration and memory problems?. 1996 , 74, 1674-9	172
2137	Response-shift bias: a challenge to the assessment of patients' quality of life in cancer clinical trials. 1996 , 22 Suppl A, 55-62	128
2136	Practical aspects of quality-of-life measurement: design and feasibility study of the quality-of-life recorder and the standardized measurement of quality of life in an outpatient clinic. 1996 , 22 Suppl A, 75-89	40

2135	The use of the Hospital Anxiety and Depression Scale (HADS) and the EORTC QLQ-C30 questionnaires to screen for treatable unmet needs in patients attending routinely for radiotherapy. 1996 , 22 Suppl A, 123-9	40
2134	Symptom assessment. 1996 , 10, 21-39	24
2133	Abstracts. 1996 , 14, 1-73	
2132	Quality of life as an outcome in breast cancer. Clinical application. 1996 , 9 Suppl 2, 23-9	2
2131	A review of the progress towards developing health-related quality-of-life instruments for international clinical studies and outcomes research. 1996 , 10, 336-55	73
2130	Radiotherapy for cancer. Quality of life. 1996 , 35 Suppl 7, 141-8	6
2129	Quality of life in prostate cancer patients. 1996 , 30 Suppl 1, 44-8; discussion 49	17
2128	Quality-of-Life Assessment in Palliative Care. 1996 , 3, 223-229	17
2127	Quality of life and supportive care in the treatment of NSCLC. 1996 , 109, 113S-114S	6
2126	Quality of life (QoL) measurement in economical analysis in cancer. 1996 , 3, 787-91	4
2125	A quantitative approach to the distress caused by symptoms in patients treated with radical radiotherapy. 1996 , 74, 640-7	58
2124	Hormonal treatment in advanced non-small cell lung cancer: fact or fiction?. 1996 , 9, 1707-12	5
2123	Quality of life evaluation by the EORTC questionnaire technique in patients with generalized malignant melanoma on chemotherapy. 1996 , 35, 149-58	39
2122	Recent implications of weight loss in lung cancer management. 1996 , 12, S43-S47	5
2121	Evaluation of quality of life for diverse patient populations. 1996 , 40, 87-104	10
2120	Patients' and doctors' perception of long-term morbidity in patients with testicular cancer clinical stage I. A descriptive pilot study. 1996 , 4, 118-28	56
2119	Interviewing cancer patients in a research setting: the role of effective communication. 1996 , 4, 447-54	8
2118	Quality of life in patients with ovarian cancer: current state of research. 1996 , 4, 169-79	46

2117	Hodgkin's disease. Treatment sequelae and quality of life. 1996 , 9, 595-618	5
2116	Measurement of health-related quality of life in multiple myeloma. Nordic Myeloma Study Group. 1996 , 92, 604-13	86
2115	Depressive symptoms and quality of life in home-care-assisted cancer patients. 1996 , 12, 300-7	136
2114	Prospective study of the quality of life of cancer patients after intraoral tumor surgery. 1996 , 54, 664-9; discussion 669-70	64
2113	Epirubicin, cisplatin, and protracted venous infusion of 5-fluorouracil for esophagogastric adenocarcinoma: response, toxicity, quality of life, and survival. 1996 , 77, 1978-85	67
2112	The Performance Status Scale for Head and Neck Cancer Patients and the Functional Assessment of Cancer Therapy-Head and Neck Scale. A study of utility and validity. 1996 , 77, 2294-301	467
2111	A rationale for expanding the endpoints for clinical trials in advanced pancreatic carcinoma. 1996 , 78, 627-632	68
2110	A rationale for expanding the endpoints for clinical trials in advanced pancreatic carcinoma. 1996 , 78, 627-32	47
2109	Assessment of quality of life after cystectomy or conservative therapy for patients with infiltrating bladder carcinoma. A survey by a self-administered questionnaire. 1996 , 78, 1089-97	76
2108	Longitudinal assessment of quality of life in laryngeal cancer patients. 1996 , 18, 1-10	108
2107	Effect of interferon on the health-related quality of life of multiple myeloma patients: results of a Nordic randomized trial comparing melphalan-prednisone to melphalan-prednisone + alpha-interferon. The Nordic Myeloma Study Group. 1996 , 94, 324-32	57
2106	Multilingual translation of the Functional Assessment of Cancer Therapy (FACT) quality of life measurement system. 1996 , 5, 309-20	246
2105	A study of the reliability, validity and responsiveness of the HIV overview of problems evaluation system (HOPES) in assessing the quality of life of patients with AIDS and symptomatic HIV infection. 1996 , 5, 339-47	24
2104	Quality of life in survivors of Hodgkin's disease. 1996 , 5, 367-74	34
2103	Criterion-based validation of the EORTC QLQ-C36 in advanced melanoma: the CIPS questionnaire and proxy raters. 1996 , 5, 375-86	43
2102	Measurement of quality of life in localized prostatic cancer patients treated with radiotherapy. Development of a prostate cancer-specific module supplementing the EORTC QLQ-C30. 1996 , 5, 212-22	129
2101	Measurement of quality of life in women with breast cancer. Development of a Life Satisfaction Questionnaire (LSQ-32) and a comparison with the EORTC QLQ-C30. 1996 , 5, 265-74	49
2100	A modular questionnaire for the assessment of longterm quality of life in leukaemia patients: the MRC/EORTC QLQ-LEU. 1996 , 5, 15-9	27

2099	Establishing equivalence between scaled measures of quality of life. 1996 , 5, 20-6	17
2098	The development and psychometric validation of a brain cancer quality-of-life questionnaire for use in combination with general cancer-specific questionnaires. 1996 , 5, 139-50	249
2097	Religiosity, quality of life, and survival in cancer patients. 1996 , 38, 193-211	32
2096	Quality of life assessment and HIV infection: a review. 1996 , 12, 221-8	14
2095	The interpretation of scores from the EORTC quality of life questionnaire QLQ-C30. 1996 , 5, 555-67	469
2094	An exploratory study of frequent pain measurement in a cancer clinical trial. 1996 , 5, 503-7	21
2093	Development of a measure of physical function for patients with bone and soft tissue sarcoma. 1996 , 5, 508-16	387
2092	Has Psychosocial Oncology Helped in the Management of Women with Breast Cancer?. 1996 , 2, 107-113	11
2091	Measuring quality of life in oncology: is it worthwhile? I. Meaning, purposes and controversies. 1996 , 5, 159-67	23
2090	The development, implementation and evaluation of guidelines for the management of breast cancer related lymphoedema. 1996 , 5, 246-51	20
2089	Prognostic factors and survival in a heterogeneous sample of cancer patients. 1996 , 73, 1594-9	59
2088	Quality of life assessment in advanced cancer. 1996 , 10, 275-83	37
2087	Late complications after Hodgkin's disease. 1996 , 7 Suppl 4, 115-26	46
2086	Final results of a randomised trial comparing 'Tomudex' (raltitrexed) with 5-fluorouracil plus leucovorin in advanced colorectal cancer. "Tomudex" Colorectal Cancer Study Group. 1996 , 7, 961-5	155
2085	Chemotherapy improves survival and quality of life in advanced pancreatic and biliary cancer. 1996 , 7, 593-600	572
2084	Feasibility, psychometric performance, and stability across modes of administration of the CARES-SF. 1996 , 7, 381-90	28
2083	Does the service at a large oncologic out-patient clinic satisfy the patients' perceived need?. 1996 , 9, 24-9	12
2082	A randomised placebo controlled study with ondansetron in patients undergoing fractionated radiotherapy. 1996 , 7, 587-92	42

2081	Quality of life as a new end point. 1996 , 109, 110S-112S	19
2080	Aggressive vs nonaggressive therapy for metastatic NSCLC. 1996 , 109, 87S-92S	6
2079	Prospective evaluation plan for randomised trials of prostate cancer screening. The International Prostate Cancer Screening Trial Evaluation Group. 1996 , 3, 97-104	85
2078	Lebensqualität bei intravesikaler Instillationstherapie mit Bacillus Calmette-Guérin. 1996 , 27, 79-87	
2077	Challenges in the design and conduct of phase III brain tumor therapy trials. 1997 , 49, 912-7	38
2076	Quality of life: the main outcome measure of palliative care. 1997 , 11, 89-92	37
2075	Validity of the McGill Quality of Life Questionnaire in the palliative care setting: a multi-centre Canadian study demonstrating the importance of the existential domain. 1997 , 11, 3-20	303
2074	Quality of life assessment in patients receiving adjuvant therapy for breast cancer: the IBCSG approach. The International Breast Cancer Study Group. 1997 , 8, 82S-3S	56
2073	Discordance between physicians' estimations and breast cancer patients' self-assessment of side-effects of chemotherapy: an issue for quality of care. 1997 , 76, 1640-5	71
2072	Adjuvant chemotherapy (5-fluorouracil and levamisole) in Dukes' B and C colorectal carcinoma. A cost-effectiveness analysis. 1997 , 8, 65-70	38
2071	Randomized comparison between chemotherapy plus best supportive care with best supportive care in advanced gastric cancer. 1997 , 8, 163-8	615
2070	The role of the 5-HT ₃ antagonists ondansetron and dolasetron in the control of delayed onset nausea and vomiting in patients receiving moderately emetogenic chemotherapy. 1997 , 8, 181-5	47
2069	Cost-utility analysis of melphalan plus prednisone with or without interferon-alpha 2b in newly diagnosed multiple myeloma. Results from a randomised controlled trial. 1997 , 12, 89-103	25
2068	Quality of life in patients with prostatic cancer: results from a Swedish population study. 1997 , 158, 1477-85; discussion 1486	51
2067	Health-related quality of life among patients with metastatic prostate cancer. 1997 , 49, 207-16; discussion 216-7	120
2066	How is quality of life in prostate cancer patients influenced by modern treatment? The Wallenberg Symposium. 1997 , 49, 66-76	65
2065	Quality of life in the year following treatment for head and neck cancer: a study in progress. 1997 , 1, 151-152	
2064	Acupuncture-like transcutaneous electrical nerve stimulation within palliative care: a pilot study. 1997 , 5, 13-18	34

2063	Non-small cell lung cancer: an overview of current management. 1997 , 33 Suppl 1, S2-7	23
2062	Improving quality of life in patients with non-small cell lung cancer: research experience with gemcitabine. 1997 , 33 Suppl 1, S8-13	32
2061	Quality of life assessment in clinical trials--guidelines and a checklist for protocol writers: the U.K. Medical Research Council experience. MRC Cancer Trials Office. 1997 , 33, 20-8	135
2060	Do oncologists have an increasing interest in the quality of life of their patients? A literature review of the last 15 years. 1997 , 33, 29-32	39
2059	Quality of life in oncology practice: prognostic value of EORTC QLQ-C30 scores in patients with advanced malignancy. 1997 , 33, 1025-30	244
2058	Prevalence of anxiety and depression in cancer patients seen at the Norwegian Radium Hospital. 1997 , 33, 1597-604	147
2057	The challenges and opportunities of cancer clinical research: EORTC perspectives. 1997 , 33, S23-S30	1
2056	Baseline quality of life of patients with advanced prostate cancer. European Organization for Research and Treatment of Cancer (EORTC), Genito-Urinary Tract Cancer Cooperative Group (GUT-CCG). 1997 , 33, 1809-14	49
2055	Cancer-specific quality of life questionnaires: the state of the art in Europe. 1997 , 33 Suppl 6, S3-7	17
2054	Validation of the EORTC QLQ-C30 quality of life questionnaire through combined qualitative and quantitative assessment of patient-observer agreement. 1997 , 50, 441-50	314
2053	Survey of the incidence and severity of side-effects reported by patients receiving six cycles of FEC chemotherapy. 1997 , 1, 61-73	16
2052	Prospective, Longitudinal Quality-of-Life Study of Patients With Head and Neck Cancer: A Feasibility Study Including the EORTC QLQ-C30. 1997 , 116, 666-673	86
2051	A pain education program for chronic cancer pain patients: follow-up results from a randomized controlled trial. 1997 , 73, 55-69	126
2050	The Psychosocial Impact Of The Diagnosis And Treatment Of Laryngeal Cancer. 1997 , 30, 231-241	21
2049	Life Expectancy Comorbidity and Quality of Life. 1997 , 13, 33-53	22
2048	A prospective randomised trial of protracted venous infusion 5-fluorouracil with or without mitomycin C in advanced colorectal cancer. 1997 , 8, 995-1001	107
2047	Influence of urological morbidity on quality of life in patients with prostate cancer. 1997 , 31 Suppl 3, 3-8	85
2046	Palliative Medicine in Lung Cancer. 1997 , 29, 150-172	

2045	The World Health Organization Quality of Life Assessment Instrument (WHOQOL-100): Validation Study with the Dutch Version. 1997 , 13, 164-178	71
2044	Quality-of-Life Measurement in Women with Breast Cancer. 1997 , 3, 178-186	11
2043	Survival, function, and quality of life after total glossectomy. 1997 , 107, 1316-21	61
2042	Dimensions of quality of life expressed by men treated for metastatic prostate cancer. 1997 , 45, 1299-309	105
2041	Quality of life in breast cancer adjuvant therapy: validation and pilot testing of a combination of questionnaires. 1997 , 6, 97-107	10
2040	A prospective quality of life study of patients with oral or pharyngeal carcinoma treated with external beam irradiation with or without brachytherapy. 1997 , 33, 189-96	55
2039	Transdermal fentanyl versus sustained-release oral morphine in cancer pain: preference, efficacy, and quality of life. The TTS-Fentanyl Comparative Trial Group. 1997 , 13, 254-61	386
2038	Quality of life in young patients with chronic myelocytic leukaemia during intensive treatment including interferon. 1997 , 21, 775-83	7
2037	Assessing quality of life in comparative cancer clinical trials: does it make a difference?. 1997 , 18, 301-5	2
2036	Do quality of life assessments make a difference in the evaluation of cancer treatments?. 1997 , 18, 311-7	20
2035	The problem of quality of life. 1997 , 6, 205-12	146
2034	Modification of the EORTC QLQ-C30 (version 2.0) based on content validity and reliability testing in large samples of patients with cancer. The Study Group on Quality of Life of the EORTC and the Symptom Control and Quality of Life Committees of the NCI of Canada Clinical Trials Group. 1997 , 6, 183-8	138
2033	Quality of life scores: an independent prognostic variable in a general population of cancer patients receiving chemotherapy. The National Cancer Institute of Canada Clinical Trials Group. 1997 , 6, 151-8	190
2032	Randomized trials with quality of life endpoints: are doctors' ratings of patients' physical symptoms interchangeable with patients' self-ratings?. 1997 , 6, 225-36	181
2031	Quality of life of Danish women: population-based norms of the EORTC QLQ-C30. 1997 , 6, 27-34	100
2030	Symptoms before and after surgery for colorectal cancer. 1997 , 6, 61-6	25
2029	Factor analysis, causal indicators and quality of life. 1997 , 6, 139-50	178
2028	A longitudinal study of quality of life in advanced non-small cell lung cancer: Cancer and Leukemia Group B (CALGB) 8931. 1997 , 18, 286-300	30

2027	Effect of neurological dysfunction on health-related quality of life in patients with high-grade glioma. 1997 , 34, 263-78	102
2026	Measuring quality of life in early HIV disease: the modular approach. 1997 , 6, 515-30	60
2025	Psychometric validation of the revised Functional Assessment of Human Immunodeficiency Virus Infection (FAHI) quality of life instrument. 1997 , 6, 572-84	93
2024	Causal indicators in quality of life research. 1997 , 6, 393-406	161
2023	Evaluating pain and the quality of life in chronic pancreatitis. 1997 , 22, 163-70	16
2022	Current perspectives in gliomas. 1997 , 14, 103-20	13
2021	Effect of postchemotherapy nausea and vomiting on health-related quality of life. The Quality of Life and Symptom Control Committees of the National Cancer Institute of Canada Clinical Trials Group. 1997 , 5, 307-13	154
2020	Quality of life and independence in activities of daily living preoperatively and at follow-up in patients with colorectal cancer. 1997 , 5, 402-9	69
2019	Fatigue in patients with cancer: results with National Cancer Institute of Canada Clinical Trials Group studies employing the EORTC QLQ-C30. 1997 , 5, 410-3	60
2018	Quality of life and supportive care. 1997 , 5, 435-8	19
2017	Are quality of life, patient preferences, and costs realistic outcomes for clinical trials?. 1997 , 5, 112-7	5
2016	Personalized surgery for rectal tumours: the patient's opinion counts. 1997 , 5, 17-21	11
2015	Quality of life in patients with prostatic carcinoma: a review and results of a study in N+ disease. Prostate-specific antigen as predictor of quality of life. 1997 , 25 Suppl 2, S79-88	16
2014	Health-related quality of life assessed before and during chemotherapy predicts for survival in multiple myeloma. Nordic Myeloma Study Group. 1997 , 97, 29-37	90
2013	Experiences of daily life and life quality in men with prostate cancer. An explorative study. Part I. 1997 , 6, 108-16	33
2012	A phase II study of oral idarubicin as a treatment for metastatic hormone-refractory prostate carcinoma with special focus on prostate specific antigen doubling time. Swiss Group for Clinical Cancer Research, Berne, Switzerland. 1997 , 79, 1703-9	20
2011	Multidisciplinary weight management in locoregional breast cancer: results of a phase II study. 1998 , 48, 53-64	96
2010	Phase II study of intravenous adenosine 5'-triphosphate in patients with previously untreated stage IIIB and stage IV non-small cell lung cancer. 1998 , 16, 81-5	41

2009	Testing for differences in multiple quality of life dimensions: generating hypotheses from the experience of hospital staff. 1998 , 7, 479-86	7
2008	Patients' experiences using a computerized program with a touch-sensitive video monitor for the assessment of health-related quality of life. 1998 , 7, 513-9	93
2007	Correlates of health-related quality of life in upper aerodigestive tract cancer patients. 1998 , 7, 713-22	43
2006	Quality of life and psychological distress of bone marrow transplant recipients: the 'time trajectory' to recovery over the first year. 1998 , 21, 477-86	149
2005	Psychosocial adaptation of patients and families following bone marrow transplantation: a prospective, longitudinal study. 1998 , 22, 905-11	56
2004	Quality of life in adult patients with acute myeloid leukemia receiving intensive and prolonged chemotherapy -- a longitudinal study. 1998 , 12, 586-92	48
2003	Health-related quality of life in men with prostate cancer. 1998 , 1, 228-235	5
2002	A prospective quality of life study of patients with laryngeal carcinoma by tumor stage and different radiation therapy schedules. 1998 , 108, 747-59	76
2001	Quality of life and voice in patients with laryngeal carcinoma: a posttreatment comparison of laryngectomy (salvage surgery) versus radiotherapy. 1998 , 108, 1566-73	72
2000	Effects of hemimandibulectomy on quality of life. 1998 , 108, 1574-7	49
1999	Fatigue and radiotherapy: (A) experience in patients undergoing treatment. 1998 , 78, 899-906	164
1998	Impact of epilepsy on QOL in a Portuguese population: exploratory study. 1998 , 97, 287-94	14
1997	Quality of life--an overdue clinical measurement in multiple myeloma. 1998 , 22, 19-23	1
1996	Evaluation of a one-stop breast lump clinic: a randomized controlled trial. 1998 , 7, 314-319	30
1995	A comparison between the University of Washington Head and Neck Disease-Specific measure and the Medical Short Form 36, EORTC QOQ-C33 and EORTC Head and Neck 35. 1998 , 34, 361-72	70
1994	The pediatric cancer quality of life inventory-32 (PCQL-32): I. Reliability and validity. 1998 , 82, 1184-96	121
1993	Quality of life as an endpoint in EORTC clinical trials. European Organization for Research and Treatment for Cancer. 1998 , 17, 561-9	36
1992	Completion rates in health-related quality-of-life assessment: approach of the National Cancer Institute of Canada Clinical Trials Group. 1998 , 17, 603-12	33

1991	Incomplete quality of life data in randomized trials: missing items. 1998 , 17, 679-96	89
1990	Incomplete quality of life data in randomized trials: missing forms. 1998 , 17, 697-709	72
1989	Suggestions for the presentation of quality of life data from clinical trials. 1998 , 17, 711-24	26
1988	Malnutrition and food intake in relation to quality of life in head and neck cancer patients. 1998 , 20, 540-8	119
1987	Reactions to gastrointestinal cancer--variation in mental adjustment and emotional well-being over time in patients with different prognoses. 1998 , 7, 413-23	43
1986	Evaluation of quality of life of childhood cancer survivors: a methodological conundrum. 1998 , Suppl 1, 46-53	29
1985	Psychological assessment and intervention: future prospects for women with breast cancer. 1996 , 12, 76-83	11
1984	Lebensqualität als Kriterium des Erfolgs einer künstlichen Ernährung □ Occumer Gespräche 1998. 1998 , 35, 724-726	1
1983	Measuring fatigue in patients with cancer. 1998 , 6, 94-100	38
1982	The impact of postchemotherapy nausea and vomiting on quality of life after moderately emetogenic chemotherapy. 1998 , 6, 389-95	27
1981	Quality of life after treatment of pancreatic cancer. 1998 , 383, 145-51	30
1980	Clinical research in surgery: questions but few answers. 1998 , 383, 300-5	12
1979	Quality of life research in patients with rectal cancer: traditional approaches versus a problem-solving oriented perspective. 1998 , 383, 427-36	38
1978	Gastric substitute after total gastrectomy--clinical relevance for reconstruction techniques. 1998 , 383, 485-91	24
1977	Hyperfractionated radiotherapy and simultaneous cisplatin for stage-III and -IV carcinomas of the head and neck. Long-term results including functional outcome. 1998 , 174, 397-402	25
1976	Quality of life assessment in chronic pancreatitis. 1998 , 24, 63-4, author reply 65	1
1975	EORTC QLQ-30. A breach of copyright. 1998 , 24, 64-5	
1974	Investigating psychosocial aspects of participation in early anti-cancer drug trials: towards a choice of methodology. 1998 , 27, 488-96	7

1973	Structured assessment of the consequences of composite resection. 1998 , 23, 339-44	28
1972	The prevalence and detection of psychiatric morbidity in patients with metastatic breast cancer. 1998 , 7, 232-9	28
1971	Randomised trial of irinotecan plus supportive care versus supportive care alone after fluorouracil failure for patients with metastatic colorectal cancer. 1998 , 352, 1413-8	1057
1970	Randomised trial of irinotecan versus fluorouracil by continuous infusion after fluorouracil failure in patients with metastatic colorectal cancer. 1998 , 352, 1407-12	845
1969	Systemic treatment for prostate cancer. 1998 , 24, 283-301	31
1968	[Clinical evaluation of concomitant chemoradiotherapy and practical recommendations]. 1998 , 2, 665-7	1
1967	A cross-validation of the European Organization for Research and Treatment of Cancer QLQ-C30 (EORTC QLQ-C30) for Japanese with lung cancer. 1998 , 34, 810-5	191
1966	Patient 'non-compliance' and 'missing data' in quality of life research: where does the problem lie?. 1998 , 34, 9-11	5
1965	Validation of the European Organization for Research and Treatment of Cancer Quality of Life Questionnaire (QLQ-C30) as a measure of psychosocial function in breast cancer patients. 1998 , 34, 510-7	105
1964	Why do patients with weight loss have a worse outcome when undergoing chemotherapy for gastrointestinal malignancies?. 1998 , 34, 503-9	573
1963	Quality of life and survival in patients with advanced non-small cell lung cancer receiving supportive care plus chemotherapy with carboplatin and etoposide or supportive care only. A multicentre randomised phase III trial. Joint Lung Cancer Study Group. 1998 , 34, 1036-44	110
1962	Monitoring of bone metastases. 1998 , 34, 252-9	44
1961	Quality of life assessment in daily clinical oncology practice: a feasibility study. 1998 , 34, 1181-6	133
1960	Assessing the quality of life of patients with cancer: east meets west. 1998 , 34, 767-9	10
1959	Methodological and statistical issues of quality of life (QoL) and economic evaluation in cancer clinical trials: report of a workshop. 1998 , 34, 1317-33	40
1958	Using reference data on quality of life--the importance of adjusting for age and gender, exemplified by the EORTC QLQ-C30 (+3). 1998 , 34, 1381-9	218
1957	Fatigue in patients with cancer. 1998 , 34, 1670-6	185
1956	Fatigue--an orphan topic in patients with cancer?. 1998 , 34, 1649-51	8

1955	Responsiveness to change in health-related quality of life in a randomized clinical trial: a comparison of the Prostate Cancer Specific Quality of Life Instrument (PROSQOLI) with analogous scales from the EORTC QLQ-C30 and a trial specific module. European Organization for Research and Treatment of Cancer. 1998 , 51, 137-45	67
1954	Comparison of patient and proxy EORTC QLQ-C30 ratings in assessing the quality of life of cancer patients. 1998 , 51, 617-31	162
1953	Translating health status questionnaires and evaluating their quality: the IQOLA Project approach. International Quality of Life Assessment. 1998 , 51, 913-23	619
1952	Testing the equivalence of translations of widely used response choice labels: results from the IQOLA Project. International Quality of Life Assessment. 1998 , 51, 933-44	80
1951	The Italian SF-36 Health Survey: translation, validation and norming. 1998 , 51, 1025-36	795
1950	Translation, validation, and norming of the Dutch language version of the SF-36 Health Survey in community and chronic disease populations. 1998 , 51, 1055-68	2250
1949	Differential item functioning in the Danish translation of the SF-36. 1998 , 51, 1189-202	162
1948	The prevalence of bcl-2, p53, and Ki-67 immunoreactivity in transitional cell bladder carcinomas and their clinicopathologic correlates. 1998 , 29, 146-54	94
1947	Palliation of malignant dysphagia and fistulae with coated expandable metal stents: experience with 101 patients. 1998 , 48, 172-9	151
1946	The value of lung function measurements for the assessment of chemotherapy in lung cancer patients. 1998 , 19, 179-84	6
1945	Quality of life in long-term survivors of adult-onset cancers. <i>Journal of the National Cancer Institute</i> , 1998 , 90, 656-67	9.7 256
1944	QUALITY OF LIFE IN METASTATIC PROSTATE CANCER AMONG MEN OF LOWER SOCIOECONOMIC STATUS: FEASIBILITY AND CRITERION RELATED VALIDITY OF 3 MEASURES. 1998 , 160, 1765-1769	32
1943	Impairment of cognitive function in women receiving adjuvant treatment for high-risk breast cancer: high-dose versus standard-dose chemotherapy. <i>Journal of the National Cancer Institute</i> , 1998 , 90, 210-8	9.7 623
1942	A New Quality-of-Life Measure for Oncology. 1998 , 16, 21-35	13
1941	Impact of weight loss, appetite, and the inflammatory response on quality of life in gastrointestinal cancer patients. 1998 , 32, 76-80	104
1940	Randomized trial of single dose versus fractionated palliative radiotherapy of bone metastases. 1998 , 47, 233-40	243
1939	Evaluation of clinical benefit of chemotherapy in patients with upper gastrointestinal cancer. 1998 , 37, 651-9	24
1938	Quality of life assessment in Hodgkin's disease: a new comprehensive approach. First experiences from the EORTC/GELA and GHSG trials. EORTC Lymphoma Cooperative Group. Groupe D'Etude des Lymphomes de L'Adulte and German Hodgkin Study Group. 1998 , 9 Suppl 5, S147-54	29

1937	Recent developments in palliative cancer care. 1998 , 37, 749-57		11
1936	Opportunities and challenges: assessing quality of life in clinical trials. <i>Journal of the National Cancer Institute</i> , 1998 , 90, 1498-9	9-7	4
1935	Quality of life (QOL) assessment of MIP (mitomycin, ifosfamide and cisplatin) chemotherapy in advanced non-small cell lung cancers (NSCLC). 1998 , 28, 749-53		10
1934	Palliative care in chronic obstructive airways disease: a needs assessment. 1998 , 12, 245-54		132
1933	Development of an aromatherapy service at a Cancer Centre. 1998 , 12, 171-80		51
1932	Hodgkin's disease: Quality of life in future trials. 1998 , 9, s137-s145		4
1931	Anxiety and depression in patients with lung cancer before and after diagnosis: findings from a population in Glasgow, Scotland. 1998 , 52, 203-4		67
1930	Quality of life in advanced prostate cancer: results of a randomized therapeutic trial. <i>Journal of the National Cancer Institute</i> , 1998 , 90, 1537-44	9-7	137
1929	The impact of radiation therapy on quality of life in patients with cancer. 1998 , 6, 237-42		15
1928	Use of quality-of-life outcome assessments in current cancer clinical trials. 1998 , 21, 157-78		19
1927	Results of a qualitative and field study using the WHOQOL instrument for cancer patients. 1998 , 28, 134-41		34
1926	Quality of life in patients with lung cancer: a review of literature from 1970 to 1995. 1998 , 113, 467-81		162
1925	Wahl der Rekonstruktionsroute nach Ösophagektomie. 1998 , 14, 288-293		
1924	Evaluation of the EORTC QLQ-C30 questionnaire: a comparison with SF-36 Health Survey in a cohort of Italian long-survival cancer patients. 1998 , 9, 549-57		133
1923	Interventionelle endoskopische Therapie des malignen Verschlussikterus beim Pankreaskarzinom. 1998 , 14, 32-36		
1922	Pitfalls in grading severity of chemotherapy-induced peripheral neuropathy. 1998 , 9, 739-44		152
1921	The rationale and foundations of group psychotherapy for women with metastatic breast cancer. 1998 , 48, 245-73		56
1920	Interpreting the significance of changes in health-related quality-of-life scores. 1998 , 16, 139-44		2051

1919	Quality of life in patients with cancer of the esophagus and gastric cardia: a case for palliative resection. 1998 , 133, 316-22	29
1918	Quality of life, cancer investigation, and clinical practice. 1998 , 16, 478-84	5
1917	The cognitive-spiritual dimension--an important addition to the assessment of quality of life: validation of a questionnaire (SELT-M) in patients with advanced cancer. 1998 , 9, 1091-6	27
1916	Quality of life assessment in a cross-cultural context: use of the Rotterdam Symptom Checklist in a multinational randomised trial comparing CMF and Zoladex (Goserlin) treatment in early breast cancer. 1998 , 9, 745-50	49
1915	A phase II study of gemcitabine in platinum pre-treated patients with advanced epithelial ovarian cancer. 1998 , 9, 1343-5	110
1914	Empirical criteria for the selection of quality-of-life instruments for the evaluation of peripheral blood progenitor cell transplantation. 1998 , 14, 419-30	3
1913	Measuring quality of life: impact of chemotherapy for advanced colorectal cancer. Experience from two recent large phase III trials. 1998 , 77 Suppl 2, 9-14	16
1912	Fatigue and cancer prevalence, correlates and measurement. 1998 , 6, 43-47	9
1911	Psychological morbidity and quality of life in Australian women with early-stage breast cancer: a cross-sectional survey. 1998 , 169, 192-6	190
1910	Economic evaluation of chemotherapy with mitoxantrone plus prednisone for symptomatic hormone-resistant prostate cancer: based on a Canadian randomized trial with palliative end points. 1998 , 16, 2272-9	62
1909	Use of dexamethasone and granisetron in the control of delayed emesis for patients who receive highly emetogenic chemotherapy. National Cancer Institute of Canada Clinical Trials Group. 1998 , 16, 1174-8	95
1908	Evaluation of Clinical Efficacy of New Medical Treatments in Advanced Colorectal Cancer. Results of a Workshop Organized by the Eortc Gitccg. 1998 , 84, 335-347	11
1907	Importance-satisfaction discrepancies are associated with health-related quality of life in five-year survivors of endocrine gastrointestinal tumours. 1999 , 10, 1321-7	25
1906	Physical and psychological morbidity after axillary lymph node dissection for breast cancer. 1999 , 17, 143-9	272
1905	Mitomycin, ifosfamide, and cisplatin in unresectable non-small-cell lung cancer: effects on survival and quality of life. 1999 , 17, 3188-94	388
1904	Science, language, intuition, and the many meanings of quality of life. 1999 , 17, 1651-3	28
1903	Prospective randomized trial of docetaxel versus mitomycin plus vinblastine in patients with metastatic breast cancer progressing despite previous anthracycline-containing chemotherapy. 304 Study Group. 1999 , 17, 1413-24	450
1902	Gemcitabine and cisplatin versus mitomycin, ifosfamide, and cisplatin in advanced non-small-cell lung cancer: A randomized phase III study of the Italian Lung Cancer Project. 1999 , 17, 3522-30	299

1901	Randomized study of CODE versus alternating CAV/EP for extensive-stage small-cell lung cancer: an Intergroup Study of the National Cancer Institute of Canada Clinical Trials Group and the Southwest Oncology Group. 1999 , 17, 2300-8	107
1900	Subjective and objective prospective, long-term analysis of quality of life during inhaled interleukin-2 immunotherapy. 1999 , 17, 3612-20	29
1899	Measuring health-related quality of life. 1999 , 17, 2293	3
1898	Comparison of two quality-of-life instruments for cancer patients: the functional assessment of cancer therapy-general and the European Organization for Research and Treatment of Cancer Quality of Life Questionnaire-C30. 1999 , 17, 2932-40	154
1897	Health-related quality of life in men with metastatic prostate cancer treated with prednisone alone or mitoxantrone and prednisone. 1999 , 17, 1654-63	186
1896	Automated collection of quality-of-life data: a comparison of paper and computer touch-screen questionnaires. 1999 , 17, 998-1007	278
1895	Phase II trial of weekly irinotecan plus cisplatin in advanced esophageal cancer. 1999 , 17, 3270-5	215
1894	An audit of non-cancer-related lymphoedema in a hospice setting. 1999 , 5, 18-27	13
1893	Quality-of-life measurement in advanced cancer: assessing the individual. 1999 , 17, 3603-11	154
1892	Quality of life assessment--problems and goals. 2000 , 50, 159-70	1
1891	Evaluation of Palliative Endpoints in Oncology Clinical Trials. 1999 , 6, 1-4	11
1890	Palliative Chemotherapy: No Longer a Contradiction in Terms. 1999 , 4, 470-477	41
1889	First line chemotherapy with carboplatin plus paclitaxel in advanced ovarian cancer - a new standard of care?. 1999 , 10, S35-S41	15
1888	Revealing Response Shift in Longitudinal Research on Fatigue: The Use of the Thentest Approach. 1999 , 38, 709-718	141
1887	Interface between research and practice in psycho-oncology. 1999 , 38, 703-7	17
1886	Novel agents for colorectal cancer. 1999 , 8, 1639-1652	3
1885	Quality-of-Life Assessment in Patients with Lesions of the Cranial Base. 1999 , 9, 259-64	14
1884	Health-related quality of life in patients with endocrine tumours of the gastrointestinal tract. 1999 , 38, 481-90	31

1883	Good quality of life in prostate cancer patients: how can it be obtained?. 1999 , 203, 51-2		
1882	Cross-comparison of two quality of life instruments used in a randomized study of combination chemotherapy in advanced breast cancer. 1999 , 38, 567-72		2
1881	Challenges in palliative care research; recruitment, attrition and compliance: experience from a randomized controlled trial. 1999 , 13, 299-310		235
1880	Intravenous titration of opioids in palliative care. 1999 , 13, 506-507		
1879	Same-day diagnosis of symptomatic breast problems: Psychological impact and coping strategies. 1999 , 4, 57-71		29
1878	Effects of vinorelbine on quality of life and survival of elderly patients with advanced non-small-cell lung cancer. The Elderly Lung Cancer Vinorelbine Italian Study Group. <i>Journal of the National Cancer Institute</i> , 1999 , 91, 66-72	9.7	793
1877	Chemotherapy of advanced non-small cell lung cancer. 1999 , 10, S77-S82		8
1876	CHOP versus MACOP-B in aggressive lymphoma--a Nordic Lymphoma Group randomised trial. 1999 , 10, 1079-86		39
1875	Acute care palliative medicine: psychosocial assessment of patients and primary caregivers. 1999 , 13, 367-74		22
1874	Development of nurse-led follow-up in the management of patients with lung cancer. 1999 , 4, 432-445		14
1873	What is the symptom burden of patients with lung cancer between diagnosis and death?. 1999 , 13, 507-507		
1872	The applicability of quality-of-life assessment in palliative care: comparing two quality-of-life measures. 1999 , 13, 325-34		41
1871	How important is the route of reconstruction after esophagectomy: a prospective randomized study. 1999 , 94, 1490-6		66
1870	Cost-effectiveness and quality of life evaluation of ondansetron and metoclopramide for moderately emetogenic chemotherapy regimens in breast cancer. 1999 , 32, 105-12		13
1869	Fatigue. Measures and relation to pain. 1999 , 43, 939-47		45
1868	Methodological issues in the assessment of health-related quality of life in palliative care trials. 1999 , 43, 948-53		18
1867	Long-term morbidity and quality of life in patients with localized prostate cancer undergoing definitive radiotherapy or radical prostatectomy. 1999 , 43, 735-43		148
1866	Quality of life in patients cured from a carcinoma of the head and neck by radiotherapy: the importance of the target volume. 1999 , 45, 47-52		75

1865	Beyond convention: describing complementary therapy use by women living with breast cancer. 1999 , 38, 143-53	61
1864	Development of an EORTC questionnaire module to be used in health-related quality-of-life assessment for patients with multiple myeloma. European Organization for Research and Treatment of Cancer Study Group on Quality of Life. 1999 , 104, 605-11	58
1863	Quality of life in patients having an ileal conduit, continent reservoir or orthotopic neobladder after cystectomy for bladder carcinoma. 1999 , 6, 393-9	52
1862	The early post-operative concerns of men after radical prostatectomy. 1999 , 29, 1121-9	112
1861	Oral clodronate in breast cancer patients with bone metastases: a randomized study. 1999 , 246, 67-74	153
1860	Recommendations for evaluating the validity of quality of life claims for labeling and promotion. 1999 , 2, 113-27	286
1859	Sexual activity questionnaires in clinical trials: acceptability to patients with gynaecological disorders. 1999 , 106, 50-4	38
1858	A prospective randomized study of megestrol acetate and ibuprofen in gastrointestinal cancer patients with weight loss. 1999 , 79, 495-500	128
1857	Phase II study of gemcitabine and vindesine in patients with previously untreated non-resectable non-small-cell lung cancer. 1999 , 79, 875-81	5
1856	Fatigue in advanced cancer: a prospective controlled cross-sectional study. 1999 , 79, 1479-86	206
1855	Assessment of long-term quality of life in patients with anal carcinomas treated by radiotherapy with or without chemotherapy. 1999 , 80, 1588-94	83
1854	Do patients who are treated with stem cell transplantation have a health-related quality of life comparable to the general population after 1 year?. 1999 , 24, 911-8	57
1853	Third line chemotherapy in patients with metastatic breast cancer: an evaluation of quality of life and cost. 1999 , 54, 213-23	32
1852	Treatment of malignant gliomas in the elderly. 1999 , 43, 187-93	46
1851	Psychometric assessment of the Life Satisfaction Questionnaire (LSQ) and a comparison of a randomised sample of Swedish women and those suffering from breast cancer. 1999 , 8, 245-53	31
1850	Using data from studies of health-related quality of life to describe clinical issues examples from a longitudinal study of patients with advanced stages of cervical cancer. 1999 , 8, 733-42	14
1849	Distinguishing between quality of life and health status in quality of life research: a meta-analysis. 1999 , 8, 447-59	352
1848	Factor analysis of the psychosocial items of the EORTC QLQ-C30 in metastatic breast cancer patients participating in a psychosocial intervention study. 1999 , 8, 311-7	26

1847	Quality of life in low-income patients with metastatic prostate cancer: divergent and convergent validity of three instruments. 1999 , 8, 461-70	22
1846	Quality of life and depression: symmetry concepts. 1999 , 8, 283-91	14
1845	Economic evaluation of cancer treatments: a review of the methods. 1999 , 11, 78-83	4
1844	Assessing the consistency of psychometric properties of the HRQoL scales within the EORTC QLQ-C30 across populations by means of the Mokken Scaling Model. 1999 , 8, 25-43	33
1843	Examining health-related quality of life in men treated for prostate cancer. 1999 , 17, 205-10	9
1842	Curative radiotherapy in elderly patients with endometrial cancer. Patterns of relapse, toxicity and quality of life. 1999 , 175, 309-14	10
1841	Localized prostate cancer in elderly patients. Outcome after radiation therapy compared to matched younger patients. 1999 , 175, 554-8	17
1840	Morbidities of adjuvant chemotherapy and radiotherapy for resectable rectal cancer: an overview. 1999 , 42, 403-18	153
1839	Assessment of the quality of life of patients with advanced and end-stage cancer or serious infections with a symptom-based or an impact-based instrument. 1999 , 7, 64-70	9
1838	The European Organization for Research and Treatment of Cancer Quality of Life Questionnaire (EORTC QLQ-C30): translation and validation study of the Iranian version. 1999 , 7, 400-6	104
1837	The treatment of chronic cancer pain in a cancer hospital in The Netherlands. 1999 , 17, 333-50	34
1836	A prospective study on quality of life of patients with cancer of the oral cavity or oropharynx treated with surgery with or without radiotherapy. 1999 , 35, 27-32	112
1835	The relationship between dental status and health-related quality of life in upper aerodigestive tract cancer patients. 1999 , 35, 138-43	32
1834	A review of quality of life assessment in oral cancer. 1999 , 28, 99-117	61
1833	The effect of Epoetin alfa on quality of life in anemic cancer patients. 1999 , 7, 177-82	35
1832	Is quality of life predictive of the survival of patients with advanced nonsmall cell lung carcinoma?. 1999 , 85, 333-40	147
1831	Cognitive deficits after postoperative adjuvant chemotherapy for breast carcinoma. 1999 , 85, 640-50	469
1830	The quality of swallowing for patients with operable esophageal carcinoma. 1999 , 85, 763-768	31

1829	Concomitant chemoradiotherapy for patients with nonmetastatic breast carcinoma. 1999 , 85, 2190-2199	32
1828	Severe adverse impact on sexual functioning and fertility of bone marrow transplantation, either allogeneic or autologous, compared with consolidation chemotherapy alone: analysis of the MRC AML 10 trial. 1999 , 86, 1231-9	97
1827	Symptom reporting in cancer patients II: relations to social desirability, negative affect, and self-reported health behaviors. 1999 , 86, 1609-20	33
1826	Health status and health-related quality of life in long-term adult survivors of pediatric solid tumors. 1999 , 12, 25-31	53
1825	Quality of life and oral function following radiotherapy for head and neck cancer. 1999 , 21, 1-11	200
1824	A prospective study on quality of life of laryngeal cancer patients treated with radiotherapy. 1999 , 21, 291-6	93
1823	Defining an international research agenda for quality of life in men with prostate cancer. 1999 , 41, 58-67	22
1822	Assessment of quality of life during intensive chemotherapy or bone marrow transplantation. 1999 , 8, 64-73	58
1821	Differences in perception of quality of life issues between health professionals and patients with pancreatic cancer. 1999 , 8, 135-43	35
1820	Lung cancer treatment decisions: patients' desires for participation and information. 1999 , 8, 511-20	76
1819	Pharmacoeconomic considerations in treating patients with acute leukaemia. 1999 , 15, 167-78	4
1818	Development and validation of a core outcome measure for palliative care: the palliative care outcome scale. Palliative Care Core Audit Project Advisory Group. 1999 , 8, 219-27	381
1817	Radiotherapy: the last 25 years. 1999 , 25, 365-76	21
1816	Quality-of-life effects of psychosocial intervention in patients with head and neck cancer. 1999 , 120, 507-16	94
1815	Researching research: Patients' experiences of participation in phase I and II anti-cancer drug trials. 1999 , 3, 143-152	36
1814	Randomized trial, a method of comparisons: a study of supportive care in radiotherapy nursing. 1999 , 3, 176-184	8
1813	The perceived information needs of patients receiving adjuvant chemotherapy for surgically resected colorectal cancer. 1999 , 3, 208-220	20
1812	The construction and testing of the EORTC colorectal cancer-specific quality of life questionnaire module (QLQ-CR38). European Organization for Research and Treatment of Cancer Study Group on Quality of Life. 1999 , 35, 238-47	397

1811	Megestrol acetate in advanced, progressive, hormone-insensitive cancer. Effects on the quality of life: a placebo-controlled, randomised, multicentre trial. 1999 , 35, 586-95	42
1810	Retrospective assessment of quality of life and treatment outcome in patients with Hodgkin's disease from 1969 to 1994. 1999 , 35, 698-706	36
1809	Androgen replacement and quality of life in patients treated for bilateral testicular cancer. 1999 , 35, 1220-5	40
1808	EORTC scientific strategy meeting 25-26 March 1999. 1999 , 35, 1423-30	10
1807	Quality of life instruments in oncology. 1999 , 35, 1571-80	98
1806	Operative management of chronic pancreatitis. 1999 , 1, 186-191	3
1805	Anxiety and depression in breast cancer patients at low risk of recurrence compared with the general population: a valid comparison?. 1999 , 52, 523-30	78
1804	Convergent discriminative, and predictive validity of the Prostate Cancer Specific Quality of Life Instrument (PROSQOLI) assessment and comparison with analogous scales from the EORTC QLQ-C30 and a trial-specific module. European Organisation for Research and Treatment of Cancer. Core Quality of Life Questionnaire. 1999 , 52, 653-66	55
1803	A review of quality of life assessment in oral cancer. 1999 , 28, 99-117	84
1802	Liver transplantation: quality of life related to prognosis. 1999 , 31, 1404-5	3
1801	ORCHIECTOMY AND ORCHIECTOMY PLUS MITOMYCIN C FOR METASTATIC PROSTATE CANCER IN PATIENTS WITH POOR PROGNOSIS: THE FINAL RESULTS OF A EUROPEAN ORGANIZATION FOR RESEARCH IN CANCER THERAPY GENITOURINARY GROUP TRIAL. 1999 , 162, 1658-1665	18
1800	Surgical treatment of chronic pancreatitis and quality of life after operation. 1999 , 79, 913-44	76
1799	Post-traumatic stress symptoms in patients undergoing autologous stem cell transplantation. 1999 , 38, 475-80	21
1798	Changes in quality of life following treatment for early prostate cancer. 1999 , 53, 161-8	84
1797	Quality of life 5-10 years after primary surgery for oral and oro-pharyngeal cancer. 1999 , 27, 187-91	90
1796	Psychological distress in cancer patients attending the European Institute of Oncology in Milan. 1999 , 57, 297-302	9
1795	Is Fatigue a Long-term Side Effect of Breast Cancer Treatment?. 1999 , 6, 256-263	69
1794	Using quality of life endpoints in palliative care: The cultural implications. 1999 , 6, 437-455	5

1793	Validity and Reliability of the Norwegian Version of the Ferrans and Powers Quality of Life Index. 1999 , 13, 96-101	14
1792	Phase II study of gemcitabine in ovarian cancer. 1999 , 10, 853-5	76
1791	Efficacy and safety of trazodone versus clorazepate in the treatment of HIV-positive subjects with adjustment disorders: a pilot study. 1999 , 27, 223-32	25
1790	Comparative study of the efficacy and safety of trazodone versus clorazepate in the treatment of adjustment disorders in cancer patients: a pilot study. 1999 , 27, 264-72	32
1789	Multicenter phase II trial of temozolomide in patients with anaplastic astrocytoma or anaplastic oligoastrocytoma at first relapse. Temodal Brain Tumor Group. 1999 , 17, 2762-71	625
1788	Health-related quality of life 1 year after allogeneic or autologous stem-cell transplantation: a prospective study. 1999 , 17, 706-18	83
1787	Quality of life in head and neck cancer patients: validation of the European Organization for Research and Treatment of Cancer Quality of Life Questionnaire-H&N35. 1999 , 17, 1008-19	590
1786	Multinational study of the efficacy and safety of humanized anti-HER2 monoclonal antibody in women who have HER2-overexpressing metastatic breast cancer that has progressed after chemotherapy for metastatic disease. 1999 , 17, 2639-48	2310
1785	Randomized phase III study of gemcitabine-cisplatin versus etoposide-cisplatin in the treatment of locally advanced or metastatic non-small-cell lung cancer. 1999 , 17, 12-8	390
1784	Prospective randomized trial of docetaxel versus doxorubicin in patients with metastatic breast cancer. 1999 , 17, 2341-54	553
1783	Leucovorin and fluorouracil with or without oxaliplatin as first-line treatment in advanced colorectal cancer. 2000 , 18, 2938-47	3133
1782	Phase III comparative study of vinorelbine combined with doxorubicin versus doxorubicin alone in disseminated metastatic/recurrent breast cancer: National Cancer Institute of Canada Clinical Trials Group Study MA8. 2000 , 18, 2385-94	124
1781	High-dose sequential chemotherapy with recombinant granulocyte colony-stimulating factor and repeated stem-cell support for inflammatory breast cancer patients: does impact on quality of life jeopardize feasibility and acceptability of treatment?. 2000 , 18, 754-64	55
1780	A study to investigate the prevalence, severity and correlates of fatigue among patients with cancer in comparison with a control group of volunteers without cancer. 2000 , 11, 561-7	217
1779	Activity of exemestane in metastatic breast cancer after failure of nonsteroidal aromatase inhibitors: a phase II trial. 2000 , 18, 2234-44	269
1778	A phase II study of paclitaxel in chemonaïve patients with recurrent high-grade glioma. 2000 , 11, 409-13	31
1777	Quality-of-life assessment in acute, chronic, and cancer pain: a pharmacist's guide. 2000 , 40, 402-16	14
1776	Evaluation of quality of life in patients definitively treated for squamous carcinoma of the head and neck. 2000 , 12, 215-20	50

1775	Overcoming resistance to chronomodulated 5-fluorouracil and folinic acid by the addition of chronomodulated oxaliplatin in advanced colorectal cancer patients. 2000 , 11, 495-501	17
1774	Patient participation in medical decision-making: a French study in adjuvant radio-chemotherapy for early breast cancer. 2000 , 11, 39-45	34
1773	A clinical model for quality of life assessment in cancer patients receiving chemotherapy. 2000 , 11, 23-30	25
1772	Evaluation of functional outcomes (speech, swallowing and voice) in patients attending speech pathology after head and neck cancer treatment(s): development of a multi-centre database. 2000 , 114, 605-15	17
1771	Testing of the Incontinence Impact Questionnaire (IIQ-7) With Men After Radical Prostatectomy. 2000 , 27, 304-312	
1770	Gemcitabine and cisplatin in the treatment of advanced or metastatic pancreatic cancer. 2000 , 11, 1399-403	117
1769	Grading of chemotherapy-induced peripheral neuropathy. 2000 , 11, 509-13	117
1768	Negative and positive influences of social support on depression in patients with head and neck cancer: a prospective study. 2000 , 9, 20-8	92
1767	A pilot study of interpersonal psychotherapy by telephone with cancer patients and their partners. 2000 , 9, 44-56	87
1766	Evaluation of an instrument to assess the needs of patients with cancer. Supportive Care Review Group. 2000 , 88, 217-25	322
1765	A prospective longitudinal study examining the quality of life of patients with esophageal carcinoma. 2000 , 88, 1781-1787	247
1764	A brief pain diary for ambulatory patients with advanced cancer. 2000 , 88, 2387-2397	38
1763	Assessing head and neck cancer patient outcome domains. 2000 , 22, 6-11	59
1762	Assessment of quality of life in patients treated with accelerated radiotherapy for laryngeal and hypopharyngeal carcinomas. 2000 , 22, 288-93	31
1761	Quality of life in survivors with a Van Ness-Borggreve rotationplasty after bone tumour resection. 2000 , 73, 192-7	71
1760	Quality of life changes during conformal radiation therapy for prostate carcinoma. 2000 , 89, 1322-8	74
1759	Living with cancer: "good" days and "bad" days--what produces them? Can the McGill quality of life questionnaire distinguish between them?. 2000 , 89, 1854-65	92
1758	Self-assessed health-related quality of life in men who have completed radiotherapy for prostate cancer: instrument validation and its relation to patient-assessed bother of symptoms. 2000 , 90, 163-72	10

1757	Pretreatment factors predicting quality of life after treatment for head and neck cancer. 2000 , 22, 398-407	148
1756	Prediction of depressive symptomatology after treatment of head and neck cancer: the influence of pre-treatment physical and depressive symptoms, coping, and social support. 2000 , 22, 799-807	71
1755	Impact of computerized quality of life screening on physician behaviour and patient satisfaction in lung cancer outpatients. 2000 , 9, 203-13	204
1754	Enhancing cancer clinical trial management: recommendations from a qualitative study of trial participants' experiences. 2000 , 9, 314-22	65
1753	Challenges posed by non-random missing quality of life data in an advanced-stage colorectal cancer clinical trial. 2000 , 9, 340-54	45
1752	Quality of life after radical cystectomy and orthotopic bladder substitution: a comparison between Italian and Swedish men. 2000 , 85, 26-31	43
1751	Multicentre research and the WISECARE experience. 2000 , 32, 999-1007	7
1750	Originality, benefits and difficulties of clinical research performed by cooperative groups: the experience of an Italian Lung Cancer Study Group. 2000 , 36, 3-8	3
1749	Chemotherapy of advanced non small cell lung cancer in the elderly: an update. 2000 , 35, 219-25	17
1748	Response of global quality of life to high-dose palliative radiotherapy for non-small-cell lung cancer. 2000 , 47, 691-701	13
1747	The cost-effectiveness and cost-utility of high-dose palliative radiotherapy for advanced non-small-cell lung cancer. 2000 , 48, 1025-33	26
1746	Quality of life after palliative radiotherapy in non-small cell lung cancer: a prospective study. 2000 , 47, 149-55	115
1745	Assessing the quality of life in patients with cancer. 2000 , 24, 58-92	8
1744	Long-term quality of life of patients with head and neck cancer. 2000 , 110, 98-106	182
1743	What's new in neuro-oncology. 2000 , 4, 255-62	
1742	Distinct patient groups in oral cancer: a prospective study of perceived health status following primary surgery. 2000 , 36, 529-38	26
1741	The measurement of symptoms in children with cancer. 2000 , 19, 363-77	352
1740	High level of fatigue in lymphoma patients treated with high dose therapy. 2000 , 19, 446-56	69

1739	Effects on cancer patients' health-related quality of life after the start of morphine therapy. 2000 , 20, 19-26	54
1738	Development and validation of the cancer fatigue scale: a brief, three-dimensional, self-rating scale for assessment of fatigue in cancer patients. 2000 , 19, 5-14	210
1737	Early stage breast cancer: costs and quality of life one year after treatment by mastectomy or conservative surgery and radiation therapy. 2000 , 9, 37-44	53
1736	Endoscopic laser ablation as palliative treatment of endobronchial, nonresectable, or recurrent lung cancer: assessment of its impact on quality of life. 2000 , 1, 277-85; discussion 286	13
1735	Perception of quality of life by patients, partners and treating physicians. 2000 , 9, 1041-52	186
1734	Multiple chronic health problems are negatively associated with health related quality of life (HRQoL) irrespective of age. 2000 , 9, 1093-104	66
1733	The EORTC quality of life questionnaire-head and neck 35 in Italian laryngectomized patients. European organization for research and treatment of cancer. 2000 , 9, 1147-53	19
1732	Quality of life after adjuvant chemotherapy for breast cancer. 2000 , 62, 141-50	119
1731	Development of three African language translations of the FACT-G. 2000 , 9, 139-49	30
1730	The EORTC breast cancer-specific quality of life questionnaire (EORTC QLQ-BR23): translation and validation study of the Iranian version. 2000 , 9, 177-84	64
1729	A prospective investigation of dispositional optimism as a predictor of health-related quality of life in head and neck cancer patients. 2000 , 9, 951-60	122
1728	Quality of life three months and one year after first treatment for early stage breast cancer: influence of treatment and patient characteristics. 2000 , 9, 789-800	160
1727	A follow-up study of the quality of life in cancer patients with different prognoses. 2000 , 9, 65-73	14
1726	Evaluating the relationship between pain presentation and health-related quality of life in outpatients with metastatic or recurrent neoplastic disease. 2000 , 9, 855-63	13
1725	Cancer patients as 'experts' in defining quality of life domains. A multicentre survey by the Italian Group for the Evaluation of Outcomes in Oncology (IGEO). 2000 , 9, 151-9	30
1724	Translation and validation of the standard Chinese version of the EORTC QLQ-C30. 2000 , 9, 129-37	90
1723	The patients' perspective on physical symptoms after radiotherapy for cervical cancer. 2000 , 76, 14-23	91
1722	Quality counts: the value of women's perceived quality of life after cervical cancer. 2000 , 76, 3-4	14

1721	The prognostic value of quality-of-life scores: preliminary results of an analysis of patients with breast cancer. 2000 , 30, 255-61	24
1720	Sphincter-sparing surgery after preoperative radiotherapy for low rectal cancers: feasibility, oncologic results and quality of life outcomes. 2000 , 82, 1131-7	121
1719	Gemcitabine combined with continuous infusion 5-fluorouracil in advanced and symptomatic pancreatic cancer: a clinical benefit-oriented phase II study. 2000 , 82, 1772-5	39
1718	New treatments for advanced cancer: an approach to prioritization. 2000 , 83, 1268-73	20
1717	Brain tumor clinical trials: pitfalls and promise for the future. 2000 , 2, 473-5	2
1716	Quality of life following prostate cancer treatments. 2000 , 1, 71-7	6
1715	Quality of life after cystectomy and orthotopic neobladder versus ileal conduit urinary diversion. 2000 , 18, 338-44	85
1714	A review of current and future treatment strategies for malignant astrocytomas in adults. 2000 , 176, 251-8	17
1713	[Fatigue and exhaustion in tumor patients. Etiology, diagnosis and treatment possibilities]. 2000 , 95, 613-7	2
1712	Functional and quality-of-life outcomes in patients with rectal cancer after combined modality therapy, intraoperative radiation therapy, and sphincter preservation. 2000 , 43, 752-8	57
1711	Datenmonitoring in Echtzeit mit WAP-Technologie. 2000 , 8, 131-141	
1710	The effects of type of surgery and time on psychological adjustment in women after breast cancer treatment. 2000 , 7, 427-34	44
1709	Lebensqualität und Lebensquantität bei Morbus Hodgkin. 2000 , 6, 1189-1196	3
1708	Mundhöhlenkarzinom. 2000 , 6, 573-583	1
1707	Rotationplasty--surgical treatment modality after failed limb salvage procedure. 2000 , 120, 555-8	26
1706	Response and palliation in a phase II trial of gemcitabine in hormone-refractory metastatic prostatic carcinoma. Swiss Group for Clinical Cancer Research (SAKK). 2000 , 11, 183-8	36
1705	Quality of life of patients with newly diagnosed poor prognosis M1 prostate cancer undergoing orchiectomy without or with mitomycin C. Results from the EORTC Phase-III trial 30893. 2000 , 37, 541-51	18
1704	Vinorelbine-gemcitabine in advanced non-small-cell lung cancer (NSCLC): an AASLC phase II trial. Austrian Association for the Study of Lung Cancer. 2000 , 11, 993-8	29

1703	Health-related quality of life in patients treated with temozolomide versus procarbazine for recurrent glioblastoma multiforme. 2000 , 18, 1481-91	417
1702	Randomized phase III study of temozolomide versus dacarbazine in the treatment of patients with advanced metastatic malignant melanoma. 2000 , 18, 158-66	961
1701	Exemestane is superior to megestrol acetate after tamoxifen failure in postmenopausal women with advanced breast cancer: results of a phase III randomized double-blind trial. The Exemestane Study Group. 2000 , 18, 1399-411	471
1700	Palliative effect of chemotherapy: objective tumor response is associated with symptom improvement in patients with metastatic breast cancer. 2000 , 18, 2395-405	146
1699	Depression in patients with lung cancer: prevalence and risk factors derived from quality-of-life data. 2000 , 18, 893-903	411
1698	Dexamethasone for the prophylaxis of radiation-induced emesis: a National Cancer Institute of Canada Clinical Trials Group phase III study. 2000 , 18, 1960-6	68
1697	Ethnic differences in complementary and alternative medicine use among cancer patients. 2000 , 6, 531-8	77
1696	A phase II study of temozolomide vs. procarbazine in patients with glioblastoma multiforme at first relapse. 2000 , 83, 588-93	995
1695	Chemotherapy for advanced colorectal cancer. 2000 , 321, 521-2	10
1694	Gemcitabine plus vinorelbine in advanced non-small cell lung cancer: a phase II study of three different doses. Gem Vin Investigators. 2000 , 83, 707-14	51
1693	RPLND or primary chemotherapy in clinical stage IIA/B nonseminomatous germ cell tumors? Results of a prospective multicenter trial including quality of life assessment. 2000 , 37, 582-94	90
1692	Health-related quality of life and patients' perceptions in interferon-treated multiple myeloma patients. Nordic Myeloma Study Group. 2000 , 39, 809-13	11
1691	Lebensqualität bei Mammakarzinom-Patientinnen. 2000 , 32, 50-55	
1690	Psychological reactions and quality of life in patients with posterior uveal melanoma treated with ruthenium plaque therapy or enucleation: a one year follow-up study. 2000 , 14, 839-46	50
1689	Weekly oxaliplatin, high-dose infusional 5-fluorouracil and folinic acid as palliative third-line therapy of advanced colorectal carcinoma. 2000 , 38, 153-7	9
1688	Measuring quality of care in palliative care services. 2000 , 3, 229-36	16
1687	Assessing quality of life in patients with head and neck cancer: cross-validation of the European Organization for Research and Treatment of Cancer (EORTC) Quality of Life Head and Neck module (QLQ-H&N35). 2000 , 126, 459-67	165
1686	How well do we care for patients with end stage chronic obstructive pulmonary disease (COPD)? A comparison of palliative care and quality of life in COPD and lung cancer. 2000 , 55, 1000-6	423

1685	Role of perspective and other uncertainties in cost-effectiveness assessments in advanced prostate cancer. <i>Journal of the National Cancer Institute</i> , 2000 , 92, 1704-6	9.7	4
1684	The role of quality of life assessment in gastric cancer. 2000 , 30, 246		4
1683	Constipation and the use of laxatives: a comparison between transdermal fentanyl and oral morphine. 2000 , 14, 111-9		106
1682	Quality of life measurement in gastrointestinal and liver disorders. 2000 , 47, 444-54		140
1681	Communication after laryngectomy: an assessment of quality of life. 2000 , 122, 39-43		32
1680	Perioperative enteral nutrition and quality of life of severely malnourished head and neck cancer patients: a randomized clinical trial. 2000 , 19, 437-44		69
1679	Construction of the Patient-Oriented Prostate Utility Scale (PORPUS): a multiattribute health state classification system for prostate cancer. 2000 , 53, 920-30		76
1678	The functional and psychosocial status of patients with disseminated bladder cancer. 2000 , 5, 20-4		4
1677	Conditional and unconditional estimation of multidimensional quality of life after hematopoietic stem cell transplantation: a longitudinal follow-up of 415 patients. 2000 , 6, 576-91		75
1676	Quality of life evaluation in oncological clinical trials - the EORTC model. The EORTC Quality of Life Study Group. 2000 , 36, 821-5		71
1675	Summary measures and statistics in the analysis of quality of life data: an example from an EORTC-NCIC-SAKK locally advanced breast cancer study. 2000 , 36, 834-44		46
1674	Fatigue in patients with prostate cancer receiving hormone therapy. 2000 , 36, 1134-41		198
1673	Quality of life in patients with metastatic breast cancer receiving either docetaxel or sequential methotrexate and 5-fluorouracil. A multicentre randomised phase III trial by the Scandinavian breast group. 2000 , 36, 1411-7		42
1672	Economics and health-related quality of life in antiemetic therapy: recommendations for trial design. 2000 , 36, 1522-35		17
1671	Randomised trial of paclitaxel versus doxorubicin as first-line chemotherapy for advanced breast cancer: quality of life evaluation using the EORTC QLQ-C30 and the Rotterdam symptom checklist. 2000 , 36, 1488-97		50
1670	Identification and interpretation of clinical and quality of life prognostic factors for survival and response to treatment in first-line chemotherapy in advanced breast cancer. 2000 , 36, 1498-506		141
1669	Health-related quality of life in patients with anaplastic astrocytoma during treatment with temozolomide. 2000 , 36, 1788-95		80
1668	A 12 country field study of the EORTC QLQ-C30 (version 3.0) and the head and neck cancer specific module (EORTC QLQ-H&N35) in head and neck patients. EORTC Quality of Life Group. 2000 , 36, 1796-807		532

1667	Irinotecan combined with fluorouracil compared with fluorouracil alone as first-line treatment for metastatic colorectal cancer: a multicentre randomised trial. 2000 , 355, 1041-7	2623
1666	Anxiety and depression in cancer patients: relation between the Hospital Anxiety and Depression Scale and the European Organization for Research and Treatment of Cancer Core Quality of Life Questionnaire. 2000 , 49, 27-34	216
1665	A multicenter, randomized, phase III study of docetaxel plus best supportive care versus best supportive care in chemotherapy-naive patients with metastatic or non-resectable localized non-small cell lung cancer (NSCLC). 2000 , 27, 145-57	262
1664	Questions on Life Satisfaction (FLZM) - A Short Questionnaire for Assessing Subjective Quality of Life. 2000 , 16, 150-159	206
1663	Patient-Clinician choice in palliation of metastatic prostate cancer. 2000 , 17, 331-7	1
1662	Progress in colorectal cancer chemotherapy: how far have we come, how far to go?. 2000 , 17, 201-16	9
1661	[Results of the DOSAK tumor register]. 2000 , 4 Suppl 1, S216-25	27
1660	Health-related quality of life and occurrence of intestinal side effects after pelvic radiotherapy--evaluation of long-term effects of diagnosis and treatment. 2000 , 39, 173-80	58
1659	Health-related quality of life measured by the EORTC QLQ-C30--reference values from a large sample of Swedish population. 2000 , 39, 477-84	270
1658	Assessment methods for quality of life in cancer patients: EORTC. 2000 , 14, 74-77	
1657	A pharmacokinetic study of 5-FU/leucovorin and alpha-interferon in advanced cancer. 2000 , 39, 59-63	2
1656	Testing of the Incontinence Impact Questionnaire (IIQ-7) with men after radical prostatectomy. 2000 , 27, 304-12	10
1655	Outcome assessment in cancer management. 2000 , 80, 471-86, viii	7
1654	Reinserci3 y seguimiento m3dico del paciente laringectomizado. 2000 , 29, 1-9	
1653	Quality of life and home enteral tube feeding: a French prospective study in patients with head and neck or oesophageal cancer. 2000 , 82, 263-9	81
1652	Gemcitabine plus best supportive care (BSC) vs BSC in inoperable non-small cell lung cancer--a randomized trial with quality of life as the primary outcome. UK NSCLC Gemcitabine Group. Non-Small Cell Lung Cancer. 2000 , 83, 447-53	282
1651	Long-term quality of life in premenopausal women with node-negative localized breast cancer treated with or without adjuvant chemotherapy. 2000 , 83, 577-82	64
1650	Anti-HER2 therapy: how to use Herceptin in clinical practice. 2000 , 4, 30-6	1

1649	Exemestane: a review of its use in postmenopausal women with advanced breast cancer. 2000 , 59, 1279-96	24
1648	Are randomized trials of hormone replacement therapy in symptomatic women with breast cancer feasible?. 2000 , 73, 292-9	57
1647	The prognostic impact of quality of life assessed with the EORTC QLQ-C30 in inoperable non-small cell lung carcinoma treated with radiotherapy. 2000 , 55, 19-25	110
1646	Pretreatment quality of life of inoperable non-small cell lung cancer patients referred for primary radiotherapy. 2000 , 39, 949-58	23
1645	Assessment of Quality of Life During Chemotherapy. 2001 , 40, 175-184	52
1644	Improving the quality of pain treatment by a tailored pain education programme for cancer patients in chronic pain. 2001 , 5, 241-56	40
1643	A randomized trial of thermal ablative therapy versus expandable metal stents in the palliative treatment of patients with esophageal carcinoma. 2001 , 54, 549-57	114
1642	Managing cancer-related anorexia/cachexia. 2001 , 61, 499-514	129
1641	External irradiation versus external irradiation plus endobronchial brachytherapy in inoperable non-small cell lung cancer: a prospective randomized study. 2001 , 58, 257-68	78
1640	The efficacy of Xialine in patients with xerostomia resulting from radiotherapy for head and neck cancer: a pilot-study. 2001 , 59, 157-60	45
1639	Health-related quality of life of patients with endometrial cancer who are disease-free following external irradiation. 2001 , 40, 816-24	38
1638	Activity and toxicity of gemcitabine and gemcitabine + vinorelbine in advanced non-small-cell lung cancer elderly patients: Phase II data from the Multicenter Italian Lung Cancer in the Elderly Study (MILES) randomized trial. 2001 , 31, 277-84	106
1637	Activity of single-agent gemcitabine as second-line treatment after previous chemotherapy or radiotherapy in advanced non-small-cell lung cancer. 2001 , 33, 289-98	31
1636	Response to chemotherapy, quality of life benefits and survival in advanced non-small cell lung cancer: review of literature results. 2001 , 34 Suppl 4, S95-101	39
1635	Weekly docetaxel as II line therapy in non-small cell lung cancer: an interim analysis of a phase II study. 2001 , 34 Suppl 4, S31-5	14
1634	Multimodal treatment of peritoneal carcinomatosis and sarcomatosis. 2001 , 27, 125-34	35
1633	Quality of life after intraperitoneal hyperthermic chemotherapy (IPHC) for peritoneal carcinomatosis. 2001 , 27, 65-73	144
1632	An update in the palliative management of malignant dysphagia. 2001 , 27, 332-3	1

1631	The impact of recurrent rectal cancer on quality of life. 2001 , 27, 349-53	127
1630	Quality of life in patients with urinary diversion after operation for locally advanced rectal cancer. 2001 , 27, 645-51	50
1629	Living with severe COPD. A qualitative exploration of the experience of patients in Leeds. 2001 , 95, 196-204	77
1628	Pain experience following radical treatment for head and neck cancer. 2001 , 5, 112-20	18
1627	The relationship between length of stay and health-related quality of life in patients treated by primary surgery for oral and oropharyngeal cancer. 2001 , 30, 209-15	20
1626	Quality of life in breast cancer patients--not enough attention for long-term survivors?. 2001 , 42, 117-23	168
1625	The Amsterdam Pain Management Index compared to eight frequently used outcome measures to evaluate the adequacy of pain treatment in cancer patients with chronic pain. 2001 , 91, 339-349	73
1624	Hearing impairment and quality of life for the elderly in nursing homes. 2001 , 28, 45-54	30
1623	Mesure de la qualit'de vie. 2001 , 44, 72-84	3
1622	Quality of life in lung cancer patients: as an important prognostic factor. 2001 , 31, 233-40	215
1621	Quality of life in patients with prostate cancer. 2001 , 17, 138-46	15
1620	Preoperative expectations and postoperative quality of life in liver transplant survivors. 2001 , 82, 73-9	43
1619	Fatigue et radioth'apie Revue de la litt'ature. 2001 , 5, 131s-138s	2
1618	A body image scale for use with cancer patients. 2001 , 37, 189-97	521
1617	Development of a European Organization for Research and Treatment of Cancer questionnaire module to assess the quality of life of ovarian cancer patients in clinical trials: a progress report. 2001 , 37, 47-53	76
1616	Sociodemographic factors and quality of life as prognostic indicators in head and neck cancer. 2001 , 37, 332-9	156
1615	Development of an EORTC disease-specific quality of life module for use in patients with gastric cancer. 2001 , 37, 966-71	120
1614	Reference data for the quality of life questionnaire EORTC QLQ-C30 in the general German population. 2001 , 37, 1345-51	384

1613	Deriving a compound quality of life measure from the EORTC-QLQ-C30/LC13 instrument for use in economic evaluations of lung cancer clinical trials. 2001 , 37, 1081-8	6
1612	Palliative care research. 2001 , 37 Suppl 8, S153-9	38
1611	Reduced utilisation of specialist care among elderly cancer patients: a randomised study of a primary healthcare intervention. 2001 , 37, 2161-8	20
1610	Quality of life measurement in oncology--a matter of the assessment instrument?. 2001 , 37, 2349-56	54
1609	Present status of palliative radiotherapy. 2001 , 37 Suppl 7, S279-88	5
1608	Spouse ratings of quality of life in patients with metastatic prostate cancer of lower socioeconomic status: an assessment of feasibility, reliability, and validity. 2001 , 57, 275-80	24
1607	Adjuvant chemoradiotherapy and chemotherapy in resectable pancreatic cancer: a randomised controlled trial. 2001 , 358, 1576-85	845
1606	Pancreatic and small bowel surgery [Effects on postoperative quality of life. 2001 , 1, 62-70	
1605	[Assessment of quality of life in lung cancer patients]. 2001 , 15, 25-31	1
1604	Comparison of patient and spouse assessments of health related quality of life in men with metastatic prostate cancer. 2001 , 165, 478-82	39
1603	Quality of life and utility in patients with non-small cell lung cancer. Quality-of-life Study Group of the Master 2 Project in Pharmacoeconomics. 2001 , 19, 855-63	80
1602	Efficacy of epoetin beta on hemoglobin, quality of life, and transfusion needs in patients with anemia due to hormone-refractory prostate cancer--a randomized study. 2001 , 35, 288-94	53
1601	Five-year survival following oesophageal cancer resection: Psychosocial functioning and quality of life. 2001 , 6, 85-94	21
1600	Supportive care for patients with gastrointestinal cancer. 2001 ,	
1599	Activity of gemcitabine and continuous infusion fluorouracil in advanced pancreatic cancer. 2001 , 60, 43-8	29
1598	Palliative radiotherapy regimens for non-small cell lung cancer. 2001 , CD002143	13
1597	Prospective study on quality of life before and after radical radiotherapy in non-small-cell lung cancer. 2001 , 19, 2123-33	76
1596	Palliative Medical Oncology. 2001 , 10, 203-220	1

1595	The assessment of cancer pain: measurement strategy. 2001 , 89-104	1
1594	Palliative systemic antineoplastic therapy. 2001 , 399-420	
1593	Self-reported quality of life of individual cancer patients: concordance of results with disease course and medical records. 2001 , 19, 2064-73	76
1592	Randomized trial of coordinated psychosocial interventions based on patient self-assessments versus standard care to improve the psychosocial functioning of patients with cancer. 2001 , 19, 4117-25	231
1591	Duration of chemotherapy in advanced non-small-cell lung cancer: a randomized trial of three versus six courses of mitomycin, vinblastine, and cisplatin. 2001 , 19, 1336-43	269
1590	[Quality of life in oncological studies]. 2001 , 24 Suppl 5, 22-7	
1589	Cancer pain epidemiology. 2001 , 37-52	1
1588	Computerized Quality-of-Life Screening in a Cancer Pain Clinic. 2001 , 17, 46-52	64
1587	Flutamide versus prednisone in patients with prostate cancer symptomatically progressing after androgen-ablative therapy: a phase III study of the European organization for research and treatment of cancer genitourinary group. 2001 , 19, 62-71	146
1586	Determinants of the use of complementary therapies by patients with cancer. 2001 , 19, 2439-48	190
1585	Measuring physical activity in patients after surgery for a malignant tumour in the leg. 2001 , 83-B, 1015-1019	8
1584	Abstracts of Original Communications. 2001 , 60, 1A-80A	
1583	Abstracts of Original Communications. 2001 , 60, 171A-237A	3
1582	Validity and reliability of the FACT-G scale for use in the older person with cancer. 2001 , 24, 591-6	102
1581	Satisfaction with information and quality of life in patients undergoing chemotherapy for cancer. The role of individual differences in information preference. 2001 , 24, 351-6	19
1580	A phase II study evaluating the tolerability and efficacy of CAELYX (liposomal doxorubicin, Doxil) in the treatment of unresectable pancreatic carcinoma. 2001 , 12, 1399-402	47
1579	Phase II study of weekly docetaxel in symptomatic androgen-independent prostate cancer. 2001 , 12, 1273-9	161
1578	Managing poor performance non-small-cell lung cancer patients. 2001 , 12, 1659-61	2

1577	Is there quality in clinical benefit?. 2001 , 12, 1191-3	8
1576	Compliance, satisfaction, and quality of life of patients with colorectal cancer receiving home chemotherapy or outpatient treatment: a randomised controlled trial. 2001 , 322, 826	101
1575	Quality of life in palliative cancer care: results from a cluster randomized trial. 2001 , 19, 3884-94	194
1574	Why Quality of Life Measures Should Be Used in the Treatment of Patients with Obesity. 485-510	14
1573	Recurrent epithelial ovarian carcinoma: a randomized phase III study of pegylated liposomal doxorubicin versus topotecan. 2001 , 19, 3312-22	985
1572	Multicenter phase II trial of temozolomide in patients with glioblastoma multiforme at first relapse. 2001 , 12, 259-66	280
1571	Economics, quality of life and breast cancer outcomes – is a balance possible?. 2001 , 10, 190-198	
1570	Effects of inpatient rehabilitation on health-related quality of life in breast cancer patients. 2001 , 24, 268-72	16
1569	Das Ausmaß von Müdigkeit und Erschöpfung in der über 60-jährigen Normalbevölkerung in Deutschland. 2001 , 46, 332-338	5
1568	The new Japanese classification of gastric carcinoma: revised explanation of "response assessment of chemotherapy and radiotherapy for gastric carcinoma". 2001 , 4, 9-13	6
1567	Quality of life influenced by primary surgical treatment for stage I-III breast cancer-long-term follow-up of a matched-pair analysis. 2001 , 8, 542-8	81
1566	Quality of life after treatment for early laryngeal carcinoma. 2001 , 258, 96-9	53
1565	Quality of life of patients with laryngeal carcinoma: a post-treatment study. 2001 , 258, 276-80	36
1564	Dimensions of fatigue during radiotherapy. An application of the Multidimensional Fatigue Inventory. 2001 , 9, 355-60	75
1563	Oral health and quality of life among patients with head and neck cancer or haematological malignancies. 2001 , 9, 528-38	47
1562	The significant unmet needs of cancer patients: probing psychosocial concerns. 2001 , 9, 597-605	136
1561	Phase II clinical trial of preoperative combined chemoradiation for T3 and T4 resectable rectal cancer: preliminary results. 2001 , 44, 1113-22	42
1560	Informal carers of cancer patients: what are their unmet psychosocial needs?. 2001 , 9, 464-75	110

1559	Acute leukaemia or highly malignant lymphoma patients' quality of life over two years: a pilot study. 2001 , 10, 36-47	32
1558	The psychosocial needs of cancer patients: findings from an observational study. 2001 , 10, 261-9	108
1557	Pain and quality of life. 2001 , 1, 150-61	92
1556	A randomized trial of the choice of treatment in prostate cancer: design and baseline characteristics. 2001 , 88, 708-15	21
1555	Patient self-injection: a new approach to administering luteinizing hormone-releasing hormone analogues. 2000 , 86, 840-2	6
1554	Timing of quality of life (QoL) assessments as a source of error in oncological trials. 2001 , 35, 709-16	30
1553	From hospital to home care: a randomized controlled trial of a Pain Education Programme for cancer patients with chronic pain. 2001 , 36, 742-54	40
1552	Is good 'quality of life' possible at the end of life? An explorative study of the experiences of a group of cancer patients in two different care cultures. 2001 , 10, 550-62	37
1551	Symptom recognition in advanced cancer. A comparison of nursing records against patient self-rating. 2001 , 45, 1080-5	69
1550	Sensitivity analysis of longitudinal binary quality of life data with drop-out: an example using the EORTC QLQ-C30. 2001 , 20, 3901-20	5
1549	Psychosocial interventions for cancer: review and analysis using a three-tiered outcomes model. 2001 , 10, 218-30	65
1548	A comparison of Portuguese and American patients with hematological malignancies: a cross-cultural survey of health-related quality of life. 2001 , 10, 251-8	10
1547	Nonpharmacologic group treatment of insomnia: a preliminary study with cancer survivors. 2001 , 10, 389-97	101
1546	Who wants second-line, palliative chemotherapy?. 2001 , 10, 410-8	39
1545	Quality of life as an outcome in clinical trials and cancer care: a primer for surgeons. 2001 , 77, 270-6	23
1544	Social support as a buffer to the psychological impact of stressful life events in women with breast cancer. 2001 , 91, 443-54	178
1543	Irinotecan and chronomodulated infusion of 5-fluorouracil and folinic acid in the treatment of patients with advanced colorectal carcinoma. 2001 , 91, 712-720	14
1542	Quality of life and symptoms in a randomized trial of radiotherapy versus deferred treatment of localized prostate carcinoma. 2001 , 92, 3111-9	57

1541	Health-related quality of life three years after diagnosis of head and neck cancer--a longitudinal study. 2001 , 23, 113-25	257
1540	A structured review of quality of life instruments for head and neck cancer patients. 2001 , 23, 201-13	149
1539	The EORTC core quality of life questionnaire (QLQ-C30, version 3.0) in terminally ill cancer patients under palliative care: validity and reliability in a Hellenic sample. 2001 , 94, 135-9	94
1538	Quality of life and oral function in patients treated with radiation therapy for head and neck cancer. 2001 , 23, 389-98	201
1537	Prediction of depression 6 months to 3 years after treatment of head and neck cancer. 2001 , 23, 892-8	70
1536	Do elderly cancer patients care about cure? Attitudes to radical gynecologic oncology surgery in the elderly. 2001 , 81, 447-55	49
1535	Quality of life in ovarian cancer patients receiving chemotherapy. 2001 , 81, 490-5	68
1534	A longitudinal study on quality of life after gynecologic cancer treatment. 2001 , 83, 10-9	54
1533	Quality of life in breast cancer patients: a cluster analytic approach. Empirically derived subgroups of the EORTC-QLQ BR 23--a clinically oriented assessment. 2001 , 68, 75-87	36
1532	Neurophysiological evaluation of late effects of adjuvant high-dose chemotherapy on cognitive function. 2001 , 51, 159-65	104
1531	Assessing the reliability of the EORTC QLQ-C30 in a sample of older African American and Caucasian adults. 2001 , 10, 533-41	13
1530	Body experience and mental representation of body image in patients with haematological malignancies and cancer as assessed with the Body Grid. 2001 , 74, 507-21	12
1529	Health-related quality of life in multiple myeloma patients receiving high-dose chemotherapy with autologous blood stem-cell support. 2001 , 18, 65-77	69
1528	Health-related quality of life and its potential prognostic implications in patients with aggressive lymphoma: a Nordic Lymphoma Group Trial. 2001 , 18, 85-94	38
1527	Health-related quality of life in long-term head and neck cancer survivors: a comparison with general population norms. 2001 , 84, 149-56	209
1526	Alternative methods of interpreting quality of life data in advanced gastrointestinal cancer patients. 2001 , 85, 1265-72	45
1525	Validating automated screening for psychological distress by means of computer touchscreens for use in routine oncology practice. 2001 , 85, 1842-9	65
1524	Cognitieve stoornissen na chemotherapie. 2001 , 5, 92-96	

1523	A prospective study of quality of life in head and neck cancer patients. Part I: at diagnosis. 2001 , 111, 669-80	130
1522	A prospective study of quality of life in head and neck cancer patients. Part II: Longitudinal data. 2001 , 111, 1440-52	233
1521	The development of the Chemotherapy Symptom Assessment Scale (C-SAS): a scale for the routine clinical assessment of the symptom experiences of patients receiving cytotoxic chemotherapy. 2001 , 38, 497-510	46
1520	Does the medical record cover the symptoms experienced by cancer patients receiving palliative care? A comparison of the record and patient self-rating. 2001 , 21, 189-96	115
1519	Assessment of pain cognitions in cancer patients with chronic pain. 2001 , 22, 911-24	13
1518	Fatigue in patients with cancers of the breast or prostate undergoing radical radiotherapy. 2001 , 22, 1007-15	106
1517	Treatment efficacy of intermittent claudication by invasive therapy, supervised physical exercise training compared to no treatment in unselected randomised patients II: one-year results of health-related quality of life. 2001 , 22, 114-23	50
1516	Measurement of outcome. 2001 , 10, 127-33	23
1515	Cost-utility analysis of high-dose melphalan with autologous blood stem cell support vs. melphalan plus prednisone in patients younger than 60 years with multiple myeloma. 2001 , 66, 328-36	25
1514	Etoposide plus cisplatin with or without the combination of 4'-epidoxorubicin plus cyclophosphamide in treatment of extensive small-cell lung cancer: a French Federation of Cancer Institutes multicenter phase III randomized study. <i>Journal of the National Cancer Institute</i> , 2001 , 93, 300-8	9.7 139
1513	The prognostic value of quality of life scores during treatment for oesophageal cancer. 2001 , 49, 227-30	112
1512	PSA and second-line therapy of hormone refractory prostate carcinoma. 2001 , 66, 131-4	1
1511	Classifying nursing care to improve patient outcomes: The example of WISECARE. 2001 , 6, 747-756	2
1510	Immunotherapy (recombinant interleukin 2), hormone therapy (medroxyprogesterone acetate) and antioxidant agents as combined maintenance treatment of responders to previous chemotherapy. 2001 , 18, 383	1
1509	An assessment of sexual difficulties in men after treatment for testicular cancer. 2001 , 16, 47-58	8
1508	Quality of life in advanced cancer patients: the impact of sociodemographic and medical characteristics. 2001 , 85, 1478-85	102
1507	Evaluation of nurse-led follow up for patients undergoing pelvic radiotherapy. 2001 , 85, 1853-64	84
1506	Quality of life in elderly cancer patients. 2001 , 12 Suppl 3, S49-52	23

1505	A systematic overview of chemotherapy effects in gastric cancer. 2001 , 40, 309-26	89
1504	Disease specific quality of life instruments in multiple sclerosis: validation of the Hamburg Quality of Life Questionnaire in Multiple Sclerosis (HAQUAMS). 2001 , 7, 119-30	116
1503	Assessment of quality of life during chemotherapy. 2001 , 40, 175-84	53
1502	Five-year survival following oesophageal cancer resection: psychosocial functioning and quality of life. 2001 , 6, 85-94	2
1501	Quality of life studies and genito-urinary tumors. 2001 , 12 Suppl 3, S43-8	2
1500	Cross-cultural validation of the McGill Quality of Life questionnaire in Hong Kong Chinese. 2001 , 15, 387-97	57
1499	Health-related quality of life, anxiety and depression in patients with midgut carcinoid tumours. 2001 , 40, 825-31	52
1498	A Systematic Overview of Chemotherapy Effects in Gastric Cancer. 2001 , 40, 309-326	79
1497	Measuring quality of life: Using quality of life measures in the clinical setting. 2001 , 322, 1297-300	580
1496	The patient-physician relationship. Patient-physician communication during outpatient palliative treatment visits: an observational study. 2001 , 285, 1351-7	140
1495	The shuttle walking test: a reproducible method for evaluating the impact of shortness of breath on functional capacity in patients with advanced cancer. 2001 , 56, 146-50	38
1494	Assessment of quality of care in an oncology institute using information on patients' satisfaction. 2001 , 61, 120-8	60
1493	Health-related quality of life measures in cancer. 2001 , 12 Suppl 3, S7-10	69
1492	[Coping in patients with malignant glioma in the course of radiation therapy]. 2001 , 51, 281-7	1
1491	[Ablative and extremity salvage tumor surgery of the lower extremity—a 10 year comparison]. 2001 , 139, 183-8	1
1490	Endoscopic treatment of lung cancer invading the airway before induction chemotherapy and surgical resection. 2001 , 20, 464-7	16
1489	Assessment of quality of life in palliative care. 2001 , 4, 413-6	8
1488	Evolution in measuring the quality of dying. 2002 , 5, 407-14	63

1487	Spiritual issues and quality of life assessment in cancer care. 2002 , 26, 743-56	36
1486	Exploring the factorial structure of the EORTC QLQ-C30: Racial differences in measuring health-related quality of life in a sample of urban, older adults. 2002 , 14, 399-421	8
1485	Impact of azacytidine on the quality of life of patients with myelodysplastic syndrome treated in a randomized phase III trial: a Cancer and Leukemia Group B study. 2002 , 20, 2441-52	325
1484	Assessing outcomes in palliative chemotherapy. 2002 , 3, 693-700	3
1483	Evaluation of long-term toxicity in patients after cisplatin-based chemotherapy for non-seminomatous testicular cancer. 2002 , 13, 229-36	184
1482	Simultaneous analysis of quality of life and survival data. 2002 , 11, 25-48	51
1481	Cisplatin and etoposide regimen is superior to cyclophosphamide, epirubicin, and vincristine regimen in small-cell lung cancer: results from a randomized phase III trial with 5 years' follow-up. 2002 , 20, 4665-72	367
1480	Does training increase the use of more emotionally laden words by nurses when talking with cancer patients? A randomised study. 2002 , 87, 1-7	105
1479	The systemic inflammatory response, weight loss, performance status and survival in patients with inoperable non-small cell lung cancer. 2002 , 87, 264-7	232
1478	A multicentre phase II study of cisplatin and gemcitabine for malignant mesothelioma. 2002 , 87, 491-6	189
1477	Antitumour activity of three second-line treatment combinations in patients with metastatic colorectal cancer after optimal 5-FU regimen failure: a randomised, multicentre phase II study. 2002 , 13, 1558-67	68
1476	Self-reports are not related to objective assessments of cognitive function and sedation in patients with cancer pain admitted to a palliative care unit. 2002 , 16, 513-9	44
1475	Late effects of adjuvant chemotherapy on cognitive function: a follow-up study in breast cancer patients. 2002 , 13, 1387-97	189
1474	Phase III randomised trial comparing paclitaxel/carboplatin with paclitaxel/cisplatin in patients with advanced non-small-cell lung cancer: a cooperative multinational trial. 2002 , 13, 1539-49	232
1473	'Satisfaction with care': associations with health-related quality of life and psychosocial function among Swedish patients with endocrine gastrointestinal tumours. 2002 , 11, 91-9	125
1472	Quality of life measurement: bibliographic study of patient assessed health outcome measures. 2002 , 324, 1417	750
1471	Statistical Methods for Quality of Life Studies. 2002 ,	12
1470	Information needs and awareness of diagnosis in patients with cancer receiving chemotherapy: a report from Greece. 2002 , 16, 315-21	53

1469	Effects on quality of life of combined trastuzumab and chemotherapy in women with metastatic breast cancer. 2002 , 20, 3106-13	115
1468	Ralitrexed (Tomudex) or Nordic-FLv regimen in metastatic colorectal cancer: a randomized phase II study focusing on quality of life, patients' preferences and health economics. 2002 , 14, 301-8	10
1467	Quality of Life Following Rectal Cancer Resection: Pros and Cons of Sphincter Preservation. 2002 , 15, 087-092	4
1466	[Health-related quality of life (HRQL) in patients receiving home mechanical ventilation]. 2002 , 56, 610-20	7
1465	Translation and validation of the Functional Assessment of Cancer Therapy-Bone Marrow Transplant (FACT-BMT) Version 4 quality of life instrument into traditional Chinese. 2002 , 29, 41-9	24
1464	A randomized study of nutritional support in patients with colorectal and gastric cancer. 2002 , 42, 48-58	54
1463	Aerobes Bewegungstraining für Mammakarzinompatientinnen unter adjuvanten onkologischen Therapien - Ergebnisse der ersten österreichischen ambulanten Trainingsgruppe. 2002 , 12, 25-30	12
1462	Psychomotorische und kognitive Leistungsfähigkeit bei ambulanten Patienten mit fortgeschrittener Tumorerkrankung - 4 Fallberichte. 2002 , 3, 20-26	
1461	Prostatakarzinom: psychoonkologische Aspekte. 2002 , 34, 100-105	1
1460	The cancer patient and quality of life. 2002 , 7, 120-5	203
1459	Physical performance, toxicity, and quality of life as assessed by the physician and the patient. 2002 , 41, 44-9	13
1458	Reproducibility of survey results from a study of occupation-related respiratory health in the aluminum industry. 2002 , 17, 774-82	8
1457	Efficacy and quality-of-life data are related in a phase II trial of oral chemotherapy in previously untreated patients with metastatic colorectal carcinoma. 2002 , 20, 4574-80	32
1456	The impact of hemoglobin levels on fatigue and quality of life in cancer patients. 2002 , 13, 965-73	106
1455	Triplet combination with irinotecan plus oxaliplatin plus continuous-infusion fluorouracil and leucovorin as first-line treatment in metastatic colorectal cancer: a multicenter phase II trial. 2002 , 20, 2651-7	112
1454	Vinorelbine and cisplatin in metastatic squamous cell carcinoma of the oesophagus: response, toxicity, quality of life and survival. 2002 , 13, 721-9	62
1453	'Patient satisfaction' in hospitalized cancer patients. 2002 , 41, 639-45	29
1452	A longitudinal study of the Swedish Self-Evaluation of Communication Experiences after Laryngeal Cancer questionnaire in patients treated for laryngeal cancer. 2002 , 41, 262-8	22

1451	Determinants of chronic fatigue in disease-free breast cancer patients: a cross-sectional study. 2002 , 13, 589-98	227
1450	Quality-of-life assessment in oncology. Achievements and challenges. 2002 , 41, 229-37	104
1449	Quality of life and rehabilitation in social and professional life after autologous stem cell transplantation. 2002 , 13, 209-17	63
1448	Chronic arm morbidity after curative breast cancer treatment: prevalence and impact on quality of life. 2002 , 20, 4242-8	254
1447	CA125 response: can it replace the traditional response criteria in ovarian cancer?. 2002 , 7, 437-43	71
1446	Anxiety disorders in cancer patients: their nature, associations, and relation to quality of life. 2002 , 20, 3137-48	348
1445	Quality of life in patients with chronic alveolar hypoventilation. 2002 , 19, 113-20	21
1444	Self-rated health as a predictor of survival among patients with advanced cancer. 2002 , 20, 2514-9	128
1443	Analysing longitudinal continuous quality of life data with dropout. 2002 , 11, 5-23	12
1442	Pain management in chronic pancreatitis. 2002 , 14, 957-70	78
1441	Nurse led follow up and conventional medical follow up in management of patients with lung cancer: randomised trial. 2002 , 325, 1145	218
1440	Efficacy and safety of trastuzumab as a single agent in first-line treatment of HER2-overexpressing metastatic breast cancer. 2002 , 20, 719-26	1708
1439	Erythropoietin treatment in metastatic breast cancer--effects on Hb, quality of life and need for transfusion. 2002 , 41, 517-24	27
1438	Palliative treatment: what's the point?. 2002 , 25, 537-9	
1437	A taxonomy of the uses of health-related quality-of-life instruments in cancer care and the clinical meaningfulness of the results. 2002 , 40, III31-8	66
1436	Patient, Clinician, and Population Perspectives on Determining the Clinical Significance of Quality-of-Life Scores. 2002 , 77, 488-494	53
1435	Assessing the Clinical Significance of Single Items Relative to Summated Scores. 2002 , 77, 479-487	165
1434	A practical guide to targeted therapy for bone pain palliation. 2002 , 23, 833-6	7

1433	Is outcomes research on cancer ready for prime time?. 2002 , 40, III92-100	6
1432	Interpleural analgesia in a palliative care setting. 2002 , 13, 349-353	
1431	Assessment of quality of life in a multicultural cancer patient population.. 2002 , 14, 439-450	28
1430	Quality of life following lung cancer resection: video-assisted thoracic surgery vs thoracotomy. 2002 , 122, 584-9	148
1429	Postoperative adjuvant chemotherapy for radically operated Dukes' C rectal cancer. 2002 ,	1
1428	Feasibility, acceptability and internal consistency reliability of the nottingham health profile in dementia patients. 2002 , 48, 220-5	31
1427	Phase II study of subcutaneously administered interleukin-2 in combination with medroxyprogesterone acetate and antioxidant agents as maintenance treatment in advanced cancer responders to previous chemotherapy. 2002 , 9, 887	1
1426	Quality of life after esophagectomy for cancer. 2002 , 29, 1127-31	17
1425	Benefits of chemotherapy for quality of life in patients with advanced nonsmall-cell lung cancer. 2002 , 14, 389-93	13
1424	Validation of a questionnaire for self-rating of urological and gynaecological morbidity after treatment of gynaecological cancer. 2002 , 65, 29-38	15
1423	Irinotecan plus cisplatin compared with etoposide plus cisplatin for extensive small-cell lung cancer. 2002 , 346, 85-91	1088
1422	The palliative benefit of irinotecan in 5-fluorouracil-refractory colorectal cancer: its prospective evaluation by a Multicenter Canadian Trial. 2002 , 2, 93-101	17
1421	Nutrition support in cancer patients: a brief review and suggestion for standard indications criteria. 2002 , 1, 1	40
1420	Strategies for improving quality of life in older patients with metastatic breast cancer. 2002 , 19, 605-22	13
1419	Health Related Quality of Life Assessment After Radical Cystectomy: Comparison of Ileal Conduit with Continent Orthotopic Neobladder. 2002 , 168, 164-167	143
1418	Assessing meaningful change in quality of life over time: a users' guide for clinicians. 2002 , 77, 561-71	154
1417	Rotationplasty--quality of life after 10 years in 22 patients. 2002 , 73, 85-8	58
1416	Quality of life and chronotheapy. 2002 , 19, 299-312	13

1415	Contribution of the rest-activity circadian rhythm to quality of life in cancer patients. 2002 , 19, 313-23	102
1414	Determinants of the degree of complementary and alternative medicine use among patients with cancer. 2002 , 8, 661-71	76
1413	Prospective randomized trial comparing mitomycin, cisplatin, and protracted venous-infusion fluorouracil (PVI 5-FU) With epirubicin, cisplatin, and PVI 5-FU in advanced esophagogastric cancer. 2002 , 20, 1996-2004	389
1412	Coping with prostate cancer: a quantitative analysis using a new instrument, the centre for clinical excellence in urological research coping with cancer instrument. 2002 , 59, 383-8	16
1411	Comparison of survival, palliation, and quality of life with three chemotherapy regimens in metastatic colorectal cancer: a multicentre randomised trial. 2002 , 359, 1555-63	129
1410	Nd:YAG laser resection of lung cancer invading the airway as a bridge to surgery and palliative treatment. 2002 , 74, 995-8	63
1409	Short Form 36 and Hospital Anxiety and Depression Scale. A comparison based on patients with testicular cancer. 2002 , 52, 79-87	47
1408	A phase II study of gemcitabine plus cisplatin in patients with advanced non-small cell lung cancer: clinical outcomes and quality of life. 2002 , 35, 73-9	32
1407	Measuring quality of life in chronic illness: the functional assessment of chronic illness therapy measurement system. 2002 , 83, S10-7	164
1406	Quality of life 2-10 years after combined treatment for advanced oral and oropharyngeal cancer. 2002 , 31, 664-9	48
1405	Changes in physical functioning and quality of life in patients with cancer: response shift and relative evaluation of one's condition. 2002 , 55, 176-83	64
1404	What is a clinically meaningful change on the Functional Assessment of Cancer Therapy-Lung (FACT-L) Questionnaire? Results from Eastern Cooperative Oncology Group (ECOG) Study 5592. 2002 , 55, 285-95	299
1403	The role of health care providers and significant others in evaluating the quality of life of patients with chronic disease. 2002 , 55, 1130-43	315
1402	Quality-of-life assessment in palliative care. 2002 , 3, 175-82	64
1401	Quality of life in patients undergoing systemic therapy for advanced breast cancer. 2002 , 3, 620-8	63
1400	Quality of life after stem cell transplantation: a patient, partner and physician perspective. 2002 , 13, 52-56	31
1399	The comparability of quality of life scores. a multitrait multimethod analysis of the EORTC QLQ-C30, SF-36 and FLIC questionnaires. 2002 , 38, 339-48	43
1398	Statistical methodology of phase III cancer clinical trials: advances and future perspectives. 2002 , 38 Suppl 4, S162-8	10

1397	Quality of life research within the EORTC-the EORTC QLQ-C30. European Organisation for Research and Treatment of Cancer. 2002 , 38 Suppl 4, S125-33	400
1396	Symptomatology of cancer patients in palliative care: content validation of self-assessment questionnaires against medical records. 2002 , 38, 788-94	99
1395	Baseline quality of life predicts survival in patients with advanced colorectal cancer. 2002 , 38, 1351-7	183
1394	Vinorelbine in androgen-independent metastatic prostatic carcinoma--a phase II study. 2002 , 38, 1626-32	27
1393	The impact of hormonal treatments on quality of life of patients with metastatic breast cancer. 2002 , 24 Suppl C, C26-42	15
1392	[Measure of quality of life in patients with metastatic colorectal cancer: techniques and main results]. 2002 , 23, 703-16	9
1391	Patient, Clinician, and Population Perspectives on Determining the Clinical Significance of Quality-of-Life Scores. 2002 , 77, 488-494	52
1390	[Development of the ESCAP-CDV as measuring tool for the assessment of quality of life in prostatic cancer]. 2002 , 26, 242-9	1
1389	Assessing the Clinical Significance of Single Items Relative to Summated Scores. 2002 , 77, 479-487	144
1388	Deficiencies of micronutrients, altered bowel function, and quality of life during late follow-up after pancreaticoduodenectomy for malignancy. 2002 , 2, 528-34	46
1387	Update on anorexia and cachexia. 2002 , 16, 589-617	69
1386	Palliative Treatment: What's the Point?. 2002 , 25, 537-539	
1385	Patients' estimation of overall treatment burden: why not ask the obvious?. 2002 , 20, 65-72	54
1384	Comprehensive assessment of the elderly cancer patient: the feasibility of self-report methodology. 2002 , 20, 770-5	124
1383	Quality of life in long-term survivors of testicular cancer: a population-based case-control study. 2002 , 20, 73-80	100
1382	Qualidade de vida e prognóstico nos carcinomas epidermóides de cabeça e pescoço. 2002 , 68, 400-403	4
1381	Quality of Life in Breast and Colon Cancer Long-term Survivors: An Assessment with the Eortc Qlq-c30 and Sf-36 Questionnaires. 2002 , 88, 110-116	54
1380	The management of colorectal cancer. 2002 , 16, 47-52	46

1379	Effect of telephone follow-up on the physical well-being dimension of quality of life in patients with cancer. 2002 , 22, 1301-11	13
1378	The validity and clinical utility of symptom monitoring in advanced lung cancer: a literature review. 2002 , 4, 153-60	19
1377	Quality of life profile: from measurement to clinical application. 2002 , 11, 324-34	34
1376	Acute myeloid leukemia: treatment over 60. 2002 , 6, 46-59; discussion 86-7	26
1375	Pain measurement tools and methods in clinical research in palliative care: recommendations of an Expert Working Group of the European Association of Palliative Care. 2002 , 23, 239-55	316
1374	Assessment of patient-reported clinical outcome in pancreatic and other hepatobiliary cancers: the FACT Hepatobiliary Symptom Index. 2002 , 24, 32-44	71
1373	The Norwegian brief pain inventory questionnaire: translation and validation in cancer pain patients. 2002 , 24, 517-25	237
1372	Companions through cancer: the care given by informal carers in cancer contexts. 2002 , 54, 529-44	200
1371	Patient self-reporting questionnaire on urological morbidity and bother after radical retropubic prostatectomy. 2002 , 42, 112-17	54
1370	Alcohol consumption is associated with improved health-related quality of life in head and neck cancer patients. 2002 , 38, 81-6	28
1369	Chondrosarcoma of bone: functional outcome and quality of life. 2002 , 81, 70-4	13
1368	The addition of mood and anxiety domains to the University of Washington quality of life scale. 2002 , 24, 521-9	282
1367	Self-assessment in cancer patients referred to palliative care: a study of feasibility and symptom epidemiology. 2002 , 94, 512-20	110
1366	Cognitive functioning and quality of life in long-term adult survivors of bone marrow transplantation. 2002 , 95, 183-92	116
1365	Quality of life assessment. 2002 , 9, 100-6	14
1364	Systematic overview of quality of life studies for breast cancer. 2002 , 9, 196-202	13
1363	Effects of docetaxel on pain due to metastatic androgen-independent prostate cancer. 2002 , 3, 232-8	2
1362	Measurement of quality of life in head and neck cancer patients utilizing the quality of life radiation therapy questionnaire. 2002 , 178, 153-8	15

1361	[Not Available]. 2002 , 45, 260-6	2
1360	[Structured patient education in oncology. A prospective study for implementing and effectiveness of interdisciplinary psycho-educational group intervention at a German university clinic]. 2002 , 97, 449-54	3
1359	Patient generated index: new instrument for measuring quality of life in patients with rectal cancer. 2002 , 26, 1354-9	48
1358	Neorectal reservoir is not the functional principle of the colonic J-pouch: the volume of a short colonic J-pouch does not differ from a straight coloanal anastomosis. 2002 , 45, 660-7	91
1357	[Results of a poll of cancer patients with respect to pain and quality of life]. 2002 , 16, 481-9	14
1356	Quality of life of breast cancer patients receiving high-dose-intensity chemotherapy: impact of length of cycles. 2002 , 10, 222-30	11
1355	Does awareness of diagnosis make any difference to quality of life? Determinants of emotional functioning in a group of cancer patients in Turkey. 2002 , 10, 51-7	55
1354	Prospective analysis of quality of life and survival following mesorectal excision for rectal cancer. 2001 , 88, 1617-22	149
1353	Quality of life in patients with aggressive non-Hodgkin's lymphoma. Validation of the medical outcomes study short form 20 and the Rotterdam symptom checklist in older patients. 2002 , 43, 219-26	7
1352	EORTC prostate cancer trials: what have we learnt?. 2002 , 43, 159-65	2
1351	Quality of life in chronic pancreatitis: a prospective trial comparing classical whipple procedure and duodenum-preserving pancreatic head resection. 2002 , 6, 173-9; discussion 179-80	41
1350	Indwelling catheter treatment and health-related quality of life in men with prostate cancer in comparison with men with benign prostatic hyperplasia. 2002 , 16, 264-71	21
1349	Cancer and faith. Having faith--does it make a difference among patients and their informal carers?. 2002 , 16, 256-63	23
1348	Utility assessments of opioid treatment for chronic pain. 2002 , 3, 218-30	29
1347	The families evaluation on management, care and disclosure for terminal stage cancer patients. 2002 , 1, 3	27
1346	Randomized clinical trial comparing self-expanding metallic stents with plastic endoprostheses in the palliation of oesophageal cancer. 2002 , 89, 985-92	72
1345	Randomized clinical trial comparing quality of life after straight and pouch coloanal reconstruction. 2002 , 89, 1108-17	116
1344	Treatment of myelodysplasia with oral cyclosporin. 2002 , 24, 211-4	15

1343	The application of computer touch-screen technology in screening for psychosocial distress in an ambulatory oncology setting. 2002 , 11, 245-53	76
1342	A randomized controlled crossover study of manual lymphatic drainage therapy in women with breast cancer-related lymphoedema. 2002 , 11, 254-61	131
1341	Health-related quality of life of ileocecal rectal bladder compared with ileal conduit diversion: a questionnaire survey. 2002 , 9, 385-91; discussion 391	8
1340	Objective assessment of morbidity and quality of life after surgery for low rectal cancer. 2002 , 4, 61-66	100
1339	Prospective analysis of quality of life after reversal of a defunctioning loop ileostomy. 2002 , 4, 167-171	58
1338	The prevalence and predictors of psychological distress in patients with early localized prostate cancer. 2002 , 90, 56-61	117
1337	Side effects and quality of life after inadvertent radiation overdosage in brachytherapy of head-and-neck cancer. 2002 , 52, 944-52	18
1336	Health-related quality of life for nasopharyngeal carcinoma patients with cancer-free survival after treatment. 2002 , 53, 959-68	110
1335	Quality of life after curative radiotherapy in Stage I non-small-cell lung cancer. 2002 , 53, 847-53	25
1334	Quality of life in long-term survivors of oropharynx carcinoma. 2002 , 54, 742-51	79
1333	Randomized phase III trial of single versus fractionated thoracic radiation in the palliation of patients with lung cancer (NCIC CTG SC.15). 2002 , 54, 719-28	129
1332	Multicollinearity in prognostic factor analyses using the EORTC QLQ-C30: identification and impact on model selection. 2002 , 21, 3865-84	82
1331	The EORTC QLQ-C30 (version 3.0) Quality of Life questionnaire: validation study for Spain with head and neck cancer patients. 2002 , 11, 249-56	70
1330	Ethnic differences in quality of life among early breast and prostate cancer survivors. 2002 , 11, 103-13	65
1329	Patient initiated follow up of breast cancer. 2002 , 11, 346-55	71
1328	Coping and health-related quality of life in men with prostate cancer randomly assigned to hormonal medication or close monitoring. 2002 , 11, 401-14	70
1327	Long-term outcome and quality of life of patients who are alive and in complete remission more than two years after allogeneic and syngeneic stem cell transplantation. 2002 , 30, 619-26	61
1326	Quality of life, taste, olfactory and oral function following high-dose chemotherapy and allogeneic hematopoietic cell transplantation. 2002 , 30, 785-92	101

1325	Quality of life: a new perspective for cancer patients. 2002 , 2, 873-9	76
1324	Computer-based quality of life questionnaires may contribute to doctor-patient interactions in oncology. 2002 , 86, 51-9	167
1323	Multicentre phase II study of gemcitabine and cisplatin in malignant pleural mesothelioma. 2002 , 86, 342-5	130
1322	High activity Rhenium-186 HEDP with autologous peripheral blood stem cell rescue: a phase I study in progressive hormone refractory prostate cancer metastatic to bone. 2002 , 86, 1715-20	49
1321	The imPaCT study: a randomised controlled trial to evaluate a hospital palliative care team. 2002 , 87, 733-9	93
1320	Weekly epirubicin in patients with hormone-resistant prostate cancer. 2002 , 87, 720-5	18
1319	Causal variables, indicator variables and measurement scales: an example from quality of life. 2002 , 165, 233-253	151
1318	Is mastectomy overused? A call for an expanded research agenda. 2002 , 37, 417-31	32
1317	Quality of life after bilateral thoracoscopic splanchnicectomy: long-term evaluation in patients with chronic pancreatitis. 2002 , 6, 845-52; discussion 853-4	39
1316	Fatigue as an important aspect of quality of life in patients with acute myeloid leukemia. 2002 , 26, 355-62	50
1315	Prospective assessment of quality of life of female cancer patients. 2002 , 85, 140-7	104
1314	Quality of life assessment in radionuclide therapy: a feasibility study of the EORTC QLQ-C30 questionnaire in palliative (131)I-lipiodol therapy. 2002 , 29, 1374-9	9
1313	Relation between mood, social support and the quality of life in patients with laryngectomies. 2002 , 259, 197-204	42
1312	Uptake of psychosocial referrals in an outpatient cancer setting: improving service accessibility via the referral process. 2002 , 10, 549-55	62
1311	Quality of life after esophagectomy for cancer: an assessment using the questionnaire with the face scale. 2002 , 32, 213-9	14
1310	Quality of life in advanced non-small-cell lung cancer: results of a Southwest Oncology Group randomized trial. 2002 , 11, 115-26	41
1309	Multidimensional scaling as a tool for analysing quality of life data. 2002 , 11, 223-33	32
1308	The health-related quality of life and survival of small-cell lung cancer patients: results of a companion study to CALGB 9033. 2002 , 11, 235-48	39

1307	The quality of life questionnaire for cancer patients treated with anticancer drugs (QOL-ACD): validity and reliability in japanese patients with advanced non-small-cell lung cancer. 2002 , 11, 483-93	28
1306	Evaluation of the life satisfaction questionnaire (LSQ) using structural equation modelling (SEM). 2002 , 11, 415-25	27
1305	A phase II study of caelyx (liposomal doxorubicin) in metastatic carcinoma of the prostate: tolerability and efficacy modification by liposomal encapsulation. 2002 , 20, 331-7	14
1304	Validation of the World Health Organization quality of life instrument in patients with HIV infection. 2002 , 11, 753-62	66
1303	Short report: a morbidity scoring system for Clinical Oncology practice: questionnaires produced from the LENT SOMA scoring system. 2002 , 14, 68-9	22
1302	Venlafaxine in neuropathic pain following treatment of breast cancer. 2002 , 6, 17-24	168
1301	Cancer patients' preferences for communicating clinical trial quality of life information: a qualitative study. 2003 , 12, 395-404	37
1300	Use of differential item functioning analysis to assess the equivalence of translations of a questionnaire. 2003 , 12, 373-85	107
1299	The case for domains of function in quality of life assessment. 2003 , 12 Suppl 1, 73-80	52
1298	Practical problems with the collection and interpretation of serial quality of life assessments in patients with malignant glioma. 2003 , 63, 179-86	51
1297	Survival-weighted health profile for long-term survivors of acute myelogenous leukemia. 2003 , 12, 503-17	21
1296	Predicting length of stay out of hospital following lung resection using preoperative health status measures. 2003 , 12, 645-54	7
1295	Pitfalls in the assessment of disability in individuals with low-grade gliomas. 2003 , 65, 149-58	30
1294	Symptoms of colorectal liver metastases: correlation with CT findings. 2003 , 15, 78-82	3
1293	Quality of life after surgical treatment of gastric carcinoma. 1998 , 164, 119-25	22
1292	Quality of life in women treated with neoadjuvant chemotherapy for advanced ovarian cancer: a prospective longitudinal study. 2003 , 88, 9-16	87
1291	Quality of life in patients of nasopharyngeal carcinoma: validation of the Taiwan Chinese version of the EORTC QLQ-C30 and the EORTC QLQ-H&N35. 2003 , 12, 93-8	69
1290	How quality of life data contribute to our understanding of cancer patients' experiences? A study of patients with lung cancer. 2003 , 12, 157-66	52

1289	Evaluating podiatry services: testing a treatment specific measure of health status. 2003 , 12, 177-88	11
1288	Treatment of patients with gastro-entero-pancreatic (GEP) tumours with the novel radiolabelled somatostatin analogue [177Lu-DOTA(0),Tyr3]octreotate. 2003 , 30, 417-22	311
1287	Quality of life and psychological well-being in Spanish long-term survivors of Hodgkin's disease: results of a controlled pilot study. 2003 , 82, 14-8	31
1286	Measuring quality of life in patients with breast cancer: a systematic review of reliable and valid instruments available in Japan. 2003 , 10, 204-13	21
1285	Factors affecting the health-related quality of life in lung cancer patients: Measured by EORTC QLQ-C30 QLQ-LC13. 2003 , 15, 290-299	
1284	Quality of life after treatment for prostate cancer. 2003 , 1, 55-65	0
1283	Quality of life after treatment for prostate cancer. 2003 , 4, 185-95	52
1282	Recombinant human erythropoietin, epoetin beta, in patients with relapsed lymphoma treated with aggressive sequential salvage chemotherapy--results of a randomized trial. 2003 , 82, 469-475	15
1281	[Amputation or limb salvage? Assessing quality of life after tumor operations of the lower extremity]. 2003 , 32, 1020-7	15
1280	A randomized study comparing epirubicin in a 4-weekly versus a weekly intravenous regimen in patients with metastatic, hormone resistant, prostatic carcinoma: effects on health related quality of life. 2003 , 21, 177-82	11
1279	Comparison of health-related quality of life and prostate-associated symptoms after primary and salvage cryotherapy for prostate cancer. 2003 , 129, 676-82	67
1278	What are the problems in palliative care? Results from a representative survey. 2003 , 11, 442-51	80
1277	Assessing the impact of chemotherapy-induced nausea and vomiting on patients' daily lives: a modified version of the Functional Living Index-Emesis (FLIE) with 5-day recall. 2003 , 11, 522-7	96
1276	Feasibility, physical capacity, and health benefits of a multidimensional exercise program for cancer patients undergoing chemotherapy. 2003 , 11, 707-16	94
1275	Quality of life and nutritional state in patients on home enteral tube feeding. 2003 , 19, 605-11	73
1274	Measuring postirradiation subcutaneous soft-tissue fibrosis: state-of-the-art and future directions. 2003 , 13, 203-13	29
1273	Quality of life in oncology trials: a clinical guide. 2003 , 13, 235-47	57
1272	Clinical research for surgeons in palliative care: challenges and opportunities. 2003 , 196, 141-51	30

1271	Office of Promoting Excellence in End-of-Life Care: Surgeon's Palliative Care Workgroup report from the field. 2003 , 197, 661-86	32
1270	Subcutaneous interleukin-2 in combination with medroxyprogesterone acetate and antioxidants in advanced cancer responders to previous chemotherapy: phase II study evaluating clinical, quality of life, and laboratory parameters. 2003 , 3, 205-19	22
1269	The impact of adjuvant therapy for breast cancer on cognitive function: current evidence and directions for research. 2003 , 30, 749-62	66
1268	Validation study of the Japanese version of the brief fatigue inventory. 2003 , 25, 106-17	59
1267	The impact of demographic and disease-specific variables on pain in cancer patients. 2003 , 26, 696-704	46
1266	Assessing the quality of life of patients in phase I and II anti-cancer drug trials: interviews versus questionnaires. 2003 , 56, 921-34	46
1265	The impact of androgen deprivation therapy on health related quality of life in asymptomatic men with lymph node positive prostate cancer. 2003 , 44, 209-14	46
1264	Fatigue after treatment for malignant and benign bone and soft tissue tumors. 2003 , 26, 1113-22	72
1263	The Cancer Care Monitor: psychometric content evaluation and pilot testing of a computer administered system for symptom screening and quality of life in adult cancer patients. 2003 , 26, 1077-92	89
1262	Japanese version of the MD Anderson Symptom Inventory: a validation study. 2003 , 26, 1093-104	110
1261	Part I: consultation-liaison literature database: 2003 update and national lists. 2003 , 25, 377-478	3
1260	Health related quality of life in prostate carcinoma patients: a systematic review of randomized controlled trials. 2003 , 97, 377-88	53
1259	Evaluation of an instrument to assess the needs of men diagnosed with prostate carcinoma: an assessment of the validity and reliability of a self-administered questionnaire developed to measure the needs experienced by men diagnosed with prostate carcinoma. 2003 , 97, 993-1001	10
1258	Fatigue in ovarian carcinoma patients: a neglected issue?. 2003 , 97, 1564-72	78
1257	Long-term adjustment of survivors of early-stage breast carcinoma, 20 years after adjuvant chemotherapy. 2003 , 98, 679-89	241
1256	Phase III trial of gemcitabine and carboplatin versus mitomycin, ifosfamide, and cisplatin or mitomycin, vinblastine, and cisplatin in patients with advanced nonsmall cell lung carcinoma. 2003 , 98, 542-53	67
1255	Measuring chemotherapy-induced nausea and emesis. 2003 , 98, 645-55	39
1254	Weekly administration of docetaxel for symptomatic metastatic hormone-refractory prostate carcinoma. 2003 , 98, 1627-34	62

1253	Cancer-related fatigue: evolving concepts in evaluation and treatment. 2003 , 98, 1786-801	240
1252	Salvage therapy in patients with glioblastoma: is there any benefit?. 2003 , 98, 2678-86	54
1251	The impact of head and neck cancer and facial disfigurement on the quality of life of patients and their partners. 2003 , 25, 289-96	137
1250	Effects of psychosocial intervention on quality of life in patients with head and neck cancer. 2003 , 25, 576-84	43
1249	Quality of life in patients with oropharynx carcinomas: assessment after accelerated radiotherapy with or without chemotherapy versus radical surgery and postoperative radiotherapy. 2003 , 25, 833-9; discussion 839-40	68
1248	Ewing's sarcoma of the pelvis: combined surgery and radiotherapy treatment. 2003 , 83, 154-60	54
1247	Quality of life issues and cancer survivorship. 2003 , 27, 198-211	50
1246	Changes in health-related quality of life of men with prostate cancer 3 months after diagnosis: the role of psychosocial factors and comparison with benign prostate hyperplasia patients. 2003 , 49, 225-32	23
1245	Prospective comparison of breast pain in patients participating in a randomized trial of breast-conserving surgery and tamoxifen with or without radiotherapy. 2003 , 55, 154-61	42
1244	Evaluation of the LENT-SOMA scales for the prospective assessment of treatment morbidity in cervical carcinoma. 2003 , 56, 502-10	46
1243	Health-related quality of life five years after diagnosis of laryngeal carcinoma. 2003 , 56, 1333-43	45
1242	Longitudinal study of sexual function and vaginal changes after radiotherapy for cervical cancer. 2003 , 56, 937-49	238
1241	Symptom assessment in elderly cancer patients receiving palliative care. 2003 , 47, 281-6	61
1240	Is there standard chemotherapy for metastatic bladder cancer? Quality of life and medical resources utilization based on largest to date randomized trial. 2003 , 47, 171-9	9
1239	Use of health-related quality of life in prescribing research. Part 1: why evaluate health-related quality of life?. 2003 , 28, 513-21	61
1238	Quality of life measurement in the head and neck cancer radiotherapy clinic: is it feasible and worthwhile?. 2003 , 15, 205-10	21
1237	Investigating the palliative efficacy of whole-brain radiotherapy for patients with multiple-brain metastases and poor prognostic features. 2003 , 15, 422-8	47
1236	Exploring nursing outcomes for patients with advanced cancer following intervention by Macmillan specialist palliative care nurses. 2003 , 41, 561-74	52

1235	Anorexia and weight loss in long-term survivors of haematological malignancies. 2003 , 12, 925-7	7
1234	Pain and health-related quality of life among cancer patients in final stage of life: a comparison between two palliative care teams. 2003 , 11, 189-96	7
1233	Health-related quality of life in gynecological oncology: instruments and psychometric properties. 2003 , 13, 5-14	17
1232	Outcomes research: what is it and why does it matter?. 2003 , 33, 110-8	31
1231	Adjuvant vs. neoadjuvant radiochemotherapy for locally advanced rectal cancer: the German trial CAO/ARO/AIO-94. 2003 , 5, 406-15	169
1230	Decisional regret and quality of life after participating in medical decision-making for early-stage prostate cancer. 2003 , 91, 14-7	75
1229	Comparative efficacy of triptorelin pamoate and leuprolide acetate in men with advanced prostate cancer. 2003 , 92, 226-31	70
1228	Health-related quality of life and psychosocial factors in patients with prostate cancer scheduled for radical prostatectomy or external radiation therapy. 2003 , 92, 217-22	17
1227	A validated decision model for treating the anaemia of myelodysplastic syndromes with erythropoietin + granulocyte colony-stimulating factor: significant effects on quality of life. 2003 , 120, 1037-46	322
1226	Quality of life after treatment for rectal cancer. 1998 , 85, 1036-43	140
1225	Cost-effectiveness in the management of patients with oesophageal cancer. 1998 , 85, 1394-8	19
1224	Elderly patients with head and neck cancer: short-term effects of surgical treatment on quality of life. 2003 , 28, 399-405	54
1223	Distress, quality of life and strategies to 'keep a good mood' in patients with carcinoid tumours: patient and staff perceptions. 2003 , 12, 46-57	25
1222	The experience of dysphagia and its effect on the quality of life of patients with oesophageal cancer. 2003 , 12, 183-93	40
1221	Comparison of breast and rectal cancer patients' quality of life: results of a four year prospective field study. 2003 , 12, 215-23	37
1220	Development of a disease specific questionnaire to supplement a generic tool for QoL in colorectal cancer. 2003 , 12, 675-85	13
1219	Prostate cancer patients' support and psychological care needs: Survey from a non-surgical oncology clinic. 2003 , 12, 769-83	202
1218	The CARES-SF used for prospective assessment of health-related quality of life after stem cell transplantation. 2003 , 12, 803-13	19

1217	Quality of life of breast cancer patients in Taiwan: validation of the Taiwan Chinese version of the EORTC QLQ-C30 and EORTC QLQ-BR23. 2003 , 12, 729-35	69
1216	Oral antibiotics with early hospital discharge compared with in-patient intravenous antibiotics for low-risk febrile neutropenia in patients with cancer: a prospective randomised controlled single centre study. 2003 , 89, 43-9	96
1215	Rapid deterioration in quality of life during interleukin-2- and alpha-interferon-based home therapy of renal cell carcinoma is associated with a good outcome. 2003 , 89, 50-4	38
1214	Comparison of quality of life and arm complaints after axillary lymph node dissection vs sentinel lymph node biopsy in breast cancer patients. 2003 , 89, 648-52	166
1213	Intermittent chemotherapy in metastatic androgen-independent prostate cancer. 2003 , 89, 968-70	44
1212	First-line gemcitabine with cisplatin or epirubicin in advanced non-small-cell lung cancer: a phase III trial. 2003 , 89, 1192-9	44
1211	Domiciliary chemotherapy with gemcitabine is safe and acceptable to advanced non-small-cell lung cancer patients: results of a feasibility study. 2003 , 89, 2190-6	15
1210	The scored Patient-generated Subjective Global Assessment (PG-SGA) and its association with quality of life in ambulatory patients receiving radiotherapy. 2003 , 57, 305-9	170
1209	Role of strontium-89 as adjuvant to palliative external beam radiotherapy is questionable: results of a double-blind randomized study. 2003 , 56, 1397-404	58
1208	Radiotherapy in conjunction with intravenous infusion of 180 mg of disodium pamidronate in management of osteolytic metastases from breast cancer: clinical evaluation, biochemical markers, quality of life, and monitoring of recalcification using assessments of gray-level histogram in plain radiographs. 2003 , 57, 143-57	42
1207	Pain questionnaires in the analysis of long lasting (chronic) pain conditions. 2003 , 7, 311-21	33
1206	The effect of erectile dysfunction on the quality of life of men after radical prostatectomy. 2003 , 92, 929-31	73
1205	Health related quality of life in men with prostate cancer. 2003 , 169, 1653-61	142
1204	Funci3 defecatoria y calidad de vida con la cirug3 preservadora de esf3teres en el c3ncer de recto. 2003 , 73, 52-57	
1203	Comparison of quality of life following laparoscopic and open prostatectomy for prostate cancer. 2003 , 169, 2045-8	77
1202	Prognosis, clinical outcomes and quality of life issues in cutaneous T-cell lymphoma. 2003 , 17, 1485-507	28
1201	Final results of a randomized phase III trial comparing cyclophosphamide, epirubicin, and fluorouracil with a dose-intensified epirubicin and cyclophosphamide + filgrastim as neoadjuvant treatment in locally advanced breast cancer: an EORTC-NCIC-SAKK multicenter study. 2003 , 21, 843-50	192
1200	[Quality of life in patients treated for head and neck cancer]. 2003 , 54, 704-9	1

1199	Mindfulness-based stress reduction in relation to quality of life, mood, symptoms of stress, and immune parameters in breast and prostate cancer outpatients. 2003 , 65, 571-81	495
1198	The benefits of being present: mindfulness and its role in psychological well-being. 2003 , 84, 822-48	6318
1197	Successful photodynamic therapy for nonresectable cholangiocarcinoma: a randomized prospective study. 2003 , 125, 1355-63	470
1196	Does nutrition influence quality of life in cancer patients undergoing radiotherapy?. 2003 , 67, 213-20	132
1195	Radiological and clinical assessment of long-term brain tumour survivors after radiotherapy. 2003 , 69, 169-76	105
1194	Quality of life in lung cancer patients: does socioeconomic status matter?. 2003 , 1, 19	24
1193	Impact of nausea and vomiting on quality of life in cancer patients during chemotherapy. 2003 , 1, 46	79
1192	Brief assessment of priority symptoms in hormone refractory prostate cancer: the FACT Advanced Prostate Symptom Index (FAPSI). 2003 , 1, 69	18
1191	Do English and Chinese EQ-5D versions demonstrate measurement equivalence? An exploratory study. 2003 , 1, 7	49
1190	Quality of life and the treatment of advanced lung cancer. 2003 , 5, 28-32	21
1189	Chemotherapy for malignant pleural mesothelioma. 2003 , 5, 98-106	42
1188	The validity and reliability of pain measures in adults with cancer. 2003 , 4, 2-21	319
1187	Outcome after duodenum-preserving pancreatic head resection is improved compared with classic Whipple procedure in the treatment of chronic pancreatitis. 2003 , 134, 53-62	82
1186	Docetaxel and doxorubicin compared with doxorubicin and cyclophosphamide as first-line chemotherapy for metastatic breast cancer: results of a randomized, multicenter, phase III trial. 2003 , 21, 968-75	319
1185	Core outcome domains for chronic pain clinical trials: IMMPACT recommendations. 2003 , 106, 337-345	829
1184	Weekly low-dose docetaxel in advanced non-small cell lung cancer previously treated with two chemotherapy regimens. 2003 , 39, 85-9	17
1183	A prospective study of the impact of weight loss and the systemic inflammatory response on quality of life in patients with inoperable non-small cell lung cancer. 2003 , 40, 295-9	51
1182	The pathway study: results of a pilot feasibility study in patients suspected of having lung carcinoma investigated in a conventional chest clinic setting compared to a centralised two-stop pathway. 2003 , 42, 283-90	67

1181	New approaches to symptom improvements in lung cancer patients. 2003 , 41 Suppl 4, S32-6	1
1180	Quality of life in patients receiving treatment for gynecologic malignancies: special considerations for patient care. 2003 , 83 Suppl 1, 211-29	24
1179	Quality of life after a diagnosis of prostate cancer among men of lower socioeconomic status: results from the Veterans Affairs Cancer of the Prostate Outcomes Study. 2003 , 61, 172-8	28
1178	Intrahepatic arterial versus intravenous fluorouracil and folinic acid for colorectal cancer liver metastases: a multicentre randomised trial. 2003 , 361, 368-73	212
1177	Comparison of intermittent and continuous palliative chemotherapy for advanced colorectal cancer: a multicentre randomised trial. 2003 , 361, 457-64	159
1176	Quality of life following early medical or surgical abortion. 2003 , 67, 41-7	13
1175	Assessment of morbidity in carcinoma of the cervix: a comparison of the LENT SOMA scales and the Franco-Italian glossary. 2003 , 69, 195-200	32
1174	Phase II study of photodynamic therapy and metal stent as palliative treatment for nonresectable hilar cholangiocarcinoma. 2003 , 57, 860-7	112
1173	Trends in clinical trials in surgical oncology: implications for outcomes research. 2003 , 25, 684-98	2
1172	The effect of anemia treatment on selected health-related quality-of-life domains: a systematic review. 2003 , 25, 1786-805	92
1171	Immediate- or sustained-release morphine for dose finding during start of morphine to cancer patients: a randomized, double-blind trial. 2003 , 101, 193-8	75
1170	Issues in the development of an item bank. 2003 , 84, S52-60	58
1169	The universal, situational, and personal needs of cancer patients and their main carers. 2003 , 7, 5-13; discussion 14-6	82
1168	Hypercalcemic complication in patients with oral squamous cell carcinoma. 2003 , 32, 174-80	24
1167	Quality of life in patients with advanced colorectal cancer: what has been learnt?. 2003 , 39, 287-94	38
1166	The challenges and achievements involved in implementing Quality of Life research in cancer clinical trials. 2003 , 39, 275-85	63
1165	Quality of life during radiotherapy for rectal cancer. 2003 , 39, 587-94	79
1164	Prognostic value of quality of life scores for time to progression (TTP) and overall survival time (OS) in advanced breast cancer. 2003 , 39, 1370-6	75

1163	Development of an EORTC disease-specific quality of life questionnaire for use in patients with liver metastases from colorectal cancer. 2003 , 39, 1259-63		43
1162	Clinical and psychometric validation of an EORTC questionnaire module, the EORTC QLQ-OES18, to assess quality of life in patients with oesophageal cancer. 2003 , 39, 1384-94		275
1161	An international field study of the reliability and validity of a disease-specific questionnaire module (the QLQ-OV28) in assessing the quality of life of patients with ovarian cancer. 2003 , 39, 1402-8		148
1160	The personality and quality of life in HNSCC patients following treatment. 2003 , 39, 1852-60		36
1159	Fatigue in long-term survivors of Hodgkin's lymphoma; a report from the German Hodgkin Lymphoma Study Group (GHSG). 2003 , 39, 2179-86		112
1158	Radical prostatectomy for locally advanced primary or recurrent rectal cancer. 2003 , 29, 455-8		17
1157	Defining clinically meaningful change in health-related quality of life. 2003 , 56, 395-407		891
1156	Individually different "weights" of quality of life assessment in patients with advanced nonsmall-cell lung cancer. 2003 , 56, 744-51		6
1155	Chemotherapy for elderly patients with advanced non-small-cell lung cancer: the Multicenter Italian Lung Cancer in the Elderly Study (MILES) phase III randomized trial. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 362-72	9.7	673
1154	Validation of a decision regret scale. 2003 , 23, 281-92		687
1153	Effect of a protein and energy dense N-3 fatty acid enriched oral supplement on loss of weight and lean tissue in cancer cachexia: a randomised double blind trial. 2003 , 52, 1479-86		407
1152	Octreotide for palliative treatment of hepatic metastases from non-neuroendocrine primary tumours: evaluation of quality of life using the EORTC QLQ-C30 questionnaire. 2003 , 17, 257-62		14
1151	Health Outcomes Assessment in Cancer. 2003 , 11, 709-721		2
1150	Phase III comparison of two irinotecan dosing regimens in second-line therapy of metastatic colorectal cancer. 2003 , 21, 807-14		245
1149	What are the most important symptom targets when treating advanced cancer? A survey of providers in the National Comprehensive Cancer Network (NCCN). 2003 , 21, 526-35		81
1148	Phase II trial of a 24-hour infusion of gemcitabine in previously untreated patients with advanced pancreatic adenocarcinoma. 2003 , 21, 690-4		22
1147	Health-related quality-of-life parameters as independent prognostic factors in advanced or metastatic bladder cancer. 2003 , 21, 673-8		83
1146	Head and Neck Cancer. 2003 ,		

1145	CHOP compared with CHOP plus granulocyte colony-stimulating factor in elderly patients with aggressive non-Hodgkin's lymphoma. 2003 , 21, 3041-50		139
1144	Symptoms in advanced cancer: relationship to endogenous cortisol levels. 2003 , 17, 503-8		27
1143	Influence of clinical parameters on quality of life during chemotherapy in patients with advanced non-small cell lung cancer: application of a general linear model. 2003 , 33, 470-6		27
1142	Which cancer patients die in nursing homes? Quality of life, medical and sociodemographic characteristics. 2003 , 17, 433-44		45
1141	Assessing the independent contribution to quality of life from anxiety and depression in patients with advanced cancer. 2003 , 17, 509-13		162
1140	Quality of life in women with breast cancer during the first year after random assignment to adjuvant treatment with marrow-supported high-dose chemotherapy with cyclophosphamide, thiotepa, and carboplatin or tailored therapy with Fluorouracil, epirubicin, and cyclophosphamide: Scandinavian Breast Group Study 9-101. 2003 , 21, 3153-61		40
1139	Quality of life in palliative care: principles and practice. 2003 , 17, 11-20		141
1138	Gemcitabine plus vinorelbine compared with cisplatin plus vinorelbine or cisplatin plus gemcitabine for advanced non-small-cell lung cancer: a phase III trial of the Italian GEMVIN Investigators and the National Cancer Institute of Canada Clinical Trials Group. 2003 , 21, 3025-34		211
1137	Effect of endothelin-A receptor blockade with atrasentan on tumor progression in men with hormone-refractory prostate cancer: a randomized, phase II, placebo-controlled trial. 2003 , 21, 679-89		320
1136	Functional status is well maintained in older women during adjuvant chemotherapy for breast cancer. 2003 , 14, 1744-50		27
1135	Quality of life in good prognosis patients with metastatic germ cell cancer: a prospective study of the European Organization for Research and Treatment of Cancer Genitourinary Group/Medical Research Council Testicular Cancer Study Group (30941/TE20). 2003 , 21, 1107-18		106
1134	Dispositional optimism predicts survival status 1 year after diagnosis in head and neck cancer patients. 2003 , 21, 543-8		117
1133	Adjuvant breast cancer treatment and cognitive function: current knowledge and research directions. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 190-7	9.7	111
1132	Health-related quality-of-life measurement in randomized clinical trials in breast cancer--taking stock. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 263-81	9.7	183
1131	Health-related quality of life in female long-term colorectal cancer survivors. 2003 , 8, 342-9		74
1130	Learning the hard way! Setting up an RCT of aromatherapy massage for patients with advanced cancer. 2003 , 17, 300-7		36
1129	Psychosocial needs in cancer patients related to religious belief. 2003 , 17, 49-54		43
1128	Improving Communication of Health-Related Quality of LifeReply. 2003 , 289, 1636		3

1127	Placebo effects in oncology. <i>Journal of the National Cancer Institute</i> , 2003 , 95, 19-29	9-7	74
1126	Fatigue and quality of life: lessons from the real world. 2003 , 8 Suppl 1, 5-9		213
1125	Quality of life in a randomized trial of group psychosocial support in metastatic breast cancer: overall effects of the intervention and an exploration of missing data. 2003 , 21, 1944-51		115
1124	Impact of medical and demographic factors on long-term quality of life and body image of breast cancer patients. 2003 , 14, 1064-71		126
1123	A prospective quality of life study in patients with locally advanced prostate cancer, treated with radiotherapy with or without regional or interstitial hyperthermia. 2003 , 19, 402-13		22
1122	Feasibility of quality of life assessment in patients with upper gastrointestinal tract cancer. 2003 , 89, 497-501		23
1121	Feasibility and compliance of automated measurement of quality of life in oncology practice. 2003 , 21, 374-82		97
1120	Comparison of gemcitabine versus the matrix metalloproteinase inhibitor BAY 12-9566 in patients with advanced or metastatic adenocarcinoma of the pancreas: a phase III trial of the National Cancer Institute of Canada Clinical Trials Group. 2003 , 21, 3296-302		320
1119	Randomised controlled trial of a shared care programme for newly referred cancer patients: bridging the gap between general practice and hospital. 2003 , 12, 263-72		68
1118	The need for a prophylactic gastrojejunostomy for unresectable periampullary cancer: a prospective randomized multicenter trial with special focus on assessment of quality of life. 2003 , 238, 894-902; discussion 902-5		143
1117	Model-based methodology for analyzing incomplete quality-of-life data and integrating them into the Q-TWiST framework. 2003 , 23, 54-66		12
1116	Assessment of quality of life in outpatients with advanced cancer: the accuracy of clinician estimations and the relevance of spiritual well-being—a Hoosier Oncology Group Study. 2003 , 21, 2754-9		77
1115	Cancer-related fatigue in patients attending oncological rehabilitation programs: prevalence, patterns and predictors. 2003 , 26, 51-7		24
1114	Immediate breast reconstruction and psychological adjustment in women who have undergone surgery for breast cancer: a preliminary study. 2003 , 8, 441-52		14
1113	Campto effective and flexible chemotherapy for advanced colorectal cancer. 2003 , 9, 290-7		
1112	Gesundheitsbezogene Lebensqualität, Körpererleben und Angst bei Brustkrebspatientinnen im Langzeitverlauf. 2003 , 63, 446-452		4
1111	A pilot study into the use of a multisensory environment (Snoezelen) within a palliative day-care setting. 2003 , 9, 124-30		25
1110	Prognostische Signifikanz von EORTC QLQ-C30 Daten für Patienten mit Pankreaskarzinom. 2003 , 35, 59-69		

1109	The psychological effect of mastectomy with or without breast reconstruction: a prospective, multicenter study. 2003 , 111, 1060-8	220
1108	The experience of waiting and life during breast cancer follow-up. 2003 , 17, 153-68	18
1107	Fatigue in the general population. 2003 , 26, 140-4	142
1106	Palliative thoracic radiotherapy for non-small-cell lung cancer: a systematic review. 2003 , 26, 112-20	38
1105	A new approach to eliciting meaning in the context of breast cancer. 2003 , 26, 169-78	65
1104	Relation between severe illness and non-completion of quality-of-life questionnaires by patients with rectal cancer. 2003 , 96, 442-8	23
1103	Validation evidence for the French Canadian adaptation of the Multidimensional Fatigue Inventory as a measure of cancer-related fatigue. 2003 , 26, 143-54	73
1102	Quality of life following definitive therapy for localized prostate cancer: potential impact of multiple therapies. 2003 , 13, 153-6	17
1101	Quality of life immediately after peripheral blood stem cell transplantation. 2003 , 26, 312-22	31
1100	. 2003 , 238, 203-213	12
1099	Hyperfractionated radiotherapy and concomitant cisplatin for locally advanced laryngeal and hypopharyngeal carcinomas: final results of a single institutional program. 2003 , 26, 550-7	6
1098	Prospective quality of life research in bony metastatic disease. 2003 , S289-97	23
1097	Quality of life in rectal cancer patients: a four-year prospective study. 2003 , 238, 203-13	304
1096	Joint Analysis of Longitudinal Quality of Life and Survival Processes. 2003 , 23, 689-728	3
1095	Prevention of anemia in patients with solid tumors receiving platinum-based chemotherapy by recombinant human Erythropoietin (rHuEpo): a prospective, open label, randomized trial by the Hellenic Cooperative Oncology Group. 2003 , 64, 102-10	37
1094	Overall and event-free survival are not improved by the use of myeloablative therapy following intensified chemotherapy in previously untreated patients with multiple myeloma: a prospective randomized phase 3 study. 2003 , 101, 2144-51	127
1093	Efficacy of cognitive-behavioral therapy for insomnia in women treated for nonmetastatic breast cancer.. 2003 , 71, 189-200	169
1092	Nonmalignant late effects after allogeneic stem cell transplantation. 2003 , 101, 3373-85	329

1091	Relation between Severe Illness and Non-Completion of Quality-of-Life Questionnaires by Patients with Rectal Cancer. 2003 , 96, 442-448	12
1090	Quality of life philosophy I. Quality of life, happiness, and meaning in life. 2003 , 3, 1164-75	9
1089	Quality of life assessment after pancreatic enzyme replacement therapy in chronic pancreatitis. 2003 , 17, 597-603	48
1088	Quantitative measurement of quality of life in adult patients undergoing bone marrow transplant or peripheral blood stem cell transplant: a decade in review. 2003 , 30, 613-29	24
1087	Cancer rehabilitation: particularly with aspects on physical impairments. 2003 , 35, 153-62	107
1086	Management of Pain in Pancreatic Cancer: An Algorithm for Clinical Routine. 425-434	
1085	Overview of head and neck cancer. 2003 , 114, 1-13	3
1084	Cross-cultural use of health-related quality of life assessments in clinical oncology. 2004 , 406-424	3
1083	. 2004 ,	1
1082	Assessing health status and quality of life of cancer patients: the use of general instruments. 2004 , 31-68	1
1081	Quality of life in breast cancer: what have we learned and where do we go from here?. 2004 , 93-125	3
1080	Measuring quality of life in prostate cancer: progress and challenges. 2004 , 126-159	1
1079	The science of quality-of-life measurement in lung cancer. 2004 , 160-177	1
1078	Treatment for colorectal cancer: impact on health-related quality of life. 2004 , 178-200	1
1077	Instruments to measure the specific health impact of surgery, radiation, and chemotherapy on cancer patients. 2004 , 201-215	1
1076	Evaluating quality of life in cancer survivors. 2004 , 241-263	4
1075	Assessing health-related quality of life at end of life. 2004 , 264-285	1
1074	Subscales and summary scales: issues in health-related outcomes. 2004 , 465-479	

1073	Invited Paper C The use of cognitive interviewing techniques in quality of life and patient-reported outcomes assessment. 2004 , 610-622	8
1072	Invited Paper D Industry perspective regarding outcomes research in oncology. 2004 , 623-638	
1071	Praying correlates with higher quality of life: results from a survey on complementary/alternative medicine use among a group of Brazilian cancer patients. 2004 , 122, 60-3	23
1070	Quality of Life in Culturally Diverse Cancer Patients. 2004 , 55-75	1
1069	Definitions and conceptual models of quality of life. 2004 , 14-30	19
1068	Patient-reported outcomes in multiple myeloma. 2004 , 2, 379-83	4
1067	[Quality of life and health: conceptual and methodological issues]. 2004 , 20, 580-8	184
1066	Combination of irinotecan (CPT-11) plus oxaliplatin (L-OHP) as first-line treatment in locally advanced or metastatic gastric cancer: a multicentre phase II trial. 2004 , 15, 1204-9	35
1065	Health-related quality of life outcome for oral cancer survivors after surgery and postoperative radiotherapy. 2004 , 34, 641-6	31
1064	Reply to the Letter to the Editor on Irinotecan versus paclitaxel in second-line therapy: a lost opportunity for quality-of-life evaluation? by G. Apolone & A. Buda (Ann Oncol 2004; 15: 1443-1444). 2004 , 15, 1444	
1063	Ein vielschichtiges interdisziplinäres Krankheitsbild - Fatigue - Erschöpfung nach Tumortherapie. 2004 , 30, 218-220	
1062	Efficacy and safety of ibandronate in the treatment of neoplastic bone disease. 2004 , 5, 2341-50	6
1061	Die Bewertung der palliativmedizinischen Patientenversorgung mithilfe der Palliative Care Outcome Scale (POS) in verschiedenen Versorgungsformen. 2004 , 5, 19-27	3
1060	[Evaluation of the therapeutic benefit of 41.8 degrees C whole body hyperthermia plus ifosfamide, carboplatin and etoposide (ICE) for patients with malignant pleural mesothelioma using the Modified Brunner-Score (MBS)]. 2004 , 58, 210-6	1
1059	Evaluation of health-related quality-of-life measures in oncology drug product applications: issues and concerns. 2004 , 14, 23-30	5
1058	Supportive care for patients with gastrointestinal cancer. 2004 , CD003445	27
1057	Health-related quality of life parameters as prognostic factors in a nonmetastatic breast cancer population: an international multicenter study. 2004 , 22, 3381-8	97
1056	Paclitaxel and epirubicin versus paclitaxel and carboplatin as first-line chemotherapy in patients with advanced breast cancer: a phase III study conducted by the Hellenic Cooperative Oncology Group. 2004 , 15, 1517-26	59

1055	Chemotherapy versus supportive care in advanced non-small cell lung cancer: improved survival without detriment to quality of life. 2004 , 59, 828-36	140
1054	Cyclooxygenase-2 inhibitor and cisplatin combination as a radiosensitizer in the treatment of head and neck cancer patients. 2004 , 15, 1444-5	2
1053	Quality of life in patients with colorectal cancer 1 year after diagnosis compared with the general population: a population-based study. 2004 , 22, 4829-36	237
1052	The schedule of attitudes toward hastened death: validation analysis in terminally ill cancer patients. 2004 , 2, 395-402	22
1051	Quality of life among disease-free survivors of rectal cancer. 2004 , 22, 354-60	171
1050	Measuring quality of life in routine oncology practice improves communication and patient well-being: a randomized controlled trial. 2004 , 22, 714-24	952
1049	Effects of recombinant erythropoietin in palliative treatment of unselected cancer patients. 2004 , 10, 6855-64	34
1048	Topotecan versus paclitaxel in second-line therapy: a lost opportunity for quality-of-life evaluation?. 2004 , 15, 1443-4; author reply 1444	
1047	Phase III study of N,N-diethyl-2-[4-(phenylmethyl) phenoxy]ethanamine (BMS-217380-01) combined with doxorubicin versus doxorubicin alone in metastatic/recurrent breast cancer: National Cancer Institute of Canada Clinical Trials Group Study MA.19. 2004 , 22, 269-76	53
1046	Quality-of-life considerations in patients with advanced lung cancer: effect of topotecan on symptom palliation and quality of life. 2004 , 9 Suppl 6, 14-24	43
1045	Assessing quality of life during chemotherapy for pleural mesothelioma: feasibility, validity, and results of using the European Organization for Research and Treatment of Cancer Core Quality of Life Questionnaire and Lung Cancer Module. 2004 , 22, 3172-80	81
1044	Health-related quality of life and psychosocial status in breast cancer prognosis: analysis of multiple variables. 2004 , 22, 4184-92	79
1043	Psychiatric disorder in women with early stage and advanced breast cancer: a comparative analysis. 2004 , 38, 320-6	221
1042	Front-line paclitaxel-vinorelbine versus paclitaxel-carboplatin in patients with advanced non-small-cell lung cancer: a randomized phase III trial. 2004 , 15, 1048-55	44
1041	Quality of life for patients following total laryngectomy vs chemoradiation for laryngeal preservation. 2004 , 130, 875-9	139
1040	Functional long-term outcome of a free jejunal transplant reconstruction following chemoradiotherapy and radical resection for hypopharyngeal and proximal oesophageal carcinoma. 2004 , 21, 426-31; discussion 432-3	11
1039	The Palliative Care Quality of Life Instrument (PQLI): a new tool for measuring quality of life. 2004 , 21, 87-9	1
1038	Rapid and sustained relief from the symptoms of carcinoid syndrome: results from an open 6-month study of the 28-day prolonged-release formulation of lanreotide. 2004 , 80, 244-51	130

1037	Randomized, controlled trial investigating short-term health-related quality of life with doxorubicin and paclitaxel versus doxorubicin and cyclophosphamide as first-line chemotherapy in patients with metastatic breast cancer: European Organization for Research and Treatment of Cancer Breast Cancer Group, Investigational Drug Branch for Breast Cancer and the New Drug Development	45
1036	Review of prevalence data in, and evaluation of methods for cross cultural adaptation of, UK surveys on tobacco and alcohol in ethnic minority groups. 2004 , 328, 76	40
1035	Influence of pain and quality of life on desire for hastened death in patients with advanced cancer. 2004 , 10, 476-83	20
1034	Home care versus hospital care in patients with multiple myeloma treated with pamidronate. 2004 , 10, 144-9	7
1033	Efficacy and safety of oral fludarabine phosphate in previously untreated patients with chronic lymphocytic leukemia. 2004 , 22, 1260-7	35
1032	Randomized, placebo-controlled study of oregovomab for consolidation of clinical remission in patients with advanced ovarian cancer. 2004 , 22, 3507-16	155
1031	Multivariate prognostic factor analysis in locally advanced and metastatic esophago-gastric cancer--pooled analysis from three multicenter, randomized, controlled trials using individual patient data. 2004 , 22, 2395-403	393
1030	Quality of life in patients with gastroenteropancreatic tumors treated with [177Lu-DOTA0,Tyr3]octreotate. 2004 , 22, 2724-9	178
1029	Fotemustine compared with dacarbazine in patients with disseminated malignant melanoma: a phase III study. 2004 , 22, 1118-25	374
1028	Nutrition intervention is beneficial in oncology outpatients receiving radiotherapy to the gastrointestinal or head and neck area. 2004 , 91, 447-52	333
1027	Phase III randomized trial of docetaxel-carboplatin versus paclitaxel-carboplatin as first-line chemotherapy for ovarian carcinoma. <i>Journal of the National Cancer Institute</i> , 2004 , 96, 1682-91	9.7 497
1026	Identifying the concepts contained in outcome measures of clinical trials on breast cancer using the International Classification of Functioning, Disability and Health as a reference. 2004 , 43-8	30
1025	Impact of quality of life measurement in daily clinical practice. 2004 , 15 Suppl 4, iv279-82	25
1024	Normative data for functional assessment of cancer therapy--general scale and its use for the interpretation of quality of life scores in cancer survivors. 2004 , 43, 153-60	88
1023	How accurate is clinician reporting of chemotherapy adverse effects? A comparison with patient-reported symptoms from the Quality-of-Life Questionnaire C30. 2004 , 22, 3485-90	360
1022	Listen to the patient: quality of life of patients with recently diagnosed malignant cord compression in relation to their disability. 2004 , 18, 594-601	25
1021	Hypofractionated palliative radiotherapy (17 Gy per two fractions) in advanced non-small-cell lung carcinoma is comparable to standard fractionation for symptom control and survival: a national phase III trial. 2004 , 22, 801-10	125
1020	The 118 A > G polymorphism in the human mu-opioid receptor gene may increase morphine requirements in patients with pain caused by malignant disease. 2004 , 48, 1232-9	316

1019	Health-related quality of life after prostate brachytherapy. 2004 , 94, 487-91	2
1018	Modified S-pouch neobladder vs ileal conduit and a matched control population: a quality-of-life survey. 2004 , 94, 350-4	43
1017	Rectosigmoidal bladder utilizing intussuscepted ileal segment: a surgical technique for urinary diversion and experiences in 30 patients. 2004 , 11, 379-85	0
1016	Natural course of inoperable esophageal cancer treated with metallic expandable stents: quality of life and cost-effectiveness analysis. 2004 , 19, 1397-402	31
1015	The European Organization for Research and Treatment of Cancer QLQ-C30: an examination into the cultural validity and reliability of the Turkish version of the EORTC QLQ-C30. 2004 , 13, 135-44	74
1014	Quality of life in older people with cancer -- a gender perspective. 2004 , 13, 454-63	67
1013	Quality of life of elderly persons with newly diagnosed cancer. 2004 , 13, 443-53	48
1012	A comprehensive strategy for the interpretation of quality-of-life data based on existing methods. 2004 , 7, 93-104	47
1011	Requirements for quality of life instruments in clinical research. 2004 , 7 Suppl 1, S13-6	42
1010	Conducting translation research in the home care setting: lessons from a just-in-time reminder study. 2004 , 1, 49-59	18
1009	Remaining controversies in the upfront management of advanced ovarian cancer. 2004 , 14, 707-20	18
1008	Treatment of neuropathic cancer pain with continuous intrathecal administration of S +-ketamine. 2004 , 48, 249-52	35
1007	A prospective study of health-related quality of life, fatigue, anxiety and depression 3-5 years after stem cell transplantation. 2004 , 34, 257-66	119
1006	A single-centre assessment of long-term quality-of-life status after sibling allogeneic stem cell transplantation for chronic myeloid leukaemia in first chronic phase. 2004 , 34, 545-56	31
1005	Quality of life assessment in patients undergoing reduced intensity conditioning allogeneic as compared to autologous transplantation: results of a prospective study. 2004 , 34, 729-38	38
1004	The EORTC ophthalmic oncology quality of life questionnaire module (EORTC QLQ-OPT30). Development and pre-testing (Phase I-III). 2004 , 18, 283-9	27
1003	Effects of a 105 hours psychological training program on attitudes, communication skills and occupational stress in oncology: a randomised study. 2004 , 90, 106-14	103
1002	Capecitabine in hormone-resistant metastatic prostatic carcinoma - a phase II trial. 2004 , 90, 1312-7	36

1001	Prevalence and management of pain in Italian patients with advanced non-small-cell lung cancer. 2004 , 90, 2288-96	96
1000	A randomised clinical trial of two docetaxel regimens (weekly vs 3 week) in the second-line treatment of non-small-cell lung cancer. The DISTAL 01 study. 2004 , 91, 1996-2004	151
999	Quality of life of patients with chronic lymphocytic leukemia: results of a longitudinal investigation over 1 yr. 2004 , 72, 381-9	64
998	Turning the tide: benefit finding after cancer surgery. 2004 , 59, 653-62	106
997	Pain characteristics and treatment outcome for advanced cancer patients during the first week of specialized palliative care. 2004 , 27, 104-13	75
996	Towards a new clinical tool for needs assessment in the palliative care of cancer patients: the PNPC instrument. 2004 , 28, 329-41	61
995	Radiation esophagitis: Predictive factors and preventive strategies. 2004 , 14, 280-6	39
994	Teaching head and neck cancer patients coping strategies: results of a feasibility study. 2004 , 40, 538-44	41
993	Prospective evaluation of quality of life in patients with oral and oropharyngeal cancer: from diagnosis to three months post-treatment. 2004 , 40, 751-7	40
992	Mindfulness-based stress reduction in relation to quality of life, mood, symptoms of stress and levels of cortisol, dehydroepiandrosterone sulfate (DHEAS) and melatonin in breast and prostate cancer outpatients. 2004 , 29, 448-74	503
991	Interpretation of quality of life scores in multiple myeloma by comparison with a reference population and assessment of the clinical importance of score differences. 2004 , 72, 172-80	89
990	Australasian experience and trials in sentinel lymph node biopsy: the RACS SNAC trial. 2004 , 27, 284-90	30
989	Assessment of quality of life and symptom improvement in lung cancer clinical trials. 2004 , 31, 1-10	20
988	Ibandronate in metastatic bone pain. 2004 , 31, 67-72	17
987	Patients with non-small cell lung cancer and poor performance status: a significant population with limited data. 2004 , 31, 1-2	
986	Quality of life considerations in patients with advanced lung cancer. 2004 , 31, 16-20	95
985	Can the use of amifostine improve cure rates for patients with advanced non-small cell lung cancer?. 2004 , 31, 52-8	1
984	Brain metastases. 2004 , 41, 665-741	68

983	Quality of life after pelvic exenteration. 2004 , 93, 610-4	52
982	Does knowledge of cancer diagnosis affect quality of life? A methodological challenge. 2004 , 4, 21	33
981	Evaluation of safety and efficacy of gefitinib ('iressa', zd1839) as monotherapy in a series of Chinese patients with advanced non-small-cell lung cancer: experience from a compassionate-use programme. 2004 , 4, 51	27
980	Quality of life in women with advanced breast cancer treated with docetaxel. 2004 , 5, 216-22; discussion 223-4	7
979	Weight stabilisation is associated with improved survival duration and quality of life in unresectable pancreatic cancer. 2004 , 23, 239-47	135
978	Neutral third party versus treating institution for evaluating quality of life after radical cystectomy. 2004 , 46, 195-9	48
977	Health-related quality-of-life following modified ureterosigmoidostomy (Mainz Pouch II) as continent urinary diversion. 2004 , 46, 591-7	17
976	The long-term impact of medical and socio-demographic factors on the quality of life of breast cancer survivors among Chinese women. 2004 , 87, 135-47	50
975	Determinants of patients' choice of reconstruction with mastectomy for primary breast cancer. 2004 , 11, 762-71	88
974	Quality of life of lung cancer patients: validation of the Taiwan Chinese version of the EORTC QLQ-C30 and QLQ-LC13. 2004 , 13, 257-62	70
973	Development and validation of an instrument to measure the effects of a mistletoe preparation on quality of life of cancer patients: the Life Quality Lectin-53 (LQL-53) Questionnaire. 2004 , 13, 463-79	5
972	Radiation related morbidities and their impact on quality of life in head and neck cancer patients receiving radical radiotherapy. 2004 , 13, 481-8	59
971	Validation of the Korean version of the EORTC QLQ-C30. 2004 , 13, 863-8	264
970	Quality of life in old people with and without cancer. 2004 , 13, 1067-80	58
969	Baseline FACT-G score is a predictor of survival for advanced lung cancer. 2004 , 13, 1209-16	45
968	Health related quality of life: a changing construct?. 2004 , 13, 1187-97	26
967	The relationship of changes in EORTC QLQ-C30 scores to ratings on the Subjective Significance Questionnaire in men with localized prostate cancer. 2004 , 13, 1235-46	10
966	Validation of the cancer needs questionnaire (CNQ) short-form version in an ambulatory cancer setting. 2004 , 13, 1225-33	53

965	Responsiveness of the generic EQ-5D summary measure compared to the disease-specific EORTC QLQ C-30. 2004 , 13, 1247-53	57
964	Evaluation of quality of life after laparoscopic surgery: evidence-based guidelines of the European Association for Endoscopic Surgery. 2004 , 18, 879-97	186
963	From oncology pharmacy to pharmaceutical care: new contributions to multidisciplinary cancer care. 2004 , 12, 73-9	39
962	Cancer: disease and nutrition are key determinants of patients' quality of life. 2004 , 12, 246-52	224
961	Reliability and validity of the Functional Assessment of Chronic Illness Therapy-Spiritual (FACIT-Sp) for Japanese patients with cancer. 2004 , 12, 240-5	53
960	Sleep management training for cancer patients with insomnia. 2004 , 12, 176-83	104
959	Assessment of peri-operative quality of life in patients undergoing surgery for gastrointestinal cancer. 2004 , 12, 319-25	12
958	High-dose chronomodulated infusion of 5-fluorouracil (5-FU) and folinic acid (FA) (FF5-16) in advanced colorectal cancer patients. 2004 , 130, 445-52	3
957	Comparison of EORTC quality of life core questionnaire (EORTC-QLQ-C30) and gastrointestinal quality of life index (GIQLI) in patients undergoing elective colorectal cancer resection. 2004 , 19, 554-60	29
956	Chemoimmuntherapie des metastasierten Nierenzellkarzinoms. 2004 , 10, 934	
955	Qualit�de vie: du concept th�orique � son utilisation pratique. 2004 , 3, 211-215	2
954	Sentinel lymph node biopsy versus axillary clearance in operable breast cancer: The RACS SNAC trial, a multicenter randomized trial of the Royal Australian College of Surgeons (RACS) Section of Breast Surgery, in collaboration with the National Health and Medical Research Council Clinical Trial Centre. 2004 , 11, 2168-2178	9
953	Use of item response theory to develop a shortened version of the EORTC QLQ-C30 emotional functioning scale. 2004 , 13, 1683-97	49
952	Use of tranquilizers and sleeping pills among cancer patients is associated with a poorer quality of life. 2004 , 13, 1699-706	27
951	Impaired quality of life in patients commencing radiotherapy for cancer. 2004 , 180, 78-83	21
950	Palliation of metastatic gastric cancer: impact of preoperative symptoms and the type of operation on survival and quality of life. 2004 , 28, 369-75	36
949	Quality of life associated with surgery for esophageal cancer: differences between collar and intrathoracic anastomoses. 2004 , 28, 355-60	29
948	Computerized visualization of quality of life data of individual cancer patients--the QoL-Profiler. 2004 , 53 Suppl 2, S175-8	7

947	Understanding quality of life in patients with colorectal cancer: comparison of data from a randomised controlled trial, a population based cohort study and the norm reference population. 2004 , 53 Suppl 2, S130-5	22
946	Lebensqualität nach Rektumresektion. 2004 , 26, 265-272	
945	[Improvement of health-related quality of life in breast cancer patients by inpatient rehabilitation]. 2004 , 99, 422-9	7
944	Rehabilitation and quality-of-life issues in patients with extremity soft tissue sarcoma. 2004 , 5, 477-88	28
943	Use of health-related quality of life in prescribing research. Part 2: methodological considerations for the assessment of health-related quality of life in clinical trials. 2004 , 29, 85-94	19
942	The importance of parenting concerns among patients with cancer. 2004 , 49, 37-42	55
941	A randomized controlled trial of a nurse-administered educational intervention for improving cancer pain management in ambulatory settings. 2004 , 53, 227-37	78
940	Development of a questionnaire to evaluate the information needs of cancer patients: the EORTC questionnaire. 2004 , 54, 235-41	27
939	Illusions in advanced cancer: the effect of belief systems and attitudes on quality of life. 2004 , 13, 26-36	24
938	Individual quality of life of patients undergoing autologous peripheral blood stem cell transplantation. 2004 , 13, 116-24	41
937	Validation of a questionnaire for self-assessment of sexual function and vaginal changes after gynaecological cancer. 2004 , 13, 577-92	83
936	Development and pilot testing of a psychoeducational intervention for oral cancer patients. 2004 , 13, 642-53	51
935	The meaning of quality of life in patients being treated for advanced breast cancer: a qualitative study. 2004 , 13, 729-39	105
934	Quality of life in patients who survive a dire prognosis compared to control cancer survivors. 2004 , 13, 882-92	54
933	A prospective longitudinal study comparing the impact of external radiation therapy with radical prostatectomy on health related quality of life (HRQOL) in prostate cancer patients. 2004 , 58, 354-65	19
932	Fatigue, psychological distress, coping and quality of life in patients with uterine cancer. 2004 , 45, 205-13	41
931	Report on "Burden of Skin Disease" Workshop. NIAMS, September 2002. 2004 , 9, 111-9	5
930	Influence of uveal melanoma therapy on patients' quality of life: a psychological study. 2004 , 82, 25-31	29

929	Botulinum toxin type A for the treatment of chronic neck pain after neck dissection. 2004 , 26, 39-45	18
928	Quality of life in elderly patients with head and neck cancer one year after diagnosis. 2004 , 26, 1045-52	52
927	Quality of life as a survival predictor for patients with advanced head and neck carcinoma treated with radiotherapy. 2004 , 100, 425-32	119
926	Quality of life and pain relief during treatment with calcitriol and docetaxel in symptomatic metastatic androgen-independent prostate carcinoma. 2004 , 100, 758-63	18
925	Prospective assessment of emotional distress, cognitive function, and quality of life in patients with cancer treated with chemotherapy. 2004 , 101, 404-11	92
924	Concomitant versus sequential administration of epirubicin and paclitaxel as first-line therapy in metastatic breast carcinoma: results for the Gruppo Oncologico Nord Ovest randomized trial. 2004 , 101, 704-12	103
923	Quality of life and survival prediction in terminal cancer patients: a multicenter study. 2004 , 101, 1090-8	101
922	Assessing fatigue in persons with cancer: an instrument development and testing study. 2004 , 101, 1685-95	37
921	Can we afford to add chemotherapy to radiotherapy for glioblastoma multiforme? Cost-identification analysis of concomitant and adjuvant treatment with temozolomide until patient death. 2004 , 101, 2098-105	28
920	The equivalence and difference between the English and Chinese versions of two major, cancer-specific, health-related quality-of-life questionnaires. 2004 , 101, 2874-80	41
919	Retrospective analysis of results of p(65)+Be neutron therapy for treatment of prostate adenocarcinoma at the cyclotron of Louvain-la-Leuve. Part II: Side effects and their influence on quality of life measured with QLQ-C30 of EORTC. 2004 , 58, 1549-61	8
918	Quality of life as a survival predictor for esophageal squamous cell carcinoma treated with radiotherapy. 2004 , 58, 1394-404	72
917	Health-related quality of life in men after treatment of localized prostate cancer with external beam radiotherapy combined with (192)ir brachytherapy: a prospective study of 93 cases using the EORTC questionnaires QLQ-C30 and QLQ-PR25. 2004 , 60, 51-9	20
916	Towards better communication in cancer care: a framework for developing evidence-based interventions. 2004 , 55, 32-9	61
915	Quality of life after non-surgical treatment of anal carcinoma: a case control study of long-term survivors. 2004 , 16, 530-5	43
914	Phase I clinical trial of oral curcumin: biomarkers of systemic activity and compliance. 2004 , 10, 6847-54	933
913	Changes in quality of life of head-and-neck cancer patients following postoperative radiotherapy. 2004 , 43, 571-8	32
912	Determinants of cancer patients' utilization of hospital care within two years after diagnosis. 2004 , 43, 536-44	16

911	Memorial symptom assessment scale. 2004 , 4, 171-8	42
910	Sensitivity analysis for pattern mixture models. 2004 , 14, 125-43	16
909	Methods for assessment of cognitive failure and delirium in palliative care patients: implications for practice and research. 2004 , 18, 494-506	46
908	Randomized multicenter phase II trial of a biweekly regimen of fluorouracil and leucovorin (LV5FU2), LV5FU2 plus cisplatin, or LV5FU2 plus irinotecan in patients with previously untreated metastatic gastric cancer: a Federation Francophone de Cancerologie Digestive Group Study--FFCD 9803. 2004 , 22, 4319-28	220
907	Quality of life in 650 lung cancer survivors 6 months to 4 years after diagnosis. 2004 , 79, 1024-30	38
906	Quality-of-life trials in lung cancer: past achievements and future challenges. 2004 , 18, 161-86	6
905	[Validation of the Spanish version of the Palliative Care Outcome Scale]. 2004 , 123, 406-12	22
904	Quality of life after lung cancer resection. 2004 , 14, 353-65	27
903	Conservative management for postprostatectomy urinary incontinence. 2004 , CD001843	31
902	Quality of life. 2004 , 18, 483-97	
901	Quality of Life after Local External Beam Radiation Therapy for Symptomatic Bone Metastases: A Prospective Evaluation. 2004 , 1, 179-184	12
900	Health related quality of life assessments for patients with bladder cancer. 2004 , 172, 2130-6	32
899	Palliation of malignant extrahepatic biliary obstruction with plastic versus expandable metal stents: An evidence-based approach. 2004 , 2, 273-85	127
898	Management of non-small cell lung cancer in elderly patients. 2004 , 2, 15-25	1
897	Quality of life in lung cancer: does disclosure of the diagnosis have an impact?. 2004 , 43, 175-82	38
896	Quality of life assessment of second-line docetaxel versus best supportive care in patients with non-small-cell lung cancer previously treated with platinum-based chemotherapy: results of a prospective, randomized phase III trial. 2004 , 43, 183-94	134
895	Combined modality treatment for locally advanced non-small cell lung cancer: preoperative chemoradiation does not result in a poorer quality of life. 2004 , 44, 89-97	16
894	Ethnic variation in localized prostate cancer: a pilot study of preferences, optimism, and quality of life among black and white veterans. 2004 , 3, 31-7	18

893	Impact of cancer occurrence on health-related quality of life: a longitudinal pre-post assessment. 2004 , 2, 4	36
892	The "Palliative Care Quality of Life Instrument (PQLI)" in terminal cancer patients. 2004 , 2, 8	35
891	Treatment of patients with advanced non-small cell lung cancer. 2004 , 3, 281-290	4
890	A randomized trial of chemoradiotherapy and chemotherapy after resection of pancreatic cancer. 2004 , 350, 1200-10	2016
889	Recent developments in cancer pain assessment and management. 2004 , 1, 97-110	4
888	Patient preference for either the EORTC QLQ-C30 or the FACIT Quality Of Life (QOL) measures: a study performed in patients suffering from carcinoma of an unknown primary site (CUP). 2004 , 40, 521-8	15
887	Multicentre, phase II study evaluating capecitabine monotherapy in patients with anthracycline- and taxane-pretreated metastatic breast cancer. 2004 , 40, 536-42	244
886	Age-specific detriments to quality of life among breast cancer patients one year after diagnosis. 2004 , 40, 673-80	155
885	Baseline health-related quality-of-life data as prognostic factors in a phase III multicentre study of women with metastatic breast cancer. 2004 , 40, 1021-30	136
884	Fatigue and psychological distress--exploring the relationship in women treated for breast cancer. 2004 , 40, 1689-95	52
883	Improved quality of life after long-term treatment with the bisphosphonate ibandronate in patients with metastatic bone disease due to breast cancer. 2004 , 40, 1704-12	143
882	Quality of life after palliative treatment for oesophageal carcinoma -- a prospective comparison between stent placement and single dose brachytherapy. 2004 , 40, 1862-71	90
881	Clinical and psychometric validation of a questionnaire module, the EORTC QLQ-STO 22, to assess quality of life in patients with gastric cancer. 2004 , 40, 2260-8	145
880	French version of FACT-G: validation and comparison with other cancer-specific instruments. 2004 , 40, 2243-52	52
879	Development of a questionnaire module to supplement the EORTC QLQ-C30 to assess quality of life in patients with hepatocellular carcinoma, the EORTC QLQ-HCC18. 2004 , 40, 2439-44	67
878	Patients' and surgeons' perspectives on axillary surgery for breast cancer. 2004 , 30, 735-43	26
877	Primary malignant tumours of bone and soft tissue in the elderly. 2004 , 30, 877-83	21
876	Quality of life and health status in breast carcinoma. 2004 , 30, 1051-7	40

875	Oral ibandronate improves bone pain and preserves quality of life in patients with skeletal metastases due to breast cancer. 2004 , 111, 306-312	158
874	Imatinib mesylate and zoledronic acid in androgen-independent prostate cancer. 2004 , 63, 934-9	33
873	Efficacy of cognitive therapy for depression among women with metastatic cancer: a single-case experimental study. 2004 , 35, 287-305	27
872	Evaluation of four highly cited energy and fatigue mood measures. 2004 , 57, 435-41	94
871	Clinical Assessment of Symptom-Focused Health-Related Quality of Life in HIV/AIDS. 2004 , 15, 67-81	15
870	Adverse impact of bone marrow transplantation on quality of life in acute myeloid leukaemia patients; analysis of the UK Medical Research Council AML 10 Trial. 2004 , 40, 971-8	68
869	Cisplatin versus carboplatin in combination with mitomycin and vinblastine in advanced non small cell lung cancer. A multicenter, randomized phase III trial. 2004 , 43, 83-91	51
868	Quality of life after esophagectomy. 2004 , 16, 152-9	18
867	Trans-perineal implantation of radio-opaque treatment verification markers into the prostate: an assessment of procedure related morbidity, patient acceptability and accuracy. 2004 , 73, 57-9	38
866	Adjuvant autologous renal tumour cell vaccine and risk of tumour progression in patients with renal-cell carcinoma after radical nephrectomy: phase III, randomised controlled trial. 2004 , 363, 594-9	353
865	Single-dose brachytherapy versus metal stent placement for the palliation of dysphagia from oesophageal cancer: multicentre randomised trial. 2004 , 364, 1497-504	379
864	Quality of life and late toxicities in head and neck cancer. 2003 , 114, 331-51	5
863	High-dose calcitriol and carboplatin in metastatic androgen-independent prostate cancer. 2004 , 27, 535-41	40
862	The Motivation to Maintain Subjective Well-Being: A Homeostatic Model. 2004 , 28, 255-301	4
861	Measuring quality of life at the end of life: validation of the QUAL-E. 2004 , 2, 3-14	123
860	Psychometric properties of the EORTC Quality of Life Questionnaire in inpatient cancer rehabilitation in Germany. 2004 , 2, 115-24	6
859	Micturition problems in relation to quality of life in men with prostate cancer or benign prostatic hyperplasia: comparison with men from the general population. 2004 , 27, 218-29	16
858	Psychosocial interventions for patients with head and neck cancer: past, present, and future. 2004 , 27, 434-41	66

857	Reliability and validity of the Turkish version of Multidimensional Quality of Life Scale--Cancer Version 2 in patients with cancer. 2004 , 27, 252-7	6
856	Quality of life and outcome of ultrasound-guided laser interstitial thermo-therapy for non-resectable liver metastases of colorectal cancer. 2004 , 16, 389-95	8
855	Chronic symptoms after subtotal or partial oesophagectomy: diagnosis and treatment. 2004 , 18, 901-915	27
854	Randomized comparison of low-dose versus high-dose interferon-alfa in chronic myeloid leukemia: prospective collaboration of 3 joint trials by the MRC and HOVON groups. 2004 , 103, 4408-15	31
853	Testing psychometric properties of the standard Chinese version of the European Organization for Research and Treatment of Cancer Quality of Life Core Questionnaire 30 (EORTC QLQ-C30). 2004 , 14, 193-203	42
852	Chinese medicinal herbs to treat the side-effects of chemotherapy in breast cancer patients. 2004 ,	1
851	Development and validation of The Cystic Fibrosis Questionnaire in the United States: a health-related quality-of-life measure for cystic fibrosis. 2005 , 128, 2347-54	334
850	Octreotide therapy for advanced hepatocellular carcinoma. 2005 , 39, 333-8	29
849	Closure of the donor site of the free radial forearm flap: a comparison of full-thickness graft and split-thickness skin graft. 2005 , 55, 612-6	48
848	Long-term follow-up of a randomized trial comparing the beger and frey procedures for patients suffering from chronic pancreatitis. 2005 , 241, 591-8	136
847	Prevalence of male and female sexual dysfunction is high following surgery for rectal cancer. 2005 , 242, 212-23	421
846	Chronic physical activity and feelings of energy and fatigue. 2005 , 37, 299-305	76
845	Combined inpatient rehabilitation and spa therapy for breast cancer patients: effects on quality of life and CA 15-3. 2005 , 28, 390-8	36
844	Dimensions of cancer locus of control scale as predictors of psychological adjustment and survival in breast cancer patients. 2005 , 97, 699-711	32
843	Phase III intergroup study of talc poudrage vs talc slurry sclerosis for malignant pleural effusion. 2005 , 127, 909-15	422
842	Counseling patients undergoing urinary diversion: does the type of diversion influence quality of life?. 2005 , 32, 7-15	4
841	Quality of life to the end. 2005 , 2, 91-5	4
840	Assessment of quality of life in patients with rectal cancer treated by preoperative radiotherapy: a longitudinal prospective study. 2005 , 61, 1129-35	63

839	Health-related quality of life in men receiving prostate brachytherapy on RTOG 98-05. 2005 , 62, 956-64	50
838	Quality of life of patients after permanent prostate brachytherapy in relation to dosimetry. 2005 , 63, 772-80	54
837	Assessment of quality of life of nasopharyngeal carcinoma patients with EORTC QLQ-C30 and H&N-35 modules. 2005 , 63, 1347-53	38
836	Longitudinal evaluation of patients with cancer in the oral tongue, tonsils, or base of tongue--does interstitial radiation dose affect quality of life?. 2005 , 4, 271-7	11
835	Assessing breast cosmesis after radiotherapy: what do we want to measure?. 2005 , 17, 25-6	2
834	Spindle-cell liposarcoma: a rare variant of liposarcoma arising in the foot. 2005 , 17, 128-9	7
833	What does a good quality of life for cancer patients mean on a numerical rating scale?. 2005 , 17, 129	1
832	Early use of dexamethasone in malignant spinal-cord compression: a missed opportunity?. 2005 , 17, 129-30	
831	[Perineal colostomy with antegrade continence enemas as an alternative after abdominoperineal resection for low rectal cancer]. 2005 , 130, 327-30	17
830	Treatment of older patients with AML. 2005 , 56, 247-59	31
829	Quality of life and functional long-term outcome after partial pancreateoduodenectomy: pancreatogastrostomy versus pancreatojejunostomy. 2005 , 12, 467-72	27
828	Prospective evaluation of quality of life of patients receiving either abdominoperineal resection or sphincter-preserving procedure for rectal cancer. 2005 , 12, 117-23	71
827	Proactive routine monitoring and intervention to reduce the psychosocial impact of cancer therapy. 2005 , 9, 70-73	6
826	The association between oral health and general health and quality of life in older male cancer patients. 2005 , 53, 1504-9	30
825	Satisfaction with surgery outcomes and the decision process in a population-based sample of women with breast cancer. 2005 , 40, 745-67	251
824	Plasma concentrations of meperidine and normeperidine following continuous intrathecal meperidine in patients with neuropathic cancer pain. 2005 , 49, 665-70	18
823	Stent insertion or endoluminal brachytherapy as palliation of patients with advanced cancer of the esophagus and gastroesophageal junction. Results of a randomized, controlled clinical trial. 2005 , 18, 131-9	126
822	Quality of life assessment in laryngectomized individuals: do we need additions to standard questionnaires in specific clinical research projects?. 2005 , 30, 169-75	40

821	Differences in coping style and locus of control between older and younger patients with head and neck cancer. 2005 , 30, 186-92	65
820	Validation of the English and Chinese versions of the Quick-FLIC quality of life questionnaire. 2005 , 92, 668-72	5
819	Report of two protocol planned interim analyses in a randomised multicentre phase III study comparing capecitabine with fluorouracil and oxaliplatin with cisplatin in patients with advanced oesophagogastric cancer receiving ECF. 2005 , 92, 1976-83	121
818	Psychosocial difficulties, deprivation and cancer: three questionnaire studies involving 609 cancer patients. 2005 , 93, 622-6	31
817	A meta-analysis of two randomised trials of early chemotherapy in asymptomatic metastatic colorectal cancer. 2005 , 93, 1236-43	46
816	Factors influencing sexual function in patients with rectal cancer. 2005 , 17, 231-8	42
815	Quality of life and head and neck cancer: a 5 year prospective study. 2005 , 115, 2183-92	161
814	Modified Constipation Assessment Scale is an effective tool to assess bowel function in patients receiving radiotherapy. 2005 , 62, 95-101	6
813	Psychological coping style versus disease extent, tumour treatment and quality of life in successfully treated head and neck squamous cell carcinoma patients. 2005 , 30, 530-8	16
812	Osteoporosis risk and interest in strength training in men receiving androgen ablation therapy for locally advanced prostate cancer. 2005 , 17, 113-122	7
811	Clinical experience with the N-shaped ileal neobladder: assessment of complications, voiding patterns, and quality of life in our series of 58 patients. 2005 , 47, 666-72; discussion 672-3	35
810	The experience of fatigue, other symptoms and global quality of life during radiotherapy for uterine cancer. 2005 , 42, 377-86	56
809	Psychological state, quality of life, and coping style in patients with digestive cancer. 2005 , 27, 125-32	24
808	Longitudinal quality of life study in patients with metastatic gastric cancer. Analysis modalities and clinical applicability of QoL in randomized phase II trial in a digestive oncology. 2005 , 29, 1113-24	11
807	[Rectal cancer and quality of life: what is known and what it means to tailor the treatment to patients]. 2005 , 29, 1125-31	
806	Health related quality of life in patients with multiple myeloma undergoing a double transplantation. 2005 , 74, 136-43	38
805	Quality of life in adult hematopoietic cell transplant patients at least 5 yr after treatment: a comparison with healthy controls. 2005 , 74, 304-8	47
804	Self-reported quality of life in elderly patients with aggressive non-Hodgkin's lymphoma treated with CHOP chemotherapy. 2005 , 75, 116-23	42

803	Quality of life may be affected more by disease parameters and response to therapy than by haemoglobin changes. 2005 , 75, 293-8	20
802	Impact of fish oil and melatonin on cachexia in patients with advanced gastrointestinal cancer: a randomized pilot study. 2005 , 21, 170-8	78
801	Health related quality of life after mandibular resection for oral and oropharyngeal squamous cell carcinoma. 2005 , 41, 687-93	55
800	The assessment of quality of life in patients who have undergone surgery for oral cancer: a preliminary report. 2005 , 63, 1606-12	47
799	Validation study of the korean version of the brief fatigue inventory. 2005 , 29, 165-72	92
798	Can just-in-time, evidence-based "reminders" improve pain management among home health care nurses and their patients?. 2005 , 29, 474-88	32
797	Validation and clinical application of the german version of the palliative care outcome scale. 2005 , 30, 51-62	86
796	A pilot study investigating the utility of the cognitive-behavioral model of insomnia in early-stage lung cancer patients. 2005 , 30, 160-9	28
795	Patient autonomy problems in palliative care: systematic development and evaluation of a questionnaire. 2005 , 30, 264-70	20
794	Psychological functioning associated with prostate cancer: cross-sectional comparison of patients treated with radiotherapy, brachytherapy, or surgery. 2005 , 30, 474-84	59
793	Long-acting octreotide for the treatment and symptomatic relief of bowel obstruction in advanced ovarian cancer. 2005 , 30, 563-9	41
792	Multicenter phase II trial of carboplatin/vinorelbine in elderly patients with advanced non-small-cell lung cancer efficacy and impact on quality of life: Groupe Francais de Pneumo-Cancerologie Study 9902. 2005 , 7, 114-20	9
791	Randomized phase II--study evaluating EGFR targeting therapy with cetuximab in combination with radiotherapy and chemotherapy for patients with locally advanced pancreatic cancer--PARC: study protocol [ISRCTN56652283]. 2005 , 5, 131	54
790	Phase III trial of postoperative cisplatin, interferon alpha-2b, and 5-FU combined with external radiation treatment versus 5-FU alone for patients with resected pancreatic adenocarcinoma -- CapRI: study protocol [ISRCTN62866759]. 2005 , 5, 37	69
789	Quality of life as predictor of weight loss in patients with head and neck cancer. 2005 , 27, 302-10	77
788	Impact of nutrition on outcome: a prospective randomized controlled trial in patients with head and neck cancer undergoing radiotherapy. 2005 , 27, 659-68	360
787	The correlation between fatigue, physical function, the systemic inflammatory response, and psychological distress in patients with advanced lung cancer. 2005 , 103, 377-82	160
786	Phase II study of irinotecan (CPT-11) as salvage therapy for advanced nasopharyngeal carcinoma. 2005 , 103, 576-81	42

785	Paclitaxel, carboplatin, and gemcitabine in metastatic nasopharyngeal carcinoma: a Phase II trial using a triplet combination. 2005 , 103, 569-75	67
784	Determinants of quality of life in patients with cancer. 2005 , 103, 1072-81	56
783	A longitudinal study of palliative care: patient-evaluated outcome and impact of attrition. 2005 , 103, 1747-55	64
782	Health-related quality of life during neoadjuvant treatment and surgery for localized esophageal carcinoma. 2005 , 103, 1791-9	110
781	Psychologic and social sequelae of secondary lymphedema: a review. 2005 , 104, 457-66	168
780	A phase II trial of palliative radiotherapy for metastatic renal cell carcinoma. 2005 , 104, 1894-900	69
779	Observer variation in assessment of quality of life in patients with oesophageal cancer. 1995 , 82, 1200-3	66
778	Quality of life following resection of oesophageal carcinoma. 1996 , 83, 1772-5	89
777	Association between quality of life scores and short-term outcome after surgery for cancer of the oesophagus or gastric cardia. 2005 , 92, 1502-7	53
776	Palliative therapy. 2005 , 92, 246-56	45
775	Impact of age on quality of life in patients with rectal cancer. 2005 , 29, 190-7	58
774	Gender differences in quality of life of patients with rectal cancer. A five-year prospective study. 2005 , 29, 1630-41	67
773	Influence of surgery-related factors on quality of life after esophageal or cardia cancer resection. 2005 , 29, 841-8	67
772	[Electrostimulation in therapy of postoperative urinary incontinence. Therapeutic value for quality of life]. 2005 , 44, 33-40	22
771	[Quality of life after radical urologic pelvic surgery and impact of inpatient rehabilitation]. 2005 , 44, 11-28	8
770	Quality of life of patients operated on for low rectal cancer: impact of the type of surgery and patients' characteristics. 2005 , 48, 2180-91	90
769	Reasons for non-standard treatment in elderly patients with advanced head and neck cancer. 2005 , 262, 21-6	96
768	Psychometric documentation of a quality-of-life questionnaire for patients undergoing antireflux surgery (QOLARS). 2005 , 19, 257-61	20

767	Changes in quality of life during palliative chemotherapy for solid cancer. 2005 , 13, 515-21	39
766	A feasibility study of psychosocial group intervention for breast cancer patients with first recurrence. 2005 , 13, 503-14	20
765	Nutrition intervention improves outcomes in patients with cancer cachexia receiving chemotherapy--a pilot study. 2005 , 13, 270-4	106
764	Evaluation of a revised instrument to assess the needs of men diagnosed with prostate cancer. 2005 , 13, 895-903	9
763	Do cancer patients benefit from short-term contact with a general practitioner following cancer treatment? A randomised, controlled study. 2005 , 13, 949-56	20
762	Comparison between a general and a disease-specific health-related quality-of-life questionnaire in patients after pancreatic surgery. 2005 , 12, 290-7	11
761	Survival after surgical treatment of cancer of the rectum. 2005 , 390, 363-72	9
760	Impact of gefitinib ('Iressa') treatment on the quality of life of patients with advanced non-small-cell lung cancer. 2005 , 131, 783-8	8
759	Anxiety, depression and quality of life in colorectal cancer patients. 2005 , 10, 411-7	94
758	Évaluation de la qualité de vie en oncologie: Méthodes. 2005 , 4, 13-17	3
757	Valeur pronostique des mesures de qualité de vie en cancérologie. 2005 , 4, 23-28	0
756	Relation entre qualité de vie et satisfaction des soins chez des patients en traitement dans un Centre régional de lutte contre le cancer. 2005 , 4, 29-35	1
755	Impact sur la qualité de vie et la sexualité du traitement hormonal chez les patientes atteintes d'un cancer du sein. 2005 , 4, 161-169	5
754	Ten-year historic cohort of quality of life and sexuality in patients with rectal cancer. 2005 , 48, 483-92	133
753	The development of a validated instrument to evaluate bowel function after sphincter-preserving surgery for rectal cancer. 2005 , 48, 1353-65	209
752	Lebensqualität in der Onkologie. 2005 , 11, 164-172	4
751	Concomitant boost radiation and concurrent cisplatin for advanced head and neck carcinomas. Preliminary results of a phase II, single-institutional trial. 2005 , 7, 60-5	4
750	Quality of life in patients with locally advanced head and neck cancer treated with chemoradiotherapy. Comparison of two protocols using the EORTC questionnaires (QLQ-C30, H and N35). 2005 , 7, 398-403	7

749	Quality of life and gynecologic malignancies. 2005 , 7, 459-65	10
748	Application of an Irt Polytomous Model for Measuring Health Related Quality of Life. 2005 , 74, 369-394	4
747	Prostate cancer in the elderly. 2005 , 37, 797-806	6
746	A Model for Primary Care Psychology With General Thoracic Surgical Patients. 2005 , 12, 359-366	2
745	Health-related quality of life in long term breast cancer survivors treated with breast conserving therapy: impact of age at therapy. 2005 , 92, 217-22	52
744	Psychometric assessment and application of a questionnaire measuring patient: satisfaction with information on cancer treatment. 2005 , 27, 96-103	31
743	A prospective comparison of quality of life measures for patients with esophageal cancer. 2005 , 14, 387-93	29
742	Validation of the FACT-BRM with interferon-alpha treated melanoma patients. 2005 , 14, 133-9	12
741	Development, feasibility and compliance of a web-based system for very frequent QOL and symptom home self-assessment after hematopoietic stem cell transplantation. 2005 , 14, 77-93	53
740	Validation of the care notebook for measuring physical, mental and life well-being of patients with cancer. 2005 , 14, 1035-43	30
739	The European Organization for Research and Treatment of Cancer Quality of Life Questionnaire (EORTC QLQ-c30): validation of English version in Singapore. 2005 , 14, 1181-6	52
738	Development and evaluation of an instrument to assess social difficulties in routine oncology practice. 2005 , 14, 373-86	63
737	Reliability and validity of the Functional Assessment of Cancer Therapy General (FACT-G) in French cancer patients. 2005 , 14, 1427-32	28
736	Analysis of incomplete quality of life data in advanced stage cancer: a practical application of multiple imputation. 2005 , 14, 1533-44	6
735	Population-based study of the relationship of treatment and sociodemographics on quality of life for early stage breast cancer. 2005 , 14, 1467-79	119
734	Preliminary psychometric evaluation of the Child Health Ratings Inventory (CHRIs) and Disease-Specific Impairment Inventory-Hematopoietic Stem Cell Transplantation (DSII-HSCT) in parents and children. 2005 , 14, 1613-25	56
733	Assessment of anxiety and depression in advanced cancer patients and their relationship with quality of life. 2005 , 14, 1825-33	125
732	Multiple predictors of health-related quality of life in early stage breast cancer. Data from a year follow-up study compared with the general population. 2005 , 14, 1813-23	137

731	Positive and negative affect after diagnosis of advanced cancer. 2005 , 14, 262-73	86
730	The Needs Assessment for Advanced Cancer Patients (NA-ACP): a measure of the perceived needs of patients with advanced, incurable cancer. a study of validity, reliability and acceptability. 2005 , 14, 297-306	54
729	Empirical validation of the Insomnia Severity Index in cancer patients. 2005 , 14, 429-41	263
728	Predicting worries about health after breast cancer surgery. 2005 , 14, 503-9	31
727	The mediating role of appraisal and coping in the relationship between optimism-pessimism and quality of life. 2005 , 14, 718-27	108
726	Patient-professional communication research in cancer: an integrative review of research methods in the context of a conceptual framework. 2005 , 14, 812-28; discussion 829-30	33
725	Permutation based methods for comparing quality of life between observed treatments. 2005 , 24, 4055-66	1
724	Patient-Reported Outcomes in Lung Cancer. 2022 ,	
723	Changes in Subjective Measures of Cognitive Function in Older Adults From the Initiation Through 12 Months After the Receipt of Chemotherapy. Publish Ahead of Print,	
722	Enucleation for low-grade branch duct intraductal papillary mucinous neoplasms: Long-term follow-up. 2022 ,	1
721	Quality of life in Tunisian colorectal cancer patients: a cross-sectional study.	
720	Association of genetic variants with patient reported quality of life and pain experience in patients in the UK NCRI Myeloma X Relapse [Intensive] trial; an exploratory study.	0
719	Neoadjuvant Chemoimmunotherapy for the Treatment of Locally Advanced Head and Neck Squamous Cell Carcinoma: A Single-Arm Phase 2 Clinical Trial. OF1-OF9	2
718	Awareness and use of psychosocial care among cancer patients and their relatives—comparison of people with and without a migration background in Germany.	0
717	Impact of early tumor shrinkage on quality of life in patients treated with first-line cetuximab plus chemotherapy for unresectable metastatic colorectal cancer: results of Phase II QUACK trial. 2022 , 22,	
716	Effectiveness of logotherapy and nutrition counseling on psychological status, quality of life, and dietary intake among breast cancer survivors with depressive disorder: a randomized clinical trial.	
715	Efficacy of Tibial Nerve Stimulation on Fecal Incontinence in Patients With Low Anterior Resection Syndrome Following Surgery for Colorectal Cancer. 2022 , 46, 142-153	0
714	Improving outcomes for women aged 70 years or above with early breast cancer: research programme including a cluster RCT. 2022 , 10, 1-114	

713	Interpreting Within-Patient Changes on the EORTC QLQ-C30 and EORTC QLQ-LC13.	
712	Efficacy and safety of oral Chinese medicine on cancer-related fatigue for lung cancer patients after chemotherapy: Protocol for systematic review and meta-analysis. 2022 , 17, e0270203	
711	Smoking cessation by combined medication and counselling: a feasibility study in lung cancer patients. 2022 , 22,	
710	Development of healthy lifestyle consciousness index for gynecological cancer patients.	
709	Nivolumab + low-dose ipilimumab in previously treated patients with microsatellite instability-high/mismatch repair-deficient metastatic colorectal cancer: 4-year follow-up from CheckMate 142. 2022 ,	3
708	Patient-reported outcome measurements in post-mastectomy implant-based breast reconstruction and radiotherapy: Analysis of BREAST-Q data. 030089162211077	
707	Health-related quality of life, psychological distress, and fatigue in metastatic castration-resistant prostate cancer patients treated with radium-223 therapy.	
706	Neoadjuvant Chemoradiotherapy and Surgery for Esophageal Squamous Cell Carcinoma Versus Definitive Chemoradiotherapy With Salvage Surgery as Needed: The Study Protocol for the Randomized Controlled NEEDS Trial. 12,	0
705	Sexuality and quality of life after nerve-sparing radical hysterectomy for cervical cancer: A prospective study. 2022 , 61, 641-645	1
704	Changes in oral function, swallowing function, and quality of life in patients with head and neck cancer: a prospective cohort study. 2022 , 22,	1
703	Psychological distress, understanding of cancer and illness uncertainty in patients with Cancer of Unknown Primary.	
702	Update of the 100 Most Cited Articles on Breast Cancer: A Bibliometric Analysis. 2022 , 18, 258-270	
701	A randomised pilot trial of virtual reality-based relaxation for enhancement of perioperative well-being, mood and quality of life. 2022 , 12,	1
700	Neoadjuvant Trastuzumab and Pyrotinib for Locally Advanced HER2-Positive Breast Cancer (NeoATP): Primary Analysis of a Phase II Study. OF1-OF9	1
699	A randomised controlled trial investigating the ability for supervised exercise to reduce treatment-related decline in adolescent and young adult cancer patients.	
698	Health-related Quality of Life Analysis from KEYNOTE-426: Pembrolizumab plus Axitinib Versus Sunitinib for Advanced Renal Cell Carcinoma. 2022 ,	3
697	Health-related quality of life with pembrolizumab monotherapy in patients with previously treated advanced microsatellite instability high/mismatch repair deficient endometrial cancer in the KEYNOTE-158 study. 2022 ,	0
696	Caregiver activation of relatives of patients with advanced cancer.	1

- 695 Awareness, offer, and use of psychosocial services by breast cancer survivors in Germany: a prospective multi-centre study. 0
- 694 Linking EORTC QLQ-C-30 and PedsQL/PEDQOL physical functioning scores in patients with osteosarcoma. **2022**, 170, 209-235 1
- 693 Exploring Moderators of the Effect of High vs. Low-to-Moderate Intensity Exercise on Cardiorespiratory Fitness During Breast Cancer Treatment [Analyses of a Subsample From the Phys-Can RCT. 4,
- 692 Differences in functioning between young adults with cancer and older age groups: A cross-sectional study.
- 691 A Phase II Study of Nivolumab Plus Gemcitabine in Patients with Recurrent or Metastatic Nasopharyngeal Carcinoma (KCSG HN17-11). 0
- 690 Association between Health-Related Quality of Life and Completion of First-Line Treatment among Lung Cancer Patients. **2022**, 14, 3343
- 689 Post-traumatic growth 5 years after cancer: identification of associated actionable factors.
- 688 How scoring limits the usability of minimal important differences (MIDs) as responder definition (RD): an exemplary demonstration using EORTC QLQ-C30 subscales. 0
- 687 A Randomized Controlled Clinical Trial of Transanal Irrigation Versus Conservative Treatment in Patients With Low Anterior Resection Syndrome After Rectal Cancer Surgery. Publish Ahead of Print, 0
- 686 Patient-Reported Outcomes in Early Phase Clinical Trials: An Opportunity to Actively Promote Patient-Centered Care. 1
- 685 Uncertainty and the unmet informational needs of patients with cancer of unknown primary (CUP): a cross-sectional multi-site study.
- 684 Reminiscence therapy-based care program serves as an optional nursing modality in alleviating anxiety and depression, improving quality of life in surgical prostate cancer patients. 1
- 683 Comparison of the Perioperative Outcomes for Thoracoscopic Thymectomy Between the Subxiphoid Approach and the Lateral Intercostal Approach for Masaoka-Koga I-II Thymoma: A Propensity Score-Matching Analysis. 0
- 682 Patient-reported outcomes in ZUMA-7, a phase 3 study of axicabtagene ciloleucel in second-line large B-cell lymphoma. 0
- 681 Tislelizumab versus chemotherapy as second-line treatment of advanced or metastatic esophageal squamous cell carcinoma (RATIONALE 302): impact on health-related quality of life. **2022**, 7, 100517 0
- 680 Phase I study of intraperitoneal aerosolized nanoparticle albumin based paclitaxel (NAB-PTX) for unresectable peritoneal metastases. **2022**, 82, 104151 1
- 679 Immune checkpoint inhibitors for the treatment of non-small cell lung cancer: A comparison of the regulatory approvals in Europe and the United States. **2022**, 33, 100346 0
- 678 The moderating role of coping flexibility in reports of somatic symptoms among early breast cancer patients. **2022**, 308, 115219 0

- 677 Association Between Fat Mass to Lean Body Mass Ratio and All-Cause Mortality Among Middle-Aged and Elderly Cancer Patients Without Obesity: A Multi-Center Observational Study in China. 9,
- 676 Real-World Evaluation of Quality of Life, Effectiveness, and Safety of Aflibercept Plus FOLFIRI in Patients with Metastatic Colorectal Cancer: The Prospective QoLiTrap Study. **2022**, 14, 3522 ○
- 675 Health-related quality of life in patients with neuroendocrine neoplasms: a two-wave longitudinal study. ○
- 674 Dose-escalated radiotherapy to 82 Gy for prostate cancer following insertion of a peri-rectal hydrogel spacer: 3-year outcomes from a phase II trial. **2022**, 17,
- 673 The impact of rehabilitation sport on breast cancer-related lymphoedema and quality of life.
- 672 Supervised Physical Activity Quickly Improves Social Dimension of Quality of Life in Breast Cancer Patients. Publish Ahead of Print,
- 671 Cognitive Trajectories in Older Patients with Cancer Undergoing Radiotherapy: A Prospective Observational Study. **2022**, 29, 5164-5178 1
- 670 Baseline QOL, QOL-relevant HLA-restricted HERV gene-derived peptides, and survival outcomes in gastric cancer. **2022**, 30, 55-66 1
- 669 Phase II study of intrathecal administration of trastuzumab in patients with HER2-positive breast cancer with leptomeningeal metastasis. ○
- 668 Factors predicting long-term physical activity of breast cancer survivors. 5-year-follow-up of the BREX exercise intervention study. 1-9
- 667 Association Between Geriatric Assessment and Post-Chemotherapy Functional Status in Older Patients with Cancer.
- 666 Long-term oncologic outcomes of natural orifice specimen extraction surgery versus conventional laparoscopic-assisted resection in the treatment of rectal cancer: a propensity-score matching study. **2022**, 22, ○
- 665 Cost-Utility Analysis of Major System Change in Specialist Cancer Surgery in London, England, Using Linked Patient-Level Electronic Health Records and Difference-in-Differences Analysis. 1
- 664 An implementation study of electronic assessment of patient-reported outcomes in inpatient radiation oncology. **2022**, 6, ○
- 663 Prehabilitation before gastrointestinal cancer surgery (Prehab-GI): Protocol for an implementation study. (Preprint).
- 662 Hypnosis and cognitive behavioral therapy with online sessions to reduce fatigue in patients undergoing chemotherapy for a metastatic colorectal cancer: Rational and study protocol for a feasibility study. 13,
- 661 Neuroendocrine Tumors: Challenges and Future Perspectives. **2022**, 11, 4351 ○
- 660 Long-term follow-up and health-related quality of life among cancer survivors with stage IEA orbital-type lymphoma after external photon-beam radiotherapy: Results from a longitudinal study. ○

- 659 Postoperative radiotherapy with concomitant temozolomide plus anlotinib for newly diagnosed glioblastoma: Study protocol for a multicenter, double-blind, randomized phase II trial. **2022**, 5, 69
- 658 Content Validity of the European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire QLQ-C30 for Use in Cancer.
- 657 Patient-reported Outcomes zur Lebensqualitätserfassung in der Onkologie. **2022**, 1-8
- 656 Design of a multinational randomized controlled trial to assess the effects of structured and individualized exercise in patients with metastatic breast cancer on fatigue and quality of life: the EFFECT study. **2022**, 23, ○
- 655 How Does Hedonic Aroma Impact Long-Term Anxiety, Depression, and Quality of Life in Women with Breast Cancer? A Cross-Lagged Panel Model Analysis. **2022**, 19, 9260
- 654 Health-related quality of life in long-term Caribbean prostate cancer survivors: comparisons with prostate cancer-free men. ○
- 653 Effects of Five-Step Nutritional Interventions Conducted by a Multidisciplinary Care Team on Gastroenteric Cancer Patients Undergoing Chemotherapy: A Randomized Clinical Trial. 1-10 ○
- 652 Translation and validation of the EORTC QLQ-BR45 among Ethiopian breast cancer patients. **2022**, 12, ○
- 651 Brain infarction following meningioma surgery: incidence, risk factors, and impact on function, seizure risk, and patient-reported quality of life. ○
- 650 Health-related quality of life and health literacy in patients with systemic mastocytosis and mast cell activation syndrome. **2022**, 17, ○
- 649 The Impact of Disease Progression on Health-Related Quality of Life Outcomes in Patients with Oligo-Metastatic Disease at 12-Months post Stereotactic Body Radiotherapy. **2022**,
- 648 Protocol for the Tessa Jowell BRAIN MATRIX Platform Study.
- 647 Thyroid disease-specific quality of life questionnaires - A systematic review. ○
- 646 Dose escalation based on 18F-FDG PET/CT response in definitive chemoradiotherapy of locally advanced esophageal squamous cell carcinoma: a phase III, open-label, randomized, controlled trial (ESO-Shanghai 12). **2022**, 17,
- 645 Examining the Efficacy of Bright Light Therapy on Cognitive Function in Hematopoietic Stem Cell Transplant Survivors. 074873042211078 ○
- 644 Long term functional outcomes in T2 glottic carcinoma after radiotherapy. 1-24 ○
- 643 Efficacy of electroacupuncture with different frequencies in the treatment of chemotherapy-induced peripheral neuropathy: A study protocol for a randomized controlled trial. 13,
- 642 Changes in hemoglobin and clinical outcomes drive improvements in fatigue, quality of life, and physical function in patients with paroxysmal nocturnal hemoglobinuria: post hoc analyses from the phase III PEGASUS study. **2022**, 101, 1905-1914 ○

- 641 Acupuncture-moxibustion for lung cancer patient-reported outcomes: A systematic review and meta-analysis protocol. **2022,**
- 640 Case-Matched Comparison of Functional and Quality of Life Outcomes of Local Excision and Total Mesorectal Excision Following Chemoradiotherapy for Rectal Cancer. Publish Ahead of Print, ○
- 639 DUPLICATE: Acupuncture-moxibustion for lung cancer patient-reported outcomes: a systematic review and meta-analysis protocol. **2022,**
- 638 Nutritional status in patients with hepatocellular carcinoma: Potential relevance for clinical outcome. **2022,** ○
- 637 Association of change in health-related quality of life and treatment discontinuation in metastatic breast cancer: a post hoc, exploratory analysis of two randomized clinical trials.
- 636 Health-Related Quality of Life Outcomes With Two Different Starting Doses of Lenvatinib in Combination With Everolimus for Previously Treated Renal Cell Carcinoma.
- 635 Health-related quality-of-life outcomes in patients with advanced renal cell carcinoma treated with lenvatinib plus pembrolizumab or everolimus versus sunitinib (CLEAR): a randomised, phase 3 study. **2022,** 18, 39-57
- 634 General and Specific Quality of life in long-term oral cancer survivors reconstructed with free forearm flap..
- 633 Coffee and tea consumption, patient-reported, and clinical outcomes in a longitudinal study of patients with breast cancer. 1
- 632 Social mediaBased interventions for patients with cancer: a meta-analysis and meta-regression of randomised controlled trials.
- 631 The Patient's Perspective on Proton Radiotherapy of Skull Base Meningioma: A Retrospective Cross-Sectional Survey. 12,
- 630 Short-course palliative hypofractionated radiotherapy in patients with poor-prognosis high-grade glioma: quality-of-life outcomes from a prospective phase II study.
- 629 Psychometric assessment of the Concerns about Late Effects in Oncology Questionnaire (CLEO) among female breast cancer survivors. **2022,**
- 628 Quality of Life and Its Associated Factors Among Cancer Patients Receiving Chemotherapy at Oncology Hospitals in Vietnam After the Third Wave of the COVID-19 Pandemic. Volume 14, 2429-2444
- 627 Patterns and determinants of adherence to resistance and endurance training during cancer treatment in the Phys-Can RCT. **2022,** 14,
- 626 Acupuncture for insomnia in people with cancer. **2022,** 2022,
- 625 Utilisation of complementary medicine in cancer patients and survivors: Expected benefits and its association to psychosocial factors. ○
- 624 Clinical and Patient-Reported Outcomes of Advanced Urothelial Carcinoma Following Discontinuation of PD-1/L1 Inhibitor Therapy. **2022,**

623	Effectiveness of the online Acceptance and Commitment Therapy intervention Embrace Pain for cancer survivors with chronic painful chemotherapy-induced peripheral neuropathy: study protocol for a randomized controlled trial. 2022 , 23,	1
622	Late Adverse Health Outcomes and Quality of Life after Curative Radiotherapy+ long-term ADT in Prostate Cancer Survivors: Comparison with men from the General Population. 2022 ,	
621	Psychological and somatic symptoms among breast cancer patients in four European countries: A cross-lagged panel model.	1
620	Prospective multicentre observational cohort to assess quality of life, functional outcomes and cost-effectiveness following minimally invasive surgical techniques for rectal cancer in dedicated centres in the Netherlands (VANTAGE trial): a protocol. 2022 , 12, e057640	0
619	Impact of persistent peripheral neuropathy on health-related quality of life among early-stage breast cancer survivors: a population-based cross-sectional study.	1
618	Translation and validation of Sinhala version of modified EORTC QLQ-OH15 in oral cancer patients who receive radiotherapy with or without chemotherapy in Sri Lanka. 2022 , 22,	0
617	Health-Related Quality of Life, Fatigue, Level of Physical Activity, and Physical Capacity Before and After an Outpatient Rehabilitation Program for Women Within Working Age Treated for Breast Cancer.	
616	Health-related quality of life of Australians during the 2020 COVID-19 pandemic: a comparison with pre-pandemic data and factors associated with poor outcomes.	1
615	Translation and validation of M.D. Anderson Symptom Inventory-Thyroid Cancer module in Chinese thyroid cancer patients: a cross-sectional and methodological study. 2022 , 22,	
614	Reminiscence Therapy as a Potential Method to Improve Psychological Health and Quality of Life in Elderly Hepatocellular Carcinoma Patients: A Randomized, Controlled Trial. 9,	1
613	Correlates of common concerns in older cancer survivors of leukemia and lymphoma: results from the WHI LILAC study.	
612	Neurocognitive impairment and patient proxy agreement on health-related quality of life evaluations in recurrent high-grade glioma patients.	
611	Association of Anticancer Immune Checkpoint Inhibitors With Patient-Reported Outcomes Assessed in Randomized Clinical Trials. 2022 , 5, e2226252	1
610	Quality-of-Life Assessment after Head and Neck Oncological Surgery for Advanced-Stage Tumours. 2022 , 11, 4875	
609	Psychometric properties of the Urdu version of the EORTC QLQ-H&N35 (European organization for research and treatment of cancer head and neck module) quality of life tool. 2022 , 10,	0
608	The Wessex Fit-4-Cancer Surgery Trial (WesFit): a protocol for a factorial-design, pragmatic randomised-controlled trial investigating the effects of a multi-modal prehabilitation programme in patients undergoing elective major intra-abdominal cancer surgery. 10, 952	
607	Pemetrexed and platinum plus pembrolizumab in patients with metastatic non-squamous non-small cell lung cancer by tumor burden at baseline: a post hoc efficacy analysis of KEYNOTE-189. 2022 , 100389	
606	How informed are patients after informed consent process. 74, 55-56	

- 605 Physical Activity and Health-related Quality of Life from Diagnosis to One Year After Radical Cystectomy in Patients with Bladder Cancer: A Longitudinal Cohort Study. **2022**, 1-10
- 604 Quality of Life Assessment with EORTC QLQ in Patients with Multiple Myeloma: Multicenter Study. **2022**, 3, 165-172
- 603 An Update on Prevalence, Assessment, and Risk Factors for Sleep Disturbances in Patients with Advanced Cancer—Implications for Health Care Providers and Clinical Research. **2022**, 14, 3933
- 602 TUXEDO : a phase I/ II trial of cetuximab with chemoradiotherapy in muscle-invasive bladder cancer.
- 601 Quality of life and its influencing factors among breast cancer patients at Tikur Anbessa specialised hospital, Addis Ababa, Ethiopia. **2022**, 22, 1
- 600 Integrated Geriatric Assessment and Treatment Effectiveness (INTEGERATE) in older people with cancer starting systemic anticancer treatment in Australia: a multicentre, open-label, randomised controlled trial. **2022**, 4
- 599 Associations of intermuscular adipose tissue and total muscle wasting score in PG-SGA with low muscle radiodensity and mass in nonmetastatic colorectal cancer: A two-center cohort study. 9,
- 598 Cognitive behavioural therapy for insomnia in people with cancer. **2022**, 2022,
- 597 Longitudinal Analysis of Patient-Reported Cognitive Function in Multiple Myeloma. **2022**,
- 596 Impact of acupuncture and integrative therapies on chemotherapy-induced peripheral neuropathy: A multicentered, randomized controlled trial. 0
- 595 Assessing the Expression of Emotions in Breast Cancer Survivors during the Time of Recovery: Perspective from Focus Groups. **2022**, 19, 9672
- 594 Neoadjuvant nivolumab + T-VEC combination therapy for resectable early stage or metastatic (IIIB-IVM1a) melanoma with injectable disease: study protocol of the NIVVEC trial. **2022**, 22, 1
- 593 Feasibility of a supervised and home-based tailored exercise intervention in head and neck cancer patients during chemoradiotherapy.
- 592 Stoma Versus Anastomosis After Sphincter-Sparing Rectal Cancer Resection; the Impact on Health-Related Quality of Life.
- 591 A prospective phase II study of biweekly S-1, leucovorin, and gemcitabine in elderly patients with locally advanced or metastatic pancreatic adenocarcinoma —The Taiwan Cooperative Oncology Group T1217 study. **2022**, 173, 123-132
- 590 Nonoperative versus operative approach according to the response to neoadjuvant chemoradiotherapy for rectal cancer: A prospective cohort study. **2022**, 36, 113-120
- 589 Flexible modeling of longitudinal health-related quality of life data accounting for informative dropout in a cancer clinical trial. 0
- 588 Dignity and psychosocial related variables in elderly advanced cancer patients. **2022**, 22, 0

587	Real-world-Daten zu Vera nderungen des EORTC-QLQ-C30-Physical-Functioning-Scores im zeitlichen Verlauf nach operativer Therapie des Mammakarzinoms ¶. Florence-Nightingale-Preis ¶ eine Kurzb ersicht. 2022 , 19, 244-245	0
586	Change in four measures of physical function among older adults during lung cancer treatment: A mixed methods cohort study. 2022 ,	0
585	Association of financial toxicity with quality of life in testicular cancer survivors.	0
584	Validation study of the Functional Assessment of Cancer Therapy - Cognitive Function ¶Version 3 for the Portuguese population.	0
583	Quality-of-Life Evaluation of Patients with Unresectable Locally Advanced or Locally Recurrent Head and Neck Carcinoma Treated with Head and Neck Photoimmunotherapy. 2022 , 14, 4413	1
582	Chronic Pain after Colon Cancer Surgery: Translation and Validation of a Scoring System.	0
581	Pre-operative ribociclib plus letrozole versus chemotherapy: Health-related quality of life outcomes from the SOLTI CORALLEEN trial. 2022 , 174, 232-242	0
580	Effectiveness of different types, delivery modes and extensiveness of exercise in patients with breast cancer receiving systemic treatment ¶A systematic review and meta-analysis. 2022 , 178, 103802	0
579	Health-related quality of life in patients with advanced melanoma treated with ipilimumab: prognostic implications and changes during treatment. 2022 , 7, 100588	0
578	Effect of dexamethasone on dyspnoea in patients with cancer (ABCD): a parallel-group, double-blind, randomised, controlled trial. 2022 , 23, 1321-1331	0
577	Effects of yoga practice on physiological distress, fatigue and QOL in patients affected by breast cancer undergoing adjuvant radiotherapy. 2022 , 24, 32-39	1
576	Lebensqualit ¶ in der Uroonkologie. 2020 , 1-9	0
575	Observations from the Working Group Peritoneal Carcinosis. 2022 , 13, 507-524	0
574	Why is the EORTC QLQ C30 (version 3.0) still the most widely used quality of life assessment tool in oncology?. 2022 , 5, 376	0
573	Postoperative quality of life after gastrectomy in gastric cancer patients: a prospective longitudinal observation study. 2022 , 103, 19	2
572	Patient-Reported Outcomes. 2022 , 915-937	0
571	Principles of Protocol Development. 2022 , 151-168	0
570	The Administration of Ocoxin Increases the Quality of Life of Patients with Advanced Epithelial or Metastatic Ovarian Cancer Undergoing Neoadjuvant Chemotherapy. 2022 , 13, 561-584	0

- 569 Reconstruction After Glossectomy. **2022**, 383-413 ○
- 568 Pre- and Post-Surgical Health-Related Quality of Life Evaluation of Esophageal Carcinoma Patients. **2022**, 13, 585-597 ○
- 567 Impact of Adapted Physical Activity on Joint Pain Induced by Hormonotherapy in Adjuvant Breast Cancer Treatment: APAISE Study Protocol Impact de l'Activit  Physique Adapt e sur les Douleurs Articulaires Induites sous Hormonoth rapie en Traitement Adju. **2022**, 24, 357-369 ○
- 566 A pilot retrospective study of comprehensive nursing care on psychological disorder in colorectal cancer undergoing chemotherapy. **2022**, 101, e29707 ○
- 565 Effects of high and low-to-moderate intensity exercise during (neo-)adjuvant chemotherapy on muscle cells, cardiorespiratory fitness and muscle function in women with breast cancer: Protocol for a randomized controlled trial (Preprint). ○
- 564 Health-related Quality of Life of Men on Hormonal Therapy for Prostate Cancer. **2022**, 24, ○
- 563 Validation of the Spanish Versions of FACIT-PAL and FACIT-PAL-14 in Palliative Patients. **2022**, 19, 10731 ○
- 562 Longitudinal associations of sedentary behavior and physical activity with body composition in colorectal cancer survivors up to 2 years post treatment. ○
- 561 Development of a holistic communication score (HoCoS) in patients treated for oral or oropharyngeal cancer: Preliminary validation. ○
- 560 Emotional functioning during bereavement after the death of patients with advanced cancer and associated factors. **2022**, 31, 1719-1727 ○
- 559 Assessment of Patient-Reported Outcomes in Patients with Anal Squamous Cell Cancer Undergoing Combined Modality Therapy. Publish Ahead of Print, ○
- 558 First-line treatment of camrelizumab combined with chemotherapy in advanced gastroenteropancreatic neuroendocrine carcinoma: Study protocol for a prospective, multicenter, phase II study. 12, ○
- 557 Serum diamine oxidase activity derived from response to chemotherapy affects adverse events and serum amino acid levels. ○
- 556 Trajectory of health-related quality of life during the last year of life in patients with advanced non-small-cell lung cancer. ○
- 555 Patient-reported outcomes **2022**, 28, 940-946 ○
- 554 Effectiveness of the Unified Barlow Protocol (UP) and neuropsychological treatment in cancer survivors for cognitive impairments: study protocol for a randomized controlled trial. **2022**, 23, ○
- 553 The Impact of Comorbidities, Neutrophil-to-lymphocyte Ratio, and Adverse Events on Quality of Life in Lung Cancer Patients Receiving EGFR-TKI Therapy. ○
- 552 Supplementation with Oral Vitamin C Prior to and during Myeloablative Chemotherapy and Autologous Haematopoietic Stem Cell Transplantation: A Pilot Study. **2022**, 11, 1949 ○

551	Final Overall Survival, Safety, and Quality of Life Results From a Phase 2 Study of Crizotinib in East Asian Patients With ROS1-Positive Advanced Non-Small Cell Lung Cancer. 2022 , 100406	0
550	Effects of botanical drugs in the treatment of cancer-related fatigue in patients with gastric cancer: A meta-analysis and prediction of potential pharmacological mechanisms. 13,	1
549	Predicting survival in metastatic non-small cell lung cancer patients with poor ECOG-PS: A single-arm prospective study.	0
548	Quality of life after resection of a meningioma: A cross-cultural comparison of Indian and Australian patients. 2022 , 17, e0275184	0
547	Geriatric impairments are associated with reduced quality of life and physical function in older patients with cancer receiving radiotherapy - A prospective observational study.. 2022 ,	0
546	High levels of health-related quality of life five years after curative treatment of prostate cancer with HDR-brachytherapy and external beam radiation. 1-7	0
545	Quality of Life and Cognitive Function Evaluations and Interventions for Patients with Brain Metastases in the Radiation Oncology Clinic. 2022 , 14, 4301	0
544	Depression and anxiety in women with malignant ovarian germ cell (MOGCT) and sex cord stromal tumors (SCST): an analysis of the AGO-CORSETT database.	0
543	Unmet needs, quality of life and psychological distress: insights regarding head and neck cancer patients in a rural setting. 1-7	0
542	A pilot study of cognitive behavioural therapy integrated with activity pacing for fatigued breast cancer patients undergoing chemotherapy in Ethiopia. 12,	1
541	Quality of Life after Stereotactic Body Radiation Therapy or Surgery for Early-Stage Non-Small Cell Lung Cancer: A Systematic Review. 2022 , 100417	0
540	LGBTQI cancer patients: quality of life and distress: A comparison by gender, sexuality, age, cancer type and geographical remoteness. 12,	1
539	Does increase of symptoms mean progression?.	0
538	Autologous vs. implant-based breast reconstruction after skin- and nipple-sparing mastectomy: A deeper insight considering surgical and patient-reported outcomes. 9,	0
537	The Impact of Postoperative Complications on Short- and Long-Term Health-Related Quality of Life After Total Mesorectal Excision for Rectal Cancer. 2022 ,	1
536	What are patients' preferences for autonomy in therapeutic decision-making in digestive oncology? A monocentric observational cross-sectional study.	0
535	Gradient Boosted Tree Approaches for Mapping European Organization for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 Onto 5-Level Version of EQ-5D Index for Patients With Cancer. 2022 ,	0
534	Feasibility and acceptability of written exposure therapy in addressing posttraumatic stress disorder in Iranian patients with breast cancer.	0

533	Quality of life and sexual health after perineal reconstruction in Fournier gangrene using pedicled anterolateral thigh flaps. 9,	○
532	Cross-sectional nationwide mixed-methods population-based study of living conditions, and identification of sexual and fertility profiles among young women after breast cancer in France: the Candy study protocol. 2022 , 12, e056834	○
531	Evidence-based expert consensus on the management of primary central nervous system lymphoma in China. 2022 , 15,	○
530	Association of Extent of Resection and Functional Outcomes in Diffuse Low-Grade Glioma: Systematic Review & Meta-Analysis.	○
529	Stoma versus anastomosis after sphincter-sparing rectal cancer resection; the impact on health-related quality of life.	○
528	Monitoring energy balance through clinical and serum biomarkers in patients with hematologic malignancies undergoing chemotherapy.	○
527	Health-related quality of life with lisocabtagene maraleucel vs standard of care in relapsed or refractory LBCL.	○
526	Quality of life and patient reported symptoms after colorectal cancer in a Swedish population.	○
525	Acupuncture for adult lung cancer of patient-reported outcomes: A systematic review and meta-analysis. 12,	1
524	Impact of integrated yoga therapy on cognitive impairment and cardiac dysfunction in relation to quality of life in breast cancer patients undergoing chemotherapy: Study protocol for a two-arm randomized controlled trial. 12,	○
523	Cancer pain: Results of a prospective study on prognostic indicators of pain intensity including pain syndromes assessment. 026921632211223	○
522	Contraceptive Use in Premenopausal Women With Early Breast Cancer. 2022 , 5, e2233137	1
521	Longitudinal associations of fast foods, red and processed meat, alcohol, and sugar-sweetened drinks with quality of life and symptoms in colorectal cancer survivors up to 24 months post-treatment. 1-28	○
520	Functional outcome after Hartmann's reversal surgery using LARS, COREFO & QoL scores. 2022 ,	○
519	Randomized, Open-Label Phase 2 Study of Apalutamide plus Androgen Deprivation Therapy versus Apalutamide Monotherapy versus Androgen Deprivation Monotherapy in Patients with Biochemically Recurrent Prostate Cancer. 2022 , 2022, 1-12	○
518	Characteristics of patients with advanced cancer preferring not to know prognosis: a multicenter survey study. 2022 , 22,	○
517	Mid-upper Arm Circumference as an Indicator of Quality of Life of Patients with Advanced Cancer. 082585972211213	○
516	Exercise training as part of multidisciplinary rehabilitation in cancer survivors: an observational study on changes in physical performance and patient-reported outcomes.	○

515	The impact of surgery and adjuvant chemotherapy on health-related quality of life in patients with colon cancer: Changes at group level versus individual level.	0
514	Characteristics of health-related quality of life and related factors in patients with brain tumors treated with rehabilitation therapy. 2022 , 6,	0
513	Geriatric assessment and management with question prompt list using a web-based application for elderly patients with cancer (MAPLE) to communicate ageing-related concerns: J-SUPPORT 2101 study protocol for a multicentre, parallel group, randomised controlled trial. 2022 , 12, e063445	0
512	Patient-reported outcomes from a randomized trial of neoadjuvant atezolizumab-chemotherapy in early triple-negative breast cancer. 2022 , 8,	1
511	Smartphone-based follow-up of upper airway symptoms in head and neck cancer survivors one year after radiation therapy.	0
510	Adjuvant Therapy of Nivolumab Combined With Ipilimumab Versus Nivolumab Alone in Patients With Resected Stage IIIB-D or Stage IV Melanoma (CheckMate 915).	2
509	Protocol for the Tessa Jowell BRAIN MATRIX Platform Study. 2022 , 12, e067123	0
508	Reliability and validity testing of the Korean translation of lymphedema quality of life questionnaire (LYMQOL) for lower limb lymphedema. 1-6	0
507	Psychoneurological Symptoms and Biomarkers of Stress and Inflammation in Newly Diagnosed Head and Neck Cancer Patients: A Network Analysis. 2022 , 29, 7109-7121	0
506	Structure of spirituality among high-school students differs depending on relationship with someone or something Greater (RSG).	0
505	Association of IMWG frailty score with health-related quality of life profile of patients with relapsed refractory multiple myeloma in Italy and the UK: a GIMEMA, multicentre, cross-sectional study. 2022 , 3, e628-e635	0
504	Efficacy and safety of synbiotics in patients undergoing autologous hematopoietic stem cell transplantation: A prospective, randomized, double-blind, placebo-controlled pilot study.	0
503	Safety of Inhomogeneous Dose Distribution IMRT for High-Grade Glioma Reirradiation: A Prospective Phase I/II Trial (GLIORAD TRIAL). 2022 , 14, 4604	0
502	Cardiovascular and metabolic determinants of quality of life in patients with cancer.	0
501	Assessment of depression, anxiety and fatigue in Tunisian patients in recovery from colon cancer and their impact on quality of life.	0
500	Neoadjuvant FOLFOXIRI prior to chemoradiotherapy for high-risk (T ₄ ly) locally advanced rectal cancer: study protocol of a single-arm, multicentre, open-label, phase II trial (MEND-IT). 2022 , 22,	0
499	Comparison of EQ-5D-5L and EORTC QLU-C10D utilities in gastric cancer patients.	1
498	The effectiveness and safety of acupuncture for chemotherapy-induced peripheral neuropathy: A systematic review and meta-analysis. 13,	0

- 497 Health-related quality of life in patients given ciltacabtagene autoleucel for relapsed or refractory multiple myeloma (CARTITUDE-1): a phase 1b/2, open-label study. **2022,** ○
- 496 Quality of life in patients with non-small cell lung cancer treated with PD-1/PD-L1 inhibitors: a systematic review and meta-analysis. **2022,** 20, ○
- 495 Physiological and mental health changes in cancer patients during the COVID-19 state of emergency. ○
- 494 Need for numbers: assessing cancer survivors' needs for personalized and generic statistical information. **2022,** 22, ○
- 493 The correlation between pre-treatment symptoms, acute and late toxicity and patient-reported health-related quality of life in non-small cell lung cancer patients: Results of the REQUITE study. **2022,** ○
- 492 The impact of prehabilitation interventions on affective and functional outcomes for young to midlife adult cancer patients: A systematic review. ○
- 491 Personalized nutrition intervention improves nutritional status and quality of life of colorectal cancer survivors in the community: A randomized controlled trial. **2022,** 103-104, 111835 ○
- 490 Blood-based biomarkers of cancer-related cognitive impairment in non-central nervous system cancer: A scoping review. **2022,** 180, 103822 ○
- 489 Quality of Life in Women with Ovarian Cancer. **2022,** 225-241 ○
- 488 Prioritizing the Patient Experience: Early Integration of Supportive/Palliative Care in Pancreatic Cancer Management. **2022,** 343-350 ○
- 487 Electromyography in assessing the functional results of combination treatment for rectal cancer. **2022,** 11, 19 ○
- 486 Gesundheitsbezogene Lebensqualität: Konzepte, Messung und Analyse. **2022,** 205-215 ○
- 485 Patient Reported Outcomes and Quality of Life. **2022,** 351-373 ○
- 484 Quality of Life and Subjective Health: Strengthening the Subjective Perspective in Cardiology. **2022,** 1341-1362 ○
- 483 Sedentary Behaviour, Physical Activity, and Their Associations with Health Outcomes at the Time of Diagnosis in People with Inoperable Lung Cancer. **2022,** 11, 5870 ○
- 482 Development of a Clinical/Biological Model to Assess Tumor Progression in Metastatic Pancreatic Cancer: Post Hoc Analysis of the PRODIGE4/ACCORD11 Trial. **2022,** 14, 5068 ○
- 481 Neurocognitive function and health-related quality of life in a nationwide cohort of long-term childhood brain tumor survivors. ○
- 480 The mediating role of appraisal on health-related quality of life in adolescent and young adult cancer survivors. ○

- 479 Patient-reported physical function is associated with survival following lung resection for NSCLC. **2022,** ○
- 478 Patient-reported outcomes with cemiplimab monotherapy for first-line treatment of advanced non-small cell lung cancer with PD-L1 of $\geq 50\%$: The EMPOWER-Lung 1 study. ○
- 477 QUALITY OF LIFE IN BREAST CANCER PATIENTS DEPENDING UPON THE TYPE OF SURGERY. **2022,** 34-35 ○
- 476 Development of an EORTC Item Bank for Computer-Adaptive Testing of Nausea and Vomiting. **2022,** 151341 ○
- 475 Role of sex on psychological distress, quality of life, and coping of patients with advanced colorectal and non-colorectal cancer. 14, 2025-2037 ○
- 474 Letter to editor in regard to recent published study of Abed et al. titled "The association between dental arch length and oral health-related quality of life in head and neck cancer patients post-radiotherapy" (Spec Care Dentist. 2022 Jul 13. <https://doi.org/10.1111/scd.12755>. Epub ahead of print). ○
- 473 Physical exercise program to older frail patients receiving chemotherapy for colorectal cancer - feasibility and experiences from the GERICO study. **2022,** ○
- 472 Older patients with EGFR mutation-positive non-small cell lung cancer treated with afatinib in clinical practice: A subset analysis of the non-interventional GIDEON study. **2022,** ○
- 471 Does Aggressive Surgery Mean Worse Quality of Life and Functional Capacity in Retroperitoneal Sarcoma Patients? A Retrospective Study of 161 Patients from China. **2022,** 14, 5126 ○
- 470 Regional gastrointestinal transit times in patients with chronic pancreatitis. **2022,** 101, e31141 ○
- 469 Laparoscopic duodenum-preserving total pancreatic head resection versus laparoscopic pancreaticoduodenectomy for pancreatic-head intraductal papillary mucinous neoplasm. **2022,** ○
- 468 A Negative Body Image among Adolescent and Young Adult (AYA) Cancer Survivors: Results from the Population-Based SURVAYA Study. **2022,** 14, 5243 ○
- 467 The predictive value of patient-reported outcomes on the impact of breast cancer treatment-related quality of life. 12, ○
- 466 Fertility-sparing, surgical interventions for low-risk, non-metastatic gestational trophoblastic neoplasia. **2022,** 2022, ○
- 465 The role of psychological flexibility in the meaning-reconstruction process in cancer: The intensive longitudinal study protocol. **2022,** 17, e0276049 ○
- 464 Patient-reported outcomes of patients with myelofibrosis or essential thrombocythemia enrolled in the MOST study. 1-16 ○
- 463 Attitudes Toward Striving for Quality and Length of Life Among Patients With Advanced Cancer and a Poor Prognosis. ○
- 462 Evaluation of supportive care needs, sexuality and quality of life in phase 1 trials: a prospective monocentric study. ○

- 461 The effectiveness of case management for cancer patients: an umbrella review. **2022**, 22, ○
- 460 Treatment decision-making among patients with metastatic prostate cancer: Impact of decision locus of control on functional outcomes and decision satisfaction. ○
- 459 Predictors of women's attendance in a home-based adapted physical activity program during localized breast cancer treatment. ○
- 458 Quality of life in patients with achalasia - Associations with Eckardt score and objective treatment outcomes after peroral endoscopic myotomy. ○
- 457 Prostate cancer-related anxiety among long-term survivors after radical prostatectomy: A longitudinal study. ○
- 456 Home Cancer Care Research: A Bibliometric and Visualization Analysis (1990-2021). **2022**, 19, 13116 ○
- 455 High weekly integral dose and larger fraction size increase risk of fatigue and worsening of functional outcomes following radiotherapy for localized prostate cancer. 12, ○
- 454 Adjuvant nivolumab versus placebo following radical surgery for high-risk muscle-invasive urothelial carcinoma: a subgroup analysis of Japanese patients enrolled in the phase 3 CheckMate 274 trial. ○
- 453 The clinical decision-making process of healthcare professionals within a personalized home-based rehabilitation during sequential chemoradiotherapy for stage III non-small lung cancer: A case study. ○
- 452 Current quality of life assessment tools may not fully address dermatological adverse events from anti-cancer therapies. ○
- 451 Quality of life and function after rectal cancer surgery with and without sphincter preservation. 12, ○
- 450 Assessment of the Impact of Osteoradionecrosis on Quality-of-Life Measures in Patients with Head and Neck Cancer. 41-56 ○
- 449 Experiential Avoidance in Advanced Cancer: a Mixed-Methods Systematic Review. ○
- 448 Quality of life among cervical cancer patients following completion of chemoradiotherapy at Ocean Road Cancer Institute (ORCI) in Tanzania. **2022**, 22, 1
- 447 Health-related quality of life 15 years after oesophageal cancer surgery: a prospective nationwide cohort study. ○
- 446 Anastomotic leak after minimally invasive anterior resection for rectal cancer with high versus low ligation of the inferior mesenteric artery: a study protocol for a multicentre randomized clinical trial. **2022**, 23, ○
- 445 Evaluation of stoma-related complications and postoperative Health-related quality of life in patients with rectal cancer underwent low anterior resection following neoadjuvant chemoradiotherapy: protective diverting ileostomy versus transverse colostomy. ○
- 444 Phase 3 Study of Subcutaneous Versus Intravenous Ravulizumab in Eculizumab-Experienced Adult Patients with PNH: Primary Analysis and 1-Year Follow-Up. ○

- 443 Hypnosis on patients treated with adjuvant chemotherapy for breast cancer: A feasibility study. ○
- 442 Reliability, validity, and responsiveness of the Japanese version of the EORTC QLQ-ELD14 in evaluating the health-related quality of life of elderly patients with cancer. ○
- 441 NAVIGATE: improving survival in vulnerable patients with lung cancer through nurse navigation, symptom monitoring and exercise study protocol for a multicentre randomised controlled trial. **2022**, 12, e060242 ○
- 440 Online symptom monitoring during pelvic radiotherapy: randomised pilot trial of eRAPID intervention. **2022**, ○
- 439 Efficacy and safety of electroacupuncture for oxaliplatin-induced peripheral neuropathy in colorectal cancer patients: a single-blinded, randomized, sham-controlled trial. 096452842211254 ○
- 438 Patterns of Postoperative Changes in Lung Volume and Perfusion Assessed by Dual-Energy CT: Comparison of Lobectomy and Limited Resection. 1
- 437 Anemia in myelofibrosis: current and emerging treatment options. **2022**, 103862 ○
- 436 Associations in health-related quality of life between patients and family caregivers 1 year after oesophageal cancer surgery. **2022**, 102235 ○
- 435 Impact of Partial Nephrectomy and Percutaneous Cryoablation on Short-term Health-related Quality of Life: A Prospective Comparative Cohort Study. **2022**, 45, 99-107 ○
- 434 Digitally distributed Yoga Intervention in Breast Cancer Rehabilitation (DigiYoga CaRe): protocol for a randomised controlled trial. **2022**, 12, e065939 1
- 433 The application of salvage surgery improves the quality of life and overall survival of extensively recurrent head and neck cancer after multiple operation plus radiotherapy. 12, ○
- 432 Effects of an online mindfulness-based intervention on Fear of Cancer Recurrence and quality of life among Chinese breast cancer survivors. **2022**, 101686 ○
- 431 Content validity of the European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire QLQ-C30 for use in Cancer. **2022**, 1
- 430 Sexuality after breast cancer, how to provide a global and contemporary approach. **2022**, ○
- 429 Assessment of socio-relational self-efficacy in breast cancer patients: Italian validation of the social relationship coping efficacy scale (SRCE-I). **2022**, 10, ○
- 428 Quality of life and symptom distress after cytoreductive surgery and hyperthermic intraperitoneal chemotherapy. 10, 11775-11788 ○
- 427 Ongoing Controversies in Esophageal Cancer II. **2022**, 32, 553-563 ○
- 426 External validation and updating of prediction models for estimating the 1-year risk of low health-related quality of life in colorectal cancer survivors. **2022**, 152, 127-139 ○

425	Venetoclax combined with low dose cytarabine compared to standard of care intensive chemotherapy for the treatment of favourable risk adult acute myeloid leukaemia (VICTOR): Study protocol for an international, open-label, multicentre, molecularly-guided randomised, phase II trial. 2022 , 22,	○
424	Quality of care and quality of life as experienced by patients with advanced cancer of a rare tumour type: results of the multicentre observational eQuiPe study.	○
423	Impact of anticancer therapy on the quality of life of Sudanese patients with breast cancer at Khartoum oncology hospital. 2022 , 22,	○
422	Anerkannter Grad der Behinderung (GdB) im Langzeitverlauf nach Kraniopharyngeom im Kindes- und Jugendalter.	○
421	Physical and Quality of Life Changes in Elderly Patients after Laparoscopic Surgery for Colorectal Cancer: A Prospective Cohort Study. 2022 , 19, 14711	1
420	Change Toward Healthier Lifestyles Is Associated With Better Health-Related Quality of Life in Long-Term Colorectal Cancer Survivors. 2022 , 20, 1233-1243.e10	○
419	Health-related Quality of Life Among Breast Cancer Patients Referred for Radiotherapy During the Covid 19 Pandemic Using a Validated, Culture-specific Questionnaire.	○
418	Effects of Ultrasound-Guided Injection Combined with a Targeted Therapeutic Exercise in Breast Cancer Women with Subacromial Pain Syndrome: A Randomized Clinical Study. 2022 , 12, 1833	○
417	The Women's Health Initiative cancer survivorship clinic incorporating electronic patient-reported outcomes: a study protocol for the Linking You to Support and Advice (LYSA) randomized controlled trial. 2022 , 8,	○
416	Patient-Reported Outcomes From the Randomized Phase 3 CROWN Study of First-Line Lorlatinib Versus Crizotinib in Advanced ALK-Positive Non-Small Cell Lung Cancer. 2022 ,	○
415	Patient-reported symptoms of late toxicity in breast cancer patients treated with hypofractionated radiotherapy and the association with quality of life. 2022 ,	○
414	Validation of the French version of the THYCA-QoL questionnaire for the health-related quality of life in thyroid cancer patients..	○
413	Feasibility and Effectiveness of the Exercise Program in Endometrial Cancer; Feasibility and Acceptability Survivorship Trial (EPEC-FAST). 2022 , 14, 5579	○
412	Myelodysplastic syndromes. 2022 , 8,	○
411	An exercise prescription for patients with lung cancer improves the quality of life, depression, and anxiety. 10,	○
410	The Role of Pain Catastrophizing, Emotional Intelligence, and Pain Intensity in the Quality of Life of Cancer Patients with Chronic Pain.	○
409	International validation of the EORTC QLQ-ANL27, a field study to test the anal cancer-specific health-related quality of life questionnaire. 2022 ,	○
408	Transfusion use and effect on progression-free, overall survival, and quality of life in upfront treatment of advanced epithelial ovarian cancer: evaluation of the European Organization for Research and Treatment EORTC-55971 Cohort. ijgc-2022-003947	○

407	Health-related quality of life (HRQoL), anxiety, and depression in patients with desmoid type fibromatosis.	0
406	Afatinib maintenance therapy following post-operative radiochemotherapy in head and neck squamous cell carcinoma: results from the phase III randomized double-blind placebo-controlled study BIB2992ORL (GORTEC 2010-02). 2022 ,	0
405	Moving Away From Counting the Numbers: Leveraging a Sensible Clinical Trial Design for Oligometastatic Disease and Beyond. 2022 , 114, 846-848	0
404	Prehabilitation before gastrointestinal cancer surgery (Prehab-GI): Protocol for an implementation study. (Preprint).	0
403	Prospective Cohort Real-World Study on Neuroendocrine Tumor Patient's Quality of Life During Peptide Receptor Radionuclide Therapy With 177Lu-DOTATATE. 2022 , 51, 784-789	0
402	Quality-of-life outcomes in older patients with early-stage rectal cancer receiving organ-preserving treatment with hypofractionated short-course radiotherapy followed by transanal endoscopic microsurgery (TREC): non-randomised registry of patients unsuitable for total mesorectal excision. 2022 ,	1
401	Systematic review with meta-analysis: branched-chain amino acid supplementation in liver disease.	0
400	Early skeletal muscle deconditioning and reduced exercise capacity during (neo)adjuvant chemotherapy in patients with breast cancer.	0
399	Associations between Physical Exercise, Quality of Life, Psychological Symptoms and Treatment Side Effects in Early Breast Cancer. 2022 , 2022, 1-8	0
398	Cancer Patients' Age-Related Benefits from Mobile Neurofeedback-Therapy in Quality of Life and Self-efficacy: A Clinical Waitlist Control Study.	0
397	Protocol of a randomized controlled trial evaluating program facilitating empathetic communication for initiating advanced care planning discussions between patients with advanced cancer and healthcare providers (J-SUPPORT 2104).	0
396	Sense of coherence, resilience, and habitual optimism in cancer patients. 2023 , 23, 100358	0
395	Development and validation of questionnaires for eating-related distress among advanced cancer patients and families.	0
394	EORTC QLQ-30 Modules. 2021 , 1-4	0
393	EORTC QLQ-C30. 2021 , 1-3	0
392	Factors Associated with Fatigue in Patients with Hematological Malignancies Undergoing Chemotherapy. 2022 , 17, 181-189	0
391	Patient reported outcome measure domains and tools used among adolescents and young adults with cancer: A scoping review. 2023 , 181, 103867	1
390	Patient-reported outcomes for the Intergroup Sentinel Mamma study (INSEMA): A randomised trial with persistent impact of axillary surgery on arm and breast symptoms in patients with early breast cancer. 2023 , 55, 101756	0

- 389 Comparing symptom reporting by prostate cancer patients and healthcare professionals in the international multicentre REQUITE study. **2023**, 178, 109426 ○
- 388 Effect of physical exercise on the hippocampus and global grey matter volume in breast cancer patients: A randomized controlled trial (PAM study). **2023**, 37, 103292 ○
- 387 FOXTROT2: innovative trial design to evaluate the role of neoadjuvant chemotherapy for treating locally advanced colon cancer in older adults or those with frailty. **2023**, 8, 100642 ○
- 386 Exercise volume load in women with breast cancer: Study protocol for the ABRACE randomized clinical trial. **2023**, 31, 101053 ○
- 385 Factors impacting survival after transarterial radioembolization in patients with hepatocellular carcinoma: Results from the prospective CIRT study. **2023**, 5, 100633 ○
- 384 Optimal assessment of quality of life for patients with prostate cancer. **2022**, 14, 175883592211413 ○
- 383 Systematic Review and Meta-Analysis of Health-Related Quality of Life in Patients with β -Thalassemia Underwent Hematopoietic Stem Cell Transplantation. **2021**, 17, ○
- 382 Developing the Breast Utility Instrument to Measure Health-Related Quality-of-Life Preferences in Patients with Breast Cancer: Selecting the Item for Each Dimension. **2022**, 7, 238146832211422 ○
- 381 Identification and Potential Use of Colorectal and Prostate Patient Clusters in Clinical Practice: An Explorative mixed methods Study (Preprint). ○
- 380 Phase IIb Randomized, Placebo-Controlled, Dose-Escalating, Double-Blind Study of Cannabidiol Oil for the Relief of Symptoms in Advanced Cancer (MedCan1-CBD). 1
- 379 Impact of Loneliness on Functioning in Lung Cancer Patients. **2022**, 19, 15793 ○
- 378 Quality of life in home-dwelling cancer patients aged 80 years and older: a systematic review. **2022**, 20, ○
- 377 Reminiscence therapy care program as a potential nursing intervention to relieve anxiety, depression, and quality of life in older papillary thyroid carcinoma patients: A randomized, controlled study. 13, ○
- 376 Antitumor response and quality of life: is there a need to sacrifice? Clinical observation: long-term and safe control of the disease using a combination of ribociclib with letrozole. Case report. **2022**, 24, 373-379 ○
- 375 Surviving rectal cancer at the cost of a colostomy: global survey of long-term health-related quality of life in 10 countries. **2022**, 6, ○
- 374 Out-of-pocket costs sustained in the last 12 months by cancer patients: an Italian survey-based study on individual expenses between 2017 and 2018. ○
- 373 Promoting work ability in breast cancer survivors: the moderated-mediation role of emotion regulation decreasing subjective cognitive impairment. ○
- 372 Magnetic Resonance-Guided Adaptive Radiotherapy for Prostate Cancer: The First Results from the MOMENTUM study, an International Registry for the Evidence-Based Introduction of Magnetic Resonance-Guided Adaptive Radiotherapy. **2022**, ○

371	Patient-Reported Outcomes of Individuals with Gastric Cancer Undergoing Totally Laparoscopic Versus Laparoscopic-Assisted Total Gastrectomy: A Real-World, Propensity Score-Matching Analysis.	0
370	Renal function-based versus standard dosing of pemetrexed: a randomized controlled trial.	0
369	A phase III randomized trial evaluating the quality of life impact of a tailored versus systematic use of defunctioning ileostomy following total mesorectal excision for rectal cancer [GRECCAR 17 trial protocol].	0
368	Multicentre, randomised, open-label, parallel-group, clinical phase II study to evaluate immunonutrition in improving efficacy of immunotherapy in patients with metastatic non-small cell lung cancer, undergoing systematic nutritional counseling. 2022 , 22,	0
367	Association of extent of resection and functional outcomes in diffuse low-grade glioma: systematic review & meta-analysis. 2022 , 160, 717-724	0
366	Systematic review and meta-analysis comparing proximal gastrectomy with double-tract-reconstruction and total gastrectomy in gastric and gastroesophageal junction cancer patients: Still no sufficient evidence for clinical decision-making. 2022 ,	0
365	Profiles of Work and Quality of Life among Young Adult Cancer Survivors. 019394592211207	0
364	Sample Bias in Web-Based Patient-Generated Health Data of Dutch Patients With Gastrointestinal Stromal Tumor: Survey Study. 2022 , 6, e36755	0
363	Radiation pneumonitis in relation to pulmonary function, dosimetric factors, TGF β expression, and quality of life in breast cancer patients receiving post-operative radiotherapy: a prospective 6-month follow-up study.	0
362	Photobiomodulation in the management of oral mucositis for adult head and neck cancer patients receiving irradiation: the LiTEFORM RCT. 2022 , 26, 1-172	1
361	Hyperbaric oxygen therapy for local late radiation toxicity in breast cancer patients: A systematic review. 2022 ,	0
360	Outcome quality after colorectal cancer resection in Certified Colorectal Cancer Centers: patient-reported and short-term clinical outcomes.	0
359	Health state utility values for metastatic pancreatic cancer using a composite time trade-off based on the vignette-based approach in Japan. 2022 , 12,	0
358	Pressurized intraperitoneal aerosol chemotherapy (PIPAC) in patients with peritoneal surface malignancies (PSM): a prospective single-center registry study.	0
357	Evaluation of Quality of Life in Patients With Gastric Adenocarcinoma Receiving Chemoradiotherapy: a Cross-sectional Study.	0
356	Cost-effectiveness of talazoparib for patients with locally advanced or metastasized breast cancer in Germany. 2022 , 17, e0278460	0
355	Quality of Life of Chilean Breast Cancer Survivors: Multicentric Study. 2022 , 69,	0
354	Sex and gender differences in treatment intention, quality of life and performance status in the first 100 patients with periampullary cancer enrolled in the CHAMP study.	0

- 353 Quality of life for men with metastatic castrate-resistant prostate cancer participating in an aerobic and resistance exercise pilot intervention. **2022,** ○
- 352 The Reporting, Use, and Validity of Patient-Reported Outcomes in Multiple Myeloma in Clinical Trials: A Systematic Literature Review. **2022,** 14, 6007 ○
- 351 Caregiver Burden, Psychological Distress and Quality of Life among Informal Caregivers of Patients with Head and Neck Cancer: A Longitudinal Study. **2022,** 19, 16304 ○
- 350 Efficacy of a 4-Week Nurse-Led Exercise Rehabilitation Program in Improving the Quality of Life in Women Receiving a Post-Mastectomy Reconstruction Using the Motiva Ergonomix™ Round SilkSurface. **2023,** 20, 16 1
- 349 GLIM diagnosed malnutrition predicts clinical outcomes and Quality of Life in patients with non-small cell lung cancer. **2022,** ○
- 348 Decisional Conflict in Patients With Head and Neck Cancer. ○
- 347 Transarterial chemoembolisation plus I125 seeds implantation for people with unresectable hepatocellular carcinoma. **2022,** 2022, ○
- 346 The Effects of Radioligand Therapy on Quality of Life and Sexual Function in Patients with Neuroendocrine Neoplasms. **2023,** 15, 115 ○
- 345 Health-Related Quality of Life of Patients with Metastatic Pancreatic Cancer: A Systematic Literature Review. Volume 14, 3383-3403 ○
- 344 Acupuncture and acupressure with improved cancer-related depression of retrospective studies. 12, ○
- 343 Validation study of the Functional Assessment of Cancer Therapy-Cognitive Function-Version 3 for the Portuguese population. **2022,** 10, ○
- 342 Partnership, sexuality, and fertility-related communication: findings from a register-based study among long-term hematological cancer survivors. **2023,** 31, ○
- 341 A prospective observational study for a Federated Artificial Intelligence solution for monitoring mental Health status after cancer treatment (FAITH): study protocol. **2022,** 22, ○
- 340 Pre-treatment quality of life in patients with salivary gland cancer in comparison with those of head and neck cancer patients. ○
- 339 Impact of Geriatric Assessment and Management on Quality of Life, Unplanned Hospitalizations, Toxicity, and Survival for Older Adults With Cancer: The Randomized 5C Trial. ○
- 338 The association between sleep problems and general quality of life in cancer patients and in the general population. 13, ○
- 337 Prognostic value of baseline functional status measures and geriatric screening in vulnerable older patients with metastatic colorectal cancer receiving palliative chemotherapy The randomized NORDIC9-study. **2022,** ○
- 336 Therapeutic education and physical activity are feasible and safe in hematologic cancer patients referred to chemotherapy: results of a randomized controlled trial. **2023,** 31, ○

- 335 Raising the standards of patient-centered outcomes research in myelodysplastic syndromes: Clinical utility and validation of the subscales of the QUALMS from the MDS-RIGHT project. ○
- 334 Self-care behaviors mediates the relationship between resilience and quality of life in breast cancer patients. **2022**, 22, ○
- 333 Acupuncture and integrative oncology for taxane-induced peripheral neuropathy: a randomized multicentered study. *ijgc-2022-004004* ○
- 332 Patient-reported outcomes in capmatinib-treated patients with METex14-mutated advanced NSCLC: Results from the GEOMETRY mono-1 study. **2022**, ○
- 331 SPARKLE: a new spark in treating oligorecurrent prostate cancer: adding systemic treatment to stereotactic body radiotherapy or metastasectomy: key to long-lasting event-free survival?. **2022**, 22, ○
- 330 Role of SAMITAL in the Prevention and Treatment of Chemo-Radiotherapy-Induced Oral Mucositis in Head and Neck Carcinoma: A Phase 2, Randomized, Double-Blind, Placebo-Controlled Clinical Trial (ROSAM). **2022**, 14, 6192 ○
- 329 Fascia training in patients undergoing allogeneic hematopoietic cell transplantation: pilot study. **2023**, 31, ○
- 328 An early interactive human coaching via a mobile application to improve quality of life in patients who underwent gastrectomy for gastric cancer: Design and protocol of a randomized controlled trial. **2022**, 17, e0278370 ○
- 327 Quality of Life in Oral Cancer Patients in Greek Clinical Practice: A Cohort Study. **2022**, 11, 7235 ○
- 326 The impact of breast cancer on social cognition in female Colombian patients. **2022**, 10, ○
- 325 The EORTC QLU-C10D: development and investigation of general population utility norms for Canada, France, Germany, Italy, Poland and the U.K.. **2022**, ○
- 324 Effects of Aerobic Exercise on Cardiorespiratory Fitness, Cardiovascular Risk Factors and Patient Reported Outcomes in Long-Term Breast Cancer Survivors: Rationale and Design of a Randomized Controlled Trial (Preprint). ○
- 323 Treatment decision regret in long-term survivors after radical prostatectomy: a longitudinal study. 1
- 322 Hematological and immune disorders in colorectal cancer patients with liver metastases after radiofrequency ablation. **2022**, 30, 54-64 ○
- 321 Clinical-Epidemiological Profile and Health-Related Quality of Life of Women with Breast Cancer During Chemotherapy Treatment: Observational Study. **2022**, 68, ○
- 320 Mobile health-based remote interaction management intervention for patients with low anterior resection syndrome: study protocol for a randomised controlled trial. **2022**, 12, e066046 ○
- 319 Time without transfusion reliance: a novel patient-centric metric for new therapies in myelodysplastic syndromes. ○
- 318 Mobocertinib (TAK-788) in EGFR Exon 20 Insertion+ Metastatic NSCLC: Patient-Reported Outcomes from EXCLAIM Extension Cohort. **2023**, 12, 112 ○

- 317 Effect of Sarcopenia on Survival and Health-Related Quality of Life in Patients with Hepatocellular Carcinoma after Hepatectomy. **2022**, 14, 6144 ○
- 316 A Prospective Randomized Crossover Trial of Systemic Chemotherapy in Patients with Low-Grade Mucinous Appendiceal Adenocarcinoma. ○
- 315 TrifluridineTpiracil plus bevacizumab versus capecitabine plus bevacizumab as first-line treatment for patients with metastatic colorectal cancer ineligible for intensive therapy (SOLSTICE): a randomised, open-label phase 3 study. **2022**, ○
- 314 Efficacy and toxicity of primary re-irradiation for malignant spinal cord compression based on radiobiological modelling: a phase II clinical trial. ○
- 313 Assessment of Quality of Life in Head-and-Neck Oncologic Patients with Intraoral Soft-Tissue Defects Reconstructed with Buccinator Myomucosal Flap. **2022**, 11, 7458 ○
- 312 Current best clinical practices for monitoring of interstitial lung disease. ○
- 311 Systematic analysis of mistletoe prescriptions in clinical studies. 1
- 310 Effects of acupuncture to decrease adverse events in patients with high-risk non-muscle invasive bladder cancer receiving induction intravesical BCG therapy: Study protocol for a randomized, controlled pilot and feasibility study. **2022**, 30, 101044 ○
- 309 The effects of resistance exercise on appetite sensations, appetite related hormones and energy intake in hormone receptor-positive breast cancer survivors. **2022**, 106426 ○
- 308 Fatigue, Emotional Distress, and Illness Uncertainty in Patients with Metastatic Cancer: Results from the Prospective NEOETIC_SEOM Study. **2022**, 29, 9722-9732 1
- 307 Fluctuations in core depressive symptoms in colorectal cancer patients. A prospective, population-based PROFILES-registry study. 1-17 ○
- 306 Psychosocial distress in young adults surviving hematological malignancies: a pilot study. ○
- 305 Real-world patient-reported outcomes and physician satisfaction with poly (ADP-ribose) polymerase inhibitors versus chemotherapy in patients with germline BRCA1/2-mutated human epidermal growth factor receptor 2negative advanced breast cancer from the United States, Europe, and Israel. **2022**, 22, ○
- 304 Fear of Cancer Recurrence in Sarcoma Survivors: Results from the SURVSARC Study. **2022**, 14, 6099 ○
- 303 Treatment outcomes and radiotherapy deintensification strategies in human papillomavirus-associated tonsil cancer. **2022**, 17, ○
- 302 Impact of early palliative care on additional line of chemotherapy in metastatic breast cancer patients: results from the randomized study OSS. **2023**, 31, ○
- 301 Quality of life outcomes in incidental and operated meningiomas (QUALMS): a cross-sectional cohort study. ○
- 300 Treatment of Peritoneal Metastasis with Pressurized Intraperitoneal Aerosol Chemotherapy: Results from the Prospective PIPAC-OPC2 Study. 1

- 299 Quality of life and mental health in real-world patients with resected stage III/IV melanoma receiving adjuvant immunotherapy. 1-8 ○
- 298 Pain Treatment and Cancer Patients: Are we Heeding Quality of Life?. 1-9 ○
- 297 Health-Related Quality of Life Following Robotic-Assisted or Video-Assisted Lobectomy in Patients with Non-Small-Cell Lung Cancer: Results from The RVlob Randomized Clinical Trial. **2023**, ○
- 296 Monoclonal Gammopathies and the Bone Marrow Microenvironment: From Bench to Bedside and Then Back Again. **2023**, 15, 23-49 ○
- 295 Association of Phase Angle with Overall Survival in Patients with Cancer: A Prospective Multicenter Cohort Study. 1-11 ○
- 294 Physical Function and Health-Related Quality of Life in Patients with Gastrointestinal Cancer. **2022**, 63-80 ○
- 293 Exercise Capacity and Health-Related Quality of Life in Patients After Lung Resection for Non-small Cell Lung Cancer. **2022**, 111-134 ○
- 292 Internet-delivered cognitive behavioural therapy for depression and anxiety in breast cancer survivors: Results from a randomised controlled trial. ○
- 291 Quality of Life and Side Effects Management in Cancer Treatment: A Cross Sectional Study. **2023**, 20, 1708 ○
- 290 Reference values of EORTC QLQ-C30, EORTC QLQ-BR23, and EQ-5D-5L for women with non-metastatic breast cancer at diagnosis and 2 years after. ○
- 289 Self-efficacy and coping style in relation to psychological distress and quality of life in informal caregivers of patients with head and neck cancer: a longitudinal study. **2023**, 31, ○
- 288 PROMIS-29 and EORTC QLQ-C30: an empirical investigation towards a common conception of health. ○
- 287 Patient Perspectives on Consequences of Resectable Colorectal Cancer Treatment: a Qualitative Study. ○
- 286 Hyaluronic acid spacer in prostate cancer radiotherapy: dosimetric effects, spacer stability and long-term toxicity and PRO in a phase II study. **2023**, 18, ○
- 285 The impact of current therapeutic options on the health-related quality of life of patients with relapse/refractory multiple myeloma: a systematic review of clinical studies. ○
- 284 Effect of multidisciplinary collaborative empowerment education on psychological distress and quality of life in patients with colorectal cancer undergoing chemotherapy. **2023**, 31, ○
- 283 Poor Muscle Status, Dietary Protein Intake, Exercise Levels, Quality of Life and Physical Function in Women with Metastatic Breast Cancer at Chemotherapy Commencement and during Follow-Up. **2023**, 30, 688-703 ○
- 282 Treatment tolerability and toxicity of postoperative proton beam therapy for gynecological malignancies: results of the prospective phase II APROVE-trial. **2023**, ○

- 281 Health-related quality of life and patient-reported symptoms after postoperative proton beam radiotherapy of cervical and endometrial cancer: 2-year results of the prospective phase II APROVE-trial. **2023**, 18, ○
- 280 Effect of multi-disciplinary team care program on quality of life, anxiety, and depression in hepatocellular carcinoma patients after surgery: A randomized, controlled study. 9, ○
- 279 Reconstructive techniques following low anterior resection for carcinoma of the rectum: meta-analysis. ○
- 278 Factors affecting upper limb function recovery after mastectomy with immediate breast reconstruction: a STROBE study. ○
- 277 A 5-year prospective study of health-related quality of life in irradiated head and neck cancer patients: three trends of HRQL over time. ○
- 276 Long term quality of life outcomes following surgical resection alone for benign paediatric intracranial tumours. ○
- 275 Effects of robotic and laparoscopic-assisted surgery on lymph node dissection and quality of life in the upper third of gastric cancer: A retrospective cohort study based on propensity score matching. 9, ○
- 274 Baseline quality of life and chemotherapy toxicities in patients with early breast cancer. ○
- 273 A Mixed-Methods Study to Better Measure Patient-Reported Pain and Fatigue in Soft Tissue Sarcoma. ○
- 272 Longitudinal associations of adherence to lifestyle recommendations and health-related quality of life in patients with non-muscle invasive bladder cancer. ○
- 271 Development and Validation of a Dual-Language (English and Malay) Needs Assessment Tool for Breast Cancer (NeAT-BC). **2023**, 13, 241 ○
- 270 Impacts of the preceding cancer-specific health-related quality of life instruments on the responses to the subsequent EQ-5D-5L. **2023**, 21, ○
- 269 The impact of the 30-day postoperative complications on the quality of life following gastrectomy for gastric carcinoma: A prospective study. **2023**, ○
- 268 Quality of care and quality of life as experienced by patients with advanced cancer of a rare tumour type: results of the multicentre observational eQuiPe study. ○
- 267 Association of smoking history on health-related quality of life in patients undergoing radical cystectomy. **2023**, ○
- 266 The impact of brain lesions on quality of life in patients with WHO CNS grade 3 or 4 glioma: A lesion-function and resting-state fMRI analysis. ○
- 265 The ICaRAS randomised controlled trial: Intravenous iron to treat anaemia in people with advanced cancer [Feasibility of recruitment, intervention and delivery. 026921632211456 ○
- 264 Psychological distress and quality of life in breast cancer survivors with taxane-induced peripheral neuropathy: A scoping review. 12, ○

263	Health-related quality of life after curative treatment for muscle-invasive bladder cancer.	0
262	The impact of mindfulness on cancer-related cognitive impairment in breast cancer survivors with cognitive complaints.	0
261	Developing a novel patient reported outcomes measure for prostate cancer patients receiving radionuclide therapy. <i>jnumed.122.264946</i>	0
260	Effectiveness and safety of tumor-treating fields therapy for glioblastoma: A single-center study in a Chinese cohort. <i>13,</i>	0
259	Paroxysmal nocturnal hemoglobinuria: Where we stand.	1
258	Oncologic Liver Resections in a Geriatric Population: Peri-operative, Long-Term and Quality-of-Life Outcomes Experience from a High-Volume Centre in India.	0
257	The cost-effectiveness of brigatinib in adult patients with ALK inhibitor-naïve ALK-positive non-small cell lung cancer from a US perspective. 2022 , 28, 970-979	0
256	Outcomes of super minimally invasive surgery vs. esophagectomy for superficial esophageal squamous cell carcinoma: a single-center study based on propensity score matching. 2022 , 135, 2491-2493	0
255	Quality of life, sexual satisfaction, anxiety and depression status in lymphoma survivors. 2022 , 5, 061-068	0
254	Cost-effectiveness of Laparoscopic vs Open Gastrectomy for Gastric Cancer.	0
253	The Effects of Nutrition Intervention on Postoperative Patients with Tongue Cancer and Floor of Mouth Cancer. 2022 , 68, 488-495	0
252	Identifying symptomatic adverse events using the patient-reported outcomes version of the common terminology criteria for adverse events in patients with non-small cell lung cancer with epidermal growth factor receptor exon 20 insertion mutations.	0
251	Individualised follow-up for head and neck cancer Design of a prospective cohort study to assess its feasibility. 2022 , 12, e068750	0
250	Breast cancer: how hippotherapy bridges the gap between healing and recovery. A randomized controlled clinical trial..	0
249	Validation and reliability of the Dutch version of the EORTC QLQ-BLM30 module for assessing the health-related quality of life of patients with muscle invasive bladder cancer. 2022 , 20,	0
248	Quality of Life of Emirati Women with Breast Cancer. 2023 , 20, 570	0
247	Inverse Probability of Treatment Weighting in 5-Year Quality-of-Life Comparison among Three Surgical Procedures for Hepatocellular Carcinoma. 2023 , 15, 252	0
246	CANOPTIPHYS study protocol: Optimising PHYSical function before CANcer surgery: effects of pre-operative optimisation on complications and physical function after gastrointestinal cancer surgery in older people at risk Multicentre, randomised, parallel-group study. 2023 , 24,	0

- 245 Cognitive functioning in women with breast cancer: psychometric properties of the Arabic version of the Functional Assessment of Cancer Therapy-Cognitive Function Tool. **2023**, 21, ○
- 244 Proof-of-concept randomized phase II non-inferiority trial of simple versus type B2 hysterectomy in early-stage cervical cancer \geq 2 cm (LESSER). *ijgc-2022-004092* ○
- 243 Association between overweight, obesity, and quality of life of patients receiving an anticancer treatment for prostate cancer: a systematic literature review. **2023**, 21, ○
- 242 Fatigue in Long-Term Head and Neck Cancer Survivors From Diagnosis Until Five Years After Treatment. ○
- 241 Onset of androgen deprivation therapy leads to rapid deterioration of body composition, physical performance, cardiometabolic health and quality-of-life in prostate cancer patients. 1-7 ○
- 240 Determining functional outcomes after resection and reconstruction of primary soft tissue sarcoma in the lower extremity: A review of current subjective and objective measurement systems. ○
- 239 The influence of diagnoses on patient satisfaction during inpatient stays: A prospective study. **2023** , ○
- 238 IMPROVE-BMT: a protocol for a pilot randomised controlled trial of prehabilitation exercise for adult haematopoietic stem cell transplant recipients. **2023**, 13, e066841 ○
- 237 Patient-reported outcome measures for physical function in cancer patients: content comparison of the EORTC CAT Core, EORTC QLQ-C30, SF-36, FACT-G, and PROMIS measures using the International Classification of Functioning, Disability and Health. **2023**, 23, ○
- 236 Treatment decision-making among patients with metastatic prostate cancer: Impact of decision locus of control on functional outcomes and decision satisfaction. ○
- 235 Quality of life after totally laparoscopic proximal gastrectomy with double-tract reconstruction versus totally laparoscopic total gastrectomy: Retrospective cohort study. ○
- 234 Study protocol of ConquerFear-HK: a randomised controlled trial of a metacognition-based, manualised intervention for fear of cancer recurrence among Chinese cancer survivors. **2023**, 13, e065075 ○
- 233 The impact of the COVID-19 pandemic on health related quality of life in head and neck cancer survivors: an observational cohort study. ○
- 232 Patient Reported and Clinical Outcomes after High-Dose Chemotherapy and Autologous Stem Cell Transplantation in Primary Central Nervous System Lymphoma. **2023**, 15, 669 ○
- 231 ONCORELIEF - A Digital Guardian Angel Supported by an AI System to Improve Cancer Patient Quality of Life, Wellbeing and Health Outcomes: Protocol for a Pilot Study (Preprint). ○
- 230 Quality of Life and Sense of Coherence in Cancer Patients of German, Turkish and Polish Origin: A Cross-Sectional Study. **2023**, 20, 2092 ○
- 229 High patient satisfaction and increased physical activity following a remote multidisciplinary team multiple myeloma clinic. **2023**, 31, ○
- 228 Safety and efficacy of trifluridine/tipiracil in previously treated metastatic colorectal cancer: final results from the phase IIIb single-arm PRECONNECT study by duration of therapy. **2023**, 23, ○

- 227 Low anterior resection syndrome (LARS) in Zählen. ○
- 226 ONCORELIEF - A Digital Guardian Angel Supported by an AI System to Improve Cancer Patient Quality of Life, Wellbeing and Health Outcomes: Protocol for a Pilot Study (Preprint). ○
- 225 Neurofeedback Treatment Affects Affective Symptoms, But Not Perceived Cognitive Impairment in Cancer Patients: Results of an Explorative Randomized Controlled Trial. **2023**, 22, 153473542211499 ○
- 224 Patient-Caregiver Dyads' Prognostic Information Preferences and Perceptions in Advanced Cancer. **2023**, ○
- 223 Assessing the Impact of Open-Label Designs in Patient-Reported Outcomes: Investigation in Oncology Clinical Trials. 1
- 222 Feasibility of a 12-Month Exercise Intervention in Postsurgical Colorectal Cancer Patients. **2023**, 2023, 1-11 ○
- 221 Complex Physical Therapy employing self-adjusting garment (Ready Wrap[®]) in breast cancer-related lymphedema cases in Brazilian women: A protocol for a randomized clinical trial. ○
- 220 Quality of life with palbociclib plus fulvestrant versus placebo plus fulvestrant in postmenopausal women with endocrine-sensitive hormone receptor-positive and HER2-negative advanced breast cancer: patient-reported outcomes from the FLIPPER trial. **2023**, 15, 175883592211489 ○
- 219 Rectus Femoris Muscle and Phase Angle as Prognostic Factor for 12-Month Mortality in a Longitudinal Cohort of Patients with Cancer (AnyVida Trial). **2023**, 15, 522 ○
- 218 Health-related quality of life after robotic surgery for endometrial cancer: a prospective longitudinal one-year follow-up study. ○
- 217 A multicenter randomized trial for quality of life evaluation by non-invasive intelligent tools during post-curative treatment follow-up for head and neck cancer: Clinical study protocol. 13, ○
- 216 PROPERTY: study protocol for a randomized, double-blind, multicenter placebo-controlled trial assessing neurotoxicity in patients with metastatic gastrointestinal cancer taking PHYCO CARE[®] during oxaliplatin-based chemotherapy. **2023**, 24, ○
- 215 Clinical pharmacists' intervention on pain management in cancer patients (PharmaCAP trial): study protocol for a randomized controlled trial. **2023**, 16, ○
- 214 A Randomized Phase III Study of Anlotinib Versus Bevacizumab in Combination With CAPEOX as First-Line Therapy for RAS/BRAF Wild-Type Metastatic Colorectal Cancer: A Clinical Trial Protocol. **2023**, 22, 153303382311523 ○
- 213 Association of persistent morbidity after radiotherapy with quality of life in locally advanced cervical cancer survivors. **2023**, 109501 ○
- 212 A Comparison of the Physical Activity and Sedentary Behavior between Autologous and Allogeneic Hematopoietic Stem Cell Transplantation Survivors. **2023**, ○
- 211 The Impact of Cytoreductive Surgery and Hyperthermic Intraperitoneal Chemotherapy (CRS-HIPEC) versus Conventional Surgery on Patient-Reported Outcomes: A Comparative Cohort Study between the CAIRO6 Trial and the PROCORE Study. **2023**, 15, 788 ○
- 210 Cardiovascular Reasons for Access to a Tertiary Oncological Emergency Service: The CARILLON Study. **2023**, 12, 962 ○

- 209 Health-related Quality of Life of Patients with Non-intra-abdominal Desmoid-type Fibromatosis during Active Surveillance. Publish Ahead of Print, ○
- 208 The Effect of a Home-delivered Protein-rich Meal Service on Quality of Life in Oncological Patients Undergoing Chemotherapy. **2023**, 3, e038 ○
- 207 A Psychometric Validation of the Impact on Participation and Autonomy Questionnaire in a Sample of Turkish Cancer Survivors. 003435522211461 ○
- 206 Chan-Chuang qigong with breathing meditation improves quality of life and interoceptive awareness in patients with breast cancer: a randomised controlled trial. **2023**, 31, ○
- 205 Relevant Study: Patient and Clinician Perspectives on Clinically-Meaningful Outcomes in Advanced Pancreatic Cancer. **2023**, 15, 738 ○
- 204 Large Prostate Volume Does Not Negatively Impact Health-Related Quality of Life in Patients with Prostate Cancer Treated with Ultrahypofractionated Stereotactic Body Radiotherapy. **2023**, 13, 233 ○
- 203 Comparing the Influence of Surgical and Conservative Therapy on Quality of Life in Patients with Early-Stage Medication-Related Osteonecrosis of the Jaw: A Prospective Longitudinal Study. **2023**, 59, 277 ○
- 202 Patient-reported outcome measures for emotional functioning in cancer patients: Content comparison of the EORTC CAT Core, FACT-G, HADS, SF-36, PRO-CTCAE, and PROMIS instruments. ○
- 201 Patterns of Health-Related Quality of Life among Stroke Survivors: A Longitudinal Study. 019394592311513 ○
- 200 A study of modifiable factors associated with health-related quality of life in long-term cervical cancer survivors. **2023**, 102, 218-225 ○
- 199 A NEW MODEL of individualized and patient-centered follow-up for women with gynecological cancer (the NEMO study): protocol and rationale of a randomized clinical trial. **2023**, 24, ○
- 198 Physical and psychosocial factors associated with sexual satisfaction in long-term cancer survivors 5 and 10 years after diagnosis. **2023**, 13, ○
- 197 Refining and optimising a behavioural intervention to support endocrine therapy adherence (ROSETA) in UK women with breast cancer: protocol for a pilot fractional factorial trial. **2023**, 13, e069971 ○
- 196 Efficacy and Safety of Synbiotics in Patients Undergoing Autologous Hematopoietic Stem Cell Transplantation: A Randomized, Double-blinded, Placebo-controlled Pilot Study. **2023**, ○
- 195 Impact of Adjuvant Hormone Therapy on Sleep, Physical Activity, and Quality of Life in Premenopausal Breast Cancer: 12-Month Observational Study. 26, ○
- 194 Efficacy of lymph node dissection on stage IIICr of cervical cancer before CCRT: study protocol for a phase III, randomized controlled clinical trial (CQGOG0103). 34, ○
- 193 Patient-Reported Outcomes in Colorectal Surgery. ○
- 192 The Experience of COVID-19 in a Sample of Gynecological Cancer Patients Undergoing Chemotherapy: A Focus on the Psychological Implications. **2023**, 20, 3851 ○

- 191 Reallocating sedentary time to physical activity: effects on fatigue and quality of life in patients with breast cancer in the Phys-Can project. **2023**, 31, ○
- 190 De-ESCALating RadioTherapy in breast cancer patients with pathologic complete response to neoadjuvant systemic therapy: DESCARTES study. ○
- 189 Nationwide study of eculizumab in paroxysmal nocturnal hemoglobinuria: Evaluation of treatment indications and outcomes. ○
- 188 Young Adult German Breast Cancer Patients Participating in a Three-Week Inpatient Mother-Child Rehab Program Have High Needs for Supportive Care. **2023**, 15, 1770 ○
- 187 The effect of brain education-based exercise and KPEM manual therapy integrated program on sleep and quality of life in cancer patients. **2023**, 30, 10-22 ○
- 186 Translation and validation of the Pancreatic Cancer Disease Impact score for Chinese patients with pancreatic cancer: A methodological and cross-sectional study. **2023**, 10, 100209 ○
- 185 Gibt es entitätsspezifische Kriterien für den Beginn der spezialisierten Palliativversorgung für nicht heilbare Krebserkrankungen? Ein Scoping Review. ○
- 184 The use of photobiomodulation therapy for the management of chemotherapy-induced alopecia: a randomized, controlled trial (HAIRLASER trial). **2023**, 31, ○
- 183 Updated normative data for the EORTC QLQ-C30 in the general Dutch population by age and sex: a cross-sectional panel research study. ○
- 182 Efficacy and safety of transurethral resection of bladder tumour combined with chemotherapy and immunotherapy in bladder-sparing therapy in patients with T1 high-grade or T2 bladder cancer: a protocol for a randomized controlled trial. **2023**, 23, ○
- 181 Physical and mental health of breast cancer patients and survivors before and during successive SARS-CoV-2-infection waves. ○
- 180 Impact of Adjuvant FOLFOX on Quality of Life and Peripheral Neuropathy Incidence in Patients With Gastric Cancer: A Prospective Cohort Study. **2023**, 35, 13-18 ○
- 179 Implementing cone-beam computed tomography-guided online adaptive radiotherapy in cervical cancer. **2023**, 40, 100596 ○
- 178 Analysis of patient-reported outcomes in the approval of novel oncology drugs in the United States, 2017-2022. **2023**, 59, 101953 ○
- 177 Risk factors for cognitive impairment in radically treated stage III NSCLC: Secondary findings of the NVALT-11 study. **2023**, 183, 109627 ○
- 176 Shenlingcao oral liquid for patients with non-small cell lung cancer receiving adjuvant chemotherapy after radical resection: A multicenter randomized controlled trial. **2023**, 113, 154723 ○
- 175 Financial toxicity in cancer patients undergoing radiotherapy in a universal health care system: A prospective multicenter study of 1075 patients. **2023**, 183, 109604 ○
- 174 Neoadjuvant chemotherapy with FOLFIRINOX and preoperative chemoradiotherapy for patients with locally advanced rectal cancer (UNICANCER PRODIGE 23): Health-related quality of life longitudinal analysis. **2023**, 186, 151-165 ○

- 173 Health-related quality-of-life trajectories during/after surgery and adjuvant chemotherapy in patients with colon cancer. ○
- 172 Erfassung von patientenberichteten Ergebnissen bei Nierenzellkarzinom. ○
- 171 Physical Function and Health-Related Quality of Life After Breast Cancer Surgery. **2022**, 25-61 ○
- 170 The Effect of Physical Exercise on Physical Function and Survival Rate in Cancer Patients. **2022**, 137-162 ○
- 169 Telehealth multicomponent exercise and health education in breast cancer patients undergoing primary treatment: rationale and methodological protocol for a randomized clinical trial (ABRACE: Telehealth). **2023**, 24, ○
- 168 Vaginal changes, sexual functioning and distress of women with locally advanced cervical cancer treated in the EMBRACE vaginal morbidity substudy. **2023**, 170, 123-132 ○
- 167 Efficacy of Prophylactic High-Dose Gabapentin and Venlafaxine on Reducing Oral Mucositis Pain Among Patients Treated With Chemoradiation for Head and Neck Cancer: A Single-Institution, Phase 2, Randomized Clinical Trial. **2023**, ○
- 166 Study protocol for Cognitive Behavioral Therapy for Insomnia in patients with primary brain tumor: A single-arm phase 2a proof-of-concept trial. **2023**, 32, 101083 ○
- 165 Centralisation of specialist cancer surgery services in two areas of England: the RESPECT-21 mixed-methods evaluation. **2023**, 11, 1-196 ○
- 164 Association between functional aspects and health-related quality of life in patients with colorectal cancer: can handgrip strength be the measure of choice in clinical practice?. **2023**, 31, ○
- 163 Feasibility of virtual reality-delivered pain psychology therapy for cancer-related neuropathic pain: a pilot randomised controlled trial. **2023**, 78, 449-457 ○
- 162 Elicitation of Health State Utilities Associated with Progression from Bacillus Calmette-Guerin (BCG) Unresponsive Non-muscle Invasive Bladder Cancer (NMIBC). ○
- 161 Proposed Implementation of a Patient-Centered Self-Assessment Tool for Patients with Neuroendocrine Tumors among Academic and Community Practice Sites: The City of Hope Model. **2023**, 12, 1229 ○
- 160 Financial toxicity: A practical review for gynecologic oncology teams to understand and address patient-level financial burdens. **2023**, 170, 317-327 ○
- 159 The impact of brain lesions on health-related quality of life in patients with WHO CNS grade 3 or 4 glioma: a lesion-function and resting-state fMRI analysis. **2023**, 161, 643-654 ○
- 158 Perioperative Systemic Therapy Versus Cytoreductive Surgery and HIPEC Alone for Resectable Colorectal Peritoneal Metastases: Patient-Reported Outcomes of a Randomized Phase II Trial. **2023**, 30, 2678-2688 ○
- 157 Mental Adjustment, Functional Status, and Depression in Advanced Cancer Patients. **2023**, 20, 3015 ○
- 156 Efficacy of electroacupuncture in the treatment of peripheral neuropathy caused by Utidelone: Study protocol for a randomized controlled trial. 14, ○

- 155 INOVATYON/ ENGOT-ov5 study: Randomized phase III international study comparing trabectedin/pegylated liposomal doxorubicin (PLD) followed by platinum at progression vs carboplatin/PLD in patients with recurrent ovarian cancer progressing within 6-12 months after last platinum line. **2023**, 128, 1503-1513 ○
- 154 Risk and Management of Patients with Cancer and Heart Disease. ○
- 153 Evaluating patient reported outcomes and experiences in a novel proton beam clinic [challenges, activities, and outcomes of the ProtonCare project. **2023**, 23, ○
- 152 When a joint model should be preferred over a linear mixed model for analysis of longitudinal health-related quality of life data in cancer clinical trials. **2023**, 23, ○
- 151 Prähabilitation bei elektiver Lungen-Teilresektion (PRELS). ○
- 150 Quality of life among colorectal cancer survivors participating in a pilot randomized controlled trial of a web-based dietary intervention with text messages. **2023**, 31, ○
- 149 Aid of a machine learning algorithm can improve clinician predictions of patient quality of life during breast cancer treatments. **2023**, 13, 229-244 ○
- 148 Perception of prognosis and health-related quality of life in patients with advanced cancer: results of a multicentre observational study (eQuiPe). **2023**, 31, ○
- 147 Evidence for Choosing Qigong as an Integrated Intervention in Cancer Care: An Umbrella Review. **2023**, 15, 1176 ○
- 146 Oncological surgery follow-up and quality of life: meta-analysis. ○
- 145 Impact of Acupuncture on Hot Flashes in Breast Cancer Patients Receiving Adjuvant Antiestrogen Therapy with Tamoxifen: A Randomized Controlled Trial. **2023**, 29, 241-252 ○
- 144 Trismus, health-related quality of life, and trismus-related symptoms up to 5 years post-radiotherapy for head and neck cancer treated between 2007 and 2012. **2023**, 31, ○
- 143 Feasibility of an embedded palliative care clinic model for patients with an advanced thoracic malignancy. **2023**, 31, ○
- 142 Linking clinical and population-based data in older patients with cancer in Belgium: Feasibility and clinical outcomes. **2023**, 14, 101428 ○
- 141 Authors' reply to Padmanabhan. **2022**, 5, 773 ○
- 140 Electronic Patient Reported Outcome (ePRO) Measures in Patients with Soft Tissue Sarcoma (STS) Receiving Palliative Treatment. **2023**, 15, 1233 ○
- 139 Exercise prehabilitation for people with myeloma undergoing autologous stem cell transplantation: results from PERCEPT pilot randomised controlled trial. 1-10 ○
- 138 Real World Analysis of Quality of Life and Toxicity in Cancer Patients Treated with Hyperthermia Combined with Radio(chemo)therapy. **2023**, 15, 1241 ○

- 137 Longitudinal trajectory of quality of life for patients with melanoma brain metastases: A secondary analysis from a whole brain radiotherapy randomized clinical trial. **2023**, 100597 ○
- 136 Comparison of transabdominal wall specimen retrieval and natural orifice specimen extraction robotic surgery in the outcome of colorectal cancer treatment. 10, ○
- 135 The Impact of Bevacizumab and Chemotherapy on Quality of Life in Metastatic Colorectal Cancer Patients. **2023**, 11, 591 ○
- 134 Sexual, urinary, and intestinal dysfunction after rectal surgery: pre-, intra-, and post-operative predictors and trends over time in a single high-volume center. **2023**, 75, 599-609 ○
- 133 The impact of the anastomotic configuration on low anterior resection syndrome 3 years after total mesorectal excision for rectal cancer: a national cohort study. ○
- 132 Comparison of chemotherapy treatment administration via venous port and peripheral vascular access in terms of quality of life and costs. ○
- 131 Using the emotional functioning in clinical practice to detect psychological distress in patients with advanced thoracic and colorectal cancer. **2023**, 21, ○
- 130 Distance-based delivery of exercise for people treated for breast, prostate or colorectal cancer: a study protocol for a randomised controlled trial of EX-MED Cancer Sweden. **2023**, 24, ○
- 129 Multidimensional Quality of Life After Robotic Versus Laparoscopic Surgery for Rectal Cancer: A Systematic Review and Meta-Analysis. **2023**, 47, 1310-1319 ○
- 128 Health Utility Analysis of Tepotinib in Patients With Non-Small Cell Lung Cancer Harboring MET Exon 14 Skipping. **2023**, ○
- 127 Mindfulness-based interventions and cognitive function in cancer survivors: a systematic review and meta-analysis. **2023**, 5, ○
- 126 Measuring the Wellbeing of Cancer Patients with Generic and Disease-Specific Instruments. **2023**, 15, 1351 ○
- 125 Content comparison of the EORTC CAT-Core, SF-36, FACT-G, and PROMIS role and social functioning measures based on the International Classification of Functioning, Disability and Health. ○
- 124 Association of anorexia/appetite loss with malnutrition and mortality in older populations: A systematic literature review. **2023**, 14, 706-729 ○
- 123 Web-Based Cognitive-Behavioral Therapy to Reduce Severe Cancer-Related Fatigue Among Survivors of Hodgkin Lymphoma: A Feasibility Study. ○
- 122 Sodium-hyaluronate Mouthwash on Radiotherapy-induced Xerostomia: a Randomized Clinical Trial. ○
- 121 Changes of health-related quality of life 6 months after high-risk oncological upper gastrointestinal and hepatobiliary surgery: a single-centre prospective observational study (ChangeQol Study). **2023**, 13, e065902 ○
- 120 Movement and health beyond care, MovIS: study protocol for a randomized clinical trial on nutrition and exercise educational programs for breast cancer survivors. **2023**, 24, 1

- 119 The expectations of cancer treatment questionnaire and the experiences of cancer treatment questionnaire: Development and validation. **2023**, 10, ○
- 118 Factors Influencing the Continuation of Work in Patients with Cancer Willing to Work: An Exploratory Study. **2023**, 12, 115 ○
- 117 Are gastrointestinal problems, nutritional care, and nutritional care needs associated with quality of life in patients with advanced cancer? Results of the observational eQuiPe study. **2023**, 31, ○
- 116 Psychological Well-Being of Cancer Patients before and during the Pandemic: The Impact of COVID-19 Peritraumatic Distress. **2023**, 20, 4106 ○
- 115 Open vs robotic intracorporeal Padua ileal bladder: functional outcomes of a single-centre RCT. **2023**, 41, 739-746 ○
- 114 Norwegian general population normative data for the EORTC questionnaires; the core QLQ-C30, the sexual health questionnaire QLQ-SHQ22, and sexual domains of the QLQ-BR23/BR45. ○
- 113 Neuroendocrine Tumor Therapy Response Assessment. **2023**, 18, 267-286 ○
- 112 Treatment patterns and out-of-hospital healthcare resource utilisation by patients with advanced cancer living with pain: An analysis from the Stop Cancer PAIN trial. **2023**, 18, e0282465 ○
- 111 Effect of combined therapies including nutrition and physical exercise in advanced cancer patients: A pooled analysis. 10, ○
- 110 Development of a diverse set of standard short forms based on the EORTC CAT Core item banks. ○
- 109 Which type of fear of cancer progression contributes to the quality of life of Romanian cancer patients during the COVID-19 pandemic?. 14, ○
- 108 Relief of symptoms and quality of life after conservative versus surgical treatment of benign liver tumors (CONSULT): a retrospective propensity score matched study. **2023**, ○
- 107 Health related quality of life of people with oculocutaneous albinism in Jinja, Uganda. A cross sectional study. ○
- 106 Health-related quality of life with pembrolizumab or placebo plus chemotherapy with or without bevacizumab for persistent, recurrent, or metastatic cervical cancer (KEYNOTE-826): a randomised, double-blind, placebo-controlled, phase 3 trial. **2023**, 24, 392-402 ○
- 105 The prognostic value of patient-reported outcomes in allogeneic hematopoietic stem cell transplantation: exploratory analysis of a randomized nutrition intervention trial. **2023**, 102, 927-935 ○
- 104 Protective Buffering: Nurses Facilitating Communication Between Adults With Cancer and Their Adult Family Caregivers Who Overprotect One Another—An Integrative Review. 107484072311564 ○
- 103 Trifluridine/tipiracil+bevacizumab (BEV) vs. fluoropyrimidine-irinotecan+BEV as second-line therapy for metastatic colorectal cancer: a randomised noninferiority trial. ○
- 102 SARS-CoV-2 post-vaccine surveillance studies in Australian children and adults with cancer: SerOzNET Quality of Life, Toxicity and Vaccine Beliefs Substudy Statistical Analysis Plan. ○

101	Evaluation of quality of life in lung cancer patients receiving radiation and Viscum album L.: a real-world data study. 2023 , 18,	1
100	Physical and psychological symptom burden in patients and caregivers during follow-up care after curative surgery for cancers in the pancreas, bile ducts or duodenum. 1-12	0
99	EffectiveNess of a multimodal preHAbilitation program in patieNts with bladder canCER undergoing radical cystectomy: protocol of the ENHANCE multicentre randomised controlled trial. 2023 , 13, e071304	0
98	Effectiveness and cost-effectiveness of a digital health intervention to support patients with colorectal cancer prepare for and recover from surgery: study protocol of the RecoverEsupport randomised controlled trial. 2023 , 13, e067150	0
97	Quality of life of early-stage breast-cancer patients diagnosed with COVID-19 in the first three waves of the epidemic treated in the Spanish region of Navarre.	0
96	The supportive care needs and its influencing factors among thyroid cancer patients after surgery: A cross-sectional study. 10,	0
95	Dose-escalated radiotherapy for clinically localized and locally advanced prostate cancer. 2023 , 2023,	0
94	Evaluation of oral mucositis, candidiasis, and quality of life in patients with head and neck cancer treated with a hypofractionated or conventional radiotherapy protocol: a longitudinal, prospective, observational study. 2023 , 19,	0
93	Effectiveness of digital care platform CMylife for patients with chronic myeloid leukemia: results of a patient-preference trial. 2023 , 23,	0
92	Therapiesteuerung in der medikamentösen Tumortherapie. 2022 , 1-7	0
91	The Predictive Value of a New Inflammatory-Nutritional Score for Quality of Life after Laparoscopic Distal Gastrectomy for Gastric Cancer. 1-12	0
90	Five-year follow-up mortality prognostic index for colorectal patients. 2023 , 38,	0
89	Acupuncture in chemotherapy-induced dysgeusia (AcuDysg): study protocol of a randomised controlled trial. 2023 , 13, e066137	0
88	Delivery Models and Health Economics of Supportive Care Services in England: A Multicentre Analysis. 2023 ,	0
87	The long-term burden of a symptom cluster and association with longitudinal physical and emotional functioning in breast cancer survivors. 1-8	0
86	Patient-Reported Outcomes 12 Years after Localized Prostate Cancer Treatment. 2023 , 2,	1
85	Phase 1 Dose Escalation Study of SBRT Using 3 Fractions for Locally Advanced Pancreatic Cancer. 2023 ,	0
84	Exercise interventions for adults with cancer receiving radiation therapy alone. 2023 , 2023,	0

83	Predictive Factors for Adverse Event Outcomes After Transarterial Radioembolization with Yttrium-90 Resin Microspheres in Europe: Results from the Prospective Observational CIRT Study.	○
82	A pilot study using pre-treatment physical activity level to predict long-term health-related quality of life in patients with head and neck cancer. 2023 , 45, 1288-1298	○
81	How Does Dietary Intake Relate to Dispositional Optimism and Health-Related Quality of Life in Germline BRCA1/2 Mutation Carriers?. 2023 , 15, 1396	○
80	Prevalence and determinants of decision regret in long-term prostate cancer survivors following radical prostatectomy.	○
79	Frailty in Patients with Chronic Graft-versus-Host Disease. 2023 ,	○
78	Persisting Deficits in Health-Related Quality of Life of Colorectal Cancer Survivors 14-24 Years Post-Diagnosis: A Population-Based Study. 2023 , 30, 3373-3390	○
77	Associations between Adult Primary Brain Tumor Survivors' Behavioral Executive Functions, Health Related Quality of Life and their Caregivers' Health Related Quality : A cross-sectional study. 1-12	○
76	Patient-reported outcomes in metastatic renal cell carcinoma trials using combinations versus sunitinib as first-line treatment.	1
75	Detailed Sub-study Analysis of the SECRAB Trial: Quality of Life, Cosmesis and Chemotherapy Dose Intensity. 2023 ,	○
74	Investigating survival, quality of life and cognition in PROton versus photon therapy for IDH-mutated diffuse grade 2 and 3 GLIOMas (PRO-GLIO): a randomised controlled trial in Norway and Sweden. 2023 , 13, e070071	○
73	Low-frequency repetitive transcranial magnetic stimulation in patients with motor deficits after brain tumor resection: a randomised, double-blind, sham-controlled trial.	○
72	Measuring Frailty Using Patient-Reported Outcomes (PRO) Data: A Feasibility Study in Patients with Multiple Myeloma.	○
71	Cognitive issues in patients with IDH mutant gliomas: from neuroscience to clinical neuropsychology.	○
70	Breast surgery for patients with de novo metastatic breast cancer: A meta-analysis.	○
69	Serious Long-Term Effects of Head and Neck Cancer from the Survivors' Point of View. 2023 , 11, 906	○
68	Physical Function and Physical Activity in Older Breast Cancer Survivors: 5-Year Follow-Up from the Climb Every Mountain Study.	○
67	Assessment of the cardiorespiratory fitness and the quality of life of patients with breast cancer undergoing chemotherapy: a prospective study.	○
66	Health-Related Quality of Life in Patients With Advanced Endometrial Cancer Treated With Lenvatinib Plus Pembrolizumab or Treatment of Physician's Choice. 2023 , 186, 172-184	○

- 65 Body mass index-based inflammation index is a promising prognostic predictor in older adult cancer patients. ○
- 64 Nutritional assessment and quality of life in patients with non-small cell lung cancer undergoing immunotherapy. **2023**, 29, 118-128 ○
- 63 Health-related quality of life in adolescents and young adults with cancer who received radiation therapy: a scoping review. **2023**, 31, ○
- 62 Return to work improves quality of life and reduces psychosocial distress after radical cystectomy □ data from a contemporary series of 230 German Patients. ○
- 61 Cohort profile □The Renal cell cancer: Lifestyle, prognosis and quality of life (ReLife) study in the Netherlands. **2023**, 13, e066909 ○
- 60 A phase I prospective, non-randomized trial of autologous dendritic cell-based cryoimmunotherapy in patients with metastatic castration-resistant prostate cancer. ○
- 59 Functional decline and resilience in older adults over the age of 70 receiving radiotherapy for breast cancer: A pilot study. **2023**, 14, 101476 ○
- 58 Effectiveness of a facilitation programme using a mobile application for initiating advance care planning discussions between patients with advanced cancer and healthcare providers: protocol for a randomised controlled trial (J-SUPPORT 2104). **2023**, 13, e069557 ○
- 57 Effectiveness of brief psychosocial support for patients with cancer and their relatives: a quasi-experimental evaluation of cancer counselling centres. **2023**, 13, e068963 ○
- 56 Duodenum-preserving pancreatic head resection compared to pancreaticoduodenectomy: A systematic review and network meta-analysis of surgical outcomes. 10, ○
- 55 Long-term Quality of Life and Functional Outcome of Patients With Rectal Cancer Following a Watch-and-Wait Approach. e230146 ○
- 54 Trends in emotional functioning and psychosocial wellbeing in breast cancer survivors: a prospective cohort study using patient-reported outcome measures. **2023**, 23, ○
- 53 Neuropsychological monitoring of cognitive function and ICF-based mental components in patients with malignant brain tumours. 14, ○
- 52 Antidepressants for the treatment of depression in people with cancer. **2023**, 2023, ○
- 51 Listening to What Matters Most: Consumer Endorsed Patient Reported Outcome Measures (PROMs) for Use in Multiple Myeloma Clinical Trials: A Descriptive Exploratory Study. **2023**, ○
- 50 Effects of tamoxifen and exemestane on cognitive function in postmenopausal patients with breast cancer. **2023**, 7, ○
- 49 The Influence of the Surgical Treatment Method on the Quality of Life of Women With Breast Cancer. **2023**, 19, 121-127 ○
- 48 Remote assessment of cognition and quality of life following radiotherapy for nasopharyngeal carcinoma: deep-learning-based predictive models and MRI correlates. ○

- 47 Multicentre, randomised, double-blind, placebo-controlled phase II study of prophylactic olanzapine for patients with metastatic breast cancer receiving T-DXd treatment: protocol for the ERICA study (WJOG14320B). **2023**, 13, e070304 ○
- 46 Single-centre experience with peptide receptor radionuclide therapy for neuroendocrine tumours (NETs): results using a theranostic molecular imaging-guided approach. ○
- 45 Comparison of long-term quality of life between Billroth-I and Roux-en-Y anastomosis after distal gastrectomy for gastric cancer: a randomized controlled trial. Publish Ahead of Print, ○
- 44 Validity and Reliability of the European Organization Research and Treatment of Cancer Quality of Life Questionnaire-Oesophagogastric 25 in Indian Patients With Corrosive-Induced Benign Refractory Esophageal Strictures. **2023**, ○
- 43 The Role of Health Behaviors in Quality of Life: A Longitudinal Study of Patients with Colorectal Cancer. **2023**, 20, 5416 ○
- 42 Quality of life in Spanish postmenopausal breast cancer patients with localized disease who finish endocrine treatment: a prospective study. **2023**, Publish Ahead of Print, ○
- 41 Comprehensive evaluation of serum nutritional markers in predicting prognosis among cancer patients with cachexia. ○
- 40 Group-based body psychotherapy improves appreciation of body awareness in post-treatment cancer patients: A non-randomized clinical trial. 14, ○
- 39 Remote Telemonitoring and Telehealth in Surgical Oncology. **2023**, 3, 21-27 ○
- 38 Effectiveness of Scalp Cooling to Prevent Chemotherapy-Induced Alopecia in Patients Undergoing Breast Cancer Treatment. Publish Ahead of Print, ○
- 37 Sex and gender differences in treatment intention, quality of life and performance status in the first 100 patients with periampullary cancer enrolled in the CHAMP study. **2023**, 23, ○
- 36 Prospective surveillance for breast cancer-related lymphedema (PROTECT). 1-6 ○
- 35 Health-related quality of life in early-stage Hodgkin lymphoma: a longitudinal analysis of the ABVD arm in the randomized controlled trial HD.6. **2023**, 31, ○
- 34 Health-related quality of life in patients with metastatic hormone-sensitive prostate cancer treated with androgen receptor signaling inhibitors: the role of combination treatment therapy. ○
- 33 Mapping the EORTC QLQ-C30 onto the EQ-5D-5L index for patients with paroxysmal nocturnal hemoglobinuria in France. ○
- 32 Smoking patterns and the intention to quit in German patients with cancer: study protocol for a cross-sectional observational study. **2023**, 13, e069570 ○
- 31 Unmet supportive care needs among informal caregivers of patients with head and neck cancer in the first 2 years after diagnosis and treatment: a prospective cohort study. **2023**, 31, ○
- 30 Predictive value of health-related quality of life on radiotherapy-related toxicities in patients with head and neck cancer. **2023**, 31, ○

- 29 Feasibility of an Individualized mHealth Nutrition (iNutrition) Intervention for Post-Discharged Gastric Cancer Patients Following Gastrectomy: A Randomized Controlled Pilot Trial. **2023**, 15, 1883 ○
- 28 Adjuvant chemotherapy following chemoradiotherapy as primary treatment for locally advanced cervical cancer versus chemoradiotherapy alone (OUTBACK): an international, open-label, randomised, phase 3 trial. **2023**, ○
- 27 Effect of personalized care based on OPT model on perceived control and quality of life among patients with breast cancer. 11, ○
- 26 Is financial toxicity captured in quality of life assessments in oncology randomized clinical trials?. **2023**, 36, 100423 ○
- 25 Advanced lung cancer inflammation index predicts survival outcome of cancer patients with diabetes mellitus. ○
- 24 Protocol of the OPTIMAL study: Optimization of polypharmacy in geriatric oncology - A randomized controlled trial. **2023**, 23, ○
- 23 Health-related quality of life and cognitive failures in patients with lower-grade gliomas treated with radiotherapy. **2023**, ○
- 22 Factors Associated With Limited Digital Health Literacy Among Chinese Male Populations: Cross-sectional Study (Preprint). ○
- 21 Evaluation of quality of life in posttreatment upper aerodigestive tract cancer patients. **2023**, 19, 234 ○
- 20 Assessing the impact of digital patient monitoring on health outcomes and healthcare resource usage in addition to the feasibility of its combination with at-home treatment, in participants receiving systemic anticancer treatment in clinical practice: protocol for an interventional, open-label, multicountry platform study (ORIGAMA). **2023**, 13, e063242 ○
- 19 Factors Associated With Limited Digital Health Literacy Among Chinese Male Populations: Cross-sectional Study. 7, e42868 ○
- 18 Determinants of poor quality of life in older patients with cancer: A longitudinal mixed methods study (PROGNOSIS-Q). **2023**, 14, 101500 ○
- 17 Home-Based Preoperative Exercise Training for Lung Cancer Patients Undergoing Surgery: A Feasibility Trial. **2023**, 12, 2971 ○
- 16 Pre-operative and early postoperative health-related quality of life of breast cancer woman: a Lebanese prospective study. **2023**, 23, ○
- 15 Prevalence of mental disorders, psychosocial distress, and perceived need for psychosocial support in cancer patients and their relatives stratified by biopsychosocial factors: rationale, study design, and methods of a prospective multi-center observational cohort study (LUPE study). 14, ○
- 14 The double-barrel wet colostomy: An alternative for urinary diversion after pelvic exenteration. **2023**, ○
- 13 Understanding the activity of antibodydrug conjugates in primary and secondary brain tumours. ○
- 12 Are education and cohabitation associated with health-related quality of life and self-management during breast cancer follow-up? A longitudinal study. 1-7 ○

- 11 STIMULUS-MDS2 design and rationale: a phase III trial with the anti-TIM-3 sabatolimab (MBG453) + azacitidine in higher risk MDS and CMML-2. ○
- 10 [Translated article] Adherence and quality of life in patients with chronic lymphocytic leukemia treated with oral antineoplastic drugs. **2023**, 47, T69-T74 ○
- 9 Adherencia y calidad de vida en los pacientes con leucemia linfocítica crónica tratados con antineoplásicos orales. **2023**, 47, 69-74 ○
- 8 Decision Tree Analyses for Prediction of QoL over a One-Year Period in Breast Cancer Patients: An Added Value of Patient-Reported Outcomes. **2023**, 15, 2474 ○
- 7 The Inconsistent Assessment of Quality of Life in Patients Treated for Head and Neck Cancer with Anti-EGFR Inhibitors: A Systematic Scoping Review. **2023**, 15, 2475 ○
- 6 Efeitos da intervenção terapêutica de enfermagem em pacientes com doença cardíaca coronária. **2023**, 36, ○
- 5 Supervised resistance exercise for women with ovarian cancer who have completed first-line treatment: a pragmatic study. **2023**, 31, ○
- 4 ??????????????????????QOL???????. **2023**, ○
- 3 Evaluation of a short instrument for measuring health-related quality of life in oncological patients in routine care (HELP-6): an observational study. 14, ○
- 2 Digital solution in the follow-up of early breast cancer a randomized study. 1-9 ○
- 1 Supportive care among head and neck cancer patients: An initial validation of the Dutch version of the Performance Status Scale for Head and Neck Cancer (D-PSS-HN). ○