

# Ice Sheet and Ocean Interactions, Margin of the East Gr Diatom Evidence

Paleoceanography

8, 69-83

DOI: [10.1029/92pa02591](https://doi.org/10.1029/92pa02591)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Sediment Thicknesses and Holocene Glacial Marine Sedimentation Rates in Three East Greenland Fjords (ca. 68°N). <i>Journal of Geology</i> , 1994, 102, 669-683.	1.4	102
2	Oxygen and carbon isotope composition of Quaternary bivalve shells as a water mass indicator: Last interglacial and Holocene, East Greenland. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1994, 111, 119-134.	2.3	25
3	The Eastern Canadian Arctic at ca. 6 ka BP: A Time of Transition. <i>Géographie Physique Et Quaternaire</i> , 1995, 49, 13-27.	0.2	39
4	Late Quaternary glacial-interglacial changes in sediment composition at the East Greenland continental margin and their paleoceanographic implications. <i>Marine Geology</i> , 1995, 122, 243-262.	2.1	78
5	Late Quaternary sedimentation along a fjord to shelf (trough) transect, East Greenland (c. 68° N). <i>Geological Society Special Publication</i> , 1996, 111, 153-166.	1.3	8
6	Implications of Stratigraphic and Paleoclimatic Records of the Last Interglaciation from the Nordic Seas. <i>Quaternary Research</i> , 1996, 46, 260-269.	1.7	29
7	The Late Quaternary palaeoceanography of North Atlantic margins: an introduction. <i>Geological Society Special Publication</i> , 1996, 111, 1-6.	1.3	6
8	Late Quaternary glacial history and short-term ice-rafted debris fluctuations along the East Greenland continental margin. <i>Geological Society Special Publication</i> , 1996, 111, 135-151.	1.3	44
9	Environmental change in eastern Greenland during the last 1300 years: evidence from foraminifera and lithofacies in Nansen Fjord, 68°N. <i>Holocene</i> , 1996, 6, 179-191.	1.7	173
10	Oxygen isotope studies from Iceland to an East Greenland Fjord: behaviour of glacial meltwater plume. <i>Marine Chemistry</i> , 1997, 56, 239-251.	2.3	59
11	Late Quaternary iceberg-rafted detritus events on the Denmark Strait–Southeast Greenland continental slope (65°N): related to North Atlantic Heinrich events?. <i>Marine Geology</i> , 1998, 149, 211-228.	2.1	49
12	Influence of melting icebergs on distribution, characteristics and transport of marine particles in an East Greenland fjord. <i>Journal of Geophysical Research</i> , 1999, 104, 5321-5328.	3.3	30
13	An origin for laminated glaci-marine sediments through sea-ice build-up and suppressed iceberg rafting. <i>Sedimentology</i> , 2000, 47, 557-576.	3.1	102
14	Title is missing!. <i>Journal of Paleolimnology</i> , 2001, 26, 67-87.	1.6	82
15	Diatom surface sediment assemblages around Iceland and their relationships to oceanic environmental variables. <i>Marine Micropaleontology</i> , 2001, 41, 73-96.	1.2	100
16	Late-Holocene summer sea-surface temperatures based on a diatom record from the north Icelandic shelf. <i>Holocene</i> , 2002, 12, 137-147.	1.7	16
17	A high-resolution diatom record of late-Quaternary sea-surface temperatures and oceanographic conditions from the eastern Norwegian Sea. <i>Boreas</i> , 2002, 31, 323-344.	2.4	141
18	Chronology of the last recession of the Greenland Ice Sheet. <i>Journal of Quaternary Science</i> , 2002, 17, 211-219.	2.1	158

#	ARTICLE	IF	CITATIONS
20	Diatom evidence of hydrographic changes and ice conditions in Igaliku Fjord, South Greenland, during the past 1500 years. <i>Holocene</i> , 2004, 14, 152-164.	1.7	77
21	Nonuniform response of the major surface currents in the Nordic Seas to insolation forcing: Implications for the Holocene climate variability. <i>Paleoceanography</i> , 2004, 19, n/a-n/a.	3.0	234
22	Late Miocene paleoenvironment of the Lambert Graben embayment, East Antarctica, evident from: Mollusc paleontology, sedimentology and geochemistry. <i>Global and Planetary Change</i> , 2006, 50, 127-147.	3.5	13
23	Diatom response to the Holocene climatic optimum on the North Icelandic shelf. <i>Marine Micropaleontology</i> , 2006, 60, 226-241.	1.2	28
24	A high-resolution diatom record of late-Quaternary sea-surface temperatures and oceanographic conditions from the eastern Norwegian Sea. <i>Boreas</i> , 2002, 31, 323-344.	2.4	21
25	Holocene environmental evolution of the SE Greenland Shelf North and South of the Denmark Strait: Irminger and East Greenland current interactions. <i>Quaternary Science Reviews</i> , 2011, 30, 980-998.	3.0	107
26	Evolution of the northeast Labrador Sea during the last interglaciation. <i>Geochemistry, Geophysics, Geosystems</i> , 2012, 13, .	2.5	32
27	Atlantic Water advection versus sea-ice advances in the eastern Fram Strait during the last 9 ka: Multiproxy evidence for a two-phase Holocene. <i>Paleoceanography</i> , 2013, 28, 283-295.	3.0	95
28	PALEOCLIMATE   The Younger Dryas Climate Event. , 2013, , 126-134.		58
29	Species distribution and depth habitat of recent planktic foraminifera in Fram Strait, Arctic Ocean. <i>Polar Research</i> , 2014, 33, 22483.	1.6	62
30	The Greenland Ice Sheet during the last glacial cycle: Current ice loss and contribution to sea-level rise from a palaeoclimatic perspective. <i>Earth-Science Reviews</i> , 2015, 150, 45-67.	9.1	58
31	Diachronous retreat of the Greenland ice sheet during the last deglaciation. <i>Quaternary Science Reviews</i> , 2016, 145, 243-258.	3.0	45
32	Diatoms in Arctic regions: Potential tools to decipher environmental changes. <i>Polar Science</i> , 2018, 18, 220-226.	1.2	18
33	The influence of lateral Earth structure on glacial isostatic adjustment in Greenland. <i>Geophysical Journal International</i> , 2018, 214, 1252-1266.	2.4	24
34	The biogeography and ecology of common diatom species in the northern North Atlantic, and their implications for paleoceanographic reconstructions. <i>Marine Micropaleontology</i> , 2019, 148, 1-28.	1.2	23
35	Maximum Southwest Greenland Ice Sheet Recession in the Early Holocene. <i>Geophysical Research Letters</i> , 2020, 47, e2019GL083164.	4.0	23
37	Holocene marine diatom records of environmental change. , 0, , 401-423.		2
38	The last two millennia: climate, ocean circulation and palaeoproductivity inferred from planktic foraminifera, south-western Svalbard margin. <i>Polar Research</i> , 2020, 39, .	1.6	3

#	ARTICLE	IF	CITATIONS
39	Diatom-reconstructed summer sea-surface temperatures and climatic events off North Iceland during the last deglaciation and Holocene. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 602, 111154.	2.3	4
40	The Younger Dryas climate event. , 2023, , .		0