

CITATION REPORT

List of articles citing

Independent and incremental prognostic value of exercise single-photon emission computed tomographic (SPECT) thallium imaging in coronary artery disease

DOI: 10.1016/0735-1097(93)90174-y

Journal of the American College of Cardiology, 1993, 22, 665-7

Source: <https://exaly.com/paper-pdf/24188451/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
334	Prognostic implications of normal exercise SPECT thallium images in patients with strongly positive exercise electrocardiograms. 1993 , 72, 1201-3		33
333	Myocardial Perfusion Imaging During Pharmacologic Stress Testing. 1994 , 12, 223-245		36
332	Prognostic value of myocardial hypoperfusion indexes in patients with suspected or known coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1994 , 1, 325-37	2.1	5
331	Prognostic value of adenosine single-photon emission computed tomographic thallium imaging in medically treated patients with angiographic evidence of coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 1994 , 1, 254-61	2.1	33
330	Prognostic significance of silent ischemia. <i>Journal of Nuclear Cardiology</i> , 1994 , 1, 434-40	2.1	9
329	One-year prognosis of patients with normal planar or single-photon emission computed tomographic technetium 99m-labeled sestamibi exercise imaging. <i>Journal of Nuclear Cardiology</i> , 1994 , 1, 449-56	2.1	41
328	Comparison of the treadmill exercise score and single-photon emission computed tomographic thallium imaging in risk assessment. <i>Journal of Nuclear Cardiology</i> , 1994 , 1, 144-9	2.1	12
327	Prognostic implications of normal exercise tomographic thallium images in patients with angiographic evidence of significant coronary artery disease. 1994 , 74, 769-71		48
326	Left ventricular dilatation and multivessel coronary artery disease on thallium-201 SPECT are important prognostic indicators in patients with large defects in the left anterior descending distribution. 1994 , 74, 1233-9		17
325	Limited usefulness of exercise testing and thallium scintigraphy in evaluation of ambulatory patients several months after recovery from an acute coronary event: implications for management of stable coronary heart disease. Multicenter Myocardial Ischemia Research Group. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 1274-81	15.1	20
324	Transdermal nitroglycerin patch therapy reduces the extent of exercise-induced myocardial ischemia: results of a double-blind, placebo-controlled trial using quantitative thallium-201 tomography. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 25-32	15.1	60
323	Prognostic value of thallium-201 single-photon emission computed tomographic myocardial perfusion imaging according to extent of myocardial defect. Study in 1,926 patients with follow-up at 33 months. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 1096-106	15.1	159
322	Prognostic value of rest-redistribution tomographic thallium-201 imaging in ischemic cardiomyopathy. 1995 , 75, 759-62		109
321	Myocardial perfusion pattern in patients with cocaine-induced chest pain. 1995 , 75, 396-8		7
320	High reproducibility of myocardial perfusion defects in patients undergoing serial exercise thallium-201 tomography. 1995 , 75, 1116-9		44
319	Is quantification necessary in SPECT perfusion imaging?. 1995 , 75, 1175-6		1
318	Impact on exercise single-photon emission computed tomographic thallium imaging on patient management and outcome. <i>Journal of Nuclear Cardiology</i> , 1995 , 2, 334-8	2.1	41

317	Assessment of myocardial viability by dynamic tomographic iodine 123 iodophenylpentadecanoic acid imaging: comparison with rest-redistribution thallium 201 imaging. <i>Journal of Nuclear Cardiology</i> , 1995 , 2, 101-9	2.1	2
316	Independent and incremental prognostic value of exercise thallium single-photon emission computed tomographic imaging in women. <i>Journal of Nuclear Cardiology</i> , 1995 , 2, 110-6	2.1	19
315	Use of positron emission tomography for prediction of perioperative and late cardiac events before vascular surgery. 1995 , 130, 1196-202		10
314	Use of a tantalum-178 generator and a multiwire gamma camera to study the effect of the Mueller maneuver on left ventricular performance: comparison to hemodynamics and single photon emission computed tomography perfusion patterns. 1995 , 130, 1062-7		4
313	Incremental value of exercise electrocardiography and thallium-201 testing in men and women for the presence and extent of coronary artery disease. 1995 , 130, 267-76		39
312	Implications of increased lung thallium uptake during exercise single photon emission computed tomography imaging. 1995 , 130, 367-73		16
311	Comparison of thallium-201 single-photon emission computed tomography and electrocardiographic response during exercise in patients with normal rest electrocardiographic results. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 830-6	15.1	38
310	Long-term prediction of major ischemic events by exercise thallium-201 single-photon emission computed tomography. Incremental prognostic value compared with clinical, exercise testing, catheterization and radionuclide angiographic data. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 878-84	15.1	84
309	Independent prognostic value of intravenous dipyridamole with technetium-99m sestamibi tomographic imaging in predicting cardiac events and cardiac-related hospital admissions. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 1202-8	15.1	79
308	Guidelines for clinical use of cardiac radionuclide imaging. Report of the American College of Cardiology/American Heart Association Task Force on Assessment of Diagnostic and Therapeutic Cardiovascular Procedures (Committee on Radionuclide Imaging), developed in collaboration with the American Society of Nuclear Cardiology. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 521-47	15.1	196
307	Prognostic implications of mental stress-induced silent left ventricular dysfunction in patients with stable angina pectoris. 1995 , 76, 31-5		129
306	Reply. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 1560-1562	15.1	1
305	Independent and incremental prognostic value of exercise thallium single-photon emission computed tomographic imaging in women. <i>Journal of Nuclear Cardiology</i> , 1995 , 2, 110-116	2.1	25
304	Radionuclide detection of myocardial ischemia and myocardial viability: is the glass half empty or half full?. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 1598-600	15.1	5
303	Predictors of prognosis by quantitative assessment of coronary angiography, single photon emission computed tomography thallium imaging, and treadmill exercise testing. 1996 , 131, 582-90		8
302	Recent advances in myocardial perfusion scintigraphy. 1996 , 51, 677-83		
301	Stress Testing for Coronary Artery Disease in the Elderly. 1996 , 12, 101-119		6
300	Prognostic value of simultaneous perfusion and function assessment using technetium-99m sestamibi. 1996 , 78, 562-4		16

299	Prognostic value of myocardial perfusion imaging: state of the art and new developments. <i>Journal of Nuclear Cardiology</i> , 1996 , 3, 516-37	2.1	54
298	The site of acute myocardial infarction is related to the coronary territory of transient defects on prior myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 1996 , 3, 382-8	2.1	8
297	Are separate normal data files required for quantitative pharmacologic stress radionuclide myocardial perfusion imaging?. <i>Journal of Nuclear Cardiology</i> , 1996 , 3, S31-40	2.1	2
296	Risk assessment in patients with stable coronary artery disease: incremental value of nuclear imaging. <i>Journal of Nuclear Cardiology</i> , 1996 , 3, S41-9	2.1	16
295	Prognostic value of tomographic rest-redistribution thallium 201 imaging in medically treated patients with coronary artery disease and left ventricular dysfunction. <i>Journal of Nuclear Cardiology</i> , 1996 , 3, 150-6	2.1	53
294	Myocardial perfusion stress protocols. <i>Journal of Nuclear Cardiology</i> , 1996 , 3, G11-G15	2.1	3
293	Relation between ambulatory electrocardiographic monitoring and myocardial perfusion imaging to detect coronary artery disease and myocardial ischemia: an ACIP ancillary study. The Asymptomatic Cardiac Ischemia Pilot (ACIP) Investigators. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 764-9	15.1	12
292	Nicotine patch therapy in smoking cessation reduces the extent of exercise-induced myocardial ischemia. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 125-30	15.1	97
291	Use of exercise echocardiography for prognostic evaluation of patients with known or suspected coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 83-90	15.1	120
290	Relevance of increased lung thallium uptake on stress imaging in patients with unstable angina and non-Q wave myocardial infarction: results of the Thrombolysis in Myocardial Infarction (TIMI)-IIIB Study. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 421-9	15.1	24
289	Importance of estimated functional capacity as a predictor of all-cause mortality among patients referred for exercise thallium single-photon emission computed tomography: report of 3,400 patients from a single center. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 641-8	15.1	151
288	Evaluation of exercise thallium scintigraphy versus exercise electrocardiography in predicting survival outcomes and morbid cardiac events in patients with single- and double-vessel disease. Findings from the Angioplasty Compared to Medicine (ACME) Study. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1856-63	15.1	59
287	Risk-sensitive therapeutic strategies for coronary artery disease: toward testing-driven therapy in stable angina patients with low-to-intermediate risk cardiac imaging results. <i>Journal of Nuclear Cardiology</i> , 1997 , 4, 409-17	2.1	3
286	Prognostic evaluation of patients after myocardial infarction: incremental value of sestamibi single-photon emission computed tomography and echocardiography. <i>Journal of Nuclear Cardiology</i> , 1997 , 4, 117-24	2.1	5
285	Detection of coronary artery disease in women with use of stress single-photon emission computed tomography myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 1997 , 4, 329-35	2.1	39
284	Incremental prognostic value of adenosine stress myocardial perfusion single-photon emission computed tomography and impact on subsequent management in patients with or suspected of having myocardial ischemia. 1997 , 80, 426-33		106
283	Incremental value of rubidium-82 positron emission tomography for prognostic assessment of known or suspected coronary artery disease. 1997 , 80, 865-70		109
282	Utility of stress single-photon emission computed tomography (SPECT) perfusion imaging in predicting outcome after coronary artery bypass grafting. 1997 , 80, 1517-21		28

281	Prognostic importance of scintigraphic left ventricular cavity dilation during intravenous dipyridamole technetium-99m sestamibi myocardial tomographic imaging in predicting coronary events. 1997 , 79, 600-5		65
280	The differing prognostic utility of exercise radionuclide ventriculography in coronary artery disease patients with and without prior myocardial infarction. 1997 , 13, 403-13		1
279	Prognostic value of coronary angiography in patients with chronic ischemic left ventricular dysfunction and evidence of viable myocardium on thallium reinjection imaging. <i>Journal of Nuclear Cardiology</i> , 1997 , 4, 387-95	2.1	2
278	First-line testing. <i>Journal of Nuclear Cardiology</i> , 1998 , 5, 86-9	2.1	
277	Impact of exercise single-photon emission computed tomographic imaging on appropriateness of coronary revascularization. 1998 , 81, 1489-91		7
276	Hemodynamic effects of arbutamine. 1998 , 82, 699-702, A9		2
275	Incremental prognostic value of adenosine myocardial perfusion single-photon emission computed tomography in women with suspected coronary artery disease. 1998 , 82, 725-30		67
274	Bedeutung nichtinvasiver Perfusions- und Funktionsuntersuchungen für Diagnose und Prognose der KHK. 1998 , 39, 684-696		1
273	Prognostic characterization of patients with mild coronary artery disease with myocardial perfusion single photon emission computed tomography: validation of an outcomes-based strategy. <i>Journal of Nuclear Cardiology</i> , 1998 , 5, 90-5	2.1	3
272	Prognostic value of exercise thallium-201 imaging performed within 2 years of coronary artery bypass graft surgery. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 848-54	15.1	50
271	Assessing prognosis by means of radionuclide perfusion imaging: what technique and which variables should be used?. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 1286-90	15.1	12
270	Risk assessment using single-photon emission computed tomographic technetium-99m sestamibi imaging. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 57-62	15.1	343
269	Management of mitral regurgitation. Optimal timing for surgery. 1998 , 16, 421-35, viii		11
268	Prognostic value of exercise thallium-201 imaging in a community population. 1998 , 135, 663-70		11
267	Assessment of myocardial viability: Dobutamine echocardiography and thallium-201 single-photon emission computed tomographic imaging predict the postoperative improvement of left ventricular function after bypass surgery. 1998 , 135, 463-75		24
266	Nuclear cardiology in the UK 1994: activity relative to Europe, USA, and British Cardiac Society targets. 1998 , 80, 296-8		3
265	Long-term prognostic value of exercise echocardiography compared with exercise 201Tl, ECG, and clinical variables in patients evaluated for coronary artery disease. <i>Circulation</i> , 1998 , 98, 2679-86	16.7	121
264	Incremental prognostic value of myocardial perfusion single photon emission computed tomography for the prediction of cardiac death: differential stratification for risk of cardiac death and myocardial infarction. <i>Circulation</i> , 1998 , 97, 535-43	16.7	960

263	Prognostic Value of Rest Tl-201/Dipyridamole Stress Tc-99m-MIBI Myocardial Single Photon Emission Computed Tomography (SPECT). 1998 , 28, 1260		
262	Long-term additive prognostic value of thallium-201 myocardial perfusion imaging over clinical and exercise stress test in low to intermediate risk patients : study in 1137 patients with 6-year follow-up. <i>Circulation</i> , 1999 , 100, 1521-7	16.7	142
261	Prognostic value of myocardial ischemia and viability in patients with chronic left ventricular ischemic dysfunction. <i>Circulation</i> , 1999 , 100, 141-8	16.7	130
260	Incremental prognostic value of post-stress left ventricular ejection fraction and volume by gated myocardial perfusion single photon emission computed tomography. <i>Circulation</i> , 1999 , 100, 1035-42	16.7	429
259	Quantification of SPECT myocardial perfusion images: methodology and validation of the Yale-CQ method. <i>Journal of Nuclear Cardiology</i> , 1999 , 6, 190-204	2.1	51
258	Wintergreen panel summaries. <i>Journal of Nuclear Cardiology</i> , 1999 , 6, 93-155	2.1	21
257	First-pass radionuclide angiography guidelines for interpretation and reporting. <i>Journal of Nuclear Cardiology</i> , 1999 , 6, G53-G84	2.1	1
256	Comparison of the polar maps method and the summed stress score for predicting outcome in medically treated patients with coronary artery disease. 1999 , 83, 258-9, A5		2
255	Predictors of outcome of medically treated patients with left main/three-vessel coronary artery disease by coronary angiography. 1999 , 83, 445-8, A9		6
254	Comparison of the prognostic value of qualitative versus quantitative stress tomographic perfusion imaging. 1999 , 83, 945-8, A9		6
253	Impact of stress single-photon emission computed tomography perfusion imaging on downstream resource utilization. 1999 , 83, 1401-3, A8		11
252	Prognostic value of thallium-201 single-photon emission computed tomography for patients with multivessel coronary artery disease after revascularization (the Emory Angioplasty versus Surgery Trial [EAST]). 1999 , 84, 1369-74		27
251	Imaging guidelines for nuclear cardiology procedures. <i>Journal of Nuclear Cardiology</i> , 1999 , 6, G47-G84	2.1	105
250	Guías de actuación clínica de la Sociedad Española de Cardiología. Cardiología nuclear: bases técnicas y aplicaciones clínicas. 1999 , 52, 957-989		8
249	Coronary heart disease. Stable and unstable syndromes. 1999 , 17, 93-122		4
248	ACC/AHA/ACP-ASIM guidelines for the management of patients with chronic stable angina: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Management of Patients With Chronic Stable Angina). <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1014-1057	15.1	482
247	Effects of medical therapy on outcome assessment using exercise thallium-201 single photon emission computed tomography imaging: evidence of a protective effect of beta-blocking antianginal medications. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 113-21	15.1	22
246	Increased stress right ventricular activity on dual isotope perfusion SPECT: a sign of multivessel and/or left main coronary artery disease. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 420-7	15.1	45

245	The role of nuclear cardiology in clinical decision making. 1999 , 29, 280-97		38
244	The noninvasive prediction of cardiac mortality in men and women with known or suspected coronary artery disease. Economics of Noninvasive Diagnosis (END) Study Group. 1999 , 106, 172-8		97
243	Technetium Tc 99m sestamibi myocardial perfusion imaging: current role for evaluation of prognosis. 1999 , 115, 1684-94		21
242	Diagnostic and prognostic value of myocardial perfusion imaging in patients with known or suspected stable coronary artery disease. 2000 , 17, 587-95		4
241	Noninvasive assessment of cardiac risk in type I diabetic patients being evaluated for combined pancreas-kidney transplantation using dipyridamole-MIBI perfusion. 2000 , 13, 327-332		
240	An overview of radiotracers in nuclear cardiology. <i>Journal of Nuclear Cardiology</i> , 2000 , 7, 701-7	2.1	20
239	Noninvasive assessment of cardiac risk in type I diabetic patients being evaluated for combined pancreas-kidney transplantation using dipyridamole-MIBI perfusion tomographic scintigraphy. 2000 , 13, 327-32		10
238	Dipyridamole and exercise SPET provide different estimates of myocardial ischaemic areas: role of the severity of coronary stenoses and of the increase in heart rate during exercise. 2000 , 27, 788-99		16
237	Cost-effectiveness of stress echocardiography for assessment of coronary artery disease: what we know and what we need to know. 2000 , 1, 22-31		4
236	Contributions of nuclear cardiology to diagnosis and prognosis of patients with coronary artery disease. <i>Circulation</i> , 2000 , 101, 1465-78	16.7	291
235	Severity of coronary artery calcification by electron beam computed tomography predicts silent myocardial ischemia. <i>Circulation</i> , 2000 , 101, 244-51	16.7	281
234	[Nuclear cardiology: technical bases and clinical applications]. 2000 , 19, 29-64		0
233	Risk stratification after successful coronary revascularization: the lack of a role for routine exercise testing. <i>Journal of the American College of Cardiology</i> , 2001 , 38, 136-42	15.1	23
232	Cardiac nuclear medicine in monitoring patients with coronary heart disease. 2001 , 31, 223-37		21
231	Safety, feasibility, and prognostic implications of pharmacologic stress echocardiography in 1482 patients evaluated in an ambulatory setting. 2001 , 141, 621-9		42
230	Long-term prognostic value of 201Tl single-photon emission computed tomographic myocardial perfusion imaging after coronary stenting. 2001 , 141, 999-1006		34
229	Prognostic value of 201Tl myocardial scintigraphy after coronary artery bypass grafting. 2001 , 22, 189-96		9
228	Serial changes on quantitative myocardial perfusion SPECT in patients undergoing revascularization or conservative therapy. <i>Journal of Nuclear Cardiology</i> , 2001 , 8, 428-37	2.1	25

227	What is wrong with the treadmill exercise test?. <i>Journal of Nuclear Cardiology</i> , 2001 , 8, 415-6	2.1	
226	Diagnostic and prognostic applications for vasodilator stress myocardial perfusion imaging and the importance of radiopharmaceutical selection. <i>Journal of Nuclear Cardiology</i> , 2001 , 8, 523-7	2.1	4
225	Principal uses of myocardial perfusion scintigraphy in the management of patients with known or suspected coronary artery disease. 2001 , 43, 281-302		22
224	The cumulative effects of historical and physical examination findings on the prognostic value of the electrocardiogram. 2001 , 34, 215-23		1
223	Recent advances in myocardial perfusion imaging. 2001 , 26, 1-140		4
222	Noninvasive Exercise Testing Modalities for Ischemia. 2002 , 32, 109-119		
221	Value of stress myocardial perfusion single photon emission computed tomography in patients with normal resting electrocardiograms: an evaluation of incremental prognostic value and cost-effectiveness. <i>Circulation</i> , 2002 , 105, 823-9	16.7	164
220	Effects of adjustment for referral bias on the sensitivity and specificity of single photon emission computed tomography for the diagnosis of coronary artery disease. 2002 , 112, 290-7		78
219	[Physiologic evaluation of coronary circulation. Role of invasive and non invasive techniques]. 2002 , 55, 271-91		7
218	Exercise echocardiography and thallium-201 single-photon emission computed tomography stress test for 5- and 10-year prognosis of mortality and specific cardiac events. 2002 , 15, 1326-34		13
217	Incremental prognostic value of myocardial SPET with dual-isotope rest (201)Tl/stress (99m)Tc-tetrofosmin. 2002 , 29, 46-52		15
216	Comparison of the cost-effectiveness of stress myocardial SPECT and stress echocardiography in suspected coronary artery disease considering the prognostic value of false-negative results. <i>Journal of Nuclear Cardiology</i> , 2002 , 9, 515-22	2.1	21
215	Increased resting Tl-201 lung-to-heart ratio is associated with invasively determined measures of left ventricular dysfunction, extent of coronary artery disease, and resting myocardial perfusion abnormalities. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 140-7	2.1	10
214	Reduction of coronary flow reserve in areas with and without ischemia on stress perfusion imaging in patients with coronary artery disease: a study using oxygen 15-labeled water PET. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 275-83	2.1	97
213	Abnormal heart rate recovery immediately after treadmill testing: correlation with clinical, exercise testing, and myocardial perfusion parameters. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 498-505	2.1	42
212	Effects of therapy with beta-blocker agents on myocardial perfusion and outcome. <i>Journal of Nuclear Cardiology</i> , 2003 , 10, 429-32	2.1	1
211	Determinants of risk and its temporal variation in patients with normal stress myocardial perfusion scans: what is the warranty period of a normal scan?. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 1329-40	15.1	288
210	Contemporary cardiology and hysteric nucleophobia. 2003 , 114, 131-4		9

209	Predictive value of myocardial tomoscintigraphy in asymptomatic diabetic patients after percutaneous coronary intervention. 2003 , 90, 165-73		8
208	[Nuclear cardiology: will we need it in the future?]. 2004 , 129, 693-6		
207	Nuklearkardiologische Methoden zur Prognosebeurteilung und Risikostratifizierung bei koronarer Herzkrankheit. 2004 , 27, 176-185		3
206	Assessment of prognosis in chronic coronary artery disease. 2004 , 90 Suppl 5, v10-5		8
205	Use of tissue Doppler imaging to facilitate the prediction of events in patients with abnormal left ventricular function by dobutamine echocardiography. 2004 , 93, 142-6		41
204	Myocardial perfusion scintigraphy: the evidence. 2004 , 31, 261-91		352
203	Quantitative relationship of stress Tc-99m sestamibi lung uptake with resting Tl-201 lung uptake and with indices of left ventricular dysfunction and coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 408-13	2.1	15
202	Prevalence of silent myocardial ischemia in asymptomatic individuals with subclinical atherosclerosis detected by electron beam tomography. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 450-7	2.1	66
201	Comparison of risk stratification with pharmacologic and exercise stress myocardial perfusion imaging: a meta-analysis. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 551-61	2.1	145
200	Prognostic validation of a 17-segment score derived from a 20-segment score for myocardial perfusion SPECT interpretation. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 414-23	2.1	196
199	Complementary roles of coronary calcium scanning and myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 379-81	2.1	7
198	Incremental prognostic value of left ventricular function by myocardial ECG-gated FDG PET imaging in patients with ischemic cardiomyopathy. <i>Journal of Nuclear Cardiology</i> , 2004 , 11, 542-50	2.1	32
197	Risk stratification using stress myocardial perfusion imaging: don't neglect the value of clinical variables. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 209-12	15.1	8
196	Relationship between stress-induced myocardial ischemia and atherosclerosis measured by coronary calcium tomography. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 923-30	15.1	339
195	A novel method for the detection of transient myocardial ischaemia using body surface electrocardiac mapping. 2004 , 95, 75-81		10
194	The prognostic value of myocardial perfusion imaging in patients with suspected or known coronary artery disease. 2004 , 25, 217-20		1
193	Noninvasive tests for cardiac risk stratification. Which ones are most prognostic?. 2004 , 115, 30-6		7
192	Systematic review of the prognostic effectiveness of SPECT myocardial perfusion scintigraphy in patients with suspected or known coronary artery disease and following myocardial infarction. 2005 , 26, 217-29		26

191	Radionuclide-based insights into the pathophysiology of ischemic heart disease: beyond diagnosis. 2005 , 53, 176-91		5
190	Incremental value of regional wall motion analysis immediately after exercise for the detection of single-vessel coronary artery disease: study by separate acquisition, dual-isotope ECG-gated single-photon emission computed tomography. 2005 , 69, 301-5		32
189	Prognostic value of quantitative stress myocardial perfusion imaging in unstable angina patients with negative cardiac enzymes and no new ischemic ECG changes. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 32-6	2.1	8
188	The clinical importance of electrocardiographic changes during pharmacologic stress testing with radionuclide myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 466-72	2.1	9
187	Flow-mediated vasodilation predicts the presence and extent of coronary artery disease assessed by stress thallium imaging. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 538-44	2.1	19
186	Prognostic value of stress myocardial perfusion imaging in octogenarian population. <i>Journal of Nuclear Cardiology</i> , 2005 , 12, 671-5	2.1	15
185	Single-photon emission computed tomography myocardial perfusion imaging in patients with diabetes. 2005 , 7, 117-23		4
184	Potential indications for coronary angiography by computed tomography. 2005 , 3, 161-6, 174		4
183	Long-term prognostic importance of transient left ventricular dilation during pharmacologic stress echocardiography. 2005 , 18, 57-62		8
182	Coronary artery disease and nuclear imaging in renal failure. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 150-155	2.1	
181	Monitoring effectiveness of medical therapy in 2006. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 184-190	2.1	
180	Myocardial perfusion scintigraphy. 2006 , 6, 263-6		1
179	Prognostic value of myocardial perfusion imaging in patients with known or suspected stable angina pectoris: evaluation in a setting in which myocardial perfusion imaging did not influence the choice of treatment. 2006 , 26, 288-95		10
178	Coronary computed tomographic angiography: competitive or complementary?. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 605-8	2.1	2
177	Myocardial perfusion and function single photon emission computed tomography. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, e97-120	2.1	65
176	Revascularize only for ischemia, especially if left ventricular function is poor. <i>Journal of Nuclear Cardiology</i> , 2006 , 13, 742-6	2.1	
175	Characteristics and outcome of octogenarian population referred for myocardial perfusion imaging: comparison with non-octogenarian population with reference to gender. 2006 , 29, 117-20		11
174	Imaging techniques in nuclear cardiology for the assessment of myocardial viability. 2006 , 22, 63-80		57

173 Noninvasive monitoring of medical therapy. **2006**, 8, 139-46

172 Coronary artery disease and nuclear imaging in renal failure. *Journal of Nuclear Cardiology*, **2006**, 13, 150-5 2.1 9

171 Monitoring effectiveness of medical therapy in 2006. *Journal of Nuclear Cardiology*, **2006**, 13, 184-90 2.1 0

170 PCI for stable coronary disease. **2007**, 357, 414-5; author reply 417-8 30

169 Effects of a myocardial ischaemia-guided therapeutic program on survival and incidence of coronary events in asymptomatic patients with diabetes: the ARCADIA study. **2007**, 33, 459-65 3

168 Évaluation de la faisabilité de la tomoscintigraphie myocardique précoce au sestamibi synchronisée à l'électrocardiogramme. **2007**, 31, 647-655 1

167 CT angiography: too much too soon?. *Journal of Nuclear Cardiology*, **2007**, 14, 267-8 2.1 0

166 Adenosine versus regadenoson comparative evaluation in myocardial perfusion imaging: results of the ADVANCE phase 3 multicenter international trial. *Journal of Nuclear Cardiology*, **2007**, 14, 645-58 2.1 236

165 Patient preparation for nuclear imaging: when should anti-ischemic medications be withheld?. *Journal of Nuclear Cardiology*, **2007**, 14, 775-81 2.1 4

164 Quantification of left ventricular volumes and ejection fraction from gated 99mTc-MIBI SPECT: validation of an elastic surface model approach in comparison to cardiac magnetic resonance imaging, 4D-MSPECT and QGS. **2007**, 34, 900-9 27

163 Prognostic predictors and outcomes in patients with abnormal myocardial perfusion imaging and angiographically insignificant coronary artery disease. *Journal of Nuclear Cardiology*, **2008**, 15, 754-61 2.1 15

162 Added value of CT myocardial perfusion imaging. **2008**, 1, 96-104 6

161 Prognostic table for predicting major cardiac events based on J-ACCESS investigation. **2008**, 22, 891-7 9

160 Symptom-limited exercise combined with dipyridamole stress: prognostic value in assessment of known or suspected coronary artery disease by use of gated SPECT imaging. *Journal of Nuclear Cardiology*, **2008**, 15, 42-56 2.1 14

159 Impact of inducible ischemia by stress SPECT in cardiac risk assessment in diabetic patients: rationale and design of a prospective, multicenter trial. *Journal of Nuclear Cardiology*, **2008**, 15, 100-4 2.1 16

158 Evaluation of the American College of Cardiology Foundation/American Society of Nuclear Cardiology appropriateness criteria for SPECT myocardial perfusion imaging. *Journal of Nuclear Cardiology*, **2008**, 15, 337-44 2.1 58

157 Pronóstico de la enfermedad coronaria crítica mediante gated-SPECT de perfusión miocárdica. **2008**, 8, 25B-34B

156 Prognostic predictors and outcomes in patients with abnormal myocardial perfusion imaging and angiographically insignificant coronary artery disease. *Journal of Nuclear Cardiology*, **2008**, 15, 754-761 2.1

155	Clinical value, cost-effectiveness, and safety of myocardial perfusion scintigraphy: a position statement. 2008 , 29, 557-63		100
154	'False-positive' myocardial perfusion imaging: correlation with cardiovascular risk factors and effect on event-free survival. 2008 , 9, 707-13		4
153	[Noninvasive diagnostic of coronary artery disease]. 2009 , 66, 241-51		1
152	Stress/Rest Myocardial Perfusion Abnormalities by Gated SPECT: Still the Best Predictor of Cardiac Events in Stable Ischemic Heart Disease. <i>Journal of Nuclear Medicine</i> , 2009 , 50, 546-53	8.9	60
151	Adenosine stress 64- and 256-row detector computed tomography angiography and perfusion imaging: a pilot study evaluating the transmural extent of perfusion abnormalities to predict atherosclerosis causing myocardial ischemia. 2009 , 2, 174-82		258
150	Normal myocardial perfusion scan portends a benign prognosis independent from the pretest probability of coronary artery disease. Sub-analysis of the J-ACCESS study. 2009 , 54, 93-100		7
149	How to identify the asymptomatic high-risk patient?. 2009 , 34, 539-77		3
148	CT angiography for evaluation of coronary artery disease in inner-city outpatients: an initial prospective comparison with stress myocardial perfusion imaging. 2009 , 25, 303-13		17
147	Hemodynamic variables during stress testing can predict referral to early catheterization but failed to show a prognostic impact on emerging cardiac events in patients aged 70 years and older undergoing exercise (99m)Tc-sestamibi myocardial perfusion scintigraphy. 2009 , 25, 569-79		2
146	Integrated imaging of cardiac anatomy, physiology, and viability. 2009 , 11, 125-32		1
145	Effect of gender on cardiovascular risk stratification with ECG gated SPECT left ventricular volume indices and ejection fraction. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 28-37	2.1	6
144	Risk stratification with attenuation corrected stress Tc-99m sestamibi SPECT myocardial perfusion imaging in the absence of ECG-gating due to arrhythmias. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 533-9	2.1	26
143	Chronic kidney disease, SPECT, and coronary angiography: "head of gold and feet of clay?". <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 345-7	2.1	2
142	Does myocardial perfusion scintigraphy predict improvement in symptoms and exercise capacity following successful elective percutaneous coronary intervention?. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 869-77	2.1	2
141	Physiologic risk assessment in stable ischemic heart disease: still superior to the anatomic angiographic approach. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 697-700	2.1	1
140	Prognostic significance of stress myocardial gated SPECT among Japanese patients referred for coronary angiography: A study of data from the J-ACCESS database. 2009 , 36, 1329-37		16
139	Clinical utility of estimated glomerular filtration rate in patients undergoing gated SPECT. <i>Journal of Nuclear Cardiology</i> , 2009 , 16, 384-90	2.1	4
138	Prognostic value of multislice computed tomography and gated single-photon emission computed tomography in patients with suspected coronary artery disease. <i>Journal of the American College of Cardiology</i> , 2009 , 53, 623-632	15.1	272

137	Regadenoson induces comparable left ventricular perfusion defects as adenosine: a quantitative analysis from the ADVANCE MPI 2 trial. 2009 , 2, 959-68			105
136	Clinical and technical considerations for stress myocardial perfusion imaging with multidetector computed tomography. 2009 , 3 Suppl 2, S74-80			2
135	Rest-redistribution 201-Thallium single photon emission computed tomography predicts myocardial infarction and cardiac death in patients with ischemic left ventricular dysfunction. 2009 , 10, 122-8			1
134	Peak treadmill exercise echocardiography. 2010 , 5, 94-102			3
133	Multislice Cardiac Tomography: Myocardial Function, Perfusion, and Viability. 2010 , 259-277			
132	Myocardial perfusion profile in a young population with and without known coronary artery disease: comparison by gender. 2010 , 33, E39-43			8
131	Recommendations for reducing radiation exposure in myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 709-18	2.1		212
130	Coronary flow reserve by CT perfusion. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 540-3	2.1		1
129	Quantitative and qualitative analysis and interpretation of CT perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 1091-100	2.1		21
128	Early insights of cardiac risk and treatment response with quantitative PET monitoring of coronary-specific endothelial dysfunction and myocardial perfusion reserve. <i>Journal of Nuclear Cardiology</i> , 2010 , 17, 985-9	2.1		1
127	Does myocardial perfusion imaging provide incremental prognostic information to left ventricular ejection fraction?. 2010 , 12, 155-61			8
126	Coronary Artery Calcification: Pathogenesis, Imaging, and Risk Stratification. 2010 , 332-355			
125	. 2010 ,			
124	Prognostic value of 64-slice cardiac computed tomography severity of coronary artery disease, coronary atherosclerosis, and left ventricular ejection fraction. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1017-28	15.1		222
123	Prognostic implications of stress-induced transient ischemic dilation of the left ventricle in patients with systolic dysfunction and fixed perfusion defects. 2010 , 140, 323-7			12
122	Nouvelles caméras cardiaques à semi-conducteur cadmium-zinc-telluride (CZT) et scintigraphies myocardiques au thallium 201. 2010 , 34, 473-479			2
121	PET/CT challenge for the non-invasive diagnosis of coronary artery disease. 2010 , 73, 494-503			18
120	Contrast stress-echocardiography predicts cardiac events in patients with suspected acute coronary syndrome but nondiagnostic electrocardiogram and normal 12-hour troponin. 2011 , 24, 1333-41			27

119	Prognostic value of normal myocardial perfusion scintigraphy with 201Tl in post-acute myocardial infarction. 2011 , 30, 83-87		
118	Can differences in corrected coronary opacification measured with computed tomography predict resting coronary artery flow?. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 1280-8	15.1	75
117	CT stress myocardial perfusion imaging using multidetector CT--A review. 2011 , 5, 345-56		27
116	Myocardial perfusion imaging is a strong predictor of death in women. 2011 , 4, 880-8		33
115	Cardiovascular outcomes are predicted by exercise-stress myocardial perfusion imaging: Impact on death, myocardial infarction, and coronary revascularization procedures. 2011 , 161, 900-7		19
114	Coronary artery calcification detected by PET/CT scan as a marker of myocardial ischemia/coronary artery disease. 2011 , 32, 273-8		6
113	Comparison of myocardial perfusion imaging using thallium-201 between a new cadmium-zinc-telluride cardiac camera and a conventional SPECT camera. <i>Clinical Nuclear Medicine</i> , 2011 , 36, 776-80	1.7	31
112	Estimation of cardiac event risk by gated myocardial perfusion imaging and quantitative scoring methods based on a multi-center J-ACCESS database. 2011 , 75, 2417-23		18
111	[Prognostic value of normal myocardial perfusion scintigraphy with 201Tl in post-acute myocardial infarction]. 2011 , 30, 83-7		1
110	Hybrid cardiac imaging: SPECT/CT and PET/CT. A joint position statement by the European Association of Nuclear Medicine (EANM), the European Society of Cardiac Radiology (ESCR) and the European Council of Nuclear Cardiology (ECNC). 2011 , 38, 201-12		128
109	Clinical usefulness of combinatorial protocol with stress only myocardial perfusion SPECT, CTA and SPECT/CTA 3-dimensional fusion image. 2011 , 25, 387-95		0
108	CT-based myocardial perfusion imaging-practical considerations: acquisition, image analysis, interpretation, and challenges. 2011 , 4, 437-48		8
107	The potential role for the use of cardiac computed tomography angiography for the acute chest pain patient in the emergency department: a cautionary viewpoint. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 163-7	2.1	1
106	Strategies for defining an optimal risk-benefit ratio for stress myocardial perfusion SPECT. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 385-92	2.1	27
105	The incremental value of coronary artery calcium scores to myocardial single photon emission computer tomography in risk assessment. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 700-11; quiz 712-6	2.1	16
104	Accelerated, high spatial resolution cardiovascular magnetic resonance myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2011 , 18, 952-8	2.1	5
103	Diagnostic performance of combined noninvasive coronary angiography and myocardial perfusion imaging using 320-MDCT: the CT angiography and perfusion methods of the CORE320 multicenter multinational diagnostic study. 2011 , 197, 829-37		101
102	Absolute quantification of myocardial perfusion: a method proves its mettle. 2011 , 4, 607-9		

101	Role of multimodality cardiac imaging in preoperative cardiovascular evaluation before noncardiac surgery. 2011 , 14, 134-45			8
100	Rates of downstream invasive coronary angiography and revascularization: computed tomographic coronary angiography vs. Tc-99m single photon emission computed tomography. 2012 , 33, 776-82			17
99	Computed tomography myocardial perfusion imaging with 320-row detector computed tomography accurately detects myocardial ischemia in patients with obstructive coronary artery disease. 2012 , 5, 333-40			133
98	Stress myocardial perfusion imaging in the emergency department--new techniques for speed and diagnostic accuracy. 2012 , 8, 116-22			7
97	Risk stratification of cardiovascular events in patients at all stages of chronic kidney disease using myocardial perfusion SPECT. 2012 , 60, 377-82			27
96	Stress-only Tc-99m myocardial perfusion imaging in an emergency department chest pain unit. 2012 , 42, 642-50			29
95	Coronary revascularization does not decrease cardiac events in patients with stable ischemic heart disease but might do in those who showed moderate to severe ischemia. 2012 , 158, 246-52			36
94	Comparison of the prognostic value of normal regadenoson with normal adenosine myocardial perfusion imaging with propensity score matching. 2012 , 5, 1014-21			34
93	Fractional flow reserve is not associated with inflammatory markers in patients with stable coronary artery disease. <i>PLoS ONE</i> , 2012 , 7, e46356	3.7		5
92	Assessing risk in acute chest pain: The value of stress myocardial perfusion imaging in patients admitted through the emergency department. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 233-43	2.1		27
91	The complementary roles of radionuclide myocardial perfusion imaging and cardiac computed tomography. 2012 , 47, 228-39			3
90	The vasodilator stress ECG: should depression cause anxiety?. <i>Journal of Nuclear Cardiology</i> , 2012 , 19, 13-5	2.1		2
89	Prognostic Value of Normal Perfusion but Impaired Left Ventricular Function in the Diabetic Heart on Quantitative Gated Myocardial Perfusion SPECT. 2013 , 47, 151-7			4
88	Cardiac PET-CT and CT Angiography. 2013 , 6, 191-196			
87	The prognostic value of cardiac SPECT performed at the primary care physician's office. <i>Journal of Nuclear Cardiology</i> , 2013 , 20, 519-28	2.1		27
86	Current status of cardiac CT for the detection of myocardial ischemia. 2013 , 38, 359-66			1
85	Ischémie myocardique du diabétique : apports de la scintigraphie myocardique de perfusion. 2013 , 37, 569-577			
84	Caméras cardiaques CZT et réduction de dose : jusqu'où. 2013 , 37, 221-223			

83	Coronary events in patients undergoing orthotopic liver transplantation: perioperative evaluation and management. 2013 , 27, E207-15		23
82	Will 3D Imaging of the Heart Replace Pathology?. 2013 , 103-113		
81	Stable Angina. 2013 , 419-438		
80	Radiation dose to radiosensitive organs in PET/CT myocardial perfusion examination using versatile optical fibre. 2013 ,		1
79	Impact of appropriate use on the prognostic value of single-photon emission computed tomography myocardial perfusion imaging. <i>Circulation</i> , 2013 , 128, 1634-43	16.7	85
78	Long-term prognostic value of inducible and resting perfusion defects detected by single-photon emission computed tomography in the era of wide availability of coronary revascularization. 2013 , 33, 218-23		6
77	Handbook of Nuclear Cardiology. 2013 ,		1
76	Combination of myocardial perfusion imaging and SYNTAX Score. A more rational approach to revascularization. 2013 , 77, 2698-9		1
75	Patients with end-stage renal disease: optimal diagnostic and prognostic performance of myocardial gated-SPECT, initial results. 2013 , 34, 314-21		1
74	The relationship between fractional flow reserve, platelet reactivity and platelet leukocyte complexes in stable coronary artery disease. <i>PLoS ONE</i> , 2013 , 8, e83198	3.7	4
73	Incremental prognostic value of sequential imaging of single-photon emission computed tomography and coronary computed tomography angiography in patients with suspected coronary artery disease. 2014 , 15, 878-85		18
72	Cardiac CT for myocardial ischaemia detection and characterization--comparative analysis. 2014 , 87, 20140159		11
71	The role of nuclear cardiology in the diagnosis and risk stratification of women with ischemic heart disease. 2014 , 44, 423-38		3
70	New insights from major prospective cohort studies with cardiac nuclear imaging. 2014 , 16, 482		1
69	Risk stratification using line source attenuation correction with rest/stress Tc-99m sestamibi SPECT myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2014 , 21, 118-26	2.1	14
68	Is Attenuation Correction for Myocardial Perfusion Imaging Underutilized?. 2015 , 8, 1		0
67	Current and future trends in multimodality imaging of coronary artery disease. 2015 , 13, 715-31		4
66	A randomized, multicenter, multivendor study of myocardial perfusion imaging with regadenoson CT perfusion vs single photon emission CT. 2015 , 9, 103-12.e1-2		56

65	Hybrid SPECT/CCTA Imaging in the Work-up of Patients with Suspected Coronary Artery Disease. 2015 , 8, 1		1
64	Cardiac imaging for the assessment of patients being evaluated for kidney or liver transplantation. <i>Journal of Nuclear Cardiology</i> , 2015 , 22, 282-96	2.1	23
63	Systemic diseases. 2015 , 459-488		
62	Molecular and Multimodality Imaging in Cardiovascular Disease. 2015 ,		
61	Radionuclide myocardial perfusion imaging for the evaluation of patients with known or suspected coronary artery disease in the era of multimodality cardiovascular imaging. 2015 , 57, 644-53		19
60	An Increasing Population with Metabolic Syndrome and/or Diabetes Mellitus in the Middle East: Is There an Added Value of Coronary Calcium Scoring to Myocardial Perfusion Imaging?. 2015 , 8, 1		
59	Comparing stress testing and fractional flow reserve to evaluate presence, location and extent of ischemia in coronary artery disease. 2015 , 67, 50-5		1
58	Does risk for major adverse cardiac events in patients undergoing vasodilator stress with adjunctive exercise differ from patients undergoing either standard exercise or vasodilator stress with myocardial perfusion imaging?. <i>Journal of Nuclear Cardiology</i> , 2015 , 22, 22-35	2.1	17
57	Feasibility and diagnostic accuracy of exercise treadmill nitrogen-13 ammonia PET myocardial perfusion imaging of obese patients. <i>Journal of Nuclear Cardiology</i> , 2015 , 22, 1273-80	2.1	7
56	[Ischemic burden vs. coronary artery morphology : What is crucial for the indication of revascularization?]. 2016 , 41, 376-83		
55	Global quantification of left ventricular myocardial perfusion at dynamic CT imaging: Prognostic value. 2017 , 11, 16-24		17
54	Prognostic Value of Stress Dynamic Myocardial Perfusion CT in a Multicenter Population With Known or Suspected Coronary Artery Disease. 2017 , 208, 761-769		19
53	Prognostic Value of Myocardial Perfusion Imaging with a Cadmium-Zinc-Telluride SPECT Camera in Patients Suspected of Having Coronary Artery Disease. <i>Journal of Nuclear Medicine</i> , 2017 , 58, 1459-1463 ^{8,9}		13
52	New solid state cadmium-zinc-telluride technology for cardiac single photon emission computed tomographic myocardial perfusion imaging. 2017 , 14, 213-222		8
51	Utility of adenosine stress perfusion CMR to assess paediatric coronary artery disease. 2017 , 18, 898-905		16
50	Preprocedural Leucocyte Count Predicts Risk in Patients with Coronary Chronic Total Occlusion. 2017 , 117, 2105-2115		5
49	Prognostic value of one millisievert exercise myocardial perfusion imaging in patients without known coronary artery disease. <i>Journal of Nuclear Cardiology</i> , 2018 , 25, 120-130	2.1	8
48	Prognostic Implications of Relative Increase and Final Fractional Flow Reserve in Patients With Stent Implantation. 2018 , 11, 2099-2109		36

47	Prognostic Implication of Thermodilution'Coronary Flow Reserve in Patients Undergoing Fractional Flow Reserve Measurement. 2018 , 11, 1423-1433		31
46	Functional Approach for Coronary Artery Disease: Filling the Gap Between Evidence and Practice. 2018 , 48, 179-190		16
45	Comparison of long-term clinical outcomes between revascularization versus medical treatment in patients with silent myocardial ischemia. 2019 , 277, 47-53		5
44	Multislice CT. 2019 , 345-365		
43	. 2019 ,		2
42	Stress myocardial perfusion imaging: Can we tell the results without doing the test?. <i>Journal of Nuclear Cardiology</i> , 2021 , 28, 1903-1905	2.1	2
41	ISCHEMIA questions and MITNEC answers: Defining and standardizing clinical ischemic jeopardy with SPECT myocardial perfusion imaging. <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	
40	JCS 2018 Guideline on Diagnosis of Chronic Coronary Heart Diseases. 2021 , 85, 402-572		11
39	Novel Insights Into the Interaction Between the Autonomic Nervous System and Inflammation on Coronary Physiology: A Quantitative Flow Ratio Study. 2021 , 8, 700943		3
38	Myocardial Perfusion and Viability Imaging in Coronary Artery Disease: Clinical Value in Diagnosis, Prognosis, and Therapeutic Guidance. 2021 , 134, 968-975		2
37	Is SPECT myocardial perfusion imaging on its dying bed?. <i>Journal of Nuclear Cardiology</i> , 2021 , 28, 1813-1816		16
36	SPECT Detection of Coronary Artery Disease. 2003 , 63-77		2
35	Perfusion Measurements of the Myocardium. 2015 , 1279-1354		1
34	Stress myocardial perfusion imaging: Can we tell the results without doing the test?. 2021 , 28, 1903		1
33	The 24-hour Tl-201 image in dual isotope myocardial perfusion scintigraphy: clinical utility and prognostic significance. <i>Clinical Nuclear Medicine</i> , 1998 , 23, 576-81	1.7	1
32	Risk stratification for exercise training in cardiac patients: do the proposed guidelines work?. <i>Journal of Cardiopulmonary Rehabilitation and Prevention</i> , 1999 , 19, 118-25		21
31	Exercise myocardial perfusion SPECT in patients without known coronary artery disease: incremental prognostic value and use in risk stratification. <i>Circulation</i> , 1996 , 93, 905-14	16.7	606
30	Prognostic value of exercise 201Tl tomography in patients treated with thrombolytic therapy during acute myocardial infarction. <i>Circulation</i> , 1996 , 94, 2735-42	16.7	58

- 29 Prediction of outcome of patients with life-threatening ventricular arrhythmias treated with automatic implantable cardioverter-defibrillators using SPECT perfusion imaging. *Circulation*, **1997**, 95, 390-4 16.7 21
- 28 Cardiac imaging for risk stratification with dobutamine-atropine stress testing in patients with chest pain. Echocardiography, perfusion scintigraphy, or both?. *Circulation*, **1997**, 96, 137-47 16.7 72
- 27 The Prevalence of Clinically Significant Ischemia in Patients Undergoing Percutaneous Coronary Intervention: A Report from the Multicenter Registry. *PLoS ONE*, **2015**, 10, e0133568 3.7 1
- 26 Appropriate Use Criteria for PET Myocardial Perfusion Imaging. *Journal of Nuclear Medicine*, **2020**, 61, 1221-1265 8.9 16
- 25 Exercise echocardiography. *World Journal of Cardiology*, **2010**, 2, 223-32 2.1 12
- 24 Myocardium in Jeopardy. *Developments in Cardiovascular Medicine*, **2001**, 119-144
- 23 Interpreting Noninvasive Cardiac Tests. **2001**, 25-36
- 22 Stress Echocardiography and Nuclear Imaging. **2003**, 419-436
- 21 Nuclear Cardiology and Positron Emission Tomography in the Assessment of Patients with Cardiovascular Disease. **2010**, 809-824
- 20 Coroscaner et IRM cardiaque. **2011**, 147-171
- 19 Cardiac Imaging in the Elderly. **2011**, 157-192
- 18 Choice of Stress Test. **2012**, 113-139
- 17 SPECT. **2013**, 3-6
- 16 Diagnosis, Risk Stratification and Management of Ischemic Heart Disease with Nuclear Cardiology. **2013**, 159-169
- 15 Cardiac Imaging. 296-344
- 14 Perfusion Measurements of the Myocardium: Radionuclide Methods and Related Techniques. **2014**, 1-89
- 13 Current status of myocardial perfusion scintigraphy. *Developments in Cardiovascular Medicine*, **1995**, 1-16 1
- 12 Myocardial perfusion imaging by SPECT. *Developments in Cardiovascular Medicine*, **1996**, 499-512

11 Heart Scan. **1998**, 239-284

10 Adding CT Measurements of Coronary Artery Calcification to Nuclear Myocardial Perfusion Imaging for Risk Stratification. **2015**, 225-239

9 MR Stress Ventriculography. **2002**, 321-333

8 Nuclear Imaging with Exercise Testing. **2009**, 121-142

7 Stable Angina. **2005**, 451-470

6 The Role of Myocardial Perfusion Imaging in Patients with Diabetes Mellitus. *Medicina Interna (Bucharest, Romania: 1991)*, **2021**, 18, 31-37 0.1

5 Cardiac CT angiography in current practice: An American society for preventive cardiology clinical practice statement.. *American Journal of Preventive Cardiology*, **2022**, 9, 100318 1.9 4

4 Imaging guidelines for nuclear cardiology procedures. American Society of Nuclear Cardiology. Myocardial perfusion stress protocols. *Journal of Nuclear Cardiology*, **1996**, 3, G11-5 2.1 1

3 Proceedings of the 4th Invitational Wintergreen Conference. Wintergreen, Virginia, USA. July 12-14, 1998. Abstracts. *Journal of Nuclear Cardiology*, **1999**, 6, 93-155 2.1 9

2 Outpatient Myocardial Perfusion Imaging Scan for a Low-Risk Chest Pain Cohort From the Emergency Department: A Retrospective Analysis. **2023**, 48, 101517 0

1 Prognostic value of myocardial flow reserve derived by quantitative SPECT for patients with intermediate coronary stenoses. 0