

CITATION REPORT

List of articles citing

Restrictive left ventricular filling pattern in dilated cardiomyopathy assessed by Doppler echocardiography: clinical, echocardiographic and hemodynamic correlations and prognostic implications. Heart Muscle Disease Study Group

DOI: 10.1016/0735-1097(93)90195-7

Journal of the American College of Cardiology, 1993, 22, 808-1

Source: <https://exaly.com/paper-pdf/24188471/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
399	Systolic and diastolic dysfunction in patients with clinical diagnosis of dilated cardiomyopathy. Relation to symptoms and prognosis. <i>Circulation</i> , 1994 , 90, 2772-9	16.7	368
398	Abnormal subendocardial function in restrictive left ventricular disease. <i>Heart</i> , 1994 , 72, 237-42	5.1	40
397	Prognostic value of Doppler transmitral flow patterns in patients with congestive heart failure. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 132-9	15.1	351
396	Functional importance of myocardial relaxation in patients with congestive heart failure. <i>Journal of Cardiac Failure</i> , 1994 , 1, 45-56	3.3	7
395	Effects of a novel inotropic agent (OPC-18790) on systolic and diastolic function in patients with severe heart failure. 1994 , 128, 1156-63		14
394	Left ventricular diastolic function: physiology, methods of assessment, and clinical significance. 1995 , 2, 525-43		20
393	Relationship between left ventricular wall thickness and left atrial size: comparison with other measures of diastolic function. <i>Journal of the American Society of Echocardiography</i> , 1995 , 8, 37-47	5.8	195
392	Justifying echocardiography in patients with heart failure. <i>Journal of the American Society of Echocardiography</i> , 1996 , 9, 582-4	5.8	1
391	Doppler echocardiographic evaluation of left ventricular end-diastolic pressure in patients with coronary artery disease. <i>Journal of the American Society of Echocardiography</i> , 1996 , 9, 241-50	5.8	34
390	Canadian consensus recommendations for the measurement and reporting of diastolic dysfunction by echocardiography: from the Investigators of Consensus on Diastolic Dysfunction by Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1996 , 9, 736-60	5.8	487
389	Changes in left ventricular filling during follow-up study in survivors and nonsurvivors of idiopathic dilated cardiomyopathy. <i>Journal of Cardiac Failure</i> , 1996 , 2, 5-14	3.3	8
388	Metoprolol in dilated cardiomyopathy: is it possible to identify factors predictive of improvement? The Heart Muscle Disease Study Group. <i>Journal of Cardiac Failure</i> , 1996 , 2, 87-102	3.3	20
387	A practical guide to assessment of ventricular diastolic function using Doppler echocardiography. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 1753-60	15.1	260
386	Independent and incremental prognostic value of Doppler-derived mitral deceleration time of early filling in both symptomatic and asymptomatic patients with left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 383-90	15.1	207
385	Influence of left atrial function on Doppler transmitral and pulmonary venous flow patterns in dilated and hypertrophic cardiomyopathy: evaluation of left atrial appendage function by transesophageal echocardiography. 1996 , 131, 122-30		40
384	Mitral flow velocity changes after 6 months of optimized therapy provide important hemodynamic and prognostic information in patients with chronic heart failure. 1996 , 132, 809-19		61
383	Abnormal diastolic Doppler patterns in patients over age 65 with severe left ventricular systolic dysfunction. <i>International Journal of Cardiology</i> , 1996 , 55, 255-63	3.2	2

382	Quantitative assessment of diastolic filling function: a new Doppler echocardiographic method and in vitro validation. <i>Journal of the American Society of Echocardiography</i> , 1996 , 9, 848-56	5.8	
381	Restrictive left ventricular filling patterns in very old patients with congestive heart failure: clinical correlates and prognostic significance. 1996 , 44, 634-7		13
380	Diastolic dysfunction and natriuretic peptides in systolic heart failure. Higher ANP and BNP levels are associated with the restrictive filling pattern. 1996 , 17, 1694-702		165
379	Doppler assessment of diastolic function comes of age. 1996 , 44, 729-32		16
378	Where Does Ultrasound Stand in Technology Assessment and Outcomes Research: Issues, Methods, and Questions. <i>Journal of Diagnostic Medical Sonography</i> , 1996 , 12, 63-68	0.4	
377	Refractory Heart Failure: A Therapeutic Approach. 1996 , 11, 121-148		4
376	Evaluation and prognostic significance of left ventricular diastolic function assessed by Doppler echocardiography in the early phase of a first acute myocardial infarction. 1997 , 18, 1882-9		59
375	Doppler evaluation of left and right ventricular diastolic function: a technical guide for obtaining optimal flow velocity recordings. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 271-92	5.8	239
374	Left ventricular Doppler filling pattern in dilated cardiomyopathy: relation to hemodynamics and left atrial function. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 518-25	5.8	37
373	Feasibility of obtaining pulmonary venous flow velocity in cardiac patients using transthoracic pulsed wave Doppler technique. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 60-6	5.8	64
372	Determinants of pulmonary hypertension in left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 153-9	15.1	244
371	Persistence of restrictive left ventricular filling pattern in dilated cardiomyopathy: an ominous prognostic sign. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 604-12	15.1	207
370	Prognostic implications of restrictive left ventricular filling in acute myocardial infarction: a serial Doppler echocardiographic study. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1618-24	15.1	184
369	Determination of left ventricular filling pressure by Doppler echocardiography in patients with coronary artery disease: critical role of left ventricular systolic function. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1819-26	15.1	232
368	Acute hemodynamic improvement by pacing in patients with severe congestive heart failure. 1997 , 20, 313-24		72
367	Gender Differences in Mitral Inflow Parameters of Doppler Echocardiography. <i>Echocardiography</i> , 1997 , 14, 435-440	1.5	5
366	Prognostic value of Doppler transmitral flow velocity patterns in acute myocardial infarction. <i>American Journal of Cardiology</i> , 1997 , 79, 1165-9	3	24
365	Left atrial size is the major predictor of cardiac death and overall clinical outcome in patients with dilated cardiomyopathy: a long-term follow-up study. 1997 , 20, 553-60		88

364	Prediction of the changes in cardiac output in association with preload reduction therapy in patients with hypertensive heart failure. 1997 , 11, 49-56		7
363	Myocardial velocity gradient measured throughout the cardiac cycle in dilated cardiomyopathy hearts: A potential new parameter of systolic and diastolic myocardial function by Doppler myocardial imaging. 1997 , 5, 141-154		6
362	Evaluation of left ventricular diastolic function from the pattern of left ventricular filling. 1998 , 21, 5-9		36
361	Doppler-derived acceleration rate of right ventricular early filling as a measurement of right atrial pressure in chronic heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1998 , 81, 513-5	3	10
360	Left ventricular Doppler diastolic filling patterns in patients with isolated left bundle branch block. <i>American Journal of Cardiology</i> , 1998 , 81, 643-5	3	26
359	Diastolic heart failure: standard Doppler approach and beyond. <i>American Journal of Cardiology</i> , 1998 , 81, 115G-121G	3	34
358	Risk stratification in patients with dilated cardiomyopathy: contribution of Doppler-derived left ventricular filling. <i>American Journal of Cardiology</i> , 1998 , 82, 779-85	3	22
357	Prognostic value of a Doppler index combining systolic and diastolic performance in idiopathic-dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1998 , 82, 1071-6	3	315
356	Doppler echocardiographic study of left ventricular diastole in non-anaesthetized healthy cats. 1998 , 156, 203-15		32
355	Right ventricular diastolic performance: compliance characteristics with focus on pulmonary hypertension, right ventricular hypertrophy, and calcium channel blockade. 1998 , 43, 206-43		2
354	Cardioversion of atrial fibrillation in the setting of mild to moderate heart failure. <i>International Journal of Cardiology</i> , 1998 , 63, 63-70	3.2	33
353	Left ventricular function and endomyocardial biopsy in early and advanced dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 1998 , 63, 141-9	3.2	5
352	Resting and dobutamine stress echocardiographic factors associated with the development of occult dilated cardiomyopathy in healthy Doberman pinscher dogs. 1998 , 12, 369-80		14
351	Restrictive left ventricular filling patterns are predictive of diastolic ventricular interaction in chronic heart failure. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 413-8	15.1	29
350	Reversible restrictive left ventricular diastolic filling with optimized oral therapy predicts a more favorable prognosis in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 1591-7	15.1	112
349	New Doppler echocardiographic applications for the study of diastolic function. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 865-75	15.1	820
348	Ratio of pulmonary venous to mitral A velocity is a useful marker for predicting mean pulmonary capillary wedge pressure in patients with left ventricular systolic dysfunction. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 961-5	5.8	7
347	Effect of sample volume location on Doppler-derived transmitral inflow velocity values in 288 normal subjects 20 to 80 years old: an echocardiographic, two-dimensional color Doppler cooperative study. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 280-8	5.8	16

346	Exercise performance in patients with dilated cardiomyopathy: relationship to resting left ventricular function. <i>International Journal of Cardiology</i> , 1998 , 65, 247-53	3.2	2
345	Long-term survival effect of metoprolol in dilated cardiomyopathy. The SPIC (Italian Multicentre Cardiomyopathy Study) Group. <i>Heart</i> , 1998 , 79, 337-44	5.1	12
344	How to diagnose diastolic heart failure. European Study Group on Diastolic Heart Failure. 1998 , 19, 990-1003		552
343	Heart rate variability index in congestive heart failure: relation to clinical variables and prognosis. 1998 , 19, 1719-24		30
342	Relation of atrial natriuretic peptides to left ventricular systolic and diastolic function in heart failure. <i>European Journal of Heart Failure</i> , 1999 , 1, 51-8	12.3	6
341	The influence of diastolic and systolic function on exercise performance in heart failure due to dilated cardiomyopathy or ischemic heart disease. <i>European Journal of Heart Failure</i> , 1999 , 1, 161-7	12.3	16
340	Natriuretic peptides in patients with diastolic dysfunction due to idiopathic dilated cardiomyopathy. 1999 , 20, 1415-23		44
339	How to use natriuretic peptide levels for diagnosis and prognosis. 1999 , 20, 1374-5		18
338	N-terminal proatrial natriuretic peptide correlates with systolic dysfunction and left ventricular filling pattern in patients with idiopathic dilated cardiomyopathy. <i>Heart</i> , 1999 , 82, 630-3	5.1	6
337	ACE inhibition with ramipril improves left ventricular function at rest and post exercise in patients with stable ischaemic heart disease and preserved left ventricular systolic function. 1999 , 20, 1647-56		11
336	Left atrial systolic function is depressed in idiopathic and preserved in ischemic dilated cardiomyopathy. 1999 , 29, 905-12		36
335	Tissue Doppler to Assess Diastolic Left Ventricular Function. <i>Echocardiography</i> , 1999 , 16, 501-508	1.5	27
334	Evaluation of Left Ventricular Diastolic Performance Using Automated Border Detection. <i>Echocardiography</i> , 1999 , 16, 51-62	1.5	5
333	Benefit of long-term treatment with metoprolol in patients with dilated cardiomyopathy receiving enalapril: focus on the pattern of left ventricular diastolic filling. 1999 , 13, 271-3		
332	Different prognostic significance of right and left ventricular diastolic dysfunction in heart failure. 1999 , 22, 504-12		46
331	Prognostic value of diastolic filling parameters derived using a novel image processing technique in patients > or = 70 years of age with congestive heart failure. <i>American Journal of Cardiology</i> , 1999 , 84, 82-6	3	37
330	Prevalence, predictors, and prognosis of reversal of maladaptive remodeling with intensive medical therapy in idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 1999 , 84, 671-6	3	59
329	Decreased left atrial appendage function is an important predictor of elevated left ventricular filling pressure in patients with congestive heart failure. <i>International Journal of Cardiology</i> , 1999 , 68, 39-45	3.2	8

328	Use of echocardiography in the management of congestive heart failure in the community. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 164-70	15.1	121
327	Left ventricular systolic and diastolic function after pericardiectomy in patients with constrictive pericarditis: Doppler echocardiographic findings and correlation with clinical status. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1182-8	15.1	76
326	Effect of preload alternations on a new Doppler echocardiographic index of combined systolic and diastolic performance. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 1065-72	5.8	141
325	Assessment of diastolic function by tissue Doppler echocardiography: comparison with standard transmitral and pulmonary venous flow. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 609-17	5.8	171
324	Long-term effects of carvedilol in idiopathic dilated cardiomyopathy with persistent left ventricular dysfunction despite chronic metoprolol. The Heart-Muscle Disease Study Group. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 1926-34	15.1	104
323	Myocardial contractile reserve on dobutamine echocardiography predicts late spontaneous improvement in cardiac function in patients with recent onset idiopathic dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 1537-44	15.1	89
322	Effects of long-term adrenergic beta-blockade on left ventricular diastolic filling in patients with acute myocardial infarction. 1999 , 138, 710-20		18
321	Left ventricular end-systolic wall stress is a potent prognostic variable in patients with dilated cardiomyopathy. 1999 , 63, 196-200		13
320	Left atrioventricular plane displacement is related to both systolic and diastolic left ventricular performance in patients with chronic heart failure. 1999 , 20, 612-8		61
319	Prognostic value of left atrial appendage function in patients with dilated cardiomyopathy. 2000 , 64, 340-4		5
318	Effect of beta-blocker on left ventricular function and natriuretic peptides in patients with chronic heart failure treated with angiotensin-converting enzyme inhibitor. 2000 , 64, 365-9		51
317	Assessment of length-dependent regulation of myocardial function in coronary surgery patients using transmitral flow velocity patterns. 2000 , 93, 374-81		19
316	Physiologic assessment of left ventricular systolic and diastolic performance. 2000 , 25, 827-908		1
315	Usefulness of left ventricular mass in predicting recovery of left ventricular systolic function in patients with symptomatic idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2000 , 85, 624-9	3	12
314	Prognostic usefulness of the tricuspid annular plane systolic excursion in patients with congestive heart failure secondary to idiopathic or ischemic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2000 , 85, 837-42	3	397
313	Impact of blunted pulmonary venous flow on the outcome of patients with left ventricular systolic dysfunction secondary to either ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2000 , 85, 1455-60	3	35
312	Echocardiographic determinants of mortality in patients >67 years of age with chronic heart failure. <i>American Journal of Cardiology</i> , 2000 , 86, 158-61	3	19
311	Predictors of short-term outcome in Chinese patients with ambulatory heart failure for heart transplantation with ejection fraction. 2000 , 41, 349-69		8

310	Prognostic stratification in heart failure: what's the point?. 2000 , 21, 1815-6		0
309	Normal Age-Related Changes in the Heart: Relevance to Echocardiography in the Elderly. 2000 , 9, 311-320		5
308	beta-blocker improvement in diastolic performance: the yin and yang of ventricular function changes. 2000 , 139, 584-6		6
307	Beta-blockade therapy in chronic heart failure: diastolic function and mitral regurgitation improvement by carvedilol. 2000 , 139, 596-608		182
306	Doppler-derived mitral deceleration time as an early predictor of left ventricular thrombus after first anterior acute myocardial infarction. 2000 , 140, 772-6		15
305	The echo-Doppler evaluation of left ventricular diastolic function. A current perspective. 2000 , 18, 513-46, ix		127
304	Diastolic dysfunction in the elderly. Genesis and diagnostic and therapeutic implications. 2000 , 18, 597-617, x		40
303	[The clinical practice guidelines of the Sociedad Española de Cardiología on cardiomyopathies and myocarditis]. 2000 , 53, 360-93		26
302	Congestive heart failure and the role of two-dimensional Doppler echocardiography: a primer for cardiac sonographers. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 157-63	5.8	1
301	The influence of heart rate on the Doppler-derived myocardial performance index. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 379-84	5.8	103
300	Serial assessment of left ventricular diastolic function after Fontan procedure. 2000 , 83, 420-4		125
299	Prognostic value of pulmonary venous flow Doppler signal in left ventricular dysfunction: contribution of the difference in duration of pulmonary venous and mitral flow at atrial contraction. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 1295-302	15.1	81
298	Doppler-derived dP/dt and -dP/dt predict survival in congestive heart failure. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 1594-9	15.1	67
297	Ratio of left ventricular peak E-wave velocity to flow propagation velocity assessed by color M-mode Doppler echocardiography in first myocardial infarction: prognostic and clinical implications. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 363-70	15.1	111
296	Prognostic value of Doppler echocardiographic mitral inflow patterns: implications for risk stratification in patients with chronic congestive heart failure. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 1049-55	15.1	110
295	Echo-Doppler mitral flow monitoring: an operative tool to evaluate day-to-day tolerance to and effectiveness of beta-adrenergic blocking agent therapy in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2001 , 38, 1675-84	15.1	25
294	Pathophysiologic determinants of third heart sounds: a prospective clinical and Doppler echocardiographic study. 2001 , 111, 96-102		41
293	Prognosis determination in heart failure. 2001 , 110 Suppl 7A, 14S-36S		80

292	Right ventricular diastolic function in beta-thalassemia major: echocardiographic and clinical correlates. 2001 , 141, 428-34		56
291	Left ventricular diastolic filling is related to the atrioventricular plane displacement in patients with coronary artery disease. 2001 , 35, 30-4		6
290	Diastolic dysfunction is predictive of difficult weaning from cardiopulmonary bypass. <i>Anesthesia and Analgesia</i> , 2001 , 92, 291-8	3.9	30
289	Non-invasive monitoring of pulmonary capillary wedge pressure in heart failure. <i>European Journal of Heart Failure</i> , 2001 , 3, 41-6	12.3	6
288	Frequency, prognosis and predictors of improvement of systolic left ventricular function in patients with classical clinical diagnosis of idiopathic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2001 , 3, 323-30	12.3	42
287	Diastolic Dysfunction is Predictive of Difficult Weaning from Cardiopulmonary Bypass. <i>Anesthesia and Analgesia</i> , 2001 , 92, 291-298	3.9	111
286	[Prognostic relevance of left ventricular diastolic function parameters in dilated cardiomyopathy]. 2001 , 90, 269-79		6
285	Additional value of pulmonary vein parameters in defining pseudonormalization of mitral inflow pattern. <i>Echocardiography</i> , 2001 , 18, 673-9	1.5	17
284	Evaluation of diastolic function. 2001 , 53, 85-93		
283	The role of nitric oxide in the failing heart. <i>Heart Failure Reviews</i> , 2001 , 6, 105-18	5	49
282	Relation between paroxysmal atrial fibrillation and left ventricular diastolic function in patients with acute myocardial infarction. <i>American Journal of Cardiology</i> , 2001 , 88, 160-2, A5	3	21
281	[Prognostic factors of chronic heart insufficiency]. 2001 , 50, 21-9		
280	Intracellular signaling by the killer immunoglobulin-like receptors and Ly49. 2001 , 2001, re1		51
279	Deceleration time in ischemic cardiomyopathy: relation to echocardiographic and scintigraphic indices of myocardial viability and functional recovery after revascularization. <i>Circulation</i> , 2001 , 103, 1232-7	16.7	42
278	Diagnostic exercise physiology in chronic heart failure. 2001 , 86, 17-20		4
277	Increase in plasma adrenomedullin in patients with heart failure characterised by diastolic dysfunction. 2001 , 86, 155-60		31
276	Prognostic importance of elevated jugular venous pressure and a third heart sound in patients with heart failure. 2001 , 345, 574-81		489
275	Right ventricular cardiomyopathy in beta-thalassaemia major. 2002 , 23, 147-56		61

274	Endomyocardial nitric oxide synthase and the hemodynamic phenotypes of human dilated cardiomyopathy and of athlete's heart. 2002 , 55, 270-8; discussion 225-8		20
273	Clinical depression is common and significantly associated with reduced survival in patients with non-ischaemic heart failure. <i>European Journal of Heart Failure</i> , 2002 , 4, 541-51	12.3	146
272	Echocardiography and prognosis of heart failure. 2002 , 17, 253-6		11
271	Noninvasive differentiation of normal from pseudonormal/restrictive mitral flow using TEI index combining systolic and diastolic function. <i>Circulation Journal</i> , 2002 , 66, 831-6	2.9	24
270	Prognostic value of mechanical efficiency in ambulatory patients with idiopathic dilated cardiomyopathy in sinus rhythm. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 1264-8	15.1	39
269	Pseudonormal mitral filling pattern predicts hospital re-admission in patients with congestive heart failure. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 1787-95	15.1	85
268	Pseudonormal or intermediate pattern?. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 1796-8	15.1	11
267	Long-term, dose-dependent effects of spironolactone on left ventricular function and exercise tolerance in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 304-10	15.1	136
266	Determinants and prognostic value of left atrial volume in patients with dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 1425	15.1	273
265	Deceleration time of early filling in patients with left ventricular systolic dysfunction: functional and prognostic independent value. 2002 , 143, 1101-6		13
264	Elevated serum uric acid levels are associated with diastolic dysfunction in patients with dilated cardiomyopathy. 2002 , 143, 1107-11		74
263	Echocardiography-derived variables predict outcome in patients with nonischemic dilated cardiomyopathy with or without a restrictive filling pattern. 2002 , 144, 343-50		40
262	Prevalence of left ventricular diastolic dysfunction by Doppler echocardiography: clinical application of the Canadian consensus guidelines. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 1238-44	5.8	50
261	Valoraci3n pron3stica de los pacientes con disfunci3n sist3lica: estudio funcional y ecocardiogr3fico. 2002 , 55, 372-382		2
260	Dobutamine echocardiography in idiopathic dilated cardiomyopathy: clinical and prognostic implications. <i>European Journal of Heart Failure</i> , 2002 , 4, 49-61	12.3	36
259	Restrictive left ventricular filling pattern with preserved systolic function assessed by Doppler echocardiography: clinical, echocardiographic and prognostic implications. 2002 , 98, 148-53		4
258	Prognostic value of left atrial enlargement in patients with idiopathic dilated cardiomyopathy and ischemic cardiomyopathy. <i>American Journal of Cardiology</i> , 2002 , 89, 518-23	3	88
257	Doppler-derived left ventricular end-diastolic pressure prediction model using the combined analysis of mitral and pulmonary A waves in patients with coronary artery disease and preserved left ventricular systolic function. <i>American Journal of Cardiology</i> , 2002 , 90, 720-4	3	16

256	Prognostic value of Doppler-derived myocardial performance index in patients with left ventricular systolic dysfunction. <i>American Journal of Cardiology</i> , 2002 , 90, 1261-3	3	24
255	Dilated cardiomyopathies as a cause of congestive heart failure. 2002 , 27, 113-34		21
254	Editorial. <i>Journal of Veterinary Cardiology</i> , 2002 , 4, 5-6	1.9	
253	Doppler echocardiographic assessment of left ventricular diastolic function in 74 boxer dogs with aortic stenosis. <i>Journal of Veterinary Cardiology</i> , 2002 , 4, 7-16	1.9	8
252	Importance of the index of myocardial performance in evaluation of left ventricular function. <i>Echocardiography</i> , 2002 , 19, 273-8	1.5	23
251	Doppler-derived mitral and pulmonary venous flow variables are predictors of pulmonary hypertension in dilated cardiomyopathy. <i>Echocardiography</i> , 2002 , 19, 457-65	1.5	18
250	Doppler echocardiography in the dog: measurement variability and reproducibility. 2002 , 43, 144-52		43
249	Effects of acute angiotensin-converting enzyme inhibition on diastolic ventricular interaction in the dilated heart. 2003 , 26, 424-30		2
248	Alterations of left ventricular function in women with insulin-dependent diabetes mellitus during pregnancy. 2003 , 46, 267-75		10
247	Measurement of tricuspid annular diastolic velocities by Doppler tissue imaging to assess right ventricular function in patients with congenital heart disease. 2003 , 24, 463-7		40
246	Prognostic value of pseudonormal and restrictive filling patterns on left ventricular remodeling and cardiac events after coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 2003 , 91, 550-4	3	40
245	Coronary flow reserve correlates left ventricular diastolic dysfunction in patients with dilated cardiomyopathy. 2003 , 58, 43-50		13
244	Proposed guidelines for the diagnosis of canine idiopathic dilated cardiomyopathy. <i>Journal of Veterinary Cardiology</i> , 2003 , 5, 7-19	1.9	149
243	Prognostic value of the atrial systolic mitral annular motion velocity in patients with left ventricular systolic dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 333-9	5.8	92
242	Noninvasive differentiation of pseudonormal/restrictive from normal mitral flow by Tei index: a simultaneous echocardiography-catheterization study in patients with acute anteroseptal myocardial infarction. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 1231-6	5.8	16
241	In patients with severe systolic dysfunction, only brain natriuretic peptide is related to diastolic restrictive pattern. <i>Journal of Cardiac Failure</i> , 2003 , 9, 303-10	3.3	11
240	Third heart sound and elevated jugular venous pressure as markers of the subsequent development of heart failure in patients with asymptomatic left ventricular dysfunction. 2003 , 114, 431-7		55
239	Clinical assessment of left ventricular diastolic function. 2003 , 89, 231-8		69

238	Intraoperative assessment of diastolic function: utility of echocardiography. 2003 , 16, 11-9		2
237	Myocardial fibrosis blunts nitric oxide synthase-related preload reserve in human dilated cardiomyopathy. 2003 , 284, H10-6		10
236	[The diastolic function: an echocardiographic study and its clinical meaning]. 2004 , 62, 73-85		1
235	Amino-terminal propeptide of type III procollagen is associated with restrictive mitral filling pattern in patients with dilated cardiomyopathy: a possible link between diastolic dysfunction and prognosis. 2004 , 90, 650-4		44
234	No reflow was caught red handed in a patient with acute anterior myocardial infarction undergoing rescue angioplasty. 2004 , 90, 654		
233	Restrictive filling pattern is associated with increased humoral activation and impaired exercise capacity in dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2004 , 6, 735-43	12.3	12
232	Echocardiographic indices of left ventricular diastolic dysfunction in 647 individuals with preserved left ventricular systolic function. <i>European Journal of Heart Failure</i> , 2004 , 6, 439-47	12.3	12
231	Characterizing vortex ring behavior during ventricular filling with Doppler echocardiography: an in vitro study. <i>Annals of Biomedical Engineering</i> , 2004 , 32, 245-56	4.7	32
230	The utility of newly derived Doppler echocardiographic variables in the diagnosis and management of patients with heart failure. 2004 , 6, 217-24		
229	The role of echocardiography in the diagnosis and prognosis of patients with heart failure. <i>Expert Review of Cardiovascular Therapy</i> , 2004 , 2, 141-4	2.5	0
228	Diastolic dysfunction: can it be diagnosed by Doppler echocardiography?. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 1543-9	15.1	138
227	Independent and additional prognostic value of aminoterminal propeptide of type III procollagen circulating levels in patients with chronic heart failure. <i>Journal of Cardiac Failure</i> , 2004 , 10, 403-11	3.3	87
226	Dilated Cardiomyopathy. 2004 , 149-168		
225	Effects of carvedilol therapy on restrictive diastolic filling pattern in chronic heart failure. 2004 , 147, E2		16
224	Is left ventricular diastolic function an independent marker of prognosis after acute myocardial infarction?. <i>International Journal of Cardiology</i> , 2004 , 96, 183-9	3.2	24
223	Importance of echocardiography in patients with severe nonischemic heart failure: the second Prospective Randomized Amlodipine Survival Evaluation (PRAISE-2) echocardiographic study. 2004 , 147, 151-7		21
222	Nitric oxide's role in the heart: control of beating or breathing?. 2004 , 287, H8-13		54
221	Left ventricular diastolic function improvement by carvedilol therapy in advanced heart failure. <i>Journal of Cardiovascular Pharmacology</i> , 2005 , 45, 563-8	3.1	24

220	Pulmonary edema and cardiac dysfunction following subarachnoid hemorrhage. 2005 , 32, 178-85		26
219	Influence of aging on cardiac function examined by echocardiography. 2005 , 207, 13-9		18
218	Left atrial systolic reserve in idiopathic vs. ischaemic-dilated cardiomyopathy. 2005 , 35, 355-61		16
217	Pulmonary hypertension in advanced heart failure. 2005 , 30, 311-7		15
216	The NT-proBNP assay identifies very elderly nursing home residents suffering from pre-clinical heart failure. <i>European Journal of Heart Failure</i> , 2005 , 7, 542-51	12.3	19
215	The additive prognostic value of restrictive pattern and dipyridamole-induced contractile reserve in idiopathic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2005 , 7, 844-51	12.3	21
214	Role of echocardiography in the contemporary management of chronic heart failure. <i>Expert Review of Cardiovascular Therapy</i> , 2005 , 3, 51-70	2.5	4
213	Predictors of cardiovascular death in patients with a left ventricular restrictive filling pattern of the mitral inflow. 2005 , 103, 48-52		1
212	Incidence and significance of abnormal hepatic venous Doppler flow velocities before cardiac surgery. 2005 , 19, 751-8		21
211	Preload and flow propagation velocity: insight into patients with uremia and different left ventricular systolic function. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 1254-9	5.8	4
210	Doppler tissue imaging and color M-mode flow propagation velocity: are they really preload independent?. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 1277-84	5.8	31
209	Prognostic value of systolic mitral annular velocity measured with Doppler tissue imaging in patients with chronic heart failure caused by left ventricular systolic dysfunction. <i>Heart</i> , 2006 , 92, 775-9	5.1	87
208	Valor pronóstico de los cambios inducidos por la maniobra de Valsalva en el llenado ventricular registrado con Doppler en pacientes con disfunción sistólica. 2005 , 58, 1029-1036		1
207	Prognostic Value of Valsalva Maneuver-Induced Change in Doppler-Detected Ventricular Filling in Patients With Systolic Dysfunction. 2005 , 58, 1029-1036		
206	Left heart failure with a normal ejection fraction: identification of different pathophysiologic mechanisms. <i>Journal of Cardiac Failure</i> , 2005 , 11, 177-87	3.3	153
205	B-type natriuretic peptide can predict the medium-term risk in patients with acute heart failure and preserved systolic function. <i>Journal of Cardiac Failure</i> , 2005 , 11, 498-503	3.3	43
204	Echocardiographic predictors of morbidity and mortality in patients with advanced heart failure: the Beta-blocker Evaluation of Survival Trial (BEST). <i>Journal of the American College of Cardiology</i> , 2005 , 45, 1064-71	15.1	153
203	Effect of dobutamine stress on left ventricular filling in ischemic dilated cardiomyopathy: pathophysiology and prognostic implications. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 488-96	15.1	42

202	Prognostic Indicators for Dogs with Dilated Cardiomyopathy. 2006 , 20, 104-110		44
201	Prognostic value of pacing-induced mechanical alternans in patients with mild-to-moderate idiopathic dilated cardiomyopathy in sinus rhythm. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 1382-9	15.1	21
200	Validation of prognostic models among patients with advanced heart failure. <i>Journal of Cardiac Failure</i> , 2006 , 12, 430-8	3.3	19
199	Chronic heart failure with preserved left ventricular ejection fraction: diagnostic and prognostic value of left atrial size. <i>International Journal of Cardiology</i> , 2006 , 110, 386-92	3.2	52
198	Evolution and prognostic significance of diastolic filling pattern in cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2006 , 112, 322-8	3.2	15
197	Echocardiographie normale et pathologique. 2006 , 1, 1-37		
196	Role of echo Doppler techniques in the evaluation and treatment of heart failure patients. 2006 , 8, E28-E31		4
195	Early diagnosis of congestive heart failure: clinical utility of B-type natriuretic peptide testing associated with Doppler echocardiography. <i>Journal of Cardiovascular Medicine</i> , 2006 , 7, 406-13	1.9	14
194	Survival in thalassaemia major patients. <i>Circulation Journal</i> , 2006 , 70, 1037-42	2.9	19
193	Stroke volume and mitral annular velocities: insights from uremic patients with significant valvular regurgitation. <i>Echocardiography</i> , 2006 , 23, 108-13	1.5	1
192	Apex techniques, old and new, hold the key to estimated left ventricular end-diastolic and right ventricular systolic pressure. <i>International Journal of Cardiovascular Imaging</i> , 2006 , 22, 643-6	2.5	
191	Left and right ventricular diastolic dysfunction as predictors of difficult separation from cardiopulmonary bypass. 2006 , 53, 1020-9		51
190	Determinants of pulmonary artery hypertension at rest and during exercise in patients with heart failure. 2007 , 28, 569-74		80
189	Risk Factors for Heart Failure Progression and Outcomes. 2006 , 2, 79-88		
188	Tissue Doppler-derived index of left ventricular filling pressure, E/EP, predicts survival of patients with non-valvular atrial fibrillation. <i>Heart</i> , 2006 , 92, 1248-52	5.1	137
187	Left ventricular end-diastolic pressure is a predictor of mortality in cardiac surgery independently of left ventricular ejection fraction. 2006 , 97, 292-7		65
186	Incremental prognostic value of restrictive filling pattern in hypertrophic cardiomyopathy: a Doppler echocardiographic study. 2008 , 9, 466-71		12
185	Left atrial volume provides independent and incremental information compared with exercise tolerance parameters in patients with heart failure and left ventricular systolic dysfunction. <i>Heart</i> , 2007 , 93, 1420-5	5.1	43

184	The prognostic significance of restrictive diastolic filling associated with heart failure: a meta-analysis. <i>International Journal of Cardiology</i> , 2007 , 116, 70-7	3.2	31
183	Assessment of Diastolic Function by Doppler Echocardiography in Normal Doberman Pinschers and Doberman Pinschers with Dilated Cardiomyopathy. 2007 , 21, 81-91		24
182	Assessment of Regional Systolic and Diastolic Myocardial Function Using Tissue Doppler and Strain Imaging in Dogs with Dilated Cardiomyopathy. 2007 , 21, 719-730		32
181	Perioperative Critical Care Cardiology. 2007 ,		
180	Essential Echocardiography. 2007 ,		9
179	Echocardiography in heart failure: applications, utility, and new horizons. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 381-96	15.1	162
178	[BNP-guided therapy optimizes the timing of discharge and the medium term risk stratification in patients admitted for congestive heart failure]. 2007 , 68, 154-64		5
177	Role of echocardiography in diagnosis and risk stratification in heart failure with left ventricular systolic dysfunction. 2007 , 5, 34		47
176	Biochemical and bioimaging markers for risk assessment and diagnosis in major cardiovascular diseases: a road to integration of complementary diagnostic tools. 2007 , 261, 214-34		27
175	Prognostic role of left atrial volume in elderly patients with symptomatic stable chronic heart failure: comparison with left ventricular diastolic dysfunction and B-type natriuretic peptide. <i>Echocardiography</i> , 2007 , 24, 1035-43	1.5	24
174	Baseline predictors of cardiac events after cardiac resynchronization therapy in patients with heart failure secondary to ischemic or nonischemic etiology. <i>American Journal of Cardiology</i> , 2007 , 100, 464-9	3	18
173	The effect of preoperative diastolic dysfunction on outcome after surgical ventricular remodeling. 2007 , 134, 280-3		14
172	Recent Advances in the Natural History of Dilated Cardiomyopathy: A Review of the Heart Muscle Disease Registry of Trieste. 2007 , 267-277		
171	Effect of preload and heart rate on the doppler and tissue doppler-derived myocardial performance index. 2007 , 30, 342-8		26
170	Left atrioventricular remodeling in the assessment of the left ventricle diastolic function in patients with heart failure: a review of the currently studied echocardiographic variables. 2008 , 6, 56		15
169	Elevation of the ratio of transmitral E velocity to early diastolic mitral annular velocity continues even after recovery from acute stage in patients with diastolic heart failure. 2008 , 52, 254-60		7
168	Prognostic value of short-deceleration time of mitral inflow E velocity: implications in patients with atrial fibrillation and left-ventricular systolic dysfunction. 2008 , 101, 317-25		9
167	Pulmonary artery pressure and diastolic dysfunction in normal left ventricular systolic function. <i>International Journal of Cardiology</i> , 2008 , 127, 174-8	3.2	33

166	Estimation of left ventricular filling pressure by Doppler echocardiography in dogs with pacing-induced heart failure. 2008 , 22, 578-85		27
165	Recommendations for the evaluation of left ventricular diastolic function by echocardiography. 2009 , 10, 165-93		1452
164	Optimal noninvasive assessment of diastolic heart failure in patients with atrial fibrillation: comparison of tissue doppler echocardiography, left atrium size, and brain natriuretic peptide. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 689-96	5.8	26
163	Myofilament protein gene mutation screening and outcome of patients with hypertrophic cardiomyopathy. 2008 , 83, 630-8		132
162	Dilated Cardiomyopathy and Cardiac Transplantation. 2008 , 247-257		1
161	Prognostic importance of a short deceleration time in symptomatic congestive heart failure. <i>European Journal of Heart Failure</i> , 2008 , 10, 689-95	12.3	11
160	Estimation of left ventricular filling pressure by use of Doppler echocardiography in healthy anesthetized dogs subjected to acute volume loading. 2008 , 69, 1034-49		34
159	Myofilament Protein Gene Mutation Screening and Outcome of Patients With Hypertrophic Cardiomyopathy. 2008 , 83, 630-638		261
158	Postresuscitation myocardial diastolic dysfunction following prolonged ventricular fibrillation and cardiopulmonary resuscitation. 2008 , 36, 188-92		26
157	Evaluation of Diastolic Function by Two-Dimensional and Doppler Assessment of Left Ventricular Filling Including Pulmonary Venous Flow. 2008 , 115-143		2
156	Prognostic significance of diastolic dysfunction by tissue Doppler imaging in patients with chronic heart failure. 2009 , 337, 415-20		8
155	Effect of revascularizing viable myocardium on left ventricular diastolic function in patients with ischaemic cardiomyopathy. 2009 , 30, 1501-9		27
154	Smoking and atherosclerotic cardiovascular disease: part III: functional biomarkers influenced by smoking. 2009 , 3, 807-23		4
153	Long-term left ventricular reverse remodelling with cardiac resynchronization therapy: results from the CARE-HF trial. <i>European Journal of Heart Failure</i> , 2009 , 11, 480-8	12.3	143
152	Oxidative stress and hyperuricaemia: pathophysiology, clinical relevance, and therapeutic implications in chronic heart failure. <i>European Journal of Heart Failure</i> , 2009 , 11, 444-52	12.3	114
151	Independent relationship of left atrial size and mortality in patients with heart failure: an individual patient meta-analysis of longitudinal data (MeRGE Heart Failure). <i>European Journal of Heart Failure</i> , 2009 , 11, 929-36	12.3	109
150	Echocardiography in Acute Coronary Syndrome. 2009 ,		1
149	Diastolic function and BNP changes during exercise predict oxygen consumption in chronic heart failure patients. 2009 , 43, 17-23		5

148	Predictors of survival after aortic valve replacement in patients with low-flow and high-gradient aortic stenosis. <i>European Journal of Heart Failure</i> , 2009 , 11, 897-902	12.3	19
147	Influence of myocardial fibrosis on left ventricular diastolic function: noninvasive assessment by cardiac magnetic resonance and echo. 2009 , 2, 437-43		141
146	Determinants of exercise-induced pulmonary hypertension in patients with normal left ventricular ejection fraction. <i>Heart</i> , 2009 , 95, 490-4	5.1	43
145	Predictors of mortality in medically treated patients with congestive heart failure of nonrheumatic etiology and reduced systolic function. 2009 , 20, 362-5		8
144	Echocardiography and risk prediction in advanced heart failure: incremental value over clinical markers. <i>Journal of Cardiac Failure</i> , 2009 , 15, 586-92	3.3	27
143	The Role of Echocardiography in Hemodynamic Assessment in Heart Failure. 2009 , 4, 149-166		1
142	Diastolic Stress Echocardiography. 2009 , 361-373		
141	Recommendations for the evaluation of left ventricular diastolic function by echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 107-33	5.8	2344
140	Left ventricular mechanics in idiopathic dilated cardiomyopathy: systolic-diastolic coupling and torsion. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 486-93	5.8	55
139	Echocardiography for the Management of End Stage Ischemic Heart Disease and as a Tool for Resynchronization Therapy. 2009 , 377-404		
138	The role of echocardiography in hemodynamic assessment in heart failure. 2009 , 5, 191-208		25
137	Elevated E/EP predicts prognosis in congestive heart failure patients with preserved systolic function. <i>Circulation Journal</i> , 2009 , 73, 86-91	2.9	43
136	The progression of left ventricular systolic and diastolic dysfunctions in hypertrophic cardiomyopathy: clinical and prognostic significance. <i>Journal of Cardiovascular Medicine</i> , 2010 , 11, 669-77 ^{1.9}		13
135	Resting measures and physiological responses to exercise for the determination of prognosis in patients with chronic heart failure: useful tools for clinical decision-making. 2010 , 18, 171-7		3
134	Echocardiographic evaluation of diastolic heart failure. 2010 , 13, 14-26		3
133	Assessment of atrial electromechanical delay by tissue Doppler echocardiography in patients with nonischemic dilated cardiomyopathy. 2010 , 43, 344-50		20
132	Long-term beta-blocker therapy improves diastolic function even without the therapeutic effect on systolic function in patients with reduced ejection fraction. 2010 , 56, 176-82		16
131	Prognostic significance of left ventricular diastolic dysfunction in patients with left ventricular hypertrophy and systemic hypertension (the LIFE Study). <i>American Journal of Cardiology</i> , 2010 , 106, 999-1005 ³¹		31

130	The effect of cardiac fibrosis on left ventricular remodeling, diastolic function, and N-terminal pro-B-type natriuretic peptide levels in patients with nonischemic dilated cardiomyopathy. <i>Echocardiography</i> , 2010 , 27, 954-60	1.5	23
129	Survival and echocardiographic evaluation of dogs with idiopathic dilated cardiomyopathy treated with carvedilol. 2010 , 62, 555-563		2
128	The time constant of left ventricular relaxation: extrication from load dependence and overestimation of functional abnormality. 2010 , 3, 178-80		7
127	Pressure-volume relationship during dobutamine stress echocardiography predicts exercise tolerance in patients with congestive heart failure. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 71-8	5.8	7
126	Atrial fibrillation and amino-terminal pro-brain natriuretic peptide as independent predictors of prognosis in systolic heart failure. <i>International Journal of Cardiology</i> , 2010 , 140, 344-50	3.2	10
125	Patient-Specific Modeling of the Cardiovascular System. 2010 ,		7
124	Diastolic dysfunction in cardiomyopathies. 2011 , 21, 157-165		1
123	Natural history of end-stage LV dysfunction: has it improved from the classic Franciosa and Cohn Graph?. 2011 , 29, 485-95		0
122	Relation of replacement fibrosis to left ventricular diastolic function in patients with dilated cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2011 , 24, 333-8	5.8	21
121	Prevalence and prognostic significance of left ventricular reverse remodeling in dilated cardiomyopathy receiving tailored medical treatment. <i>Journal of the American College of Cardiology</i> , 2011 , 57, 1468-76	15.1	237
120	Left ventricular mechanical dyssynchrony in acute onset cardiomyopathy: association of its resolution with improvements in ventricular function. <i>JACC: Cardiovascular Imaging</i> , 2011 , 4, 445-56	8.4	18
119	Noninvasive estimation of LV filling pressures in heart failure and reduced ejection fraction: revisited and verified. <i>JACC: Cardiovascular Imaging</i> , 2011 , 4, 935-7	8.4	8
118	Independent and incremental prognostic value of Doppler-derived left ventricular total isovolumic time in patients with systolic heart failure. <i>International Journal of Cardiology</i> , 2011 , 148, 271-5	3.2	15
117	Additive value of severe diastolic dysfunction and contractile reserve in the identification of responders to cardiac resynchronization therapy. <i>European Journal of Heart Failure</i> , 2011 , 13, 1323-30	12.3	8
116	Echocardiographic evaluation of hemodynamics in patients with decompensated systolic heart failure. 2011 , 4, 220-7		120
115	Exercise training improves diastolic function in heart failure patients. 2012 , 44, 776-85		69
114	Evaluation of left and right ventricular ejection fraction and volumes from gated blood-pool SPECT in patients with dilated cardiomyopathy: comparison with cardiac MRI. 2012 , 53, 584-91		23
113	Age-related effects of exercise training on diastolic function in heart failure with reduced ejection fraction: the Leipzig Exercise Intervention in Chronic Heart Failure and Aging (LEICA) Diastolic Dysfunction Study. 2012 , 33, 1758-68		52

112	Determinants of regurgitant volume in mitral regurgitation: contrasting effect of similar effective regurgitant orifice area in functional and organic mitral regurgitation. <i>European Heart Journal Cardiovascular Imaging</i> , 2012 , 13, 324-9	4.1	3
111	Biomarkers of functional class in systolic heart failure: The relevance of copeptin. 2012 , 31, 701-710		3
110	[Biomarkers of functional class in systolic heart failure: the relevance of copeptin]. 2012 , 31, 701-10		2
109	Noninvasive prediction of left ventricular end-diastolic pressure in patients with coronary artery disease and preserved ejection fraction. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 80-6	3.8	4
108	Clinical Echocardiography. 2012 ,		0
107	DCM-related tropomyosin mutants E40K/E54K over-inhibit the actomyosin interaction and lead to a decrease in the number of cycling cross-bridges. 2012 , 7, e47471		12
106	Genetics of inherited cardiomyopathy. 2012 , 33, 296-304		126
105	Chronic pulmonary hypertension causes significant interventricular spatiotemporal dyssynchrony when onset of diastolic flow signals are assessed by color m-mode. <i>Echocardiography</i> , 2012 , 29, 653-60	1.5	5
104	Independent and incremental value of severely enlarged left atrium in risk stratification of very elderly patients with chronic systolic heart failure. 2012 , 18, 222-8		5
103	Prognostic implications of left ventricular dilation in patients with nonischemic heart failure: interactions with restrictive filling pattern and mitral regurgitation. 2012 , 18, 198-204		1
102	Preliminary clinical study of left ventricular myocardial strain in patients with non-ischemic dilated cardiomyopathy by three-dimensional speckle tracking imaging. 2012 , 10, 8		24
101	The etiology-filling pattern-pulmonary artery pressure score: a simple tool for risk stratification of patients with systolic heart failure. 2013 , 19, 39-43		
100	Long-term evolution and prognostic stratification of biopsy-proven active myocarditis. <i>Circulation</i> , 2013 , 128, 2384-94	16.7	107
99	The additional prognostic value of left atrial volume on the outcome of patients after surgical ventricular reconstruction. <i>Annals of Thoracic Surgery</i> , 2013 , 95, 141-7	2.7	4
98	Determinants and functional impact of restrictive physiology after repair of tetralogy of Fallot: new insights from magnetic resonance imaging. <i>International Journal of Cardiology</i> , 2013 , 167, 1347-53	3.2	32
97	Gender related predictors of limited exercise capacity in heart failure. <i>International Journal of Cardiology Heart & Vessels</i> , 2013 , 1, 11-16		
96	Echocardiography and vascular ultrasound: new developments and future directions. <i>Canadian Journal of Cardiology</i> , 2013 , 29, 304-16	3.8	18
95	Topology of blood transport in the human left ventricle by novel processing of Doppler echocardiography. <i>Annals of Biomedical Engineering</i> , 2013 , 41, 2603-16	4.7	60

94	Tissue Doppler systolic velocity change during dobutamine stress echocardiography predicts contractile reserve and exercise tolerance in patients with heart failure. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 102-9	4.1	14
93	Clinical utility and prognostic value of left atrial volume assessment by cardiovascular magnetic resonance in non-ischaemic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2013 , 15, 660-70	12.3	66
92	The Echo Heart Failure Score: an echocardiographic risk prediction score of mortality in systolic heart failure. <i>European Journal of Heart Failure</i> , 2013 , 15, 868-76	12.3	48
91	Clinical phenotype and outcome of hypertrophic cardiomyopathy associated with thin-filament gene mutations. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 2589-2600	15.1	69
90	Effects of auto-servo ventilation on patients with sleep-disordered breathing, stable systolic heart failure and concomitant diastolic dysfunction: subanalysis of a randomized controlled trial. <i>Respiration</i> , 2014 , 87, 54-62	3.7	19
89	Prognostic value of the physical examination in patients with heart failure and atrial fibrillation: insights from the AF-CHF trial (atrial fibrillation and chronic heart failure). <i>JACC: Heart Failure</i> , 2014 , 2, 15-23	7.9	23
88	Pre-load stress echocardiography for predicting the prognosis in mild heart failure. <i>JACC: Cardiovascular Imaging</i> , 2014 , 7, 641-9	8.4	23
87	Kardiomiopatia restrykcyjna [historia ze szczególnym zakończeniem]. <i>Pediatrics Polska</i> , 2014 , 89, 285-291	0.1	
86	Prognostic value of pulmonary hypertension in ambulatory patients with non-ischemic dilated cardiomyopathy. <i>Circulation Journal</i> , 2014 , 78, 1245-53	2.9	15
85	Third heart sound in hospitalised patients with acute heart failure: insights from the ATTEND study. <i>International Journal of Clinical Practice</i> , 2015 , 69, 820-8	2.9	6
84	Relationship between Myocardial Extracellular Space Expansion Estimated with Post-Contrast T1 Mapping MRI and Left Ventricular Remodeling and Neurohormonal Activation in Patients with Dilated Cardiomyopathy. <i>Korean Journal of Radiology</i> , 2015 , 16, 1153-62	6.9	7
83	Early improvement in serial echocardiographic studies in heart failure patients predicts long term survival-a pilot study. <i>Journal of Cardiac Failure</i> , 2015 , 21, 470-8	3.3	3
82	Echocardiographic evaluation of left ventricular diastolic function in cats: Hemodynamic determinants and pattern recognition. <i>Journal of Veterinary Cardiology</i> , 2015 , 17 Suppl 1, S102-33	1.9	43
81	Left ventricular restrictive filling pattern and the presence of contractile reserve in patients with low-flow/low-gradient severe aortic stenosis. <i>Echocardiography</i> , 2015 , 32, 65-70	1.5	6
80	At the Heart of the Matter: An Overview of Adult Echocardiography for the Non-Cardiac Sonographer. <i>Journal of Diagnostic Medical Sonography</i> , 2015 , 31, 221-232	0.4	0
79	Can restrictive filling pattern on dobutamine stress echocardiography predict recovery of left ventricular systolic function after valve replacement in patients with low flow-low gradient aortic stenosis?. <i>Egyptian Heart Journal</i> , 2015 , 67, 99-105	1.3	
78	Management of heart failure in the new era: the role of scores. <i>Journal of Cardiovascular Medicine</i> , 2016 , 17, 569-80	1.9	8
77	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <i>Journal of the American Society of Echocardiography</i> , 2016 , 29, 277-314	5.8	2369

76	Endomyocardial radial strain rate imaging during dobutamine stress echocardiography for the evaluation of contractile reserve in patients with dilated cardiomyopathy. <i>Journal of Clinical Ultrasound</i> , 2016 , 44, 555-560	1	5
75	Significance of myocardial tenascin-C expression in left ventricular remodelling and long-term outcome in patients with dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2016 , 18, 375-85	12.3	34
74	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2016 , 17, 1321-1360	4.1	1096
73	Effect of selective heart rate reduction through sinus node If current inhibition on severely impaired left ventricular diastolic dysfunction in patients with chronic heart failure. <i>Acta Cardiologica</i> , 2016 , 71, 317-322	0.9	6
72	Prognostic value of diastolic wall strain in patients with chronic heart failure with reduced ejection fraction. <i>Heart and Vessels</i> , 2017 , 32, 68-75	2.1	8
71	Estimating Left Ventricular Filling Pressure by Echocardiography. <i>Journal of the American College of Cardiology</i> , 2017 , 69, 1937-1948	15.1	200
70	Echo-Doppler estimation of left ventricular filling pressure: results of the multicentre EACVI Euro-Filling study. <i>European Heart Journal Cardiovascular Imaging</i> , 2017 , 18, 961-968	4.1	152
69	Doppler Assessment of Diastolic Function Reflect the Severity of Injury in Rats With Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2017 , 23, 753-761	3.3	3
68	Comparison of Patient Characteristics and Course of Hypertensive Hypokinetic Cardiomyopathy Versus Idiopathic Dilated Cardiomyopathy. <i>American Journal of Cardiology</i> , 2017 , 119, 483-489	3	13
67	Advanced heart failure: a position statement of the Heart Failure Association of the European Society of Cardiology. <i>European Journal of Heart Failure</i> , 2018 , 20, 1505-1535	12.3	285
66	Echo and heart failure: when do people need an echo, and when do they need natriuretic peptides?. <i>Journal of Animal Science and Technology</i> , 2018 , 5, R65-R79	1.6	8
65	A clinical application of preload stress echocardiography for predicting future hemodynamic worsening in patients with early-stage heart failure. <i>Echocardiography</i> , 2018 , 35, 1587-1595	1.5	3
64	Role of Cardiac Imaging: Echocardiography. 2019 , 83-111		3
63	Cardiovascular Changes in Children with Acute Lower Respiratory Tract Infection. <i>Bangladesh Journal of Child Health</i> , 2019 , 43, 27-34	0.4	0
62	Additive Value of Biomarkers and Echocardiography to Stratify the Risk of Death in Heart Failure Patients with Reduced Ejection Fraction. <i>Cardiology Research and Practice</i> , 2019 , 2019, 1824816	1.9	3
61	Dilated Cardiomyopathy. 2019 ,		6
60	Transcatheter left atrial decompression in patients with dilated cardiomyopathy: bridging to cardiac transplantation or recovery. <i>Cardiology in the Young</i> , 2019 , 29, 355-362	1	6
59	Prognostic Value of Left Atrial Functional Measures in Heart Failure With Reduced Ejection Fraction. <i>Journal of Cardiac Failure</i> , 2019 , 25, 87-96	3.3	9

58	Current diagnostic strategies for dilated cardiomyopathy: a comparison of imaging techniques. <i>Expert Review of Cardiovascular Therapy</i> , 2019 , 17, 53-63	2.5	12
57	Ultrasound guidance for volume management in patients with heart failure. <i>Heart Failure Reviews</i> , 2020 , 25, 927-935	5	1
56	ICD-measured heart sounds and their correlation with echocardiographic indexes of systolic and diastolic function. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020 , 58, 95-101	2.4	5
55	Two-Dimensional and Doppler Evaluation of Left Ventricular Filling, Including Pulmonary Venous Flow Velocity. 2021 , 106-136		0
54	Role of confirmed and potential predictors of an unfavorable outcome in heart failure in everyday clinical practice. <i>Irish Journal of Medical Science</i> , 2021 , 1	1.9	0
53	Serial echocardiographic parameters to evaluate prognosis in patients with HFrEF - is it worth the second test?. <i>International Journal of Cardiology</i> , 2021 , 328, 141-142	3.2	
52	Algebraic formulas characterizing an alternative to Guyton's graphical analysis relevant for heart failure. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2021 , 320, R851-R870	3.2	
51	Dilated cardiomyopathy in the era of precision medicine: latest concepts and developments. <i>Heart Failure Reviews</i> , 2021 , 1	5	3
50	Diastolic function grading by American Society of Echocardiography guidelines and prediction of heart failure readmission and all-cause mortality in a community-based cohort. <i>Echocardiography</i> , 2021 ,	1.5	0
49	The effect of diastolic stiffness on ventricular function after partial ventriculectomy: a finite element simulation. <i>ASAIO Journal</i> , 2000 , 46, 111-6	3.6	5
48	Does prostaglandin E1 infusion affect the left ventricular filling pattern of end-stage dilated cardiomyopathy? A combined hemodynamic-echo Doppler study. <i>Journal of Cardiovascular Pharmacology</i> , 1997 , 29, 188-95	3.1	6
47	Exercise training improves left ventricular diastolic filling in patients with dilated cardiomyopathy. Clinical and prognostic implications. <i>Circulation</i> , 1995 , 91, 2775-84	16.7	114
46	Right ventricular diastolic dysfunction in heart failure. <i>Circulation</i> , 1996 , 93, 1509-14	16.7	99
45	Changes in early and late diastolic filling patterns induced by long-term adrenergic beta-blockade in patients with idiopathic dilated cardiomyopathy. <i>Circulation</i> , 1996 , 94, 673-82	16.7	61
44	Loading manipulations improve the prognostic value of Doppler evaluation of mitral flow in patients with chronic heart failure. <i>Circulation</i> , 1997 , 95, 1222-30	16.7	130
43	ACC/AHA Guidelines for the Clinical Application of Echocardiography. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Clinical Application of Echocardiography). Developed in collaboration with the American Society of Echocardiography. <i>Circulation</i> , 1997 , 95, 1686-744	16.7	431
42	Extracellular matrix remodeling in heart failure: a role for de novo angiotensin II generation. <i>Circulation</i> , 1997 , 96, 4065-82	16.7	381
41	Perioperative assessment of diastolic dysfunction. <i>Anesthesia and Analgesia</i> , 2011 , 113, 449-72	3.9	54

40	Noninvasive Estimation of Left Ventricular Diastolic Filling Pressure From Doppler Tei Index. <i>Journal of Echocardiography</i> , 2003 , 1, 15-22	1.6	9
39	Left Atrial Volume Determinants in Patients with Non-Ischemic Dilated Cardiomyopathy. <i>Arquivos Brasileiros De Cardiologia</i> , 2015 , 105, 65-70	1.2	5
38	Correlation between Myocardial Velocity Measured using Tissue Doppler Imaging in the Left Ventricular Lead-Implanted Segment and Response to Cardiac Resynchronization Therapy. <i>Clinics</i> , 2019 , 74, e1077	2.3	1
37	Diastolic Dysfunction and Diastolic Heart Failure. <i>Progress in Experimental Cardiology</i> , 2000 , 441-452		
36	The Role of Nitric Oxide in the Failing Heart. <i>Developments in Cardiovascular Medicine</i> , 2001 , 35-48		
35	Diagnostic exercise physiology in chronic heart failure. <i>Heart</i> , 2001 , 86, 17-20	5.1	0
34	Increase in plasma adrenomedullin in patients with heart failure characterised by diastolic dysfunction. <i>Heart</i> , 2001 , 86, 155-160	5.1	2
33	Stress Echocardiography in Dilated Cardiomyopathy. 2003 , 369-376		
32	Dilated Cardiomyopathies and Congestive Heart Failure. <i>Progress in Experimental Cardiology</i> , 2003 , 35-65		
31	Prognostic Significance of Left Ventricular Diastolic Dysfunction Assessed by Color M-mode Doppler Echocardiography in Patients With Chronic Left Ventricular Systolic Dysfunction. <i>Journal of Echocardiography</i> , 2004 , 2, 68-77	1.6	1
30	Introduction to Echocardiography. 2007 , 93-136		
29	Echocardiography in the Evaluation of the Cardiomyopathies. 2007 , 1359-1378		
28	Left Ventricular Diastolic Function. 80-102		
27	Ventricular Mechanics. 2008 , 739-755		
26	Ultrasound in Congenital Heart Disease. <i>Medical Radiology</i> , 2008 , 227-247	0.2	
25	In Vivo Myocardial Material Properties and Stress Distributions in Normal and Failing Human Hearts. 2010 , 131-144		
24	Dilated Cardiomyopathy. 2012 , 167-185		
23	Dilated Cardiomyopathy: Usefulness of Imaging in Prognostic Stratification and Choice of Treatment. 2014 , 75-81		

22	Diastolische Ventrikelfunktion. 1998 , 27-40		1
21	Left Atrial Volume Index in Patients with Dilated Cardiomyopathy: Correlation with Left Ventricular Function. <i>World Journal of Cardiovascular Diseases</i> , 2016 , 06, 312-319	0	
20	Incremental Prognostic Value of Conventional Echocardiography in Patients with Acutely Decompensated Heart Failure. <i>Arquivos Brasileiros De Cardiologia</i> , 2017 , 109, 560-568	1.2	2
19	Pattern, Precipitants and Short Term Outcome of Heart Failure Patients Managed at Federal Medical Centre Nguru, a Tertiary Health Centre in Yobe State Northeastern Nigeria. <i>International Journal of Clinical Medicine</i> , 2018 , 09, 432-444	0.3	0
18	Impact of Left Bundle Branch Block on Left Atrial Dyssynchrony and Its Relationship to Left Ventricular Diastolic Function in Patients with Heart Failure and Dilated Cardiomyopathy. <i>International Journal of Heart Failure</i> , 2019 , 1, 42	1.3	2
17	Contemporary usefulness of pulmonary venous flow parameters to estimate left ventricular end-diastolic pressure on transthoracic echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 1699-1709	2.5	2
16	Spezielle therapeutische Probleme im hñeren Alter. 2005 , 98-122		
15	Untersuchungsmethoden. 2005 , 20-37		
14	La cardiomiopatia dilatativa. 2006 , 145-164		
13	Cardiomyopathies. 2007 , 161-189		
12	Use of Advanced CT Technology to Evaluate Left Atrial Indices in Patients with a High Heart Rate or with Heart Rate Variability: The Converge Registry. <i>Journal of Nuclear Medicine Technology</i> , 2021 , 49, 65-69	1.1	
11	Two-dimensional and Doppler echocardiography for the assessment of congestive heart failure. <i>Texas Heart Institute Journal</i> , 1998 , 25, 260-4	0.8	1
10	The Relationship between Left Atrial Volume and Ventricular Arrhythmias in the Patients with Dilated Cardiomyopathy. 2014 , 8, 18-23		3
9	Effect of Heart Rate-Oriented Therapy on Diastolic Functions in Patients with Heart Failure with Reduced Ejection Fraction. <i>Acta Cardiologica Sinica</i> , 2018 , 34, 251-258	1.1	4
8	An Echocardiographic Evaluation of Dilated Cardiomyopathy in a Tertiary Care Hospital. <i>Journal of the Nepal Medical Association</i> , 2019 , 57, 33-36	0.4	
7	THE EVALUATION OF THE TREATMENT WITH THE EXERCISE TISSUE DOPPLER ECHOCARDIOGRAPHIC PARAMETERS WITH NEBIVOLOL TREATMENT IN PATIENTS WITH HEART FAILURE. <i>Cumhuriyet Medical Journal</i> ,	0	
6	Left Atrial Strain Has Superior Prognostic Value to Ventricular Function and Delayed-Enhancement in Dilated Cardiomyopathy. <i>JACC: Cardiovascular Imaging</i> , 2022 ,	8.4	1
5	Left Ventricular Diastolic Function. 2017 , 147-165		

- 4 Sex differences in natural history of cardiovascular magnetic resonance- and biopsy-proven lymphocytic myocarditis.
- 3 Left atrial dysfunction as the major driver of heart failure with preserved ejection fraction syndrome. **2022**, 50, 1073-1083
- 2 Diuretic dose trajectories in dilated cardiomyopathy: prognostic implications.
- 1 Diastolic Dysfunction Criteria and Heart failure Readmission in Patients with Heart Failure and Reduced Ejection Fraction. **2023**, 17,