

# CITATION REPORT

List of articles citing

**Physical training improves skeletal muscle metabolism in patients with chronic heart failure**

**DOI: 10.1016/0735-1097(93)90231-0**

**Journal of the American College of Cardiology, 1993, 21, 1101-**

**Source:** <https://exaly.com/paper-pdf/24188507/citation-report.pdf>

**Version:** 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
318	Quantitative analysis by <sup>31</sup> P magnetic resonance spectroscopy of abnormal mitochondrial oxidation in skeletal muscle during recovery from exercise. <b>1993</b> , 6, 302-10		147
317	Symptoms and quality of life in heart failure: the muscle hypothesis. <b>1994</b> , 72, S36-9		206
316	How do changes in lifestyle complement medical treatment in heart failure?. <b>1994</b> , 72, S87-91		10
315	Nonpharmacologic therapy improves functional and emotional status in congestive heart failure. <b>1994</b> , 106, 996-1001		142
314	Effects of cardiac transplantation on bioenergetic abnormalities of skeletal muscle in congestive heart failure. <b>1994</b> , 89, 1624-31		92
313	In vivo magnetic resonance spectroscopy measurement of deoxymyoglobin during exercise in patients with heart failure. Demonstration of abnormal muscle metabolism despite adequate oxygenation. <b>1994</b> , 90, 500-8		97
312	Predictors of exercise capacity in chronic heart failure. <b>1994</b> , 15, 801-9		130
311	Effects of exercise training in patients with congestive heart failure: a critical review. <i>Journal of the American College of Cardiology</i> , <b>1995</b> , 25, 789-96	15.1	142
310	Physical training in patients with stable chronic heart failure: effects on cardiorespiratory fitness and ultrastructural abnormalities of leg muscles. <i>Journal of the American College of Cardiology</i> , <b>1995</b> , 25, 1239-49	15.1	448
309	Effects of exercise training on left ventricular filling at rest and during exercise in patients with ischemic cardiomyopathy and severe left ventricular systolic dysfunction. <b>1996</b> , 132, 61-70		52
308	Physical deconditioning may be a mechanism for the skeletal muscle energy phosphate metabolism abnormalities in chronic heart failure. <b>1996</b> , 131, 560-6		49
307	Amélioration du métabolisme oxydatif du muscle squelettique chez l'insuffisant cardiaque après transplantation. Étude par spectroscopie de résonance magnétique nucléaire du phosphore <sup>31</sup> P. <b>1996</b> , 11, 28-33		
306	Association of latissimus dorsi muscle expansion with electrostimulation before cardiomyoplasty. <b>1996</b> , 61, 138-42		8
305	Exercise limitation in chronic heart failure: central role of the periphery. <i>Journal of the American College of Cardiology</i> , <b>1996</b> , 28, 1092-102	15.1	404
304	Interrelationship of oxidative metabolism and local perfusion demonstrated by NMR in human skeletal muscle. <b>1996</b> , 81, 2221-8		25
303	Relationship between lactate and ammonia thresholds in heart transplant patients. <b>1996</b> , 110, 693-7		4
302	Effect of physical training on exercise capacity and gas exchange in patients with chronic heart failure. <b>1996</b> , 110, 985-91		100

301	Physical responses to different modes of interval exercise in patients with chronic heart failure--application to exercise training. <b>1996</b> , 17, 1040-7		105
300	Exercise training in patients with heart failure. A randomized, controlled trial. <b>1996</b> , 124, 1051-7		161
299	Delayed improvement in skeletal muscle metabolism and exercise capacity in patients with mitral stenosis following immediate hemodynamic amelioration by percutaneous transvenous mitral commissurotomy. <b>1996</b> , 77, 492-7		18
298	Effects of short-term exercise training and activity restriction on functional capacity in patients with severe chronic congestive heart failure. <b>1996</b> , 78, 1017-22		107
297	Explaining fatigue in congestive heart failure. <b>1996</b> , 47, 241-56		96
296	The role of exercise training in chronic heart failure. <b>1997</b> , 78, 431-6		27
295	Metabolic abnormality of calf skeletal muscle is improved by localised muscle training without changes in blood flow in chronic heart failure. <b>1997</b> , 78, 437-43		27
294	Improved ventilation and decreased sympathetic stress in chronic heart failure patients following local endurance training with leg muscles. <b>1997</b> , 3, 3-12		29
293	Exercise for patients with congestive heart failure. <b>1997</b> , 23, 75-92		27
292	Exercise training in patients with severe congestive heart failure: enhancing peak aerobic capacity while minimizing the increase in ventricular wall stress. <i>Journal of the American College of Cardiology</i> , <b>1997</b> , 29, 597-603	15.1	107
291	Effects of endurance training on mitochondrial ultrastructure and fiber type distribution in skeletal muscle of patients with stable chronic heart failure. <i>Journal of the American College of Cardiology</i> , <b>1997</b> , 29, 1067-73	15.1	288
290	Effect of high intensity exercise training on central hemodynamic responses to exercise in men with reduced left ventricular function. <i>Journal of the American College of Cardiology</i> , <b>1997</b> , 29, 1591-8	15.1	140
289	Tolérance locale et cardiovasculaire d'une séance de stimulation électrique des muscles des membres inférieurs chez les patients insuffisants cardiaques. <b>1997</b> , 40, 553-559		1
288	Predictors of response to exercise training in severe chronic congestive heart failure. <b>1997</b> , 80, 56-60		49
287	Relation of functional improvement in congestive heart failure after quinapril therapy to peripheral limitation. <b>1997</b> , 79, 635-8		13
286	Origins of symptoms in heart failure. <b>1997</b> , 11 Suppl 1, 265-72		10
285	Physical activity, skeletal muscle beta-adrenoceptor changes and oxidative metabolism in experimental chronic heart failure. <b>1998</b> , 12, 263-9		1
284	Exercise training in heart failure. <b>1998</b> , 41, 175-90		26

283	La r�adaptation des insuffisants cardiaques chroniques. Un concept r�cent. <b>1998</b> , 41, 67-75		
282	Effects of exercise training on limb blood flow in patients with reduced ventricular function. <b>1998</b> , 136, 22-30		21
281	Effects of aerobic training in patients with mitochondrial myopathies. <b>1998</b> , 50, 1055-60		121
280	Effects of percutaneous balloon mitral valvuloplasty and exercise training on the kinetics of recovery oxygen consumption after exercise in patients with mitral stenosis. <b>1998</b> , 19, 1865-71		12
279	A randomized comparison of exercise training in patients with normal vs reduced ventricular function. <b>1998</b> , 113, 1387-93		25
278	Exercise Capacity and Kinetics of Recovery Oxygen Consumption after Exercise in Patients with Mitral Stenosis: Effects of Percutaneous Balloon Mitral Valvuloplasty and Exercise Training. <b>1998</b> , 28, 545		
277	Lactate kinetics at rest and during exercise in lambs with aortopulmonary shunts. <b>1999</b> , 86, 832-9		
276	Safety and effects of physical training in chronic heart failure. Results of the Chronic Heart Failure and Graded Exercise study (CHANGE). <b>1999</b> , 20, 872-9		83
275	Exercise training in chronic heart failure: is it really safe?. <b>1999</b> , 20, 851-3		7
274	The role of exercise testing in the evaluation and management of heart failure. <b>1999</b> , 75, 453-8		7
273	Exercise in cardiac rehabilitation. <b>1999</b> , 33, 79-86		11
272	Exercise training for heart failure: coming of age. <b>1999</b> , 99, 1138-40		48
271	Beneficial effects of exercise training in heart failure patients with low cardiac output response to exercise - a comparison of two training models. <b>1999</b> , 246, 175-82		23
270	Strength improvement of knee extensor muscles in patients with chronic heart failure by neuromuscular electrical stimulation. <b>1999</b> , 23, 432-5		49
269	Exercise Training in Patients with Chronic Heart Failure. <i>Heart Failure Reviews</i> , <b>1999</b> , 3, 273-281	5	2
268	Exercise Training in Heart Failure: When?. <i>Heart Failure Reviews</i> , <b>1999</b> , 3, 299-303	5	
267	Physical training as an adjunct therapy in patients with congestive heart failure: patient selection, training protocols, results, and future directions. <b>1999</b> , 1, 38-46		5
266	Resistance exercise training increases muscle strength, endurance, and blood flow in patients with chronic heart failure. <b>1999</b> , 83, 1674-7, A7		86

265	Muscle plasticity and metabolism: effects of exercise and chronic diseases. <b>1999</b> , 20, 319-73		27
264	Moderate-intensity exercise training with elements of step aerobics in patients with severe chronic heart failure. <b>1999</b> , 80, 746-50		43
263	A neural link to explain the "muscle hypothesis" of exercise intolerance in chronic heart failure. <b>1999</b> , 137, 1050-6		116
262	Cardiac rehabilitation: are the potential benefits being realized?. <b>1999</b> , 60, 119-22		1
261	Aetiology and pathophysiological implications of oscillatory ventilation at rest and during exercise in chronic heart failure. Do Cheyne and Stokes have an important message for modern-day patients with heart failure?. <b>1999</b> , 20, 946-53		40
260	The effects of exercise training on patients with chronic heart failure. <b>1999</b> , 4, 195-202		1
259	Habitual activities and peak aerobic capacity in patients with asymptomatic and symptomatic left ventricular dysfunction. <b>2000</b> , 117, 1291-9		29
258	Exercise training in heart failure. <b>2000</b> , 1, 155-160		14
257	Impact of a home-based walking and resistance training program on quality of life in patients with heart failure. <b>2000</b> , 85, 365-9		158
256	Muscle reflex control of sympathetic nerve activity in heart failure: the role of exercise conditioning. <i>Heart Failure Reviews</i> , <b>2000</b> , 5, 87-100	5	37
255	The control of adrenergic function in heart failure: therapeutic intervention. <i>Heart Failure Reviews</i> , <b>2000</b> , 5, 101-14	5	30
254	Combined aerobic and resistance exercise training improves functional capacity and strength in CHF. <b>2000</b> , 88, 1565-70		156
253	Effects of exercise training on LV performance and mortality in a murine model of dilated cardiomyopathy. <b>2000</b> , 279, H210-5		13
252	Effects of exercise training on left ventricular function and peripheral resistance in patients with chronic heart failure: A randomized trial. <b>2000</b> , 283, 3095-101		457
251	The effect of physical training on skeletal muscle in patients with chronic heart failure. <b>2000</b> , 2, 53-63		48
250	Clinical utility of muscle MR spectroscopy. <b>2000</b> , 4, 481-502		36
249	Exercise in Heart Failure: A Synthesis of Current Research. <b>2000</b> , E7, 61-70		1
248	Determinants of delayed improvement in exercise capacity after percutaneous transvenous mitral commissurotomy. <b>2000</b> , 139, 889-94		4

247	Exercise training and myocardial remodeling in patients with reduced ventricular function: One-year follow-up with magnetic resonance imaging. <b>2000</b> , 139, 252-261		29
246	The effects of exercise training on patients with chronic heart failure. <b>2000</b> , 4, 10-16		2
245	Chronic heart failure and exercise. <b>2000</b> , 140, 21-8		32
244	Rehabilitation of patients with congestive heart failure with or without beta-blockade therapy. <b>2001</b> , 7, 241-8		18
243	Exercise performance in patients with end-stage heart failure after implantation of a left ventricular assist device and after heart transplantation: an outlook for permanent assisting?. <i>Journal of the American College of Cardiology</i> , <b>2001</b> , 37, 1794-9	15.1	101
242	Exercise and heart failure. <b>2001</b> , 19, 517-24, xii-xiii		15
241	Effects on quality of life, symptoms and daily activity 6 months after termination of an exercise training programme in heart failure patients. <b>2001</b> , 77, 25-31		82
240	Nutritional strategy in the management of heart failure in adults. <b>2001</b> , 1, 363-73		25
239	Randomized trial of progressive resistance training to counteract the myopathy of chronic heart failure. <b>2001</b> , 90, 2341-50		208
238	Peripheral arterial vascular function at altitude: sea-level natives versus Himalayan high-altitude natives. <b>2001</b> , 19, 213-22		22
237	A comparison of ambulatory oxygen consumption during circuit training and aerobic exercise in patients with chronic heart failure. <b>2001</b> , 21, 167-74		10
236	Exercise training in heart failure: recommendations based on current research. <b>2001</b> , 33, 525-31		45
235	Skeletal muscle disorders in heart failure. <b>2001</b> , 171, 277-94		77
234	Skeletal muscle training in chronic heart failure. <b>2001</b> , 171, 295-303		53
233	Apoptosis and changes in contractile protein pattern in the skeletal muscle in heart failure. <b>2001</b> , 171, 305-10		27
232	Exercise standards for testing and training: a statement for healthcare professionals from the American Heart Association. <b>2001</b> , 104, 1694-740		1223
231	Cost-effectiveness analysis of long-term moderate exercise training in chronic heart failure. <b>2001</b> , 87, 984-8; A4		79
230	Physical training as a therapeutic measure in chronic heart failure: time for recommendations. <b>2001</b> , 86, 7-11		11

229	Heart failure: What causes the symptoms of heart failure?. <b>2001</b> , 86, 574-8	54
228	Team management of heart failure: the emerging role of exercise, and implications for cardiac rehabilitation centers. <b>2001</b> , 21, 273-9	8
227	Recommendations for exercise training in chronic heart failure patients. <b>2001</b> , 22, 125-35	159
226	Muscle ergoreceptor overactivity reflects deterioration in clinical status and cardiorespiratory reflex control in chronic heart failure. <b>2001</b> , 104, 2324-30	183
225	Exercise therapy for older persons with cardiovascular disease. <b>2001</b> , 10, 245-9; quiz 250-2	37
224	Effect of aerobic and resistance exercise on central hemodynamic responses in severe chronic heart failure. <b>2002</b> , 93, 175-80	43
223	Diuretics in the treatment of patients who present congestive heart failure and hypertension. <b>2002</b> , 16 Suppl 1, S104-13	8
222	Exercise Training Alters Skeletal Muscle Mitochondrial Morphometry in Heart Failure Patients. <b>2002</b> , 9, 377-381	8
221	Exercise as a treatment modality for congestive heart failure. <b>2002</b> , 4, 110-6	4
220	Exercise training enhances baroreflex control of heart rate by a vagal mechanism in rabbits with heart failure. <b>2002</b> , 92, 2403-8	60
219	Exercise training increases arterial compliance in patients with congestive heart failure. <b>2002</b> , 102, 1-7	57
218	Exercise training increases arterial compliance in patients with congestive heart failure. <b>2002</b> , 102, 1	23
217	Effect of aerobic exercise training on inspiratory muscle performance and dyspnoea in patients with chronic heart failure. <b>2002</b> , 4, 745-51	20
216	O <sub>2</sub> extraction during exercise determines training effect after cardiac rehabilitation in myocardial infarction. <b>2002</b> , 66, 891-6	11
215	Heart failure accompanied by sick euthyroid syndrome and exercise training. <b>2002</b> , 17, 266-70	4
214	. <b>2002</b> , 9, 377-381	15
213	Reliability of isokinetic strength and aerobic power testing for patients with chronic heart failure. <b>2002</b> , 22, 282-9	15
212	Selective low-level leg muscle training alleviates dyspnea in patients with heart failure. <i>Journal of the American College of Cardiology</i> , <b>2002</b> , 40, 1602-8	15.1 54

211	Chronic heart failure: an example of a systemic chronic inflammatory disease resulting in cachexia. <b>2002</b> , 85, 33-49		68
210	Chronic heart failure and skeletal muscle catabolism: effects of exercise training. <b>2002</b> , 85, 141-9		65
209	Exercise training normalizes altered calcium-handling proteins during development of heart failure. <b>2002</b> , 92, 1524-30		44
208	Chronic heart failure-related myopathy and exercise training: A developing therapy for heart failure symptoms. <b>2002</b> , 45, 157-72		8
207	Exercise training in dialysis patients: why, when, and how?. <b>2002</b> , 26, 1009-13		16
206	Can exercise conditioning be effective in older heart failure patients?. <i>Heart Failure Reviews</i> , <b>2002</b> , 7, 99-103	5	10
205	Exercise intolerance during post-MI heart failure in rats: prevention with supplemental dietary propionyl-L-carnitine. <b>2003</b> , 17, 7-14		4
204	Skeletal muscle abnormalities in rats with experimentally induced heart hypertrophy and failure. <b>2003</b> , 98, 114-23		10
203	Chronic heart failure-related myopathy and exercise training: a developing therapy for heart failure symptoms. <b>2003</b> , 28, 521-47		6
202	Dissociation between exercise hemodynamics and exercise capacity in patients with chronic heart failure and marked increase in ejection fraction after treatment with beta-adrenergic receptor antagonists. <b>2003</b> , 91, 356-60		10
201	Nonpharmacologic care of heart failure: counseling, dietary restriction, rehabilitation, treatment of sleep apnea, and ultrafiltration. <b>2003</b> , 91, 41F-50F		60
200	Skeletal muscle abnormalities in chronic heart failure patients: relation to exercise capacity and therapeutic implications. <b>2003</b> , 9, 148-54		19
199	Exercise training as a therapy for chronic heart failure: can older people benefit?. <b>2003</b> , 51, 699-709		35
198	Exercise training in patients with severe chronic heart failure: impact on left ventricular performance and cardiac size. A retrospective analysis of the Leipzig Heart Failure Training Trial. <b>2003</b> , 10, 336-44		46
197	New aspects for the role of physical training in the management of patients with chronic heart failure. <b>2003</b> , 90, 1-14		26
196	Aptitudes cardiorespiratoires et fonction musculaire périphérique chez des patients coronariens. <b>2003</b> , 18, 150-157		3
195	Antiremodeling effect of long-term exercise training in patients with stable chronic heart failure: results of the Exercise in Left Ventricular Dysfunction and Chronic Heart Failure (ELVD-CHF) Trial. <b>2003</b> , 108, 554-9		251
194	Management of chronic heart failure due to systolic left ventricular dysfunction by cardiologist and non-cardiologist physicians. <b>2003</b> , 5, 549-55		31



193	[Literature review of the latest research results concerning the positive effect of exercise therapy in chronic heart insufficiency]. <b>2003</b> , 10, 26-34	
192	A randomised study of home-based electrical stimulation of the legs and conventional bicycle exercise training for patients with chronic heart failure. <b>2003</b> , 24, 871-8	75
191	Vascular rarefaction in peripheral skeletal muscle after experimental heart failure. <b>2003</b> , 285, H1554-62	19
190	Protein kinetics in stable heart failure patients. <b>2003</b> , 94, 295-300	5
189	Exercise training for older chronic heart failure patients. <b>2004</b> , 14, 55-61	1
188	Combined endurance/resistance training reduces NT-proBNP levels in patients with chronic heart failure. <b>2004</b> , 25, 1797-805	87
187	A questionnaire-based assessment of daily physical activity in heart failure. <b>2004</b> , 6, 577-84	26
186	Evaluation of quantitative and qualitative aspects of mitochondrial function in human skeletal and cardiac muscles. <b>2004</b> , 256-257, 267-80	16
185	Can serum NT-proBNP detect changes of functional capacity in patients with chronic heart failure?. <b>2004</b> , 93, 540-5	18
184	Place et impact des r�gimes chez les personnes tr�s �g�es. <b>2004</b> , 18, 224-230	4
183	Beneficial effects of chronic low-frequency stimulation of thigh muscles in patients with advanced chronic heart failure. <b>2004</b> , 25, 136-43	146
182	Effect of exercise training in patients with heart failure: a pilot study on autonomic balance assessed by heart rate variability. <b>2004</b> , 11, 162-7	42
181	Moderate-intensity resistance exercise training in patients with chronic heart failure improves strength, endurance, heart rate variability, and forearm blood flow. <b>2004</b> , 10, 21-30	158
180	Exercise programmes for patients with chronic heart failure. <b>2004</b> , 34, 939-54	16
179	Change in circulating cytokines after 2 forms of exercise training in chronic stable heart failure. <b>2004</b> , 147, 100-5	68
178	Effects of a home walking exercise program on functional status and symptoms in heart failure. <b>2004</b> , 147, 339-46	91
177	Exercise training for patients with heart failure: a systematic review of factors that improve mortality and morbidity. <b>2004</b> , 116, 693-706	300
176	[Physical rehabilitation of patients suffering from chronic heart failure]. <b>2004</b> , 33, 1041-6	0

175	DAQIHF: methodology and validation of a daily activity questionnaire in heart failure. <b>2004</b> , 36, 1275-82	14
174	Cardiovascular adaptations to exercise training after uncomplicated acute myocardial infarction. <b>2005</b> , 84, 684-91	14
173	Clinical Magnetic Resonance Spectroscopy. <b>2005</b> , 9, 23-38	2
172	Peak oxygen uptake. Myth and truth about an internationally accepted reference value. <b>2005</b> , 94, 255-64	26
171	Exercise training in heart failure. <b>2005</b> , 7, 216-22	7
170	Marathoners or couch potatoes: what is the role of exercise in the management of heart failure?. <b>2005</b> , 2, 25-34	3
169	Aortic banding in rat as a model to investigate malnutrition associated with heart failure. <b>2005</b> , 288, R1325-31	25
168	Health care professionals in a heart failure team. <b>2005</b> , 7, 343-9	20
167	Metabolic gas kinetics depend upon the level of exercise performed. <b>2005</b> , 7, 991-6	7
166	[Physical exercise in older patients with chronic heart failure]. <b>2005</b> , 130, 710-6	0
165	Comparison of low-frequency electrical myostimulation and conventional aerobic exercise training in patients with chronic heart failure. <b>2005</b> , 12, 226-33	30
164	Relationship between daily physical activity and ANS activity in patients with CHF. <b>2005</b> , 37, 1257-63	17
163	Inflammation and endothelial dysfunction as therapeutic targets in patients with heart failure. <b>2005</b> , 100, 347-53	60
162	Muscle wasting in cardiac cachexia. <b>2005</b> , 37, 1938-47	75
161	Insulin-like growth factor-1 and muscle wasting in chronic heart failure. <b>2005</b> , 37, 2023-35	26
160	An alternative approach for exercise prescription and efficacy testing in patients with chronic heart failure: a randomized controlled training study. <b>2005</b> , 149, e1-7	41
159	Rehabilitation in cardiac patients: what do we know about training modalities?. <b>2005</b> , 35, 1063-84	28
158	Resistance exercise training in patients with heart failure. <b>2005</b> , 35, 1085-103	59

157	[Non-invasive investigation of muscle function using 31P magnetic resonance spectroscopy and 1H MR imaging]. <b>2006</b> , 162, 467-84	12
156	Fatigue in patients with cardiovascular disease. <b>2006</b> , 49, 309-19, 392-402	10
155	Fatigue in patients with cardiovascular disease. <b>2006</b> , 49, 392-402	14
154	The Achilles point of cardiac cachexia: to exercise or not to exercise. <b>2006</b> , 110, 421-2	
153	Low-frequency electrical stimulation increases muscle strength and improves blood supply in patients with chronic heart failure. <b>2006</b> , 70, 75-82	63
152	Diagnostic usefulness of B-type natriuretic peptide and functional consequences of muscle alterations in COPD and chronic heart failure. <b>2006</b> , 130, 1220-30	7
151	Evidence for prescribing exercise as therapy in chronic disease. <b>2006</b> , 16 Suppl 1, 3-63	814
150	Exercise training in heart failure. <b>2006</b> , 3, 189-96	6
149	Exercise training in heart failure. <b>2006</b> , 3, 33-40	8
148	Maximum oxygen uptake corrected for skeletal muscle mass accurately predicts functional improvements following exercise training in chronic heart failure. <b>2006</b> , 8, 243-8	30
147	Moderate exercise training improves functional capacity, quality of life, and endothelium-dependent vasodilation in chronic heart failure patients with implantable cardioverter defibrillators and cardiac resynchronization therapy. <b>2006</b> , 13, 818-25	111
146	Beneficial effects of endurance training on cardiac and skeletal muscle energy metabolism in heart failure. <b>2007</b> , 73, 10-8	83
145	Increased metaboreceptor stimulation explains the exaggerated exercise pressor reflex seen in heart failure. <b>2007</b> , 102, 494-6; discussion 496-7	30
144	Early exercise training normalizes myofilament function and attenuates left ventricular pump dysfunction in mice with a large myocardial infarction. <b>2007</b> , 100, 1079-88	99
143	Exercise training after coronary angioplasty improves cardiorespiratory function. <b>2007</b> , 41, 142-8	9
142	Chronic oral ascorbic acid therapy worsens skeletal muscle metabolism in patients with chronic heart failure. <b>2007</b> , 9, 287-91	12
141	Entraînement à l'effort au cours des pathologies cardiovasculaires. <b>2007</b> , 50, 386-402	11
140	Évaluation isocintique de la fonction musculaire périphérique chez les patients coronariens. Étude des corrélations avec l'aptitude cardiorespiratoire. <b>2007</b> , 50, 287-294	

139	The isokinetic assessment of peripheral muscle function in patients with coronary artery disease: correlations with cardiorespiratory capacity. <b>2007</b> , 50, 295-301; 287-94		15
138	Exercise training for patients with cardiovascular disease. <b>2007</b> , 50, 403-18, 386-402		25
137	Exercise therapy for elderly heart failure patients. <b>2007</b> , 23, 221-34		6
136	Exercise therapy for elderly heart failure patients. <b>2007</b> , 3, 529-37		2
135	Central haemodynamics and peripheral muscle function during exercise in patients with chronic heart failure. <b>2007</b> , 32, 318-31		24
134	Peripheral isokinetic muscle function and cardiorespiratory capacity in coronary artery disease patients. <b>2007</b> , 15, 43-50		
133	The Patient as a Co-Manager in the Health Care System. <b>2007</b> , 10, 329-334		1
132	Enhancement of isokinetic muscle strength with a combined training programme in chronic heart failure. <b>2007</b> , 27, 225-30		16
131	Implications of chronic heart failure on peripheral vasculature and skeletal muscle before and after exercise training. <i>Heart Failure Reviews</i> , <b>2008</b> , 13, 21-37	5	80
130	Left ventricular assist device: a functional comparison with heart transplantation. <i>Netherlands Heart Journal</i> , <b>2008</b> , 16, 41-6	2.2	25
129	Cardiovascular and ventilatory control during exercise in chronic heart failure: role of muscle reflexes. <b>2008</b> , 130, 3-10		64
128	Low-frequency electromyostimulation and chronic heart failure. <b>2008</b> , 51, 461-72		7
127	Exercise intolerance. <b>2008</b> , 4, 99-115		38
126	Exercise Intolerance in Diastolic Heart Failure. <b>2008</b> , 203-213		
125	Prognostic value and diagnostic potential of cardiopulmonary exercise testing in patients with chronic heart failure. <b>2008</b> , 10, 112-8		38
124	Impairment of microcirculation and energy metabolism in intermittent claudication: beneficial effects of exercise training. <b>2009</b> , 72,		
123	Recent Advances in Cardiac Rehabilitation. <b>2009</b> , 46, 186-195		
122	Cardiac rehabilitation and artificial heart devices. <b>2009</b> , 12, 90-7		37

121	Exercise training, energy metabolism, and heart failure. <b>2009</b> , 34, 336-9	28
120	Skeletal muscle metabolic recovery following submaximal exercise in chronic heart failure is limited more by O <sub>2</sub> delivery than O <sub>2</sub> utilization. <b>2009</b> , 118, 203-10	30
119	Assessment of the effects of physical training in patients with chronic heart failure: the utility of effort-independent exercise variables. <b>2010</b> , 108, 469-76	22
118	Functional electrical stimulation of lower limbs in patients with chronic heart failure. <i>Heart Failure Reviews</i> , <b>2010</b> , 15, 563-79	5 19
117	Effects of a 3-month rehabilitation program on muscle oxygenation in congestive heart failure patients as assessed by NIRS. <b>2010</b> , 40, 212-217	3
116	[Non-pharmacological therapy of chronic heart failure: the role of structured training programmes]. <b>2010</b> , 72, 163-73; quiz 174-5	
115	Combined exercise and cognitive behavioral therapy improves outcomes in patients with heart failure. <b>2010</b> , 69, 119-31	141
114	Clinical utility of exercise training in chronic systolic heart failure. <b>2011</b> , 8, 380-92	13
113	Effects of walking on heart rate recovery, endothelium modulators and quality of life in patients with heart failure. <b>2011</b> , 18, 594-600	12
112	Exercise intolerance. <b>2011</b> , 29, 461-77	18
111	The role of exercise training in heart failure. <i>Journal of the American College of Cardiology</i> , <b>2011</b> , 58, 561-9.1	159
110	Peripheral adaptation mechanisms in physical training and cardiac rehabilitation: the case of a patient supported by a CardioWest total artificial heart. <b>2011</b> , 17, 670-5	9
109	Exercise training reverses adiponectin resistance in skeletal muscle of patients with chronic heart failure. <b>2011</b> , 97, 1403-9	32
108	Alterations in Diaphragmatic and Skeletal Muscle in Heart Failure. <b>2011</b> , 300-311	
107	Improved left ventricular diastolic function with exercise training in hypertension: a Doppler imaging study. <b>2011</b> , 2011, 497690	3
106	Exercise as a nonpharmacologic intervention in patients with heart failure. <b>2011</b> , 39, 37-43	23
105	Effect of exercise training on interleukin-6, tumour necrosis factor alpha and functional capacity in heart failure. <b>2011</b> , 2011, 532620	26
104	Exercise Training for Heart Failure Patients with and without Systolic Dysfunction: An Evidence-Based Analysis of How Patients Benefit. <b>2010</b> , 2011,	14

103	ExPAAC proceedings: Exercise training for individuals with heart failure. <b>2012</b> , 35, 165-72		3
102	[109th Scientific Meeting of the Japanese Society of Internal Medicine: educational lecture: 16. Exercise therapy in heart disease]. <b>2012</b> , 101, 2750-6		
101	Exercise training and cardiac rehabilitation in patients with implantable cardioverter defibrillators: a review of current literature focusing on safety, effects of exercise training, and the psychological impact of programme participation. <b>2012</b> , 19, 804-12		48
100	Cardiac rehabilitation in chronic heart failure: effect of an 8-week, high-intensity interval training versus continuous training. <b>2012</b> , 93, 1359-64		102
99	Peripheral and central mechanisms of fatigue in inflammatory and noninflammatory rheumatic diseases. <b>2012</b> , 14, 539-48		35
98	Intrinsic skeletal muscle alterations in chronic heart failure patients: a disease-specific myopathy or a result of deconditioning?. <i>Heart Failure Reviews</i> , <b>2012</b> , 17, 421-36	5	46
97	Skeletal muscle abnormalities in chronic heart failure. <b>2012</b> , 9, 128-32		33
96	Cardiac Adaptations. <b>2013</b> ,		1
95	The skeletal muscle hypothesis in heart failure revisited. <b>2013</b> , 34, 486-8		35
94	Benefits of combined aerobic/resistance/inspiratory training in patients with chronic heart failure. A complete exercise model? A prospective randomised study. <b>2013</b> , 167, 1967-72		46
93	High- versus moderate-intensity aerobic exercise training effects on skeletal muscle of infarcted rats. <b>2013</b> , 114, 1029-41		71
92	Metabolic and structural impairment of skeletal muscle in heart failure. <i>Heart Failure Reviews</i> , <b>2013</b> , 18, 623-30	5	51
91	MR Spectroscopy and Spectroscopic Imaging for Evaluation of Skeletal Muscle Metabolism: Basics and Applications in Metabolic Diseases. <b>2013</b> , 135-163		
90	Combined aerobic/inspiratory muscle training vs. aerobic training in patients with chronic heart failure: The Vent-HeFT trial: a European prospective multicentre randomized trial. <b>2014</b> , 16, 574-82		67
89	High intensity, interval exercise improves quality of life of patients with chronic heart failure: a randomized controlled trial. <b>2014</b> , 107, 25-32		36
88	MITOCHONDRIA: investigation of in vivo muscle mitochondrial function by 31P magnetic resonance spectroscopy. <b>2014</b> , 50, 67-72		28
87	Possible synergism of physical exercise and ghrelin-agonists in patients with cachexia associated with chronic heart failure. <b>2014</b> , 26, 341-51		14
86	Exercise training in adverse cardiac remodeling. <b>2014</b> , 466, 1079-91		7

85	Abnormalities in cardiopulmonary exercise testing ventilatory parameters in heart failure: pathophysiology and clinical usefulness. <b>2014</b> , 11, 80-7	20
84	Guidelines for rehabilitation in patients with cardiovascular disease (JCS 2012). <b>2014</b> , 78, 2022-93	157
83	Exercise as medicine - evidence for prescribing exercise as therapy in 26 different chronic diseases. <b>2015</b> , 25 Suppl 3, 1-72	1338
82	Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. <b>2015</b> ,	1
81	Skeletal Muscle Changes in Chronic Cardiac Disease and Failure. <b>2015</b> , 5, 1947-69	7
80	Early Physical Rehabilitation after Continuous Flow Left Ventricular Assist Device Implantation: Suggested Protocol and a Pilot Study. <b>2015</b> , 03,	
79	Cardiac remodeling and physical training post myocardial infarction. <b>2015</b> , 7, 52-64	44
78	Aerobic exercise training as therapy for cardiac and cancer cachexia. <b>2015</b> , 125, 9-14	47
77	Clinical utility of exercise training in heart failure with reduced and preserved ejection fraction. <b>2015</b> , 9, 1-9	19
76	Exercise training in chronic heart failure: improving skeletal muscle O <sub>2</sub> transport and utilization. <b>2015</b> , 309, H1419-39	98
75	Effects of exercise training on neurovascular control and skeletal myopathy in systolic heart failure. <b>2015</b> , 308, H792-802	24
74	Regulating PPAR $\beta$ signaling as a potential therapeutic strategy for skeletal muscle disorders in heart failure. <b>2015</b> , 308, H967-9	2
73	Prognosis: does exercise training reduce adverse events in heart failure?. <b>2015</b> , 11, 59-72	13
72	Quantification of skeletal muscle mitochondrial function by <sup>31</sup> P magnetic resonance spectroscopy techniques: a quantitative review. <b>2015</b> , 213, 107-44	92
71	Cardiovascular effects of high-intensity interval aerobic training combined with strength exercise in patients with chronic heart failure. A randomized phase III clinical trial. <b>2015</b> , 179, 269-74	54
70	Effect of exercise training on ventilatory efficiency in patients with heart disease: a review. <b>2016</b> , 49,	3
69	The evolving role of adiponectin as an additive biomarker in HFrEF. <i>Heart Failure Reviews</i> , <b>2016</b> , 21, 753-369	7
68	Adiponectin resistance in skeletal muscle: pathophysiological implications in chronic heart failure. <b>2016</b> , 7, 261-74	54

67	High-Intensity Training Improves Global and Segmental Strains in Severe Congestive Heart Failure. <b>2017</b> , 23, 392-402		5
66	Exercise Therapy for Older Heart Failure Patients. <b>2017</b> , 13, 607-617		10
65	Effects of combined exercise training and electromyostimulation treatments in chronic heart failure: A prospective multicentre study. <b>2017</b> , 24, 1274-1282		12
64	Exercise training decreases NADPH oxidase activity and restores skeletal muscle mass in heart failure rats. <b>2017</b> , 122, 817-827		27
63	Muscle injections with lidocaine improve resting fatigue and pain in patients with chronic fatigue syndrome. <b>2017</b> , 10, 1477-1486		2
62	Supervised exercise training versus usual care in ambulatory patients with left ventricular assist devices: A systematic review. <i>PLoS ONE</i> , <b>2017</b> , 12, e0174323	3.7	22
61	Quantifying Skeletal Muscle Mitochondrial Function In Vivo by 31P Magnetic Resonance Spectroscopy. <b>2018</b> , 443-456		1
60	Exercise training in heart failure. <b>2018</b> , 94, 392-397		3
59	Impaired Exercise Tolerance in Heart Failure: Role of Skeletal Muscle Morphology and Function. <b>2018</b> , 15, 323-331		33
58	Exercise in Patients with Chronic Heart Failure. <b>2018</b> , 193-219		
57	Improvement in cardiac dysfunction with a novel circuit training method combining simultaneous aerobic-resistance exercises. A randomized trial. <i>PLoS ONE</i> , <b>2018</b> , 13, e0188551	3.7	6
56	Home-Based Cardiac Rehabilitation Alone and Hybrid With Center-Based Cardiac Rehabilitation in Heart Failure: A Systematic Review and Meta-Analysis. <b>2019</b> , 8, e012779		27
55	Endothelial Dysfunction in Chronic Heart Failure: Assessment, Findings, Significance, and Potential Therapeutic Targets. <b>2019</b> , 20,		29
54	Exercise-based cardiac rehabilitation for adult patients with an implantable cardioverter defibrillator. <b>2019</b> , 2, CD011828		8
53	Mitochondrial Function, Skeletal Muscle Metabolism, and Iron Deficiency in Heart Failure. <b>2019</b> , 139, 2399-2402		9
52	Physical Activity and Cardiorespiratory Fitness in Heart Failure. <b>2019</b> , 319-333		
51	Sexual dimorphism in the control of skeletal muscle interstitial Po of heart failure rats: effects of dietary nitrate supplementation. <b>2019</b> , 126, 1184-1192		11
50	Effect of Iron Isomaltoside on Skeletal Muscle Energetics in Patients With Chronic Heart Failure and Iron Deficiency. <b>2019</b> , 139, 2386-2398		58



49	JCS 2017/JHFS 2017 Guideline on Diagnosis and Treatment of Acute and Chronic Heart Failure - Digest Version. <b>2019</b> , 83, 2084-2184	228
48	Physical Exercise in Chronic Diseases. <b>2019</b> , 217-266	4
47	Lean Mass Abnormalities in Heart Failure: The Role of Sarcopenia, Sarcopenic Obesity, and Cachexia. <b>2020</b> , 45, 100417	48
46	Heart Failure-Induced Skeletal Muscle Wasting. <b>2020</b> , 17, 299-308	4
45	Usefulness of 500-m walk electrocardiogram test on clinical outcomes in patients with ST-segment elevation myocardial infarction. <b>2021</b> , 36, 48-57	2
44	Exercise Training Improved Pulmonary Gas Exchange Abnormalities in Pulmonary Hypertension due to Heart Failure: A Case Report. <b>2021</b> ,	
43	Impaired skeletal muscle fatigue resistance during cardiac hypertrophy is prevented by functional overload- or exercise-induced functional capillarity. <b>2021</b> , 599, 3715-3733	0
42	Dynamic phosphorus-31 magnetic resonance spectroscopy in arterial occlusive disease. Correlation with clinical and angiographic findings and comparison with healthy volunteers. <b>1997</b> , 32, 651-9	13
41	Dynamic phosphorus-31 magnetic resonance spectroscopy in arterial occlusive disease: effects of vascular therapy on spectroscopic results. <b>1998</b> , 33, 329-35	26
40	Exercise training in patients with CHF and heart transplant recipients. <b>1998</b> , 30, S367-78	22
39	Relationship between increased peak oxygen uptake and modifications in skeletal muscle metabolism following rehabilitation after myocardial infarction. <b>1996</b> , 16, 169-74	13
38	Exercise testing and training of patients with heart failure due to left ventricular systolic dysfunction. <b>1997</b> , 17, 19-28	18
37	Effects of low-frequency electrical stimulation of quadriceps and calf muscles in patients with chronic heart failure. <b>1998</b> , 18, 277-82	57
36	Muscle metabolism assessed by phosphorus-31 nuclear magnetic resonance spectroscopy after myocardial infarction in rehabilitated patients: a 1-year follow-up. <b>2000</b> , 20, 44-9	0
35	Comparison of low-frequency electrical myostimulation and conventional aerobic exercise training in patients with chronic heart failure. <b>2005</b> , 12, 226-233	50
34	Prolonged kinetics of recovery of oxygen consumption after maximal graded exercise in patients with chronic heart failure. Analysis with gas exchange measurements and NMR spectroscopy. <b>1995</b> , 91, 2924-32	124
33	Benefit of selective respiratory muscle training on exercise capacity in patients with chronic congestive heart failure. <b>1995</b> , 91, 320-9	141
32	Contribution of muscle afferents to the hemodynamic, autonomic, and ventilatory responses to exercise in patients with chronic heart failure: effects of physical training. <b>1996</b> , 93, 940-52	363

31	Statement on exercise: benefits and recommendations for physical activity programs for all Americans. A statement for health professionals by the Committee on Exercise and Cardiac Rehabilitation of the Council on Clinical Cardiology, American Heart Association. <b>1996</b> , 94, 857-62		509
30	Nonselective beta-adrenergic blockade with carvedilol does not hinder the benefits of exercise training in patients with congestive heart failure. <b>1997</b> , 95, 1764-7		41
29	Effect of exercise training on myocardial remodeling in patients with reduced left ventricular function after myocardial infarction: application of magnetic resonance imaging. <b>1997</b> , 95, 2060-7		105
28	Interval exercise training improves tissue oxygenation in patients with chronic heart failure. <i>World Journal of Cardiovascular Diseases</i> , <b>2013</b> , 03, 301-307	0	2
27	Peripheral reflex feedbacks in chronic heart failure: Is it time for a direct treatment?. <b>2015</b> , 7, 824-8		2
26	The Effect of Cardiac Rehabilitation Exercise Training on Cardiopulmonary Function in Ischemic Cardiomyopathy With Reduced Left Ventricular Ejection Fraction. <b>2016</b> , 40, 647-56		7
25	The influence of aerobic fitness status on ventilatory efficiency in patients with coronary artery disease. <b>2015</b> , 70, 46-51		5
24	Cardiovascular Disease and Hypertension. <b>2000</b> , 279-316		1
23	Autonomes Nervensystem und Risiko bei Herzpatienten –Einfluss von Training. <b>2001</b> , 35-40		
22	Physical training as a therapeutic measure in chronic heart failure: time for recommendations. <b>2001</b> , 86, 7-11		1
21	Chronische Herzinsuffizienz. <b>2003</b> , 187-204		
20	Heart Failure in Adults with Congenital Heart Disease. <b>2010</b> , 59-85		
19	Exercise Training and Adverse Cardiac Remodeling and Dysfunction in Mice. <b>2013</b> , 269-287		
18	Interval exercise training improves tissue oxygenation in patients with chronic heart failure. <i>World Journal of Cardiovascular Diseases</i> , <b>2013</b> , 03, 126-132	0	
17	Skeletal Muscle Metabolism in Heart Failure. <b>1996</b> , 161-182		
16	Training for the Enhancement of Exercise Tolerance in Patients with Left Ventricular Dysfunction. <b>1996</b> , 287-295		
15	???????????????????? : ??????????(?????? II). <i>Journal of JCS Cardiologists</i> , <b>1996</b> , 4, 37-43	0.1	1
14	Vascular Remodeling During Heart Failure. <b>1997</b> , 5-18		

- 13 Exercise Training in Patients with Left Ventricular Systolic or Diastolic Dysfunction: Harmful or Helpful?. **1999**, 74-86
- 12 Pathophysiology: Clinical Spectrum and Current Management. **2016**, 9-22
- 11 Exercise and Patients with Heart Failure. **2017**, 765-781
- 10 Cardiac Rehabilitation for Chronic Heart Failure. *Journal of the Nihon University Medical Association*, **2020**, 79, 231-234 0
- 9 Chronische Herzinsuffizienz. **2007**, 289-302 1
- 8 PathophysiologyâClinical Spectrum and Current Management. **2008**, 11-22
- 7 Physical training in patients with chronic heart failure: An elaboration of the statements from the Committee on Cardiac Rehabilitation of the Netherlands Society of Cardiology and the Netherlands Heart Foundation and review of studies on physical training in chronic heart failure. *Netherlands Heart Journal*. **2004**, 12, 279-286 2.2
- 6 Intermittent aerobic-resistance interval training versus continues aerobic training: Improvement in cardiac electrophysiologic and anthropometric measures in male patients post myocadiac infarction, a randomized control trial.. *PLoS ONE*, **2022**, 17, e0267888 3.7
- 5 Cardiac rehabilitation in heart failure with severely reduced ejection fraction: effects on mortality. *Heart Failure Reviews*, 5
- 4 Efficacy and safety of different modes of exercise-based cardiac rehabilitation delivery for patients with heart failure: a protocol for a systematic review and network meta-analysis. **2022**, 12, e062152
- 3 Relationship of arterial tonometry and exercise in patients with chronic heart failure: a systematic review with meta-analysis and trial sequential analysis. **2022**, 22, 1
- 2 The Effects of Exercise Training on Mitochondrial Function in Cardiovascular Diseases: A Systematic Review and Meta-Analysis. **2022**, 23, 12559 1
- 1 Cardiac and Cancer-Associated Cachexia: Role of Exercise Training, Non-coding RNAs, and Future Perspectives. 0