

CITATION REPORT

List of articles citing

Pulmonary venous flow velocities recorded by transthoracic Doppler ultrasound: relation to left ventricular diastolic pressures

DOI: 10.1016/0735-1097(93)90388-h

Journal of the American College of Cardiology, 1993, 21, 1687-

Source: <https://exaly.com/paper-pdf/24188627/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
554	Doppler assessment of left ventricular diastolic function: the refinements continue. <i>Journal of the American College of Cardiology</i> , 1993 , 21, 1697-700	15.1	65
553	Estimation of left ventricular filling pressures using two-dimensional and Doppler echocardiography in adult patients with cardiac disease. Additional value of analyzing left atrial size, left atrial ejection fraction and the difference in duration of pulmonary venous and mitral flow velocity at atrial contraction. <i>Journal of the American College of Cardiology</i> , 1993 , 22, 1972-82	15.1	639
552	Doppler Echocardiographie Diagnosis of the Cause of Trepopnea. 1994 , 8, 400-402		
551	Doppler-derived mitral deceleration time of early filling as a strong predictor of pulmonary capillary wedge pressure in postinfarction patients with left ventricular systolic dysfunction. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 1630-7	15.1	312
550	Repeatability of measurements of pulmonary venous flow indices. 1994 , 47, 169-75		7
549	Effects of age on left ventricular dimensions and filling dynamics in 117 normal persons. 1994 , 69, 212-24		263
548	Estimation of left ventricular diastolic pressures from precordial pulsed-Doppler analysis of pulmonary venous and mitral flow. 1994 , 128, 293-300		91
547	Comparison of velocity and volumetric indexes of left ventricular filling during increased heart rate with exercise and amyl nitrite. 1994 , 7, 388-93		
546	Relationship of left atrial pressure and pulmonary venous flow velocities: importance of baseline mitral and pulmonary venous flow velocity patterns studied in lightly sedated dogs. 1994 , 7, 264-75		47
545	Echocardiographic and other noninvasive measurements of cardiac hemodynamics and ventricular function. 1995 , 20, 687-770		
544	Is the pulmonary venous-transmitral A-wave duration difference altered by age and hypertension?. 1995 , 76, 722-4		13
543	Pulmonary vein Doppler flow patterns specific for elevated left ventricular filling pressures in older cardiac patients are common in healthy adults 1995, 76, 730-3		8
542	Abnormal Doppler pulmonary venous flow patterns in children after repaired total anomalous pulmonary venous connection. 1995 , 75, 606-10		8
541	Feasibility and accuracy of Doppler echocardiographic estimation of pulmonary artery occlusive pressure in the intensive care unit. 1995 , 75, 1256-62		91
540	Assessment of left ventricular function in severe scorpion envenomation: combined hemodynamic and echo-Doppler study. 1995 , 21, 629-35		49
539	Significance of echocardiographic atrioventricular plane displacement for the evaluation of left ventricular filling and end-diastolic pressure in patients with coronary artery disease. 1995 , 11, 185-92		8
538	Clinical relevance of Doppler pulmonary venous flow characteristics in constrictive pericarditis. 1995 , 16, 506-13		10

537	Congestive heart failure in patients with valvular aortic stenosis. A clinical and echocardiographic Doppler study. 1995 , 86, 120-9		7
536	Left-Ventricular Diastolic Function and Hypertension. 1995 , 13, 559-567		7
535	Atrial and ventricular function after cardioversion of atrial fibrillation. <i>Heart</i> , 1995 , 74, 254-60	5.1	16
534	Doppler echocardiographic pulmonary venous flow-velocity pattern for assessment of the hemodynamic profile in acute congestive heart failure. 1995 , 129, 107-13		41
533	Relation between pulmonary venous flow and pulmonary wedge pressure: influence of cardiac output. 1995 , 130, 127-34		35
532	Echocardiography in the emergency room: is it feasible, beneficial, and cost-effective?. 1995 , 12, 163-70		12
531	Pulmonary venous flow as assessed by Doppler echocardiography: potential clinical applications. 1995 , 12, 425-40		11
530	Pulmonary Venous Flow and Correlates in Patients with Aortic Stenosis. 1995 , 12, 571-579		
529	Abnormalities of left ventricular filling in valvular aortic stenosis. Usefulness of combined evaluation of pulmonary veins and mitral flow by means of transthoracic Doppler echocardiography. 1995 , 49, 77-85		10
528	Clinical evaluation of left heart Doppler contrast enhancement by a saccharide-based transpulmonary contrast agent. The Levovist Cardiac Working Group. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 500-8	15.1	57
527	Factors influencing pulmonary venous flow velocity patterns in mitral regurgitation: an in vitro study. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 1333-9	15.1	14
526	Improvement of transthoracic pulmonary venous flow Doppler signal with intravenous injection of sonicated albumin. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 1741-6	15.1	45
525	Prevalence, clinical features and prognosis of diastolic heart failure: an epidemiologic perspective. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 1565-74	15.1	698
524	Relationship between left ventricular wall thickness and left atrial size: comparison with other measures of diastolic function. 1995 , 8, 37-47		195
523	Pulmonary venous velocity patterns in mitral stenosis. 1995 , 8, 643-6		7
522	Transthoracic Doppler echocardiographic measurements of pulmonary venous flow velocity patterns: comparison with transesophageal measurements. 1995 , 8, 61-9		35
521	Idiopathic restrictive cardiomyopathy in childhood: diagnostic features and clinical course. 1995 , 70, 634-40		81
520	Left atrial mechanical function in the healthy elderly: new insights from a combined assessment of changes in atrial volume and transmitral flow velocity. 1995 , 8, 801-9		127

519	Patterns of pulmonary venous and transmitral flow velocity in patients with hypertrophic cardiomyopathy. 1995 , 8, 494-502		8
518	The influence of atrioventricular conduction and heart rate on the pulmonary venous flow pattern. 1996 , 9, 129-34		3
517	Doppler echocardiographic evaluation of left ventricular end-diastolic pressure in patients with coronary artery disease. 1996 , 9, 241-50		34
516	Canadian consensus recommendations for the measurement and reporting of diastolic dysfunction by echocardiography: from the Investigators of Consensus on Diastolic Dysfunction by Echocardiography. 1996 , 9, 736-60		487
515	Shortened Doppler-derived mitral A wave deceleration time: an important predictor of elevated left ventricular filling pressure. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 700-5	15.1	58
514	"Diastology": beyond E and A. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 372-4	15.1	41
513	Doppler echocardiography reliably predicts pulmonary artery wedge pressure in patients with chronic heart failure with and without mitral regurgitation. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 883-93	15.1	122
512	A practical guide to assessment of ventricular diastolic function using Doppler echocardiography. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 1753-60	15.1	260
511	Left ventricular systolic and diastolic function assessed with two-dimensional and doppler echocardiography in "white coat" hypertension. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 190-6	15.1	22
510	Independent and incremental prognostic value of Doppler-derived mitral deceleration time of early filling in both symptomatic and asymptomatic patients with left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 383-90	15.1	207
509	Influence of left atrial function on Doppler transmitral and pulmonary venous flow patterns in dilated and hypertrophic cardiomyopathy: evaluation of left atrial appendage function by transesophageal echocardiography. 1996 , 131, 122-30		40
508	Changes in transmitral and pulmonary venous flow velocity patterns after cardioversion of atrial fibrillation. 1996 , 131, 270-5		28
507	Assessment of left ventricular diastolic function from mitral annulus motion, a comparison with pulsed Doppler measurements in patients with heart failure. 1996 , 16, 483-93		25
506	Noninvasive doppler echocardiographic evaluation of left ventricular filling pressures in patients with cardiomyopathies: a simultaneous Doppler echocardiographic and cardiac catheterization study. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 1226-33	15.1	279
505	Effects of dobutamine and enoximone on transmitral and pulmonary venous flow characteristics in patients with left ventricular dysfunction after coronary artery bypass grafting. 1996 , 10, 756-63		4
504	Quantitative assessment of diastolic filling function: a new Doppler echocardiographic method and in vitro validation. 1996 , 9, 848-56		
503	Diastolic spectrum of left-ventricular hypertrophy: the impact of etiology and coronary artery disease on Doppler transmitral velocity. 1996 , 87, 436-42		1
502	Identification of pseudonormal transmitral flow pattern using color Doppler echocardiography. 1996 , 60, 749-57		1

501	Newer Doppler measures of left ventricular diastolic function. 1996 , 19, 277-88		17
500	Assessment of mean left atrial pressure from the left ventricular pressure tracing in patients with cardiomyopathies. 1996 , 78, 107-10		51
499	Improved visualization of pulmonary venous flow Doppler signal by intravenous injection of sonicated albumin. 1996 , 78, 598-600		9
498	Analysis of left ventricular diastolic function. <i>Heart</i> , 1996 , 75, 27-35	5.1	69
497	Congestive Heart Failure With Normal Left Ventricular Systolic Function. 1996 , 156, 146		76
496	Hypertensive left ventricular hypertrophy: pathophysiology, assessment and treatment. 1996 , 5, 5-15		16
495	Importance of Recording Pulmonary Venous Flow Velocities With Transthoracic or Transesophageal Echocardiography: Clinical Application in Various Cardiac Conditions. 1997 , 13, 3-15		1
494	Heart function in patients with chronic glomerulonephritis and mildly to moderately impaired renal function. An echocardiographic study. 1997 , 6, 286-93		20
493	Evaluation and prognostic significance of left ventricular diastolic function assessed by Doppler echocardiography in the early phase of a first acute myocardial infarction. 1997 , 18, 1882-9		59
492	Pulmonary venous flow velocity patterns in 143 normal subjects aged 20 to 80 years old. An echo 2D colour Doppler cooperative study. 1997 , 18, 148-64		54
491	Assessment of left ventricular end-diastolic pressure by Doppler echocardiography: contribution of duration of pulmonary venous versus mitral flow velocity curves at atrial contraction. 1997 , 10, 52-9		75
490	Improvement of pulmonary venous flow Doppler signal after intravenous injection of Levovist. 1997 , 10, 891-8		23
489	Doppler evaluation of left and right ventricular diastolic function: a technical guide for obtaining optimal flow velocity recordings. 1997 , 10, 271-92		239
488	Left ventricular Doppler filling pattern in dilated cardiomyopathy: relation to hemodynamics and left atrial function. 1997 , 10, 518-25		37
487	Feasibility of obtaining pulmonary venous flow velocity in cardiac patients using transthoracic pulsed wave Doppler technique. 1997 , 10, 60-6		64
486	The noninvasive assessment of left ventricular diastolic function with two-dimensional and Doppler echocardiography. 1997 , 10, 246-70		502
485	Left Atrial Systolic Performance in the Presence of Elevated Left Ventricular End-Diastolic Pressure: Evaluation by Transesophageal Pulsed Doppler Echocardiography of Left Ventricular Inflow and Pulmonary Venous Flow Velocities. 1997 , 14, 23-32		21
484	Persistence of restrictive left ventricular filling pattern in dilated cardiomyopathy: an ominous prognostic sign. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 604-12	15.1	207

483	Alteration of left ventricular diastolic function during coronary angioplasty-induced ischemia: a color M-mode Doppler study. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 1246-55	15.1	48
482	Estimating mean pulmonary wedge pressure in patients with chronic atrial fibrillation from transthoracic Doppler indexes of mitral and pulmonary venous flow velocity. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 19-26	15.1	90
481	Evaluation of diastolic filling of left ventricle in health and disease: Doppler echocardiography is the clinician's Rosetta Stone. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 8-18	15.1	1037
480	Utility of preload alteration in assessment of left ventricular filling pressure by Doppler echocardiography: a simultaneous catheterization and Doppler echocardiographic study. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 459-67	15.1	198
479	Doppler tissue imaging: a noninvasive technique for evaluation of left ventricular relaxation and estimation of filling pressures. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1527-33	15.1	2398
478	Hemodynamic determinants of Doppler pulmonary venous flow velocity components: new insights from studies in lightly sedated normal dogs. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1562-74	15.1	110
477	Echocardiography for hemodynamic assessment of patients with advanced heart failure and potential heart transplant recipients. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1765-72	15.1	60
476	Determination of left ventricular filling pressure by Doppler echocardiography in patients with coronary artery disease: critical role of left ventricular systolic function. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1819-26	15.1	232
475	Doppler evaluation of left ventricular filling in congestive heart failure. 1997 , 18, 1548-56		20
474	Echocardiographic changes after myocardial infarction in a model of left ventricular diastolic dysfunction. 1997 , 273, H2018-29		14
473	Prediction of the Third and Fourth Heart Sounds by Doppler Echocardiography. 1997 , 14, 425-434		2
472	Assessment of diastolic function with echocardiography. 1997 , 6, 46-49		1
471	Disparity between diastolic mitral flow characteristics and left ventricular mass in essential hypertension. 1997 , 79, 1255-8		11
470	Comparison of adaptations to a 12-month exercise program and late outcome in patients with healed myocardial infarction and ejection fraction 50%. 1997 , 79, 1258-60		12
469	Retrograde atrial kick in acute aortic regurgitation. Study of mitral and pulmonary venous flow velocities by transthoracic and transesophageal echocardiography. 1997 , 20, 35-40		3
468	Transesophageal pulsed Doppler echocardiographic evaluation of left atrial systolic performance in hypertrophic cardiomyopathy: combined analysis of transmitral and pulmonary venous flow velocities. 1997 , 20, 47-54		17
467	[Transesophageal echocardiography in anesthesia and intensive care. The diagnostic importance of transesophageal echocardiography]. 1997 , 46, 504-14		6
466	Left ventricular systolic and diastolic function in septic shock. 1997 , 23, 553-60		803

465	Left atrial function in congestive heart failure: assessment by transmitral and pulmonary vein Doppler. 1998 , 14, 47-53	7
464	Optimizing the hemodynamic performance of the DDD pacemaker: impact of the atrioventricular delay on the pulmonary venous flow pattern. 1998 , 21, 2261-8	2
463	Can the Extent of Change of the Left Ventricular Doppler Inflow Pattern During the Valsalva Maneuver Predict an Elevated Left Ventricular End-Diastolic Pressure?. 1998 , 15, 211-218	9
462	"Peak Summation" Left Ventricular Filling Pattern in Patients with Chronic Heart Failure: Frequency and Complementary Value of Pulmonary Venous Flow in Its Hemodynamic Interpretation. 1998 , 15, 721-730	1
461	Pulmonary venous flow characteristics as assessed by transthoracic pulsed Doppler echocardiography in normal dogs. 1998 , 39, 33-41	19
460	Noninvasive evaluation of left ventricular diastolic function in hypertrophic cardiomyopathy. 1998 , 81, 180-7	53
459	Hemodynamic basis of mitral E transmission in the left ventricular cavity and its relation to the left ventricular relaxation process. 1998 , 81, 1385-8	3
458	Estimation of left and right ventricular filling pressures after heart transplantation by tissue Doppler imaging. 1998 , 82, 352-7	180
457	Comparison in systemic hypertension of left ventricular mass and geometry with systolic and diastolic function in patients or = 65 years of age. 1998 , 82, 604-8	39
456	Increasing degrees of left ventricular filling impairment modulate left atrial function in humans. 1998 , 82, 756-61	184
455	5 Left ventricular diastolic function. 1998 , 12, 595-618	
454	TEE monitoring. 1998 , 45, 919-24	4
453	Pulmonary venous blood flow pattern in patients with univentricular hearts following total cavo-pulmonary connection. 1998 , 18, 131-8	2
452	Effects of exercise on natriuretic peptides and cardiac function in man. 1998 , 65, 217-25	39
451	Postoperative pulmonary edema secondary to diastolic dysfunction in a patient with a previous heart transplant. 1998 , 10, 331-7	1
450	[Left ventricular diastolic function: physiology, pathophysiology, evaluation, therapy, consequences of anesthesia]. 1998 , 17, 319-39	5
449	Quantitation of mitral regurgitation using the systolic/diastolic pulmonary venous flow velocity ratio. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 1383-90	15.1 21
448	ACC expert consensus document. Present use of bedside right heart catheterization in patients with cardiac disease. American College of Cardiology. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 840-64	15.1 87

447	New Doppler echocardiographic applications for the study of diastolic function. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 865-75	15.1	820
446	Ratio of pulmonary venous to mitral A velocity is a useful marker for predicting mean pulmonary capillary wedge pressure in patients with left ventricular systolic dysfunction. 1998 , 11, 961-5		7
445	Accurate noninvasive estimation of left ventricular end-diastolic pressure: comparison with catheterization. 1998 , 11, 126-31		8
444	Duration of pulmonary venous atrial reversal flow velocity and mitral inflow a wave: new measure of severity of cardiac amyloidosis. 1998 , 11, 1125-33		17
443	Pulmonary venous flow Doppler velocities in children. 1998 , 11, 132-7		24
442	Rates of left ventricular isovolumic pressure rise and fall from the aortic regurgitation velocity signal: description of the method and validation in human beings. 1998 , 11, 631-7		5
441	Age independence of the difference in duration of pulmonary venous atrial reversal flow and transmitral A-wave flow in normal subjects. 1998 , 11, 458-65		27
440	Reversible left atrial dysfunction possibly due to afterload mismatch in patients with left ventricular dysfunction. 1998 , 11, 274-9		14
439	Doppler estimation of left ventricular filling pressure in sinus tachycardia. A new application of tissue doppler imaging. <i>Circulation</i> , 1998 , 98, 1644-50	16.7	487
438	Heart failure associated with preserved systolic function: a common and costly clinical entity. 1998 , 135, S310-9		102
437	Diastolic Ventricular Function in Children: A Doppler Echocardiographic Study Establishing Normal Values and Predictors of Increased Ventricular End-Diastolic Pressure. 1998 , 73, 616-628		71
436	How to diagnose diastolic heart failure. European Study Group on Diastolic Heart Failure. 1998 , 19, 990-1003		552
435	Left ventricular mechanics after closure of ventricular septal defect: influence of size of the defect and age at surgical repair. 1998 , 8, 320-8		8
434	Differences in transmitral flow velocity pattern during increase in preload in patients with abnormal left ventricular relaxation. 1998 , 89, 152-8		12
433	The influence of diastolic and systolic function on exercise performance in heart failure due to dilated cardiomyopathy or ischemic heart disease. 1999 , 1, 161-7		16
432	Natriuretic peptides in patients with diastolic dysfunction due to idiopathic dilated cardiomyopathy. 1999 , 20, 1415-23		44
431	Pulmonary oligemia in aortic valve disease. 1999 , 210, 37-45		1
430	N-terminal proatrial natriuretic peptide correlates with systolic dysfunction and left ventricular filling pattern in patients with idiopathic dilated cardiomyopathy. <i>Heart</i> , 1999 , 82, 630-3	5.1	6

429	Doppler-derived mitral deceleration time: an early strong predictor of left ventricular remodeling after reperfused anterior acute myocardial infarction. <i>Circulation</i> , 1999 , 99, 230-6	16.7	111
428	Doppler estimation of left ventricular filling pressures in patients with hypertrophic cardiomyopathy. <i>Circulation</i> , 1999 , 99, 254-61	16.7	413
427	Prevalence of left ventricular diastolic filling abnormalities in adult cardiac surgical patients: an intraoperative echocardiographic study. 1999 , 11, 125-33		22
426	Left ventricular diastolic function in normal human pregnancy. <i>Circulation</i> , 1999 , 99, 511-7	16.7	153
425	Pulsed tissue Doppler evaluation of mitral annulus motion: a new window to assessment of diastolic function. 1999 , 19, 1-10		54
424	Left Ventricular Regional Diastolic Dysfunction in Patients with First Myocardial Infarction Determined by Diastolic Motion of the Atrioventricular Plane. 1999 , 16, 635-641		3
423	Effect of Programmed Atrioventricular Delay on the Patterns of Mitral and Pulmonary Vein Flow Profiles and Their Durations in Patients with Dual-Chamber Pacemakers. 1999 , 16, 231-238		3
422	Doppler echocardiographic-guided diagnosis and therapy of heart failure. 1999 , 1, 55-66		9
421	Ambulatory blood pressure monitoring and echocardiography--noninvasive techniques for evaluation of the hypertensive patient. 1999 , 41, 397-440		12
420	Determinants of pulmonary venous flow reversal in mitral regurgitation and its usefulness in determining the severity of regurgitation. 1999 , 83, 535-41		48
419	Relation of exercise capacity to left ventricular systolic function and diastolic filling in idiopathic or ischemic dilated cardiomyopathy. 1999 , 83, 728-34		67
418	Noninvasive assessment of hemodynamic subsets in patients with acute myocardial infarction using digital color Doppler velocity profile integration and pulmonary venous flow analysis. 1999 , 83, 1027-32		13
417	Potentials and limitations of the Valsalva maneuver as a method of differentiating between normal and pseudonormal left ventricular filling patterns. 1999 , 84, 76-81		19
416	Exercise capacity in hypertrophic cardiomyopathy depends on left ventricular diastolic function. 1999 , 84, 309-15		64
415	M-mode analysis of mitral annulus motion for detection of pseudonormalization of the mitral inflow pattern. 1999 , 84, 692-7		10
414	The value of assessing pulmonary venous flow velocity for predicting severity of mitral regurgitation: A quantitative assessment integrating left ventricular function. 1999 , 12, 736-43		44
413	Decreased left atrial appendage function is an important predictor of elevated left ventricular filling pressure in patients with congestive heart failure. 1999 , 68, 39-45		8
412	An integrated measure of left ventricular diastolic function based on relative rates of mitral E and A wave propagation. 1999 , 12, 811-6		4

411	Estimation of left ventricular end-diastolic pressure with the difference in pulmonary venous and mitral A durations is limited when mitral E and A waves are overlapped. 1999 , 12, 106-12		25
410	Assessment of diastolic function by tissue Doppler echocardiography: comparison with standard transmitral and pulmonary venous flow. 1999 , 12, 609-17		171
409	Pitfalls in Doppler evaluation of diastolic function: insights from 3-dimensional magnetic resonance imaging. 1999 , 12, 817-26		47
408	Evaluation of left ventricular diastolic function when mitral E and A waves are completely fused: role of assessing mitral annulus velocity. 1999 , 12, 203-8		55
407	Noninvasive evaluation of pulmonary capillary wedge pressure in patients with acute myocardial infarction by deceleration time of pulmonary venous flow velocity in diastole. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 90-4	15.1	56
406	Noninvasive assessment of left atrial maximum dP/dt by a combination of transmitral and pulmonary venous flow. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 795-801	15.1	41
405	50th anniversary historical article. The hemodynamic basis of diastology. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 1659-62	15.1	10
404	Impaired left ventricular relaxation is an early manifestation of diastolic dysfunction: can noninvasive indices be of help?. 1999 , 10, 65-74		3
403	New approaches to the Doppler echocardiographic assessment of diastolic function: from research laboratory to clinical practice. 1999 , 10, 105-12		2
402	Pulmonary function, cardiac function, and exercise capacity in a follow-up of patients with congestive heart failure treated with carvedilol. 1999 , 138, 460-7		73
401	Effects of long-term adrenergic beta-blockade on left ventricular diastolic filling in patients with acute myocardial infarction. 1999 , 138, 710-20		18
400	Longitudinal changes and prognostic implications of left ventricular diastolic function in first acute myocardial infarction. 1999 , 137, 910-8		100
399	Influence of gravity on pulmonary venous flow velocity patterns: analysis of left and right pulmonary venous flow velocities in left and right decubitus positions. 1999 , 137, 419-26		5
398	Pulmonary venous flow in hypertrophic cardiomyopathy as assessed by the transoesophageal approach. The additive value of pulmonary venous flow and left atrial size variables in estimating the mitral inflow pattern in hypertrophic cardiomyopathy. 1999 , 20, 293-302		8
397	Left Ventricular Diastolic Dysfunction in Patients With Hypertension and Preserved Systolic Function. 2000 , 75, 148-155		12
396	Left ventricular function in adolescents and adults with restrictive ventricular septal defect and moderate left-to-right shunting. 2000 , 10, 126-9		12
395	Tissue Doppler imaging: a new technique for assessment of pseudonormalization of the mitral inflow pattern. 2000 , 17, 539-46		47
394	From digital image processing of colour Doppler M-mode maps to noninvasive evaluation of the left ventricular diastolic function: a dedicated software package. 2000 , 26, 603-11		6

393	Maternal cardiac systolic and diastolic function: relationship with uteroplacental resistances. A Doppler and echocardiographic longitudinal study. 2000 , 15, 487-97	77
392	Assessment of hemodynamics using Doppler ultrasound. 2000 , 15, 456-9	4
391	Diastolic heart failure: diagnosis and treatment. 2000 , 3, 13-24	8
390	Monitoring gas exchange during a constant work rate exercise in patients with left ventricular dysfunction treated with carvedilol. 2000 , 85, 660-4, A10	7
389	Impact of blunted pulmonary venous flow on the outcome of patients with left ventricular systolic dysfunction secondary to either ischemic or idiopathic dilated cardiomyopathy. 2000 , 85, 1455-60	35
388	Noninvasive assessment of left ventricular end-diastolic pressure by the response of the transmitral a-wave velocity to a standardized Valsalva maneuver. 2000 , 86, 169-74	31
387	Transthoracic and transesophageal echocardiography in the hemodynamic assessment of patients with congestive heart failure. 2000 , 86, 36G-40G	22
386	Atrioventricular filling dynamics, diastolic function and dysfunction. 2000 , 5, 291-9	18
385	Diastolic ventricular interaction in normal and dilated heart during head-up tilting. 2000 , 23, 665-72	14
384	Age-related features of pulmonary venous flow (according to the data of pulsed dopplerography). 2000 , 26, 53-55	
383	Doppler echo evaluation of pulmonary venous-left atrial pressure gradients: human and numerical model studies. 2000 , 279, H594-600	11
382	[Left ventricular diastolic function in normal pregnancy. A prospective study using M-mode echocardiography and Doppler echocardiography]. 2000 , 125, 1069-73	10
381	Operation Everest III (Comex '97): modifications of cardiac function secondary to altitude-induced hypoxia. An echocardiographic and Doppler study. 2000 , 161, 264-70	106
380	Left atrial and ventricular filling in chronic obstructive pulmonary disease. An echocardiographic and Doppler study. 2000 , 162, 670-5	124
379	Prediction of mean pulmonary wedge pressure using doppler pulmonary venous flow variables in hypertrophic cardiomyopathy. 2000 , 76, 49-56	3
378	Effects of first myocardial infarction on left ventricular systolic and diastolic function with the use of mitral annular velocity determined by pulsed wave doppler tissue imaging. 2000 , 13, 343-52	121
377	The echo-Doppler evaluation of left ventricular diastolic function. A current perspective. 2000 , 18, 513-46, ix	127
376	Clinical utility of Doppler echocardiography and tissue Doppler imaging in the estimation of left ventricular filling pressures: A comparative simultaneous Doppler-catheterization study. <i>Circulation</i> , 2000 , 102, 1788-94	16.7 2268

375	Evaluation of left ventricular function in coronary bypass surgery. 2000 , 34, 493-500		2
374	Left ventricular end-diastolic pressure can be estimated by either changes in transmitral inflow pattern during valsalva maneuver or analysis of pulmonary venous flow. 2000 , 13, 599-607		40
373	Löffler's syndrome: pulmonary vein and transmitral doppler flow analysis by transesophageal echocardiography-report of a case. 2000 , 13, 690-2		2
372	Hemodynamics derived from transesophageal echocardiography (TEE). 2000 , 18, 699-709		7
371	Assessment of right atrial pressure with 2-dimensional and Doppler echocardiography: a simultaneous catheterization and echocardiographic study. 2000 , 75, 24-9		162
370	Left ventricular diastolic dysfunction in patients with hypertension and preserved systolic function. 2000 , 75, 148-55		20
369	Determinants of forward pulmonary vein flow: an open pericardium pig model. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 1947-59	15.1	21
368	Prognostic value of pulmonary venous flow Doppler signal in left ventricular dysfunction: contribution of the difference in duration of pulmonary venous and mitral flow at atrial contraction. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 1295-302	15.1	81
367	Relationship of echocardiographic indices to pulmonary capillary wedge pressures in healthy volunteers. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 1664-9	15.1	216
366	Ratio of left ventricular peak E-wave velocity to flow propagation velocity assessed by color M-mode Doppler echocardiography in first myocardial infarction: prognostic and clinical implications. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 363-70	15.1	111
365	Persistent ST segment depression in precordial leads V5-V6 after Q-wave anterior wall myocardial infarction is associated with restrictive physiology of the left ventricle. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 352-7	15.1	8
364	Hemodynamic determinants of the mitral annulus diastolic velocities by tissue Doppler. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 278-85	15.1	451
363	Improvement of afterload mismatch of left atrial booster pump function with positive inotropic agent. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 270-7	15.1	15
362	The deceleration [correction of declaration] time of pulmonary venous diastolic flow is more accurate than the pulmonary artery occlusion pressure in predicting left atrial pressure. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 2025-30	15.1	34
361	Intérêt de l'étude par Doppler pulsé du flux mitral et du flux veineux pulmonaire dans l'évaluation des pressions de remplissage du ventricule gauche. 2001 , 10, 173-182		2
360	Detection of changes in diastolic function by pulmonary venous flow analysis in women athletes. 2001 , 141, 139-47		10
359	[Assessment of left ventricular diastolic pressure with Doppler echocardiography]. 2001 , 20, 300-3		
358	Comparison of transthoracic Doppler echocardiography and natriuretic peptides in predicting mean pulmonary capillary wedge pressure in patients with chronic atrial fibrillation. 2001 , 14, 1080-7		31

357	The use of echocardiography in the critical care setting. 2001 , 17, 253-70, v	12
356	Comparison of myocardial tissue Doppler with transmitral flow Doppler in left ventricular hypertrophy. 2001 , 14, 1153-60	44
355	Mitral regurgitation and left ventricular diastolic dysfunction similarly affect mitral and pulmonary vein flow Doppler parameters: the advantage of end-diastolic markers. 2001 , 14, 562-8	50
354	Chronic mitral regurgitation and Doppler estimation of left ventricular filling pressures in patients with heart failure. 2001 , 14, 1094-9	15
353	The importance of pulmonary venous flow measurement for evaluating left ventricular end-diastolic pressure in patients with coronary artery disease in the early stage of diastolic dysfunction. 2001 , 14, 987-93	15
352	Left ventricular diastolic filling is related to the atrioventricular plane displacement in patients with coronary artery disease. 2001 , 35, 30-4	6
351	Doppler echocardiography reliably predicts pulmonary artery wedge pressure in patients with chronic heart failure even when atrial fibrillation is present. 2001 , 3, 173-81	32
350	Determinants of diastolic myocardial tissue Doppler velocities: influences of relaxation and preload. 2001 , 90, 299-307	147
349	Estimation of left ventricular operating stiffness from Doppler early filling deceleration time in humans. 2001 , 280, H554-61	72
348	MRI assessment of LV relaxation by untwisting rate: a new isovolumic phase measure of tau. 2001 , 281, H2002-9	197
347	Transesophageal echocardiography in the ICU. 2001 , 132, 114-35	
346	Feasibility and accuracy of transthoracic Doppler echocardiographic estimation of pulmonary capillary wedge pressure applying different methods. 2001 , 3, 553-60	7
345	Estimating pulmonary capillary wedge pressures using Doppler variables of early diastolic left ventricular inflow. 2001 , 65, 33-9	5
344	Evaluation of left atrial function by the functional volume change curve derived from Doppler flow spectra. 2001 , 65, 953-7	9
343	Prognostic implications of left ventricular diastolic dysfunction with preserved systolic function following acute myocardial infarction. 2001 , 95, 190-7	21
342	Determinants of right ventricular pressure in mild hypertension. 2001 , 19, 2055-61	2
341	Diastolic function in hypertension. 2001 , 3, 485-97	7
340	[Left ventricular diastolic function in pregnancy in patients with arterial hypertension. A prospective study with M-mode echocardiography and Doppler echocardiography]. 2001 , 90, 427-36	6

339	Doppler velocimetry in superior vena cava provides useful information on the right circulatory function in patients with congestive heart failure. 2001 , 18, 469-77		15
338	Prevalence of isolated left ventricular diastolic dysfunction in hypertension as assessed by combined transmitral and pulmonary vein flow Doppler study. 2001 , 87, 357-60, A10		22
337	Plasma nitric oxide level in heart failure secondary to left ventricular diastolic dysfunction. 2001 , 88, 867-70		11
336	Myocardial ischemia: Monitoring to diagnose ischemia: How do I monitor therapy?. 2001 , 19, 651-672		4
335	Maternal diastolic dysfunction and left ventricular geometry in gestational hypertension. <i>Hypertension</i> , 2001 , 37, 1209-15	8.5	61
334	Intracellular signaling by the killer immunoglobulin-like receptors and Ly49. 2001 , 2001, re1		51
333	Determinants and clinical significance of natriuretic peptides and hypertrophic cardiomyopathy. 2001 , 22, 1328-36		46
332	Effects of age, body weight, and heart rate on transmitral and pulmonary venous flow in clinically normal dogs. 2001 , 62, 1447-54		51
331	Increase in plasma adrenomedullin in patients with heart failure characterised by diastolic dysfunction. 2001 , 86, 155-60		31
330	Pulmonary venous flow velocity patterns in 404 individuals without cardiovascular disease. 2001 , 85, 23-9		41
329	Left ventricular diastolic function in the elderly. 2001 , 10, 20-9		27
328	Non-invasive estimation of left ventricular filling pressures by Doppler echocardiography. 2002 , 3, 75-9		17
327	Assessment of left ventricular diastolic function by echocardiography. 2002 , 3, 84-5; author reply 85		
326	Left ventricular diastolic function assessed using Doppler tissue imaging in patients with hypertrophic cardiomyopathy: relation to symptoms and exercise capacity. 2002 , 87, 247-51		129
325	Evaluation of left ventricular filling pressure by transthoracic Doppler echocardiography in the intensive care unit. 2002 , 30, 362-7		77
324	Diastolic heart failure: restrictive cardiomyopathy, constrictive pericarditis, and cardiac tamponade: clinical and echocardiographic evaluation. 2002 , 10, 218-29		55
323	The prevalence of impaired left ventricular diastolic filling is related to the extent of coronary atherosclerosis in patients with stable coronary artery disease. 2002 , 13, 1-7		12
322	Mitral Doppler indices are superior to two-dimensional echocardiographic and hemodynamic variables in predicting responsiveness of cardiac output to a rapid intravenous infusion of colloid. <i>Anesthesia and Analgesia</i> , 2002 , 94, 1092-9, table of contents	3.9	26

321	Pseudonormal or intermediate pattern?. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 1796-8	15.1	11
320	Left ventricular hypertrophy and diastolic dysfunction in healthy pregnant women. 2002 , 97, 73-8		72
319	Quantification of left ventricular diastolic pressure-volume relations during routine cardiac catheterization by two-dimensional digital echo quantification and left ventricular micromanometer. 2002 , 15, 225-32		4
318	Losartan treatment and left ventricular filling during volume loading in patients with dilated cardiomyopathy. 2002 , 143, 433-40		5
317	The role of Doppler left ventricular filling indexes and Doppler tissue echocardiography in the assessment of cardiac involvement in hereditary hemochromatosis. 2002 , 15, 884-90		38
316	Left atrial inflow propagation rate: a new transesophageal echocardiographic index of preload. 2002 , 15, 1057-64		4
315	Mitral annulus velocities by Doppler tissue imaging: practical implications with regard to preload alterations, sample position, and normal values. 2002 , 15, 1226-31		51
314	Acute effects of smoking on diastolic function in healthy participants: studies by conventional doppler echocardiography and doppler tissue imaging. 2002 , 15, 1232-7		41
313	Comparison of Doppler echocardiography, color M-mode Doppler, and Doppler tissue imaging for the estimation of pulmonary capillary wedge pressure. 2002 , 15, 1245-50		60
312	Prevalence of left ventricular diastolic dysfunction by Doppler echocardiography: clinical application of the Canadian consensus guidelines. 2002 , 15, 1238-44		50
311	Doppler tissue echocardiographic features of cardiac amyloidosis. 2002 , 15, 1353-60		36
310	Effect of Vigorous Preload Reduction on Mitral Annulus Velocity in Chronic Renal Failure. 2002 , 32, 807		
309	Analysis of left atrial volume change rate during left ventricular diastolic phase with M-mode echocardiography for differentiation between normal and pseudonormal mitral inflow. 2002 , 89, 552-6		5
308	Comparison of hemodynamic adaptation to orthostatic stress in patients with hypertrophic cardiomyopathy with or without syncope and in vasovagal syncope. 2002 , 89, 1405-10		12
307	Comparison of left ventricular systolic and diastolic function in patients with idiopathic dilated cardiomyopathy and mild heart failure versus those with severe heart failure. 2002 , 90, 390-4		24
306	Echocardiographic determinants of mitral early flow propagation velocity. 2002 , 90, 613-9		23
305	Doppler-derived left ventricular end-diastolic pressure prediction model using the combined analysis of mitral and pulmonary A waves in patients with coronary artery disease and preserved left ventricular systolic function. 2002 , 90, 720-4		16
304	Effects of the creation of arteriovenous fistula for hemodialysis on cardiac function and natriuretic peptide levels in CRF. 2002 , 40, 974-82		174

303	[Echocardiography diagnosis of diastolic heart failure]. 2002 , 27, 99-106	14
302	Real-time three-dimensional echocardiography for improved evaluation of diastolic function using volume-time curves. 2002 , 27, 237-45	12
301	Editorial. 2002 , 4, 5-6	
300	Does rapid volume loading during transesophageal echocardiography differentiate constrictive pericarditis from restrictive cardiomyopathy?. 2002 , 19, 125-34	18
299	Validation of six noninvasive Doppler methods for the assessment of left ventricular filling pressure. 2002 , 19, 645-53	5
298	Intraventricular dispersion and temporal delay of early left ventricular filling after acute myocardial infarction. Assessment by magnetic resonance velocity mapping. 2002 , 20, 249-60	9
297	Comparison of pulmonary venous flow velocities and left ventricular diastolic and ejection time in patients with moderate mitral and aortic stenosis. Pulmonary venous flow velocities in mitral and aortic stenosis. 2003 , 19, 33-41	2
296	Effects of acute angiotensin-converting enzyme inhibition on diastolic ventricular interaction in the dilated heart. 2003 , 26, 424-30	2
295	Impact of left ventricular ejection fraction on estimation of left ventricular filling pressures using tissue Doppler and flow propagation velocity. 2003 , 91, 780-4	293
294	Is left ventricular postsystolic long-axis shortening a marker for severity of hypertensive heart disease?. 2003 , 91, 1490-3, A8	13
293	Impact of left ventricular function on the pulmonary vein Doppler spectrum: nonsimultaneous assessment with load-insensitive indices. 2003 , 20, 9-18	4
292	Diastolic heart failure: can we afford to be in diastole?. 2003 , 12, 119-22	
291	Prediction of heart failure post myocardial infarction: comparison of ejection fraction, transmitral filling parameters, and the index of myocardial performance. 2003 , 20, 691-701	18
290	Increased volume reduction of late left-atrial emptying for patients with pseudonormal mitral inflow: an analysis for differentiation between normal and pseudonormal mitral inflow. 2003 , 20, 703-9	1
289	Prognostic value of the atrial systolic mitral annular motion velocity in patients with left ventricular systolic dysfunction. 2003 , 16, 333-9	92
288	Noninvasive differentiation of pseudonormal/restrictive from normal mitral flow by Tei index: a simultaneous echocardiography-catheterization study in patients with acute anteroseptal myocardial infarction. 2003 , 16, 1231-6	16
287	Diastolic dysfunction in an unusual case of cardiomyopathy in a child: insights from Doppler and Doppler tissue imaging analysis. 2003 , 16, 176-81	12
286	[Diagnosis and therapeutic guidance of diastolic heart failure]. 2003 , 56, 396-406	7

285	Association of newer diastolic function parameters with age in healthy subjects: a population-based study. 2003 , 16, 1049-56		143
284	Pulmonary venous flow by doppler echocardiography: revisited 12 years later. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 1243-50	15.1	96
283	Time interval between onset of mitral inflow and onset of early diastolic velocity by tissue Doppler: a novel index of left ventricular relaxation: experimental studies and clinical application. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1463-70	15.1	148
282	The return of cardiac time intervals: the phoenix is rising. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1471-4	15.1	43
281	A clinical approach to the assessment of left ventricular diastolic function by Doppler echocardiography: update 2003. 2003 , 89 Suppl 3, iii18-23		77
280	N-terminal proatrial natriuretic peptide in primary care: relation to echocardiographic indices of cardiac function in mild to moderate cardiac disease. 2003 , 89, 197-205		4
279	Nicardipine or nitroglycerin in patients with failed percutaneous coronary angioplasty: effect on myocardial diastolic function. 2003 , 17, 604-12		4
278	Early changes in left ventricular volume and function are predictors for long-term remodeling in patients with acute transmural myocardial infarction and preserved systolic function. 2003 , 16, 630-7		2
277	Are gestational and essential hypertension similar? Left ventricular geometry and diastolic function. 2003 , 22, 225-37		15
276	MATERNAL CARDIOVASCULAR HAEMODYNAMICS IN NORMAL AND COMPLICATED PREGNANCIES. 2003 , 14, 355-385		6
275	Comparison between invasive hemodynamic measurements and noninvasive assessment of left ventricular diastolic function by use of Doppler echocardiography in healthy anesthetized cats. 2003 , 64, 93-103		61
274	Evaluation of Left Atrial Size and Pressure as It Relates to Left Ventricle Diastolic Measurements in Patients With Left Ventricle Hypertrophy. 2003 , 19, 73-79		1
273	Left ventricular diastolic function and cardiac performance during exercise in patients with acromegaly. 2003 , 88, 4105-9		10
272	Non-invasive estimation of left ventricular end-diastolic pressure by pulmonary venous flow deceleration time. 2003 , 4, 162-8		12
271	The prevalence of preoperative diastolic filling abnormalities in geriatric surgical patients. <i>Anesthesia and Analgesia</i> , 2003 , 97, 1214-1221	3.9	41
270	Evidence of atrial mechanical dysfunction by acoustic quantification in abnormal relaxation and restrictive filling patterns of diastolic dysfunction in patients with coronary artery disease. 2003 , 4, 272-8		9
269	Prognostic Implications of Doppler-derived Indexes of Pulmonary Venous Flow after Acute Myocardial Infarction. 2003 , 33, 491		
268	Alternative parameters for echocardiographic assessment of fetal diastolic function. 2004 , 37, 31-6		22

267	The Usefulness of Color M-mode Doppler Echocardiographic Indices in the Assessment of Left Ventricular Diastolic Function. 2004 , 34, 1082		1
266	Comparison of early diastolic mitral annular velocity and flow propagation velocity in detection of mild to moderate left ventricular diastolic dysfunction. 2004 , 5, 196-204		15
265	N-terminal proatrial natriuretic peptide predicts two-year remodelling in patients with acute transmural myocardial infarction. 2004 , 25, 416-23		11
264	Evaluation of a Doppler-derived index combining systolic and diastolic left ventricular function in acute myocardial infarction. 2004 , 55, 21-8		8
263	Left atrioventricular plane displacement but not left ventricular ejection fraction is influenced by the degree of aortic stenosis. <i>Heart</i> , 2004 , 90, 1151-5	5.1	13
262	Enzyme replacement therapy with agalsidase beta improves cardiac involvement in Fabry's disease. 2004 , 66, 158-65		92
261	Value of tissue Doppler imaging to predict left ventricular filling pressure in patients with coronary artery disease. 2004 , 21, 133-8		24
260	Systolic left atrial failure in elderly women with severe aortic stenosis: mitral and pulmonary vein Doppler analysis by transesophageal echocardiography. 2004 , 21, 247-55		3
259	Analysis of left atrial volume change rate for evaluation of left ventricular diastolic function. 2004 , 21, 593-601		8
258	Transesophageal Pulsed Doppler echocardiography of pulmonary venous flow to assess left ventricular filling pressure in ventilated patients with acute respiratory distress syndrome. 2004 , 19, 187-97		19
257	Usefulness of tissue Doppler imaging for estimation of filling pressures in patients with primary or secondary pure mitral regurgitation. 2004 , 93, 324-8		93
256	A way to improve the reproducibility of measurements of myocardial velocity gradients. <i>International Journal of Cardiovascular Imaging</i> , 2004 , 20, 189-90	2.5	
255	[A structured report data set for documentation of echocardiographic studies--Update 2004]. 2004 , 93, 987-1004		12
254	The history of echocardiography. 2004 , 30, 1565-644		82
253	Estimaci3n de las presiones de llenado de ventr3culo izquierdo por ecocardiograf3a Doppler en pacientes cr3nicos. 2004 , 28, 20-25		3
252	A practical approach to the echocardiographic evaluation of diastolic function. 2004 , 17, 290-7		346
251	Noninvasive estimation of impaired hemodynamics for patients with acute myocardial infarction by Tei index. 2004 , 17, 615-21		10
250	Diagnostic and prognostic value of plasma brain natriuretic peptide in nondialysis-dependent CRF. 2004 , 44, 420-428		114

249 Pulmonary Hypertension. **2004**, 107-117

248 Coronary Artery Disease. **2004**, 119-148

247 Dilated Cardiomyopathy. **2004**, 149-168

246 Elucidating the B bump on the mitral valve M-mode echogram in patients with severe left ventricular systolic dysfunction. **2004**, 95, 7-12 3

245 Regression of left ventricular hypertrophy and improvement of diastolic function in hypertensive patients treated with telmisartan. **2004**, 97, 383-8 43

244 Effect of a cardiac rehabilitation program on left ventricular diastolic function and its relationship to exercise capacity in patients with coronary heart disease: experience from a randomized, controlled study. **2004**, 147, e24 51

243 Echocardiographic assessment in cell transplantation. **2004**, 95 Suppl 1, S50-2 1

242 The assessment of fluid status in haemodialysis patients: usefulness of the Doppler echocardiographic parameters. **2004**, 19, 644-51 10

241 Non-invasive evaluation of left ventricular filling pressures in patients with abnormal relaxation. **2004**, 106, 485-94 8

240 Haemodynamic effects of hyperbaric hyperoxia in healthy volunteers: an echocardiographic and Doppler study. **2004**, 106, 389-95 24

239 Acute effects of diltiazem on regional left ventricular diastolic filling dynamics in patients with hypertrophic cardiomyopathy as assessed by color kinesis. **2004**, 68, 1035-40 4

238 MRI and echocardiographic assessment of the diastolic dysfunction of normal aging: altered LV pressure decline or load?. **2004**, 286, H782-8 61

237 Hemodynamic monitoring utilizing transesophageal echocardiography: the relationships among pressure, flow, and function. **2005**, 127, 379-90 62

236 Can transthoracic Doppler echocardiography predict the discrepancy between left ventricular end-diastolic pressure and mean pulmonary capillary wedge pressure in patients with heart failure?. **2005**, 69, 432-8 43

235 Effect of age on left ventricular systolic function in humans: a study of systolic isovolumic acceleration rate. **2005**, 90, 527-34 26

234 Usefulness of tissue Doppler imaging for estimation of left ventricular filling pressures in patients with systolic and diastolic heart failure. **2005**, 95, 892-5 67

233 Assessment of diastolic function. **2005**, 47, 340-55 50

232 Preoperative moderate to severe diastolic dysfunction: a novel Doppler echocardiographic long-term prognostic factor in patients with severe aortic stenosis. **2005**, 129, 890-6 72

231	The Effect of Preload Reduction on a New Parameter to Evaluate Left Ventricular Diastolic Function. 2005 , 35, 827		1
230	The Pathophysiology and Diagnostic Approaches for Diastolic Left Ventricular Dysfunction: A Clinical Perspective. 2005 , 35, 865		7
229	The additive prognostic value of restrictive pattern and dipyridamole-induced contractile reserve in idiopathic dilated cardiomyopathy. 2005 , 7, 844-51		21
228	Reverse remodeling of the left cardiac chambers after catheter ablation after 1 year in a series of patients with isolated atrial fibrillation. <i>Circulation</i> , 2005 , 112, 2896-903	16.7	203
227	Cardiac Preload Evaluation Using Echocardiographic Techniques. 2005 , 259-268		
226	Influence of regression of left ventricular hypertrophy on left atrial size and function in patients with moderate hypertension. 2005 , 14, 273-8		37
225	Role of echocardiography in the contemporary management of chronic heart failure. 2005 , 3, 51-70		4
224	Echocardiography as a noninvasive Swan-Ganz catheter. <i>Circulation</i> , 2005 , 111, 3192-4	16.7	54
223	Doppler estimation of left ventricular filling pressures in patients with mitral valve disease. <i>Circulation</i> , 2005 , 111, 3281-9	16.7	157
222	Pulmonary venous flow reversal and its relationship to atrial mechanical function in normal subjects--Umeå General Population Heart Study. 2005 , 6, 107-16		10
221	The E/e filling index and right ventricular pressure in relation to applied international Doppler recommendations of left ventricular filling assessment. 2005 , 6, 419-28		4
220	Dissociation between improvement in left ventricular performance and functional class in patients with chronic heart failure. 2005 , 46, 262-8		7
219	The role of left and right ventricular early diastolic Doppler tissue echocardiographic indices in the evaluation of acute rejection in orthotopic heart transplant. 2005 , 18, 107-15		35
218	Functional Hemodynamic Monitoring. 2005 ,		6
217	Tissue Doppler echocardiographic evidence of atrial mechanical dysfunction in coronary artery disease. 2005 , 105, 178-85		52
216	Relationships among exercise capacity, hypertrophy, and left ventricular diastolic function in nonobstructive hypertrophic cardiomyopathy. 2005 , 150, 144-9		17
215	Doppler tissue imaging: a reliable method for estimation of left ventricular filling pressure in patients with mitral regurgitation. 2005 , 150, 610-5		32
214	Left heart failure with a normal ejection fraction: identification of different pathophysiologic mechanisms. 2005 , 11, 177-87		153

213	Comprehensive echocardiographic assessment of diastolic function. 2006 , 2, 163-78	6
212	Mitral peak Doppler E-wave to peak mitral annulus velocity ratio is an accurate estimate of left ventricular filling pressure and predicts mortality in end-stage renal disease. 2006 , 19, 266-73	100
211	Echocardiographic assessment of left ventricular function. 2006 , 13, 280-293	
210	Assessment of left ventricular function by cardiac ultrasound. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 2012-25	15.1 156
209	Assessment of left ventricular diastolic function by early diastolic mitral annulus peak acceleration rate: experimental studies and clinical application. 2006 , 100, 679-84	24
208	Deceleration time of systolic pulmonary venous flow: a new clinical marker of left atrial pressure and compliance. 2006 , 100, 685-9	11
207	Echocardiographie doppler: considérations techniques, examen normal. 2006 , 1, 1-18	
206	Insuffisance cardiaque: aspects pathologiques, cliniques et pronostiques. 2006 , 1, 1-17	
205	The utility of pulsed tissue Doppler parameters for the diagnosis of advanced left ventricular diastolic dysfunction. 2006 , 23, 189-96	15
204	Echocardiographic assessment of left ventricular function. 2006 , 13, 280-93	5
203	Effects of losartan + L-arginine on nitric oxide production, endothelial cell function, and hemodynamic variables in patients with heart failure secondary to coronary heart disease. 2006 , 98, 172-7	17
202	Diastolic Function: The Necessary Basics. 2006 , 22, 99-108	3
201	Ecocardiografia clinica. 2006 ,	
200	How to diagnose diastolic heart failure a consensus statement. 2007 , 28, 2421-3	44
199	Left atrial anatomy and function after conversion from atrial fibrillation in hypertrophic hearts. 2006 , 57, 717-23	2
198	Detection of abnormal left ventricular function by Doppler tissue imaging in patients with a first myocardial infarction and showing normal function assessed by conventional echocardiography. 2007 , 8, 37-41	18
197	Repeated assessment of physical biomeasures or blood biomarkers for the definition of volume status and cardiac loading in LVSD. 2007 , 1, 355-74	0
196	Left atrial stiffness and its implications for cardiac function. 2007 , 3, 175-83	5

195	Baseline characteristics of patients recruited in the AREA IN-CHF study (Antiremodelling Effect of Aldosterone Receptors Blockade with Canrenone in Mild Chronic Heart Failure). 2007 , 8, 683-91	15
194	The use of current hemodynamic monitors and echocardiography in resuscitation of the critically ill or injured patient. 2007 , 45, 31-59	7
193	New echocardiographic technologies in the clinical management of hypertensive heart disease. 2007 , 8, 997-1006	9
192	Diastolic ventricular interactions in endurance-trained athletes during orthostatic stress. 2007 , 293, H409-15	13
191	Diastolic heart failure and left ventricular diastolic dysfunction: what we know, and what we don't know!. 2007 , 115, 284-92	27
190	Assessment of Diastolic Function by Doppler Echocardiography in Normal Doberman Pinschers and Doberman Pinschers with Dilated Cardiomyopathy. 2007 , 21, 81-91	24
189	How to diagnose diastolic heart failure: a consensus statement on the diagnosis of heart failure with normal left ventricular ejection fraction by the Heart Failure and Echocardiography Associations of the European Society of Cardiology. 2007 , 28, 2539-50	1934
188	Left ventricular diastolic function. 2007 , 35, S340-7	45
187	Noninvasive echocardiographic estimation of pulmonary wedge pressure in candidates for and recipients of heart transplantation. 2007 , 20, 480-5	4
186	Évaluation des pressions de remplissage ventriculaire gauche par échocardiographie-doppler. 2007 , 16, 139-148	8
185	Validation of transthoracic tissue Doppler assessment of left atrial appendage function. 2007 , 20, 521-6	9
184	Usefulness of left atrial volume for the differentiation of normal from pseudonormal diastolic function pattern in patients on hemodialysis. 2007 , 20, 359-65	26
183	Diastolic function: a sonographer's approach to the essential echocardiographic measurements of left ventricular diastolic function. 2007 , 20, 199-209	44
182	Wave intensity analysis of left atrial mechanics and energetics in anesthetized dogs. 2007 , 292, H1533-40	9
181	. 2007 ,	13
180	Impact of mitral E/A ratio on the accuracy of different echocardiographic indices to estimate left ventricular end-diastolic pressure. 2007 , 33, 699-707	5
179	Detection of left ventricular dysfunction by Doppler tissue imaging in patients with complete recovery of visual wall motion abnormalities 6 months after a first ST-elevation myocardial infarction. 2007 , 27, 305-8	1
178	Effect of external constraint on the index of myocardial performance in a canine model of left ventricular dysfunction. 2007 , 24, 712-22	1

177	An approach to analysis of left ventricular diastolic function and loading conditions in the echocardiography laboratory. 2008 , 25, 105-16		14
176	Association of arterial wave properties and diastolic dysfunction in patients with type 2 diabetes mellitus. 2007 , 99, 844-8		33
175	Impact of left atrial appendage exclusion on left atrial function. 2007 , 133, 174-81		15
174	Echocardiography in the Critically Ill. 2007 , 4, 178-183		
173	Determination of left ventricular filling pressure by new echocardiographic methods in patients with coronary artery disease. <i>International Journal of Cardiovascular Imaging</i> , 2008 , 24, 141-7	2.5	12
172	Differences in echocardiographic assessment with standard Doppler and tissue Doppler imaging of left ventricular filling pressure in idiopathic and ischemic dilated cardiomyopathy. 2008 , 25, 683-91		1
171	Cardiac performance during exercise in patients with Fabry's disease. 2008 , 38, 910-7		9
170	Echocardiographic assessment of left ventricular filling pressures. 2008 , 4, 57-70		10
169	Update of the French Society of Cardiology recommendations on indications for Doppler echocardiography published in 1999. 2008 , 101, 249-89		12
168	Hypertension. 2008 , 101, 250-254		
167	Organic valve diseases. 2008 , 101, 254-264		
166	N-terminal pro-brain natriuretic peptide--a promising biomarker for the diagnosis of left ventricular hypertrophy in hypertensive women. 2008 , 101, 307-15		11
165	Left ventricular filling. 2008 , 4, 47-56		12
164	Right ventricular restrictive physiology in repaired tetralogy of Fallot is associated with smaller respiratory variability. 2008 , 125, 28-35		8
163	Association of age and heart rate with pulsed-wave Doppler measurements in healthy, nonsedated cats. 2008 , 22, 351-6		27
162	Recommendations for the evaluation of left ventricular diastolic function by echocardiography. 2009 , 10, 165-93		1452
161	Resting echocardiographic assessments of left atrial function and filling pressure interest in the understanding of exercise capacity in patients with chronic congestive heart failure. 2008 , 21, 703-10		34
160	Dilated Cardiomyopathy and Cardiac Transplantation. 2008 , 247-257		1

159	Evaluation of Intracardiac Filling Pressures. 2008 , 181-192		1
158	Invasive Physiology: Clinical Cardiovascular Pathophysiology and Diastolic Dysfunction. 2008 , 73-91		
157	Assessment of Diastolic Heart Failure. 2008 , 89-101		
156	Assessment of Filling Pressure at Rest. 2008 , 53-71		
155	Atrial Function. 2008 , 253-264		
154	Noninvasive Estimation of Left Ventricular Filling Pressures. 2008 , 187-202		
153	Epidemiology and Management of Acute Decompensating Heart Failure in the Asia-Pacific Region. 2008 , 20-29		
152	Stratification of impaired relaxation filling patterns by passive leg lifting in patients with preserved left ventricular ejection fraction. 2008 , 10, 1094-101		8
151	Estimation of left ventricular filling pressure by use of Doppler echocardiography in healthy anesthetized dogs subjected to acute volume loading. 2008 , 69, 1034-49		34
150	Global Left Ventricular Systolic Function. 2008 , 47-79		
149	Pulmonary venous flow: adding prognostic significance to diastolic dysfunction. 2008 , 26, 636-8		
148	Evaluation of left ventricular systolic and diastolic function in patients with atrioventricular re-entrant tachycardia treated by radiofrequency current ablation. 2008 , 63, 221-7		2
147	Assessment of perioperative diastolic function and dysfunction. 2008 , 46, 51-62		5
146	Evaluation of Diastolic Function by Two-Dimensional and Doppler Assessment of Left Ventricular Filling Including Pulmonary Venous Flow. 2008 , 115-143		2
145	Echocardiographic Assessment of Left Ventricular Diastolic Function. <i>Journal of Echocardiography</i> , 2008 , 6, 57-66	1.6	1
144	Correlation of Doppler echocardiography with cardiac catheterization in estimating pulmonary capillary wedge pressure: A tertiary level hospital finding in Bangladesh. 2009 , 4, 1-8		1
143	American College of Chest Physicians/La Soci��t�� de R��animation de Langue Fran��aise statement on competence in critical care ultrasonography. 2009 , 135, 1050-1060		504
142	Smoking and atherosclerotic cardiovascular disease: part III: functional biomarkers influenced by smoking. 2009 , 3, 807-23		4

141	Left ventricular diastolic function in patients with treated haemochromatosis. 2009 , 43, 32-8	4
140	Tissue Doppler imaging in the estimation of intracardiac filling pressure in decompensated patients with advanced systolic heart failure. <i>Circulation</i> , 2009 , 119, 62-70	16.7 313
139	Right ventricular adaptations along with left ventricular remodeling in older athletes. 2009 , 26, 237-45	2
138	Correlation between BNP levels and Doppler echocardiographic parameters of left ventricle filling pressure in patients with Chagasic cardiomyopathy. 2009 , 26, 521-7	21
137	The Role of Echocardiography in Hemodynamic Assessment in Heart Failure. 2009 , 4, 149-166	1
136	Recommendations for the evaluation of left ventricular diastolic function by echocardiography. 2009 , 22, 107-33	2344
135	Ecografía transesofágica. 2009 , 35, 1-19	
134	The role of echocardiography in hemodynamic assessment in heart failure. 2009 , 5, 191-208	25
133	Diastolic dysfunction as a link between hypertension and heart failure. 2009 , 93, 647-64	39
132	Ecografía transesofagea. 2009 , 14, 1-18	
131	Diastolic Ventricular Function Assessment. 95-116	2
130	Critical Care Echocardiography. 2009 , 60-68	
129	Echocardiographic evaluation of diastolic heart failure. 2010 , 13, 14-26	3
128	Assessment of cardiac remodeling in asymptomatic mitral regurgitation for surgery timing: a comparative study of echocardiography and magnetic resonance imaging. 2010 , 8, 32	5
127	The mitral late diastolic flow acceleration slope after the restoration of sinus rhythm in acute atrial fibrillation: relationship to atrial function and change over time. 2010 , 10, 488-94	3
126	Echocardiographic strain imaging and its use in the clinical setting. 2010 , 8, 93-102	26
125	Will simultaneous measurement of E/e' index facilitate the non-invasive assessment of left ventricular filling pressure in patients with non-valvular atrial fibrillation?. 2010 , 11, 296-301	30
124	Recommendations for quantification methods during the performance of a pediatric echocardiogram: a report from the Pediatric Measurements Writing Group of the American Society of Echocardiography Pediatric and Congenital Heart Disease Council. 2010 , 23, 465-95; quiz 576-7	924

123	Diagnosis of heart failure with preserved ejection fraction: which parameters and diagnostic strategies are more valuable?. 2011 , 13, 737-45			33
122	Pulmonary Edema: Which Role for Echocardiography in the Diagnostic Workup?. 2011 , 177-194			1
121	Doppler Contrast Echocardiography. 2011 ,			
120	Noninvasive assessment of left ventricular end-diastolic pressure with tissue Doppler imaging in patients with mitral regurgitation. 2011 , 28, 633-40			10
119	Echocardiographic evaluation of left ventricular filling pressures validated against an implantable left ventricular pressure monitoring system. 2011 , 28, 619-25			8
118	Doppler echocardiography in diastology: 35 years of Japanese contribution to its advancement and utility. <i>Journal of Echocardiography</i> , 2011 , 9, 1-8	1.6		1
117	Left ventricular filling pressure assessment using left atrial transit time by cardiac magnetic resonance imaging. 2011 , 4, 130-8			18
116	Echocardiographic Evaluation of Diastolic Function. 2011 , 27, 65-78			2
115	Diastolic heart failure: perioperative management. 2012 , 50, 171-86			2
114	Heart failure with normal left ventricular ejection fraction: role of echocardiography. <i>Current Opinion in Cardiology</i> , 2012 , 27, 169-80	2.1		12
113	Endothelin-1 in the human myocardium and circulating plasma: evaluation before, during and after correction of aortic stenosis with aortic valve replacement. 2012 , 123, 1-10			3
112	Noninvasive prediction of left ventricular end-diastolic pressure in patients with coronary artery disease and preserved ejection fraction. 2012 , 28, 80-6			4
111	Optimal doppler frequency estimators for ultrasound and optical coherence tomography. 2012 ,			1
110	Clinical Echocardiography. 2012 ,			0
109	The accuracy of transoesophageal echocardiography in estimating pulmonary capillary wedge pressure in anaesthetised patients. 2012 , 67, 122-31			10
108	Heart Failure with Normal Left Ventricular Ejection Fraction: Basic Principles and Clinical Diagnostics. 2013 , 25-61			1
107	Role of Echocardiography in the Diagnosis of Heart Failure with Preserved Left Ventricular Systolic Function: Update 2013. 2013 , 6, 523-533			1
106	Echo-Doppler assessment of diastole: flow, function and haemodynamics. <i>Heart</i> , 2013 , 99, 55-64	5.1		15

105	Echocardiography to predict tolerance to negative fluid balance in acute respiratory distress syndrome/acute lung injury. 2013 , 28, 1006-10		9
104	Classification of left ventricular diastolic function using American Society of Echocardiography Guidelines: agreement among echocardiographers. 2013 , 30, 1022-31		22
103	The effect of HFE polymorphisms on cardiac iron overload in patients with beta-thalassemia major. 2013 , 30, 755-60		5
102	Clinical significance of abnormal relaxation pattern of the transmitral flow velocity waveform in older patients with preserved left ventricular ejection fraction. 2013 , 77, 2551-7		4
101	A systematic review of diastolic stress tests in heart failure with preserved ejection fraction, with proposals from the EU-FP7 MEDIA study group. 2014 , 16, 1345-61		55
100	Elevated right ventricular end-diastolic pressure by Doppler echocardiography-a case report. 2014 , 31, 117-9		2
99	Integrating the knowledge: strength and limitations of echo techniques to diagnose and stage heart failure with preserved ejection fraction. 2014 , 15, 85-91		2
98	Clinical Echocardiography and Other Imaging Techniques in Cardiomyopathies. 2014 ,		1
97	A feasible method for non-invasive measurement of pulmonary vascular resistance in pulmonary arterial hypertension: Combined use of transthoracic Doppler-echocardiography and cardiac magnetic resonance. Non-invasive estimation of pulmonary vascular resistance. 2015 , 9, 22-27		3
96	Echocardiographic evaluation of left ventricular diastolic function in cats: Hemodynamic determinants and pattern recognition. 2015 , 17 Suppl 1, S102-33		43
95	Added value of pulmonary venous flow Doppler assessment in patients with preserved ejection fraction and its contribution to the diastolic grading paradigm. 2015 , 16, 1191-7		16
94	Feasibility of a novel atrioventricular delay optimization method using transmitral and pulmonary venous flow in patients with sequential ventricular pacing or cardiac resynchronization therapy. <i>Journal of Echocardiography</i> , 2015 , 13, 52-8	1.6	3
93	"Left ventricular filling pressure(s)" - Ambiguous and misleading terminology, best abandoned. 2015 , 191, 110-3		12
92	Cardiac Imaging to Evaluate Left Ventricular Diastolic Function. <i>JACC: Cardiovascular Imaging</i> , 2015 , 8, 1071-1093	8.4	118
91	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. 2016 , 29, 277-314		2369
90	Effects of the Antihypertensive Fixed-Dose Combinations on an Early Marker of Hypertensive Cardiac Damage in Subjects at Low Cardiovascular Risk. 2016 , 29, 969-75		2
89	Hypertrophic Cardiomyopathy. 2016 , 677-693		
88	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. 2016 , 17, 1321-1360		1096

87	Imaging assessment of left ventricular diastolic function: current and emerging methods. 2016 , 71, 379-388		1
86	Topography and ultrasonographic identification of the equine pulmonary vein draining pattern. 2016 , 210, 17-23		7
85	Left atrial strain: a new parameter for assessment of left ventricular filling pressure. 2016 , 21, 65-76		87
84	The a ₁ velocity in the tissue Doppler predicts S/D ratio . 2018 , 52, 183-188		2
83	Novel echocardiographic method to assess left ventricular chamber stiffness and elevated end-diastolic pressure based on time-velocity integral measurements of pulmonary venous and transmitral flows. 2018 , 19, 1260-1267		5
82	The evolution of diastolic function during liver transplantation. 2018 , 37, 155-160		3
81	Non-invasive assessment of left ventricular filling pressure. 2018 , 20, 38-48		50
80	Evaluation of left ventricular diastolic function: state of the art after 35 years with Doppler assessment. <i>Journal of Echocardiography</i> , 2018 , 16, 55-64	1.6	28
79	Evaluation of left ventricular filling pressure: Updated recommendations lack new evidence and have severe interpretation issues. 2018 , 111, 707-711		8
78	A clinical application of preload stress echocardiography for predicting future hemodynamic worsening in patients with early-stage heart failure. 2018 , 35, 1587-1595		3
77	Left Ventricular Diastolic Function. 2019 , 171-179.e1		
76	E/a' ratio is closely related to pulmonary vein flow profile in patients with normal ejection fraction. 2019 , 53, 312-316		1
75	Patients with high left ventricular filling pressure may be missed applying 2016 echo guidelines: a pilot study. <i>International Journal of Cardiovascular Imaging</i> , 2019 , 35, 2157-2166	2.5	7
74	Evaluation of Hypertrophic Cardiomyopathy: Newer Echo and MRI Approaches. 2019 , 21, 75		9
73	Comparison of echocardiographic measurements to invasive measurements of diastolic function in infants with single ventricle physiology: a report from the Pediatric Heart Network Infant Single Ventricle Trial. 2019 , 29, 1248-1256		4
72	How to diagnose heart failure with preserved ejection fraction: the HFA-PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). 2019 , 40, 3297-3317		379
71	A protocol for quantifying cardiogenic oscillations in dynamic Xe gas exchange spectroscopy: The effects of idiopathic pulmonary fibrosis. 2019 , 32, e4029		17
70	The role of sacubitril/valsartan in the treatment of chronic heart failure with reduced ejection fraction in hypertensive patients with comorbidities: From clinical trials to real-world settings. 2020 , 130, 110596		6

- 69 Echocardiographic assessment of ventricular function: Conventional and advanced technologies and their clinical applications. **2020**, 58, 101269
- 68 EVALUATION OF LEFT VENTRICULAR FILLING PRESSURE USING NUMERICAL MODELING. **2020**, 20, 2050043
- 67 Mapping cardiopulmonary dynamics within the microvasculature of the lungs using dissolved Xe MRI. **2020**, 129, 218-229 9
- 66 Left ventricular diastolic function in mitral stenosis. **2020**, 37, 1944-1950
- 65 How to diagnose heart failure with preserved ejection fraction: the HFA-PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). **2020**, 22, 391-412 84
- 64 Spectral Doppler Interrogation of the Pulmonary Veins for the Diagnosis of Cardiac Disorders: A Comprehensive Review. **2021**, 34, 223-236 2
- 63 Evaluation of Intracardiac Filling Pressures. **2021**, 169-179
- 62 Two-Dimensional and Doppler Evaluation of Left Ventricular Filling, Including Pulmonary Venous Flow Velocity. **2021**, 106-136 0
- 61 Evaluation of Diastolic Function by Cardiac Magnetic Resonance Imaging. **2021**, 191-205
- 60 A novel echocardiographic method for estimation of pulmonary artery wedge pressure and pulmonary vascular resistance. **2021**, 8, 1216-1229 8
- 59 A Survey on Distributed Fibre Optic Sensor Data Modelling Techniques and Machine Learning Algorithms for Multiphase Fluid Flow Estimation. **2021**, 21, 6
- 58 Pulmonary Congestion Due to Right and Left Heart Output Mismatching: A Case Report and Literature Review. **2021**, 12, 665483
- 57 EACVI survey on the evaluation of left ventricular diastolic function. **2021**, 22, 1098-1105 2
- 56 Hypertrophic Cardiomyopathy. **2021**, 772-793
- 55 Multimodality imaging in patients with heart failure and preserved ejection fraction: an expert consensus document of the European Association of Cardiovascular Imaging. **2021**, 19
- 54 La coronaropatia. **2006**, 117-144 1
- 53 Pathophysiology of Diastole and Left Ventricular Filling in Humans: Noninvasive Evaluation. **1998**, 172-192 1
- 52 Assessment of Cardiac Preload and Volume Responsiveness using Echocardiography. **2003**, 491-498 2

51	Left Ventricular Hypertrophy, Congestive Heart Failure, and Coronary Flow Reserve Abnormalities in Hypertension. 2005 , 250-280		1
50	Assessment of Diastolic Function by Echocardiography. 2007 , 237-261		1
49	Echocardiography in the Coronary Care Unit: Management of Acute Myocardial Infarction, Detection of Complications, and Prognostic Implications. 2007 , 299-325		1
48	Noninvasive evaluation of hemodynamics by Doppler echocardiography. <i>Current Opinion in Cardiology</i> , 1999 , 14, 217-24	2.1	23
47	Assessment of left ventricular filling pressures by Doppler in the presence of atrial fibrillation. <i>Circulation</i> , 1996 , 94, 2138-45	16.7	218
46	Remodeling of the left ventricle in primary aldosteronism due to Conn's adenoma. <i>Circulation</i> , 1997 , 95, 1471-8	16.7	171
45	Changes in left ventricular anatomy and function in hypertension and primary aldosteronism. <i>Hypertension</i> , 1996 , 27, 1039-45	8.5	211
44	Assessment and impact of diastolic function by echocardiography in elderly patients. <i>Journal of Geriatric Cardiology</i> , 2016 , 13, 252-60	1.7	12
43	Perioperative assessment of diastolic dysfunction. <i>Anesthesia and Analgesia</i> , 2011 , 113, 449-72	3.9	54
42	Heart Failure with Preserved Ejection Fraction [A Review]. <i>US Cardiology Review</i> , 2012 , 9, 90-95	0.4	0
41	Renewed Interest in Left Atrial Function: What do we Need to Evaluate Clinically?. <i>Journal of Echocardiography</i> , 2005 , 3, 60-76	1.6	9
40	Prognostic value of an echocardiographic index reflecting right ventricular operating stiffness in patients with heart failure. <i>Heart and Vessels</i> , 2021 , 1	2.1	
39	Transesophageal Echocardiography: The Relationship between Pressure, Flow and Function. <i>Yearbook of Intensive Care and Emergency Medicine</i> , 2000 , 680-695		
38	Diastolic Dysfunction and Diastolic Heart Failure. <i>Progress in Experimental Cardiology</i> , 2000 , 441-452		
37	Transesophageal Echocardiography at the Bedside in the Diagnosis of Cardiovascular Dysfunction. 2001 , 45-65		
36	Increase in plasma adrenomedullin in patients with heart failure characterised by diastolic dysfunction. <i>Heart</i> , 2001 , 86, 155-160	5.1	2
35	Monitoring Left Heart Performance in the Critically Ill. 2002 , 519-536		
34	Monitoring Left Heart Performance in the Critically Ill. 2002 , 519-536		

- 33 Risk-Stratification in Heart Failure Patients with Varying Disease Severity. **2003**, 39-60
- 32 QT dispersion in patients with hypertensive disease. *Arterial Hypertension (Russian Federation)*, **2003**, 9, 139-141 0.7
- 31 Haemodynamics. 176-195
- 30 Left Ventricular Diastolic Function. 80-102
- 29 Hés pulmonaires cardiogiques. **2008**, 137-169
- 28 Transphageale Echokardiographie. **2008**, 133-166
- 27 Echocardiographic Measurements in Elderly Patients Without Clinical Heart Disease. *Fundamental and Clinical Cardiology*, **2008**, 45-74
- 26 Heart failure with normal left ventricular ejection fraction (HFNEF). **2009**, 113-128
- 25 6 Linker- en rechteratrium. **2009**, 49-62
- 24 Principles of Hemodynamic Assessment. **2009**, 63-78
- 23 Echocardiographic assessment of left ventricular diastolic function: what we able to do in 2009. *Cor Et Vasa*, **2009**, 51, 789-804 0.3
- 22 Non-invasive Estimation of Left Ventricular Filling Pressures by Doppler Echocardiography. *Annual Update in Intensive Care and Emergency Medicine*, **2011**, 418-423 0.2
- 21 Myocardial Contrast Echocardiography in the Evaluation of Hypertensive Heart Disease. *Cardiology Research*, **2011**, 2, 259-268 1.8 1
- 20 Coronary Artery Disease. **2012**, 115-147
- 19 Pulmonary Hypertension. **2012**, 213-223
- 18 Dilated Cardiomyopathy. **2012**, 167-185
- 17 How many systolic and diastolic variables must be measured in elderly patients with symptoms of heart failure?. *World Journal of Cardiovascular Diseases*, **2012**, 02, 102-109 0
- 16 Restrictive Cardiomyopathy: Clinical Assessment and Imaging in Diagnosis and Patient Management. **2014**, 185-206

15	Diastolische Ventrikelfunktion. 1998 , 27-40		1
14	Linker en rechter atrium. 2015 , 79-96		
13	Heart Failure with Normal Left Ventricular Ejection Fraction (HFNEF). 2017 , 273-339		
12	Left Atrial Reservoir and Booster Function in HFrEF: Implications for Diastolic Function. <i>JACC: Cardiovascular Imaging</i> , 2020 , 13, 1116-1118	8.4	2
11	Contemporary usefulness of pulmonary venous flow parameters to estimate left ventricular end-diastolic pressure on transthoracic echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2020 , 36, 1699-1709	2.5	2
10	L'Évaluation des pressions de remplissage en écho-Doppler est-elle fiable?. <i>Archives Des Maladies Du Cœur Et Des Vaisseaux - Pratique</i> , 2020 , 2020, 10-19	0	
9	Lipertensione polmonare. 2006 , 107-116		
8	La cardiomiopatia dilatativa. 2006 , 145-164		
7	Echocardiographic Assessment of Diastolic Function and Diagnosis of Diastolic Heart Failure. 2008 , 149-162		0
6	Filling Velocities as Markers of Diastolic Function. 2008 , 81-97		
5	Left ventricular diastolic function and circadian variation of blood pressure in essential hypertension. <i>Texas Heart Institute Journal</i> , 2005 , 32, 28-34	0.8	10
4	Left Atrial Diastolic Dysfunction following Catheter Ablation of Atrial Fibrillation. <i>Journal of Atrial Fibrillation</i> , 2012 , 4, 465	0.8	
3	Predictors of Exercise Capacity in Dilated Cardiomyopathy with Focus on Pulmonary Venous Flow Recorded with Transesophageal Eco-Doppler.. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	1
2	Systolic-diastolic coupling. 2022 , 227-240		
1	Left Ventricular Diastolic Function. 2017 , 147-165		