

CITATION REPORT

List of articles citing

Impact of electrical cardioversion for atrial fibrillation on left atrial appendage function and spontaneous echo contrast: characterization by simultaneous transesophageal echocardiography

DOI: 10.1016/0735-1097(93)90543-a

Journal of the American College of Cardiology, 1993, 22, 1359-

Source: <https://exaly.com/paper-pdf/24188747/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
294	Exclusion of atrial thrombus by transesophageal echocardiography does not preclude embolism after cardioversion of atrial fibrillation. A multicenter study. <i>Circulation</i> , 1994 , 89, 2509-13	16.7	264
293	Thromboembolism after negative TEE. <i>Circulation</i> , 1994 , 90, 3121-2	16.7	12
292	Should all patients undergo transesophageal echocardiography before electrical cardioversion of atrial fibrillation?. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 533-41	15.1	62
291	Left atrial appendage function and thrombus formation in atrial fibrillation-flutter: a transesophageal echocardiographic study. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 159-64	15.1	97
290	Impaired left atrial mechanical function after cardioversion: relation to the duration of atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 1994 , 23, 1535-40	15.1	419
289	Influence of acutely altered loading conditions on left atrial appendage flow velocities. <i>Journal of the American College of Cardiology</i> , 1994 , 24, 1117-23	15.1	98
288	The treatment of atrial fibrillation. An evaluation of drug therapy, electrical modalities and therapeutic considerations. 1994 , 48, 345-71		51
287	Left atrial appendage contractile function in atrial fibrillation. Influence of heart rate and cardioversion to sinus rhythm. 1995 , 107, 690-6		25
286	New Echocardiographic Markers of Embolic Risk in Atrial Fibrillation. 1995 , 5, 315-322		12
285	Prevalence of intraatrial thrombus in patients with atrial flutter. <i>American Journal of Cardiology</i> , 1995 , 76, 186-9	3	43
284	Temporal dependence of the return of atrial mechanical function on the mode of cardioversion of atrial fibrillation to sinus rhythm. <i>American Journal of Cardiology</i> , 1995 , 75, 624-6	3	108
283	Relation of left atrial appendage function to the duration and reversibility of nonvalvular atrial fibrillation. <i>American Journal of Cardiology</i> , 1995 , 75, 944-7	3	56
282	Newer developments in the management of atrial fibrillation. 1995 , 130, 1094-106		75
281	Left atrial appendage "stunning" after spontaneous conversion of atrial fibrillation demonstrated by transesophageal Doppler echocardiography. 1995 , 130, 174-6		123
280	Transesophageal echocardiographic guidance of cardioversion in patients with atrial fibrillation. 1995 , 129, 1204-15		112
279	Left atrial appendage thrombus is not uncommon in patients with acute atrial fibrillation and a recent embolic event: a transesophageal echocardiographic study. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 452-9	15.1	411
278	Aggravation of postcardioversion atrial dysfunction by sotalol. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 665-71	15.1	31

277	Transesophageal echocardiographically facilitated early cardioversion from atrial fibrillation using short-term anticoagulation: final results of a prospective 4.5-year study. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 1354-61	15.1	284
276	Transesophageal echocardiographic screening for atrial thrombus before cardioversion of atrial fibrillation: when should we look before we leap?. <i>Journal of the American College of Cardiology</i> , 1995 , 25, 1362-4	15.1	5
275	Left atrial thrombus formation immediately after cardioversion of atrial fibrillation despite adequate anticoagulant therapy. <i>Journal of the American Society of Echocardiography</i> , 1995 , 8, 747-9	5.8	0
274	Transesophageal echocardiography. 1996 , 12, 875-918		13
273	Influence of aging on left atrial appendage flow velocity patterns in normal subjects. <i>Journal of the American Society of Echocardiography</i> , 1996 , 9, 274-80	5.8	55
272	Transesophageal echocardiographic assessment of embolic sources: intracardiac and extracardiac masses and aortic degenerative disease. 1996 , 12, 273-94		6
271	Management of atrial fibrillation in adults: prevention of thromboembolism and symptomatic treatment. 1996 , 71, 150-60		50
270	Role of echocardiography in the evaluation and management of atrial fibrillation. <i>Cardiology Clinics</i> , 1996 , 14, 543-53	2.5	3
269	Integrated backscatter for quantification of left atrial spontaneous echo contrast. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 222-31	15.1	32
268	Characterization of left atrial appendage Doppler flow in atrial fibrillation and flutter by Fourier analysis. 1996 , 132, 286-96		12
267	Direct current shocks to the heart generate free radicals: an electron paramagnetic resonance study. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 1598-609	15.1	58
266	Prevention of thromboembolism in patients with atrial fibrillation. <i>Cardiology Clinics</i> , 1996 , 14, 537-42	2.5	3
265	Effects of heart rate on flow velocity of the left atrial appendage in patients with nonvalvular atrial fibrillation. <i>Clinical Cardiology</i> , 1996 , 19, 295-300	3.3	14
264	Left atrial appendage thrombus in atrial fibrillation post coronary artery bypass grafting (CABG). 1996 , 26, 565-66		
263	Transesophageal echocardiographic evaluation of left atrial appendage function and spontaneous contrast formation after chemical or electrical cardioversion of atrial fibrillation. <i>American Journal of Cardiology</i> , 1996 , 78, 435-9	3	79
262	Evaluation of left atrial appendage anatomy and function in recent-onset atrial fibrillation by transesophageal echocardiography. <i>American Journal of Cardiology</i> , 1996 , 78, 774-8	3	49
261	Transesophageal echocardiography-guided approach to cardioversion of atrial fibrillation. <i>Progress in Cardiovascular Diseases</i> , 1996 , 39, 21-32	8.5	16
260	Atrial anatomy and function postcardioversion: insights from transthoracic and transesophageal echocardiography. <i>Progress in Cardiovascular Diseases</i> , 1996 , 39, 33-46	8.5	21

259	In vivo and in vitro studies on the mechanism and clinical significance of spontaneous echocardiographic contrast in patients with atrial dysrhythmias. <i>Progress in Cardiovascular Diseases</i> , 1996 , 39, 47-56	8.5	6
258	Stratification of thromboembolic risk of atrial fibrillation by transthoracic echocardiography and transesophageal echocardiography: the relative role of left atrial appendage function, mitral valve disease, and spontaneous echocardiographic contrast. <i>Progress in Cardiovascular Diseases</i> , 1996 , 39, 57-68	8.5	26
257	Risk of thromboembolism in new onset or transient atrial fibrillation. <i>Progress in Cardiovascular Diseases</i> , 1996 , 39, 69-80	8.5	14
256	Atrial Mechanical Function Before and After Electrical or Amiodarone Cardioversion in Atrial Fibrillation: Assessment by Transesophageal Echocardiography and Pulsed Doppler. 1996 , 13, 123-130		2
255	Value of single oral loading dose of propafenone in converting recent-onset atrial fibrillation. Results of a randomized, double-blind, controlled study. 1997 , 18, 1649-54		73
254	Prediction of outcome of electrical cardioversion by left atrial appendage flow velocities in atrial fibrillation. 1997 , 61, 19-24		11
253	Cardioversion guided by transesophageal echocardiography: the ACUTE Pilot Study. A randomized, controlled trial. Assessment of Cardioversion Using Transesophageal Echocardiography. 1997 , 126, 200-9		158
252	The medical management of atrial fibrillation. <i>Cardiology Clinics</i> , 1997 , 15, 689-719	2.5	12
251	Improved Doppler echocardiographic assessment of the left atrial appendage by peripheral vein injection of sonicated albumin microbubbles. 1997 , 133, 400-5		11
250	Left atrial chamber and appendage function after internal atrial defibrillation: a prospective and serial transesophageal echocardiographic study. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 131-8	15.1	96
249	Cost-effectiveness of transesophageal echocardiographic-guided cardioversion: a decision analytic model for patients admitted to the hospital with atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 122-30	15.1	61
248	Left atrial appendage "stunning" after electrical cardioversion of atrial flutter: an attenuated response compared with atrial fibrillation as the mechanism for lower susceptibility to thromboembolic events. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 582-9	15.1	123
247	Clinical variables affecting recovery of left atrial mechanical function after cardioversion from atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 481-6	15.1	74
246	Risk of complications of atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997 , 20, 2684-91	1.6	19
245	Tachycardia-induced atrial myopathy: an important mechanism in the pathophysiology of atrial fibrillation?. <i>Journal of Cardiovascular Electrophysiology</i> , 1997 , 8, 1065-74	2.7	27
244	Transesophageal echocardiographic predictors for maintenance of sinus rhythm after electrical cardioversion of atrial fibrillation. <i>American Journal of Cardiology</i> , 1997 , 79, 1355-9	3	64
243	Evaluation of left atrial appendage function by measurement of changes in flow velocity patterns after electrical cardioversion in patients with isolated atrial fibrillation. <i>American Journal of Cardiology</i> , 1997 , 79, 615-20	3	52
242	The treatment of atrial fibrillation: pharmacologic and nonpharmacologic strategies. <i>Current Problems in Cardiology</i> , 1997 , 22, 37-108	17.1	15

241	Transesophageal echocardiographic imaging of de novo thrombus formation after successful external electrical cardioversion of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 1997 , 1, 189-91	2.4	1
240	Direct effects of DC cardioversion on blood echogenicity: an in vitro study. 1997 , 23, 135-42		2
239	Impairment of left atrial appendage function after spontaneous conversion of atrial flutter. <i>Clinical Cardiology</i> , 1998 , 21, 769-71	3.3	7
238	Assessment of Left Atrial Appendage Structure and Function by Transesophageal Echocardiography: A Review. 1998 , 15, 243-256		12
237	Design of a Clinical Trial for the Assessment of Cardioversion Using Transesophageal Echocardiography (The ACUTE Multicenter Study) 11This study was supported in part by grants from the American Medical Association Education and Research Foundation, Chicago, Illinois; and American Society of Echocardiography Outcomes Research, Raleigh, North Carolina.. <i>American Journal of Cardiology</i> , 1998 , 81, 1056-9	3	30
236	Influence of altered loading conditions on left atrial appendage function in vivo. <i>American Journal of Cardiology</i> , 1998 , 81, 1056-9	3	44
235	Left atrial appendage function assessed by transesophageal echocardiography before and on the day after elective cardioversion for nonvalvular atrial fibrillation. <i>American Journal of Cardiology</i> , 1998 , 81, 1199-202	3	36
234	Mechanical dysfunction of the left atrium and the left atrial appendage following cardioversion of atrial fibrillation and its relation to total electrical energy used for cardioversion. <i>American Journal of Cardiology</i> , 1998 , 81, 1125-9	3	51
233	Acute changes in spontaneous echo contrast and atrial function after cardioversion of persistent atrial flutter. <i>American Journal of Cardiology</i> , 1998 , 82, 1052-5	3	37
232	Left atrial appendage function in mitral stenosis: is a group in sinus rhythm at risk of thromboembolism?. <i>International Journal of Cardiology</i> , 1998 , 66, 45-54	3.2	60
231	Risk of thromboembolism after acute cardioversion of atrial fibrillation. 1998 , 352, 1280		7
230	Effect of direct current shocks on left atrial mechanical function in patients with structural heart disease. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 1395-9	15.1	34
229	Left atrial "stunning" following radiofrequency catheter ablation of chronic atrial flutter. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 468-75	15.1	99
228	"Stunning" of the left atrium after spontaneous conversion of atrial fibrillation to sinus rhythm: demonstration by transesophageal Doppler techniques in a canine model. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 2081-6	15.1	59
227	Left atrial and left atrial appendage functional abnormalities in patients with cardioembolic stroke in sinus rhythm and idiopathic atrial fibrillation. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 711-9	5.8	40
226	Assessment of left atrial appendage function after cardioversion of atrial fibrillation: relation to left atrial mechanical function. 1998 , 135, 1020-6		18
225	Cellular mechanisms of atrial contractile dysfunction caused by sustained atrial tachycardia. <i>Circulation</i> , 1998 , 98, 719-27	16.7	159
224	Anticoagulation for cardioversion of atrial arrhythmias. 1998 , 19, 548-52		15

223	Atrial fibrillation: current knowledge and recommendations for management. Working Group on Arrhythmias of the European Society of Cardiology. 1998 , 19, 1294-320		194
222	Role of echocardiography in patients undergoing elective cardioversion of atrial fibrillation. <i>Circulation</i> , 1998 , 98, 479-86	16.7	68
221	Atrial fibrillation and thromboembolism. 1998 , 87, 217-23		
220	Atrial Fibrillation and Thromboembolism. 1998 , 87, 217-223		2
219	Hemodynamic abnormalities in the left atrial appendage in patients with paroxysmal atrial fibrillation, with special reference to albumin-contrast echocardiographic aspects. 1999 , 92, 135-43		7
218	Atrial thrombi resolution after prolonged anticoagulation in patients with atrial fibrillation. 1999 , 115, 140-3		90
217	Short-term effect of atrial fibrillation on atrial contractile function in humans. <i>Circulation</i> , 1999 , 99, 3024-7	7.7	94
216	Left atrial appendage: structure, function, and role in thromboembolism. 1999 , 82, 547-54		406
215	Antithrombotic therapy in nonrheumatic/nonvalvular atrial fibrillation. <i>Journal of Cardiovascular Electrophysiology</i> , 1999 , 10, 461-71	2.7	3
214	Right Atrial Thrombi and Depressed Right Atrial Appendage Function After Cardioversion of Atrial Fibrillation. 1999 , 16, 245-251		8
213	Relationship Between Echocardiographic Determinants of Left Atrial Spontaneous Echo Contrast and Thrombus Formation in Patients with Rheumatic Mitral Valve Disease. 1999 , 16, 331-338		5
212	In-hospital approach to newly recognized atrial fibrillation. <i>Journal of Thrombosis and Thrombolysis</i> , 1999 , 7, 123-9	5.1	
211	Cardioversion in atrial fibrillation: indications, thromboembolic prophylaxis, and role of transesophageal echocardiography. <i>Journal of Thrombosis and Thrombolysis</i> , 1999 , 7, 53-60	5.1	9
210	Hemodynamic and cardiorespiratory function following internal atrial defibrillation for chronic atrial fibrillation. <i>American Journal of Cardiology</i> , 1999 , 83, 1633-7	3	3
209	Effect of radiofrequency ablation on atrial mechanical function in patients with atrial flutter. <i>American Journal of Cardiology</i> , 1999 , 84, 420-5	3	24
208	Transesophageal echocardiographic evidence of more pronounced left atrial stunning after chemical (propafenone) rather than electrical attempts at cardioversion from atrial fibrillation. <i>American Journal of Cardiology</i> , 1999 , 84, 1092-6, A9-10	3	48
207	Pharmacologic versus direct-current electrical cardioversion of atrial flutter and fibrillation. <i>American Journal of Cardiology</i> , 1999 , 84, 147R-151R	3	90
206	Left atrial mechanical function after brief duration atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 342-9	15.1	59

205	Atrial fibrillation in the elderly. <i>Cardiology Clinics</i> , 1999 , 17, 173-88, ix-x	2.5	13
204	Echocardiographic assessment of the left atrial appendage. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 1867-77	15.1	226
203	Comparison of echocardiographic markers of embolism in atrial flutter and fibrillation: frequency of protruding atherosclerotic plaques in the thoracic aorta. 2000 , 17, 555-62		8
202	Emerging role of echocardiography in the evaluation of patients with atrial fibrillation into the new millennium. 2000 , 17, 353-6		2
201	Spontaneous echo contrast: where there's smoke there's fire. 2000 , 17, 373-82		109
200	Transesophageal echocardiography-guided cardioversion of atrial fibrillation. 2000 , 17, 383-92		3
199	Risk of thromboembolism in acute atrial fibrillation or atrial flutter. 2000 , 17, 393-405		24
198	National use of the transesophageal echocardiographic-guided approach to cardioversion for patients in atrial fibrillation. <i>American Journal of Cardiology</i> , 2000 , 85, 239-44	3	13
197	Cost-effective management of acute atrial fibrillation: role of rate control, spontaneous conversion, medical and direct current cardioversion, transesophageal echocardiography, and antiembolic therapy. <i>American Journal of Cardiology</i> , 2000 , 85, 36D-45D	3	81
196	Transesophageal echocardiography for early cardioversion of atrial fibrillation. <i>American Journal of Cardiology</i> , 2000 , 86, 46G-50G	3	5
195	Atrial Fibrillation. 2000 , 2, 281-296		2
194	Ionic remodeling in the heart: pathophysiological significance and new therapeutic opportunities for atrial fibrillation. <i>Circulation Research</i> , 2000 , 87, 440-7	15.7	118
193	Transoesophageal echocardiography-guided cardioversion of atrial fibrillation or flutter. Selection of a low-risk group for immediate cardioversion. 2000 , 21, 837-47		44
192	Early cardioversion of atrial fibrillation and atrial flutter guided by transoesophageal echocardiography: a single centre 8.5-year experience. <i>Europace</i> , 2000 , 2, 119-26	3.9	14
191	Pilsicainide for conversion and maintenance of sinus rhythm in chronic atrial fibrillation: a placebo-controlled, multicenter study. 2000 , 140, e13		26
190	Transesophageal echocardiography (TEE) in atrial fibrillation. <i>Cardiology Clinics</i> , 2000 , 18, 819-31	2.5	6
189	Role of transesophageal echocardiography-guided cardioversion of patients with atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 691-704	15.1	121
188	Prevalence of left atrial chamber and appendage thrombi in patients with atrial flutter and its clinical significance. <i>Journal of the American College of Cardiology</i> , 2001 , 38, 778-84	15.1	36

187	ACC/AHA/ESC guidelines for the management of patients with atrial fibrillation: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines and Policy Conferences (Committee to Develop Guidelines for the Management of Patients With Atrial Fibrillation)	15.1	54
186	ACC/AHA/ESC guidelines for the management of patients with atrial fibrillation: executive summary. A Report of the American College of Cardiology/ American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines and Policy Conferences (Committee to Develop Guidelines for the Management of Patients With Atrial Fibrillation) Developed in Collaboration With the North American Society of Pacing and Electrophysiology. <i>Circulation</i> , 2001, 104, 2118-2150	15.1	634
185	Early cardioversion of atrial fibrillation facilitated by transesophageal echocardiography: and short-term safety and impact on maintenance of sinus rhythm at 1 year. 2001 , 110, 694-702		64
184	Thromboembolic complications after electrical cardioversion in patients with atrial flutter. 2001 , 111, 433-8		21
183	Guías de práctica clínica de la Sociedad Española de Cardiología en arritmias cardíacas. 2001 , 54, 307-367		31
182	Current management of symptomatic atrial fibrillation. 2001 , 1, 127-39		4
181	ACC/AHA/ESC Guidelines for the Management of Patients With Atrial Fibrillation: Executive Summary A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines and Policy Conferences (Committee to Develop Guidelines for the Management of Patients With Atrial Fibrillation) Developed in Collaboration With the North American Society of Pacing and Electrophysiology. <i>Circulation</i> , 2001, 104, 2118-2150	16.7	747
180	Prothrombotic markers in atrial fibrillation: what is new?. 2001 , 22, 1635-9		4
179	Absence of circulating microemboli in patients with atrial fibrillation undergoing electric cardioversion. 2001 , 11, 95-9		3
178	Atrial fibrillation: rate control versus maintenance of sinus rhythm. 2001 , 16, 46-53		10
177	Evidence for stunned myocardium in humans: a 2001 update. 2001 , 12, 349-56		37
176	Antithrombotic therapy in atrial fibrillation. 2001 , 119, 194S-206S		363
175	Hämodynamische Folgen von Vorhofflimmern. 2001 , 12, 75-79		
174	Transthoracic and transesophageal echocardiographic indices predictive of sinus rhythm maintenance after cardioversion of atrial fibrillation: an echocardiographic study during direct current shock. 2001 , 18, 545-52		11
173	Inhibition of the Na(+)/H(+) exchanger delays the development of rapid pacing-induced atrial contractile dysfunction. <i>Circulation</i> , 2001 , 103, 762-8	16.7	24
172	Thromboembolic risk in atrial flutter. The FLASIEC (FLutter Atriale Societ�Italiana di Ecografia Cardiovascolare) multicentre study. 2001 , 22, 1042-51		38
171	Consequences of brief ischemia: stunning, preconditioning, and their clinical implications: part 2. <i>Circulation</i> , 2001 , 104, 3158-67	16.7	293
170	ACC/AHA/ESC guidelines for the management of patients with atrial fibrillation. A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines and Policy Conferences (Committee to develop guidelines for the management of patients with atrial fibrillation) developed in collaboration with the North American Society of Pacing and Electrophysiology. 2001 , 22, 1852-923		307

169	Reversal of atrial mechanical stunning after cardioversion of atrial arrhythmias: implications for the mechanisms of tachycardia-mediated atrial cardiomyopathy. <i>Circulation</i> , 2002 , 106, 1806-13	16.7	34
168	A study of platelet activation in paroxysmal, persistent and permanent atrial fibrillation. 2002 , 13, 627-36		44
167	Safety of Electrical Cardioversion in Patients With Atrial Fibrillation. 2002 , 77, 897-904		25
166	Critical appraisal of transesophageal echocardiography in cardioversion of atrial fibrillation. 2002 , 113, 587-95		6
165	Emboic complications of direct current cardioversion of atrial arrhythmias: association with low intensity of anticoagulation at the time of cardioversion. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 926-33	15.1	136
164	Transient atrial mechanical dysfunction (stunning) after cardioversion of atrial fibrillation and flutter. 2002 , 144, 11-22		43
163	Safety of electrical cardioversion in patients with atrial fibrillation. 2002 , 77, 897-904		26
162	Are left atrial appendage flow velocities adequate surrogates of global left atrial function? A population-based transthoracic and transesophageal echocardiographic study. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 433-40	5.8	44
161	Remodeling of sinus node function after catheter ablation of right atrial flutter. <i>Journal of Cardiovascular Electrophysiology</i> , 2002 , 13, 20-4	2.7	16
160	Predictors for maintenance of sinus rhythm after cardioversion in patients with nonvalvular atrial fibrillation. 2002 , 19, 351-7		42
159	[Anticoagulation in cardioversion of atrial fibrillation. Current status and outlook for the future]. 2003 , 98, 91-5		0
158	Cardioversion related thromboembolism: value of transesophageal echocardiography to guide cardioversion in patients with atrial fibrillation. 2003 , 7, 392-6		2
157	Course of intraatrial thrombi resolution using transesophageal echocardiography. 2003 , 20, 121-8		10
156	Obliteration of the left atrial appendage for prevention of thromboembolism. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1259-61	15.1	33
155	Atrial stunning: determinants and cellular mechanisms. 2003 , 145, 787-94		77
154	Transesophageal echocardiography before cardioversion of recurrent atrial fibrillation: does absence of previous atrial thrombi preclude the need of a repeat test?. 2003 , 146, 741-5		10
153	Atrial stunning: basics and clinical considerations. <i>International Journal of Cardiology</i> , 2003 , 92, 113-28	3.2	90
152	Left atrial thrombus predicts transient ischemic attack in patients with atrial fibrillation. 2003 , 145, 676-82		56

151	Acute reductions in ventricular myocardial tissue velocities after direct current cardioversion of atrial fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 656-63	5.8	7
150	Reversal of atrial mechanical dysfunction after cardioversion of atrial fibrillation: implications for the mechanisms of tachycardia-mediated atrial cardiomyopathy. <i>Circulation</i> , 2003 , 108, 1976-84	16.7	58
149	Hibernation, Stunning, and Preconditioning: Historical Perspective, Current Concepts, Clinical Applications, and Future Implications. 2003 , 7, 115-140		
148	Reduced high serum hepatocyte growth factor levels after successful cardioversion in patients with atrial fibrillation. 2004 , 31, 145-51		5
147	Haemostatic activity in patients with atrial fibrillation treated with low-molecular-weight heparin before and after electrical cardioversion. <i>Journal of Thrombosis and Thrombolysis</i> , 2004 , 17, 185-9	5.1	5
146	The pseudorestrictive pattern of transmitral Doppler flow pattern after conversion of atrial fibrillation to sinus rhythm: is atrial or ventricular dysfunction to blame?. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 813-8	5.8	17
145	Antithrombotic therapy in atrial fibrillation: the Seventh ACCP Conference on Antithrombotic and Thrombolytic Therapy. 2004 , 126, 429S-456S		427
144	Left Atrial Dysfunction in Patients With Atrial Fibrillation After Successful Rhythm Control for > 3 Months. 2005 , 128, 2551-2556		19
143	Massive cardiac thrombosis in a patient with Sheehan® syndrome. 2005 , 52, 709-14		3
142	Stunning of the left atrium after conversion of atrial fibrillation: predictor for maintenance of sinus rhythm?. 2005 , 22, 402-7		12
141	Usefulness of Doppler assessment of pulmonary vein and left atrial appendage flow following pulmonary vein isolation of chronic atrial fibrillation in predicting recovery of left atrial function. <i>American Journal of Cardiology</i> , 2005 , 95, 941-7	3	28
140	. 2005 ,		3
139	Acute improvement of atrial mechanical stunning after electrical cardioversion of persistent atrial fibrillation: comparison between biatrial and single atrial pacing. 2005 , 91, 58-63		5
138	Anticoagulation during cardioversion in patients with atrial fibrillation: current clinical practice. 2005 , 5, 155-62		2
137	Effect of cardiac resynchronization therapy on left atrial appendage function and pulmonary venous flow pattern. <i>International Journal of Cardiology</i> , 2005 , 102, 103-9	3.2	6
136	Pre- and post-cardioversion transesophageal echocardiography for brief anticoagulation therapy with enoxaparin in atrial fibrillation patients: a prospective study with a 1-year follow-up. <i>International Journal of Cardiology</i> , 2005 , 102, 447-54	3.2	20
135	Time course for recovery of atrial mechanical and endocrine function post DC cardioversion for persistent atrial fibrillation. <i>International Journal of Cardiology</i> , 2005 , 102, 487-91	3.2	11
134	Transesophageal echocardiographic assessment of right atrial appendage anatomy and function: comparison with the left atrial appendage and implications for local thrombus formation. <i>Journal of the American Society of Echocardiography</i> , 2006 , 19, 429-33	5.8	38

133	ACC/AHA/ESC: Guías de Práctica Clínica 2006 para el manejo de pacientes con fibrilación auricular. Versión resumida. 2006 , 59, 1329.e1-1329.e64		2
132	ACC/AHA/ESC 2006 guidelines for the management of patients with atrial fibrillation--executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients with Atrial Fibrillation). <i>Circulation</i> , 2006 , 114, e148-e246	15.1	865
131	ACC/AHA/ESC 2006 Guidelines for the Management of Patients With Atrial Fibrillation: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients with Atrial Fibrillation). <i>Circulation</i> , 2006 , 114, e148-e246	15.1	261
130	ACC/AHA/ESC 2006 guidelines for the management of patients with atrial fibrillation: full text: a report of the American College of Cardiology/American Heart Association Task Force on practice guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 guidelines for the management of patients with atrial fibrillation)	3.9	530
129	Transient endothelial dysfunction is present shortly after cardioversion in patients with lone atrial fibrillation. 2006 , 117, 235-40		2
128	Echocardiography in atrial fibrillation. 2006 , 7, 498-504		6
127	Optimising stroke prevention in non-valvular atrial fibrillation. 2006 , 7, 2079-94		2
126	Contrast-enhanced tissue Doppler imaging of the left atrial appendage is a new quantitative measure of spontaneous echocardiographic contrast in atrial fibrillation. 2008 , 9, 5-11		13
125	Pre-treatment with Irbesartan attenuates left atrial stunning after electrical cardioversion of atrial fibrillation. 2006 , 27, 2062-8		22
124	The potential of D-dimer levels as a useful clinical marker of clotting state after the return of sinus rhythm. 2006 , 2, 55-61		2
123	ACC/AHA/ESC 2006 Guidelines for the Management of Patients With Atrial Fibrillation Executive Summary. <i>Circulation</i> , 2006 , 114, 700-752	16.7	237
122	ACC/AHA/ESC 2006 guidelines for the management of patients with atrial fibrillation-executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients with Atrial Fibrillation). <i>Circulation</i> , 2006 , 114, e148-e246		479
121	Brain Embolism. 2006 ,		9
120	ACC/AHA/ESC 2006 Guidelines for the Management of Patients with Atrial Fibrillation: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines and the European Society of Cardiology Committee for Practice Guidelines (Writing Committee to Revise the 2001 Guidelines for the Management of Patients with Atrial Fibrillation). developed in	16.7	1653
119	Atrial myocardial deformation properties are temporarily reduced after cardioversion for atrial fibrillation and correlate well with left atrial appendage function. 2008 , 9, 472-7		24
118	Atrial Plasticity. 2007 , 65-84		
117	New monodimensional transthoracic echocardiographic sign of left atrial appendage function. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 324-32	5.8	10
116	AMERICAN COLLEGE OF CARDIOLOGY, AMERICAN HEART ASSOCIATION AND EUROPEAN SOCIETY OF CARDIOLOGY (2006) GUIDELINES FOR THE MANAGEMENT OF PATIENTS WITH ATRIAL FIBRILLATION. 2007 , 3, 72-97		0

115	AMERICAN COLLEGE OF CARDIOLOGY, AMERICAN HEART ASSOCIATION AND EUROPEAN SOCIETY OF CARDIOLOGY GUIDELINES (2006) FOR THE MANAGEMENT OF PATIENTS WITH ATRIAL FIBRILLATION (ENDING). 2007 , 3, 84-111		
114	Praktische Aspekte. 2007 ,		
113	Warfarin therapy initiated before is more beneficial than after transesophageal echocardiography detected left atrial thrombus. 2007 , 24, 14-9		3
112	Transoesophageal echocardiography and cardioversion: feasibility of a combined approach in clinical practice. 2008 , 17, 211-4		1
111	New insights into the predictors of left atrial stunning after successful direct-current cardioversion of atrial fibrillation and flutter. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 848-54	5.8	8
110	Antithrombotic therapy in atrial fibrillation: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th Edition). 2008 , 133, 546S-592S		595
109	Rationelle Therapie von Vorhofflimmern in der Intensivmedizin. 2009 , 46, 193-199		
108	Mitral annular velocity by Doppler tissue imaging for the evaluation of atrial stunning after cardioversion of atrial fibrillation. 2009 , 25, 113-20		11
107	Atrial fibrillation after open heart surgery: how safe is early conversion without anticoagulation?. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 212.e1-3	5.8	7
106	Incidence of spontaneous echocontrast, @ludgeCand thrombi before cardioversion in patients with atrial fibrillation: new insights into the role of transesophageal echocardiography. 2009 , 10, 523-8		11
105	Digitalis does not improve left atrial mechanical dysfunction after successful electrical cardioversion of chronic atrial fibrillation. 2010 , 57, 27-34		2
104	Radiofrequency catheter ablation of atrial fibrillation: a cause of silent thromboembolism? Magnetic resonance imaging assessment of cerebral thromboembolism in patients undergoing ablation of atrial fibrillation. <i>Circulation</i> , 2010 , 122, 1667-73	16.7	262
103	The mitral late diastolic flow acceleration slope after the restoration of sinus rhythm in acute atrial fibrillation: relationship to atrial function and change over time. <i>Anatolian Journal of Cardiology</i> , 2010 , 10, 488-94		3
102	Left atrial electromechanical conduction time can predict six-month maintenance of sinus rhythm after electrical cardioversion in persistent atrial fibrillation by Doppler tissue echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 309-14	5.8	42
101	Role of orally available antagonists of factor Xa in the treatment and prevention of thromboembolic disease: focus on rivaroxaban. 2010 , 50, 986-1000		4
100	Effects of chronic omega-3 polyunsaturated fatty acid supplementation on human atrial mechanical function after reversion of atrial arrhythmias to sinus rhythm: reversal of tachycardia-mediated atrial cardiomyopathy with fish oils. 2011 , 8, 643-9		23
99	2011 ACCF/AHA/HRS focused updates incorporated into the ACC/AHA/ESC 2006 Guidelines for the management of patients with atrial fibrillation: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines developed in partnership with the European Society of Cardiology and in collaboration with the European Heart Levels of von Willebrand factor and ADAMTS13 determine clinical outcome after cardioversion for atrial fibrillation. 2011 , 105, 435-43	15.1	645
98			15

97	Delaying cardioversion following 4-week anticoagulation in case of persistent atrial fibrillation after a transcatheter ablation procedure to reduce silent cerebral thromboembolism: a single-center pilot study. 2011 , 12, 785-9		10
96	2011 ACCF/AHA/HRS focused updates incorporated into the ACC/AHA/ESC 2006 guidelines for the management of patients with atrial fibrillation: a report of the American College of Cardiology Foundation/American Heart Association Task Force on practice guidelines. <i>Circulation</i> , 2011 , 123, e269-367	16.7	643
95	Contemporary approach to electrical and pharmacological cardioversion of atrial fibrillation. 2012 , 124, 26-35		5
94	Echocardiography for left atrial appendage structure and function. <i>Indian Heart Journal</i> , 2012 , 64, 469-75.6		31
93	Assessment of left atrial mechanics in patients with atrial fibrillation: comparison between two-dimensional speckle-based strain and velocity vector imaging. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 428-35	5.8	47
92	Correlation of right atrial appendage velocity with left atrial appendage velocity and brain natriuretic Peptide. <i>Journal of Cardiovascular Imaging</i> , 2012 , 20, 37-41	0	1
91	Imaging for atrial fibrillation. <i>Current Problems in Cardiology</i> , 2012 , 37, 7-33	17.1	12
90	Cardiogenic shock following electro-cardioversion of new onset atrial flutter. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2013 , 42, 462-4	2.6	1
89	Prevention of thromboembolism after cardioversion of recent-onset atrial fibrillation: brief is not always safe. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1193-4	15.1	3
88	Predicting favourable outcomes in the setting of radiofrequency catheter ablation of long-standing persistent atrial fibrillation: a pilot study assessing the value of left atrial appendage peak flow velocity. <i>Archives of Cardiovascular Diseases</i> , 2013 , 106, 36-43	2.7	22
87	Thromboembolic complications after cardioversion of acute atrial fibrillation: the FinCV (Finnish CardioVersion) study. <i>Journal of the American College of Cardiology</i> , 2013 , 62, 1187-92	15.1	176
86	Low stroke risk after elective cardioversion of atrial fibrillation: an analysis of the Flec-SL trial. <i>International Journal of Cardiology</i> , 2013 , 168, 3977-81	3.2	13
85	New onset of atrial fibrillation in the hospitalized patient. <i>Journal of Hospital Medicine</i> , 2013 , 8, 154-8	2.7	4
84	Dabigatran versus warfarin anticoagulation before and after catheter ablation for the treatment of atrial fibrillation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2013 , 37, 233-9	2.4	27
83	Does catheter ablation of atrial fibrillation eliminate the need for anticoagulation?. <i>Interventional Cardiology</i> , 2013 , 5, 171-178	3	0
82	Effect of left ventricular diastolic dysfunction on left atrial appendage function and thrombotic potential in nonvalvular atrial fibrillation. <i>Anatolian Journal of Cardiology</i> , 2014 , 14, 256-60		8
81	The left atrial appendage: anatomy, function, and noninvasive evaluation. <i>JACC: Cardiovascular Imaging</i> , 2014 , 7, 1251-65	8.4	225
80	Global left atrial strain in the prediction of sinus rhythm maintenance after catheter ablation for atrial fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2014 , 27, 1184-92	5.8	58

79	Left atrial appendage exclusion for atrial fibrillation. <i>Cardiology Clinics</i> , 2014 , 32, 601-25	2.5	11
78	Management of recent-onset sustained atrial fibrillation: pharmacologic and nonpharmacologic strategies. <i>Clinical Therapeutics</i> , 2014 , 36, 1151-9	3.5	8
77	Influence of cardioversion on asymptomatic cerebral lesions following atrial fibrillation ablation. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2014 , 40, 129-36	2.4	
76	Cardiac imaging for assessment of left atrial appendage stasis and thrombosis. <i>Nature Reviews Cardiology</i> , 2014 , 11, 470-80	14.8	47
75	Predictors of left atrial coagulation activity among paroxysmal atrial fibrillation patients. <i>Circulation Journal</i> , 2015 , 79, 61-9	2.9	10
74	Left Atrial Appendage Morphology and Physiology: "The Missing Piece in the Puzzle". <i>Journal of Cardiovascular Electrophysiology</i> , 2015 , 26, 928-933	2.7	9
73	Novel oral anticoagulants in patients undergoing cardioversion for atrial fibrillation. <i>Journal of Thrombosis and Thrombolysis</i> , 2015 , 40, 139-43	5.1	6
72	Development of left atrial thrombus and subsequent cardioembolic stroke in a 21-year-old man with ebstein anomaly who previously underwent pulmonary vein isolation ablation and Cox maze III procedure: significance of left atrial mechanical function. <i>Circulation</i> , 2015 , 131, 1110-8	16.7	
71	Left atrial thrombus formation and resolution during dabigatran therapy: A Japanese Heart Rhythm Society report. <i>Journal of Arrhythmia</i> , 2015 , 31, 226-31	1.5	18
70	Thromboembolic risk in 16 274 atrial fibrillation patients undergoing direct current cardioversion with and without oral anticoagulant therapy. <i>Europace</i> , 2015 , 17, 18-23	3.9	87
69	Management of Atrial Fibrillation. <i>Journal of Intensive Care Medicine</i> , 2015 , 30, 484-98	3.3	5
68	Assessment of atrial electromechanical interval using echocardiography after catheter ablation in patients with persistent atrial fibrillation. <i>Journal of Biomedical Research</i> , 2016 , 30, 483-489	1.5	1
67	Impact of Additional Transthoracic Electrical Cardioversion on Cardiac Function and Atrial Fibrillation Recurrence in Patients with Persistent Atrial Fibrillation Who Underwent Radiofrequency Catheter Ablation. <i>Cardiology Research and Practice</i> , 2016 , 2016, 4139596	1.9	1
66	The Efficacy and Safety of Oral Rivaroxaban in Patients with Non-Valvular Atrial Fibrillation Scheduled for Electrical Cardioversion. <i>Internal Medicine</i> , 2016 , 55, 1953-8	1.1	3
65	Short Stay Management of Atrial Fibrillation. <i>Contemporary Cardiology</i> , 2016 ,	0.1	1
64	Other uncommon causes of iatrogenic stroke. 203-221		
63	Cardioversion-related stroke. 222-226		
62	Secondary Prevention of Cardioembolic Stroke. 2016 , 1014-1029.e4		

61	Faut-il anticoaguler les patients pr�sentant une fibrillation atriale de novo en r�animation ?. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2016 , 25, 187-201		
60	Left Atrial Appendage Exclusion for Atrial Fibrillation. <i>Heart Failure Clinics</i> , 2016 , 12, 273-97	3.3	5
59	Guidelines for the Use of Echocardiography in the Evaluation of a Cardiac Source of Embolism. <i>Journal of the American Society of Echocardiography</i> , 2016 , 29, 1-42	5.8	210
58	Strokes after cardioversion of atrial fibrillation--The FibStroke study. <i>International Journal of Cardiology</i> , 2016 , 203, 269-73	3.2	25
57	Absence of left atrial stunning after cardioversion of recent-onset atrial fibrillation in patients at low-stroke risk. <i>European Journal of Emergency Medicine</i> , 2017 , 24, 217-223	2.3	2
56	Predicting Unsuccessful Electrical Cardioversion for Acute Atrial Fibrillation (from the AF-CVS Score). <i>American Journal of Cardiology</i> , 2017 , 119, 749-752	3	15
55	Atorvastatin can ameliorate left atrial stunning induced by radiofrequency ablation for atrial fibrillation. <i>Canadian Journal of Physiology and Pharmacology</i> , 2017 , 95, 985-992	2.4	
54	Cardioverting acute atrial fibrillation and the risk of thromboembolism: not all patients are created equal . <i>Clinical Medicine</i> , 2017 , 17, 419-423	1.9	8
53	Vitamin K Antagonists Versus Novel Oral Anticoagulants for Elective Electrical Cardioversion of Atrial Fibrillation. <i>American Journal of Therapeutics</i> , 2017 , 24, e553-e558	1	2
52	Quantitative analysis of the right auricle with 256-slice computed tomography. <i>Surgical and Radiologic Anatomy</i> , 2017 , 39, 383-391	1.4	
51	Non-vitamin K antagonist oral anticoagulants versus warfarin for cardioversion of atrial fibrillation in clinical practice: A single-center experience. <i>Journal of Arrhythmia</i> , 2017 , 33, 7-11	1.5	2
50	Can catheter ablation reduce the incidence of thromboembolic events in patients with atrial fibrillation?: Protocol for a systematic review and meta-analysis. <i>Medicine (United States)</i> , 2017 , 96, e8479	1.8	1
49	Advances in anticoagulation management of patients undergoing cardioversion of nonvalvular atrial fibrillation. <i>Hamostaseologie</i> , 2017 , 37, 277-285	1.9	1
48	Score Using Measurements of Plasma Midregional Pro-Atrial Natriuretic Peptide to Estimate the Duration of Atrial Fibrillation. <i>journal of applied laboratory medicine, The</i> , 2017 , 1, 522-531	2	2
47	Stroke Prevention for High-Risk Atrial Fibrillation in the Emergency Setting: The Emergency Physician Perspective. <i>Canadian Journal of Cardiology</i> , 2018 , 34, 125-131	3.8	11
46	Role of Transesophageal Echocardiography in Patients with Ischemic Stroke. <i>Progress in Cardiovascular Diseases</i> , 2018 , 61, 456-467	8.5	2
45	2018 Focused Update of the Canadian Cardiovascular Society Guidelines for the Management of Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2018 , 34, 1371-1392	3.8	144
44	Anticoagulation for Atrial Fibrillation in Patients with End- Stage Kidney Disease. 2018 ,		

43	Cardioversion for atrial fibrillation - how to prevent thromboembolic complications?. <i>Annals of Medicine</i> , 2018 , 50, 549-555	1.5	4
42	Sustained atrial tachycardia in horses and treatment by transvenous electrical cardioversion. <i>Equine Veterinary Journal</i> , 2019 , 51, 634-640	2.4	3
41	Periprocedural Anticoagulation for Cardioversion of Acute Onset Atrial Fibrillation and Flutter: Evidence Base for Current Guidelines. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 1301-1310	3.8	12
40	Image-based Risk Stratification for Stroke in Atrial Fibrillation. 2019 , 553-564		
39	Atrial electromechanical delay assessment in early phase after catheter ablation for patients with atrial fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2019 , 42, 327-332	1.6	1
38	Clinical outcomes after AF cardioversion in patients presenting left atrial sludge in trans-esophageal echocardiography. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020 , 57, 149-156	2.4	4
37	The 2020 Canadian Cardiovascular Society/Canadian Heart Rhythm Society Comprehensive Guidelines for the Management of Atrial Fibrillation. <i>Canadian Journal of Cardiology</i> , 2020 , 36, 1847-1948	3.8	82
36	Transient atrial mechanical dysfunction assessed in acute phase of embolic stroke of undetermined source. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2020 , 29, 105032	2.8	
35	Opposite effect of ablation on early/late-phase thromboembolic incidence in patients with atrial fibrillation: A meta-analysis on more than 100 000 individuals. <i>Clinical Cardiology</i> , 2020 , 43, 594-605	3.3	2
34	Early versus delayed cardioversion: why should we wait?. <i>Expert Review of Cardiovascular Therapy</i> , 2020 , 18, 149-154	2.5	1
33	Left Atrial Mechanics Assessed Early during Hospitalization for Cryptogenic Stroke Are Associated with Occult Atrial Fibrillation: A Speckle-Tracking Strain Echocardiography Study. <i>Journal of the American Society of Echocardiography</i> , 2021 , 34, 156-165	5.8	8
32	The impact of basic atrial rhythm during catheter ablation of atrial fibrillation on clinical outcomes: Lessons from the German Ablation Registry. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 , 32, 1833-1841	2.7	1
31	Cardioversion of Atrial Fibrillation with Acupuncture. <i>Medical Acupuncture</i> , 2021 , 33, 235-239	1.1	
30	Secondary Prevention of Cardioembolic Stroke. 2022 , 932-943.e4		
29	Renal Dysfunction following Direct Current Cardioversion of Atrial Fibrillation: Incidence and Risk Factors. <i>CardioRenal Medicine</i> , 2021 , 11, 27-32	2.8	0
28	Atrial contractile dysfunction after short-term atrial fibrillation is reduced by verapamil but increased by BAY K8644. <i>Circulation</i> , 1996 , 93, 1747-54	16.7	89
27	Prevalence of thrombus, spontaneous echo contrast, and atrial stunning in patients undergoing cardioversion of atrial flutter. A prospective study using transesophageal echocardiography. <i>Circulation</i> , 1997 , 95, 962-6	16.7	95
26	Ionic remodeling underlying action potential changes in a canine model of atrial fibrillation. <i>Circulation Research</i> , 1997 , 81, 512-25	15.7	475

25	Quantitative Evaluation of the Substantially Variable Morphology and Function of the Left Atrial Appendage and Its Relation with Adjacent Structures. <i>PLoS ONE</i> , 2015 , 10, e0126818	3.7	10
24	Renewed Interest in Left Atrial Function: What do we Need to Evaluate Clinically?. <i>Journal of Echocardiography</i> , 2005 , 3, 60-76	1.6	9
23	Cardioversion Of Atrial Fibrillation And Oral Anticoagulation. <i>Journal of Atrial Fibrillation</i> , 2015 , 8, 1260	0.8	2
22	Left Atrial Appendage Thrombus Despite Anticoagulation. <i>Journal of Atrial Fibrillation</i> , 2013 , 6, 865	0.8	2
21	Antikoagulation Indikation, Durchführung, klinische Ergebnisse. 2000 , 79-91		
20	Atrial Stunning Following Sinus Rhythm Restoration: Which Mechanism, Time Course and Implication for Anticoagulation?. 2000 , 99-104		
19	How Useful Is Transoesophageal Echocardiography During Electrical Cardioversion for Predicting Long-Term Sinus Rhythm Maintenance?. 2000 , 91-98		
18	Reversal of Atrial Stunning After Cardioversion: What Are the Time Course and Clinical-Therapeutic Implications?. 2002 , 401-406		
17	Is Echocardiography Useful to Predict Successful Cardioversion of Atrial Fibrillation and Long-Term Maintenance of Sinus Rhythm?. 2004 , 71-78		
16	Transesophageal Echocardiography for Patients with Atrial Fibrillation. 2007 , 1999-2006		
15	The Role of Echocardiography in Atrial Fibrillation and Flutter. 2007 , 999-1018		
14	Ischemic stroke after direct-current cardioversion for defibrillation in paroxysmal atrial fibrillation. <i>Nosotchu</i> , 2009 , 31, 79-85	0.1	
13	Antithrombotic Therapy for Atrial Fibrillation and Cardioversion. 2010 , 389-403		
12	Should All Patients Undergo Transesophageal Echocardiography Before Electrical Cardioversion of Atrial Fibrillation. 1996 , 212-215		
11	Atrial Fibrillation and Thromboembolic Risk: Is It Safe to Cardiovert Acutely under Heparin?. 1998 , 115-124		
10	Internal Atrial Defibrillation: What Are the Effects on Mechanical Function?. 1998 , 89-99		
9	Stroke and Other Complications of Atrial Fibrillation. <i>Contemporary Cardiology</i> , 2016 , 61-66	0.1	
8	Antikoagulation Indikation, Durchführung, klinische Ergebnisse. 2007 , 141-156		

7	Role of echocardiography in primary care medicine. Controversies in hypertension, atrial fibrillation, stroke, and endocarditis. <i>Western Journal of Medicine</i> , 1996 , 164, 269-75		1
6	Atrial fibrillation pearls and perils of management. <i>Western Journal of Medicine</i> , 1996 , 164, 425-34		2
5	A Comparison Between NOACs and Warfarin on Time to Elective Cardioversion. <i>Journal of Atrial Fibrillation</i> , 2016 , 9, 1451	0.8	
4	Cardioversion in Acute Atrial Fibrillation Without Anticoagulation. <i>Journal of Atrial Fibrillation</i> , 2013 , 6, 970	0.8	
3	Structural and Functional Remodeling of the Left Atrium: Clinical and Therapeutic Implications for Atrial Fibrillation. <i>Journal of Atrial Fibrillation</i> , 2013 , 6, 986	0.8	9
2	The risk and timing of acute ischemic stroke after electrical cardioversion for atrial fibrillation in Taiwan: A nationwide population-based cohort study.. <i>International Journal of Cardiology</i> , 2021 ,	3.2	1
1	Left atrial reservoir and pump function after catheter ablation with persistent atrial fibrillation: a two-dimensional speckle tracking imaging study. 1-10		0