

CITATION REPORT

List of articles citing

Coronary artery bypass grafting in severe left ventricular dysfunction: excellent survival with improved ejection fraction and functional state

DOI: 10.1016/0735-1097(93)90551-b

Journal of the American College of Cardiology, 1993, 22, 1411-

Source: <https://exaly.com/paper-pdf/24188755/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
295	Left Ventricular Volume Reduction and Reconstruction in Ischemic Cardiomyopathy. 1985 , 2, 199-210		
294	How do ACE inhibitors reduce mortality in patients with left ventricular dysfunction with and without heart failure: remodelling, resetting, or sudden death?. <i>Heart</i> , 1994 , 72, S81-6	5.1	14
293	Key references on heart failure. <i>Circulation</i> , 1994 , 90, 1093-100	16.7	
292	Idiopathic dilated cardiomyopathy. 1994 , 331, 1564-75		712
291	Anti-ischæmic intervention with verapamil in patients recovering from acute myocardial infarction. <i>European Heart Journal</i> , 1995 , 16 Suppl H, 13-7	9.5	1
290	Outcome of left ventricular aneurysmectomy with patch repair in patients with severely depressed pump function. <i>American Journal of Cardiology</i> , 1995 , 76, 557-61	3	62
289	The hibernating myocardium: implications for management of congestive heart failure. <i>American Journal of Cardiology</i> , 1995 , 75, 17A-25A	3	77
288	From coronary artery disease to heart failure: role of the hibernating myocardium. <i>American Journal of Cardiology</i> , 1995 , 75, 16E-22E	3	62
287	Long-term results of coronary artery bypass surgery in patients with severely depressed left ventricular function. 1995 , 108, 1546-50		37
286	Candidate Selection for Heart Transplantation. 1995 , 13, 93-100		15
285	Cabg in Advanced Left Ventricular Dysfunction. 1995 , 13, 35-42		26
284	Angiography and the aetiology of heart failure. 1995 , 71, 480-2		11
283	Left ventricular end-systolic volume index in patients with ischemic cardiomyopathy predicts postoperative ventricular function. 1995 , 60, 1059-62		38
282	Predicting survival after coronary revascularization for ischemic cardiomyopathy. 1995 , 60, 1193-6; discussion 1196-7		61
281	Serial changes in left ventricular function after coronary artery bypass: implications in viability assessment. <i>American Heart Journal</i> , 1995 , 129, 20-3	4.9	18
280	Intermittent aortic cross-clamping and cold crystalloid cardioplegia for low-risk coronary patients. 1996 , 61, 834-9		17
279	Prediction of outcome after revascularization in patients with poor left ventricular function. 1996 , 61, 1428-34		37

278	North American experience with the Perma-Flow prosthetic coronary graft. 1996 , 62, 691-5; discussion 695-6		10
277	Myocardial stunning, hibernation, and ischemic preconditioning. 1996 , 10, 789-99		17
276	Assessment of left ventricular function: comparison between radionuclide angiography and semiquantitative two-dimensional echocardiographic analysis. 1996 , 23, 1613-8		18
275	Percutaneous cardiopulmonary bypass-supported coronary angioplasty in patients with unstable angina pectoris or myocardial infarction and a left ventricular ejection fraction American Journal of Cardiology, 1996 , 77, 14-9	3	19
274	A patient with syncope ventricular tachycardia (noninducible on electrophysiologic study) and coronary artery disease. <i>American Journal of Cardiology</i> , 1996 , 78, 105-7	3	
273	Myocardial viability. 1996 , 21, 147-221		13
272	Coronary artery bypass grafting in patients with an ejection fraction of twenty percent or less. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1996 , 111, 998-1000	1.5	7
271	Prognostic value of tomographic rest-redistribution thallium 201 imaging in medically treated patients with coronary artery disease and left ventricular dysfunction. <i>Journal of Nuclear Cardiology</i> , 1996 , 3, 150-6	2.1	53
270	Predictors of early and overall outcome in coronary artery bypass without cardiopulmonary bypass. <i>European Journal of Cardio-thoracic Surgery</i> , 1997 , 12, 31-9	3	32
269	Prediction of improvement of ventricular function after revascularization. 18F-fluorodeoxyglucose single-photon emission computed tomography vs low-dose dobutamine echocardiography. <i>European Heart Journal</i> , 1997 , 18, 941-8	9.5	17
268	Disfunci3n ventricular isqu3mica cr3tica severa. Determinantes del riesgo quir3rgico y del resultado cl3nico a largo plazo. 1997 , 50, 870-881		
267	Valoraci3n de la viabilidad mioc3rdica mediante tecnecio-99m isonitrilo y talio-201. Resultados del protocolo multic3ntrico espa3ol. 1997 , 50, 320-330		14
266	Baseline characteristics of patients in the coronary artery bypass graft (CABG) Patch Trial. <i>American Heart Journal</i> , 1997 , 134, 787-98	4.9	18
265	Mini-CABG: a step forward or backward? The "pro" point of view. 1997 , 11, 661-8		16
264	Primary coronary artery bypass grafting without cardiopulmonary bypass in impaired left ventricular function. 1997 , 63, S44-7		58
263	Akinetic versus dyskinetic postinfarction scar: relation to surgical outcome in patients undergoing endoventricular circular patch plasty repair. <i>Journal of the American College of Cardiology</i> , 1997 , 29, 1569-75	15.1	132
262	Contractile reserve of dysfunctional myocardium after revascularization: a dobutamine stress echocardiography study. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 633-40	15.1	35
261	Preoperative positron emission tomographic viability assessment and perioperative and postoperative risk in patients with advanced ischemic heart disease. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1693-700	15.1	201

260	An estimate of the prevalence of reversible left ventricular dysfunction in patients referred for coronary artery bypass surgery. <i>Journal of Nuclear Cardiology</i> , 1997 , 4, 140-6	2.1	23
259	Minimal operative mortality in patients undergoing coronary artery bypass with significant left ventricular dysfunction by maximization of metabolic and mechanical support. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 1997 , 113, 655-64; discussion 664-6	1.5	40
258	Results of coronary artery bypass grafting by a single surgeon in patients with left ventricular ejection fractions American Journal of Cardiology, 1997 , 79, 1573-8	3	81
257	Metabolic imaging using F18-fluorodeoxyglucose to assess myocardial viability. 1997 , 13, 145-55; discussion 157-60		20
256	Successful coronary revascularization improves prognosis in patients with previous myocardial infarction and evidence of viable myocardium at thallium-201 imaging. 1998 , 25, 60-8		39
255	Correlation between extent of myocardial dysfunction and markers of irreversible damage in failing hearts. <i>Journal of Nuclear Cardiology</i> , 1997 , 4, 441-50	2.1	1
254	Prognostic value of coronary angiography in patients with chronic ischemic left ventricular dysfunction and evidence of viable myocardium on thallium reinjection imaging. <i>Journal of Nuclear Cardiology</i> , 1997 , 4, 387-95	2.1	2
253	Detection of Viability of Dysfunctional Myocardium in Coronary Heart Disease. II. Echocardiography. 1998 , 2, 207-233		4
252	Theoretical model for myocardial functional characterization: application to a group of patients evaluated before and after surgical revascularization. <i>Journal of Nuclear Cardiology</i> , 1998 , 5, 134-43	2.1	5
251	Prognostic value of detection of myocardial viability using low-dose dobutamine echocardiography in infarcted patients. <i>American Journal of Cardiology</i> , 1998 , 81, 21G-28G	3	41
250	Influence of the preoperative signal-averaged electrocardiogram on left ventricular function after coronary artery bypass graft surgery in patients with left ventricular dysfunction. The CABG Patch Trial. <i>American Journal of Cardiology</i> , 1998 , 82, 285-9	3	17
249	Surgical therapy for severe heart failure. 1998 , 23, 721-64		12
248	Long-term benefits of internal thoracic artery-coronary artery bypass in Japanese patients. 1998 , 46, 1-10		16
247	[A surgical case for concomitant coronary artery disease and ASO with advanced colon cancer]. 1998 , 46, 798-801		
246	[Coronary artery bypass grafting in cases with poor left ventricular function]. 1998 , 46, 1105-11		1
245	Left ventricular volume predicts postoperative course in patients with ischemic cardiomyopathy. 1998 , 65, 434-8		170
244	Biphasic response to dobutamine predicts improvement of global left ventricular function after surgical revascularization in patients with stable coronary artery disease: implications of time course of recovery on diagnostic accuracy. <i>Journal of the American College of Cardiology</i> , 1998 , 31, 1002-10	15.1	136
243	Myocardial viability during dobutamine echocardiography predicts survival in patients with coronary artery disease and severe left ventricular systolic dysfunction. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 921-6	15.1	211

242	Beyond drug therapy: nonpharmacologic care of the patient with advanced heart failure. <i>American Heart Journal</i> , 1998 , 135, S264-84	4.9	28
241	Evaluation of hibernating myocardium in patients with ischemic heart disease. 1998 , 104, 69-77		12
240	Myocardial hibernation and stunning: from physiological principles to clinical practice. <i>Heart</i> , 1998 , 80, 218-22	5.1	17
239	Stress-induced reversible and mild-to-moderate irreversible thallium defects: are they equally accurate for predicting recovery of regional left ventricular function after revascularization?. <i>Circulation</i> , 1998 , 98, 501-8	16.7	97
238	Chronic heart failure in the United States: a manifestation of coronary artery disease. <i>Circulation</i> , 1998 , 97, 282-9	16.7	640
237	Does the extended use of arterial grafts compromise the myocardial recovery after coronary artery bypass grafting in left ventricular dysfunction?. <i>European Journal of Cardio-thoracic Surgery</i> , 1998 , 14, 353-9	3	12
236	Pharmacologic Management of Chronic Heart Failure: A Review. 1998 , 2, 168-190		2
235	Surgical alternatives in the treatment of heart failure. 1998 , 9, 192-207		3
234	Efficacy of coronary artery bypass grafting in patients with a dilated left ventricle due to myocardial infarction. 1998 , 62, 565-70		
233	Improved cardiac function after catheter ablation in a patient with type B Wolff-Parkinson-White syndrome with an old myocardial infarction. 1998 , 62, 860-2		20
232	What Is New in Nuclear Medicine Imaging?. 1999 , 8, 185-204		3
231	Wintergreen panel summaries. <i>Journal of Nuclear Cardiology</i> , 1999 , 6, 93-155	2.1	21
230	Left ventricular volume reduction and reconstruction in ischemic cardiomyopathy. 1999 , 14, 199-210		3
229	Correspondence. <i>American Journal of Cardiology</i> , 1999 , 83, 1A-38A	3	142
228	Ischemic cardiomyopathy: High risk revascularization Vs. transplantation. 1999 , 8, 40-43		
227	Protection in the failing heart. 1999 , 68, 1971-3		3
226	Prognostic implications of myocardial contractile reserve in patients with coronary artery disease and left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 730-8	15.1	141
225	ACC/AHA Guidelines for Coronary Artery Bypass Graft Surgery: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee to Revise the 1991 Guidelines for Coronary Artery Bypass Graft Surgery). American College of Cardiology/American Heart Association. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 1062-917	15.1	347

224	Revascularisation for chronic heart failure: a valid option?. 1999 , 1, 269-73		7
223	Surgical therapy for cardiomyopathy. 2000 , 320, 135-43		3
222	Surgical therapies for heart failure. <i>Current Opinion in Cardiology</i> , 2000 , 15, 161-5	2.1	6
221	Radionuclide imaging for the assessment of myocardial viability in chronic LV dysfunction. 2000 , 17, 605-12		
220	Predicting long-term functional results after myocardial revascularization in ischemic cardiomyopathy. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2000 , 120, 478-89	1.5	58
219	Bridging patients to cardiac transplantation. 2000 , 6, 238-242		10
218	Comparison of low-dose dobutamine ventriculography with low-dose dobutamine echocardiography for predicting regional improvement in left ventricular function after coronary artery bypass grafting. <i>American Journal of Cardiology</i> , 2000 , 86, 371-4	3	8
217	Limitation of physical activity, dyspnoea and chest pain before and two years after coronary artery bypass grafting in relation to preoperative ejection fraction. 2000 , 34, 65-72		3
216	The role of carotid atherosclerosis in the distinction between ischaemic and non-ischaemic cardiomyopathy. <i>European Heart Journal</i> , 2000 , 21, 919-26	9.5	13
215	Sensitivity, specificity, and predictive accuracies of non-invasive tests, singly and in combination, for diagnosis of hibernating myocardium. <i>European Heart Journal</i> , 2000 , 21, 1358-67	9.5	39
214	Myocardial viability: the search for a perfect method is not over yet. <i>European Heart Journal</i> , 2000 , 21, 1039-40	9.5	2
213	The bad ventricle--revascularization versus transplantation. 2000 , 48, 9-14		38
212	Intracoronary adenovirus-mediated delivery and overexpression of the beta(2)-adrenergic receptor in the heart : prospects for molecular ventricular assistance. <i>Circulation</i> , 2000 , 101, 408-14	16.7	122
211	Long term prognosis after CABG in relation to preoperative left ventricular ejection fraction. 2000 , 72, 163-71; discussion 173-4		13
210	Noninvasive characterization of stunned, hibernating, remodeled and nonviable myocardium in ischemic cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 1913-9	15.1	70
209	Medical management of mild-to-moderate heart failure before the advent of beta blockers. 2001 , 110 Suppl 7A, 47S-62S		2
208	Heart transplantation indicated only in the most severely ill patient: perspectives from the German heart transplant experience. <i>Current Opinion in Cardiology</i> , 2001 , 16, 97-104	2.1	16
207	Myocardial revascularization as a therapeutic strategy in the patient with advanced ventricular dysfunction. 2001 , 6, 163-75		14

206	Fluorine-18-deoxyglucose SPECT and coincidence imaging for myocardial viability: Clinical and technologic issues. <i>Journal of Nuclear Cardiology</i> , 2001 , 8, 75-88	2.1	13
205	The identification of myocardial hibernation in patients with ischemic heart failure by echocardiography and radionuclide studies. <i>Progress in Cardiovascular Diseases</i> , 2001 , 43, 419-32	8.5	1
204	Coronary artery surgery for ischemic heart failure: risks, benefits, and the importance of assessment of myocardial viability. <i>Progress in Cardiovascular Diseases</i> , 2001 , 43, 373-86	8.5	13
203	Positron emission tomography using (18)F-fluoro-deoxyglucose and euglycaemic hyperinsulinaemic glucose clamp: optimal criteria for the prediction of recovery of post-ischaemic left ventricular dysfunction. Results from the European Community Concerted Action Multicenter study on use of (18)F-fluoro-deoxyglucose Positron Emission Tomography for the Detection of Myocardial	9.5	67
202	Myocardial revascularization in patients with severe ischemic left ventricular dysfunction. Long term follow-up in 141 patients. <i>European Journal of Cardio-thoracic Surgery</i> , 2001 , 20, 1157-62	3	73
201	[MRI study of left ventricular function in patients with coronary disease and myocardial dysfunction before and after coronary revascularization]. 2001 , 173, 211-7		5
200	Images in cardiology: Spontaneous right coronary artery dissection. 2002 , 88, 130		2
199	Prevalence of myocardial viability assessed by single photon emission computed tomography in patients with chronic ischaemic left ventricular dysfunction. 2002 , 88, 125-30		25
198	End-stage heart failure: which options?. 2002 , 4, D122-D130		
197	Clinical assessment in ischaemic cardiomyopathy. <i>Nuclear Medicine Communications</i> , 2002 , 23, 341-5	1.6	1
196	The search for myocardial viability: do Q waves help?. <i>American Heart Journal</i> , 2002 , 144, 745-6	4.9	
195	End-stage heart failure: which options?. 2002 , 4, D122-D130		1
194	Coronary bypass in left heart failure. 2002 , 14, 125-32		36
193	Echocardiographic and magnetic resonance methods for diagnosing hibernating myocardium. <i>Nuclear Medicine Communications</i> , 2002 , 23, 331-9	1.6	6
192	Myocardial viability and prognosis in patients with ischemic left ventricular dysfunction. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 1159-62	15.1	65
191	Revascularization alone (without mitral valve repair) suffices in patients with advanced ischemic cardiomyopathy and mild-to-moderate mitral regurgitation. 2002 , 74, 1476-80; discussion 1480-1		83
190	Long-term outcome and the use of revascularization in patients with heart failure, suspected ischemic heart disease, and large reversible myocardial perfusion defects. <i>American Heart Journal</i> , 2002 , 143, 904-9	4.9	17
189	Influence of wall motion score on mortality after coronary bypass surgery in the CABG-patch trial. 2002 , 82, 41-7		3

188	Concomitant mitral repair at the time of coronary artery bypass grafting--the 'con' point of view. 2002 , 39, 157-63		4
187	Biphasic response to dobutamine predicts improvement of left ventricular dysfunction after revascularization: correlation with positron emission and rest-redistribution 201Tl tomographies. 2003 , 19, 519-28		2
186	Survival after myocardial revascularization for ischemic cardiomyopathy: a prospective ten-year follow-up study. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2003 , 126, 1320-7	1.5	43
185	Magnetic resonance imaging in ischemic heart disease. 2003 , 38, 320-9		2
184	Influence of diabetes mellitus on heart failure risk and outcome. 2003 , 2, 1		125
183	Predictors of early outcome after coronary artery surgery in patients with severe left ventricular dysfunction. 2003 , 18, 101-6		9
182	Valoraci3n de la viabilidad mioc3rdica en pacientes prerrevascularizaci3n. 2003 , 56, 721-733		
181	Surgical treatment of congestive heart failure: evolving options. 2003 , 76, S2254-9		10
180	Demographics and concomitant disorders in heart failure. 2003 , 362, 147-58		118
179	Coronary artery bypass surgery in patients with severe left ventricular dysfunction. 2003 , 90, 309-16		12
178	Pro: standard CABG is the procedure of choice for myocardial revascularization. 2003 , 17, 260-2		0
177	Coronary artery bypass graft patency: assessment with true fast imaging with steady-state precession versus gadolinium-enhanced MR angiography. 2003 , 227, 440-6		46
176	Prediction of functional recovery after coronary bypass surgery using quantitative gated myocardial perfusion SPECT. <i>Nuclear Medicine Communications</i> , 2003 , 24, 625-31	1.6	22
175	Beneficial hemodynamic and renal effects of intravenous enalaprilat following coronary artery bypass surgery complicated by left ventricular dysfunction. 2003 , 31, 1421-8		34
174	Endomyocardial biopsy foretells ventricular function recovery after coronary artery bypass grafting. 2004 , 83, 379-84; 373-8		
173	ACC/AHA 2004 Guideline Update for Coronary Artery Bypass Graft Surgery. <i>Circulation</i> , 2004 , 110,	16.7	51
172	Radionuclide techniques for the assessment of myocardial viability and hibernation. <i>Heart</i> , 2004 , 90 Suppl 5, v26-33	5.1	66
171	The role of valvular and thoracic aortic calcifications in distinction between ischemic and nonischemic cardiomyopathy. 2004 , 55, 661-7		2

170	Long-term outcome of isolated coronary artery bypass surgery in patients with severe left ventricular dysfunction. <i>Circulation</i> , 2004 , 110, 1113-7	16.7	67
169	Why do patients with ischemic cardiomyopathy and a substantial amount of viable myocardium not always recover in function after revascularization?. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2004 , 127, 385-90	1.5	84
168	Recurrent Angina following Coronary Artery Bypass Surgery Solutions In The Current Era. 2004 , 1, 12-19		1
167	Outcome of percutaneous coronary intervention versus coronary bypass grafting for patients with low left ventricular ejection fractions, unstable angina pectoris, and risk factors for adverse outcomes with bypass (the AWESOME Randomized Trial and Registry). <i>American Journal of Cardiology</i> , 2004 , 94, 118-20	3	56
166	Quantification of myocardial infarct size and transmuralty by contrast-enhanced magnetic resonance imaging in men. <i>American Journal of Cardiology</i> , 2004 , 94, 284-8	3	57
165	Neovascularization derived from cell transplantation in ischemic myocardium. 2004 , 264, 133-42		11
164	Early and late effects of coronary artery bypass grafting on cardiac haemodynamics during daily physical activities in patients with coronary artery disease. 2004 , 31, 852-6		4
163	Coronary artery disease and prevention of heart failure. 2004 , 88, 1209-35		17
162	ACC/AHA 2004 guideline update for coronary artery bypass graft surgery. <i>Journal of the American College of Cardiology</i> , 2004 , 44, E213-E311	15.1	48
161	Surgical therapies for heart failure. 2004 , 10, S220-4		12
160	Relationship of myocardial perfusion imaging findings to outcome of patients with heart failure and suspected ischemic heart disease. <i>American Heart Journal</i> , 2004 , 147, 714-20	4.9	8
159	Late gadolinium cardiovascular magnetic resonance in the assessment of myocardial viability. 2005 , 16, 365-72		12
158	Viable myocardium: how much is enough?. 2005 , 22, 59-70		3
157	Myocardial viability: nuclear assessment. 2005 , 22, 155-64		2
156	Barry Lewis Zaret, MD: a conversation with the editor. Interview by William Clifford Roberts. <i>American Journal of Cardiology</i> , 2005 , 95, 1199-217	3	0
155	Stromal cell-derived factor and granulocyte-monocyte colony-stimulating factor form a combined neovasculogenic therapy for ischemic cardiomyopathy. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005 , 130, 321-9	1.5	46
154	Safety and feasibility of autologous myoblast transplantation in patients with ischemic cardiomyopathy: four-year follow-up. <i>Circulation</i> , 2005 , 112, 1748-55	16.7	286
153	Left internal mammary artery use in patients with poor left ventricular ejection fraction: a propensity-matched analysis of mid-term survival. 2005 , 4, 184-8		4

152	Prognostic value of viable myocardium in patients with non-Q-wave and Q-wave myocardial infarction. 2005 , 33, 574-82		2
151	Hibernating myocardium in heart failure. 2005 , 3, 111-22		7
150	Cardiopulmonary bypass support for percutaneous coronary interventions: what the anesthesiologist needs to know. 2005 , 19, 501-4		4
149	Off-pump coronary artery bypass grafting reduces postoperative neurologic complications. 2005 , 19, 193-6		12
148	What is the evidence for percutaneous coronary intervention or coronary artery bypass graft in ischemic cardiomyopathy?. 2005 , 3, 175-81		3
147	ACC/AHA 2005 Guideline Update for the Diagnosis and Management of Chronic Heart Failure in the Adult: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Update the 2001 Guidelines for the Evaluation and Management of Heart Failure): developed in collaboration with the American College of Chest Physicians and the International Society for Heart and Lung Transplantation, endorsed by the Heart Failure Society of America. 2005 , 46, e1-82	16.7	1915
146	Heart failure after myocardial revascularization: risk markers. 2005 , 105, 11-4		3
145	Potential clinical applications of myocardial contrast echocardiography in evaluating myocardial perfusion in coronary artery disease. 2005 , 104, 1-9		5
144	Surgical alternatives for the palliation of heart failure: a prospectus. 2005 , 11, 670-6		8
143	ACC/AHA 2005 guideline update for the diagnosis and management of chronic heart failure in the adult: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Writing Committee to Update the 2001 Guidelines for the Evaluation and Management of Heart Failure). <i>Journal of the American College of Cardiology</i> , 2005 , 46, e1-82	15.1	1119
142	The heart failure challenge: optimizing medical and surgical management. 2006 , 22 Suppl C, 8C-12C		1
141	Evaluation and therapy for heart failure in the setting of ischemic heart disease. 2006 , 12, e104-11		
140	Coronary bypass surgery for patients with chronic poor preoperative left ventricular function (EF). <i>Heart Lung and Circulation</i> , 2006 , 15, 130-6	1.8	7
139	Left ventricular remodelling and outcomes after surgery: pathophysiological insights for a modern surgical approach to ischaemic cardiomyopathy. 2006 , 7, 781-4		1
138	Prognostic role of dobutamine stress echocardiography in myocardial viability. <i>Current Opinion in Cardiology</i> , 2006 , 21, 443-9	2.1	20
137	Placental growth factor provides a novel local angiogenic therapy for ischemic cardiomyopathy. 2006 , 21, 559-64		38
136	Advanced chronic heart failure: A position statement from the Study Group on Advanced Heart Failure of the Heart Failure Association of the European Society of Cardiology. 2007 , 9, 684-94		265
135	Good collaterals predict viable myocardium. 2007 , 58, 550-5		17

134	Coronary artery bypass for heart failure in ischemic cardiomyopathy: 17-year follow-up. 2007 , 83, 468-74		22
133	Revascularization in heart failure: coronary bypass or percutaneous coronary intervention?. <i>Heart Failure Clinics</i> , 2007 , 3, 211-28	3.3	5
132	Revascularization in heart failure: the role of percutaneous coronary intervention. <i>Heart Failure Clinics</i> , 2007 , 3, 229-35	3.3	2
131	Expectations of surgeons from an imager. <i>Heart Failure Clinics</i> , 2007 , 3, 121-37	3.3	
130	Heart failure in the twenty-first century: is it a coronary artery disease or hypertension problem?. 2007 , 25, 487-95; v		51
129	Cardiac transplantation: any role left?. <i>Heart Failure Clinics</i> , 2007 , 3, 321-47	3.3	7
128	The surgical treatment of end-stage heart failure. 2007 , 32, 553-99		8
127	Long-term survival and functional recovery after isolated coronary artery bypass grafting in patients with severe left ventricular dysfunction. <i>General Thoracic and Cardiovascular Surgery</i> , 2007 , 55, 403-8	1.6	4
126	Beneficial effects of endoventricular circular patch plasty in patients with left ventricular systolic dysfunction and left ventricular dyskinetic or akinetic apical segment. 2007 , 23, 16-24		1
125	AAV serotype 1 mediates more efficient gene transfer to pig myocardium than AAV serotype 2 and plasmid. 2008 , 10, 33-41		17
124	Predictors of worsening of patients' quality of life six months after coronary artery bypass surgery. 2008 , 23, 648-54		24
123	Low-dose dobutamine cardiac magnetic resonance imaging with myocardial strain analysis predicts myocardial recoverability after coronary artery bypass grafting. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2008 , 135, 1342-7	1.5	9
122	Long-term results of coronary artery bypass grafting in patients with left ventricular dysfunction. 2008 , 85, 488-93		19
121	MR imaging of ischemic heart disease. 2008 , 16, 201-12, viii		7
120	Assisting the failing heart. 2008 , 26, 539-64		6
119	Functional recovery of chronic ischemic myocardium after surgical revascularization correlates with magnitude of oxidative metabolism. 2008 , 110, 174-81		4
118	DOBUTAMINE STRESS-ECHOCARDIOGRAPHY: POSSIBILITY OF CLINICAL USAGE IN CARDIOLOGY PRACTICE. 2009 , 5, 73-79		1
117	The evolving roles of nuclear cardiology. 2009 , 5, 52-5		3

116	2009 focused update incorporated into the ACC/AHA 2005 Guidelines for the Diagnosis and Management of Heart Failure in Adults: a report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines: developed in collaboration with the International Society for Heart and Lung Transplantation. <i>Circulation</i> . 2009, 119, e391-479.	16.7	1178
115	2009 Focused update incorporated into the ACC/AHA 2005 Guidelines for the Diagnosis and Management of Heart Failure in Adults A Report of the American College of Cardiology Foundation/American Heart Association Task Force on Practice Guidelines Developed in Collaboration With the International Society for Heart and Lung Transplantation. <i>Journal of the American College of Cardiology</i> . 2009, 53, e1-e99.	15.1	1224
114	Cardiac anesthesia: thirty years later--the second annual Arthur E. Weyman lecture. 2009 , 109, 1782-90		12
113	Underutilization of implantable cardioverter defibrillators post coronary artery bypass grafting in patients with systolic dysfunction. 2010 , 33, 727-33		8
112	Efficacy of aneurysmectomy in patients with severe left ventricular dysfunction: favorable short-and long-term results in ischemic cardiomyopathy. 2010 , 65, 947-52		3
111	Assessment of Myocardial Viability with Thallium-201 and Technetium-Based Agents. 2010 , 594-607		
110	Surgical myocardial revascularization of patients with ischemic cardiomyopathy and severe left ventricular dysfunction. 2010 , 65, 3-8		9
109	Section 13: Evaluation and Therapy for Heart Failure in the Setting of Ischemic Heart Disease. 2010 , 16, e157-e165		
108	Role of FDG-PET in Evaluation of Myocardial Viability. 2011 , 6, 383-91		1
107	Comparaci3n de la eficacia y seguridad de la terapia combinada de cardiomioplastia celular con el factor estimulante de colonias de granulocitos en pacientes con cardiopat3a isqu3mica en dos v3s de implataci3n. 2011 , 18, 111-118		
106	Myocardial viability and survival in ischemic left ventricular dysfunction. 2011 , 364, 1617-25		574
105	New Solutions for the Heart. 2011 ,		3
104	Role of multimodality imaging in ischemic and non-ischemic cardiomyopathy. 2011 , 16, 351-67		8
103	Looking for myocardial viability after a STICH trial: not enough to close the door. 2012 , 53, 349-52		18
102	Ischemic cardiomyopathy: midterm survival and its predictors. 2012 , 20, 669-74		1
101	Radionuclide imaging in stage B heart failure. <i>Heart Failure Clinics</i> , 2012 , 8, 191-206	3.3	3
100	Non-transplant surgical management of end-stage heart failure. 2012 , 45, 1-7		
99	Management of Myocardial Reperfusion Injury. 2012 ,		88

98	Does resting echocardiography predict a positive response to subsequent low-dose dobutamine stress echocardiography in patients with ischaemic cardiomyopathy?. 2012 , 67, 693-9		
97	Myocardial recovery with left ventricular assist devices. 2012 , 14, 370-83		15
96	Surgical approach to mitral regurgitation in chronic heart failure: when is it an option?. 2012 , 9, 40-50		9
95	Is ischemia the most powerful indicator of myocardial viability?. <i>Current Cardiology Reports</i> , 2013 , 15, 354	4.2	
94	Surgical Treatment for Advanced Heart Failure. 2013 ,		
93	The STICH trial (Surgical Treatment for Ischemic Heart Failure): mode-of-death results. <i>JACC: Heart Failure</i> , 2013 , 1, 400-8	7.9	52
92	Viability by MRI or PET would have changed the results of the STICH trial. <i>Progress in Cardiovascular Diseases</i> , 2013 , 55, 487-93	8.5	17
91	PET imaging with FDG to guide revascularization in patients with systolic heart failure. <i>Egyptian Heart Journal</i> , 2013 , 65, 123-129	1.3	1
90	Complexity of coronary artery disease affects outcome of patients undergoing coronary artery bypass grafting with impaired left ventricular function. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2013 , 146, 656-61	1.5	15
89	Bilateral internal mammary artery bypass grafting: long-term clinical benefits in a series of 1000 patients. <i>Heart</i> , 2013 , 99, 854-9	5.1	12
88	Guidelines for the clinical application of bypass grafts and the surgical techniques (JCS 2011) published in 2012--digest version. <i>Circulation Journal</i> , 2013 , 77, 1608-41	2.9	5
87	Medical management to full recovery in patients with severe ischemic cardiomyopathy. <i>Case Reports in Internal Medicine</i> , 2014 , 2,	0	
86	Long-term outcomes after off-pump coronary artery bypass grafting in left ventricular dysfunction. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2014 , 20, 143-9	1.8	2
85	Myocardial viability and microvascular obstruction: role of cardiac magnetic resonance imaging. <i>Cardiology in Review</i> , 2014 , 22, 246-52	3.2	3
84	Comparison of LVEF assessed by 2D echocardiography, gated blood pool SPECT, 99mTc tetrofosmin gated SPECT, and 18F-FDG gated PET with ERNV in patients with CAD and severe LV dysfunction. <i>Nuclear Medicine Communications</i> , 2014 , 35, 1156-61	1.6	11
83	Usefulness of phase analysis to differentiate ischemic and non-ischemic etiologies of left ventricular systolic dysfunction in patients with heart failure. <i>Circulation Journal</i> , 2014 , 78, 141-50	2.9	12
82	Operative Strategien bei terminaler Herzinsuffizienz. <i>Aktuelle Kardiologie</i> , 2014 , 3, 179-187	0.1	
81	Coronary Bypass Surgery in Patients with Pulmonary Hypertension: Assessment of Early and Long Term Results. <i>Annals of Thoracic and Cardiovascular Surgery</i> , 2015 , 21, 268-74	1.8	1

80	What is Heart Failure?. <i>Journal of the Nihon University Medical Association</i> , 2015 , 74, 153-160	0	
79	New parameter of the right gastroepiploic arterial graft using the power spectral analysis device named MemCalc soft. <i>European Journal of Cardio-thoracic Surgery</i> , 2015 , 48, 887-92	3	
78	Role of revascularization to improve left ventricular function. <i>Heart Failure Clinics</i> , 2015 , 11, 203-14	3.3	
77	Effects of adaptive servo-ventilation therapy on cardiac function and remodeling in patients with chronic heart failure (SAVIOR-C): study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 14	2.8	2
76	High-risk percutaneous coronary intervention is associated with reverse left ventricular remodeling and improved outcomes in patients with coronary artery disease and reduced ejection fraction. <i>American Heart Journal</i> , 2015 , 170, 550-8	4.9	17
75	Severity of Remodeling, Myocardial Viability, and Survival in Ischemic LV Dysfunction After Surgical Revascularization. <i>JACC: Cardiovascular Imaging</i> , 2015 , 8, 1121-1129	8.4	38
74	Effect of Coronary Artery Bypass Grafting on Left Ventricular Ejection Fraction in Men Eligible for Implantable Cardioverter-Defibrillator. <i>American Journal of Cardiology</i> , 2016 , 117, 957-60	3	19
73	Long-Term Follow-Up of Outcomes With F-18-Fluorodeoxyglucose Positron Emission Tomography Imaging-Assisted Management of Patients With Severe Left Ventricular Dysfunction Secondary to Coronary Disease. <i>Circulation: Cardiovascular Imaging</i> , 2016 , 9,	3.9	39
72	Indications and use of the wearable cardiac defibrillator. <i>European Heart Journal</i> , 2017 , 38, 258-267	9.5	9
71	Wearable Cardioverter-Defibrillator Therapy for the Prevention of Sudden Cardiac Death: A Science Advisory From the American Heart Association. <i>Circulation</i> , 2016 , 133, 1715-27	16.7	81
70	Cardiac Magnetic Resonance Imaging Predictors of Short-Term Outcomes after High Risk Coronary Surgery. <i>Heart Lung and Circulation</i> , 2016 , 25, 613-9	1.8	0
69	Management of Patients With Recovered Systolic Function. <i>Progress in Cardiovascular Diseases</i> , 2016 , 58, 434-43	8.5	12
68	Diabetes is a predictor of coronary artery stenosis in patients hospitalized with heart failure. <i>Heart and Vessels</i> , 2016 , 31, 671-6	2.1	7
67	Predictors of adverse effects after coronary artery bypass grafting in patients with reduced left ventricular ejection fraction. <i>Journal of the Egyptian Society of Cardio-Thoracic Surgery</i> , 2017 , 25, 20-27		4
66	Effect of coronary artery bypass graft surgery on left ventricular systolic function. <i>Journal of Thoracic Disease</i> , 2017 , 9, 262-270	2.6	10
65	Electrophysiology testing for risk stratification of patients with ischaemic cardiomyopathy: a call for action. <i>Europace</i> , 2018 , 20, f148-f152	3.9	7
64	Multiple coronary stenting negatively affects myocardial recovery after coronary bypass grafting. <i>General Thoracic and Cardiovascular Surgery</i> , 2018 , 66, 446-455	1.6	2
63	Current indications for transplantation: stratification of severe heart failure and shared decision-making. <i>Annals of Cardiothoracic Surgery</i> , 2018 , 7, 56-66	4.7	11

62	Application of strain and other echocardiographic parameters in the evaluation of early and long-term clinical outcomes after cardiac surgery revascularization. <i>BMC Cardiovascular Disorders</i> , 2019 , 19, 189	2.3	7
61	KSHF Guidelines for the Management of Acute Heart Failure: Part III. Specific Management of Acute Heart Failure According to the Etiology and Co-morbidity. <i>Korean Circulation Journal</i> , 2019 , 49, 46-68	2.2	8
60	A decade after the Surgical Treatment for Ischemic Heart Failure (STICH) trial: Weaving firm clinical recommendations from lessons learned. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019 , 157, 950-957	1.5	3
59	Absolute Resting N-Ammonia PET Myocardial Blood Flow for Predicting Myocardial Viability and Recovery of Ventricular Function after Coronary Artery Bypass Grafting. <i>Journal of Nuclear Cardiology</i> , 2020 , 1	2.1	1
58	10-year outcomes post coronary artery bypass grafting in Asian patients with ischemic cardiomyopathy: a comprehensive analysis of survival and cardiac performance. <i>Journal of Thoracic Disease</i> , 2020 , 12, 803-812	2.6	1
57	Myocardial Viability Testing by Positron Emission Tomography: Basic Concepts, Mini-Review of the Literature and Experience From a Tertiary PET Center. <i>Seminars in Nuclear Medicine</i> , 2020 , 50, 248-259	5.4	2
56	FDG-PET and myocardial viability. 2021 ,		
55	Myocardial Viability. 2021 , 403-430		
54	Organ-saving surgical alternatives to treatment of heart failure. <i>Cardiovascular Diagnosis and Therapy</i> , 2021 , 11, 213-225	2.6	1
53	Long-Term Results of Internal Thoracic Artery Grafting. 2006 , 105-112		1
52	Myocardial Viability: Reversible Left Ventricular Dysfunction. 2003 , 131-145		1
51	The cardiac surgeon's viewpoint of myocardial viability. <i>Developments in Cardiovascular Medicine</i> , 1994 , 163-178		1
50	Selection of appropriate patients with heart failure for aortocoronary bypass surgery. <i>Current Opinion in Cardiology</i> , 1999 , 14, 230-3	2.1	2
49	Ischemia and Left Ventricular Dysfunction. <i>Journal of Cardiovascular Pharmacology</i> , 1998 , 32, S46-S51	3.1	19
48	Prediction of improvement of regional left ventricular function after surgical revascularization. A comparison of low-dose dobutamine echocardiography with 201Tl single-photon emission computed tomography. <i>Circulation</i> , 1995 , 91, 2748-52	16.7	229
47	Guidelines for the evaluation and management of heart failure. Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines (Committee on Evaluation and Management of Heart Failure). <i>Circulation</i> , 1995 , 92, 2764-84	16.7	275
46	Results of revascularization in patients with severe left ventricular dysfunction. <i>Circulation</i> , 1995 , 92, 1173-9	16.7	88
45	Identification of viable myocardium. <i>Circulation</i> , 1996 , 94, 2674-80	16.7	193

- 44 Assessment of myocardial viability with 99mTc-sestamibi tomography before coronary bypass graft surgery: correlation with histopathology and postoperative improvement in cardiac function. *Circulation*, **1997**, 96, 2892-8 16.7 83
- 43 Warm blood cardioplegia versus cold crystalloid cardioplegia for coronary artery bypass grafting (CABG) in patients with low ejection fraction. *Ain-Shams Journal of Anesthesiology*, **2020**, 12, 0.8 2
- 42 Adult Heart Disease. **2001**, 1333-1376
- 41 Clinical Value of Viable Myocardium Detection. *Developments in Cardiovascular Medicine*, **2001**, 213-224
- 40 Echocardiographic determination of myocardial viability. *Developments in Cardiovascular Medicine*, **2003**, 207-240
- 39 Invasieve behandeling van chronisch hartfalen. **2004**, 108-125
- 38 Surgical Revascularization in the Management of Heart Failure and Ischemic Left Ventricular Dysfunction. **2005**, 39-65
- 37 Coronary Artery Bypass Surgery. **2006**, 267-275 1
- 36 Imaging Techniques for Assessment of Viability and Hibernation. **2006**, 259-275
- 35 Surgical Treatment of Heart Failure. **2007**, 373-384
- 34 Adult Heart Disease. **2008**, 1621-1668
- 33 Protection of the Failing Heart. **2011**, 109-129
- 32 Predictors of implantable cardioverter-defibrillator use in patients with ischemic cardiomyopathy. *Open Cardiovascular Medicine Journal*, **2010**, 4, 206-13 0.7
- 31 Nuclear Imaging to Assess Infarction, Reperfusion, No-Reflow, and Viability. **2012**, 161-189
- 30 Ischemic cardiomyopathy: non-transplant surgical options. *Journal of the Japanese Coronary Association*, **2012**, 18, 74-82
- 29 Nuclear Investigation in Heart Failure and Myocardial Viability. **2013**, 323-359
- 28 Algorithm for Treatment of Advanced Heart Failure. **2013**, 9-34
- 27 Assessment of Myocardial Viability by Pharmacological Stress Echocardiography. *Developments in Cardiovascular Medicine*, **1995**, 103-115

26	Coronary Artery Bypass for Ischemic Cardiomyopathy. 1995 , 55-63		
25	Assessment of myocardial viability before revascularization: Can sestamibi accurately predict functional recovery?. <i>Developments in Cardiovascular Medicine</i> , 1996 , 249-258		
24	State-of-the-Art Diagnosis in Myocardial Ischemia. <i>Developments in Cardiovascular Medicine</i> , 1997 , 83-101		
23	End-Stage Heart Failure and Timing of Heart Transplantation. 1998 , 280-293		
22	Ischemia and left ventricular dysfunction: a reciprocal relation?. <i>Journal of Cardiovascular Pharmacology</i> , 1998 , 32 Suppl 1, S46-51	3.1	11
21	Long-term outcomes of coronary artery bypass grafting for patients with coronary artery disease and left ventricular dysfunction. <i>Journal of the Japanese Coronary Association</i> , 2015 , 21, 83-89		
20	Revascularization and Heart Failure. 2017 , 403-425		
19	The Concept of Heart Failure: Chronic Diseases Accompanied by an Attack of Acute Exacerbation. 2018 , 1-15		1
18	Outcomes with intra-aortic balloon pump in high risk cardiac surgery patients. <i>Chirurgia (Turin)</i> , 2019 , 32,	0.4	
17	Changes of Left Ventricular Systolic Function in Patients Undergoing Coronary Artery Bypass Grafting. <i>Open Access Macedonian Journal of Medical Sciences</i> , 2019 , 7, 3574-3578	1	0
16	[The possibilities of using levosimendan in medical preparation to Coronary Artery Bypass Grafting in coronary artery disease patients with low left ventricular ejection fraction]. <i>Terapevticheskii Arkhiv</i> , 2020 , 92, 43-48	0.9	0
15	Cardiovascular Magnetic Resonance of Ischemic Heart Disease. 2005 , 70-90		
14	Coronary artery bypass for advanced left ventricular dysfunction. 1999 , 15-31		1
13	Selection and Management of the Potential Candidate for Cardiac Transplantation. 1999 , 61-91		
12	Selection and Management of the Potential Candidate for Cardiac Transplantation. 1996 , 161-176		
11	Who gets a heart? Rationing and rationalizing in heart transplantation. <i>Western Journal of Medicine</i> , 1997 , 166, 326-36		10
10	Cardiac resynchronization therapy as an adjunct to conventional surgical treatment for heart failure. <i>Texas Heart Institute Journal</i> , 2008 , 35, 289-95	0.8	3
9	Coronary Artery Bypass Grafting in Patients with Advanced Left Ventricular Dysfunction: Excellent Early Outcome with Improved Ejection Fraction. <i>The Journal of Tehran Heart Center</i> , 2016 , 11, 6-10	0.3	

8	Proceedings of the 4th Invitational Wintergreen Conference. Wintergreen, Virginia, USA. July 12-14, 1998. Abstracts. <i>Journal of Nuclear Cardiology</i> , 1999 , 6, 93-155	2.1	9
7	Good news for waiting-But only if you keep watching and know what to look for.. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 ,	2.7	
6	Improvement of left ventricular function with surgical revascularization in patients eligible for implantable cardioverter-defibrillator.. <i>Journal of Cardiovascular Electrophysiology</i> , 2021 ,	2.7	0
5	Ischemic Heart Disease. 2016 , 209-235		
4	Myocardial Function Prediction After Coronary Artery Bypass Grafting Using MRI Radiomic Features and Machine Learning Algorithms.		1
3	Acute heart failure in surgery of coronary artery disease. 2022 , 17, 5		0
2	Perioperative changes in left ventricular systolic function following surgical revascularization. 2022 , 17, e0277454		0
1	Coronary Artery Spasm-Related Heart Failure Syndrome: Literature Review. 2023 , 24, 7530		0