

CITATION REPORT

List of articles citing

Estimation of left ventricular filling pressures using two-dimensional and Doppler echocardiography in adult patients with cardiac disease. Additional value of analyzing left atrial size, left atrial ejection fraction and the difference in duration of pulmonary venous and mitral flow velocity at atrial contraction

DOI: 10.1016/0735-1097(93)90787-2

Journal of the American College of Cardiology, 1993, 22, 1972-

Source: <https://exaly.com/paper-pdf/24188941/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
675	Echocardiographic and other noninvasive measurements of cardiac hemodynamics and ventricular function. 1995 , 20, 687-770		
674	Is the pulmonary venous-transmitral A-wave duration difference altered by age and hypertension?. 1995 , 76, 722-4		13
673	Pulmonary vein Doppler flow patterns specific for elevated left ventricular filling pressures in older cardiac patients are common in healthy adults 1995, 76, 730-3		8
672	Noninvasive estimation of pulmonary arterial wedge pressure with Doppler transmitral flow velocity pattern in patients with known heart disease. 1995 , 75, 383-9		92
671	Feasibility and accuracy of Doppler echocardiographic estimation of pulmonary artery occlusive pressure in the intensive care unit. 1995 , 75, 1256-62		91
670	Clinical relevance of Doppler pulmonary venous flow characteristics in constrictive pericarditis. 1995 , 16, 506-13		10
669	Response of left atrial systolic function to handgrip in normal subjects. 1995 , 130, 1303-5		5
668	Echocardiography in the emergency room: is it feasible, beneficial, and cost-effective?. 1995 , 12, 163-70		12
667	Pulmonary venous flow as assessed by Doppler echocardiography: potential clinical applications. 1995 , 12, 425-40		11
666	Abnormalities of left ventricular filling in valvular aortic stenosis. Usefulness of combined evaluation of pulmonary veins and mitral flow by means of transthoracic Doppler echocardiography. <i>International Journal of Cardiology</i> , 1995 , 49, 77-85	3.2	10
665	Prevalence, clinical features and prognosis of diastolic heart failure: an epidemiologic perspective. <i>Journal of the American College of Cardiology</i> , 1995 , 26, 1565-74	15.1	698
664	Relationship between left ventricular wall thickness and left atrial size: comparison with other measures of diastolic function. <i>Journal of the American Society of Echocardiography</i> , 1995 , 8, 37-47	5.8	195
663	Pulmonary venous velocity patterns in mitral stenosis. <i>Journal of the American Society of Echocardiography</i> , 1995 , 8, 643-6	5.8	7
662	Pitfalls in creation of left atrial pressure-area relationships with automated border detection. <i>Journal of the American Society of Echocardiography</i> , 1995 , 8, 669-78	5.8	13
661	Left atrial mechanical function in the healthy elderly: new insights from a combined assessment of changes in atrial volume and transmitral flow velocity. <i>Journal of the American Society of Echocardiography</i> , 1995 , 8, 801-9	5.8	127
660	Doppler echocardiographic evaluation of left ventricular end-diastolic pressure in patients with coronary artery disease. <i>Journal of the American Society of Echocardiography</i> , 1996 , 9, 241-50	5.8	34
659	Canadian consensus recommendations for the measurement and reporting of diastolic dysfunction by echocardiography: from the Investigators of Consensus on Diastolic Dysfunction by Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1996 , 9, 736-60	5.8	487

658	The normal pattern of pulmonary venous flow on pulsed Doppler examination of the human fetus. <i>Journal of the American Society of Echocardiography</i> , 1996 , 9, 281-5	5.8	34
657	Shortened Doppler-derived mitral A wave deceleration time: an important predictor of elevated left ventricular filling pressure. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 700-5	15.1	58
656	"Diastology": beyond E and A. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 372-4	15.1	41
655	Doppler echocardiography reliably predicts pulmonary artery wedge pressure in patients with chronic heart failure with and without mitral regurgitation. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 883-93	15.1	122
654	A practical guide to assessment of ventricular diastolic function using Doppler echocardiography. <i>Journal of the American College of Cardiology</i> , 1996 , 27, 1753-60	15.1	260
653	Changes in transmitral and pulmonary venous flow velocity patterns after cardioversion of atrial fibrillation. 1996 , 131, 270-5		28
652	Abnormal diastolic Doppler patterns in patients over age 65 with severe left ventricular systolic dysfunction. <i>International Journal of Cardiology</i> , 1996 , 55, 255-63	3.2	2
651	Noninvasive doppler echocardiographic evaluation of left ventricular filling pressures in patients with cardiomyopathies: a simultaneous Doppler echocardiographic and cardiac catheterization study. <i>Journal of the American College of Cardiology</i> , 1996 , 28, 1226-33	15.1	279
650	Newer Doppler measures of left ventricular diastolic function. 1996 , 19, 277-88		17
649	Electromechanical delay in the left atrium as a consequence of interatrial block. 1996 , 77, 1132-4		31
648	Echocardiographic features of left atrium in elite male athletes. 1996 , 78, 1314-7		46
647	Analysis of left ventricular diastolic function. 1996 , 75, 27-35		69
646	Congestive Heart Failure With Normal Left Ventricular Systolic Function. 1996 , 156, 146		76
645	Pulmonary venous flow velocity patterns in 143 normal subjects aged 20 to 80 years old. An echo 2D colour Doppler cooperative study. 1997 , 18, 148-64		54
644	Assessment of left ventricular end-diastolic pressure by Doppler echocardiography: contribution of duration of pulmonary venous versus mitral flow velocity curves at atrial contraction. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 52-9	5.8	75
643	Doppler evaluation of left and right ventricular diastolic function: a technical guide for obtaining optimal flow velocity recordings. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 271-92	5.8	239
642	Left ventricular Doppler filling pattern in dilated cardiomyopathy: relation to hemodynamics and left atrial function. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 518-25	5.8	37
641	Feasibility of obtaining pulmonary venous flow velocity in cardiac patients using transthoracic pulsed wave Doppler technique. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 60-6	5.8	64

640	The noninvasive assessment of left ventricular diastolic function with two-dimensional and Doppler echocardiography. <i>Journal of the American Society of Echocardiography</i> , 1997 , 10, 246-70	5.8	502
639	Left Atrial Systolic Performance in the Presence of Elevated Left Ventricular End-Diastolic Pressure: Evaluation by Transesophageal Pulsed Doppler Echocardiography of Left Ventricular Inflow and Pulmonary Venous Flow Velocities. 1997 , 14, 23-32		21
638	Estimating mean pulmonary wedge pressure in patients with chronic atrial fibrillation from transthoracic Doppler indexes of mitral and pulmonary venous flow velocity. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 19-26	15.1	90
637	Evaluation of diastolic filling of left ventricle in health and disease: Doppler echocardiography is the clinician's Rosetta Stone. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 8-18	15.1	1037
636	Utility of preload alteration in assessment of left ventricular filling pressure by Doppler echocardiography: a simultaneous catheterization and Doppler echocardiographic study. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 459-67	15.1	198
635	Doppler tissue imaging: a noninvasive technique for evaluation of left ventricular relaxation and estimation of filling pressures. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1527-33	15.1	2398
634	Hemodynamic determinants of Doppler pulmonary venous flow velocity components: new insights from studies in lightly sedated normal dogs. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1562-74	15.1	110
633	Echocardiography for hemodynamic assessment of patients with advanced heart failure and potential heart transplant recipients. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1765-72	15.1	60
632	Determination of left ventricular filling pressure by Doppler echocardiography in patients with coronary artery disease: critical role of left ventricular systolic function. <i>Journal of the American College of Cardiology</i> , 1997 , 30, 1819-26	15.1	232
631	Echocardiographic changes after myocardial infarction in a model of left ventricular diastolic dysfunction. 1997 , 273, H2018-29		14
630	Transesophageal pulsed Doppler echocardiographic evaluation of left atrial systolic performance in hypertrophic cardiomyopathy: combined analysis of transmitral and pulmonary venous flow velocities. 1997 , 20, 47-54		17
629	Evaluation of left atrial filling using systolic pulmonary venous flow velocity measurements in patients with atrial fibrillation. 1998 , 21, 169-74		17
628	Assessment of abnormal left atrial relaxation by transesophageal pulsed Doppler echocardiography of pulmonary venous flow velocity. 1998 , 21, 753-8		11
627	Optimizing the hemodynamic performance of the DDD pacemaker: impact of the atrioventricular delay on the pulmonary venous flow pattern. 1998 , 21, 2261-8		2
626	Transesophageal Pulsed Doppler Echocardiographic Study of Systolic Flow Velocity Patterns of the Pulmonary Vein in Patients with Atrial Fibrillation. 1998 , 15, 147-156		7
625	Estimation of left and right ventricular filling pressures after heart transplantation by tissue Doppler imaging. 1998 , 82, 352-7		180
624	Accurate noninvasive estimation of left ventricular end-diastolic pressure: comparison with catheterization. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 126-31	5.8	8
623	Duration of pulmonary venous atrial reversal flow velocity and mitral inflow a wave: new measure of severity of cardiac amyloidosis. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 1125-33	5.8	17

622	Age independence of the difference in duration of pulmonary venous atrial reversal flow and transmitral A-wave flow in normal subjects. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 458-65	5.8	27
621	Reversible left atrial dysfunction possibly due to afterload mismatch in patients with left ventricular dysfunction. <i>Journal of the American Society of Echocardiography</i> , 1998 , 11, 274-9	5.8	14
620	Doppler estimation of left ventricular filling pressure in sinus tachycardia. A new application of tissue doppler imaging. <i>Circulation</i> , 1998 , 98, 1644-50	16.7	487
619	Effects of postural changes on left atrial function in patients with hypertrophic cardiomyopathy. 1998 , 136, 982-7		13
618	Mitral inflow and pulmonary venous Doppler measurements do not predict pulmonary capillary wedge pressure in heart transplant recipients. 1998 , 135, 641-6		8
617	Diastolic Ventricular Function in Children: A Doppler Echocardiographic Study Establishing Normal Values and Predictors of Increased Ventricular End-Diastolic Pressure. 1998 , 73, 616-628		71
616	How to diagnose diastolic heart failure. European Study Group on Diastolic Heart Failure. 1998 , 19, 990-1003		552
615	Relationship between left atrial function and plasma level of atrial natriuretic peptide in patients with heart disease. 1998 , 90, 13-9		10
614	Differences in transmitral flow velocity pattern during increase in preload in patients with abnormal left ventricular relaxation. 1998 , 89, 152-8		12
613	Doppler estimation of left ventricular filling pressures in patients with hypertrophic cardiomyopathy. <i>Circulation</i> , 1999 , 99, 254-61	16.7	413
612	Changes in left ventricular diastolic function 6 months after nonsurgical septal reduction therapy for hypertrophic obstructive cardiomyopathy. <i>Circulation</i> , 1999 , 99, 344-7	16.7	77
611	Left ventricular diastolic function in normal human pregnancy. <i>Circulation</i> , 1999 , 99, 511-7	16.7	153
610	Left atrial systolic function is depressed in idiopathic and preserved in ischemic dilated cardiomyopathy. 1999 , 29, 905-12		36
609	Left Ventricular Regional Diastolic Dysfunction in Patients with First Myocardial Infarction Determined by Diastolic Motion of the Atrioventricular Plane. 1999 , 16, 635-641		3
608	Delayed Recovery of Diastolic Function in Patients with Suspected Acute Myocarditis as Assessed with Doppler Echocardiography. 1999 , 16, 827-831		
607	Effect of Programmed Atrioventricular Delay on the Patterns of Mitral and Pulmonary Vein Flow Profiles and Their Durations in Patients with Dual-Chamber Pacemakers. 1999 , 16, 231-238		3
606	[Analysis of mitral annulus excursion with tissue Doppler echocardiography (tissue Doppler echocardiography = TDE). Noninvasive assessment of left ventricular, diastolic dysfunction]. 1999 , 88, 353-62		10
605	Doppler echocardiographic-guided diagnosis and therapy of heart failure. 1999 , 1, 55-66		9

604	Ambulatory blood pressure monitoring and echocardiography--noninvasive techniques for evaluation of the hypertensive patient. 1999 , 41, 397-440		12
603	Noninvasive assessment of hemodynamic subsets in patients with acute myocardial infarction using digital color Doppler velocity profile integration and pulmonary venous flow analysis. 1999 , 83, 1027-32		13
602	Exercise capacity in hypertrophic cardiomyopathy depends on left ventricular diastolic function. 1999 , 84, 309-15		64
601	M-mode analysis of mitral annulus motion for detection of pseudonormalization of the mitral inflow pattern. 1999 , 84, 692-7		10
600	Exercise echocardiography. Principles, methods, and clinical use. 1999 , 17, 447-60, vii		10
599	Decreased left atrial appendage function is an important predictor of elevated left ventricular filling pressure in patients with congestive heart failure. <i>International Journal of Cardiology</i> , 1999 , 68, 39-45	3.2	8
598	Echocardiographic determination of left atrial function and its application for assessment of mitral flow velocity pattern. <i>International Journal of Cardiology</i> , 1999 , 72, 19-25	3.2	9
597	Estimation of left ventricular end-diastolic pressure with the difference in pulmonary venous and mitral A durations is limited when mitral E and A waves are overlapped. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 106-12	5.8	25
596	Assessment of diastolic function by tissue Doppler echocardiography: comparison with standard transmitral and pulmonary venous flow. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 609-17	5.8	171
595	Evaluation of left ventricular diastolic function when mitral E and A waves are completely fused: role of assessing mitral annulus velocity. <i>Journal of the American Society of Echocardiography</i> , 1999 , 12, 203-8	5.8	55
594	Combined use of pulsed and color M-mode Doppler echocardiography for the estimation of pulmonary capillary wedge pressure: an empirical approach based on an analytical relation. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 515-23	15.1	75
593	Changes in left ventricular filling and left atrial function six months after nonsurgical septal reduction therapy for hypertrophic obstructive cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 1999 , 34, 1123-8	15.1	77
592	Pediatric diastology: use and limitations of Doppler echocardiography in the evaluation of ventricular diastolic function in children. 1999 , 10, 83-93		10
591	Longitudinal changes and prognostic implications of left ventricular diastolic function in first acute myocardial infarction. 1999 , 137, 910-8		100
590	Left atrioventricular plane displacement is related to both systolic and diastolic left ventricular performance in patients with chronic heart failure. 1999 , 20, 612-8		61
589	Pulmonary venous flow in hypertrophic cardiomyopathy as assessed by the transoesophageal approach. The additive value of pulmonary venous flow and left atrial size variables in estimating the mitral inflow pattern in hypertrophic cardiomyopathy. 1999 , 20, 293-302		8
588	Left Ventricular Diastolic Dysfunction in Patients With Hypertension and Preserved Systolic Function. 2000 , 75, 148-155		12
587	Efficacy and safety of fluoxetine in the treatment of patients with major depression after first myocardial infarction: findings from a double-blind, placebo-controlled trial. 2000 , 62, 783-9		181

586	Tissue Doppler imaging: a new technique for assessment of pseudonormalization of the mitral inflow pattern. 2000 , 17, 539-46			47
585	Maternal cardiac systolic and diastolic function: relationship with uteroplacental resistances. A Doppler and echocardiographic longitudinal study. 2000 , 15, 487-97			77
584	Physiologic assessment of left ventricular systolic and diastolic performance. 2000 , 25, 827-908			1
583	Noninvasive assessment of left ventricular end-diastolic pressure by the response of the transmitral a-wave velocity to a standardized Valsalva maneuver. 2000 , 86, 169-74			31
582	Usefulness of left atrial size in predicting postoperative symptomatic improvement in patients with aortic stenosis. 2000 , 86, 567-70, A9-10			38
581	Left atrial appendage flow velocities in subjects with normal left ventricular function. 2000 , 86, 769-73			37
580	Diastolic ventricular interaction in normal and dilated heart during head-up tilting. 2000 , 23, 665-72			14
579	Transesophageal echocardiographic evaluation of left ventricular function. 2000 , 14, 588-98			6
578	Echocardiographic prediction of clinical outcome in medically treated patients with aortic stenosis. 2000 , 140, 766-71			29
577	Effects of first myocardial infarction on left ventricular systolic and diastolic function with the use of mitral annular velocity determined by pulsed wave doppler tissue imaging. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 343-52	5.8		121
576	Mitral annulus velocity in the estimation of left ventricular filling pressure: prospective study in 200 patients. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 980-5	5.8		98
575	The echo-Doppler evaluation of left ventricular diastolic function. A current perspective. 2000 , 18, 513-46, ix			127
574	Clinical utility of Doppler echocardiography and tissue Doppler imaging in the estimation of left ventricular filling pressures: A comparative simultaneous Doppler-catheterization study. <i>Circulation</i> , 2000 , 102, 1788-94	16.7		2268
573	Left ventricular end-diastolic pressure can be estimated by either changes in transmitral inflow pattern during valsalva maneuver or analysis of pulmonary venous flow. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 599-607	5.8		40
572	[Doppler tissue imaging of the mitral annulus in patients with left ventricular systolic dysfunction. Assessment of diastolic function]. 2000 , 53, 1195-200			6
571	Usefulness of echocardiography and doppler echocardiography in endomyocardial fibrosis. <i>Journal of the American Society of Echocardiography</i> , 2000 , 13, 385-92	5.8		46
570	Assessment of right atrial pressure with 2-dimensional and Doppler echocardiography: a simultaneous catheterization and echocardiographic study. 2000 , 75, 24-9			162
569	Left ventricular diastolic dysfunction in patients with hypertension and preserved systolic function. 2000 , 75, 148-55			20

568	Prognostic value of pulmonary venous flow Doppler signal in left ventricular dysfunction: contribution of the difference in duration of pulmonary venous and mitral flow at atrial contraction. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 1295-302	15.1	81
567	Ratio of left ventricular peak E-wave velocity to flow propagation velocity assessed by color M-mode Doppler echocardiography in first myocardial infarction: prognostic and clinical implications. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 363-70	15.1	111
566	Hemodynamic determinants of the mitral annulus diastolic velocities by tissue Doppler. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 278-85	15.1	451
565	The deceleration [correction of declaration] time of pulmonary venous diastolic flow is more accurate than the pulmonary artery occlusion pressure in predicting left atrial pressure. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 2025-30	15.1	34
564	Intérêt de l'étude par Doppler pulsé du flux mitral et du flux veineux pulmonaire dans l'évaluation des pressions de remplissage du ventricule gauche. 2001 , 10, 173-182		2
563	Electromechanical dysfunction of the left atrium associated with interatrial block. 2001 , 142, 823-7		156
562	Comparison of transthoracic Doppler echocardiography and natriuretic peptides in predicting mean pulmonary capillary wedge pressure in patients with chronic atrial fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2001 , 14, 1080-7	5.8	31
561	The importance of pulmonary venous flow measurement for evaluating left ventricular end-diastolic pressure in patients with coronary artery disease in the early stage of diastolic dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2001 , 14, 987-93	5.8	15
560	Left atrial volume: important risk marker of incident atrial fibrillation in 1655 older men and women. 2001 , 76, 467-75		454
559	Doppler echocardiography reliably predicts pulmonary artery wedge pressure in patients with chronic heart failure even when atrial fibrillation is present. 2001 , 3, 173-81		32
558	MRI assessment of LV relaxation by untwisting rate: a new isovolumic phase measure of tau. 2001 , 281, H2002-9		197
557	Echocardiographic assessment of diastolic function. <i>Current Opinion in Cardiology</i> , 2001 , 16, 240-5	2.1	28
556	Non-invasive monitoring of pulmonary capillary wedge pressure in heart failure. 2001 , 3, 41-6		6
555	Estimating pulmonary capillary wedge pressures using Doppler variables of early diastolic left ventricular inflow. 2001 , 65, 33-9		5
554	Effects of verapamil in normal elderly individuals with left ventricular diastolic dysfunction. 2001 , 18, 123-9		8
553	Dobutamine stress echocardiography response of asymptomatic patients with diabetes. 2001 , 18, 373-9		11
552	Additional value of pulmonary vein parameters in defining pseudonormalization of mitral inflow pattern. 2001 , 18, 673-9		17
551	Prevalence of diastolic dysfunction in normotensive, asymptomatic patients with well-controlled type 2 diabetes mellitus. 2001 , 87, 320-3		204

550	Prevalence of isolated left ventricular diastolic dysfunction in hypertension as assessed by combined transmitral and pulmonary vein flow Doppler study. 2001 , 87, 357-60, A10		22
549	Usefulness of serial echocardiographic parameters for predicting the subsequent occurrence of atrial fibrillation. 2001 , 87, 1298-301		6
548	Maternal diastolic dysfunction and left ventricular geometry in gestational hypertension. 2001 , 37, 1209-15		61
547	Intracellular signaling by the killer immunoglobulin-like receptors and Ly49. 2001 , 2001, re1		51
546	Diastolic dysfunction in normotensive men with well-controlled type 2 diabetes: importance of maneuvers in echocardiographic screening for preclinical diabetic cardiomyopathy. 2001 , 24, 5-10		564
545	Decreased expression of tumor necrosis factor-alpha and regression of hypertrophy after nonsurgical septal reduction therapy for patients with hypertrophic obstructive cardiomyopathy. <i>Circulation</i> , 2001 , 103, 1844-50	16.7	60
544	Left ventricular diastolic function in the elderly. 2001 , 10, 20-9		27
543	Non-invasive estimation of left ventricular filling pressures by Doppler echocardiography. 2002 , 3, 75-9		17
542	Left ventricular diastolic function assessed using Doppler tissue imaging in patients with hypertrophic cardiomyopathy: relation to symptoms and exercise capacity. 2002 , 87, 247-51		129
541	Evaluation of left ventricular filling pressure by transthoracic Doppler echocardiography in the intensive care unit. 2002 , 30, 362-7		77
540	Echocardiography and prognosis of heart failure. <i>Current Opinion in Cardiology</i> , 2002 , 17, 253-6	2.1	11
539	Diastolic heart failure: restrictive cardiomyopathy, constrictive pericarditis, and cardiac tamponade: clinical and echocardiographic evaluation. 2002 , 10, 218-29		55
538	The prevalence of impaired left ventricular diastolic filling is related to the extent of coronary atherosclerosis in patients with stable coronary artery disease. 2002 , 13, 1-7		12
537	Mitral Doppler indices are superior to two-dimensional echocardiographic and hemodynamic variables in predicting responsiveness of cardiac output to a rapid intravenous infusion of colloid. <i>Anesthesia and Analgesia</i> , 2002 , 94, 1092-9, table of contents	3.9	26
536	Pseudonormal mitral filling pattern predicts hospital re-admission in patients with congestive heart failure. <i>Journal of the American College of Cardiology</i> , 2002 , 39, 1787-95	15.1	85
535	Long-term, dose-dependent effects of spironolactone on left ventricular function and exercise tolerance in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 304-10	15.1	136
534	Determinants and prognostic value of left atrial volume in patients with dilated cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 1425	15.1	273
533	Left ventricular diastolic dysfunction as a predictor of the first diagnosed nonvalvular atrial fibrillation in 840 elderly men and women. <i>Journal of the American College of Cardiology</i> , 2002 , 40, 1636-44	15.1	498

532	Losartan treatment and left ventricular filling during volume loading in patients with dilated cardiomyopathy. 2002 , 143, 433-40		5
531	Atrial natriuretic peptide level after cardioversion of chronic atrial fibrillation. <i>International Journal of Cardiology</i> , 2002 , 83, 159-65	3.2	22
530	The role of Doppler left ventricular filling indexes and Doppler tissue echocardiography in the assessment of cardiac involvement in hereditary hemochromatosis. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 884-90	5.8	38
529	Mitral annulus velocities by Doppler tissue imaging: practical implications with regard to preload alterations, sample position, and normal values. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 1226-31	5.8	51
528	Acute effects of smoking on diastolic function in healthy participants: studies by conventional doppler echocardiography and doppler tissue imaging. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 1232-7	5.8	41
527	Prevalence of left ventricular diastolic dysfunction by Doppler echocardiography: clinical application of the Canadian consensus guidelines. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 1238-44	5.8	50
526	Are left atrial appendage flow velocities adequate surrogates of global left atrial function? A population-based transthoracic and transesophageal echocardiographic study. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 433-40	5.8	44
525	Pulsed Doppler tissue imaging in dystrophinopathic cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 891-9	5.8	33
524	Strain rate imaging for the assessment of preload-dependent changes in regional left ventricular diastolic longitudinal function. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 13-9	5.8	63
523	Recommendations for quantification of Doppler echocardiography: a report from the Doppler Quantification Task Force of the Nomenclature and Standards Committee of the American Society of Echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 167-84	5.8	1681
522	Restrictive left ventricular filling and preserved ventricular function: a limitation in the noninvasive estimation of pulmonary wedge pressure by Doppler echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2002 , 15, 334-8	5.8	6
521	Effect of Vigorous Preload Reduction on Mitral Annulus Velocity in Chronic Renal Failure. 2002 , 32, 807		
520	Prognostic value of left atrial enlargement in patients with idiopathic dilated cardiomyopathy and ischemic cardiomyopathy. 2002 , 89, 518-23		88
519	Doppler-derived left ventricular end-diastolic pressure prediction model using the combined analysis of mitral and pulmonary A waves in patients with coronary artery disease and preserved left ventricular systolic function. 2002 , 90, 720-4		16
518	[Usefulness of Doppler echocardiography in the diagnosis of acute diastolic heart failure in the elderly]. 2002 , 51, 282-8		1
517	Effects of the creation of arteriovenous fistula for hemodialysis on cardiac function and natriuretic peptide levels in CRF. 2002 , 40, 974-82		174
516	Estimation of left ventricular filling pressures by Doppler echocardiography. 2002 , 11, 41-45		2
515	[Echocardiography diagnosis of diastolic heart failure]. 2002 , 27, 99-106		14

514	Cardiac adaptation to intensive training in prepubertal swimmers. 2002 , 32, 16-23		39
513	Noninvasive estimation of pulmonary capillary wedge pressure by color M-mode Doppler echocardiography in patients with acute myocardial infarction. 2002 , 19, 95-102		11
512	Effect of left ventricular global systolic function, mitral regurgitation, and left ventricular inflow pattern on exercise echocardiography results. 2002 , 19, 115-23		5
511	Does rapid volume loading during transesophageal echocardiography differentiate constrictive pericarditis from restrictive cardiomyopathy?. 2002 , 19, 125-34		18
510	Validation of six noninvasive Doppler methods for the assessment of left ventricular filling pressure. 2002 , 19, 645-53		5
509	Echocardiographic and hemodynamic evaluation of cardiovascular performance during laparoscopy of morbidly obese patients. 2003 , 13, 761-7		10
508	Effects of acute angiotensin-converting enzyme inhibition on diastolic ventricular interaction in the dilated heart. 2003 , 26, 424-30		2
507	Impact of left ventricular ejection fraction on estimation of left ventricular filling pressures using tissue Doppler and flow propagation velocity. 2003 , 91, 780-4		293
506	Atrial fibrillation: hypertension as a causative agent, risk factor for complications, and potential therapeutic target. 2003 , 91, 9G-14G		159
505	Efficacy and safety of thermal vasodilation therapy by sauna in infants with severe congestive heart failure secondary to ventricular septal defect. 2003 , 92, 109-13		10
504	Noninvasive assessment of hemodynamic parameters in experimental stenosis of the ascending aorta. 2003 , 27, 695-700		9
503	Impact of left ventricular function on the pulmonary vein Doppler spectrum: nonsimultaneous assessment with load-insensitive indices. 2003 , 20, 9-18		4
502	Hemodynamic effects of alternative atrial pacing sites in patients with paroxysmal atrial fibrillation. 2003 , 26, 278-83		13
501	Prediction of heart failure post myocardial infarction: comparison of ejection fraction, transmitral filling parameters, and the index of myocardial performance. 2003 , 20, 691-701		18
500	Prognostic value of the atrial systolic mitral annular motion velocity in patients with left ventricular systolic dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 333-9	5.8	92
499	Contrast-enhanced Doppler hemodynamics for noninvasive assessment of patients with chronic heart failure and left ventricular systolic dysfunction. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 124-31	5.8	16
498	An evaluation of the use of new Doppler methods for detecting longitudinal function abnormalities in a pacing-induced heart failure model. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 424-31	5.8	17
497	Patent foramen ovale: anatomy versus pathophysiology--which determines stroke risk?. <i>Journal of the American Society of Echocardiography</i> , 2003 , 16, 71-6	5.8	42

496	Pulmonary venous flow by doppler echocardiography: revisited 12 years later. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 1243-50	15.1	96
495	A clinical approach to the assessment of left ventricular diastolic function by Doppler echocardiography: update 2003. 2003 , 89 Suppl 3, iii18-23		77
494	MATERNAL CARDIOVASCULAR HAEMODYNAMICS IN NORMAL AND COMPLICATED PREGNANCIES. 2003 , 14, 355-385		6
493	Left atrial volume: a powerful predictor of survival after acute myocardial infarction. <i>Circulation</i> , 2003 , 107, 2207-12	16.7	534
492	Comparison between invasive hemodynamic measurements and noninvasive assessment of left ventricular diastolic function by use of Doppler echocardiography in healthy anesthetized cats. 2003 , 64, 93-103		61
491	Evaluation of Left Atrial Size and Pressure as It Relates to Left Ventricle Diastolic Measurements in Patients With Left Ventricle Hypertrophy. 2003 , 19, 73-79		1
490	Left ventricular diastolic function and cardiac performance during exercise in patients with acromegaly. 2003 , 88, 4105-9		10
489	Echocardiographic Doppler assessment of pulmonary capillary wedge pressure in surgical patients with postoperative circulatory shock and acute lung injury. 2003 , 98, 1091-100		67
488	Mechanical function of the left atrium: new insights based on analysis of pressure-volume relations and Doppler echocardiography. 2003 , 98, 975-94		149
487	Alternative parameters for echocardiographic assessment of fetal diastolic function. 2004 , 37, 31-6		22
486	Optimal noninvasive assessment of left ventricular filling pressures: a comparison of tissue Doppler echocardiography and B-type natriuretic peptide in patients with pulmonary artery catheters. <i>Circulation</i> , 2004 , 109, 2432-9	16.7	386
485	Enzyme replacement therapy with agalsidase beta improves cardiac involvement in Fabry® disease. 2004 , 66, 158-65		92
484	Impaired left ventricular diastolic function in children with chronic renal failure. 2004 , 65, 1461-6		104
483	Value of tissue Doppler imaging to predict left ventricular filling pressure in patients with coronary artery disease. 2004 , 21, 133-8		24
482	Analysis of left atrial volume change rate for evaluation of left ventricular diastolic function. 2004 , 21, 593-601		8
481	Transesophageal Pulsed Doppler echocardiography of pulmonary venous flow to assess left ventricular filling pressure in ventilated patients with acute respiratory distress syndrome. 2004 , 19, 187-97		19
480	Comparative accuracy of B-type natriuretic peptide and tissue Doppler echocardiography in the diagnosis of congestive heart failure. 2004 , 93, 1130-5		101
479	Differentiation of constrictive pericarditis from restrictive cardiomyopathy using mitral annular velocity by tissue Doppler echocardiography. 2004 , 94, 316-9		135

478	Usefulness of left atrial volume as a predictor of mortality in patients with ischemic cardiomyopathy. 2004 , 94, 760-3		73
477	Determinants of atrial fibrillation development in patients with hypertrophic cardiomyopathy. 2004 , 94, 895-900		96
476	Characterizing vortex ring behavior during ventricular filling with Doppler echocardiography: an in vitro study. 2004 , 32, 245-56		32
475	Left atrial systolic function in primary and familial amyloidosis: assessment from left atrial volume change. 2004 , 27, 528-32		4
474	The role of echocardiography in the diagnosis and prognosis of patients with heart failure. 2004 , 2, 141-4		o
473	American Society of Echocardiography recommendations for use of echocardiography in clinical trials. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 1086-119	5.8	392
472	Determinant of left atrial dilation in patients with hypertrophic cardiomyopathy: a real-time 3-dimensional echocardiographic study. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 968-75	5.8	37
471	Triphasic mitral inflow velocity with middiastolic filling: clinical implications and associated echocardiographic findings. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 428-31	5.8	56
470	A practical approach to the echocardiographic evaluation of diastolic function. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 290-7	5.8	346
469	On the move?. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 431	5.8	
468	Left atrial volume and the risk of paroxysmal atrial fibrillation in patients with hypertrophic cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 644-8	5.8	94
467	Diagnostic and prognostic value of plasma brain natriuretic peptide in non-dialysis-dependent CRF. 2004 , 44, 420-428		114
466	The prognostic significance of exercise-induced atrial arrhythmias. <i>Journal of the American College of Cardiology</i> , 2004 , 43, 1236-40	15.1	24
465	Long-term prognostic significance of left atrial volume in acute myocardial infarction. <i>Journal of the American College of Cardiology</i> , 2004 , 44, 327-34	15.1	221
464	Peak atrial systolic mitral annular velocity by Doppler tissue reliably predicts left atrial systolic function. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 353-60	5.8	61
463	Cardiac remodeling in systemic hypertension. 2004 , 88, 115-30		42
462	Back issue box. 2004 , 147, 196		
461	Elucidating the B bump on the mitral valve M-mode echogram in patients with severe left ventricular systolic dysfunction. <i>International Journal of Cardiology</i> , 2004 , 95, 7-12	3.2	3

460	Left atrial size: renewed interest in an old echocardiographic measurement. 2004 , 147, 195-6		13
459	Lack of relationship between Doppler indices of diastolic function and left ventricular pressure transients in patients with definite diastolic heart failure. 2004 , 148, E12		34
458	Echocardiographic Estimation of Mean Left Atrial Pressure in a Canine Model of Acute Mitral Valve Insufficiency. 2004 , 18, 667-672		44
457	Transesophageal echocardiographic monitoring of hemodynamics. 2004 , 42, 59-81		4
456	The assessment of fluid status in haemodialysis patients: usefulness of the Doppler echocardiographic parameters. 2004 , 19, 644-51		10
455	Non-invasive evaluation of left ventricular filling pressures in patients with abnormal relaxation. 2004 , 106, 485-94		8
454	American Society of Echocardiography recommendations for use of echocardiography in clinical trialsA report from the american society of echocardiography® guidelines and standards committee and the task force on echocardiography in clinical trials. <i>Journal of the American Society of Echocardiography</i> , 2004 , 17, 1086-1119	5.8	636
453	Effects of levosimendan on restrictive left ventricular filling in severe heart failure: a combined hemodynamic and Doppler echocardiographic study. 2005 , 128, 2633-9		31
452	Hemodynamic monitoring utilizing transesophageal echocardiography: the relationships among pressure, flow, and function. 2005 , 127, 379-90		62
451	Assessment of Diastolic Function in Heart Failure and Atrial Fibrillation. 2005 , 181-187		
450	Tissue Doppler echocardiographic and color M-mode estimation of left atrial pressure in infants. 2005 , 6, 448-53		8
449	Left atrial systolic reserve in idiopathic vs. ischaemic-dilated cardiomyopathy. 2005 , 35, 355-61		16
448	Left ventricular function in children with sleep-disordered breathing. 2005 , 95, 801-4		176
447	Usefulness of left atrial emptying fraction to predict exercise capacity in patients with normal systolic left ventricular function and without myocardial ischemia. 2005 , 95, 1014-7		7
446	Usefulness of atrial size inequality as an indicator of abnormal left ventricular filling. 2005 , 95, 1448-52		14
445	Is functional capacity related to left atrial contractile function in nonobstructive hypertrophic cardiomyopathy?. 2005 , 11, 234-40		7
444	Assessment of diastolic function. 2005 , 47, 340-55		50
443	Epidemiological profile of atrial fibrillation: a contemporary perspective. 2005 , 48, 1-8		75

442	Assessment of atrial regional and global electromechanical function by tissue velocity echocardiography: a feasibility study on healthy individuals. 2005 , 3, 4		38
441	Diastolic dysfunction and diastolic heart failure: diagnostic, prognostic and therapeutic aspects. 2005 , 3, 9		83
440	Assessment of left atrial input impedance in normal subjects and in hypertensive patients. 2005 , 7, 63-8		4
439	Prediction and assessment of the time-varying effective pulmonary vein area via cardiac MRI and Doppler echocardiography. 2005 , 288, H280-6		20
438	Role of echocardiography in the contemporary management of chronic heart failure. 2005 , 3, 51-70		4
437	Doppler estimation of left ventricular filling pressures in patients with mitral valve disease. <i>Circulation</i> , 2005 , 111, 3281-9	16.7	157
436	Assessment of diastolic function: what the general cardiologist needs to know. 2005 , 91, 681-95		128
435	Tissue Doppler-derived indices predict exercise capacity in patients with apical hypertrophic cardiomyopathy. 2005 , 128, 3428-33		20
434	Left atrial volume predicts cardiovascular events in patients originally diagnosed with lone atrial fibrillation: three-decade follow-up. 2005 , 26, 2556-61		164
433	Comparison of different methods for detection of diastolic filling abnormalities. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 710-7	5.8	15
432	Doppler tissue imaging for the assessment of left ventricular diastolic function: a systematic approach for the sonographer. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 80-8; quiz 89	5.8	47
431	The mitral L wave: a marker of pseudonormal filling and predictor of heart failure in patients with left ventricular hypertrophy. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 336-41	5.8	38
430	The role of left and right ventricular early diastolic Doppler tissue echocardiographic indices in the evaluation of acute rejection in orthotopic heart transplant. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 107-15	5.8	35
429	Exercise intolerance in patients with atrial fibrillation: clinical and echocardiographic determinants of exercise capacity. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 1349-54	5.8	21
428	Left atrial index is a predictor of exercise capacity in patients with hypertrophic cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 1373-80	5.8	34
427	Left atrial function, cytokines and soluble apoptotic markers in mitral stenosis: effects of valvular replacement. <i>International Journal of Cardiology</i> , 2005 , 99, 111-5	3.2	13
426	Quantitative assessment of systolic and diastolic ventricular function with tissue Doppler imaging after Fontan type of operation. <i>International Journal of Cardiology</i> , 2005 , 102, 61-9	3.2	45
425	Left atrial volumetric remodeling is predictive of functional capacity in nonobstructive hypertrophic cardiomyopathy. 2005 , 149, 730-6		63

424	Relationships among exercise capacity, hypertrophy, and left ventricular diastolic function in nonobstructive hypertrophic cardiomyopathy. 2005 , 150, 144-9		17
423	Left heart failure with a normal ejection fraction: identification of different pathophysiologic mechanisms. 2005 , 11, 177-87		153
422	An initial application of transesophageal Doppler echocardiography in experimental small animal models. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 626-31	5.8	10
421	Recommendations for chamber quantification: a report from the American Society of Echocardiography® Guidelines and Standards Committee and the Chamber Quantification Writing Group, developed in conjunction with the European Association of Echocardiography, a branch of the European Society of Cardiology. <i>Journal of the American Society of Echocardiography</i> , 2005 , 18, 1440-63	5.8	8967
420	What is the best approach for the assessment of left atrial size? Comparison of various unidimensional and two-dimensional parameters with three-dimensional echocardiographically determined left atrial volume. <i>Journal of the American Society of Echocardiography</i> , 2006 , 19, 1026-32	5.8	85
419	Two-Dimensional Echocardiographic Assessment of the Feline Left Atrium. 2006 , 20, 111-119		113
418	Left ventricular filling hemodynamics in patients with pulmonary edema and preserved versus reduced left ventricular ejection fraction: a prospective Doppler echocardiographic study. <i>Journal of the American Society of Echocardiography</i> , 2006 , 19, 733-43	5.8	15
417	Predictive value of normal left atrial volume in stress echocardiography. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 1024-8	15.1	39
416	Left atrial size: physiologic determinants and clinical applications. <i>Journal of the American College of Cardiology</i> , 2006 , 47, 2357-63	15.1	793
415	Left atrial volume predicts the risk of atrial fibrillation after cardiac surgery: a prospective study. <i>Journal of the American College of Cardiology</i> , 2006 , 48, 779-86	15.1	140
414	Left ventricular hypertrophy in patients with autonomic failure. 2006 , 19, 1049-54		40
413	Left atrial diameter as an independent predictor of first clinical cardiovascular events in middle-aged and elderly adults: the Strong Heart Study (SHS). 2006 , 151, 412-8		284
412	Mitral A-wave deceleration time. A marker of left ventricular diastolic dysfunction following acute myocardial infarction?. <i>International Journal of Cardiology</i> , 2006 , 109, 129-31	3.2	5
411	Autonomic cardiovascular control and diastolic dysfunction in hypertensive subjects. <i>International Journal of Cardiology</i> , 2006 , 110, 160-6	3.2	8
410	Chronic heart failure with preserved left ventricular ejection fraction: diagnostic and prognostic value of left atrial size. <i>International Journal of Cardiology</i> , 2006 , 110, 386-92	3.2	52
409	Determinants of brain natriuretic peptide levels in patients with lone atrial fibrillation. 2006 , 70, 100-4		42
408	Deceleration time of systolic pulmonary venous flow: a new clinical marker of left atrial pressure and compliance. 2006 , 100, 685-9		11
407	Effect of right ventricular apex pacing on the Tei index and brain natriuretic peptide in patients with a dual-chamber pacemaker. 2006 , 29, 985-90		21

406	Left atrial volume, geometry, and function in systolic and diastolic heart failure of persons > or =65 years of age (the cardiovascular health study). 2006 , 97, 83-9	249
405	Comparison of usefulness of echocardiographic Doppler variables to left ventricular end-diastolic pressure in predicting future heart failure events. 2006 , 97, 866-71	68
404	P-wave morphology correlation with left atrial volumes assessed by 2-dimensional echocardiography. 2006 , 39, 225-9	23
403	Echocardiographic Assessment of Diastolic Function in Feline Myocardial Disease. 2006 , 14, 155-160	
402	Prognostic importance of diastolic function and filling pressure in patients with acute myocardial infarction. <i>Circulation</i> , 2006 , 114, 438-44	16.7 518
401	Letter regarding article by Arias et al, "obstructive sleep apnea syndrome affects left ventricular diastolic function: effects of nasal continuous positive airway pressure in men". <i>Circulation</i> , 2006 , 113, e11; author reply e11	16.7
400	The failing heart under stress: echocardiography is an essential monitoring tool in the intensive care unit. 2006 , 10, 111-5	3
399	Advanced systolic and diastolic function: beyond the E- and A-wave. 2006 , 10, 63-5	0
398	Diastolic dysfunction and pulmonary hypertension in sickle cell anemia: is there a role for L-carnitine treatment?. 2006 , 115, 91-6	14
397	How to diagnose diastolic heart failure a consensus statement. 2007 , 28, 2421-3	44
396	Quantifying diastolic function in hypertrophic cardiomyopathy: the ongoing search for the holy grail. <i>Circulation</i> , 2007 , 116, 2662-5	16.7 41
395	Left atrial enlargement and NT-proBNP as predictors of sudden cardiac death in patients with heart failure. 2007 , 9, 802-7	37
394	Left atrial volume provides independent and incremental information compared with exercise tolerance parameters in patients with heart failure and left ventricular systolic dysfunction. 2007 , 93, 1420-5	43
393	Tissue Doppler in critical illness: a retrospective cohort study. 2007 , 11, R97	20
392	Impact of chronotropic effect of cilostazol after acute myocardial infarction: insights from change in left ventricular volume and function. 2007 , 71, 106-11	9
391	Value of echo-Doppler derived pulmonary vascular resistance, net-atrioventricular compliance and tricuspid annular velocity in determining exercise capacity in patients with mitral stenosis. 2007 , 71, 1721-7	11
390	Prevention of new-onset atrial fibrillation and its predictors with angiotensin II-receptor blockers in the treatment of hypertension and heart failure. 2007 , 25, 15-23	36
389	Left atrial reverse remodeling in dogs with moderate and advanced heart failure treated with a passive mechanical containment device: an echocardiographic study. 2007 , 13, 312-7	5

388	The Effect of Hydration Status on the Echocardiographic Measurements of Normal Cats. 2007 , 21, 1008-1015	64
387	Left ventricular diastolic function. 2007 , 35, S340-7	45
386	Noninvasive echocardiographic estimation of pulmonary wedge pressure in candidates for and recipients of heart transplantation. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 480-5	5.8 4
385	Évaluation des pressions de remplissage ventriculaire gauche par échocardiographie-doppler. 2007 , 16, 139-148	8
384	Incremental value of combining systolic mitral annular velocity and time difference between mitral inflow and diastolic mitral annular velocity to early diastolic annular velocity for differentiating constrictive pericarditis from restrictive cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 738-43	5.8 41
383	Validation of transthoracic tissue Doppler assessment of left atrial appendage function. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 521-6	5.8 9
382	Usefulness of left atrial volume for the differentiation of normal from pseudonormal diastolic function pattern in patients on hemodialysis. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 359-65	5.8 26
381	Myocardial texture in hypertrophic cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 1253-9	5.8 11
380	Diastolic function: a sonographer's approach to the essential echocardiographic measurements of left ventricular diastolic function. <i>Journal of the American Society of Echocardiography</i> , 2007 , 20, 199-209	5.8 44
379	Role of left atrial size in risk stratification and prognosis of patients undergoing stress echocardiography. <i>Journal of the American College of Cardiology</i> , 2007 , 50, 1254-62	15.1 45
378	Restrictive filling pattern is a powerful predictor of heart failure events postacute myocardial infarction and in established heart failure: a literature-based meta-analysis. 2007 , 13, 346-52	36
377	The Study of Left Ventricular Diastolic Function by Doppler Echocardiography: The Essential for the Clinician. <i>Heart International</i> , 2007 , 3, 182618680700300	0.3 2
376	. 2007 ,	13
375	Impact of mitral E/A ratio on the accuracy of different echocardiographic indices to estimate left ventricular end-diastolic pressure. 2007 , 33, 699-707	5
374	Assessment of severity in aortic stenosis-incremental value of endocardial function parameters compared with standard indexes. 2007 , 33, 1224-35	6
373	Detection of left ventricular dysfunction by Doppler tissue imaging in patients with complete recovery of visual wall motion abnormalities 6 months after a first ST-elevation myocardial infarction. 2007 , 27, 305-8	1
372	Doppler-derived indexes and B-type natriuretic peptide in prediction of paroxysmal atrial fibrillation in essential hypertension: a prospective study. 2007 , 24, 911-22	11
371	An approach to analysis of left ventricular diastolic function and loading conditions in the echocardiography laboratory. 2008 , 25, 105-16	14

370	A simple Doppler echocardiography method to evaluate pulmonary capillary wedge pressure in patients with atrial fibrillation. 2008 , 25, 57-63	12
369	Evaluation of effects of intra aortic balloon counterpulsation on autonomic nervous system functions by heart rate variability analysis. 2007 , 12, 38-43	2
368	Incremental value of measuring the time difference between onset of mitral inflow and onset of early diastolic mitral annulus velocity for the evaluation of left ventricular diastolic pressures in patients with normal systolic function and an indeterminate E/EO 2007 , 100, 326-30	32
367	Left ventricle diastolic dysfunction in obese patients with newly diagnosed arterial hypertension. 2007 , 119, 423-7	3
366	Left atrioventricular remodeling in the assessment of the left ventricle diastolic function in patients with heart failure: a review of the currently studied echocardiographic variables. 2008 , 6, 56	15
365	The effects of nocturnal dipping on cardiovascular outcomes and proteinuria in essential hypertensive patients. 2008 , 3, 279-286	
364	Triage patients with suspected pulmonary embolism in the emergency department using a portable ultrasound device. 2008 , 25, 451-6	35
363	Differences in echocardiographic assessment with standard Doppler and tissue Doppler imaging of left ventricular filling pressure in idiopathic and ischemic dilated cardiomyopathy. 2008 , 25, 683-91	1
362	Effect of alcohol-induced septal ablation on left atrial volume and ejection fraction assessed by real time three-dimensional transthoracic echocardiography in patients with hypertrophic cardiomyopathy. 2008 , 25, 784-9	14
361	Cardiac performance during exercise in patients with Fabry disease. 2008 , 38, 910-7	9
360	Left atrial volume in patients with asymptomatic aortic valve stenosis (the Simvastatin and Ezetimibe in Aortic Stenosis study). 2008 , 101, 1030-4	40
359	Left atrial reservoir function as a potent marker for first atrial fibrillation or flutter in persons > or = 65 years of age. 2008 , 101, 1626-9	159
358	Usefulness of left atrial volume index to predict heart failure hospitalization and mortality in ambulatory patients with coronary heart disease and comparison to left ventricular ejection fraction (from the Heart and Soul Study). 2008 , 102, 70-6	111
357	Significance of left atrial volume in patients 2008 , 102, 1390-3	26
356	Echocardiographic assessment of left ventricular filling pressures. 2008 , 4, 57-70	10
355	Beta-blocker therapy in hypertension: a need to pause and reflect. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 516-7; author reply 517-8	15.1 2
354	Reply. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 515-516	15.1
353	Prognostic value of left atrial volume in patients who underwent dobutamine stress echocardiography for known or suspected coronary artery disease. 2008 , 156, 1110-6	13

352	Acute electromechanical effects of atrioventricular coupled pacing in patients with heart failure. 2008 , 14, 35-40		2
351	Noninvasive assessment of diastolic function in subjects with preserved left ventricular ejection fraction: usefulness of color kinetic imaging. 2008 , 14, 569-76		17
350	Recommendations for the evaluation of left ventricular diastolic function by echocardiography. 2009 , 10, 165-93		1452
349	Impact of septal myectomy on left atrial volume and left ventricular diastolic filling patterns: an echocardiographic study of young patients with obstructive hypertrophic cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 684-8	5.8	23
348	Kompleksowa ocena zaburzeń funkcji rozkurczowej lewej komory u dzieci z młodzieńczym idiopatycznym zapaleniem stawów. 2008 , 83, 613-623		
347	Increased left atrial volume index: potent biomarker for first-ever ischemic stroke. 2008 , 83, 1107-15		48
346	Assessment of ascending aorta distensibility after successful coarctation repair by strain Doppler echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 729-36	5.8	27
345	Left atrial volume measured by real-time 3-dimensional echocardiography predicts clinical outcomes in patients with severe left ventricular dysfunction and in sinus rhythm. <i>Journal of the American Society of Echocardiography</i> , 2008 , 21, 439-45	5.8	81
344	Left atrial remodelling in patients with myocardial infarction complicated by heart failure, left ventricular dysfunction, or both: the VALIANT Echo study. 2009 , 30, 56-65		94
343	Left atrial velocity vector imaging for the detection and quantification of left ventricular diastolic function in type 2 diabetes. 2008 , 10, 1080-7		45
342	Assessment of Left Atrial Size and Function. 2008 , 163-170		
341	Evaluation of Intracardiac Filling Pressures. 2008 , 181-192		1
340	Invasive Physiology: Clinical Cardiovascular Pathophysiology and Diastolic Dysfunction. 2008 , 73-91		
339	Hypertrophic Cardiomyopathy. 2008 , 287-299		0
338	Congenital Heart Disease. 2008 , 313-331		2
337	Matrix metalloproteinases and their tissue inhibitors in cardiac amyloidosis: relationship to structural, functional myocardial changes and to light chain amyloid deposition. 2008 , 1, 249-57		40
336	The effects of different beta-blockers on left-ventricular volume and function after primary coronary stenting in acute myocardial infarction. 2008 , 59, 676-81		4
335	Prognostic value of left atrial size in chronic kidney disease. 2008 , 9, 736-40		15

334	Minimum vs. maximum left atrial volume for prediction of first atrial fibrillation or flutter in an elderly cohort: a prospective study. 2009 , 10, 282-6	83
333	Phenotypic spectrum and clinical characteristics of apical hypertrophic cardiomyopathy: multicenter echo-Doppler study. 2008 , 110, 53-61	26
332	Assessment of Filling Pressure at Rest. 2008 , 53-71	
331	Left ventricular diastolic functional reserve during exercise in patients with impaired myocardial relaxation at rest. 2009 , 95, 399-404	33
330	Noninvasive Estimation of Left Ventricular Filling Pressures. 2008 , 187-202	
329	Stratification of impaired relaxation filling patterns by passive leg lifting in patients with preserved left ventricular ejection fraction. 2008 , 10, 1094-101	8
328	Cardiac adaptation to pregnancy in women with a history of preeclampsia and a subnormal plasma volume. 2008 , 15, 1059-65	13
327	Classification of atrial enlargement using neural networks. 2008 ,	0
326	Gender-related difference in left ventricular diastolic elastance during exercise in patients with diabetes mellitus. 2008 , 72, 1443-8	24
325	Prognostic implications of the NT-ProBNP level and left atrial size in non-ischemic dilated cardiomyopathy. 2008 , 72, 1658-65	15
324	The left atrium and diastolic dysfunction in hypertensive left ventricular hypertrophy: a consideration of size and function?. 2008 , 26, 1310-2	2
323	Evaluation of Diastolic Function by Two-Dimensional and Doppler Assessment of Left Ventricular Filling Including Pulmonary Venous Flow. 2008 , 115-143	2
322	Echocardiographic Assessment of Left Ventricular Diastolic Function. <i>Journal of Echocardiography</i> , 2008 , 6, 57-66	1.6 1
321	[The study of left ventricular diastolic function by Doppler echocardiography: the essential for the clinician]. <i>Monaldi Archives for Chest Disease</i> , 2009 , 72, 23-8	2.7
320	Correlation of Doppler echocardiography with cardiac catheterization in estimating pulmonary capillary wedge pressure: A tertiary level hospital finding in Bangladesh. 2009 , 4, 1-8	1
319	Pathological and physiological left ventricular hypertrophy: echocardiography for differentiation. 2009 , 5, 495-502	6
318	Cardiac output response to changes of the atrioventricular delay in different body positions and during exercise in patients receiving cardiac resynchronization therapy. 2009 , 11, 1160-7	12
317	Anti-remodelling effect of canrenone in patients with mild chronic heart failure (AREA IN-CHF study): final results. 2009 , 11, 68-76	78

316	Independent relationship of left atrial size and mortality in patients with heart failure: an individual patient meta-analysis of longitudinal data (MeRGE Heart Failure). 2009 , 11, 929-36		109
315	Use of ultrasound in the ICU. 2009 , 23, 249-61		11
314	Is E/EO reliable in patients with regional wall motion abnormalities to estimate left ventricular filling pressure?. <i>International Journal of Cardiovascular Imaging</i> , 2009 , 25, 33-9	2.5	7
313	The relationship between endocardial voltage and regional volume in electroanatomical remodeled left atria in patients with atrial fibrillation: comparison of three-dimensional computed tomographic images and voltage mapping. 2009 , 20, 1349-56		51
312	Is the presence of mitral annular calcification associated with poor left atrial function?. 2009 , 26, 877-84		9
311	Left atrial shortening fraction in fetuses with and without myocardial hypertrophy in diabetic pregnancies. 2009 , 33, 182-7		12
310	Routine transthoracic echocardiography in a general Intensive Care Unit: an 18 month survey in 704 patients. 2009 , 20, e37-42		50
309	Effects of pericardiectomy on early diastolic mitral annular velocity in patients with constrictive pericarditis. <i>International Journal of Cardiology</i> , 2009 , 133, 18-22	3.2	12
308	Favourable effects of exercise-based Cardiac Rehabilitation after acute myocardial infarction on left atrial remodeling. <i>International Journal of Cardiology</i> , 2009 , 136, 300-6	3.2	35
307	Diastolic dysfunction and left atrial enlargement as contributing factors to functional mitral regurgitation in dilated cardiomyopathy: data from the Acorn trial. 2009 , 157, 762.e3-10		31
306	Evaluation of left atrial longitudinal function in patients with hypertrophic cardiomyopathy: a tissue Doppler imaging and two-dimensional strain study. 2009 , 95, 483-9		70
305	The aging process of the heart: obesity is the main risk factor for left atrial enlargement during aging the MONICA/KORA (monitoring of trends and determinations in cardiovascular disease/cooperative research in the region of Augsburg) study. <i>Journal of the American College of Cardiology</i> , 2009 , 54, 1888-9	15.1	138
304	Independent value of left atrial volume index for the prediction of mortality in patients with suspected heart failure referred from the community. 2009 , 95, 1172-8		44
303	Recommendations for the evaluation of left ventricular diastolic function by echocardiography. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 107-33	5.8	2344
302	Pseudonormal mitral filling is associated with similarly poor prognosis as restrictive filling in patients with heart failure and coronary heart disease: a systematic review and meta-analysis of prospective studies. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 494-8	5.8	25
301	The relationship of left atrial volume and left atrial pressure in patients with hypertrophic cardiomyopathy: an echocardiographic and cardiac catheterization study. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 961-6	5.8	49
300	Clinical relevance of echocardiography in acute severe dyspnea. <i>Journal of the American Society of Echocardiography</i> , 2009 , 22, 1159-64	5.8	14
299	Echocardiographic diagnosis of pulmonary artery occlusion pressure elevation during weaning from mechanical ventilation. 2009 , 37, 1696-701		124

298	Augmentation index is associated with B-type natriuretic peptide in patients with paroxysmal atrial fibrillation. 2009 , 32, 611-6	20
297	Atrial function during different multisite atrial pacing modalities in patients with bradycardia-tachycardia syndrome. 2009 , 73, 2029-35	2
296	Critical Care Echocardiography. 2009 , 60-68	
295	Effect of intraventricular dyssynchrony on diastolic function and exercise tolerance in patients with heart failure. 2009 , 10, 907-13	11
294	Impact of 6-year body weight change on cardiac geometry and function in ageing adults: the SUPplmentation en Vitamines et Minéraux AntioXydants -2 (SU.VI.MAX-2) cardiovascular ultrasound substudy. 2010 , 28, 2309-15	3
293	The changing paradigm of stress echocardiography: risk stratification, prognosis, and future directions. 2010 , 38, 26-39	
292	Echocardiographic evaluation of diastolic heart failure. 2010 , 13, 14-26	3
291	Characteristics of complex fractionated atrial electrogram in the electroanatomically remodeled left atrium of patients with atrial fibrillation. 2010 , 74, 1557-63	27
290	Left Atrial Function: Doppler and Strain. 2010 , 3, 276-285	
289	Factors contributing to left atrial enlargement in adults with normal left ventricular systolic function. 2010 , 55, 196-204	17
288	Clinical course and risk profile in adolescents with idiopathic dilated cardiomyopathy. 2010 , 105, 716-20	3
287	The atria: from morphology to function. 2011 , 22, 223-35	25
286	Does left atrial size predict mortality in asymptomatic patients with severe aortic stenosis?. 2010 , 27, 105-9	26
285	Effects of isolated obesity on left and right ventricular function: a tissue Doppler and strain rate imaging study. 2010 , 27, 236-43	74
284	New, simple echocardiographic indexes for the estimation of filling pressure in patients with cardiac disease and preserved left ventricular ejection fraction. 2010 , 27, 946-53	17
283	Indexed left atrial volume is a more sensitive indicator of filling pressures and left heart function than is anteroposterior left atrial diameter. 2010 , 27, 1049-55	22
282	Effect of maintenance hemodialysis on diastolic left ventricular function in end-stage renal disease. 2010 , 65, 979-84	12
281	Left atrial and left atrial appendage systolic function in patients with post-myocardial infarction. 2010 , 6, 892-9	6

280	Echocardiography can identify patients with increased pulmonary vascular resistance by assessing pressure reflection in the pulmonary circulation. 2010 , 3, 424-32		17
279	Pulmonary capillary wedge pressure estimation by Doppler echocardiography and cardiac catheterization: a study at a tertiary level hospital in Bangladesh. 2010 , 9, 51-57		
278	Impact of left ventricular diastolic dysfunction on left atrial volume and function: a volumetric analysis. 2010 , 11, 38-43		63
277	Pressure-volume relationship during dobutamine stress echocardiography predicts exercise tolerance in patients with congestive heart failure. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 71-8	5.8	7
276	Diastolic myocardial mechanics in hypertrophic cardiomyopathy. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 164-71	5.8	54
275	Atrial electrophysiological and structural remodeling in high-risk patients with Brugada syndrome: assessment with electrophysiology and echocardiography. 2010 , 7, 218-24		21
274	Do additional echocardiographic variables increase the accuracy of E/eC _{or} for predicting left ventricular filling pressure in normal ejection fraction? An echocardiographic and invasive hemodynamic study. <i>Journal of the American Society of Echocardiography</i> , 2010 , 23, 156-61	5.8	41
273	Tissue Doppler image-derived measurements during isovolumic contraction predict exercise capacity in patients with reduced left ventricular ejection fraction. 2010 , 3, 1-9		10
272	Predictors of B-type natriuretic peptide and left atrial volume index in patients with preserved left ventricular systolic function: an echocardiographic-catheterization study. 2010 , 103, 3-9		13
271	Chronic alternate-day fasting results in reduced diastolic compliance and diminished systolic reserve in rats. 2010 , 16, 843-53		23
270	The effect of surgical weight reduction on left ventricular structure and function in severe obesity. 2010 , 18, 1188-93		37
269	Diastolic dysfunction in cardiomyopathies. 2011 , 21, 157-165		1
268	Clinical utility of multimodality LA imaging: assessment of size, function, and structure. 2011 , 4, 788-98		152
267	Pre-operative left atrial mechanical function predicts risk of atrial fibrillation following cardiac surgery. 2011 , 4, 833-40		38
266	Pulmonary Edema: Which Role for Echocardiography in the Diagnostic Workup?. 2011 , 177-194		1
265	Higher LA pressure may prevent opening of patent foramen ovale in acute ischemic stroke patients with atrial fibrillation. 2011 , 304, 111-6		4
264	Left atrial function: physiology, assessment, and clinical implications. 2011 , 12, 421-30		269
263	Incremental value of echocardiographic assessment beyond clinical evaluation for prediction of death and development of heart failure after high-risk myocardial infarction. 2011 , 161, 1156-62		10

262	Prognostic value of left and right coronary flow reserve assessment in nonischemic dilated cardiomyopathy by transthoracic Doppler echocardiography. 2011 , 17, 39-46		22
261	Increased left atrial volume index predicts a poor prognosis in patients with heart failure. 2011 , 17, 210-6		43
260	Impact of left atrial volume in prediction of outcome after cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2011 , 152, 13-7	3.2	12
259	Use and Limitations of E/e _{Co} Assess Left Ventricular Filling Pressure by Echocardiography. 2011 , 19, 169-73		104
258	The evolving concepts of haemodynamic support: from pulmonary artery catheter to echocardiography and theragnostics. 2011 , 7, 136-45		3
257	A patient selection score for cardiac resynchronization therapy. 2011 , 28, 188-95		4
256	Echocardiographic evaluation of left ventricular filling pressures validated against an implantable left ventricular pressure monitoring system. 2011 , 28, 619-25		8
255	The origin and clinical significance of the signal opposite to the mitral E-wave: a simple and novel indicator of left ventricular filling pressure. 2011 , 28, 606-11		1
254	Hemodialysis does not impair ventricular functions over 2 years. 2011 , 15, 334-40		4
253	Estimating left atrial enlargement parameters from the electrocardiogram using wavelets. 2011 , 44, 622-5		1
252	Left atrial volume predicts adverse cardiac and cerebrovascular events in patients with hypertrophic cardiomyopathy. 2011 , 9, 34		37
251	Assessment of the American Society of Echocardiography-European Association of Echocardiography guidelines for diastolic function in patients with depressed ejection fraction: an echocardiographic and invasive haemodynamic study. 2011 , 12, 857-64		45
250	Relationship between early diastolic dysfunction and abnormal microvolt T-wave alternans in patients with type 2 diabetes. 2011 , 4, 408-14		11
249	N-terminal pro-b-type natriuretic peptide and left atrial function in patients with congestive heart failure and severely reduced ejection fraction. 2011 , 12, 506-13		14
248	The additive value of three-dimensional derived left atrial volume and carotid imaging in dobutamine stress echocardiography. 2011 , 12, 46-53		2
247	Left atrial size is a potent predictor of mortality in mitral regurgitation due to flail leaflets: results from a large international multicenter study. 2011 , 4, 473-81		80
246	Diagnostic accuracy and clinical utility of echocardiographic indices for detecting left ventricular diastolic dysfunction in patients with coronary artery disease and normal ejection fraction. 2011 , 11, 666-73		2
245	Left atrial remodelling in competitive adolescent soccer players. 2012 , 33, 795-801		37

244	Concentration of natriuretic peptides in patients suffering from idiopathic arterial hypertension and left ventricular diastolic dysfunction confirmed by echocardiography. 2012 , 34, 530-40		10
243	Left atrial minimum volume and reservoir function as correlates of left ventricular diastolic function: impact of left ventricular systolic function. 2012 , 98, 813-20		145
242	Vitamin D therapy and cardiac structure and function in patients with chronic kidney disease: the PRIMO randomized controlled trial. 2012 , 307, 674-84		406
241	Diastolic stiffness as assessed by diastolic wall strain is associated with adverse remodelling and poor outcomes in heart failure with preserved ejection fraction. 2012 , 33, 1742-9		91
240	Atrial fibrillation in patients with sick sinus syndrome: the association with PQ-interval and percentage of ventricular pacing. 2012 , 14, 682-9		45
239	P-wave morphologic characteristics predict cardiovascular events in a community-dwelling population. 2012 , 17, 252-9		5
238	Prognostic value of low left atrial appendage wall velocity in patients with ischemic stroke and atrial fibrillation. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 576-83	5.8	21
237	Left ventricular diastolic dysfunction as a predictor of rapid decline of residual renal function in patients with peritoneal dialysis. <i>Journal of the American Society of Echocardiography</i> , 2012 , 25, 411-20	5.8	15
236	Transthoracic echocardiographic parameters in the estimation of pulmonary capillary wedge pressure in patients with present or previous heart failure. 2012 , 110, 689-94		14
235	Disturbed left atrial mechanical function in paroxysmal atrial fibrillation: a speckle tracking study. <i>International Journal of Cardiology</i> , 2012 , 155, 437-41	3.2	35
234	Noninvasive prediction of left ventricular end-diastolic pressure in patients with coronary artery disease and preserved ejection fraction. <i>Canadian Journal of Cardiology</i> , 2012 , 28, 80-6	3.8	4
233	Evaluation of left ventricular relaxation and filling pressures in obstructive hypertrophic cardiomyopathy: comparison between invasive hemodynamics and two-dimensional speckle tracking. 2012 , 29, 934-42		22
232	Vitamin D reduces left atrial volume in patients with left ventricular hypertrophy and chronic kidney disease. 2012 , 164, 902-9.e2		95
231	Assessment of echocardiographic left atrial size: how accurate do we need to be?. 2012 , 5, 778-80		8
230	Prognostic value of left atrium remodeling after primary percutaneous coronary intervention in patients with ST elevation acute myocardial infarction. 2012 , 27, 236-42		11
229	Left Atrial Volume Index as Indicator of Left Ventricular Diastolic Dysfunction: Comparison between Left Atrial Volume Index and Tissue Myocardial Performance Index. 2012 , 20, 25-9		19
228	Left atrial volume by echocardiography in patients with false positive myocardial perfusion scans. 2012 , 53, 18-22		
227	The accuracy of transoesophageal echocardiography in estimating pulmonary capillary wedge pressure in anaesthetised patients. 2012 , 67, 122-31		10

226	Relationship between left atrial volume and atrial fibrillation following coronary artery bypass grafting. 2012 , 27, 128-35		12
225	Left atrial deformation analysis by speckle tracking echocardiography for prediction of cardiovascular outcomes. 2012 , 110, 264-9		149
224	How should we measure left atrium size and function?. 2012 , 40, 155-66		22
223	Preoperative left atrial volume index predicts postoperative atrial fibrillation in patients with severe aortic valve stenosis. 2013 , 27, 699-704		8
222	Heart Failure with Normal Left Ventricular Ejection Fraction: Basic Principles and Clinical Diagnostics. 2013 , 25-61		1
221	The relationship between ventricular-vascular uncoupling during exercise and impaired left ventricular longitudinal functional reserve in hypertensive patients. 2013 , 7, 198-205		12
220	Hemodynamic instability and fluid responsiveness. 2013 , 60, 1240-7		8
219	Indexed maximal left atrial volume predicts response to cardiac resynchronization therapy. <i>International Journal of Cardiology</i> , 2013 , 168, 3629-33	3.2	11
218	Left atrial volumes and associated stroke subtypes. 2013 , 13, 149		15
217	Relationship of phasic left atrial volume and emptying function to left ventricular filling pressure: a cardiovascular magnetic resonance study. 2013 , 15, 99		47
216	Role of the left atrial function on the pseudonormalization of the transmitral flow velocity pattern evaluated by two-dimensional tissue tracking technique. 2013 , 61, 365-71		4
215	Noninvasive estimation of PA pressure, flow, and resistance with CMR imaging: derivation and prospective validation study from the ASPIRE registry. 2013 , 6, 1036-1047		104
214	Echocardiographic left ventricular end-diastolic pressure volume loop estimate predicts survival in congestive heart failure. 2013 , 19, 251-9		12
213	Evaluation of left ventricular diastolic function by tissue Doppler imaging in patients with newly diagnosed and untreated primary generalized epilepsy. 2013 , 22, 537-41		12
212	LA volumes and reservoir function are associated with subclinical cerebrovascular disease: the CABL (Cardiovascular Abnormalities and Brain Lesions) study. 2013 , 6, 313-23		81
211	Left atrial size and function as predictors of new-onset of atrial fibrillation in patients with asymptomatic aortic stenosis: the simvastatin and ezetimibe in aortic stenosis study. <i>International Journal of Cardiology</i> , 2013 , 168, 2322-7	3.2	26
210	Left atrial sphericity: a new method to assess atrial remodeling. Impact on the outcome of atrial fibrillation ablation. 2013 , 24, 752-9		98
209	Classification of left ventricular diastolic function using American Society of Echocardiography Guidelines: agreement among echocardiographers. 2013 , 30, 1022-31		22

208	Quantitation of the diastolic stress test: filling pressure vs. diastolic reserve. <i>European Heart Journal Cardiovascular Imaging</i> , 2013 , 14, 223-7	4.1	21
207	Left atrial longitudinal strain parameters predict postoperative persistent atrial fibrillation following mitral valve surgery: a speckle tracking echocardiography study. 2013 , 30, 1061-8		35
206	Left atrial ejection fraction assessed by real-time 3-dimensional echocardiography in normal dogs and dogs with myxomatous mitral valve disease. 2013 , 27, 884-9		19
205	Left atrial expansion index predicts all-cause mortality and heart failure admissions in dyspnoea. 2013 , 15, 1245-52		15
204	Left atrial size is independently associated with cognitive function. 2013 , 123, 544-52		9
203	Left atrial expansion index predicts atrial fibrillation in dyspnea. 2013 , 77, 2712-21		14
202	Impaired left ventricular filling in COPD and emphysema: is it the heart or the lungs? The Multi-Ethnic Study of Atherosclerosis COPD Study. 2013 , 144, 1143-1151		67
201	Progressive dilation of the left atrium and ventricle after acute myocardial infarction is associated with high mortality. 2013 , 43, 731-8		13
200	Impact of gout on left atrial function: a prospective speckle-tracking echocardiographic study. <i>PLoS ONE</i> , 2014 , 9, e108357	3.7	4
199	Echocardiographic estimation of left ventricular filling pressures in patients with mitral valve stenosis. 2014 , 25, 34-9		2
198	Left atrial volume predicts abnormal exercise left ventricular filling pressure. 2014 , 16, 1089-95		15
197	Left atrial expansion index is an independent predictor of diastolic dysfunction in patients with preserved left ventricular systolic function: a three dimensional echocardiography study. <i>International Journal of Cardiovascular Imaging</i> , 2014 , 30, 1315-23	2.5	8
196	The effects of gout on left atrial volume remodelling: a prospective echocardiographic study. 2014 , 53, 867-74		7
195	A look at the upper heart chamber: the left atrium in chronic kidney disease. 2014 , 29, 1847-53		11
194	Left atrial remodeling and recurrence of congestive heart failure in patients initially diagnosed with heart failure. 2014 , 31, 936-40		2
193	Left atrial size: an underappreciated perioperative cardiac risk factor. 2014 , 28, 1624-32		2
192	Left atrial functional reservoir: predictive value for outcome of catheter ablation in paroxysmal atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2014 , 30, 1423-34	2.5	4
191	Atrial fibrillation in essential hypertension: an issue of concern. 2014 , 15, 100-6		10

190	Aortic stiffness is increased in patients with premature coronary artery disease: a tissue Doppler imaging study. 2014 , 63, 223-9		22
189	Relation of risk factors with response to carvedilol in heart failure with preserved ejection fraction - a report from the Japanese Diastolic Heart Failure Study (J-DHF). 2014 , 63, 424-31		15
188	Left atrial size and function: role in prognosis. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 493-505	15.1	474
187	Perioperative Diastolic Dysfunction: A Comprehensive Approach to Assessment by Transesophageal Echocardiography. 2014 , 18, 218-36		15
186	Influence of left ventricular remodeling on atrial fibrillation recurrence and cardiovascular hospitalizations in patients undergoing rhythm-control therapy. <i>International Journal of Cardiology</i> , 2014 , 174, 288-92	3.2	9
185	The pathophysiological relationship and clinical significance of left atrial function and left ventricular diastolic dysfunction in β -thalassemia major. 2014 , 89, 13-8		13
184	Usefulness of tissue Doppler imaging to evaluate pulmonary capillary wedge pressure during exercise in patients with reduced left ventricular ejection fraction. 2014 , 113, 2036-44		15
183	Echocardiography of the mitral valve. 2014 , 57, 55-73		8
182	Echocardiographic diastolic function assessment is of modest utility in patients with persistent and longstanding persistent atrial fibrillation. 2015 , 9, 89-94		4
181	Automated quantification of left atrial size using three-beat averaging real-time three dimensional Echocardiography in patients with atrial fibrillation. 2015 , 13, 38		7
180	Gout, not hyperuricemia alone, impairs left ventricular diastolic function. 2015 , 17, 323		12
179	Impaired Diastolic Recovery after Acute Myocardial Infarction as a Predictor of Adverse Events. 2015 , 23, 150-7		8
178	The Role of Magnetic Resonance Imaging and Cardiac Computed Tomography in the Assessment of Left Atrial Anatomy, Size, and Function. 2015 , 2015, 247865		12
177	The Utility of 3D Left Atrial Volume and Mitral Flow Velocities as Guides for Acute Volume Resuscitation. 2015 , 2015, 697327		1
176	Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2015 , 16, 233-70	4.1	3615
175	Left ventricular diastolic function and dysfunction: Central role of echocardiography. 2015 , 2015, 3		20
174	Prediction of All-Cause Mortality by the Left Atrial Volume Index in Patients With Normal Left Ventricular Filling Pressure and Preserved Ejection Fraction. 2015 , 90, 1499-505		28
173	Relationship between cognitive impairment and echocardiographic parameters: a review. <i>Journal of the American Society of Echocardiography</i> , 2015 , 28, 264-74	5.8	11

172	Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <i>Journal of the American Society of Echocardiography</i> , 2015 , 28, 1-39.e14	5.8	6118
171	A novel ultrasound predictor of pulmonary capillary wedge pressure assessed by the combination of left atrial volume and function: A speckle tracking echocardiography study. 2015 , 66, 253-62		12
170	Prognostic significance of NT-proBNP, 3D LA volume and LV dyssynchrony in patients with acute STEMI undergoing primary percutaneous intervention. 2015 , 67, 318-27		9
169	Echocardiographic assessment of maximum and minimum left atrial volumes: a population-based study of middle-aged and older subjects without apparent cardiovascular disease. <i>International Journal of Cardiovascular Imaging</i> , 2015 , 31, 57-64	2.5	8
168	"Left ventricular filling pressure(s)" - Ambiguous and misleading terminology, best abandoned. <i>International Journal of Cardiology</i> , 2015 , 191, 110-3	3.2	12
167	Role of echocardiography in clinical hypertension. 2015 , 21, 9		10
166	Refining the Risk for Atrial Fibrillation. 2015 , 8, e003807		
165	New insights into symptomatic or silent atrial fibrillation complicating acute myocardial infarction. 2015 , 108, 598-605		9
164	Cardiac Imaging to Evaluate Left Ventricular Diastolic Function. 2015 , 8, 1071-1093		118
163	Cardiac Function in Adult Patients with Juvenile Idiopathic Arthritis. 2015 , 42, 1716-23		5
162	Prognostic value of total atrial conduction time measured with tissue Doppler imaging to predict the maintenance of sinus rhythm after external electrical cardioversion of persistent atrial fibrillation. 2015 , 32, 420-7		11
161	Assessment of left atrial deformation properties by speckle tracking in patients with systolic heart failure. 2015 , 67, 199-208		7
160	Chemotherapy-Induced Left Ventricular Dysfunction in Patients with Breast Cancer. 2016 , 19, 402-409		10
159	Left ventricular diastolic dysfunction--an independent risk factor for weaning failure from mechanical ventilation. 2016 , 44, 466-73		18
158	EHRA/HRS/APHRS/SOLAECE expert consensus on atrial cardiomyopathies: definition, characterization, and clinical implication. 2016 , 18, 1455-1490		268
157	Atrial function in heart transplant recipients operated with the bicaval technique. 2016 , 50, 42-51		5
156	The hemodynamic effects of acute aortic regurgitation into a stiffened left ventricle resulting from chronic aortic stenosis. 2016 , 310, H1801-7		5
155	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <i>Journal of the American Society of Echocardiography</i> , 2016 , 29, 277-314	5.8	2369

154	An effect of left ventricular hypertrophy on mild-to-moderate left ventricular diastolic dysfunction. 2016 , 57, 92-8		15
153	Does left atrial appendage (LAA) occlusion device alter the echocardiography and electrocardiogram parameters in patients with atrial fibrillation?. <i>International Journal of Cardiology</i> , 2016 , 215, 494-501	3.2	2
152	Effects of the Antihypertensive Fixed-Dose Combinations on an Early Marker of Hypertensive Cardiac Damage in Subjects at Low Cardiovascular Risk. 2016 , 29, 969-75		2
151	EHRA/HRS/APHRS/SOLAECE expert consensus on Atrial cardiomyopathies: Definition, characterisation, and clinical implication. 2016 , 32, 247-78		59
150	Early changes in left atrial volume after acute myocardial infarction. Relation to invasive hemodynamics at rest and during exercise. <i>International Journal of Cardiology</i> , 2016 , 223, 717-722	3.2	5
149	C _{ost} LAVi: What Left Atrial Dilatation Tells Us About Diastolic Function in Aortic Stenosis. 2016 , 9,		1
148	Emboic stroke and after-admission atrial fibrillation. <i>International Journal of Cardiology</i> , 2016 , 222, 576-580		5
147	Quantitative evaluation of left atrial volume and function by one-dimensional, two-dimensional, and three-dimensional echocardiography in a population of normal dogs. 2016 , 18, 336-349		18
146	Sickle cell anemia mice develop a unique cardiomyopathy with restrictive physiology. 2016 , 113, E5182-91		47
145	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. <i>European Heart Journal Cardiovascular Imaging</i> , 2016 , 17, 1321-1360	4.1	1096
144	Hyperaldosteronism induces left atrial systolic and diastolic dysfunction. 2016 , 311, H1014-H1023		10
143	Assessing hemodynamics noninvasively in patients with heart failure. <i>Current Opinion in Cardiology</i> , 2016 , 31, 493-500	2.1	
142	Left Atrial Expansion Index Predicts Left Ventricular Filling Pressure and Adverse Events in Acute Heart Failure With Severe Left Ventricular Dysfunction. 2016 , 22, 272-9		10
141	Left atrial volume index as a predictor of left ventricular remodeling in patients with anterior STEMI treated with primary PCI. 2016 , 68, 17-22		0
140	Left atrial strain: a new parameter for assessment of left ventricular filling pressure. 2016 , 21, 65-76		87
139	Left Atrial Volume as a Predictor of Left Ventricular Functional Recovery in Patients With Dilated Cardiomyopathy and Absence of Delayed Enhancement in Cardiac Magnetic Resonance. 2016 , 22, 265-71		9
138	EHRA/HRS/APHRS/SOLAECE expert consensus on atrial cardiomyopathies: Definition, characterization, and clinical implication. 2017 , 14, e3-e40		138
137	Long-term prognostic impact of left atrial volumes and emptying fraction in a community-based cohort. 2017 , 103, 687-693		17

136	Usefulness of Left Atrial Emptying Fraction to Predict Ventricular Arrhythmias in Patients With Implantable Cardioverter Defibrillators. 2017 , 120, 243-250		11
135	Relation of Left Atrial Size, Cardiac Morphology, and Clinical Outcome in Asymptomatic Aortic Stenosis. 2017 , 120, 1877-1883		15
134	Evaluation of Left Atrial Function: Current Status. 2017 , 1, 109-120		11
133	Measures of Ventricular-Arterial Coupling and Incident Heart Failure With Preserved Ejection Fraction: A Matched Case-Control Analysis. 2017 , 23, 659-665		3
132	Grade I diastolic dysfunction and elevated left ventricular end-diastolic pressure: Mitral Doppler inflow, pulmonary vein atrial reversal, and the M-mode mitral B-bump. 2017 , 34, 1371-1373		4
131	Usefulness of left ventricular speckle tracking echocardiography and novel measures of left atrial structure and function in diagnosing paroxysmal atrial fibrillation in ischemic stroke and transient ischemic attack patients. <i>International Journal of Cardiovascular Imaging</i> , 2017 , 33, 1921-1929	2.5	12
130	The Role of Left Atrial Volume Index in Patients with a First-ever Acute Ischemic Stroke. 2017 , 26, 321-326		8
129	LEFT ATRIAL FUNCTION: MODERN ASSESSMENT METHODS AND CLINICAL SIGNIFICANCE. 2017 , 13, 675-683		3
128	Left atrial dilatation in systolic heart failure: a marker of poor prognosis, not just a buffer between the left ventricle and pulmonary circulation. <i>Journal of Echocardiography</i> , 2018 , 16, 155-161	1.6	9
127	Effect of Transmit Beamforming on Clutter Levels in Transthoracic Echocardiography. 2018 , 40, 215-231		1
126	Optimizing Management of Heart Failure by Using Echo and Natriuretic Peptides in the Outpatient Unit. 2018 , 1067, 145-159		6
125	Novel echocardiographic method to assess left ventricular chamber stiffness and elevated end-diastolic pressure based on time-velocity integral measurements of pulmonary venous and transmitral flows. <i>European Heart Journal Cardiovascular Imaging</i> , 2018 , 19, 1260-1267	4.1	5
124	Maximum home blood pressure readings are associated with left atrial diameter in essential hypertensives. <i>Journal of Human Hypertension</i> , 2018 , 32, 432-439	2.6	2
123	Non-invasive assessment of left ventricular filling pressure. 2018 , 20, 38-48		50
122	Left Atrial Phasic Function by Cardiac Magnetic Resonance Feature Tracking Is a Strong Predictor of Incident Cardiovascular Events. 2018 , 11, e007512		34
121	Dietary sodium intake is associated with long-term risk of new-onset atrial fibrillation. 2018 , 50, 694-703		12
120	Association of left atrial pressure with left atrial volume and N-terminal prohormone brain natriuretic peptide in children with cardiomyopathy. 2018 , 28, 1333-1337		0
119	In-depth echocardiographic analysis of left atrial function in healthy adults using speckle tracking echocardiography and volumetric analysis. 2018 , 35, 1956-1965		8

118	Left ventricular dysfunction by conventional and tissue Doppler echocardiography in pediatric hemodialysis patients: relation with plasma brain natriuretic peptide levels. 2018 , 3, e18-e28		3
117	Prognostic Impact of Left Atrial Minimal Volume on Clinical Outcome in Patients with Non-Obstructive Hypertrophic Cardiomyopathy. 2018 , 59, 991-995		5
116	Left Atrial Volume as a Biomarker of Target Organ Damage in Cardioneurology: A Study in a Wide Range of Renal Function. 2018 , 154, 893-903		2
115	Left ventricular diastolic dysfunction: identifying presence by left atrial function. 2018 , 5, 97-104		4
114	A clinical application of preload stress echocardiography for predicting future hemodynamic worsening in patients with early-stage heart failure. 2018 , 35, 1587-1595		3
113	Correlates and Prognostic Values of Appearance of L Wave in Heart Failure Patients With Preserved vs. Reduced Ejection Fraction. 2018 , 82, 2311-2316		4
112	Measures of left atrial function predict incident atrial fibrillation in STEMI patients treated with primary percutaneous coronary intervention. <i>International Journal of Cardiology</i> , 2018 , 263, 1-6	3.2	14
111	Systolic and Diastolic Function. 2018 , 95-103		
110	Assessment of the Atria. 2019 , 190-194.e1		
109	Associations of left atrial volumes and Doppler filling indices with left atrial function in acute myocardial infarction. 2019 , 39, 85-92		
108	Textbook of Three-Dimensional Echocardiography. 2019 ,		
107	Evaluation of Hypertrophic Cardiomyopathy: Newer Echo and MRI Approaches. 2019 , 21, 75		9
106	Usefulness of Left Atrial Volume as an Independent Predictor of Development of Heart Failure in Patients With Atrial Fibrillation. 2019 , 124, 1430-1435		4
105	Left Atrial Function and Sudden Cardiac Death. <i>Canadian Journal of Cardiology</i> , 2019 , 35, 1091-1093	3.8	1
104	Importance of the Left Atrium: More Than a Bystander?. 2019 , 15, 191-204		13
103	The Role of Echocardiography in Heart Failure with Preserved Ejection Fraction: What Do We Want from Imaging?. 2019 , 15, 241-256		15
102	Left Atrium Dilatation and Left Ventricular Hypertrophy Predispose to Atrial Fibrillation in Patients With Community-Acquired Pneumonia. 2019 , 124, 723-728		7
101	Compromised left atrial function and increased size predict raised cavity pressure: a systematic review and meta-analysis. 2019 , 39, 297-307		12

100	Preoperative left atrial minimum volume as a surrogate marker of postoperative symptoms in senile patients with aortic stenosis who underwent surgical aortic valve replacement. 2019 , 74, 366-371		2
99	Prognostic Value of Left Atrial Size and Functional Indices Measured by 3-Dimensional Speckle-Tracking Analysis. 2019 , 83, 801-808		3
98	Implications of atrial volumes in surgical corrected Tetralogy of Fallot on clinical adverse events. <i>International Journal of Cardiology</i> , 2019 , 283, 107-111	3.2	10
97	Left atrium: a forgotten biomarker and a potential target in cardiovascular medicine. 2019 , 20, 797-808		7
96	Incremental Predictive Value of Left Atrial Parameters Over Clinical Risk Scores for Subsequent Atrial Fibrillation: Function Beyond Size. 2019 , 12, 990-992		4
95	Comparison between real-time 3-dimensional and 2-dimensional biplane echocardiographic assessment of left atrial volumes in dogs with myxomatous mitral valve disease. 2019 , 33, 455-461		7
94	Chronic Calmodulin-Kinase II Activation Drives Disease Progression in Mutation-Specific Hypertrophic Cardiomyopathy. <i>Circulation</i> , 2019 , 139, 1517-1529	16.7	15
93	Relationship Between Left Atrial Functional Measures and Incident Atrial Fibrillation in the General Population: The Copenhagen City Heart Study. 2019 , 12, 981-989		30
92	Left Ventricular Diastolic Function: Understanding Pathophysiology, Diagnosis, and Prognosis With Echocardiography. 2020 , 13, 228-244		52
91	Association with left atrial volume index and long-term prognosis in patients without systolic dysfunction nor atrial fibrillation: an observational study. <i>Heart and Vessels</i> , 2020 , 35, 223-231	2.1	6
90	Left atrial strain in left ventricular diastolic dysfunction: have we finally found the missing piece of the puzzle?. 2020 , 25, 409-417		25
89	Left Atrial Function Determined by Cardiac Computed Tomography Predicts Device-Detected Atrial High-Rate Episodes in Patients Treated With Cardiac Resynchronization Therapy. 2020 , 44, 784-789		1
88	Evaluation of Left Atrial Size and Function: Relevance for Clinical Practice. <i>Journal of the American Society of Echocardiography</i> , 2020 , 33, 934-952	5.8	32
87	Left atrial structure and function among different subtypes of atrial fibrillation: an echocardiographic substudy of the AMIO-CAT trial. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 1386-1394	4.1	0
86	Left Atrial End-Diastolic Volume Index as a Predictor of Cardiovascular Outcomes: The Heart and Soul Study. 2020 , 13, e009746		9
85	Detection of congestive heart failure by Doppler echocardiography in cats with hypertrophic cardiomyopathy. 2020 , 34, 1091-1101		6
84	Association of echocardiographic measures of left ventricular diastolic dysfunction and hypertrophy with presence of coronary microvascular dysfunction. 2020 , 27, 100493		1
83	Sex differences and higher upper normal limits for left atrial end-systolic volume in individuals in their mid-60s: data from the ACE 1950 Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2020 , 21, 501-507	4.1	7

82	Considerable scatter in the relationship between left atrial volume and pressure in heart failure with preserved left ventricular ejection fraction. 2020 , 10, 90		9
81	Prognostic value of left atrial volume index in acute coronary syndrome: A systematic review and meta-analysis. 2021 , 41, 128-135		3
80	Diastolic Function in Children and in Children With Congenital Heart Disease. 2021 , 349-374		
79	Two-Dimensional and Doppler Evaluation of Left Ventricular Filling, Including Pulmonary Venous Flow Velocity. 2021 , 106-136		0
78	Prognostic value of reduction in left atrial size during a follow-up of heart failure: an observational study. 2021 , 11, e044409		2
77	A novel echocardiographic method for estimation of pulmonary artery wedge pressure and pulmonary vascular resistance. 2021 , 8, 1216-1229		8
76	Left atrial volume and function measured by cardiac magnetic resonance imaging as predictors of shocks and mortality in patients with implantable cardioverter-defibrillators. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 2259-2267	2.5	0
75	Predicting cardiac disease from interactions of simultaneously-acquired hemodynamic and cardiac signals. <i>Computer Methods and Programs in Biomedicine</i> , 2021 , 202, 105970	6.9	2
74	LA reservoir strain: a sensitive parameter for estimating LV filling pressure in patients with preserved EF. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 2707-2716	2.5	3
73	Left ventricular end-diastolic pressure is associated with left atrial functional measures by echocardiography. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 37, 3213-3221	2.5	0
72	Contemporary narrative review on left atrial strain mechanics in echocardiography: cardiomyopathy, valvular heart disease and beyond. <i>Cardiovascular Diagnosis and Therapy</i> , 2021 , 11, 924-938	2.6	3
71	Longitudinal Prediction of Transplant-Free Survival by Echocardiography in Pediatric Dilated Cardiomyopathy. <i>Canadian Journal of Cardiology</i> , 2021 , 37, 867-876	3.8	1
70	Impact of the new definition of pulmonary hypertension according to world symposium of pulmonary hypertension 2018 on diagnosis of post-capillary pulmonary hypertension. <i>International Journal of Cardiology</i> , 2021 , 335, 105-110	3.2	4
69	Left atrial ejection fraction is an indicator of left ventricular diastolic function. <i>International Journal of Cardiovascular Imaging</i> , 2021 , 1	2.5	
68	Changes in left atrial structure and function over a decade in the general population. <i>European Heart Journal Cardiovascular Imaging</i> , 2021 ,	4.1	1
67	Functional Evaluation of the Heart. 2021 , 137-166		
66	Pathophysiology of Diastole and Left Ventricular Filling in Humans: Noninvasive Evaluation. 1998 , 172-192		1
65	Left Ventricular Hypertrophy, Congestive Heart Failure, and Coronary Flow Reserve Abnormalities in Hypertension. 2005 , 250-280		1

64	Quantification of Valvular Regurgitation. 2007 , 405-429		1
63	Cardiac Physiology. 2011 , 98-131		2
62	Noninvasive evaluation of hemodynamics by Doppler echocardiography. <i>Current Opinion in Cardiology</i> , 1999 , 14, 217-24	2.1	23
61	Relation of mean right atrial pressure to echocardiographic and Doppler parameters of right atrial and right ventricular function. <i>Circulation</i> , 1996 , 93, 1160-9	16.7	171
60	Assessment of left ventricular filling pressures by Doppler in the presence of atrial fibrillation. <i>Circulation</i> , 1996 , 94, 2138-45	16.7	218
59	Noninvasive assessment of the ventricular relaxation time constant (tau) in humans by Doppler echocardiography. <i>Circulation</i> , 1997 , 95, 151-5	16.7	66
58	Perioperative assessment of diastolic dysfunction. <i>Anesthesia and Analgesia</i> , 2011 , 113, 449-72	3.9	54
57	The N-terminal propeptide of type III procollagen in patients with acute coronary syndrome: a link between left ventricular end-diastolic pressure and cardiovascular events. <i>PLoS ONE</i> , 2015 , 10, e114097	3.7	5
56	[Assessment of left atrial size and function -- from M-mode to 3D speckle-tracking echocardiography]. <i>Orvosi Hetilap</i> , 2014 , 155, 1624-31	0.8	4
55	Noninvasive Estimation of Left Ventricular Diastolic Filling Pressure From Doppler Tei Index. <i>Journal of Echocardiography</i> , 2003 , 1, 15-22	1.6	9
54	Value of the Measurements of Left Atrial Geometry in Patients With Normalized or Restrictive Mitral Flow Velocity Pattern. <i>Journal of Echocardiography</i> , 2005 , 3, 109-117	1.6	4
53	Renewed Interest in Left Atrial Function: What do we Need to Evaluate Clinically?. <i>Journal of Echocardiography</i> , 2005 , 3, 60-76	1.6	9
52	Evaluation of left ventricular diastolic function according to the generation in patients with hypertension using left atrial volume index. <i>Choonpa Igaku</i> , 2011 , 38, 447-454	0	1
51	The study of left ventricular diastolic function by Doppler echocardiography: the essential for the clinician. <i>Heart International</i> , 2007 , 3, 42	0.3	1
50	The thickness of the ventricles and interventricular septum in males with overweight according to echocardiography. <i>Meditsinskiy Sovet</i> , 2021 , 158-162	0.4	
49	Is Echocardiography Useful for Selecting Patients with Heart Failure as Candidates for Ventricular Resynchronization Therapy?. 2002 , 114-120		
48	Monitoring Left Heart Performance in the Critically Ill. 2002 , 519-536		
47	The Progression to Permanent Atrial Fibrillation with Congestive Heart Failure is Associated with Sympathetic Nerve Abnormality : A Study with I-123 Metaiodobenzylguanidine Scintigraphy. <i>The Showa University Journal of Medical Sciences</i> , 2005 , 17, 191-199	0.1	

- 46 Assessment of Left Atrial Volume Measurements in Normal Young Adult Population. *Choonpa Igaku*, **2006**, 33, 647-653 0
- 45 Introduction to Echocardiography. **2007**, 93-136
- 44 Haemodynamics. 176-195
- 43 Left Ventricular Diastolic Function. 80-102
- 42 Déficits pulmonaires cardiogéniques. **2008**, 137-169
- 41 The Pulsed Doppler Predictors of Intra Dialysis Hypotension and Relationship between Doppler Indices and Net Fluid Loss after Dialysis in Patients with End Stage Renal Disease: Pulsed Doppler Study. *Clinical Medicine Cardiology*, **2008**, 2, CMC.S327
- 40 WITHDRAWN: Left atrial function and arterial hypertension. *Journal of Human Hypertension*, **2008**, 2.6
- 39 Heart failure with normal left ventricular ejection fraction (HFNEF). **2009**, 113-128
- 38 Principles of Hemodynamic Assessment. **2009**, 63-78
- 37 Détermination non invasive de la at volémique. **2009**, 163-180
- 36 Bibliographie. **2009**, 235-243
- 35 Usefulness of late diastolic mitral annular velocity for predicting cardiac events in acute coronary syndrome patients with dilated left atrium. *Choonpa Igaku*, **2010**, 37, 577-585 0
- 34 Cardiogenic Causes of Respiratory Failure in Patients with Hematological Malignancies. **2011**, 759-770
- 33 Non-invasive Estimation of Left Ventricular Filling Pressures by Doppler Echocardiography. *Annual Update in Intensive Care and Emergency Medicine*, **2011**, 418-423 0.2
- 32 Technical Issues in Diastolic Function Evaluation. **2011**, 350-352
- 31 Functional Evaluation of the Heart by Transesophageal Echocardiography. **2014**, 121-144
- 30 Left atrial volume index and prediction of events in acute coronary syndrome: Solar Registry. *Arquivos Brasileiros De Cardiologia*, **2014**, 103, 282-91 1.2 8
- 29 Left Atrial Volume is a Predictor of Major Adverse Cardiac Events in Patients with Acute Myocardial Infarction. *Korean Journal of Medicine*, **2014**, 86, 33 0.5 1

28	Left Atrial Function: Indirect Hemodynamic Assessment Using Acoustic Quantification. <i>Developments in Cardiovascular Medicine</i> , 1997 , 123-139		
27	Experimental and clinical measurement of pulmonary edema. 1998 , 161-229		
26	Altered Mitral Flow Pattern in Patients With Hypertrophic Obstructive Cardiomyopathy. <i>Circulation</i> , 1998 , 98,	16.7	
25	Evaluation of left atrial volume and function in systemic sclerosis patients using speckle tracking and real-time three-dimensional echocardiography. <i>Anatolian Journal of Cardiology</i> , 2016 , 16, 316-22	0.8	12
24	Characterization of Cardiopulmonary Exercise Testing Variables in Patients with Endomyocardial Fibrosis after Endocardial Resection. <i>Arquivos Brasileiros De Cardiologia</i> , 2017 , 109, 533-540	1.2	2
23	Atria: A comprehensive evaluation with echocardiography. <i>Heart Vessels and Transplantation</i> , 1, 11		1
22	Left Atrium. 2019 , 221-232		
21	Pentraxin Level is the Key to Determine Primary Percutaneous Coronary Intervention (PCI) or Fibrinolysis. <i>Cardiovascular & Hematological Disorders Drug Targets</i> , 2019 , 19, 160-168	1.1	1
20	Evaluation hemodynamique. 2005 , 141-166		
19	Filling Velocities as Markers of Diastolic Function. 2008 , 81-97		
18	Left ventricular diastolic function and circadian variation of blood pressure in essential hypertension. <i>Texas Heart Institute Journal</i> , 2005 , 32, 28-34	0.8	10
17	Clinical implications of left atrial enlargement: a review. <i>Ochsner Journal</i> , 2009 , 9, 191-6	1.5	70
16	Doppler tissue imaging: a non-invasive technique for estimation of left ventricular end diastolic pressure in severe mitral regurgitation. <i>The Journal of Tehran Heart Center</i> , 2010 , 5, 122-7	0.3	
15	Evaluation of left atrial remodelling following percutaneous left atrial appendage closure. <i>Journal of Geriatric Cardiology</i> , 2017 , 14, 496-500	1.7	3
14	Evaluation of left atrial dysfunction by speckle tracking echocardiography in systolic and diastolic heart failure.. <i>Monaldi Archives for Chest Disease</i> , 2022 ,	2.7	
13	Iatrogenic atrial septal defect after HotBalloon ablation of atrial fibrillation.. <i>Heart and Vessels</i> , 2022 , 1	2.1	
12	Association of Post-procedural Left Atrial Volume and Reservoir Function with Outcomes in Patients with Atrial Fibrillation Undergoing Catheter Ablation.. <i>Journal of the American Society of Echocardiography</i> , 2022 ,	5.8	0
11	Peak apical recoil rate is a simplified index of left ventricular untwist: validation and application for assessment of diastolic function in children.. <i>International Journal of Cardiovascular Imaging</i> , 2022 , 1	2.5	0

10	The Impact of Mavacamten on the Pathophysiology of Hypertrophic Cardiomyopathy: A Narrative Review.. <i>American Journal of Cardiovascular Drugs</i> , 2022 , 1	4	1
9	Predicting Post-operative Atrial Fibrillation in Cardiac Surgery ¶The Added Value of Echocardiography. 2021 , 2, 1-6		
8	Left Ventricular Diastolic Function. 2017 , 147-165		
7	Left Atrium. 2016 , 199-207		
6	Multimodality Imaging in the Study of the Left Atrium. <i>Journal of Clinical Medicine</i> , 2022 , 11, 2854	5.1	0
5	GCW-UNet segmentation of cardiac magnetic resonance images for evaluation of left atrial enlargement. <i>Computer Methods and Programs in Biomedicine</i> , 2022 , 106915	6.9	2
4	Reference Values and Repeatability of Pulsed Wave Doppler Echocardiography Parameters in Normal Donkeys. 2022 , 12, 2296		1
3	Impact of atrial fibrillation on left atrium haemodynamics: A computational fluid dynamics study. 2022 , 150, 106143		1
2	Prediction of incident atrial fibrillation with cardiac biomarkers and left atrial volumes. heartjnl-2022-321608		0
1	Linkage of Left Atrial Function to Heart Failure with Preserved Ejection Fraction. 2023 ,		0