CITATION REPORT List of articles citing



DOI: 10.1016/0735-1097(93)90809-f Journal of the American College of Cardiology, 1993, 22, 6-7.

Source: https://exaly.com/paper-pdf/24188960/citation-report.pdf

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
736	QT dispersion and sudden unexpected death in chronic heart failure. 1994 , 343, 327-9		640
735	Factor VIII gene rearrangements in patients with severe haemophilia A. 1994 , 343, 329-30		51
734	Angiotensin II receptor antagonists in heart failure: rationale and design of the evaluation of losartan in the elderly (ELITE) trial. 1995 , 9, 693-700		33
733	New drugs in the treatment of heart failure. 1995 , 22, 829-32		2
73 2	Nocturnal Dyspnea and Atrial Fibrillation Predict Cheyne-Stokes Respirations in Patients With Congestive Heart Failure. 1995 , 155, 1297		16
73 ¹	Transition from asymptomatic left ventricular dysfunction to congestive heart failure. 1995 , 1, 409-19		7
730	Heart failure: the Cinderella of cardiology?. 1996 , 110, 351-5		6
729	The Progression From Hypertension to Congestive Heart Failure. 1996 , 275, 1557		1137
728	Current guidelines for the treatment of congestive heart failure. 1996 , 51, 89-98		14
7 2 7	Variable effect of comorbidity on the association of chronic cardiac failure with disability in community-dwelling older persons. 1996 , 23, 283-92		10
726	Hypertension, hypertrophy, heart failure. <i>Heart</i> , 1996 , 76, 92-7	5.1	9
725	Prevention of Heart Failure by Antihypertensive Drug Treatment in Older Persons With Isolated Systolic Hypertension. 1997 , 278, 212		334
724	Advances and Stagnations in Heart Failure. 1997 , 157, 17		5
723	Treatment of heart failure with fosinopril: an angiotensin converting enzyme inhibitor with a dual and compensatory route of excretion. 1997 , 10, 236S-241S		6
722	The progression from hypertension to heart failure. 1997 , 10, 280S-288S		16
721	Evolving costs of long-term left ventricular assist device implantation. 1997 , 64, 1312-9		34
720	Quality of life with an implanted left ventricular assist device. 1997 , 64, 1764-9		77

719	Symptomatic and asymptomatic left-ventricular systolic dysfunction in an urban population. 1997 , 350, 829-33	492
718	'Maintaining the balance'nursing care of patients with chronic heart failure. 1997 , 34, 213-21	21
717	Depressed heart rate variability as an independent predictor of death in chronic congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. 1997 , 79, 1645-50	369
716	Usefulness of peak oxygen consumption in predicting outcome of heart failure in women versus men. 1997 , 80, 1236-8	28
715	Pharmacotherapy for systolic dysfunction: a review of randomized clinical trials. 1997 , 80, 14H-27H	33
7 1 4	An epidemiologic perspective of systemic hypertension, ischemic heart disease, and heart failure. 1997 , 80, 3J-8J	45
713	Course and prognosis in patients > or = 70 years of age with congestive heart failure and normal versus abnormal left ventricular ejection fraction. 1997 , 79, 216-9	183
712	Contribution of left atrial pressure and dimension to signal-averaged P-wave duration in patients with chronic congestive heart failure. 1997 , 79, 219-22	48
711	Enalapril reduces QTc dispersion in mild congestive heart failure secondary to coronary artery disease. 1997 , 79, 328-33	39
710	Classification of heart failure in population based research: an assessment of six heart failure scores. 1997 , 13, 491-502	79
709	Presentations of Acute Myocardial Infarction in Men and Women. 1997 , 12, 79-87	84
708	Female patients with congestive heart failure: how they conceive their life situation. 1998, 28, 1216-24	86
707	The viable myocardium: epidemiology, detection, and clinical implications. 1998, 351, 815-9	53
706	Epidemiology of cardiovascular disease in the United States. 1998 , 32, S56-65	25
7°5	Etiology and response to drug treatment in heart failure. <i>Journal of the American College of Cardiology</i> , 1998 , 32, 1167-72	85
704	Is optimal angiotensin-converting enzyme inhibitor dosing neglected in elderly patients with heart failure?. <i>American Heart Journal</i> , 1998 , 136, 43-8	50
703	Clinical definition and epidemiology of advanced heart failure. <i>American Heart Journal</i> , 1998 , 135, S204-1459	113
702	Current medical therapy for advanced heart failure. <i>American Heart Journal</i> , 1998 , 135, S231-48 4.9	38

701	Beneficial effects of intermittent home administration of the inotrope/vasodilator milrinone in patients with end-stage congestive heart failure: a preliminary study. <i>American Heart Journal</i> , 1998 , 135, 121-9)	60
700	Development and validation of a clinical history form for the diagnosis of congestive heart failure. 1998 , 10, 39-47		3
699	Acute hemodynamic interaction of aspirin and ticlopidine with enalapril: results of a double-blind, randomized comparative trial. 1998 , 98, 757-65		90
698	Epidemiological burden of heart failure. <i>Heart</i> , 1998 , 79, S6-9		10
697	Diabetes mellitus and congestive heart failure. Further knowledge needed. <i>European Heart Journal</i> , 1999, 20, 789-95	5	119
696	Reduction in heart failure events by the addition of a clinical pharmacist to the heart failure management team: results of the Pharmacist in Heart Failure Assessment Recommendation and Monitoring (PHARM) Study. 1999 , 159, 1939-45		308
695	Assessing the population burden from heart failure: need for sentinel population-based surveillance systems. 1999 , 159, 15-7		35
694	A 75-year-old man with congestive heart failure. 1999 , 281, 2321-8		1
693	Pathophysiology of endothelin in the cardiovascular system. <i>Annual Review of Physiology</i> , 1999 , 61, 391- 4 3.	5	462
692	Heart failure in Korean elderly patients - clinical features, prognosis and prognostic factors. 1999 , 29, 183-91		1
691	Transition from Hypertrophy to FailureâEAdrenergic Desensitization of the Heart. <i>Heart Failure Reviews</i> , 1999 , 4, 329-351		5
690	[1998 prognosis of left ventricular dysfunction in a maximum care non-university hospital. Analysis of the Ludwigshafen LVD Registry]. 1999 , 88, 14-22		
689	Current status of the epidemiology of heart failure. 1999 , 1, 11-9		16
688	Correspondence. 1999 , 83, 1A-38A		142
687	Potential benefit of biventricular pacing in patients with congestive heart failure and ventricular tachyarrhythmia. 1999 , 83, 143D-150D		120
686	Comparison of frequencies of left ventricular systolic and diastolic heart failure in Chinese living in Hong Kong. 1999 , 84, 563-7		71
685	Treatment options for patients with severe myocardial failure: a review of the latest technology. 1999 , 8, 44-48		
684	Incidence and aetiology of heart failure; a population-based study. <i>European Heart Journal</i> , 1999 , 20, 421-8	;	417

(2000-1999)

683	Effects of education and support on self-care and resource utilization in patients with heart failure. <i>European Heart Journal</i> , 1999 , 20, 673-82	9.5	241	
682	Factors influencing patient compliance with therapeutic regimens in chronic heart failure: A critical incident technique analysis. 1999 , 28, 334-41		80	
681	Multidisciplinary interventions for the management of heart failure: where do we stand?. <i>American Heart Journal</i> , 1999 , 138, 599-601	4.9	13	
680	Heart failure and endothelin receptor antagonists. 1999 , 20, 210-7		32	
679	Incidence, clinical and etiologic features, and outcomes of advanced chronic heart failure: the EPICAL Study. Epidmiologie de l'Insuffisance Cardiaque Avance en Lorraine. <i>Journal of the American College of Cardiology</i> , 1999 , 33, 734-42	15.1	226	
678	The REMATCH trial: rationale, design, and end points. Randomized Evaluation of Mechanical Assistance for the Treatment of Congestive Heart Failure. 1999 , 67, 723-30		281	
677	Heart failure. 1999 , 17, 123-35		27	
676	Vascular alterations during the development and progression of experimental heart failure. 1999 , 5, 55-63		15	
675	Noninvasive evaluation of cardiac dysfunction by echocardiography in streptozotocin-induced diabetic rats. 1999 , 5, 324-33		75	
674	Use of standard imaging techniques for prediction of postrevascularization functional recovery in patients with heart failure. 1999 , 5, 334-46		4	
673	HFSA guidelines for management of patients with heart failure caused by left ventricular systolic dysfunctionâβharmacological approaches. 1999 , 5, 357-382		261	
672	Sex differences in the clinical care and outcomes of congestive heart failure in the elderly. <i>American Heart Journal</i> , 1999 , 138, 835-42	4.9	85	
671	Clinical predictors of heart failure in patients with first acute myocardial infarction. <i>American Heart Journal</i> , 1999 , 138, 1133-9	4.9	76	
670	Intermittent milrinone effect on long-term hemodynamic profile in patients with severe congestive heart failure. <i>American Heart Journal</i> , 1999 , 138, 241-6	4.9	30	
669	Effect of a home monitoring system on hospitalization and resource use for patients with heart failure. <i>American Heart Journal</i> , 1999 , 138, 633-40	4.9	113	
668	Risk factors for heart failure in the elderly: a prospective community-based study. 1999 , 106, 605-12		208	
667	Re-evaluating sarcoplasmic reticulum function in heart failure. 2000 , 6, 942-3		30	
666	Reply to 'Re-evaluating sarcoplasmic reticulum function in heart failure'. 2000 , 6, 942-3		25	

665	HEART FAILURE SOCIETY OF AMERICA (HFSA) PRACTICE GUIDELINES. 2000, 20, 495-522		24
664	Mechanisms involved in the hemodynamic alterations in congestive heart failure as a basis for a rational pharmacological treatment. 2000 , 88, 15-31		10
663	Comparison of one-year outcome in women versus men with chronic congestive heart failure. 2000 , 86, 353-7		55
662	Should stimulation therapy for congestive heart failure be combined with defibrillation backup?. 2000 , 86, 165K-158K		18
661	Incidence and epidemiology of heart failure. Heart Failure Reviews, 2000, 5, 167-73	5	312
660	Interaction between angiotensin-converting enzyme inhibitors and aspirin: a review. 2000 , 56, 609-20		23
659	[Diagnosis of heart failure]. 2000 , 41, 115-26		1
658	[Arterial hypertension and heart insufficiency]. 2000, 41, 253-60		O
657	Perioperative Treatment of Congestive Heart Failure. 2000 , 4, 223-235		
656	Improving patient outcomes in heart failure: evidence and barriers. 2000 , 84 Suppl 1, i8-10:discussion i50		17
656 655	Improving patient outcomes in heart failure: evidence and barriers. 2000, 84 Suppl 1, i8-10:discussion i50 A national survey of heart failure in French hospitals. The Myocardiopathy and Heart Failure Working Group of the French Society of Cardiology, the National College of General Hospital Cardiologists and the French Geriatrics Society. European Heart Journal, 2000, 21, 763-9	9.5	17
	i8-10:discussion i50 A national survey of heart failure in French hospitals. The Myocardiopathy and Heart Failure Working Group of the French Society of Cardiology, the National College of General Hospital	9.5	
655	i8-10:discussion i50 A national survey of heart failure in French hospitals. The Myocardiopathy and Heart Failure Working Group of the French Society of Cardiology, the National College of General Hospital Cardiologists and the French Geriatrics Society. European Heart Journal, 2000, 21, 763-9 Left ventricular thrombus and subsequent thromboembolism in patients with severe systolic	9.5	121
6 ₅₅	i8-10:discussion i50 A national survey of heart failure in French hospitals. The Myocardiopathy and Heart Failure Working Group of the French Society of Cardiology, the National College of General Hospital Cardiologists and the French Geriatrics Society. European Heart Journal, 2000, 21, 763-9 Left ventricular thrombus and subsequent thromboembolism in patients with severe systolic dysfunction. 2000, 117, 314-20	9.5	121
655 654 653	i8-10:discussion i50 A national survey of heart failure in French hospitals. The Myocardiopathy and Heart Failure Working Group of the French Society of Cardiology, the National College of General Hospital Cardiologists and the French Geriatrics Society. European Heart Journal, 2000, 21, 763-9 Left ventricular thrombus and subsequent thromboembolism in patients with severe systolic dysfunction. 2000, 117, 314-20 Epidemiology, aetiology, and prognosis of heart failure. 2000, 83, 596-602	9.5	121 106 528
655 654 653	i8-10:discussion i50 A national survey of heart failure in French hospitals. The Myocardiopathy and Heart Failure Working Group of the French Society of Cardiology, the National College of General Hospital Cardiologists and the French Geriatrics Society. European Heart Journal, 2000, 21, 763-9 Left ventricular thrombus and subsequent thromboembolism in patients with severe systolic dysfunction. 2000, 117, 314-20 Epidemiology, aetiology, and prognosis of heart failure. 2000, 83, 596-602 Calcineurin and beyond: cardiac hypertrophic signaling. 2000, 87, 731-8	9.5	121 106 528 192
655 654 653 652	i8-10:discussion i50 A national survey of heart failure in French hospitals. The Myocardiopathy and Heart Failure Working Group of the French Society of Cardiology, the National College of General Hospital Cardiologists and the French Geriatrics Society. <i>European Heart Journal</i> , 2000, 21, 763-9 Left ventricular thrombus and subsequent thromboembolism in patients with severe systolic dysfunction. 2000, 117, 314-20 Epidemiology, aetiology, and prognosis of heart failure. 2000, 83, 596-602 Calcineurin and beyond: cardiac hypertrophic signaling. 2000, 87, 731-8 Survival of patients with a new diagnosis of heart failure: a population based study. 2000, 83, 505-10 Rationale and design of the OPTIME CHF trial: outcomes of a prospective trial of intravenous	4.9	121 106 528 192 368

(2001-2000)

647	Systolic versus diastolic heart failure in community practice: clinical features, outcomes, and the use of angiotensin-converting enzyme inhibitors. 2000 , 109, 605-13	195
646	Self-care and quality of life in patients with advanced heart failure: the effect of a supportive educational intervention. 2000 , 29, 319-30	154
645	Treatment of heart failure guided by plasma aminoterminal brain natriuretic peptide (N-BNP) concentrations. 2000 , 355, 1126-30	1111
644	Insuficiencia cardāca debida a disfunciā ventricular sistlīca severa de origen hipertensivo. Evoluciā clāica y funcional a largo plazo. 2000 , 53, 927-931	4
643	Predictors of prognosis in patients with stable mild to moderate heart failure. 2000, 6, 306-13	98
642	Congestive heart failure and the role of two-dimensional Doppler echocardiography: a primer for cardiac sonographers. 2000 , 13, 157-63	1
641	[Left ventricular diastolic dysfunction in young people with type 1 diabetes mellitus. Associated factors]. 2000 , 53, 603-10	O
640	Race-related differences among patients with left ventricular dysfunction: observations from a biracial angiographic cohort. Harlem-Bassett LP(A) Investigators. 2000 , 6, 187-93	23
639	[Geographic variation in hospitalizations and mortality related to congestive heart failure in Spain, 1980-1993]. 2000 , 53, 776-82	13
638	Predictors of congestive heart failure in the elderly: the Cardiovascular Health Study. <i>Journal of the American College of Cardiology</i> , 2000 , 35, 1628-37	704
637	Neutrophil superoxide aniongenerating capacity, endothelial function and oxidative stress in chronic heart failure: effects of short- and long-term vitamin C therapy. <i>Journal of the American College of Cardiology</i> , 2000 , 36, 1474-82	121
636	Is the prognosis of heart failure improving?. Journal of the American College of Cardiology, 2000 , 36, 2284 \pm 6.1	108
635	Chronic heart failure in the community: missed diagnosis and missed opportunities. 2001, 7, 232-8	27
634	Endothelin receptor antagonists in congestive heart failure: a new therapeutic principle for the future?. <i>Journal of the American College of Cardiology</i> , 2001 , 37, 1493-505	121
633	New epidemiologic perspectives concerning mild-to-moderate heart failure. 2001 , 110 Suppl 7A, 6S-13S	58
632	Relative lymphocyte count: a prognostic indicator of mortality in elderly patients with congestive heart failure. <i>American Heart Journal</i> , 2001 , 142, 167-73	103
631	Chronic heart failure in the very elderly: clinical status, survival, and prognostic factors in 188 patients more than 70 years old. <i>American Heart Journal</i> , 2001 , 142, 174-80	45
630	Gender differences in health perceptions and meaning in persons living with heart failure. 2001 , 30, 167-76	64

629	An ethnographic approach to understanding the illness experiences of patients with congestive heart failure and their family members. 2001 , 30, 429-36	51
628	Congestive heart failure and outpatient risk of venous thromboembolism: a retrospective, case-control study. 2001 , 54, 810-6	108
627	Economics of ventricular assist devices: European view. 2001 , 71, S192-4; discussion S202-3	10
626	The cost of long-term LVAD implantation. 2001 , 71, S195-8; discussion S203-4	43
625	Perioperative cardiac complications. 2001 , 85, 1151-69, vi	13
624	Impacto de la hipertensifi en las cardiopatfis en Espa â . Estudio CARDIOTENS 1999. 2001 , 54, 139-149	44
623	Left Ventricular and Biventricular Pacing in Congestive Heart Failure. 2001 , 76, 803-812	9
622	Manifestaciones clīticas y exploraciīt fītica de la insuficiencia cardītica izquierda y derecha. formas agudas, crīticas y complicaciones. 2001 , 8, 1946-1955	
621	Tratamiento de la insuficiencia card\(\textit{a}\)ca. Medidas preventivas. Factores de riesgo asociados. 2001 , 8, 1994-2000	
620	Electrotherapeutic management of patients with heart failure. 2001 , 1, 227-31	1
619	Nutritional strategy in the management of heart failure in adults. 2001, 1, 363-73	25
618	Congestive heart failure and cognitive functioning amongst older adults. 2001 , 59, 324-9	55
617	An international perspective toward human organ donation and transplantation. 255-276	1
616	The risk of congestive heart failure: sobering lessons from the Framingham Heart Study. 2001, 3, 184-90	60
615	Clinical treatment reverses attentional deficits in congestive heart failure. 2001, 1, 2	26
614	Individualized treatment of heart failure. 2001 , 31, 138-41	6
613	The mind of a failing heart: a systematic review of the association between congestive heart failure and cognitive functioning. 2001 , 31, 290-5	152
612	Effect of diabetes mellitus on heart rate variability in patients with congestive heart failure. 2001 , 24, 53-9	15

(2002-2001)

611	CHF-1024, a DA2/alpha2 agonist, blunts norepinephrine excretion and cardiac fibrosis in pressure overload. 2001 , 15, 131-8	14
610	Endothelin A receptor antagonists in congestive heart failure: blocking the beast while leaving the beauty untouched?. <i>Heart Failure Reviews</i> , 2001 , 6, 301-15	16
609	Prognostic value of heart rate variability in time domain analysis in congestive heart failure. 2001 , 5, 181-7	40
608	Gender and drug treatment as determinants of mortality in a cohort of heart failure patients. 2001 , 17, 329-35	3
607	Prevalence of heart failure in Asturias (a region in the north of Spain). 2001 , 87, 1417-9	53
606	[Prognostic factors of chronic heart insufficiency]. <i>Annales De Cardiologie Et Dr</i> Angeiologie, 2001 , 0.5	
605	Improved survival with simendan after experimental myocardial infarction in rats. 2001, 419, 243-8	35
604	Epidemiology of congestive heart failure in three ethnic groups. 2001 , 7, 93-96	9
603	Role of antiarrhythmic therapy in patients at risk for sudden cardiac death: an evidence-based review. 2001 , 21, 556-75	11
602	Mechanical circulatory support for advanced heart failure: effect of patient selection on outcome. 2001 , 103, 231-7	162
601	Cardiovascular critical event pathways for the progression of heart failure; a report from the ATLAS study. <i>European Heart Journal</i> , 2001 , 22, 1601-12	38
600	Targeted inhibition of calcineurin attenuates cardiac hypertrophy in vivo. 2001 , 98, 3322-7	172
599	Congestive heart failure in type 2 diabetes: prevalence, incidence, and risk factors. 2001 , 24, 1614-9	429
598	The transcription factors GATA4 and GATA6 regulate cardiomyocyte hypertrophy in vitro and in vivo. 2001 , 276, 30245-53	271
597	Beta blockers in older persons with heart failure: tolerability and impact on quality of life. 2002, 88, 611-4	41
596	Short-term intravenous milrinone for acute exacerbation of chronic heart failure: a randomized controlled trial. 2002 , 287, 1541-7	848
595	PKC alpha regulates the hypertrophic growth of cardiomyocytes through extracellular signal-regulated kinase1/2 (ERK1/2). 2002 , 156, 905-19	161
594	Improving outcomes in heart failure: It's not unusual beyond usual care. 2002 , 105, 2810-2	44

593	Diastolic heart failure in older peoplemyth or lost tribe?. 2002 , 2, 539-43	2
592	Heart failure in older people: causes, diagnosis and treatment. 2002 , 31, 29-36	27
591	Deaths from heart failure in general practice: implications for palliative care. 2002 , 16, 495-8	16
590	The identification of malnutrition in heart failure patients. 2002 , 1, 139-47	11
589	B-type natriuretic peptide and clinical judgment in emergency diagnosis of heart failure: analysis from Breathing Not Properly (BNP) Multinational Study. 2002 , 106, 416-22	692
588	Caring for older patients with chronic cardiac disease: an increasing challenge for cardiac nurses in the 21st century. 2002 , 1, 11-3	6
587	Educating nurses and patients to manage heart failure. 2002 , 1, 33-40	18
586	Coronary occlusion caused by embolisation from a mass in the sinus of Valsalva. 2002, 88, 614	6
585	Ventilatory variables are strong prognostic markers in elderly patients with heart failure. 2002 , 88, 239-43	41
584	Giant congenital aneurysm of the non-coronary sinus of Valsalva. 2002 , 88, 243	
583	Prevention of heart failure. 2002, 8, 333-46	67
582	What is the meaning of LIFE? Implications of the Losartan Intervention for Endpoint reduction in hypertension trial for heart failure physicians. 2002 , 8, 197-201	5
581	Sex-based differences in the effect of digoxin for the treatment of heart failure. 2002 , 347, 1403-11	462
580	Manejo de la insuficiencia cardâca en el anciano ¿Quiĥ y dåde? Visiå del especialista. 2002 , 37, 13-19	
579	[The epidemic of heart failure]. 2002, 55, 211-4	13
579 578		13
	[The epidemic of heart failure]. 2002, 55, 211-4 Cardiac resynchronization therapy in patients with chronic heart failure: pathophysiology and	

575	The heart, kidney, and brain as target organs in hypertension. 2002 , 20, 225-47		41
574	Epidemiologā de la insuficiencia cardāca congestiva en Espa â , 1980â¶993. 2002 , 37, 20-26		O
573	[Persistence of oxidative stress after heart transplantation: a comparative study of patients with heart transplant versus chronic stable heart failure]. 2002 , 55, 831-7		11
572	The Identification of Malnutrition in Heart Failure Patients. 2002 , 1, 139-147		5
571	Electrical therapy in patients with congestive heart failure introduction. 2002, 27, 45-93		1
570	Gender difference in diastolic function in hypertension (the HyperGEN study). 2002 , 89, 1052-6		54
569	[64-year-old patient with dyspnea at risk and ankle edema in recurrent tachycardia. Heart failure]. 2002 , 43, 1597-601		
568	[Physical training as interval or continuous training in chronic heart failure for improving functional capacity, hemodynamics and quality of lifea controlled study]. 2002 , 91, 328-37		29
567	Heart failure and its impact on older women's lives. 2002 , 39, 441-9		46
566	New ideas about atrial fibrillation 50 years on. 2002 , 415, 219-26		1125
566 565	New ideas about atrial fibrillation 50 years on. 2002 , 415, 219-26 Diastolic heart failure in the elderly. <i>Heart Failure Reviews</i> , 2002 , 7, 17-27	5	1125 77
		5	
565	Diastolic heart failure in the elderly. <i>Heart Failure Reviews</i> , 2002 , 7, 17-27 The burden of chronic congestive heart failure in older persons: magnitude and implications for	5	77
565	Diastolic heart failure in the elderly. <i>Heart Failure Reviews</i> , 2002 , 7, 17-27 The burden of chronic congestive heart failure in older persons: magnitude and implications for policy and research. <i>Heart Failure Reviews</i> , 2002 , 7, 9-16	5	77 90
565 564 563	Diastolic heart failure in the elderly. <i>Heart Failure Reviews</i> , 2002 , 7, 17-27 The burden of chronic congestive heart failure in older persons: magnitude and implications for policy and research. <i>Heart Failure Reviews</i> , 2002 , 7, 9-16 Aldosterone receptor blockade in the management of heart failure. <i>Heart Failure Reviews</i> , 2002 , 7, 205-	5 19	77 90 5
565 564 563	Diastolic heart failure in the elderly. <i>Heart Failure Reviews</i> , 2002 , 7, 17-27 The burden of chronic congestive heart failure in older persons: magnitude and implications for policy and research. <i>Heart Failure Reviews</i> , 2002 , 7, 9-16 Aldosterone receptor blockade in the management of heart failure. <i>Heart Failure Reviews</i> , 2002 , 7, 205-B-type natriuretic peptide and renal disease. <i>Heart Failure Reviews</i> , 2003 , 8, 355-8 The RACE study in perspective of randomized studies on management of persistent atrial	5 19	77 90 5 85
565 564 563 562 561	Diastolic heart failure in the elderly. <i>Heart Failure Reviews</i> , 2002 , 7, 17-27 The burden of chronic congestive heart failure in older persons: magnitude and implications for policy and research. <i>Heart Failure Reviews</i> , 2002 , 7, 9-16 Aldosterone receptor blockade in the management of heart failure. <i>Heart Failure Reviews</i> , 2002 , 7, 205-B-type natriuretic peptide and renal disease. <i>Heart Failure Reviews</i> , 2003 , 8, 355-8 The RACE study in perspective of randomized studies on management of persistent atrial fibrillation. 2003 , 7, 118-21	5 19	77 90 5 85 24

557	Sex differences in the causes and natural history of heart failure. 2003 , 5, 193-9		18
556	[Epidemiology of left ventricular systolic dysfunction in the general population of Germany: results of an echocardiographic study of a large population-based sample]. 2003 , 92, 294-302		10
555	Usefulness of statin drugs in protecting against atrial fibrillation in patients with coronary artery disease. 2003 , 92, 1379-83		248
554	Sex-specific increase in the prevalence of atrial fibrillation (The Copenhagen City Heart Study). 2003 , 92, 1419-23		124
553	BNP, insuffisance cardiaque et sujet 🖫 Annales De Cardiologie Et DrAngeiologie, 2003 , 52, 285-289	0.5	1
552	Surgical methods to reverse left ventricular remodeling in congestive heart failure. 2003 , 91, 81F-87F		35
551	Prevention and management of chronic heart failure in patients at risk. 2003, 91, 10F-17F		17
550	Atrial fibrillation in heart failure: epidemiology, pathophysiology, and rationale for therapy. 2003 , 91, 2D-8D		640
549	Individual prediction of functional recovery after coronary revascularization in patients with ischemic cardiomyopathy: the scar-to-biphasic model. 2003 , 91, 1406-9		15
548	The heart, kidney, and brain as target organs in hypertension. 2003 , 28, 156-93		8
547	Alternative therapeutic strategies for patients with severe end-stage coronary artery disease not amenable to conventional revascularization. 2003 , 60, 57-66		7
546	Exercise training as a therapy for chronic heart failure: can older people benefit?. 2003 , 51, 699-709		35
545	American College of Cardiology/American Heart Association Chronic Heart Failure Evaluation and Management guidelines: relevance to the geriatric practice. 2003 , 51, 123-6		49
544	Survival and trends of occurrence of left ventricular hypertrophy, gender differences, 1967-92: The Reykjavik Study. 2003 , 253, 418-24		11
543	Clinical epidemiology of cardiac disease in renal transplant recipients. 2003 , 16, 106-10		35
542	Atrial fibrillation in heart failure: prognostic significance and management. 2003, 14, S281-6		35
541	Morbidity and mortality in obstructive sleep apnea syndrome 1: Effect of treatment on cardiovascular morbidity. 2003 , 1, 15-28		9
540	[Brain natriuretic peptide, heart failure and elderly patients]. <i>Annales De Cardiologie Et DrAngeiologie</i> , 2003 , 52, 285-9	0.5	2

539	Preoperative assessment and perioperative management of the patient with nonischemic heart disease. 2003 , 87, 137-52		8
538	Utilidad del perindopril en insuficiencia card\(\textit{a}\)ca leve-moderada en la pr\(\textit{a}\)tica cl\(\textit{b}\)ica diaria. Estudio M\(\textit{IRICA}\). 2003 , 203, 3-9		
537	[Use of diagnostic and therapeutic resources in patients hospitalized for heart failure: influence of admission ward type (INCARGAL Study)]. 2003 , 56, 49-56		17
536	Mitral annulus motion compared with wall motion scoring index in the assessment of left ventricular ejection fraction. 2003 , 16, 622-9		8
535	Hipertensiß arterial e insuficiencia cardāca en las consultas de Atenciß Primaria y de Cardiologā en Espa â . 2003 , 203, 334-342		3
534	The relationship between cholesterol and survival in patients with chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1933-40	15.1	304
533	Gender differences in post-infarction hypertrophy in end-stage failing hearts. <i>Journal of the American College of Cardiology</i> , 2003 , 41, 300-6	15.1	77
532	Hormone replacement therapy is associated with improved survival in women with advanced heart failure. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1238-45	15.1	44
531	Predictors of late development of heart failure in stable survivors of myocardial infarction: the CARE study. <i>Journal of the American College of Cardiology</i> , 2003 , 42, 1446-53	15.1	221
530	B-type natriuretic peptide and renal function in the diagnosis of heart failure: an analysis from the Breathing Not Properly Multinational Study. 2003 , 41, 571-9		401
529	Gender differences in quality of life are minimal in patients with heart failure. 2003, 9, 42-8		43
528	Age, but not sex, influences the measurement of ejection fraction in elderly patients hospitalized for heart failure. 2003 , 9, 100-6		18
527	Rural and urban outcomes after hospitalization for congestive heart failure in Alberta, Canada. 2003 , 9, 278-85		14
526	The EuroHeart Failure Survey programmea survey on the quality of care among patients with heart failure in Europe. Part 2: treatment. <i>European Heart Journal</i> , 2003 , 24, 464-74	9.5	501
525	Prevalence of self-reported heart failure among US adults: results from the 1999 National Health Interview Survey. <i>American Heart Journal</i> , 2003 , 146, 121-8	4.9	43
524	Heart failure: how big is the problem? Who are the patients? What does the future hold?. <i>American Heart Journal</i> , 2003 , 146, 1-4	4.9	68
523	Current presentation and management of heart failure in cardiology and internal medicine hospital units: a tale of two worldsthe TEMISTOCLE study. <i>American Heart Journal</i> , 2003 , 146, E12	4.9	78
522	Screening for left ventricular systolic dysfunction among patients with risk factors for heart failure. <i>American Heart Journal</i> , 2003 , 146, 736-40	4.9	29

521	Redefining the roles of p38 and JNK signaling in cardiac hypertrophy: dichotomy between cultured myocytes and animal models. 2003 , 35, 1385-94	192
520	The beta-adrenergic receptor kinase in heart failure. 2003 , 35, 1167-74	68
519	Demographics and concomitant disorders in heart failure. 2003 , 362, 147-58	118
518	Increased susceptibility of hypertrophied hearts to ischemic injury. 2003 , 75, S678-84	55
517	Effects of high-dose furosemide and small-volume hypertonic saline solution infusion in comparison with a high dose of furosemide as bolus in refractory congestive heart failure: 4.9 long-term effects. American Heart Journal, 2003, 145, 459-66	9 193
516	Heart failure after myocardial infarction: prevalence of preserved left ventricular systolic function in the community. <i>American Heart Journal</i> , 2003 , 145, 742-8	9 45
515	Prevention of Heart Failure in Patients in the Heart Outcomes Prevention Evaluation (HOPE) Study. 2003 , 107, 1284-90	176
514	Gene therapy for the treatment of heart failurecalcium signaling. 2003, 15, 268-76	4
513	Reasons for elderly patient hospitalization in departments of internal medicine in Lodz. 2003, 15, 25-31	11
512	Patient's view of heart failure: from the understanding to the quality of life. 2003 , 2, 275-81	45
511	Epidemiology and clinical aspects of congestive heart failure. 2003, 4, 131-6	15
510	Sleep apnea and heart failure: Part I: obstructive sleep apnea. 2003, 107, 1671-8	413
509	Gender differences in patients with heart failure. 2003 , 2, 7-18	108
508	Interaction between cyclooxygenase and the renin-angiotensin-aldosterone system: rationale and clinical relevance. 2003 , 4, 149-54	20
507	Prevalence of impaired left ventricular systolic function and heart failure in a middle aged and elderly urban population segment of Copenhagen. 2003 , 89, 1422-9	35
506	Heart failure complicated by atrial fibrillation: mechanistic, prognostic, and therapeutic implications. 2003 , 8, 107-13	27
505	Incidence of heart failure after myocardial infarction: is it changing over time?. 2003, 157, 1101-7	110
504	Rising rates of hospital admissions for atrial fibrillation. 2003 , 14, 666-72	214

(2004-2003)

503	Influence of gender on circulating cardiac natriuretic hormones in patients with heart failure. 2003 , 41, 686-92		22
502	Demographics, treatment regimens and the use of angiotensin-receptor blockers in heart failure: findings from the Valsartan Heart Failure Trial. 2003 , 31, 351-61		2
501	Sleep apnea and heart failure: Part II: central sleep apnea. 2003, 107, 1822-6		420
500	Cardiac Drug Development Guide. 2003,		1
499	A domain ontology for mechanical circulatory support systems. 2003,		
498	Use of the short form 36 in a primary care based disease management program for patients with congestive heart failure. 2003 , 6, 111-7		8
497	Is nuclear factor kappaB an attractive therapeutic target for treating cardiac hypertrophy?. 2003 , 108, 638-40		55
496	Nesiritide: A Novel Approach for Acute Heart Failure. 2003 , 37, 247-258		5
495	Subclavian artery stenosis as a cause for recurrent angina after LIMA graft stenting. 2003, 89, 1429		10
494	Calcineurin/NFAT coupling participates in pathological, but not physiological, cardiac hypertrophy. 2004 , 94, 110-8		584
493	Sudden unexpected death in heart failure may be preceded by short term, intraindividual increases in inflammation and in autonomic dysfunction: a pilot study. <i>Heart</i> , 2004 , 90, 1263-8	5.1	30
492	High-versus low-dose ACE inhibitor therapy in chronic heart failure. 2004 , 38, 831-8		12
491	Atrial fibrillation and ventricular dysfunction: a vicious electromechanical cycle. 2004 , 109, 2839-43		175
490	Plasma surfactant protein-B: a novel biomarker in chronic heart failure. 2004 , 110, 1091-6		43
489	Limited long term effects of a management programme for heart failure. <i>Heart</i> , 2004 , 90, 1010-5	5.1	54
488	Exercise training for older chronic heart failure patients. 2004 , 14, 55-61		1
487	Calcineurin-NFAT signaling regulates the cardiac hypertrophic response in coordination with the MAPKs. 2004 , 63, 467-75		343
486	Management of chronic heart failure in the community: role of a hospital based open access heart failure service. 2004 , 90, 755-9		16

485	Predictors of heart failure among women with coronary disease. 2004 , 110, 1424-30		126
484	The implications of physical activity in patients with chronic heart failure. 2004 , 9, 13-20		8
483	A matched-cohort study of health services utilization and financial outcomes for a heart failure disease-management program in elderly patients. 2004 , 52, 1655-61		29
482	Angiotensin-converting enzyme inhibitor therapy in patients with heart failure enrolled in a managed care organization: effect on costs and probability of hospitalization. 2004 , 24, 351-7		10
481	Gender and risk of adverse outcomes in heart failure. 2004 , 94, 1147-52		52
480	Comparative effects of ventricular resynchronization therapy in heart failure patients with or without coronary artery disease. <i>Annales De Cardiologie Et DrAngeiologie</i> , 2004 , 53, 171-6	0.5	3
479	Calcineurin independent development of myocardial hypertrophy in transgenic rats overexpressing the mouse renin gene, TGR(mREN2)27. 2004 , 82, 688-95		5
478	Are angiotensin-converting enzyme inhibitors and beta-blockers making an impact on the epidemiology of heart failure?. 2004 , 6, 162-8		
477	MR and CT assessment for ischemic cardiac disease. 2004 , 19, 659-75		19
476	Incidence and predictors of heart failure during long-term follow-up after stress Tc-99m sestamibi tomography in patients with suspected coronary artery disease. 2004 , 11, 527-33		11
475	Appearances can deceive: even brave hearts can fail. European Heart Journal, 2004, 25, 1181-2	9.5	
474	Risk factors for heart failure. 2004 , 88, 1145-72		83
473	La dyspne aiguថៃu sujet ធ្វី: 2004 , 21, 42-54		2
472	Factores pronticos en la insuficiencia cardica. 2004 , 30, 437-443		
471	Feasibility of arresting the process of remodeling. 2004 , 88, 1193-207, x		2
470	Heart failure in women. 2004 , 88, 1321-45, xii		63
469	Epidemiologa de la insuficiencia cardaca. 2004 , 57, 163-170		60
468	The province of Alberta, Canada avoids the hospitalization epidemic for congestive heart failure patients. <i>International Journal of Cardiology</i> , 2004 ,	3.2	

467	Epidemiology of Heart Failure. 2004 , 57, 163-170		1
466	Cardiac Resynchronization for Heart Failure: Background, Methods, Indications, and Results. 2004 , 57, 680-693		
465	Albuminuria as a predictor of heart failure hospitalizations in patients with type 2 diabetes. 2004 , 10, 126-31		19
464	Consensus statement: Palliative and supportive care in advanced heart failure. 2004 , 10, 200-9		284
463	Optimising outcomes in end-stage heart failure: differences in therapeutic responses between diverse ethnic groups. 2004 , 27 Suppl 1, 19-24		1
462	17beta-estradiol reduces cardiomyocyte apoptosis in vivo and in vitro via activation of phospho-inositide-3 kinase/Akt signaling. 2004 , 95, 692-9		270
461	Resincronizacili cardilca en la insuficiencia cardilca: bases, mtodos, indicaciones y resultados. 2004 , 57, 680-693		0
460	Gene transfer in cardiac myocytes. 2004 , 84, 141-59, ix-x		11
459	Statins initiated after hypertrophy inhibit oxidative stress and prevent heart failure in rats with aortic stenosis. 2004 , 37, 889-96		38
458	Home-based exercise improves functional performance and quality of life in women with diastolic heart failure. 2004 , 33, 210-8		123
457	Is B-type natriuretic peptide-guided heart failure management cost-effective?. <i>International Journal of Cardiology</i> , 2004 , 96, 177-81	3.2	30
456	The province of Alberta, Canada avoids the hospitalization epidemic for congestive heart failure patients. <i>International Journal of Cardiology</i> , 2004 , 96, 203-10	3.2	4
455	Concept and usefulness of cardiovascular risk profiles. <i>American Heart Journal</i> , 2004 , 148, 16-26	4.9	108
454	Electrocardiogram and B-type natriuretic peptide as screening tools for left ventricular systolic dysfunction in a population-based sample of 75-year-old men and women. <i>American Heart Journal</i> , 2004 , 148, 524-9	4.9	24
453	Approach to the management of diabetic patients with heart failure: role of thiazolidinediones. <i>American Heart Journal</i> , 2004 , 148, 551-8	4.9	17
452	Exercise training for patients with heart failure: a systematic review of factors that improve mortality and morbidity. 2004 , 116, 693-706		300
45 ¹	T wave alternans is a predictor of death in patients with congestive heart failure. <i>International Journal of Cardiology</i> , 2004 , 93, 31-8	3.2	21
45°	Antithrombotic therapy for congestive heart failure. 2006 , 60, 36-47		9

449	Frailty predicts long-term mortality in elderly subjects with chronic heart failure. 2005, 35, 723-30	221
448	Hypertensionstill an important cause of heart failure?. 2005 , 19, 267-75	16
447	Does a gender difference in response to cardiac resynchronization therapy exist?. 2005 , 28, 1271-5	29
446	Cardiac resynchronizationa heart failure perspective. 2005 , 10, 16-23	7
445	Viable myocardium: how much is enough?. 2005 , 22, 59-70	3
444	Prognostic impact of diabetes mellitus in patients with acute decompensated heart failure. 2005 , 95, 1117-9	16
443	Relation of improvement in left ventricular ejection fraction versus improvement in heart failure symptoms after coronary revascularization in patients with ischemic cardiomyopathy. 2005 , 96, 386-9	5
442	An approach to heart failure and diabetes mellitus. 2005 , 96, 47E-52E	24
441	Definition and epidemiology of acute heart failure syndromes. 2005 , 96, 5G-10G	91
440	[A new look at adult chronic heart failure in Africa in the age of the Doppler echocardiography: experience of the medicine department at Yaounde General Hospital]. <i>Annales De Cardiologie Et</i> 0.5 <i>Dr</i> Angeiologie, 2005 , 54, 276-83	53
439	Outcomes and prognostic factors of systolic as compared with diastolic heart failure in urban America. 2005 , 11, 6-11	26
438	Increase of fibronectin and osteopontin in porcine hearts following ischemia and reperfusion. 2005 , 83, 626-37	39
437	[Congestive heart failure in childhood. An epidemiologic study]. 2005, 30, 652-62	25
436	N-Terminal-proBNP (NT-proBNP) as an indicator of cardiac dysfunction. A study in patients presenting with suspected cardiac disorders. 2005 , 94, 247-54	16
435	Therapies to prevent heart failure post-myocardial infarction. 2005, 2, 174-82	15
434	Treatment of leukoaraiosis. 2005 , 7, 173-7	8
433	Heart failure in women. 2005 , 7, 159-65	2
432	Hypertrophy in the female heart. 2005 , 7, 173-7	1

431 Advanced heart failure and transplantation in women. **2005**, 7, 184-9

430	Role of apoptosis in ventricular remodeling. 2005 , 2, 18-22		25
429	Left ventricular size and shape: determinants of mechanical signal transduction pathways. <i>Heart Failure Reviews</i> , 2005 , 10, 95-100	5	34
428	Clinical assessment of myocardial hibernation. <i>Heart</i> , 2005 , 91, 111-7	5.1	22
427	Hypertension in adults across the age spectrum: current outcomes and control in the community. 2005 , 294, 466-72		427
426	A matched-cohort study of health services utilization outcomes for a heart failure disease management program. 2005 , 8, 35-41		5
425	What can a pilot congestive heart failure disease management program tell us about likely return on investment?: A case study from a program offered to federal employees. 2005 , 8, 346-60		6
424	Randomized trial to determine the effect of nebivolol on mortality and cardiovascular hospital admission in elderly patients with heart failure (SENIORS). <i>European Heart Journal</i> , 2005 , 26, 215-25	9.5	1076
423	Integrating palliative care into heart failure care. 2005 , 165, 374-8		115
422	Heart failure. 2005 , 365, 1877-89		626
421	Strategies to reduce length of stay and costs associated with decompensated heart failure. 2005 , 2, 140-	-7	3
420	Management of cardiovascular disease in the renal transplant recipient. 2005 , 23, 331-42		7
419	MRI of the Heart and Vessels. 2005,		6
418	Ibutiliderecent molecular insights and accumulating evidence for use in atrial flutter and fibrillation. 2005 , 14, 655-69		5
417	Early initiation of beta blockade in heart failure: issues and evidence. 2005 , 7, 520-8; quiz 529-30		6
416	Noninvasive monitoring of rejection therapy based on intramyocardial electrograms after orthotopic heart transplantation. Initial experience with 14 cases. 2005 , 5, 59-65		6
415	The risk of cardiovascular death in elderly patients with possible heart failure. Results from a 6-year follow-up of a Swedish primary care population. <i>International Journal of Cardiology</i> , 2005 , 100, 17-27	3.2	14
414	Risk stratification in a Brazilian hospital-based cohort of 1220 outpatients with heart failure: role of Chagas' heart disease. <i>International Journal of Cardiology</i> , 2005 , 102, 239-47	3.2	140

413	Acute cardiogenic pulmonary edemarelevance of multivessel disease, conduction abnormalities and silent ischemia. <i>International Journal of Cardiology</i> , 2005 , 103, 59-66	3.2	10
412	[Prevalence and management of heart failure in France: national study among general practitioners of the Sentinelles network]. 2005 , 26, 845-50		18
411	[Heart failure: public health's problem]. 2005 , 26, 843-4		2
410	[Pathophysiology and therapeutic implications of left heart failure]. 2005, 26, 874-84		О
409	Insulin-treated diabetes is associated with a marked increase in mortality in patients with advanced heart failure. <i>American Heart Journal</i> , 2005 , 149, 168-74	4.9	147
408	Rate control versus rhythm control for patients with persistent atrial fibrillation with mild to moderate heart failure: results from the RAte Control versus Electrical cardioversion (RACE) study. <i>American Heart Journal</i> , 2005 , 149, 1106-11	4.9	132
407	Testing new targets of therapy in advanced heart failure: the design and rationale of the Strategies for Tailoring Advanced Heart Failure Regimens in the Outpatient Setting: BRain NatrIuretic Peptide Versus the Clinical CongesTion ScorE (STARBRITE) trial. <i>American Heart Journal</i> , 2005 , 150, 893-8	4.9	45
406	Incidence and hospital death rates associated with heart failure: a community-wide perspective. 2005 , 118, 728-34		93
405	Incremental effects of concurrent pharmacotherapeutic regimens for heart failure on hospitalizations and costs. 2005 , 39, 1785-91		9
404	Left ventricular remodeling after myocardial infarction in antecedent hypertensive patients. 2005 , 28, 293-9		7
403	Heart Failure and Cardiac Dysfunction in Diabetes. 2005 , 555-578		
402	Ventricular assist device therapy normalizes inducible nitric oxide synthase expression and reduces cardiomyocyte apoptosis in the failing human heart. <i>Journal of the American College of Cardiology</i> , 2005 , 45, 1419-24	15.1	30
401	Novel metabolic risk factors for heart failure. <i>Journal of the American College of Cardiology</i> , 2005 , 46, 2054-60	15.1	82
400	Diabetes and Cardiovascular Disease. 2005,		6
399	Myocardial dysfunction in rheumatoid arthritis: epidemiology and pathogenesis. 2005 , 7, 195-207		52
398	Cardiac Hypertrophy. 2006 , 146-156		
397	Diabetic cardiomyopathy: the search for a unifying hypothesis. 2006 , 98, 596-605		465
396	The Pathophysiologic Basis of Nuclear Medicine. 2006,		14

395	Adaptation of renal function in heart failure. 2006 , 28, 527-35		6
394	Autophagic cardiomyocyte death in cardiomyopathic hamsters and its prevention by granulocyte colony-stimulating factor. 2006 , 168, 386-97		107
393	Mitochondrial oxidative stress, DNA damage, and heart failure. 2006, 8, 1737-44		106
392	Epidemiology and pathophysiology of heart failure. 2006 , 34, 210-214		5
391	Geriatric heart failure, depression, and nursing home admission: an observational study using propensity score analysis. 2006 , 14, 867-75		20
390	Cardiomyopathy of insulin resistance. 2006 , 2, 13-23		4
389	[Use of betablockers in elderly patients with congestive heart failure]. 2006, 126, 206-10		2
388	High-sensitivity C-reactive protein and parameters of left ventricular dysfunction. 2006, 12, 61-5		58
387	Conceptualization and working definition of heart failure. 2006, 12, e10-1		5
386	Management of asymptomatic patients with reduced left ventricular ejection fraction. 2006 , 12, e26-8		4
385	Acute respiratory failure in the elderly: etiology, emergency diagnosis and prognosis. 2006, 10, R82		218
384	Are registry hospitals different? A comparison of patients admitted to hospitals of a commercial heart failure registry with those from national and community cohorts. <i>American Heart Journal</i> , 2006 , 152, 935-9	4.9	31
383	Diabetes in heart failure: prevalence and impact on outcome in the population. 2006, 119, 591-9		217
382	The nonspecific anti-inflammatory therapy with methotrexate for patients with chronic heart failure. <i>American Heart Journal</i> , 2006 , 151, 62-8	4.9	41
381	An unexpected inverse relationship between HbA1c levels and mortality in patients with diabetes and advanced systolic heart failure. <i>American Heart Journal</i> , 2006 , 151, 91	4.9	108
380	The relationship of age, blood pressure, serum cholesterol and smoking habits with the risk of typical and atypical coronary heart disease death in the European cohorts of the Seven Countries Study. <i>International Journal of Cardiology</i> , 2006 , 106, 157-63	3.2	23
379	Histidine-rich Ca binding protein: a regulator of sarcoplasmic reticulum calcium sequestration and cardiac function. 2006 , 40, 653-65		52
378	Cardiac-directed expression of adenylyl cyclase reverses electrical remodeling in cardiomyopathy. 2006 , 41, 170-81		15

	Biventricular Pacing and Heterogeneity of Ventricular Repolarization in Heart Failure Patients. 2006 , 2, 182618680600200	
376	The DAVES (Disfunzione Asintomatica VEntricolare Sinistra) study by the Italian Society of Cardiovascular Echography: rationale and design. 2006 , 7, 457-63	5
375	MCI-154: A Second Generation Ca2+ Sensitizer That Does Not Impair Relaxation â[A Novel Approach to the Treatment of Heart Failure. 2006 , 18, 271-283	
374	Implication from randomized trials of rate and rhythm controls on management of patients with persistent atrial fibrillation. 2006 , 11, 170-86	1
373	Treatment with granulocyte colony-stimulating factor ameliorates chronic heart failure. 2006 , 86, 32-44	47
372	The role of basic leucine zipper protein-mediated transcription in physiological and pathological myocardial hypertrophy. 2006 , 1080, 97-109	19
371	Diagnosis of heart failure in primary care. <i>Heart Failure Reviews</i> , 2006 , 11, 95-107	67
370	Insuficiencia cardiaca en Espa â . Epidemiologi e importancia del grado de adecuacii a las guis de pritica cliica. 2006 , 6, 2F-8F	
369	Situaciñ epidemiolĝica de la insuficiencia cardiaca en Espa â . 2006 , 6, 4C-9C	
- (0	Estrogen replacement and cardiomyocyte protection. 2006 , 16, 69-75	
368	Estrogen replacement and cardiomyocyte protection. 2000, 10, 03-13	42
367	Optimal medical therapy for heart failure. 2006 , 48, 372-85	15
367	Optimal medical therapy for heart failure. 2006 , 48, 372-85 Effects of torasemide on cardiac sympathetic nerve activity and left ventricular remodelling in	15
367 366	Optimal medical therapy for heart failure. 2006 , 48, 372-85 Effects of torasemide on cardiac sympathetic nerve activity and left ventricular remodelling in patients with congestive heart failure. <i>Heart</i> , 2006 , 92, 1434-40 NTproBNP-guided drug treatment for chronic heart failure: design and methods in the	15 58
367 366 365	Optimal medical therapy for heart failure. 2006 , 48, 372-85 Effects of torasemide on cardiac sympathetic nerve activity and left ventricular remodelling in patients with congestive heart failure. <i>Heart</i> , 2006 , 92, 1434-40 NTproBNP-guided drug treatment for chronic heart failure: design and methods in the "BATTLESCARRED" trial. 2006 , 8, 532-8 Left ventricular hypertrophy in mice with a cardiac-specific overexpression of interleukin-1. 2006 ,	15 58 56 39
367 366 365 364	Optimal medical therapy for heart failure. 2006, 48, 372-85 Effects of torasemide on cardiac sympathetic nerve activity and left ventricular remodelling in patients with congestive heart failure. Heart, 2006, 92, 1434-40 NTproBNP-guided drug treatment for chronic heart failure: design and methods in the "BATTLESCARRED" trial. 2006, 8, 532-8 Left ventricular hypertrophy in mice with a cardiac-specific overexpression of interleukin-1. 2006, 291, H176-83	15 58 56 39
367 366 365 364 363	Optimal medical therapy for heart failure. 2006, 48, 372-85 Effects of torasemide on cardiac sympathetic nerve activity and left ventricular remodelling in patients with congestive heart failure. Heart, 2006, 92, 1434-40 NTproBNP-guided drug treatment for chronic heart failure: design and methods in the "BATTLESCARRED" trial. 2006, 8, 532-8 Left ventricular hypertrophy in mice with a cardiac-specific overexpression of interleukin-1. 2006, 291, H176-83 Gender and heart failure: a population perspective. Heart, 2006, 92 Suppl 3, iii14-8 5.1 Proteomic analysis of early left ventricular hypertrophy secondary to hypertension: modulation by	15 58 56 39

359	Treatment of Advanced Heart Disease. 2006 ,		1
358	A history of arterial hypertension does not affect mortality in patients hospitalised with congestive heart failure. <i>Heart</i> , 2006 , 92, 1430-3	5.1	3
357	Cardiac hypertrophy: stressing out the heart. 2006 , 116, 1467-70		34
356	Long-term survival in elderly patients hospitalized for heart failure: 14-year follow-up from a prospective randomized trial. 2006 , 166, 1892-8		69
355	GDF15/MIC-1 functions as a protective and antihypertrophic factor released from the myocardium in association with SMAD protein activation. 2006 , 98, 342-50		337
354	Cardiovascular diseases in women: a statement from the policy conference of the European Society of Cardiology. <i>European Heart Journal</i> , 2006 , 27, 994-1005	9.5	260
353	The role of sex in cardiac function and disease. 2006 , 84, 93-109		50
352	Heart failure at the end of life: symptoms, function, and medical care in the Cardiovascular Health Study. 2006 , 15, 217-25		12
351	Calcineurin activation is not necessary for Doxorubicin-induced hypertrophy in H9c2 embryonic rat cardiac cells: involvement of the phosphoinositide 3-kinase-Akt pathway. 2006 , 319, 934-40		42
350	Impact of chronic heart failure on elderly persons' daily life: a validation study. 2006 , 5, 137-45		28
349	Diet, Metabolic Syndrome, and Obesity. 2006 , 37-58		
348	Genetic inhibition of cardiac ERK1/2 promotes stress-induced apoptosis and heart failure but has no effect on hypertrophy in vivo. 2007 , 104, 14074-9		181
347	Effects of an aging vascular model on healthy and diseased hearts. 2007, 293, H1334-43		9
346	Long-term follow-up of very old heart failure patients enrolled in a trial of exercise training. 2007 , 16, 243-8		9
345	Genetic variation associated with ischemic heart failure: a HuGE review and meta-analysis. 2007 , 166, 619-33		36
344	Exercise training in chronic heart failure: how to harmonize oxidative stress, sympathetic outflow, and angiotensin II. 2007 , 115, 3042-4		11
343	Long-term survival after heart failure: a contemporary population-based perspective. 2007 , 167, 490-6		140
342	Decompensated heart failure in the setting of kidney dysfunction: a community-wide perspective. 2007 , 107, c147-55		8

341	Sex differences in basal hemodynamics and left ventricular function in humans with and without heart failure. <i>American Heart Journal</i> , 2007 , 154, 575-80	11
340	Secular trends of heart failure among US male physicians. <i>American Heart Journal</i> , 2007 , 154, 855-60 4.9	12
339	Remote Active Monitoring in Patients with Heart Failure (RAPID-RF): design and rationale. 2007 , 13, 241-6	32
338	Does total implantability reduce infection with the use of a left ventricular assist device? The LionHeart experience in Europe. 2007 , 26, 219-29	84
337	A comparison of health-related quality of life between older adults with heart failure and healthy older adults. 2007 , 36, 16-24	78
336	Serial NT-proBNP monitoring and outcomes in outpatients with decompensation of heart failure. International Journal of Cardiology, 2007 , 120, 338-43	27
335	Central arterial aging and the epidemic of systolic hypertension and atherosclerosis. 2007, 1, 302-40	28
334	Use of disease-modifying therapies in patients hospitalized with heart failure: a population-based perspective. 2007 , 120, 98.e1-8	14
333	Canadian Cardiovascular Society Consensus Conference recommendations on heart failure update 2007: Prevention, management during intercurrent illness or acute decompensation, and use of biomarkers. 2007 , 23, 21-45	110
332	Are there sex-related differences in specialized, multidisciplinary congestive heart failure clinics?. 2007 , 23, 451-5	19
331	Mitral insufficiency and morbidity and mortality in left ventricular dysfunction. 2007, 23, 797-800	22
330	Epidemiology, pathophysiology, and prognosis of heart failure in the elderly. 2007 , 3, 381-7	54
329	Cognitive impairment in heart failure: a systematic review of the literature. 2007 , 9, 440-9	368
328	Risk Factor Management and Lifestyle Modification in Heart Failure. 2007 , 315-330	
327	Epidemiology, pathophysiology, and prognosis of heart failure in the elderly. 2007 , 23, 1-10	46
326	Glucocorticoids and cardiovascular events in rheumatoid arthritis: a population-based cohort study. 2007 , 56, 820-30	181
325	Endothelial dysfunction in psoriatic arthritis patients without clinically evident cardiovascular disease or classic atherosclerosis risk factors. 2007 , 57, 287-93	156

(2008-2007)

323	remodeling. 2007 , 30, 1349-55	45
322	Prognostic role of B-type natriuretic peptide in patients with diabetes and acute decompensated heart failure. 2007 , 24, 124-30	8
321	Profile of cognitive impairment in chronic heart failure. 2007 , 55, 1764-70	139
320	Diabetes mellitus and heart failure: epidemiology, mechanisms, and pharmacotherapy. 2007 , 99, 113B-132B	89
319	Diabetic cardiomyopathy. 2007, 9, 467-73	28
318	Left atrial remodelling contributes to the progression of asymptomatic left ventricular systolic dysfunction to chronic symptomatic heart failure. <i>Heart Failure Reviews</i> , 2008 , 13, 91-8	25
317	Roles of TRP channels in the development of cardiac hypertrophy. 2008 , 378, 395-406	41
316	Diagnosis of new onset heart failure in the community: the importance of a shared-care approach and judicious use of BNP. 2008 , 177, 197-203	2
315	Cardiac resynchronization therapy: application of imaging to optimize patient selection and assess response. 2008 , 5, 119-27	7
314	The presentation and outcome of heart failure in patients with rheumatoid arthritis differs from that in the general population. 2008 , 58, 2603-11	110
313	Gender disparity in the use of cardiac resynchronization therapy in the United States. 2008, 31, 468-72	45
312	Insulin-treated type 2 diabetes is associated with a decreased survival in heart failure patients after cardiac resynchronization therapy. 2008 , 31, 1425-32	28
311	Continuous positive airway pressure in heart failure patients with obstructive sleep apnoea. 2008 , 38, 829-36	20
310	Impact of adherence to statins on chronic heart failure in primary prevention. 2008, 66, 706-16	20
309	Serial monitoring of brain natriuretic peptide concentrations for drug therapy management in patients with chronic heart failure. 2008 , 28, 343-55	
308	Impact of chronic obstructive pulmonary disease on long-term outcome of patients hospitalized for heart failure. 2008 , 101, 353-8	68
307	Management of prosthetic valve infective endocarditis. 2008, 101, 1174-8	47
306	Comparative effects of torasemide and furosemide in rats with heart failure. 2008 , 75, 649-59	35

305	Effect of a long-term treatment with a low-dose granulocyte colony-stimulating factor on post-infarction process in the heart. 2008 , 12, 1272-83		21
304	Admission hyperglycemia and length of hospital stay in patients with diabetes and heart failure: a prospective cohort study. 2008 , 14, 117-20		8
303	Symptom distress and quality of life in patients with advanced congestive heart failure. 2008 , 35, 594-60	3	204
302	Improvement in prognosis of dilated cardiomyopathy in the elderly over the past 20 years. 2008 , 52, 111-7		18
301	[Clinical characteristics and management of hypertense patients diagnosed of heart failure in primary health care in Spain. HICAP Study]. 2008 , 208, 124-9		2
300	Predictores de insuficiencia cardiaca en la miocardiopat\(\extrm{la chag\(\textrm{Sica cr\textra} ica con disfunci\(la chag\(\textrm{Sica con disfunci\(\textrm{la chag\(\textrm{Sica con disfunci\(\textrm{Sica con disfunci\(\textrm{la chag\(\textrm{Sica con disfunci\(\text		4
299	Validaciñ de la versiñ espa ô la del Minnesota Living with Heart Failure Questionnaire. 2008 , 61, 251-259		53
298	Evaluation of heart failure management in a Military Hospital. 2008, 101, 235-41		
297	No gender survival difference in a population of patients with chronic heart failure related to left ventricular systolic dysfunction and receiving optimal medical therapy. 2008 , 101, 242-8		3
296	Predictors of Heart Failure in Chronic Chagasic Cardiomyopathy With Asymptomatic Left Ventricular Dysfunction. 2008 , 61, 116-122		
295	Validation of the Spanish Version of the Minnesota Living With Heart Failure Questionnaire. 2008 , 61, 251-259		4
294	Insulin-resistant cardiomyopathy clinical evidence, mechanisms, and treatment options. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 93-102	15.1	266
293	Novel metabolic risk factors for incident heart failure and their relationship with obesity: the MESA (Multi-Ethnic Study of Atherosclerosis) study. <i>Journal of the American College of Cardiology</i> , 2008 , 51, 1775-83	15.1	263
292	Coenzyme Q10: an independent predictor of mortality in chronic heart failure. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 1435-41	15.1	153
291	Diastolic heart failure. 2008 , 37, 405-16		26
290	Panic disorder in patients with chronic heart failure. 2008 , 64, 299-303		33
289	Differential effects of lipids on the risk of heart failure and coronary heart disease: the Physicians' Health Study. <i>American Heart Journal</i> , 2008 , 155, 869-75	4.9	26
288	Resource utilization in patients hospitalized with heart failure: insights from a contemporary national hospital database. <i>American Heart Journal</i> , 2008 , 155, 978-985.e1	4.9	30

(2008-2008)

287	Impact of do-not-resuscitation orders on quality of care performance measures in patients hospitalized with acute heart failure. <i>American Heart Journal</i> , 2008 , 156, 78-84	4.9	104
286	Physician attitudes toward end-stage heart failure: a national survey. 2008 , 121, 127-35		80
285	Small GTP-binding proteins and their regulators in cardiac hypertrophy. 2008 , 44, 623-32		68
284	Preserved systolic ventricular function heart failure patients referred to a division of internal medicine. 2008 , 19, 511-5		1
283	Consultation between specialists in Internal Medicine and Family Medicine improves management and prognosis of heart failure. 2008 , 19, 548-54		10
282	Tratamiento de la insuficiencia card\u00e4ca del anciano. 2008 , 12, 1-10		
281	Do cardiovascular risk factors confer the same risk for cardiovascular outcomes in rheumatoid arthritis patients as in non-rheumatoid arthritis patients?. 2008 , 67, 64-9		228
280	Prevention of adverse electrical and mechanical remodeling with biventricular pacing in a rabbit model of myocardial infarction. 2008 , 5, 124-30		14
279	Gestione dellâlīhsufficienza cardiaca delle persone anziane. 2008 , 10, 1-10		
278	Mitochondrial oxidative stress and dysfunction in myocardial remodelling. 2009 , 81, 449-56		270
277	Predicting mortality among a general practice-based sample of older people with heart failure. 2008 , 4, 5-12		23
276	Prognostic impact of diabetes mellitus in patients with heart failure and preserved ejection fraction: a prospective five-year study. <i>Heart</i> , 2008 , 94, 1450-5	5.1	44
275	Metabolic syndrome, inflammation, and incident heart failure in the elderly: the cardiovascular health study. 2008 , 1, 242-8		59
274	NFATc2 is a necessary mediator of calcineurin-dependent cardiac hypertrophy and heart failure. 2008 , 283, 22295-303		109
273	Suppression of cardiac myocyte hypertrophy by conjugated linoleic acid: role of peroxisome proliferator-activated receptors alpha and gamma. 2008 , 283, 10707-15		33
272	Differences in the incidence of congestive heart failure by ethnicity: the multi-ethnic study of atherosclerosis. 2008 , 168, 2138-45		371
271	Sudden death after myocardial infarction. 2008 , 300, 2022-9		158
270	DUSP6 (MKP3) null mice show enhanced ERK1/2 phosphorylation at baseline and increased myocyte proliferation in the heart affecting disease susceptibility. 2008 , 283, 31246-55		118

269	Association of pericardial fat, intrathoracic fat, and visceral abdominal fat with cardiovascular disease burden: the Framingham Heart Study. <i>European Heart Journal</i> , 2009 , 30, 850-6	.5	433
268	Prevention of heart failure: a scientific statement from the American Heart Association Councils on Epidemiology and Prevention, Clinical Cardiology, Cardiovascular Nursing, and High Blood Pressure Research; Quality of Care and Outcomes Research Interdisciplinary Working Group; and Functional		394
267	Sex differences in response to chronic heart failure therapies. 2008 , 6, 555-65		15
266	Intracoronary 17beta-estradiol and the inotropic response to dobutamine in postmenopausal women. 2008 , 17, 1499-503		1
265	Review article: Left ventricular dysfunction and heart failure in metabolic syndrome and diabetes without overt coronary artery diseasedo we need to screen our patients?. 2009 , 6, 153-63		33
264	ASK1 regulates cardiomyocyte death but not hypertrophy in transgenic mice. 2009 , 105, 1110-7		66
263	Intake of very long chain n-3 fatty acids from fish and the incidence of heart failure: the Rotterdam Study. 2009 , 11, 922-8		33
262	Reverse epidemiology in systolic and nonsystolic heart failure: cumulative prognostic benefit of classical cardiovascular risk factors. 2009 , 2, 563-71		82
261	Gene therapy in large animal models of human cardiovascular genetic disease. 2009 , 50, 199-205		12
260	Characterization of NT-proBNP in human urine. 2009 , 55, 1126-34		7
259	Asymptomatic hyperuricemia and serum uric acid concentration correlate with subclinical atherosclerosis in psoriatic arthritis patients without clinically evident cardiovascular disease. 2009 , 39, 157-62		48
258	Survival among patients with left ventricular systolic dysfunction treated with atenolol. 2009 , 15, 213-7		
257	Effect of long term and intensive endurance training in athletes on the age related decline in left and right ventricular diastolic function as assessed by Doppler echocardiography. 2009 , 104, 1145-51		34
256	A minimally invasive method for induction of myocardial infarction in an animal model using tungsten spirals. 2009 , 25, 529-35		9
255	Gender aspects on heart failure incidence and mortality in a middle-aged, urban, community-based population sample: the Malm[preventive project. 2009 , 24, 249-57		8
254	Age-related atrial fibrosis. 2009 , 31, 27-38		49
253	Eligibility criteria in heart failure randomized controlled trials: a gap between evidence and clinical practice. 2009 , 4, 117-22		19
252	Diagnostic accuracy of clinical criteria for identifying systolic and diastolic heart failure: cross-sectional study. 2009 , 15, 55-61		28

(2009-2009)

251	207 - 18	57
250	Cardiac anti-remodelling effect of aerobic training is associated with a reduction in the calcineurin/NFAT signalling pathway in heart failure mice. 2009 , 587, 3899-910	49
249	Toward an implantable wireless cardiac monitoring platform integrated with an FDA-approved cardiovascular stent. 2009 , 22, 479-87	22
248	Emerging concepts in cardiovascular disease risk assessment: where do women fit in?. 2009 , 21, 480-7	3
247	Neutrophilia predicts death and heart failure after myocardial infarction: a community-based study. 2009 , 2, 656-62	123
246	Prediction clinical profile to distinguish between systolic and diastolic heart failure in hospitalized patients. 2009 , 20, 313-8	2
245	Statin therapy and clinical outcomes in heart failure: a propensity-matched analysis. 2009, 15, 241-8	19
244	Quality of life and depressive symptoms in heart failure patients and their partners: the impact of role and gender. 2009 , 15, 580-5	31
243	Prognostic value of left ventricular apical tissue removed for HeartMate II left ventricular assist device placement. 2009 , 18, 217-22	7
242	Identification of congestive heart failure via respiratory variation of inferior vena cava diameter. 2009 , 27, 71-75	102
241	N-terminal pro-B-type natriuretic peptide-guided treatment for chronic heart failure: results from the BATTLESCARRED (NT-proBNP-Assisted Treatment To Lessen Serial Cardiac Readmissions and Death) trial. <i>Journal of the American College of Cardiology</i> , 2009 , 55, 53-60	259
240	In-hospital prognosis of prosthetic valve endocarditis after urgent surgery. 2009 , 62, 1388-94	3
239	Rodent models of diabetic cardiomyopathy. 2009 , 2, 454-66	202
238	The effect of dietary red palm oil on the functional recovery of the ischaemic/reperfused isolated rat heart: the involvement of the PI3-kinase signaling pathway. 2009 , 8, 18	9
237	Functional characterization of the cAMP-binding proteins Epac in cardiac myocytes. 2009, 61, 146-53	17
236	Plasma lipoprotein-associated phospholipase A2 levels in heart failure: association with mortality in the community. 2009 , 203, 593-8	19
235	Consultation with cardiologists for persons with new-onset chronic heart failure: a population-based study. 2009 , 25, 690-4	25
234	Factors related to time to admission to specialized multidisciplinary clinics in patients with congestive heart failure. 2009 , 25, e347-52	11

233	PronEtico hospitalario de la endocarditis protŝica tras cirugê urgente. 2009 , 62, 1388-1394		7
232	[Experience and prospects in the treatment of heart failure]. 2009 , 64, 75-80		2
231	Symptom presentation in patients hospitalized with acute heart failure. 2010 , 33, E73-80		31
230	Aging modulates dispersion of ventricular repolarization in the very old of the geriatric population. Heart and Vessels, 2010 , 25, 500-8	2.1	5
229	Role of the cAMP-binding protein Epac in cardiovascular physiology and pathophysiology. 2010 , 459, 535-46		62
228	Recent advances in cardiac resynchronization therapy: echocardiographic modalities, patient selection, optimization, non-respondersall you need to know for more efficient CRT. 2010 , 26, 177-91		15
227	Prognostic value of late gadolinium enhancement in hypertensive patients with known or suspected coronary artery disease. 2010 , 26 Suppl 1, 123-31		20
226	Heart failure: epidemiology, investigation and management. 2010 , 38, 473-478		1
225	Heart failure: classification and pathophysiology. 2010 , 38, 467-472		4
224	Age- and gender-specific risk of death after first hospitalization for heart failure. 2010 , 10, 637		28
223	Perioperative outcome and long-term mortality for heart failure patients undergoing intermediate- and high-risk noncardiac surgery: impact of left ventricular ejection fraction. 2010 , 16, 45-9		68
222	Individual and joint associations of obesity and physical activity on the risk of heart failure. 2010 , 16, 292-9		8
221	Treating Systolic Heart Failure. 2010 , 287-326		
220	Statin therapy in the elderly: a review. 2010 , 50, 114-8		40
219	Home care utilization and outcomes among Asian and other Canadian patients with heart failure. BMC Cardiovascular Disorders, 2010 , 10, 12	2.3	3
218	Prognostic factors in left-sided endocarditis: results from the Andalusian multicenter cohort. 2010 , 10, 17		53
217	The incidence and first-year mortality of heart failure in Belgium: a 2-year nationwide prospective registration. 2010 , 64, 330-5		15
216	Extracellular signal-regulated kinase 1/2 (ERK1/2) signaling in cardiac hypertrophy. 2010 , 1188, 96-102		99

215	Epidemiological, clinical e therapeutic profile of heart failure in a tertiary hospital. 2010 , 95, 392-8		15
214	Filling pressures and collagen metabolism in hypertensive patients with heart failure and normal ejection fraction. 2010 , 55, 1418-24		89
213	Association of genome-wide variation with the risk of incident heart failure in adults of European and African ancestry: a prospective meta-analysis from the cohorts for heart and aging research in genomic epidemiology (CHARGE) consortium. 2010 , 3, 256-66		147
212	Renal function, health outcomes, and resource utilization in acute heart failure: a systematic review. 2010 , 3, 726-45		68
211	Prevalence, distribution, and risk factor correlates of high pericardial and intrathoracic fat depots in the Framingham heart study. 2010 , 3, 559-66		64
210	Cardiac-specific overexpression of dominant-negative CREB leads to increased mortality and mitochondrial dysfunction in female mice. 2010 , 299, H2056-68		33
209	Impact of diastolic dysfunction on the development of heart failure in diabetic patients after acute myocardial infarction. 2010 , 3, 125-31		22
208	Prehypertensive African-American women have preserved nitric oxide and renal function but high cardiovascular risk. 2010 , 33, 282-90		4
207	Heart failure: incidence, case fatality, and hospitalization rates in Western Australia between 1990 and 2005. 2010 , 3, 236-43		77
206	Dental care for patients with heart failure: an update. 2010 , 141, 845-53		12
205	Decompensated chronic heart failure: increased liver stiffness measured by means of transient elastography. 2010 , 257, 872-8		128
204	Positive Airway Pressure in Congestive Heart Failure. 2010 , 5, 393-405		2
203	Long-term reverse remodeling with cardiac resynchronization therapy: results of extended echocardiographic follow-up. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1788-95	15.1	69
202	Increased prevalence of diastolic dysfunction in rheumatoid arthritis. 2010, 69, 1665-70		69
201	The effects of vitamin D supplementation on physical function and quality of life in older patients with heart failure: a randomized controlled trial. 2010 , 3, 195-201		167
200	Impact of previous cardiovascular disease on the outcome of lung transplantation. 2010 , 29, 1270-6		10
199	Gender-specific risk stratification with plasma B-type natriuretic peptide for future onset of congestive heart failure and mortality in the Japanese general population. <i>International Journal of Cardiology</i> , 2010 , 143, 124-9	3.2	11

197	Section 5: Management of Asymptomatic Patients with Reduced Left Ventricular Ejection Fraction. 2010 , 16, e57-e60		O
196	Evidence for a role of immunoproteasomes in regulating cardiac muscle mass in diabetic mice. 2010 , 49, 5-15		38
195	Chronic heart failure: contemporary diagnosis and management. 2010 , 85, 180-95		139
194	Fluid and Electrolytes in Pediatrics. 2010,		2
193	Carga socioeconfinica de la insuficiencia cardfica: revisifi de los estudios de coste de la enfermedad. 2010 , 7, 68-79		10
192	La insuficiencia cardãca en el siglo XXI. Epidemiologã y consecuencias econínicas. 2011 , 18, 83-89		3
191	Negative clinical outcomes associated with drug-related problems in heart failure (HF) outpatients: impact of a pharmacist in a multidisciplinary HF clinic. 2011 , 17, 217-23		56
190	Gender differences in variables related to B-natriuretic peptide, left ventricular ejection fraction and mass, and peak oxygen consumption, in patients with heart failure. <i>International Journal of Cardiology</i> , 2011 , 149, 364-71	3.2	12
189	TNFA -308 (rs1800629) polymorphism is associated with a higher risk of cardiovascular disease in patients with rheumatoid arthritis. 2011 , 216, 125-30		105
188	Republished technology and guidelines: the diagnosis and management of chronic heart failure: review following the publication of the NICE guidelines. 2011 , 87, 841-6		O
187	The diagnosis and management of chronic heart failure: review following the publication of the NICE guidelines. <i>Heart</i> , 2011 , 97, 411-6	5.1	25
186	[Heart failure: strategies used by elders in search for quality of life]. 2011 , 64, 857-63		2
185	Epidemiology and cost of advanced heart failure. 2011 , 54, 78-85		83
184	Usefulness of body mass index to characterize nutritional status in patients with heart failure. 2011 , 108, 1166-70		49
183	Mitochondrial dysfunction in diabetic cardiomyopathy. 2011 , 1813, 1351-9		136
182	Prognostic importance of comorbidities in heart failure with preserved left ventricular ejection fraction. <i>Heart and Vessels</i> , 2011 , 26, 313-20	2.1	31
181	Histone deacetylase inhibitors augment doxorubicin-induced DNA damage in cardiomyocytes. 2011 , 68, 4101-14		19
180	Mechanistic clues in the cardioprotective effect of Terminalia arjuna bark extract in isoproterenol-induced chronic heart failure in rats. 2011 , 11, 48-57		38

(2012-2011)

179	Retinoic acid receptor-mediated signaling protects cardiomyocytes from hyperglycemia induced apoptosis: role of the renin-angiotensin system. 2011 , 226, 1292-307	33
178	The use of imatinib mesylate has no adverse effects on the heart function. Results of a pilot study in patients with chronic myeloid leukemia. 2011 , 35, 317-22	8
177	Impact of concomitant heart failure on outcomes in patients undergoing percutaneous coronary interventions: analysis of the Melbourne Interventional Group registry. 2011 , 13, 416-22	7
176	Atrial fibrillation and heart failure parallels: lessons for atrial fibrillation prevention. 2011 , 10, 46-51	19
175	National and regional trends in heart failure hospitalization and mortality rates for Medicare beneficiaries, 1998-2008. 2011 , 306, 1669-78	520
174	Atrial fibrillation and death after myocardial infarction: a community study. 2011 , 123, 2094-100	163
173	Cardiac AAV9-S100A1 gene therapy rescues post-ischemic heart failure in a preclinical large animal model. 2011 , 3, 92ra64	169
172	Myocardial regeneration in heart failure: integrated development of biological therapeutic approaches. 2011 , 9, 1027-39	1
171	Inflammatory bowel disease is associated with an increased incidence of cardiovascular events. 2011 , 106, 741-7	167
170	Lipid paradox in rheumatoid arthritis: the impact of serum lipid measures and systemic inflammation on the risk of cardiovascular disease. 2011 , 70, 482-7	320
169	Primary prevention of heart failure. 2012 , 2012, 982417	14
168	Efficacy and cost of an exercise program for functionally impaired older patients with heart failure: a randomized controlled trial. 2012 , 5, 209-16	44
167	Classification of heart failure in the atherosclerosis risk in communities (ARIC) study: a comparison of diagnostic criteria. 2012 , 5, 152-9	210
166	The role of urgent transthoracic echocardiography in the evaluation of patients presenting with acute chest pain. 2012 , 19, 277-83	18
165	Hypothyroidism as a risk factor for development of cardiovascular disease in patients with rheumatoid arthritis. 2012 , 39, 954-8	21
164	Role of Epac in brain and heart. 2012 , 40, 51-7	24
163	Advances in Heart Failure Management. 2012 ,	2
162	Plasma and dietary omega-3 fatty acids, fish intake, and heart failure risk in the Physicians' Health Study. 2012 , 96, 882-8	41

Risk and prognostic factors in patients of heart failure. **2012**, 2, 64-74

160	Suivi ducatif ^domicile dans lâIhsuffisance cardiaque par tlmdecine. Eude multicentrique bas normande randomise. Rsultats prliminaires. 2012 , 1, 40-48	14
159	Cortical sources of EEG rhythms in congestive heart failure and Alzheimer's disease. 2012, 86, 98-107	7
158	Le NT-proBNP dans lâlhsuffisance cardiaque des sujets noirs africains : quels seuils faut-il retenir en ambulatoire ?. 2012 , 27, 249-253	
157	A Patient Presents with Longstanding, Severe LV Dysfunction. Is There a Role for Additional Risk Stratification Before ICD?. 2012 , 4, 151-60	3
156	Asymptomatic systolic and diastolic dysfunction in patients with risk factors referred for echocardiography. The DAVES study by the Italian Society of Cardiovascular Echography. 2012 , 22, 29-36	
155	Fish consumption, omega-3 fatty acids and risk of heart failure: a meta-analysis. 2012 , 31, 846-53	118
154	Association of number of live births with left ventricular structure and function. The Multi-Ethnic Study of Atherosclerosis (MESA). <i>American Heart Journal</i> , 2012 , 163, 470-6	19
153	Usefulness of risk scores to estimate the risk of cardiovascular disease in patients with rheumatoid arthritis. 2012 , 110, 420-4	180
152	PPAR⊞ctivation inhibits endothelin-1-induced cardiomyocyte hypertrophy by prevention of NFATc4 binding to GATA-4. 2012 , 518, 71-8	27
151	Cardiac electronic implantable devices in the treatment of heart failure. 2012 , 21, 338-51	4
150	The role of micronutrients in heart failure. 2012 , 112, 870-86	57
149	Increased mortality risk in congestive heart failure patients with comorbid sleep apnoea: 10-year follow up. 2012 , 42, 1264-8	7
148	Adiposity and incident heart failure in older adults: the cardiovascular health study. 2012 , 20, 1936-41	19
147	Pulmonary pressures and death in heart failure: a community study. <i>Journal of the American College of Cardiology</i> , 2012 , 59, 222-31	200
146	Asynchronisme cardiaque chez le sujet ^QRS fin. Eude par chocardiographie Doppler tissulaire. 2012 , 36, 600-604	1
145	High-output heart failure: how to define it, when to treat it, and how to treat it. 2012 , 32, 551-7	48
144	Trends in heart failure hospitalizations. 2012 , 9, 346-53	20

Insuffisance cardiaque du patient 🖰 : comprendre pour une meilleure prise en charge ^domicile. **2012**, 4, 345-349

142	Ventricular arrhythmias: device therapy and ablation. 2012 , 28, 679-91	
141	The role of B vitamins in the management of heart failure. 2012 , 27, 363-74	15
140	Personnes ĝès et rànimation. 2012 ,	
139	Body mass index and rest myocardial perfusion defect predicts cardiac death in patients with chronic heart failure. 2012 , 28 Suppl 1, 77-85	5
138	Disease severity and therapy as predictors of cardiovascular risk in psoriasis: a population-based cohort study. 2012 , 26, 336-43	21
137	Cardiac resynchronization therapy: do women benefit more than men?. 2012 , 23, 172-8	36
136	Association of myocardial fibrosis, B-type natriuretic peptide, and cardiac magnetic resonance parameters of remodeling in chronic ischemic cardiomyopathy. 2012 , 109, 390-4	9
135	Is there benefit in optimising heart failure treatment in over-80 year-old patients? (HF-80 study): study protocol for a randomized controlled trial. 2012 , 13, 25	8
134	High glucose-induced repression of RAR/RXR in cardiomyocytes is mediated through oxidative stress/JNK signaling. 2012 , 227, 2632-44	37
133	Noncardiac vascular disease in rheumatoid arthritis: increase in venous thromboembolic events?. 2012 , 64, 53-61	75
132	[Outpatient rehabilitation after myocardial infarction or for heart failure]. 2012, 37, 30-7	
131	NOD2 deletion promotes cardiac hypertrophy and fibrosis induced by pressure overload. 2013 , 93, 1128-36	20
130	PET and SPECT in heart failure. 2013 , 15, 337	15
129	National patterns of heart failure hospitalizations and mortality by sex and age. 2013 , 19, 542-9	22
128	Analysis of 10-year nationwide population-based data on sex differences in hospitalization for heart failure. <i>Heart and Vessels</i> , 2013 , 28, 721-7	9
127	Reduzierte myokardiale Ischfhietoleranz bei ventrikulfer Myokardhypertrophie. 2013 , 27, 276-281	
126	Epidemiology of Hypertension. 2013 , 1-11	2

125	The early treatment of type 2 diabetes. 2013 , 126, S2-9	39
124	First hospitalization for heart failure in France in 2009: patient characteristics and 30-day follow-up. 2013 , 106, 570-85	46
123	Activation of retinoid receptor-mediated signaling ameliorates diabetes-induced cardiac dysfunction in Zucker diabetic rats. 2013 , 57, 106-18	31
122	Effect of omega-3 on brain natriuretic peptide and echocardiographic findings in heart failure: Double-blind placebo-controlled randomized trial. 2013 , 4, 20-4	12
121	Multilevel Bayesian networks for the analysis of hierarchical health care data. 2013, 57, 171-83	22
120	Arterial hypertension and chronic heart failure. 2013 , 55, e259-e263	3
119	Delayed hospital presentation in acute decompensated heart failure: clinical and patient reported factors. 2013 , 42, 281-6	28
118	Lung ultrasound for the evaluation of pulmonary congestion in outpatients: a comparison with clinical assessment, natriuretic peptides, and echocardiography. 2013 , 6, 1141-51	126
117	Effect of race on left ventricular ejection fraction decline after initial improvement with beta blockers in patients with non-ischemic cardiomyopathy: a retrospective analysis. 2013 , 13, 183-90	1
116	Relationship between clinically assessed heart failure severity and the Tei index in Nigerian patients. 2013 , 6, 488	5
115	Recent advances in metabolic imaging. 2013 , 20, 1147-72	16
114	Neurological complications of infective endocarditis: risk factors, outcome, and impact of cardiac surgery: a multicenter observational study. 2013 , 127, 2272-84	274
113	Risk following hospitalization in stable chronic systolic heart failure. 2013 , 15, 885-91	40
112	Autophagic predisposition in the insulin resistant diabetic heart. 2013 , 92, 616-20	10
111	Myocardial insulin resistance, metabolic stress and autophagy in diabetes. 2013, 40, 56-61	24
110	Epidemiology of heart failure in Spain over the last 20 years. 2013 , 66, 649-56	23
109	Relation of short-term heart rate variability to incident heart failure (from the Multi-Ethnic Study of Atherosclerosis). 2013 , 112, 533-40	27
108	Aldosterone and myocardial extracellular matrix expansion in type 2 diabetes mellitus. 2013 , 112, 73-8	33

(2013-2013)

107	Histone deacetylase inhibition improved cardiac functions with direct antifibrotic activity in heart failure. <i>International Journal of Cardiology</i> , 2013 , 168, 4178-83	3.2	71
106	Why to use propensity score in observational studies? Case study based on data from the Czech clinical database AHEAD 2006-09. 2013 , 55, e383-e390		23
105	Telecardiologa: pasado, presente y futuro. 2013 , 66, 212-218		14
104	Frailty and healthcare utilization among patients with heart failure in the community. <i>JACC: Heart Failure</i> , 2013 , 1, 135-41	7.9	119
103	Mediastinal Mass and Air Bubble in Two Elderly Patients. 2013 , 7, 236-238		
102	Epidemiologa de la insuficiencia cardiaca en Espaa en los Etimos 20 aos. 2013 , 66, 649-656		165
101	Epidemiology of typical coronary heart disease versus heart disease of uncertain etiology (atypical) fatalities and their relationships with classic coronary risk factors. <i>International Journal of Cardiology</i> , 2013 , 168, 3963-7	3.2	17
100	Update: Innovation in cardiology (II). Telecardiology: past, present and future. 2013 , 66, 212-8		5
99	Measuring frailty in heart failure: a community perspective. American Heart Journal, 2013, 166, 768-74	4.9	67
98	Risk and predictors of cardiovascular disease in psoriasis: a population-based study. 2013 , 52, 32-40		22
97	The importance of admission and discharge BNP assessment in patients hospitalized for acutely decompensated chronic systolic heart failure. 2013 , 55, e286-e292		1
96	Circulating levels of persistent organic pollutants (POPs) are associated with left ventricular systolic and diastolic dysfunction in the elderly. 2013 , 123, 39-45		25
95	Chronic obstructive pulmonary disease and cardiovascular disease. 2013 , 162, 237-51		130
94	Heart failure in China: a review of the literature. 2013 , 73, 689-701		16
93	Heart Failure. 2013 , 69-83		
92	MicroRNA-350 induces pathological heart hypertrophy by repressing both p38 and JNK pathways. 2013 , 1832, 1-10		27
91	Incidence and epidemiology of new onset heart failure with preserved vs. reduced ejection fraction in a community-based cohort: 11-year follow-up of PREVEND. <i>European Heart Journal</i> , 2013 , 34, 1424-3	1 ^{9.5}	318
90	Small G proteins in the cardiovascular system: physiological and pathological aspects. <i>Physiological Reviews</i> , 2013 , 93, 1659-720	47.9	84

89	Mitochondrial morphology in metabolic diseases. 2013 , 19, 415-30	84
88	Heart failure induced by itraconazole. 2013 , 45, 524-5	11
87	Associations between metabolomic compounds and incident heart failure among African Americans: the ARIC Study. 2013 , 178, 534-42	60
86	Cost-effectiveness of ventricular assist device therapy as a bridge to transplantation compared with nonbridged cardiac recipients. 2013 , 127, 2424-35	33
85	Comorbidities of COPD. 2013 , 22, 454-75	232
84	Longterm outcomes and treatment after myocardial infarction in patients with rheumatoid arthritis. 2013 , 40, 605-10	36
83	The cost of hypertension-related ill-health attributable to environmental noise. 2013, 15, 437-45	19
82	Androgen modulates cardiac fibrosis contributing to gender differences on heart failure. 2013 , 16, 22-7	9
81	Anaemia in chronic heart failure: more awareness is required. 2013 , 43, 999-1004	9
80	Heart failure in hospitalized patients with diabetic foot ulcers: clinical characteristics and their relationship with prognosis. 2013 , 5, 429-38	12
79	Impact of diabetes on cognitive impairment and disability in elderly hospitalized patients with heart failure. 2013 , 13, 1035-42	12
78	N-terminal B-type natriuretic peptide and the association with left ventricular diastolic function in a population at high risk of incident heart failure: results of the SCReening Evaluationof the Evolution of New-Heart Failure Study (SCREEN-HF). 2013 , 15, 573-80	15
77	Association between diabetes mellitus and post-discharge outcomes in patients hospitalized with heart failure: findings from the EVEREST trial. 2013 , 15, 194-202	126
76	CPAP in chronic heart failure. 2013 , 47-51	
75	[Epidemiology of acute heart failure]. 2014 , 142 Suppl 1, 3-8	16
74	Overexpression of mitofilin in the mouse heart promotes cardiac hypertrophy in response to hypertrophic stimuli. 2014 , 21, 1693-707	11
73	Electroacupuncture improves cardiac function and remodeling by inhibition of sympathoexcitation in chronic heart failure rats. 2014 , 306, H1464-71	24
72	Low dietary sodium in heart failure: a need for scientific rigour. <i>Heart</i> , 2014 , 100, e2 5.1	í 2

71	Nationwide trends in development of heart failure and mortality after first-time myocardial infarction 1997-2010: A Danish cohort study. 2014 , 25, 731-8		26	
70	Cardiauvergne´: service de tl̇̀ŝurveillance et de coordination des soins des insuffisants cardiaques. 2014 , 3, 169-176		3	
69	Telemonitoring can assist in managing cardiovascular disease in primary care: a systematic review of systematic reviews. 2014 , 15, 43		75	
68	Temporal dystrophic remodeling within the intrinsic cardiac nervous system of the streptozotocin-induced diabetic rat model. 2014 , 2, 60		1	
67	The contribution of illness perception to psychological distress in heart failure patients. 2014 , 2, 50		42	
66	Ligand activation of cannabinoid receptors attenuates hypertrophy of neonatal rat cardiomyocytes. 2014 , 64, 420-30		18	
65	Association of cardiotrophin-1 with myocardial fibrosis in hypertensive patients with heart failure. 2014 , 63, 483-9		39	
64	Worsening of renal function during 1 year after hospital discharge is a strong and independent predictor of all-cause mortality in acute decompensated heart failure. 2014 , 3, e001174		16	
63	Comparative survival and cost-effectiveness of advanced therapies for end-stage heart failure. 2014 , 7, 470-8		86	
62	Biventricular pacing cardiac contractility modulation improves cardiac contractile function via upregulating SERCA2 and miR-133 in a rabbit model of congestive heart failure. 2014 , 33, 1389-99		12	
61	Health care and nonhealth care costs in the treatment of patients with symptomatic chronic heart failure in Spain. 2014 , 67, 643-50		19	
60	Sex Differences and Diabetes Mellitus in Cardiovascular Function. 2014 , 159-176			
59	[Left ventricle assist device: rehabilitation and management programmes]. <i>Annales De Cardiologie Et Dr</i> Angeiologie, 2014 , 63, 245-52	0.5	1	
58	Cardiac matrix remodeling and heart failure. 2014 , 3-26		1	
57	Hypertension as a risk factor for heart failure. 2014 , 16, 447		35	
56	Ventricular Tachycardia in Patients With Dilated Cardiomyopathy. 2014 , 859-871			
55	Rhythm control in heart failure patients with atrial fibrillation: contemporary challenges including the role of ablation. <i>Journal of the American College of Cardiology</i> , 2014 , 64, 710-21	15.1	50	
54	A novel wearable vest for tracking pulmonary congestion in acutely decompensated heart failure. International Journal of Cardiology, 2014, 177, 199-201	3.2	23	

53	GLP-1 (7-36) amide restores myocardial insulin sensitivity and prevents the progression of heart failure in senescent beagles. 2014 , 13, 115		6
52	A novel discharge risk model for patients hospitalised for acute decompensated heart failure incorporating N-terminal pro-B-type natriuretic peptide levels: a European coLlaboration on Acute decompeNsated Heart Failure: ELAN-HF Score. <i>Heart</i> , 2014 , 100, 115-25	5.1	79
51	Costes sanitarios y no sanitarios de personas que padecen insuficiencia cardiaca crítica sintomítica en Espa â . 2014 , 67, 643-650		71
50	Growth differentiation factor-15 is a useful prognostic marker in patients with heart failure with preserved ejection fraction. 2014 , 30, 338-44		47
49	Incidence of first heart failure hospitalisation and mortality in Aboriginal and non-Aboriginal patients in Western Australia, 2000-2009. <i>International Journal of Cardiology</i> , 2014 , 173, 110-7	3.2	25
48	Noncardiovascular death, especially infection, is a significant cause of death in elderly patients with acutely decompensated heart failure. 2014 , 20, 174-80		12
47	Myocardial blood flow in patients with transposition of the great arteries âlītisk factor for dysfunction of the morphologic systemic right ventricle late after atrial repair. 2015 , 79, 425-31		15
46	La ventilazione non invasiva in Medicina Interna. 2015 , 3, 391		1
45	Biological variation of high sensitivity cardiac troponin-T in stable dialysis patients: implications for clinical practice. 2015 , 53, 715-22		23
44	Epicardial Fat Tissue Predicts Increased Long-Term Major Adverse Cardiac Event in Patients With Moderate Cardiovascular Risk. 2015 , 66, 619-24		10
43	Changes in mid-life fitness predicts heart failure risk at a later age independent of interval development of cardiac and noncardiac risk factors: the Cooper Center Longitudinal Study. <i>American Heart Journal</i> , 2015 , 169, 290-297.e1	4.9	61
42	Syndecan-4 is a key determinant of collagen cross-linking and passive myocardial stiffness in the pressure-overloaded heart. 2015 , 106, 217-26		51
41	Impact of clinical characteristics and management on the prognosis of unselected heart failure patients. 2015 , 29, 89-98		14
40	Higher plasma levels of MR-pro-atrial natriuretic peptide are linked to less anxiety: results from the observational DIAST-CHF study. <i>Clinical Research in Cardiology</i> , 2015 , 104, 574-81	6.1	13
39	Varenicline for smoking cessation in people with schizophrenia: systematic review and meta-analysis. 2015 , 265, 259-68		32
38	Mitochondrial dynamics in diabetic cardiomyopathy. 2015 , 22, 1545-62		63
37	Chronic Heart failure âlTherapeutic Approaches 2015 , 10, 46-50		
36	Gender aspects in clinical presentation and prognostication of chronic heart failure according to NT-proBNP and the Heart Failure Survival Score. <i>Clinical Research in Cardiology</i> , 2015 , 104, 334-41	6.1	13

35	The association between thoracic periaortic fat and major adverse cardiovascular events. <i>Wiener Klinische Wochenschrift</i> , 2015 , 127, 191-6	2.3	2
34	Body weight in midlife and long-term risk of developing heart failure-a 35-year follow-up of the primary prevention study in Gothenburg, Sweden. <i>BMC Cardiovascular Disorders</i> , 2015 , 15, 19	2.3	10
33	Clinical prediction of incident heart failure risk: a systematic review and meta-analysis. <i>Open Heart</i> , 2015 , 2, e000222	3	56
32	Redox-sensitive mechanisms underlying vascular dysfunction in heart failure. <i>Free Radical Research</i> , 2015 , 49, 721-42	4	7
31	Coenzyme Q10 for the treatment of heart failure: a review of the literature. <i>Open Heart</i> , 2015 , 2, e0003	32 ₉ 6	32
30	P-wave indices and atrial fibrillation: cross-cohort assessments from the Framingham Heart Study (FHS) and Atherosclerosis Risk in Communities (ARIC) study. <i>American Heart Journal</i> , 2015 , 169, 53-61.e	:1 ^{4.9}	56
29	Comparing two correlated C indices with right-censored survival outcome: a one-shot nonparametric approach. <i>Statistics in Medicine</i> , 2015 , 34, 685-703	2.3	166
28	Thiamin deficiency and heart failure: the current knowledge and gaps in literature. <i>Heart Failure Reviews</i> , 2015 , 20, 1-11	5	22
27	Association of cardiac cachexia and atrial fibrillation in heart failure patients. <i>International Journal of Cardiology</i> , 2016 , 223, 863-866	3.2	6
26	ZAKlantagonizes and ameliorates the cardiac hypertrophic and apoptotic effects induced by ZAKHCell Biochemistry and Function, 2016 , 34, 606-612	4.2	3
25	Admission glucose and left ventricular systolic function in non-diabetic patients with acute myocardial infarction. <i>Heart and Vessels</i> , 2016 , 31, 298-307	2.1	4
24	Epidemiology of heart failure in Germany: a retrospective database study. <i>Clinical Research in Cardiology</i> , 2017 , 106, 913-922	6.1	57
23	[Analysis of the mitochondrial function and ultrastructure in healthy albino mice treated with heart failure medications]. <i>Revista De La Facultad De Ciencias Medicas De Cordoba</i> , 2017 , 74, 231-238	1	
22	Correlation between Serum Calcineurin Activity and Left Ventricular Hypertrophy in Hypertensive Patients and Its Clinical Significance. <i>Cardiology</i> , 2018 , 139, 124-131	1.6	3
21	Performance of the MAGGIC heart failure risk score and its modification with the addition of discharge natriuretic peptides. <i>ESC Heart Failure</i> , 2018 , 5, 610-619	3.7	42
20	Aging in the Cardiovascular System: Lessons from Hutchinson-Gilford Progeria Syndrome. <i>Annual Review of Physiology</i> , 2018 , 80, 27-48	23.1	46
19	Associations between understanding of current treatment intent, communication with healthcare providers, preferences for invasive life-sustaining interventions and decisional conflict: results from a survey of patients with advanced heart failure in Singapore. <i>BMJ Open</i> , 2018 , 8, e021688	3	3
18	[Assessment of medical management of heart failure at National Hospital Blaise COMPAORE]. Annales De Cardiologie Et DrAngeiologie, 2019, 68, 22-27	0.5	1

17	Diabetic Pregnancy and Maternal High-Fat Diet Impair Mitochondrial Dynamism in the Developing Fetal Rat Heart by Sex-Specific Mechanisms. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	20
16	The Biocompatibility Challenges in the Total Artificial Heart Evolution. <i>Annual Review of Biomedical Engineering</i> , 2019 , 21, 85-110	12	12
15	Etiological spectrum of Heart Failure in a tertiary health care facility of Central Nepal. <i>Nepalese Heart Journal</i> , 2019 , 16, 23-28	0.4	
14	Cardiovascular Diseases in the Very Elderly. 2019 , 113-130		
13	Long-term outcomes after myocardial infarction in middle-aged and older patients with congenital heart disease-a nationwide study. <i>European Heart Journal</i> , 2021 , 42, 2577-2586	9.5	6
12	Validity of Acute Cardiovascular Outcome Diagnoses Recorded in European Electronic Health Records: A Systematic Review. <i>Clinical Epidemiology</i> , 2020 , 12, 1095-1111	5.9	5
11	The epidemiology of congestive heart failure: the Framingham Heart Study perspective. <i>Global Heart</i> , 2013 , 8, 77-82	2.9	61
10	Cardiac transmembrane ion channels and action potentials: cellular physiology and arrhythmogenic behavior. <i>Physiological Reviews</i> , 2021 , 101, 1083-1176	47.9	19
9	Physiology and Pharmacology of the Transplanted Heart. 1996 , 229-237		1
8	The Etiologic Basis of Congestive Heart Failure. 2005 , 33-60		1
7	Prognosis following a diagnosis of heart failure and the role of primary care: a review of the literature. <i>BJGP Open</i> , 2017 , 1, bjgpopen17X101013	3.1	10
6	Synthesis of the Cardiac Purkinje-fiber Action Potential Using a Computer Model. 2000 , 209-226		
5	Preventing clinical heart failure: the rationale and scientific evidence. <i>Heart</i> , 2002 , 88 Suppl 2, ii15-22	5.1	5
4	Depressive Symptoms and Incident Heart Failure Risk in the Southern Community Cohort Study JACC: Heart Failure, 2022, 10, 254-262	7.9	O
3	Temporal Change in Renoprotective Effect of Tolvaptan on Patients with Heart Failure: AURORA Study <i>Journal of Clinical Medicine</i> , 2022 , 11,	5.1	
2	Free-breathing gradient recalled echo-based CMR in a swine heart failure model <i>Scientific Reports</i> , 2022 , 12, 3698	4.9	
1	Non-Cardiac Cause of Death in Selected Group Children with Cardiac Pathology: A Retrospective Single Institute Study <i>Children</i> , 2022 , 9,	2.8	O