

CITATION REPORT

List of articles citing

Patient-reported complications and follow-up treatment after radical prostatectomy. The National Medicare Experience: 1988-1990 (updated June 1993)

DOI: 10.1016/0090-4295(93)90524-e
Urology, 1993, 42, 622-9.

Source: <https://exaly.com/paper-pdf/24189735/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 566 | Editorial: Screening for Prostate Cancer 1994 , 10, 245-246 | | 9 |
| 565 | The radical prostatectomy series: apples are not oranges. 1994 , 12, 2243-5 | | 2 |
| 564 | Screening for Prostate Cancer. 1994 , 272, 773 | | 167 |
| 563 | Bladder preservation after treatment of invasive bladder cancer. 1994 , 330, 867; author reply 867-8 | | 1 |
| 562 | The role of conservative management in localized prostate cancer. 1994 , 74, 2178-81 | | 13 |
| 561 | Sequelae of radical prostatectomy. 1994 , 74, 352-8 | | 105 |
| 560 | Sequelae of definitive radiation therapy for prostate cancer localized to the pelvis. <i>Urology</i> , 1994 , 44, 876-82 | 1.6 | 63 |
| 559 | Impact of bladder neck preservation during radical prostatectomy on continence and cancer control. <i>Urology</i> , 1994 , 44, 883-7 | 1.6 | 114 |
| 558 | Perianastomotic injection of autologous fat at the time of radical retropubic prostatectomy. <i>Urology</i> , 1994 , 44, 783-8 | 1.6 | 7 |
| 557 | Contemporary expectant therapy series: A viewpoint. <i>Urology</i> , 1994 , 44, 47-52 | 1.6 | 6 |
| 556 | The role of watchful waiting in the management of localized prostate cancer. <i>Journal of Urology</i> , 1994 , 152, 1766-8 | 2.5 | 44 |
| 555 | The status of radical prostatectomy in the United States in 1993: where do we go from here?. <i>Journal of Urology</i> , 1994 , 152, 1816 | 2.5 | 23 |
| 554 | Radical prostatectomy and radical radiation therapy for clinical stages T1 to 2 adenocarcinoma of the prostate: new insights into outcome from repeat biopsy and prostate specific antigen followup. <i>Journal of Urology</i> , 1994 , 152, 1806-12 | 2.5 | 39 |
| 553 | Measuring health related quality of life in men with prostate cancer. <i>Journal of Urology</i> , 1994 , 152, 1882-7 | 2.5 | 61 |
| 552 | The Prostate Cancer Intervention Versus Observation Trial: a randomized trial comparing radical prostatectomy versus expectant management for the treatment of clinically localized prostate cancer. <i>Journal of Urology</i> , 1994 , 152, 1910-4 | 2.5 | 127 |
| 551 | Treatment related sequelae following external beam radiation for prostate cancer: a review with an update in patients with stages T1 and T2 tumor. <i>Journal of Urology</i> , 1994 , 152, 1799-805 | 2.5 | 108 |
| 550 | Early complications of contemporary anatomical radical retropubic prostatectomy. <i>Journal of Urology</i> , 1994 , 152, 1858-60 | 2.5 | 91 |

| | | | |
|-----|--|-----|-----|
| 549 | Proving early detection and treatment of prostate cancer does more good than harm: the need to support randomized trials actively. <i>Journal of Urology</i> , 1994 , 152, 1903-4 | 2.5 | 5 |
| 548 | Prostate conditions, treatment decisions, and patient preferences. 1995 , 43, 1058-60 | | 2 |
| 547 | Quality of life 12 months after radical prostatectomy. 1995 , 75, 48-53 | | 129 |
| 546 | Nerve-sparing radical retropubic prostatectomy for localized prostate cancer. The pros and cons. 1995 , 75, 1944-1948 | | 6 |
| 545 | The prostate cancer intervention versus observation trial (PIVOT). A randomized trial comparing radical prostatectomy versus expectant management for the treatment of clinically localized prostate cancer. 1995 , 75, 1963-1968 | | 21 |
| 544 | Health-related quality of life after treatment for localized prostate cancer. 1995 , 75, 2000-2003 | | 33 |
| 543 | Prostate cancer screening (United States). 1995 , 6, 267-74 | | 38 |
| 542 | Quality of micturition after prostatectomy for pT3 carcinoma. <i>Urologia</i> , 1995 , 62, 23-26 | 1.2 | 1 |
| 541 | Quality of life, sexual functioning and sex role identity after surgical orchidectomy in patients with prostatic cancer. 1995 , 29, 497-500 | | 24 |
| 540 | Quality-of-Life Outcomes in Men Treated for Localized Prostate Cancer. 1995 , 273, 129 | | 516 |
| 539 | A 72-Year-Old Man With Localized Prostate Cancer. 1995 , 274, 69 | | 4 |
| 538 | Screening for prostate cancer with prostate-specific antigen. An examination of the evidence. 1995 , 333, 1401-5 | | 189 |
| 537 | Distinguishing prognostic and treatment-predictive information for localized prostate cancer. <i>Urology</i> , 1995 , 45, 610-5 | 1.6 | 5 |
| 536 | Radical retropubic prostatectomy for localized carcinoma of the prostate in a large metropolitan hospital: changing trends over a 10-year period (1984-1994). Dallas Outcomes Research Group for Urological Disorders. <i>Urology</i> , 1995 , 45, 813-22 | 1.6 | 36 |
| 535 | Incontinence and vesical neck strictures following radical retropubic prostatectomy. <i>Urology</i> , 1995 , 45, 1000-6 | 1.6 | 134 |
| 534 | Effect of radical prostatectomy for prostate cancer on patient quality of life: results from a Medicare survey. <i>Urology</i> , 1995 , 45, 1007-13; discussion 1013-5 | 1.6 | 289 |
| 533 | Elevated 12-lipoxygenase mRNA expression correlates with advanced stage and poor differentiation of human prostate cancer. <i>Urology</i> , 1995 , 46, 227-37 | 1.6 | 146 |
| 532 | Should Medicare provide reimbursement for prostate-specific antigen testing for early detection of prostate cancer? Part III: Management strategies and outcomes. <i>Urology</i> , 1995 , 46, 277-89 | 1.6 | 14 |

| | | | |
|-----|---|-----|-----|
| 531 | Early urethral catheter removal following radical prostatectomy: a pilot study. <i>Urology</i> , 1995 , 46, 429-31 | 1.6 | 35 |
| 530 | Should Medicare provide reimbursement for prostate-specific antigen testing for early detection of prostate cancer? Part IV: Estimating the risks and benefits of an early detection program. <i>Urology</i> , 1995 , 46, 445-61 | 1.6 | 41 |
| 529 | A brief male sexual function inventory for urology. <i>Urology</i> , 1995 , 46, 697-706 | 1.6 | 354 |
| 528 | A primer on outcomes research for the gastroenterologist: report of the American Gastroenterological Association task force on outcomes research. 1995 , 109, 302-6 | | 23 |
| 527 | Prostate cancer--neurovascular preservation; smoking cessation may enhance prognosis?. <i>Journal of Urology</i> , 1995 , 154, 158-9 | 2.5 | 6 |
| 526 | Nerve Sparing Radical Prostatectomy: A Different View. <i>Journal of Urology</i> , 1995 , 154, 145-149 | 2.5 | 156 |
| 525 | Incidence of Benign and Malignant Prostate Tissue in Biopsies of Bladder Neck After a Radical Prostatectomy. <i>Journal of Urology</i> , 1995 , 154, 1443-1446 | 2.5 | 36 |
| 524 | Quality of life in early prostate cancer. Do we know enough to treat?. 1996 , 10, 691-701 | | 16 |
| 523 | Re: Quality of life: radical prostatectomy versus radiation therapy for prostate cancer. <i>Journal of Urology</i> , 1996 , 155, 2038-9 | 2.5 | 1 |
| 522 | Management of prostate and bladder cancer in the elderly. 1996 , 23, 87-97 | | 13 |
| 521 | Defining the role of surveillance in the management of localized prostate cancer. 1996 , 23, 551-6 | | 4 |
| 520 | Early-stage prostate cancer. When is observation appropriate?. 1996 , 10, 611-25 | | 8 |
| 519 | Urinary incontinence following external-beam radiotherapy for clinically localized prostate cancer. <i>Urology</i> , 1996 , 48, 95-9 | 1.6 | 39 |
| 518 | A prospective study of quantification of urinary incontinence and quality of life in patients undergoing radical retropubic prostatectomy. <i>Urology</i> , 1996 , 48, 433-40 | 1.6 | 98 |
| 517 | Effect of pelvic radiotherapy for prostate cancer on bowel, bladder, and sexual function: the patient's perspective. <i>Urology</i> , 1996 , 47, 387-94 | 1.6 | 138 |
| 516 | Treatment of recurrent vesicourethral anastomotic stricture after radical prostatectomy with endourethroplasty. <i>Urology</i> , 1996 , 47, 422-5 | 1.6 | 16 |
| 515 | Improved continence with tubularized bladder neck reconstruction following radical retropubic prostatectomy. <i>Urology</i> , 1996 , 47, 532-5 | 1.6 | 29 |
| 514 | Histopathology of the frozen prostate. The microscopic bases of prostatic carcinoma cryoablation. 1996 , 192, 579-87 | | 17 |

| | | | |
|-----|---|-----|-----|
| 513 | Is radical prostatectomy primarily a surgical debulking procedure?. 1996 , 2, 88-91 | | 5 |
| 512 | Post-prostatectomy incontinence: urodynamic findings and treatment outcomes. <i>Journal of Urology</i> , 1996 , 155, 1256-9 | 2.5 | 126 |
| 511 | Bladder neck preservation versus bladder neck excision during radical retropubic prostatectomy: Clinical results. <i>Urologia</i> , 1996 , 63, 109-111 | 1.2 | |
| 510 | Prostate Cancer: Diagnosis, Treatment, and Experience at One Tertiary-Care Military Medical Center, 1989 and 1994. 1996 , 161, 646-653 | | 7 |
| 509 | Treatment of localized prostate cancer. Choosing the best alternative. 1996 , 100, 105-7, 111-2, 118-20 | | 2 |
| 508 | The importance of patient preference in the decision to screen for prostate cancer. Prostate Patient Outcomes Research Team. 1996 , 11, 342-9 | | 206 |
| 507 | Sexual potency following interactive ultrasound-guided brachytherapy for prostate cancer. 1996 , 35, 267-72 | | 104 |
| 506 | Prostate specific antigen findings and biopsy results following interactive ultrasound guided transperineal brachytherapy for early stage prostate carcinoma. 1996 , 77, 2386-92 | | 110 |
| 505 | Trends in radical prostatectomy in New York State. 1996 , 11, 205-13 | | 9 |
| 504 | Antegrade collagen injection for stress incontinence after radical prostatectomy: technique and early results. 1996 , 10, 279-82 | | 8 |
| 503 | Waning sexual function--the most important disease-specific distress for patients with prostate cancer. 1996 , 73, 1417-21 | | 145 |
| 502 | Urinary continence following radical prostatectomy. 1997 , 27, 71-5 | | 16 |
| 501 | Patient-reported impotence and incontinence after nerve-sparing radical prostatectomy. 1997 , 89, 1117-23 | | 267 |
| 500 | Health Outcomes and Communication Research. 1997 , 9, 75-82 | | 14 |
| 499 | Complications after treatment with external-beam irradiation in early-stage prostate cancer patients: a prospective multiinstitutional outcomes study. 1997 , 15, 223-9 | | 161 |
| 498 | Early detection of prostate cancer. Part I: Prior probability and effectiveness of tests. The American College of Physicians. 1997 , 126, 394-406 | | 127 |
| 497 | Early detection of prostate cancer. Part II: Estimating the risks, benefits, and costs. American College of Physicians. 1997 , 126, 468-79 | | 105 |
| 496 | Gracilis urethral myoplasty: preliminary experience using an autologous urinary sphincter for post-prostatectomy incontinence. <i>Journal of Urology</i> , 1997 , 158, 1372-5 | 2.5 | 11 |

| | | | |
|-----|--|-----|-----|
| 495 | Quality of life in patients with prostatic cancer: results from a Swedish population study. <i>Journal of Urology</i> , 1997 , 158, 1477-85; discussion 1486 | 2.5 | 51 |
| 494 | Urodynamic Evaluation of Changes in Urinary Control After Radical Retropubic Prostatectomy. <i>Journal of Urology</i> , 1997 , 157, 233-236 | 2.5 | 161 |
| 493 | Collagen injection therapy for post-radical retropubic prostatectomy incontinence: role of Valsalva leak point pressure. <i>Journal of Urology</i> , 1997 , 158, 2132-6 | 2.5 | 54 |
| 492 | RECOVERY OF SPONTANEOUS ERECTILE FUNCTION AFTER NERVE-SPARING RADICAL RETROPUBIC PROSTATECTOMY WITH AND WITHOUT EARLY INTRACAVERNOUS INJECTIONS OF ALPROSTADIL: RESULTS OF A PROSPECTIVE, RANDOMIZED TRIAL. <i>Journal of Urology</i> , 1997 , 158, 1408-1410 | 2.5 | 411 |
| 491 | Urethral catheter removal prior to hospital discharge following radical prostatectomy. <i>Urology</i> , 1997 , 49, 400-3 | 1.6 | 27 |
| 490 | Pelvic pain following radical retropubic prostatectomy: a prospective study. <i>Urology</i> , 1997 , 49, 575-9 | 1.6 | 17 |
| 489 | Quality of life and sexuality following radical prostatectomy in patients with prostate cancer who use or do not use erectile aids. <i>Urology</i> , 1997 , 50, 740-6 | 1.6 | 72 |
| 488 | Patient attitudes regarding treatment-related erectile dysfunction at time of early detection of prostate cancer. <i>Urology</i> , 1997 , 50, 704-9 | 1.6 | 22 |
| 487 | How is quality of life in prostate cancer patients influenced by modern treatment? The Wallenberg Symposium. <i>Urology</i> , 1997 , 49, 66-76 | 1.6 | 65 |
| 486 | Factors associated with waning sexual function among elderly men and prostate cancer patients. <i>Journal of Urology</i> , 1997 , 158, 155-9 | 2.5 | 63 |
| 485 | Clinical oncology update: Prostate cancer. 1997 , 33, 348-353 | | |
| 484 | A long-term study of the efficacy of treatment of localized prostate cancer. 1997 , 3, 171-6 | | |
| 483 | Localized prostate cancer: early intervention or expectant therapy?. <i>Journal of the Royal Society of Medicine</i> , 1997 , 90, 665-9 | 2.3 | 6 |
| 482 | Avoiding complications of radical retropubic prostatectomy. 1997 , 31 Suppl 3, 9-15 | | 10 |
| 481 | Quality of life in prostate cancer patients. 1997 , 47, 207-17 | | 54 |
| 480 | Research questions concerning prostate cancer screening. 1997 , 8, 668-71 | | |
| 479 | Management of localized carcinoma of the prostate: brachytherapy revisited. 1997 , 9, 219-21 | | 2 |
| 478 | Enhanced decision-making: the use of a videotape decision-aid for patients with prostate cancer. 1997 , 30, 119-27 | | 54 |

| | | |
|-----|--|--------|
| 477 | Diagnostic and prognostic markers for human prostate cancer. 1997 , 31, 264-81 | 44 |
| 476 | Sphincteric incontinence: the primary cause of post-prostatectomy incontinence in patients with prostate cancer. 1997 , 16, 153-60 | 66 |
| 475 | Patient self-assessment of complications and quality of life after conformal neutron and photon irradiation for localized prostate cancer. 1997 , 5, 252-6 | 24 |
| 474 | Quality of life and treatment outcomes: prostate carcinoma patients' perspectives after prostatectomy or radiation therapy. 1997 , 79, 1977-86 | 200 |
| 473 | Results of hospital cancer registry surveys by the American College of Surgeons. 1997 , 80, 1875-1881 | 33 |
| 472 | Epidemiologie und Biologie der Harninkontinenz im Alter. 1998 , 38, S3-S9 | |
| 471 | Urologic morbidity and its influence on global satisfaction with treatment outcome after radical prostatectomy for prostate cancer. 1998 , 5, 556-61 | 3 |
| 470 | Decision analysis for treatment of early stage prostate cancer. 1998 , 89, 681-9 | 6 |
| 469 | Distress due to unwanted side-effects of prostate cancer treatment is related to impaired well-being (quality of life). 1998 , 1, 128-133 | 25 |
| 468 | Preoperative and operative factors to predict incontinence, impotence and stricture after radical prostatectomy. 1998 , 1, 242-249 | 44 |
| 467 | Health-related quality of life in men with prostate cancer. 1998 , 1, 228-235 | 5 |
| 466 | Radiation therapy versus radical prostatectomy in the PSA era: a urologist's view. 1998 , 8, 87-94 | 19 |
| 465 | Urodynamic findings in postprostatectomy incontinence. 1998 , 17, 493-8 | 67 |
| 464 | 'Potency': the validation of information from a self-administered questionnaire using objective measurements of night-time erections and test-retest reliability. 1998 , 81, 135-41 | 28 |
| 463 | The artificial urinary sphincter in men incontinent after radical prostatectomy: 5 year actuarial adequate function rates. 1998 , 82, 530-3 | 36 |
| 462 | A new look at an old option in the treatment of early-stage prostate cancer: hormone therapy as an alternative to watchful waiting. 1998 , 51, 243-51 | 5 |
| 461 | Assessment of patient preferences among men with prostate cancer. <i>Journal of Urology</i> , 1998 , 159, 158-63 | 71 |
| 460 | COLLAGEN INJECTION THERAPY FOR POST-PROSTATECTOMY INCONTINENCE. <i>Journal of Urology</i> , 1998 , 160, 364-367 | 2.5 86 |

| | | | |
|-----|--|-----|-----|
| 459 | Prostate cancer outcomes studies--the pathway to improvement. <i>Journal of Urology</i> , 1998 , 159, 172 | 2.5 | 1 |
| 458 | Using evidence-based medicine in clinical practice. 1998 , 25, 391-400 | | 3 |
| 457 | Puboprostic ligament sparing improves urinary continence after radical retropubic prostatectomy. <i>Urology</i> , 1998 , 51, 67-72 | 1.6 | 118 |
| 456 | Late effects after radiotherapy for prostate cancer in a randomized dose-response study: results of a self-assessment questionnaire. <i>Urology</i> , 1998 , 51, 991-7 | 1.6 | 104 |
| 455 | Preservation of putative continence nerves during radical retropubic prostatectomy leads to more rapid return of urinary continence. <i>Urology</i> , 1998 , 51, 960-7 | 1.6 | 113 |
| 454 | Population-based patterns of radical retropubic prostatectomy use. <i>Urology</i> , 1998 , 52, 219-23 | 1.6 | 4 |
| 453 | Treatment options for early prostate cancer. <i>Urology</i> , 1998 , 52, 948-62 | 1.6 | 36 |
| 452 | Treatment of erectile dysfunction after radical prostatectomy with sildenafil citrate (Viagra). <i>Urology</i> , 1998 , 52, 963-6 | 1.6 | 151 |
| 451 | Urinary symptoms, potency, and quality of life in patients with localized prostate cancer followed up with deferred treatment. <i>Urology</i> , 1998 , 52, 1055-62; discussion 1063 | 1.6 | 45 |
| 450 | Radical retropubic prostatectomy outcomes at a community hospital. <i>Journal of Urology</i> , 1998 , 159, 167-73 | 2.5 | 47 |
| 449 | An analysis of watchful waiting for clinically localized prostate cancer. <i>Journal of Urology</i> , 1998 , 159, 1431-6 | 2.5 | 56 |
| 448 | The male bulbourethral sling procedure for post-radical prostatectomy incontinence. <i>Journal of Urology</i> , 1998 , 159, 1510-5 | 2.5 | 152 |
| 447 | Screening for prostate cancer--more questions than answers. 1998 , 37, 515-32 | | 8 |
| 446 | Outcome Research After Radical Retropubic Prostatectomy for Prostate Cancer. 1998 , 90, 1028-1029 | | 1 |
| 445 | Long-term follow-up of untreated stage T1a prostate cancer. 1998 , 90, 1105-7 | | 10 |
| 444 | All changed, changed utterly. British medicine will be transformed by the Bristol case. 1998 , 316, 1917-8 | | 187 |
| 443 | Health-related quality of life and sequelae in patients treated with brachytherapy and external beam irradiation for localized prostate cancer. 1998 , 9, 751-7 | | 74 |
| 442 | Thromboembolic complication rate after radical retropubic prostatectomy. Impact of routine ultrasonography for the detection of pelvic lymphoceles and hematomas. 1998 , 33, 86-90 | | 44 |

| | | |
|-----|---|--------|
| 441 | Health-related quality of life in Australian men remaining disease-free after radical prostatectomy. 1998 , 168, 483-6 | 44 |
| 440 | Books Received. 1998 , 168, 486-486 | |
| 439 | Correction. 1998 , 168, 486-486 | |
| 438 | Therapeutic Options in Locally Defined or Advanced Prostate Cancer. 1999 , 35, 9-16 | 4 |
| 437 | Impact of medical illnesses on sexuality. 1999 , 124-146 | 2 |
| 436 | Treatment of Clinically Organ Confined Prostate Cancer. 1999 , 33, 35-39 | |
| 435 | Radical prostatectomy: does higher volume lead to better quality?. 1999 , 91, 1906-7 | 14 |
| 434 | Chapter 4 Tumor markers for prostate cancer. 1999 , 47-84 | |
| 433 | Prostate cancer practice patterns and quality of life: the Prostate Cancer Outcomes Study. 1999 , 91, 1719-24 | 188 |
| 432 | Screening for prostate cancer: the roles of science, policy, and opinion in determining what is best for patients. 1999 , 50, 207-21 | 13 |
| 431 | Transperineal 125iodine implantation for treatment of clinically localized prostate cancer: 5-year tumor control and morbidity. 1999 , 43, 565-70 | 63 |
| 430 | Shared medical decision-making: a new paradigm for behavioral medicine--1997 presidential address. 1999 , 21, 3-11 | 31 |
| 429 | Contemporary results of anatomic radical prostatectomy. 1999 , 49, 282-96 | 84 |
| 428 | Quality-of-life outcomes for men treated with cryosurgery for localized prostate carcinoma. 1999 , 86, 1793-1801 | 39 |
| 427 | Collagen injection in the management of post-radical prostatectomy intrinsic sphincteric deficiency. 1999 , 18, 653-8 | 25 |
| 426 | RADICAL RETROPUBIC PROSTATECTOMY REDUCES SYMPTOM SCORES AND IMPROVES QUALITY OF LIFE IN MEN WITH MODERATE AND SEVERE LOWER URINARY TRACT SYMPTOMS. <i>Journal of Urology</i> , 1999 , 161, 1185-1188 | 2.5 59 |
| 425 | Questionnaire based results of the bulbourethral sling procedure. <i>Journal of Urology</i> , 1999 , 162, 1972-6 | 2.5 31 |
| 424 | A review of quality-of-life evaluations in prostate cancer. 1999 , 16, 127-40 | 30 |

| | | | |
|-----|--|-----|-----|
| 423 | Incontinence after radical prostatectomy. 1999 , 353, 2091-2 | | 15 |
| 422 | Urinary function after radical prostatectomy: a comparison of the retropubic and perineal approaches. <i>Urology</i> , 1999 , 53, 881-90; discussion 890-1 | 1.6 | 41 |
| 421 | Discussion. <i>Urology</i> , 1999 , 53, 890-891 | 1.6 | 2 |
| 420 | Patient-reported complications after cryoablation therapy for prostate cancer. <i>Urology</i> , 1999 , 54, 295-300 | 1.6 | 29 |
| 419 | Comparative quality-of-life analysis after radical prostatectomy or external beam radiation for localized prostate cancer. <i>Urology</i> , 1999 , 54, 509-16 | 1.6 | 142 |
| 418 | Sildenafil citrate (Viagra) after radical retropubic prostatectomy: pro. <i>Urology</i> , 1999 , 54, 583-6 | 1.6 | 22 |
| 417 | POTENCY, CONTINENCE AND COMPLICATION RATES IN 1,870 CONSECUTIVE RADICAL RETROPUBIC PROSTATECTOMIES. <i>Journal of Urology</i> , 1999 , 162, 433-438 | 2.5 | 557 |
| 416 | RE: LONG-TERM RESULTS OF THE STAMEY BLADDER NECK SUSPENSION. <i>Journal of Urology</i> , 1999 , 161, 610-611 | 2.5 | |
| 415 | Screening for prostate cancer. The challenge of promoting informed decision making in the absence of definitive evidence of effectiveness. 1999 , 83, 1423-42, vi | | 24 |
| 414 | Prostate cancer. 1999 , 83, 1231-45, vi | | 7 |
| 413 | Changes in health-related quality of life in the first year after treatment for prostate cancer: results from CaPSURE. <i>Urology</i> , 1999 , 53, 180-6 | 1.6 | 142 |
| 412 | Recall and attitudes in patients with prostate cancer. <i>Urology</i> , 1999 , 53, 169-74 | 1.6 | 55 |
| 411 | Prevalence of combined fecal and urinary incontinence: a community-based study. 1999 , 47, 837-41 | | 186 |
| 410 | Managing Urinary Incontinence Following Radical Prostatectomy. 2000 , 27, 138-145 | | |
| 409 | Primary treatment choices for men with clinically localized prostate carcinoma detected by screening. 2000 , 88, 1122-1130 | | 61 |
| 408 | Quality-of-life outcomes for men with prostate carcinoma detected by screening. 2000 , 88, 1454-1463 | | 71 |
| 407 | Early detection and aggressive treatment of prostate cancer: groping in the dark. 2000 , 15, 749-51 | | 7 |
| 406 | Treatment decisions for localized prostate cancer: asking men what's important. 2000 , 15, 694-701 | | 133 |

| | | | |
|-----|---|-----|-----|
| 405 | Radical retropubic prostatectomy: time trends, morbidity and mortality in Japan. 2000 , 85, 287-94 | | 70 |
| 404 | Quality of life in T1-3N0 prostate cancer patients treated with radiation therapy with minimum 10-year follow-up. 2000 , 46, 833-8 | | 24 |
| 403 | Localized prostate cancer and 30 years of follow-up in a population-based setting. 2000 , 3, 37-42 | | 6 |
| 402 | Cryosurgery for prostate cancer: new technology and indications. 2000 , 1, 41-7 | | 29 |
| 401 | 3D interstitial HDR brachytherapy combined with 3D external beam radiotherapy and androgen deprivation for prostate cancer. Preliminary results. 2000 , 176, 361-7 | | 10 |
| 400 | Potenz und Kontinenz nach radikaler Prostatektomie. 2000 , 6, 123-129 | | 2 |
| 399 | Erektile Dysfunktion nach radikaler Prostatektomie. 2000 , 16, 279-283 | | |
| 398 | Urinary continence following radical prostatectomy assessed by a self-administered questionnaire. 2000 , 37, 223-7 | | 22 |
| 397 | High-intensive focused ultrasound in localized prostate cancer. 2000 , 14, 293-9 | | 47 |
| 396 | Urinary and sexual function after radical prostatectomy for clinically localized prostate cancer: the Prostate Cancer Outcomes Study. 2000 , 283, 354-60 | | 881 |
| 395 | [Prostatic brachytherapy: an alternative therapy. Review of the literature]. 2000 , 4, 253-64 | | 3 |
| 394 | Complications after radical retropubic prostatectomy in the medicare population. <i>Urology</i> , 2000 , 56, 116-20 | 1.6 | 88 |
| 393 | Radical prostatectomy: geographic and demographic variation. <i>Urology</i> , 2000 , 56, 108-15 | 1.6 | 22 |
| 392 | Effect of preoperative biofeedback/pelvic floor training on continence in men undergoing radical prostatectomy. <i>Urology</i> , 2000 , 56, 627-30 | 1.6 | 99 |
| 391 | Comparison of artificial urinary sphincter and collagen for the treatment of postprostatectomy incontinence. <i>Urology</i> , 2000 , 56, 600-3 | 1.6 | 42 |
| 390 | Use of intraoperative video documentation to improve sexual function after radical retropubic prostatectomy. <i>Urology</i> , 2000 , 55, 62-7 | 1.6 | 73 |
| 389 | Patient-reported urinary continence and sexual function after anatomic radical prostatectomy. <i>Urology</i> , 2000 , 55, 58-61 | 1.6 | 485 |
| 388 | Continence-preserving anatomic radical retropubic prostatectomy. <i>Urology</i> , 2000 , 55, 427-35 | 1.6 | 69 |

| | | | |
|-----|---|-----|-----|
| 387 | MULTICENTER PATIENT SELF-REPORTING QUESTIONNAIRE ON IMPOTENCE, INCONTINENCE AND STRICTURE AFTER RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 2000 , 163, 858-864 | 2.5 | 182 |
| 386 | PATTERNS OF TREATMENT OF PATIENTS WITH PROSTATE CANCER INITIALLY MANAGED WITH SURVEILLANCE: RESULTS FROM THE CaPSURE DATABASE. <i>Journal of Urology</i> , 2000 , 164, 81-88 | 2.5 | 63 |
| 385 | Radical retropubic prostatectomy: bladder neck preservation versus reconstruction. <i>Journal of Urology</i> , 2000 , 163, 194-8 | 2.5 | 79 |
| 384 | THE EFFECT OF HOSPITAL VOLUME ON MORTALITY AND RESOURCE USE AFTER RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 2000 , 163, 867-869 | 2.5 | 149 |
| 383 | RADICAL PROSTATECTOMY FOR LOCALIZED PROSTATE CANCER PROVIDES DURABLE CANCER CONTROL WITH EXCELLENT QUALITY OF LIFE: A STRUCTURED DEBATE. <i>Journal of Urology</i> , 2000 , 163, 1802-1807 | 2.5 | 201 |
| 382 | MANAGEMENT OF A POSITIVE SURGICAL MARGIN AFTER RADICAL PROSTATECTOMY: DECISION ANALYSIS. <i>Journal of Urology</i> , 2000 , 164, 93-100 | 2.5 | 42 |
| 381 | The role of active treatment in early prostate cancer. 2000 , 57, 251-8 | | 22 |
| 380 | HEALTH RELATED QUALITY OF LIFE ASSESSMENT AFTER RADICAL PROSTATECTOMY IN MEN WITH PROSTATE SPECIFIC ANTIGEN ONLY RECURRENCE. <i>Journal of Urology</i> , 2001 , 166, 2286-2290 | 2.5 | 29 |
| 379 | A VALIDATED STRATEGY FOR SIDE SPECIFIC PREDICTION OF ORGAN CONFINED PROSTATE CANCER: A TOOL TO SELECT FOR NERVE SPARING RADICAL PROSTATECTOMY. <i>Journal of Urology</i> , 2001 , 165, 857-863 | 2.5 | 120 |
| 378 | IS ANASTOMOTIC BIOPSY NECESSARY BEFORE RADIOTHERAPY AFTER RADICAL PROSTATECTOMY?. <i>Journal of Urology</i> , 2001 , 166, 111-115 | 2.5 | 61 |
| 377 | LONG-TERM CONTINENCE AND PATIENT SATISFACTION AFTER ARTIFICIAL SPHINCTER IMPLANTATION FOR URINARY INCONTINENCE AFTER PROSTATECTOMY. <i>Journal of Urology</i> , 2001 , 166, 547-549 | 2.5 | 121 |
| 376 | URINARY CONTINENCE AND PATHOLOGICAL OUTCOME AFTER BLADDER NECK PRESERVATION DURING RADICAL RETROPUBIC PROSTATECTOMY: A RANDOMIZED PROSPECTIVE TRIAL. <i>Journal of Urology</i> , 2001 , 165, 815-818 | 2.5 | 92 |
| 375 | Quality of life in patients with prostate cancer. 2001 , 17, 138-46 | | 15 |
| 374 | Early diagnosis and treatment of prostate cancer. 2001 , 47, 417-459 | | 1 |
| 373 | Efficacy of first-generation Cavermap to verify location and function of cavernous nerves during radical prostatectomy: a multi-institutional evaluation by experienced surgeons. <i>Urology</i> , 2001 , 57, 491-4 ^{1.6} | | 72 |
| 372 | Intraoperative, perioperative, and long-term complications of radical prostatectomy. 2001 , 28, 639-53 | | 54 |
| 371 | ARTIFICIAL URINARY SPHINCTER FOR POST-RADICAL PROSTATECTOMY URINARY INCONTINENCE: LONG-TERM SUBJECTIVE RESULTS. <i>Journal of Urology</i> , 2001 , 166, 1755-1758 | 2.5 | 146 |
| 370 | FIXED AND DYNAMIC URETHRAL COMPRESSION FOR THE TREATMENT OF POST-PROSTATECTOMY URINARY INCONTINENCE: IS HISTORY REPEATING ITSELF?. <i>Journal of Urology</i> , 2001 , 166, 411-415 | 2.5 | 23 |

| | | | |
|-----|---|-----|-----|
| 369 | The development of erectile dysfunction in men treated for prostate cancer. <i>Journal of Urology</i> , 2001 , 165, 430-5 | 2.5 | 105 |
| 368 | PATIENT REPORTED COMPLICATIONS AFTER PROSTATE BRACHYTHERAPY. <i>Journal of Urology</i> , 2001 , 166, 953-957 | 2.5 | 33 |
| 367 | Prevention and management of incontinence following radical prostatectomy. 2001 , 28, 595-612 | | 70 |
| 366 | LONG-TERM TREATMENT RELATED COMPLICATIONS OF BRACHYTHERAPY FOR EARLY PROSTATE CANCER: A SURVEY OF PATIENTS PREVIOUSLY TREATED. <i>Journal of Urology</i> , 2001 , 166, 494-499 | 2.5 | 147 |
| 365 | STUDIES OF TIN ETHYL ETIOPURPURIN PHOTODYNAMIC THERAPY OF THE CANINE PROSTATE. <i>Journal of Urology</i> , 2001 , 165, 1795-1801 | 2.5 | 44 |
| 364 | Quality of life aspects of treatment options for localized and locally advanced prostate cancer. 2001 , 40 Suppl 2, 24-30 | | 8 |
| 363 | Health-related quality-of-life effects of radical prostatectomy and primary radiotherapy for screen-detected or clinically diagnosed localized prostate cancer. 2001 , 19, 1619-28 | | 171 |
| 362 | Health outcomes after external-beam radiation therapy for clinically localized prostate cancer: results from the Prostate Cancer Outcomes Study. 2001 , 19, 2517-26 | | 114 |
| 361 | Symptom indexes to assess outcomes of treatment for early prostate cancer. 2001 , 39, 1118-30 | | 108 |
| 360 | Early diagnosis and treatment of prostate cancer. 2001 , 47, 421-59 | | 4 |
| 359 | Quality-of-life outcomes after primary androgen deprivation therapy: results from the Prostate Cancer Outcomes Study. 2001 , 19, 3750-7 | | 201 |
| 358 | [Nerve-sparing radical retropubic prostatectomy. Results of a patient survey]. 2001 , 40, 102-6 | | 3 |
| 357 | Does the CaverMap device help preserve potency?. 2001 , 2, 214-7 | | 13 |
| 356 | A randomized trial of the choice of treatment in prostate cancer: design and baseline characteristics. 2001 , 88, 708-15 | | 21 |
| 355 | Comparative evaluation of treatments for erectile dysfunction in patients with prostate cancer after radical retropubic prostatectomy. 2001 , 88, 58-62 | | 66 |
| 354 | Health-related quality of life in patients with screen-detected versus clinically diagnosed prostate cancer preceding primary treatment. 2001 , 46, 87-97 | | 33 |
| 353 | Does hormonal therapy influence sexual function in men receiving 3D conformal radiation therapy for prostate cancer?. 2001 , 50, 591-5 | | 35 |
| 352 | A quantitative analysis of the costs and benefits of prostate cancer screening. 2001 , 4, 138-145 | | 26 |

| | | | |
|-----|---|-----|-----|
| 351 | Toxicity and health-related quality of life during and after high dose rate brachytherapy followed by external beam radiotherapy for prostate cancer. 2001 , 31, 541-7 | | 27 |
| 350 | Modified bulbar urethral sling procedure for the treatment of male sphincteric incontinence. 2001 , 15, 545-9 | | 15 |
| 349 | Comparing the costs of radiation therapy and radical prostatectomy for the initial treatment of early-stage prostate cancer. 2002 , 20, 2869-75 | | 53 |
| 348 | Why is prostate cancer screening so common when the evidence is so uncertain? A system without negative feedback. 2002 , 113, 663-7 | | 100 |
| 347 | Photodynamic Therapy for Prostate Cancer Recurrence After Radiotherapy: A Phase I Study. <i>Journal of Urology</i> , 2002 , 168, 1427-1432 | 2.5 | 149 |
| 346 | Urinary Continence After Radical Retropubic Prostatectomy: Relationship with Membranous Urethral Length on Preoperative Endorectal Magnetic Resonance Imaging. <i>Journal of Urology</i> , 2002 , 168, 1032-1035 | 2.5 | 172 |
| 345 | A review of measurement of patient preferences for treatment outcomes after prostate cancer. <i>Urology</i> , 2002 , 60, 72-7; discussion 77-8 | 1.6 | 16 |
| 344 | Questionnaire-based outcomes of urinary incontinence and satisfaction rates after radical prostatectomy in a national study population. <i>Urology</i> , 2002 , 60, 1055-8 | 1.6 | 20 |
| 343 | Quality of life: an outcomes perspective. 2002 , 83, S44-50 | | 42 |
| 342 | Erectile dysfunction after radical prostatectomy: hemodynamic profiles and their correlation with the recovery of erectile function. <i>Journal of Urology</i> , 2002 , 167, 1371-5 | 2.5 | 213 |
| 341 | Patient-reported sexual function after nerve-sparing radical retropubic prostatectomy. 2002 , 42, 118-24 | | 84 |
| 340 | Patient self-reporting questionnaire on urological morbidity and bother after radical retropubic prostatectomy. 2002 , 42, 112-17 | | 54 |
| 339 | Lessons learnt about early prostate cancer from large scale databases: population-based pearls of wisdom. 2002 , 11, 3-11 | | 16 |
| 338 | The association of treatment-related symptoms with quality-of-life outcomes for localized prostate carcinoma patients. 2002 , 94, 862-71 | | 123 |
| 337 | Complications from treatment for prostate carcinoma among men in the Detroit area. 2002 , 95, 82-9 | | 24 |
| 336 | The impact of androgen deprivation on quality of life after radical prostatectomy for prostate carcinoma. 2002 , 95, 287-95 | | 86 |
| 335 | Laparoscopic radical prostatectomy: published series. 2002 , 3, 152-8 | | 12 |
| 334 | Artificial urinary sphincter implantation in the irradiated patient: safety, efficacy and satisfaction. 2002 , 89, 364-8 | | 93 |

| | | | |
|-----|--|-----|-----|
| 333 | Biofeedback vs verbal feedback as learning tools for pelvic muscle exercises in the early management of urinary incontinence after radical prostatectomy. 2002 , 89, 714-9 | | 76 |
| 332 | Radical prostatectomy in Britain and Ireland at the millennium. 2002 , 90, 420-2; discussion 422-3 | | 2 |
| 331 | Editorial comment. 2002 , 90, 422-423 | | 1 |
| 330 | Sexual Functioning After Treatment for Early Stage Prostate Cancer. 2002 , 20, 239-260 | | 4 |
| 329 | Alternative therapies for localized prostate cancer. 2003 , 1, 66-70 | | |
| 328 | Alternative therapies for localized prostate cancer. 2003 , 4, 216-20 | | 11 |
| 327 | An evidence-based approach to prostate cancer follow-up. 2003 , 30, 390-400 | | 5 |
| 326 | "Between men": patient perceptions and priorities in a rehabilitation program for men with prostate cancer. 2003 , 49, 285-92 | | 24 |
| 325 | Delayed recovery of urinary continence after laparoscopic radical prostatectomy. 2003 , 10, 207-12 | | 21 |
| 324 | Racial differences in initial treatment for clinically localized prostate cancer. Results from the prostate cancer outcomes study. 2003 , 18, 845-53 | | 76 |
| 323 | Preliminary results of a monitoring system to confirm the preservation of cavernous nerves. 2003 , 10, 136-40 | | 19 |
| 322 | Role of IMRT in reducing penile doses in dose escalation for prostate cancer. 2003 , 55, 970-8 | | 41 |
| 321 | A National Survey Of Urinary And Health Related Quality Of Life Outcomes In Men With An Artificial Urinary Sphincter For Post-Radical Prostatectomy Incontinence. <i>Journal of Urology</i> , 2003 , 169, 237-239 | 2.5 | 36 |
| 320 | Prostate cancer: cryotherapy. 2003 , 30, 725-36, viii | | 26 |
| 319 | Emotional and cognitive burden of prostate cancer. 2003 , 30, 295-304 | | 11 |
| 318 | Clinical strategies in the management of biochemical recurrence after radical prostatectomy. 2003 , 2, 160-6 | | 6 |
| 317 | Temporal trends in radical prostatectomy complications from 1991 to 1998. <i>Journal of Urology</i> , 2003 , 169, 1443-8 | 2.5 | 54 |
| 316 | The role of pelvic floor exercises on post-prostatectomy incontinence. <i>Journal of Urology</i> , 2003 , 170, 130-3 | 2.5 | 131 |

| | | | |
|-----|---|-----|-----|
| 315 | How potent is potent? Evaluation of sexual function and bother in men who report potency after treatment for prostate cancer: data from CaPSURE. <i>Urology</i> , 2003 , 61, 190-6 | 1.6 | 55 |
| 314 | Outcomes after radical retropubic prostatectomy. <i>Urology</i> , 2003 , 61, 412-6 | 1.6 | 23 |
| 313 | Cross-cultural validation of the UCLA prostate cancer index. <i>Urology</i> , 2003 , 61, 302-7 | 1.6 | 28 |
| 312 | Rationale for cavernous nerve restorative therapy to preserve erectile function after radical prostatectomy. <i>Urology</i> , 2003 , 61, 491-7 | 1.6 | 54 |
| 311 | Informed consent for prostate-specific antigen-based screening. <i>Urology</i> , 2003 , 61, 10-2 | 1.6 | 5 |
| 310 | Quality-of-life questionnaire results 2 and 3 years after radiotherapy for prostate cancer in a randomized dose-escalation study. <i>Urology</i> , 2003 , 62, 707-13 | 1.6 | 39 |
| 309 | Measuring self-reported sexual function in men with prostate cancer. <i>Urology</i> , 2003 , 62, 596-606 | 1.6 | 8 |
| 308 | Trends in clinical trials in surgical oncology: implications for outcomes research. 2003 , 25, 684-98 | | 2 |
| 307 | The development and validation of a comorbidity index for prostate cancer among Black men. 2003 , 56, 1064-75 | | 23 |
| 306 | Treatment of Prostate Cancer—the Clinical Use of Radical Prostatectomy. 2003 , 1, 16-22 | | 8 |
| 305 | Pelvic floor exercises, electrical stimulation and biofeedback after radical prostatectomy: results of a prospective randomized trial. <i>Journal of Urology</i> , 2003 , 170, 490-3 | 2.5 | 93 |
| 304 | Treatment of postoperative male urinary incontinence using transurethral macroplastique injections. 2003 , 17, 113-5 | | 29 |
| 303 | Quality of care in prostate cancer: important to start and too important to stop here. 2003 , 21, 1902-3 | | 3 |
| 302 | Erectile dysfunction after radical prostatectomy and its treatment. 2003 , 71, 235-41 | | 1 |
| 301 | Why do primary care physicians in the United States and France order prostate-specific antigen tests for asymptomatic patients?. 2003 , 23, 301-13 | | 31 |
| 300 | Role of surgeon volume in radical prostatectomy outcomes. 2003 , 21, 401-5 | | 278 |
| 299 | General quality of life 2 years following treatment for prostate cancer: what influences outcomes? Results from the prostate cancer outcomes study. 2003 , 21, 1147-54 | | 147 |
| 298 | Atlas of the Prostate. 2003 , | | |

| | | |
|-----|---|-----|
| 297 | Time course and predictors of symptoms after primary prostate cancer therapy. 2003 , 21, 3979-86 | 181 |
| 296 | [Quality of life following radical prostatectomy]. 2003 , 34, 337-40 | 1 |
| 295 | [Treatment of localized prostate cancer]. 2003 , 26 Suppl 4, 6-12 | 3 |
| 294 | Longitudinal urethral sling with prepubic and retropubic fixation for male urinary incontinence. 2004 , 30, 307-11; discussion 312 | 7 |
| 293 | Measuring quality of life in prostate cancer: progress and challenges. 2004 , 126-159 | 1 |
| 292 | Anatomical features of periprostatic tissue and its surroundings: a histological analysis of 79 radical retropubic prostatectomy specimens. 2004 , 34, 463-8 | 168 |
| 291 | Racial/Ethnic differences in functional outcomes in the 5 years after diagnosis of localized prostate cancer. 2004 , 22, 4193-201 | 59 |
| 290 | How accurate is clinician reporting of chemotherapy adverse effects? A comparison with patient-reported symptoms from the Quality-of-Life Questionnaire C30. 2004 , 22, 3485-90 | 360 |
| 289 | Time trends in case selection, stage and prostate-specific antigen recurrence after radical prostatectomy: a multicentre audit. 2004 , 93, 725-9 | 16 |
| 288 | Brachytherapy or radical prostatectomy: is there a preferred method for treating localized prostate cancer?. 2004 , 93, 5 | 15 |
| 287 | Improvement in urinary symptoms after radical prostatectomy: a prospective evaluation of flow rates and symptom scores. 2004 , 93, 180-1 | 3 |
| 286 | Management of recurrent disease after radical prostatectomy. 2004 , 7, 211-6 | 75 |
| 285 | Erectile and urinary dysfunction after radical prostatectomy for prostate cancer in Quebec: a population-based study of 2415 men. 2004 , 46, 188-94 | 57 |
| 284 | Case selection for radical prostatectomy in the UK. 2004 , 46, 444-9; discussion 449-50 | 1 |
| 283 | Factors predicting for urinary incontinence after prostate brachytherapy. 2004 , 59, 1395-404 | 28 |
| 282 | Cross-sectional and longitudinal comparisons of health-related quality of life between patients with prostate carcinoma and matched controls. 2004 , 101, 2011-9 | 60 |
| 281 | Erectile dysfunction and radiation dose to penile base structures: a lack of correlation. 2004 , 59, 1039-46 | 56 |
| 280 | Health-related quality of life in men after treatment of localized prostate cancer with external beam radiotherapy combined with (192)ir brachytherapy: a prospective study of 93 cases using the EORTC questionnaires QLQ-C30 and QLQ-PR25. 2004 , 60, 51-9 | 20 |

| | | | |
|-----|---|-----|-----|
| 279 | Polypropylene mesh tape for male sphincteric incontinence. 2004 , 38, 396-400 | | 6 |
| 278 | The contemporary management of prostate cancer in the United States: lessons from the cancer of the prostate strategic urologic research endeavor (CapSURE), a national disease registry. <i>Journal of Urology</i> , 2004 , 171, 1393-401 | 2.5 | 280 |
| 277 | The male sling for stress urinary incontinence: 24-month followup with questionnaire based assessment. <i>Journal of Urology</i> , 2004 , 172, 207-9 | 2.5 | 39 |
| 276 | Patterns of secondary cancer treatment for biochemical failure following radical prostatectomy: data from CaPSURE. <i>Journal of Urology</i> , 2004 , 171, 215-9 | 2.5 | 41 |
| 275 | Radical prostatectomy with preservation of urinary continence: pathology and long-term results. <i>Journal of Urology</i> , 2004 , 172, 2549-52 | 2.5 | 20 |
| 274 | The male sling for stress urinary incontinence: urodynamic and subjective assessment. <i>Journal of Urology</i> , 2004 , 172, 204-6 | 2.5 | 48 |
| 273 | Potency, continence and complications in 3,477 consecutive radical retropubic prostatectomies. <i>Journal of Urology</i> , 2004 , 172, 2227-31 | 2.5 | 442 |
| 272 | Screening for prostate cancer: current recommendations. 2004 , 31, 219-26 | | 30 |
| 271 | Screening for prostate cancer. 2004 , 3, 21-5 | | 6 |
| 270 | Current concepts in the management of erectile dysfunction in men with prostate cancer. 2004 , 3, 87-92 | | 42 |
| 269 | Pre-treatment inflammation induced by TNF-alpha augments cryosurgical injury on human prostate cancer. 2004 , 49, 10-27 | | 44 |
| 268 | Challenges in systematic reviews that assess treatment harms. 2005 , 142, 1090-9 | | 97 |
| 267 | Neuroprotective strategies in radical prostatectomy. 2005 , 95, 11-4 | | 12 |
| 266 | The comparison of artificial urinary sphincter implantation and endourethral macropastique injection for the treatment of postprostatectomy incontinence. 2005 , 47, 209-13 | | 73 |
| 265 | Patient-reported urinary continence (third-party interview): results of post-radical retropubic prostatectomy in Singaporeans. 2005 , 28, 207-10 | | 2 |
| 264 | Improving the quality of life of patients with prostate carcinoma: a randomized trial testing the efficacy of a nurse-driven intervention. 2005 , 104, 752-62 | | 105 |
| 263 | Cancer of the prostate. 2005 , 56, 379-96 | | 78 |
| 262 | Acute urinary morbidity following I-125 prostate brachytherapy. 2005 , 10, 262-8 | | 17 |

261 Surgical Treatment of Prostate Cancer. **2005**, 69-76

260 Combined curative radiotherapy including HDR brachytherapy and androgen deprivation in localized prostate cancer: a prospective assessment of acute and late treatment toxicity. **2005**, 44, 633-43 11

259 Robotic-assisted laparoscopic prostatectomy: do minimally invasive approaches offer significant advantages?. **2005**, 23, 8170-5 97

258 Employment after therapy for localized prostate cancer: widening the perspective. **2005**, 97, 948-9 7

257 Patient online self-reporting of toxicity symptoms during chemotherapy. **2005**, 23, 3552-61 222

256 Absorbable versus nonabsorbable graft: outcome of bone anchored male sling for post-radical prostatectomy incontinence. *Journal of Urology*, **2005**, 173, 499-502 2.5 19

255 Treatment of erectile dysfunction following therapy for clinically localized prostate cancer: patient reported use and outcomes from the Surveillance, Epidemiology, and End Results Prostate Cancer Outcomes Study. *Journal of Urology*, **2005**, 174, 646-50; discussion 650 2.5 98

254 Quality of life after radical treatment of prostate cancer: validation of the Italian version of the University of California-Los Angeles Prostate Cancer Index. *Urology*, **2005**, 66, 338-43 1.6 23

253 Predicting risk factors for inguinal hernia after radical retropubic prostatectomy. *Urology*, **2005**, 66, 814-8.6 59

252 Radical prostatectomy: long-term cancer control and recovery of sexual and urinary function ("trifecta"). *Urology*, **2005**, 66, 83-94 1.6 433

251 How could getting screened for prostate cancer hurt you?. **2005**, 23, 374-5 1

250 5-year urinary and sexual outcomes after radical prostatectomy: results from the prostate cancer outcomes study. *Journal of Urology*, **2005**, 173, 1701-5 2.5 352

249 Current status of local salvage therapies following radiation failure for prostate cancer. *Journal of Urology*, **2005**, 173, 373-9 2.5 110

248 Age difference between patient and partner is a predictive factor of potency rate following radical prostatectomy. *Journal of Urology*, **2006**, 176, 2594-8; discussion 2598 2.5 29

247 Transrectal ultrasound guided implantation of the ProACT adjustable continence therapy system in patients with post-radical prostatectomy stress urinary incontinence: a pilot study. *Journal of Urology*, **2006**, 176, 2109-13; discussion 2113 2.5 29

246 Preoperative biofeedback assisted behavioral training to decrease post-prostatectomy incontinence: a randomized, controlled trial. *Journal of Urology*, **2006**, 175, 196-201; discussion 201 2.5 140

245 Health outcomes in older men with localized prostate cancer: results from the Prostate Cancer Outcomes Study. **2006**, 119, 418-25 39

244 Development and Current Status of the AMS 800 Artificial Urinary Sphincter. **2006**, 4, 117-128 15

| | | | |
|-----|---|-----|-----|
| 243 | Prospective study evaluating efficacy and safety of Adjustable Continence Therapy (ProACT) for post radical prostatectomy urinary incontinence. <i>Urology</i> , 2006 , 67, 965-9 | 1.6 | 59 |
| 242 | Should function and bother be measured and reported separately for prostate cancer quality-of-life domains?. <i>Urology</i> , 2006 , 68, 599-603 | 1.6 | 20 |
| 241 | Significance of fibrosis around and/or at external urinary sphincter on pelvic magnetic resonance imaging in patients with postprostatectomy incontinence. <i>Urology</i> , 2006 , 68, 1308-12 | 1.6 | 35 |
| 240 | Sexual function after surgery for prostate or bladder cancer. 2006 , 13, 179-87 | | 17 |
| 239 | Anatomical Analysis of Prostate and Surrounding Structures: Points to Consider during Radical Retropubic Prostatectomy. <i>Korean Journal of Urology</i> , 2006 , 47, 568 | | 2 |
| 238 | Comorbidities and the risk of late-stage prostate cancer. 2006 , 6, 2460-70 | | 10 |
| 237 | An adjustable male sling for treating urinary incontinence after prostatectomy: a phase III multicentre trial. 2006 , 97, 533-9 | | 87 |
| 236 | Urinary incontinence after radical prostatectomy: incidence by definition, risk factors and temporal trend in a large series with a long-term follow-up. 2006 , 97, 1234-41 | | 226 |
| 235 | Suburethral sling at the time of radical prostatectomy in patients at high risk of postoperative incontinence. 2006 , 98, 308-13 | | 5 |
| 234 | Significance of electrostimulation in detecting neurovascular bundle during radical prostatectomy. 2006 , 13, 926-31 | | 4 |
| 233 | Medical malpractice in the age of technology: how specialty societies can make a difference. 2006 , 5, 131-4 | | 1 |
| 232 | Nerve sparing endoscopic extraperitoneal radical prostatectomy--effect of puboprostatic ligament preservation on early continence and positive margins. 2006 , 49, 103-11; discussion 111-2 | | 120 |
| 231 | The choice between a therapy-induced long-term symptom and shortened survival due to prostate cancer. 2006 , 50, 280-9 | | 10 |
| 230 | Sexual function before and after radical retropubic prostatectomy: A systematic review of prognostic indicators for a successful outcome. 2006 , 50, 711-8; discussion 718-20 | | 164 |
| 229 | Estimating the risk of long-term erectile, urinary and bowel symptoms resulting from prostate cancer treatment. 2006 , 9, 136-46 | | 28 |
| 228 | Patient-reported outcomes and the evolution of adverse event reporting in oncology. 2007 , 25, 5121-7 | | 224 |
| 227 | Robotic-assisted laparoscopic radical prostatectomy: a report of the current state. 2007 , 7, 1269-78 | | 13 |
| 226 | Complications of Urologic Surgery and Practice. 2007 , | | 2 |

| | | | |
|-----|--|-----|-----|
| 225 | Long-term toxicity monitoring via electronic patient-reported outcomes in patients receiving chemotherapy. 2007 , 25, 5374-80 | | 135 |
| 224 | Is there an impact of postoperative urethral and periurethral anatomical features in post-radical retropubic prostatectomy incontinence?. 2007 , 78, 208-13 | | 13 |
| 223 | Vesicourethral anastomosis during radical retropubic prostatectomy: does the number of sutures matter?. <i>Urology</i> , 2007 , 69, 547-51 | 1.6 | 20 |
| 222 | Anatomic restoration technique of continence mechanism and preservation of puboprostatic collar: a novel modification to achieve early urinary continence in men undergoing robotic prostatectomy. <i>Urology</i> , 2007 , 69, 726-31 | 1.6 | 123 |
| 221 | Objective and quality-of-life outcomes with bone-anchored male bulbourethral sling. <i>Urology</i> , 2007 , 69, 1090-4 | 1.6 | 18 |
| 220 | Nerve-sparing surgery significantly affects long-term continence after radical prostatectomy. <i>Urology</i> , 2007 , 70, 1127-30 | 1.6 | 61 |
| 219 | The effects of prostate cancer on intimate relationships. 2007 , 4, 226-232 | | 6 |
| 218 | [Radical prostatectomy: open, laparoscopic and robotic. Looking for a new gold standard?]. 2007 , 31, 316-27 | | 2 |
| 217 | Regret of treatment decision and its association with disease-specific quality of life following prostate cancer treatment. 2007 , 25, 449-57 | | 81 |
| 216 | Adjustable Continence Therapy for the treatment of male stress urinary incontinence: a single-centre study. 2007 , 41, 324-8 | | 36 |
| 215 | Current use of artificial urinary sphincters in the United States. <i>Journal of Urology</i> , 2007 , 178, 578-83 | 2.5 | 22 |
| 214 | Counterpoint: Robot-Assisted Laparoscopic Prostatectomy: Perhaps the Surgical Gold Standard for Prostate Cancer Care. 2007 , 5, 689-692 | | 24 |
| 213 | Promising long-term health-related quality of life after high-dose-rate brachytherapy boost for localized prostate cancer. 2007 , 69, 662-70 | | 14 |
| 212 | Quantifying the natural history of post-radical prostatectomy incontinence using objective pad test data. 2007 , 7, 2 | | 54 |
| 211 | Robotic radical prostatectomy: outcomes of 500 cases. 2007 , 99, 1109-12 | | 213 |
| 210 | Pelvic floor muscle training to improve urinary incontinence after radical prostatectomy: a systematic review of effectiveness. 2007 , 100, 76-81 | | 93 |
| 209 | Web-based health survey systems in outcome assessment and management of pain. 2007 , 8 Suppl 3, S189-98 | | 11 |
| 208 | Robotic assisted laparoscopic radical prostatectomy: a review of the current state of affairs. 2007 , 61, 309-14 | | 41 |

| | | | |
|-----|--|-----|-----|
| 207 | Posterior reconstruction of the rhabdosphincter allows a rapid recovery of continence after transperitoneal videolaparoscopic radical prostatectomy. 2007 , 51, 996-1003 | | 207 |
| 206 | Prostate cancer patients and their partners: differences in satisfaction indices and psychological variables. 2007 , 4, 1394-403 | | 78 |
| 205 | Evaluation of an online platform for cancer patient self-reporting of chemotherapy toxicities. 2007 , 14, 264-8 | | 87 |
| 204 | Assessment of the continence status and patients' satisfaction after retropubic radical prostatectomy: a questionnaire based study. 2007 , 39, 531-6 | | 2 |
| 203 | Cryotherapy. 2007 , 12, 416-26 | | 5 |
| 202 | Assessment and therapy for voiding dysfunction after prostatectomy. 2007 , 8, 175-8 | | 1 |
| 201 | Applications of robots in urology. 2007 , 1, 3-17 | | 14 |
| 200 | Impact of preoperative antiandrogen medication and nerve-sparing surgery on the outcome of radical prostatectomy. 2008 , 40, 965-70 | | 1 |
| 199 | [11C]choline PET/CT imaging in occult local relapse of prostate cancer after radical prostatectomy. 2008 , 35, 9-17 | | 148 |
| 198 | Photodynamic therapy of the canine prostate: intra-arterial drug delivery. 2008 , 31, 164-76 | | 2 |
| 197 | Short-term morbidity and acceptability of 125iodine implantation for localized carcinoma of the prostate. 1999 , 83, 53-6 | | 14 |
| 196 | Treatment 'mismatch' in early prostate cancer: do treatment choices take patient quality of life into account?. 2008 , 112, 61-8 | | 40 |
| 195 | Bladder and urethral sphincter function after radical retropubic prostatectomy: a prospective long-term study. 2008 , 54, 657-64 | | 65 |
| 194 | Editorial comment on: bladder and urethral sphincter function after radical retropubic prostatectomy: a prospective long-term study. 2008 , 54, 664 | | |
| 193 | Treatment of postprostatectomy stress urinary incontinence using a minimally invasive adjustable continence balloon device, ProACT: results of a preliminary, multicenter, pilot study. <i>Urology</i> , 2008 , 71, 256-60 | 1.6 | 59 |
| 192 | Psychometric testing of the MDASI-HF: a symptom assessment instrument for patients with cancer and concurrent heart failure. 2008 , 14, 497-507 | | 31 |
| 191 | Disfunci3n er3ctil y continencia despu3s de prostatectom3a radical retrop3bica: estudio prospectivo. 2008 , 6, 8-13 | | |
| 190 | Surgical technique to overcome anatomical shortcoming: balancing post-prostatectomy continence outcomes of urethral sphincter lengths on preoperative magnetic resonance imaging. <i>Journal of Urology</i> , 2008 , 179, 1907-11 | 2.5 | 75 |

| | | | |
|-----|--|-----|-----|
| 189 | 5-year urinary and sexual outcomes after radical prostatectomy: results from the Prostate Cancer Outcomes Study. <i>Journal of Urology</i> , 2008 , 179, S40-4 | 2.5 | 102 |
| 188 | Utilization and outcomes of minimally invasive radical prostatectomy. 2008 , 26, 2278-84 | | 192 |
| 187 | Predictors of quality of life after radical treatment for prostate cancer. 2008 , 80, 231-6 | | 15 |
| 186 | Erectile dysfunction following prostatectomy: prevention and treatment. 2009 , 6, 415-27 | | 72 |
| 185 | Prostate cancer screening; is this a teachable moment?. 2009 , 101, 1295-7 | | 14 |
| 184 | Scientific and technical advances in continence recovery following radical prostatectomy. 2009 , 6, 431-53 | | 17 |
| 183 | Post-radical prostatectomy pharmacological penile rehabilitation: practice patterns among the international society for sexual medicine practitioners. 2009 , 6, 2032-8 | | 60 |
| 182 | Posterior reconstruction and anterior suspension with single anastomotic suture in robot-assisted laparoscopic radical prostatectomy: a simple method to improve early return of continence. 2009 , 3, 149-53 | | 15 |
| 181 | Prostate cancer: a serious disease suitable for prevention. 2009 , 103, 864-70 | | 29 |
| 180 | Exploring the potential role of neuromodulatory drugs in radical prostatectomy patients. 2009 , 30, 377-83 | | 14 |
| 179 | Defining and reporting erectile function outcomes after radical prostatectomy: challenges and misconceptions. <i>Journal of Urology</i> , 2009 , 181, 462-71 | 2.5 | 125 |
| 178 | Nanoparticle-based bio-barcode assay redefines "undetectable" PSA and biochemical recurrence after radical prostatectomy. 2009 , 106, 18437-42 | | 335 |
| 177 | Proxy assessment of health-related quality of life in african american and white respondents with prostate cancer: perspective matters. 2009 , 47, 176-83 | | 23 |
| 176 | Bulbocavernosus reflex testing: a preliminary study on the prognostic factors for potency and response to sildenafil citrate after bilateral nerve-sparing radical prostatectomy. 2010 , 42, 39-45 | | 2 |
| 175 | Chronology of erectile function in patients with early functional erections following radical prostatectomy. 2010 , 7, 803-9 | | 19 |
| 174 | Time course of recovery of erectile function after radical retropubic prostatectomy: does anyone recover after 2 years?. 2010 , 7, 3984-90 | | 32 |
| 173 | Post-prostatectomy stress urinary incontinence: what treatment for which patient?. 2010 , 29, 679-83 | | 2 |
| 172 | The role of observational investigations in comparative effectiveness research. 2010 , 13, 989-97 | | 40 |

| | | | |
|-----|--|-----|-----|
| 171 | An analysis of sexual health information on radical prostatectomy websites. 2010 , 105, 68-72 | | 33 |
| 170 | The timing of penile rehabilitation after bilateral nerve-sparing radical prostatectomy affects the recovery of erectile function. 2010 , 105, 37-41 | | 78 |
| 169 | Oral selenium supplementation has no effect on prostate-specific antigen velocity in men undergoing active surveillance for localized prostate cancer. 2010 , 3, 1035-43 | | 37 |
| 168 | Quality of life after open or robotic prostatectomy, cryoablation or brachytherapy for localized prostate cancer. <i>Journal of Urology</i> , 2010 , 183, 1822-8 | 2.5 | 84 |
| 167 | The relationship between external beam radiotherapy dose and chronic urinary dysfunction--a methodological critique. 2010 , 97, 40-7 | | 37 |
| 166 | Focal Therapy is an Option for the Majority of Localised Prostate Cancers: A Histopathological Study of Contemporary UK Radical Prostatectomies. 2011 , 4, 166-170 | | |
| 165 | Contemporary Treatment of Erectile Dysfunction. 2011 , | | 2 |
| 164 | Expanded prostate cancer index composite for clinical practice: development and validation of a practical health related quality of life instrument for use in the routine clinical care of patients with prostate cancer. <i>Journal of Urology</i> , 2011 , 186, 865-72 | 2.5 | 107 |
| 163 | Adjustable bulbourethral male sling: experience after 101 cases of moderate-to-severe male stress urinary incontinence. 2011 , 107, 777-782 | | 89 |
| 162 | Trends in the care of radical prostatectomy in the United States from 2003 to 2006. 2011 , 108, 49-55 | | 36 |
| 161 | Diabetes mellitus and health-related quality of life in prostate cancer: 5-year results from the Prostate Cancer Outcomes Study. 2011 , 107, 1223-31 | | 19 |
| 160 | [Incontinence after radical prostatectomy and cystectomy: are combined training with mechanical devices and whole body vibration effective?]. 2011 , 50, 433-44 | | 6 |
| 159 | Periodic Health Examination. 2011 , 69-84 | | |
| 158 | Optimizing postoperative sexual function after radical prostatectomy. 2012 , 4, 347-65 | | 12 |
| 157 | A prospective study of the feasibility and acceptability of a Web-based, electronic patient-reported outcome system in assessing patient recovery after major gynecologic cancer surgery. 2012 , 127, 273-7 | | 47 |
| 156 | Clinical impact of 18F-choline PET/CT in patients with recurrent prostate cancer. 2012 , 39, 936-43 | | 93 |
| 155 | A critical analysis of the long-term impact of radical prostatectomy on cancer control and function outcomes. 2012 , 61, 664-75 | | 160 |
| 154 | Posterior urethral complications of the treatment of prostate cancer. 2012 , 110, 304-25 | | 87 |

| | | |
|-----|--|--------|
| 153 | Collagen--emerging collagen based therapies hit the patient. 2013 , 65, 429-56 | 205 |
| 152 | Urinary Incontinence. 2013 , 951-971 | |
| 151 | Posterior urethral complications of radical prostatectomy. 2013 , 7, S192-4 | 1 |
| 150 | Long-term functional outcomes after treatment for localized prostate cancer. 2013 , 368, 436-45 | 639 |
| 149 | Patient-reporting improves estimates of postoperative complication rates: a prospective cohort study in gynaecological oncology. 2013 , 109, 623-32 | 12 |
| 148 | Measuring symptoms in localized prostate cancer: a systematic review of assessment instruments. 2013 , 16, 111-22 | 37 |
| 147 | Feasibility of long-term patient self-reporting of toxicities from home via the Internet during routine chemotherapy. 2013 , 31, 2580-5 | 100 |
| 146 | Robotic prostatectomy: The new standard of care or a marketing success?. 2009 , 3, 488-90 | 23 |
| 145 | Radical Surgery. 2014 , 145-169 | |
| 144 | . 2014 , | |
| 143 | Calidad de vida sexual posterior a prostatectomía radical. 2014 , 74, 169-175 | 2 |
| 142 | Pelvic autonomic neuromonitoring: present reality, future prospects. 2014 , 31, 302-12 | 7 |
| 141 | Treatment outcomes of transurethral macroplastique injection for postprostatectomy incontinence. 2014 , 55, 182-9 | 11 |
| 140 | Ensuring comprehensive assessment of urinary problems in prostate cancer through patient-physician concordance. 2014 , 32, 26.e25-31 | 1 |
| 139 | Is the detection rate of 18F-choline PET/CT influenced by androgen-deprivation therapy?. 2014 , 41, 1293-300 | 21 |
| 138 | Comparison between subcutaneous injection of basic fibroblast growth factor-hydrogel and intracavernous injection of adipose-derived stem cells in a rat model of cavernous nerve injury. <i>Urology</i> , 2014 , 84, 1248.e1-7 | 1.6 15 |
| 137 | Assessing quality of life in patients with prostate cancer: a systematic and standardized comparison of available instruments. 2014 , 23, 2169-81 | 47 |
| 136 | The Long Perspective: Prostate Cancer as a Chronic Disease. 2014 , 298-312 | 2 |

| | | | |
|-----|--|-----|----|
| 135 | Novel use of the capio urethral anastomotic suturing device: a 50-case assessment. 2013 , 7, 145-8 | | 1 |
| 134 | Postprostatectomy Anastomosis Stenosis: A Systematic Review. <i>Urology</i> , 2015 , 86, 211-8 | 1.6 | 8 |
| 133 | Predictive factors from videourodynamic study for delayed urinary continence after laparoscopic radical prostatectomy. 2015 , 26, 31-35 | | 1 |
| 132 | The factors predicting biochemical recurrence in patients with radical prostatectomy. 2016 , 87, 270-5 | | 2 |
| 131 | Research Needs for Understanding the Biology of Overdiagnosis in Cancer Screening. 2016 , 231, 1870-5 | | 15 |
| 130 | Experimental investigation of the biomechanics of urethral tissues and structures. 2016 , 101, 641-56 | | 29 |
| 129 | Long-term follow-up for the treatment of male urinary incontinence with the Remeex system. 2016 , 40, 585-591 | | 18 |
| 128 | Cystoprostatectomy versus prostatectomy alone for locally advanced or recurrent pelvic cancer. 2016 , 86, 54-8 | | 8 |
| 127 | Long-term follow-up for the treatment of male urinary incontinence with the Remeex system. 2016 , 40, 585-591 | | 2 |
| 126 | Penile rehabilitation for post-prostatectomy erectile dysfunction. 2016 , | | 2 |
| 125 | Urinary Dysfunction in Prostate Cancer. 2016 , | | 1 |
| 124 | Medical Practice Variations in Reproductive, Obstetric, and Gynecological Care. 2016 , 141-160 | | 3 |
| 123 | Comparison of Patient-Reported Quality-of-Life and Complications in Men With Prostate Cancer, Between Two Modes of Administration. 2016 , 14, 284-9 | | 3 |
| 122 | Prostate Cancer. 2016 , 1038-1095.e18 | | 2 |
| 121 | Experimental investigation of the structural behavior of equine urethra. 2017 , 141, 35-41 | | 13 |
| 120 | Urodynamic changes in patients with prostate cancer undergoing robotic-assisted radical prostatectomy: A comparison with laparoscopic radical prostatectomy. 2017 , 28, 174-179 | | 1 |
| 119 | International evaluation of the psychometrics of health-related quality of life questionnaires for use among long-term survivors of testicular and prostate cancer. 2017 , 15, 97 | | 15 |
| 118 | Clinical Use of Expanded Prostate Cancer Index Composite for Clinical Practice to Assess Patient Reported Prostate Cancer Quality of Life Following Robot-Assisted Radical Prostatectomy. <i>Journal of Urology</i> , 2017 , 197, 109-114 | 2.5 | 18 |

| | | | |
|-----|---|-----|----|
| 117 | Relief of Urinary Symptom Burden after Primary Prostate Cancer Treatment. <i>Journal of Urology</i> , 2017 , 197, 376-384 | 2.5 | 10 |
| 116 | Can time to failure predict the faulty component in artificial urinary sphincter device malfunctions?. 2018 , 25, 146-150 | | 2 |
| 115 | Urinary continence four weeks following Retzius-sparing robotic radical prostatectomy: The UK experience. 2018 , 11, 15-20 | | 13 |
| 114 | The effect of surgery report cards on improving radical prostatectomy quality: the SuRep study protocol. 2018 , 18, 89 | | 3 |
| 113 | Penile rehabilitation for postprostatectomy erectile dysfunction. 2018 , 10, CD012414 | | 12 |
| 112 | Transurethral ultrasound therapy of the prostate in the presence of calcifications: A simulation study. 2018 , 45, 4793-4805 | | 3 |
| 111 | Development of Nomograms to Predict the Recovery of Erectile Function Following Radical Prostatectomy. 2019 , 16, 1796-1802 | | 9 |
| 110 | The value of prostate-specific antigen monitoring during salvage radiotherapy: a retrospective study and systematic review with meta-analysis. 2019 , 8, 413-423 | | 1 |
| 109 | Predictive value of Prostate Specific Antigen variations in the last week of salvage radiotherapy for biochemical recurrence of prostate cancer after surgery: A practical approach. 2020 , 3, e1285 | | 2 |
| 108 | CHOICES: Patients as Participants in Shared Care Planning at the Point of Care. 2005 , 208-216 | | 1 |
| 107 | Medical and Psychosocial Issues in Prostate Cancer Survivors. 2007 , 145-156 | | 2 |
| 106 | Prostate cancer screening: current issues. 1996 , 86, 93-112 | | 3 |
| 105 | Cryosurgical ablation of the prostate: treatment alternative for localized prostate cancer. 1996 , 88, 167-86 | | 5 |
| 104 | Assessing health-related quality of life in patients with genitourinary malignancies. 1996 , 88, 249-64 | | 1 |
| 103 | Health Services Research. 2005 , 1473-1543 | | 4 |
| 102 | Natural History in Untreated Prostate Cancer. 1995 , 225-238 | | 1 |
| 101 | Prostate Cancer. 2008 , 1653-1699 | | 3 |
| 100 | Quality of Life: Impact of Prostate Cancer and its Treatment. 2003 , 461-470 | | 1 |

| | | | |
|----|--|-----|-----|
| 99 | Laparoscopic and Robotic-Assisted Laparoscopic Radical Prostatectomy and Pelvic Lymphadenectomy. 2012 , 2830-2849.e3 | | 3 |
| 98 | Cryotherapy for Prostate Cancer. 2012 , 2873-2896.e4 | | 4 |
| 97 | Treatment of postprostatectomy urinary incontinence with behavioral methods. 1997 , 11, 159-66 | | 10 |
| 96 | Post-Prostatectomy Incontinence. <i>Journal of Urology</i> , 1996 , 1256-1259 | 2.5 | 9 |
| 95 | RADICAL RETROPUBIC PROSTATECTOMY:. <i>Journal of Urology</i> , 2000 , 194 | 2.5 | 2 |
| 94 | RADICAL PROSTATECTOMY FOR LOCALIZED PROSTATE CANCER PROVIDES DURABLE CANCER CONTROL WITH EXCELLENT QUALITY OF LIFE:. <i>Journal of Urology</i> , 2000 , 1802-1807 | 2.5 | 15 |
| 93 | PATTERNS OF TREATMENT OF PATIENTS WITH PROSTATE CANCER INITIALLY MANAGED WITH SURVEILLANCE: RESULTS FROM THE CaPSURE DATABASE. <i>Journal of Urology</i> , 2000 , 81-88 | 2.5 | 4 |
| 92 | URINARY CONTINENCE AND PATHOLOGICAL OUTCOME AFTER BLADDER NECK PRESERVATION DURING RADICAL RETROPUBIC PROSTATECTOMY: A RANDOMIZED PROSPECTIVE TRIAL. <i>Journal of Urology</i> , 2001 , 815-818 | 2.5 | 2 |
| 91 | STUDIES OF TIN ETHYL ETIOPURPURIN PHOTODYNAMIC THERAPY OF THE CANINE PROSTATE. <i>Journal of Urology</i> , 2001 , 1795-1801 | 2.5 | 4 |
| 90 | IS ANASTOMOTIC BIOPSY NECESSARY BEFORE RADIOTHERAPY AFTER RADICAL PROSTATECTOMY?. <i>Journal of Urology</i> , 2001 , 111-115 | 2.5 | 1 |
| 89 | ARTIFICIAL URINARY SPHINCTER FOR POST-RADICAL PROSTATECTOMY URINARY INCONTINENCE. <i>Journal of Urology</i> , 2001 , 1755-1758 | 2.5 | 5 |
| 88 | ERECTILE DYSFUNCTION AFTER RADICAL PROSTATECTOMY:. <i>Journal of Urology</i> , 2002 , 1371-1375 | 2.5 | 4 |
| 87 | Photodynamic Therapy for Prostate Cancer Recurrence After Radiotherapy: A Phase I Study. <i>Journal of Urology</i> , 2002 , 1427-1432 | 2.5 | 18 |
| 86 | Trends and black/white differences in treatment for nonmetastatic prostate cancer. 1998 , 36, 1337-48 | | 132 |
| 85 | Validation study of retrospective recall of disease-targeted function: results from the prostate cancer outcomes study. 2000 , 38, 847-57 | | 55 |
| 84 | Controversy in managing patients with prostate cancer. Banish dogma, get more data. 1998 , 316, 1919-20 | | 9 |
| 83 | Dual Processing Model for Medical Decision-Making: An Extension to Diagnostic Testing. 2015 , 10, e0134800 | | 6 |
| 82 | The nerve sparing radical prostatectomy--a step to better quality of life-surgical aspects. <i>Acta Chirurgica Iugoslavica</i> , 2005 , 52, 63-7 | | 2 |

| | | | |
|----|--|-----|----|
| 81 | Management of male urinary incontinence. 2010 , 26, 236-44 | | 11 |
| 80 | Radiotherapy is associated with reduced continence outcomes following implantation of the artificial urinary sphincter in men with post-radical prostatectomy incontinence. 2017 , 9, 253-256 | | 7 |
| 79 | Improving Urinary Continence after Radical Prostatectomy: Review of Surgical Modifications. 2009 , 50, 935 | | 6 |
| 78 | Urinary incontinence after radical prostatectomy - experience of the last 100 cases. 2011 , 64, 213-7 | | 3 |
| 77 | Predictive factors for biochemical recurrence in radical prostatectomy patients. 2015 , 68, 404-9 | | 3 |
| 76 | Counseling the Patient on Choice of Therapy and Outcomes. 2000 , 353-361 | | |
| 75 | Counseling the Patient on Choice of Therapy and Outcomes. 2000 , 337-351 | | |
| 74 | THE NEED FOR HOSPITAL CARE OF PATIENTS WITH CLINICALLY LOCALIZED PROSTATE CANCER MANAGED BY NONCURATIVE INTENT:. <i>Journal of Urology</i> , 2000 , 1150-1154 | 2.5 | |
| 73 | MANAGEMENT OF A POSITIVE SURGICAL MARGIN AFTER RADICAL PROSTATECTOMY: DECISION ANALYSIS. <i>Journal of Urology</i> , 2000 , 93-100 | 2.5 | 0 |
| 72 | Cryosurgical Urology. 2001 , 193-208 | | |
| 71 | Benign and Malignant Diseases of the Prostate. 2001 , 806-816 | | |
| 70 | Urologische Eingriffe. 2001 , 41-113 | | |
| 69 | PATIENT REPORTED COMPLICATIONS AFTER PROSTATE BRACHYTHERAPY. <i>Journal of Urology</i> , 2001 , 953-957 | 2.5 | 1 |
| 68 | HEALTH RELATED QUALITY OF LIFE ASSESSMENT AFTER RADICAL PROSTATECTOMY IN MEN WITH PROSTATE SPECIFIC ANTIGEN ONLY RECURRENCE. <i>Journal of Urology</i> , 2001 , 2286-2290 | 2.5 | |
| 67 | Radiation exposure to the corporeal bodies during 3-dimensional conformal radiation therapy for prostate cancer. <i>Journal of Urology</i> , 2002 , 167, 539-42 | 2.5 | 4 |
| 66 | Urinary Continence After Radical Retropubic Prostatectomy: Relationship with Membranous Urethral Length on Preoperative Endorectal Magnetic Resonance Imaging. <i>Journal of Urology</i> , 2002 , 1032-1035 | 2.5 | 2 |
| 65 | Nerve-sparing Radical Retropubic Prostatectomy. 2003 , 135-147 | | |
| 64 | Prostate Cancer. 2003 , 489-497 | | |

- 63 Is Surgery still Necessary for Prostate Cancer?. **2003**, 261-265
- 62 The Decision-making Process for Prostate Cancer. **2003**, 231-252
- 61 Cryoablation of Prostate Cancer. **2003**, 171-183
- 60 A National Survey Of Urinary And Health Related Quality Of Life Outcomes In Men With An Artificial Urinary Sphincter For Post-Radical Prostatectomy Incontinence. *Journal of Urology*, **2003**, 237-239
- 59 Prostate Cancer and Erectile Dysfunction. **2004**, 145-158
- 58 Radical retropubic prostatectomy for prostate carcinoma; first results of the Clinic of Urology in Skopje. *Acta Chirurgica Iugoslavica*, **2005**, 52, 37-40
- 57 Radical Prostatectomy and Other Pelvic Surgeries. **2006**, 135-154 2
- 56 Section III: Organic Factors. **2007**, 173-194
- 55 Robotic Prostatectomy. **2008**, 45-66
- 54 Principles of Open Radical Prostatectomy: Applied to Robotic-Assisted Laparoscopic Prostatectomy. **2008**, 69-78
- 53 Perioperative Outcomes of Robotic Radical Prostatectomy. **2008**, 91-99
- 52 The Incidence and Risk Factors for Inguinal Hernia after Radical Retropubic Prostatectomy. *Korean Journal of Urology*, **2008**, 49, 981
- 51 Pharmacotherapy of Male Incontinence. **2009**, 411-421
- 50 Rehabilitation. **2009**, 283-313
- 49 NHG-Standaard Bemoelijkte mictie bij oudere mannen. **2009**, 753-777
- 48 The Effect of Radical Prostatectomy on Erectile Dysfunction. **2011**, 207-220
- 47 La chirurgie radicale pour cancer prostatique. **2011**, 159-172
- 46 NHG-Standaard Bemoelijkte mictie bij oudere mannen. **2011**, 1387-1411

| | | |
|----|--|-------|
| 45 | Benign and Malignant Diseases of the Prostate. 2011 , 1069-1082 | 1 |
| 44 | Prostate Cancer. 2012 , e51-1-e51-85 | |
| 43 | Clinical Implications of Measuring Quality-of-Life in Early Stage Prostate Cancer. 2012 , 297-317 | |
| 42 | Prevention of Prostate Cancer. 2014 , 491-531 | |
| 41 | Health Services Research. 2014 , 837-902 | |
| 40 | Molecular markers in the prediction of biochemically recurrent prostate cancer after radical surgery. <i>Onkologiya Zhurnal Imeni P A Gertsena</i> , 2014 , 3, 32 | 0.2 |
| 39 | Dysfunction in Anatomic Outlet Obstruction in Men. <i>Current Clinical Urology</i> , 2014 , 37-50 | |
| 38 | Urological Neurology and Urodynamics. <i>Journal of Urology</i> , 1995 , 1038 | 2.5 |
| 37 | Relazione su: [La prostatectomia radicale oggi: Problematriche attuali e nuove terapie alternative] <i>Urologia</i> , 1995 , 62, 545-548 | 1.2 |
| 36 | Treatment-Related Complications in Patients with Carcinoma of the Prostate: a Review. <i>Medical Radiology</i> , 1996 , 273-281 | 0.2 |
| 35 | Prostate Cancer. 1997 , 305-315 | |
| 34 | Sexual Dysfunction Following Stroke. 1997 , 145-167 | 1 |
| 33 | Prostate Cancer. 1999 , 765-784 | |
| 32 | RE. <i>Journal of Urology</i> , 1999 , 610-611 | 2.5 |
| 31 | Medical Practice Variations in Reproductive, Obstetric, and Gynaecological Care. 2015 , 1-21 | |
| 30 | Management of Vesicourethral Anastomotic Stricture. 2016 , 101-109 | |
| 29 | Adjunctive Measures and New Therapies to Optimize Early Return of Urinary Continence. 2016 , 115-128 | |
| 28 | Neuro-anatomic basis of potency recovery after radical prostatectomy: an expert's point of view. <i>Minerva Chirurgica</i> , 2019 , 74, 28-36 | 0.8 0 |

| | | | |
|----|---|-----|----|
| 27 | Benign and Malignant Diseases of the Prostate. 2020 , 1-32 | | |
| 26 | Benign and Malignant Diseases of the Prostate. 2020 , 651-682 | | |
| 25 | Prostate Cancer. 2003 , 455-467 | | 0 |
| 24 | Medical and Psychosocial Issues in Prostate Cancer Survivors. 2006 , 1869-1880 | | |
| 23 | Robotic Transperitoneal Four Arm Laparoscopic Radical Prostatectomy: Points of Technique. 2008 , 49-69 | | |
| 22 | Infections Due to Anti-Incontinence Devices/ Grafts/ Slings. 2008 , 367-374 | | |
| 21 | Surgical Treatment of Prostate Cancer. 2007 , 24-38 | | |
| 20 | Rehabilitation. 2007 , 203-228 | | 1 |
| 19 | Prostate cancer treatment and ten-year survival among group/staff HMO and fee-for-service Medicare patients. <i>Health Services Research</i> , 1999 , 34, 525-46 | 3.4 | 26 |
| 18 | Prostate cancer: 6. Surgical treatment of localized disease. <i>Cmaj</i> , 1998 , 159, 1265-71 | 3.5 | 8 |
| 17 | Screening for prostate cancer: estimating the magnitude of overdetecation. <i>Cmaj</i> , 1998 , 159, 1368-72 | 3.5 | 36 |
| 16 | The clinical burden of prostate cancer in Canada: forecasts from the Montreal Prostate Cancer Model. <i>Cmaj</i> , 2000 , 162, 977-83 | 3.5 | 3 |
| 15 | The economic burden of prostate cancer in Canada: forecasts from the Montreal Prostate Cancer Model. <i>Cmaj</i> , 2000 , 162, 987-92 | 3.5 | 21 |
| 14 | Iatrogenic damage to male reproductive function. <i>Journal of the Royal Society of Medicine</i> , 1995 , 88, 579-584 | | 1 |
| 13 | Prostate cancer screening--is the controversy resolved?. <i>Western Journal of Medicine</i> , 1995 , 163, 65-6 | | |
| 12 | Clinical Evidence: Non-metastatic prostate cancer. <i>Western Journal of Medicine</i> , 1999 , 171, 97-101 | | 1 |
| 11 | Management of clinically localized prostate cancer. <i>Reviews in Urology</i> , 2004 , 6 Suppl 2, S3-S12 | 1 | 3 |
| 10 | Comparison of Incontinence Risk after Radical Prostatectomy versus Hysterectomy. <i>Reviews in Urology</i> , 2001 , 3, 156-9 | 1 | |

| | | | |
|---|---|-----|----|
| 9 | Selecting candidates for radical prostatectomy. <i>Reviews in Urology</i> , 2000 , 2, 182-9 | 1 | 12 |
| 8 | The effect of erectile dysfunction on quality of life following treatment for localized prostate cancer. <i>Reviews in Urology</i> , 2001 , 3, 113-9 | 1 | 14 |
| 7 | The Gordon Wilson Lecture. Natural history and treatment of early stage prostate cancer. <i>Transactions of the American Clinical and Climatological Association</i> , 2000 , 111, 201-41 | 0.9 | 20 |
| 6 | Prostate cancer (early). <i>Clinical Evidence</i> , 2006 , 2006, | | |
| 5 | Patient-reported validated functional outcome after extraperitoneal robotic-assisted nerve-sparing radical prostatectomy. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2007 , 11, 315-20 | 2.2 | 7 |
| 4 | Patient-reported validated functional outcome after extraperitoneal robotic-assisted nerve-sparing radical prostatectomy. <i>Journal of the Society of Laparoendoscopic Surgeons</i> , 2007 , 11, 443-8 | 2.2 | 10 |
| 3 | Utilizing Multidimensional Computer Adaptive Testing to Mitigate Burden With Patient Reported Outcomes. 2015 , 2015, 320-8 | 0.7 | 16 |
| 2 | Pharmacotherapy of Male Incontinence. 2009 , 411-421 | | |
| 1 | THE ROLE OF THE AGENCY FOR HEALTH CARE POLICY AND RESEARCH IN IMPROVING OUTCOMES OF CARE. 1997 , 32, 521-542 | | 1 |