

CITATION REPORT

List of articles citing

The p21 Cdk-interacting protein Cip1 is a potent inhibitor of G1 cyclin-dependent kinases

DOI: 10.1016/0092-8674(93)90499-g
Cell, 1993, 75, 805-16.

Source: <https://exaly.com/paper-pdf/24190677/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2212	Yeast two-hybrid system screening. 2006 , 313, 345-71		13
2211	Pleurotus ostreatus inhibits proliferation of human breast and colon cancer cells through p53-dependent as well as p53-independent pathway. 1992 , 33, 1307		5
2210	Cell cycle. Dams and sluices. 1993 , 366, 634-5		104
2209	Inhibition of CDK2 activity in vivo by an associated 20K regulatory subunit. 1993 , 366, 707-10		704
2208	p53: at the crossroads of molecular carcinogenesis and risk assessment. 1993 , 262, 1980-1		410
2207	Braking the cycle. <i>Cell</i> , 1993 , 75, 839-41	56.2	372
2206	Immunophilins interact with calcineurin in the absence of exogenous immunosuppressive ligands.. 1994 , 13, 5944-5957		113
2205	Cyclin G is a transcriptional target of the p53 tumor suppressor protein.. 1994 , 13, 4816-4822		319
2204	The transcription factor, the Cdk, its cyclin and their regulator: directing the transcriptional response to a nutritional signal.. 1994 , 13, 5410-5420		74
2203	Wild-type alternatively spliced p53: binding to DNA and interaction with the major p53 protein in vitro and in cells.. 1994 , 13, 4823-4830		34
2202	A temperature-sensitive mutant of human p53.. 1994 , 13, 2535-2544		98
2201	The differential localization of human cyclins A and B is due to a cytoplasmic retention signal in cyclin B.. 1994 , 13, 3772-3781		189
2200	p53 oligomerization and DNA looping are linked with transcriptional activation.. 1994 , 13, 6011-6020		88
2199	Activation of the phosphatase activity of human cdc25A by a cdk2-cyclin E dependent phosphorylation at the G1/S transition.. 1994 , 13, 4302-4310		351
2198	Study of the cell cycle-dependent assembly of the DNA pre-replication centres in Xenopus egg extracts.. 1994 , 13, 4153-4164		84
2197	Differential regulation of E2F transactivation by cyclin/cdk2 complexes. 1994 , 8, 1772-86		318
2196	Interactions among regulators of RNA abundance characterized using RNA fingerprinting by arbitrarily primed PCR. 1994 , 22, 4419-31		46

2195	Regulation of the cell cycle timing of Start in fission yeast by the rum1+ gene. 1994 , 18, 63-8	20
2194	Hypoxia induces accumulation of p53 protein, but activation of a G1-phase checkpoint by low-oxygen conditions is independent of p53 status. 1994 , 14, 6264-77	546
2193	G1 control in mammalian cells. 1994 , 18, 69-73	107
2192	The D-type cyclins and their role in tumorigenesis. 1994 , 18, 89-96	81
2191	Growth suppression by p18, a p16INK4/MTS1- and p14INK4B/MTS2-related CDK6 inhibitor, correlates with wild-type pRb function. 1994 , 8, 2939-52	546
2190	Molecular biology of human papillomavirus infection and oncogenesis. 1994 , 103, 248-56	25
2189	Tumor Suppressor and Immediate Early Transcription Factor Genes in Non-small Cell Lung Cancer. 1994 , 106, 372S-376S	3
2188	EFFECTS OF MUTANT P53 GENES ON TRANSFORMATION OF HUMAN MAMMARY EPITHELIAL-CELLS. 1994 , 4, 1077	
2187	Pathogenesis of cancer in view of mutually opposing apoptotic and anti-apoptotic growth signals. 1994 , 4, 1257-63	2
2186	T-antigen of sv40 blocks p53 transactivation but not p53 specific binding to DNA. 1994 , 5, 945-53	1
2185	3 distinct regions of chromosome-6 are targets of loss of heterozygosity in human ovarian carcinomas. 1994 , 5, 1043-8	4
2184	Effect of actinomycin-d on the cell-cycle progression and the expression of p53, waf1/cip1, gadd45, and mdm-2 genes in human oral keratinocytes - implication of human papillomavirus infection. 1994 , 5, 1023-30	
2183	Nuclear exclusion of p53 controls DNA-synthesis through reduction in the expression of p21 inhibitor of cyclin-dependent kinase-2. 1994 , 5, 1059-64	
2182	Cell cycle analysis of the activity, subcellular localization, and subunit composition of human CAK (CDK-activating kinase). 1994 , 127, 467-78	222
2181	Inhibition of the DNA-binding activity of Drosophila suppressor of hairless and of its human homolog, KBF2/RBP-J kappa, by direct protein-protein interaction with Drosophila hairless. 1994 , 8, 2491-503	140
2180	Loss of cell cycle controls in apoptotic lymphoblasts of the bursa of Fabricius. 1994 , 5, 763-72	12
2179	Detection of protein-protein interactions using different vectors in the two-hybrid system. 1994 , 22, 3241-2	72
2178	p53 domains: structure, oligomerization, and transformation. 1994 , 14, 5182-91	137

2177	Phosphate-regulated inactivation of the kinase PHO80-PHO85 by the CDK inhibitor PHO81. 1994 , 266, 122-6	209
2176	Regulation of cyclin D-dependent kinase 4 (cdk4) by cdk4-activating kinase. 1994 , 14, 2713-21	262
2175	Effects of c-myc expression on cell cycle progression. 1994 , 14, 5748-55	129
2174	Cyclin D1-mediated inhibition of repair and replicative DNA synthesis in human fibroblasts. 1994 , 8, 1627-39	246
2173	Cancer genes: From mouse to man. 1994 , 5, 135-146	1
2172	The SAD1/RAD53 protein kinase controls multiple checkpoints and DNA damage-induced transcription in yeast. 1994 , 8, 2401-15	404
2171	Interactions between the bud emergence proteins Bem1p and Bem2p and Rho-type GTPases in yeast. 1994 , 127, 1395-406	177
2170	Nerve growth factor regulates the expression and activity of p33cdk2 and p34cdc2 kinases in PC12 pheochromocytoma cells. 1994 , 5, 1225-41	45
2169	Interactions between papillomavirus proteins and tumor suppressor gene products. 1994 , 64, 1-24	45
2168	Altered cell cycle regulation in the lens of HPV-16 E6 or E7 transgenic mice: implications for tumor suppressor gene function in development. 1994 , 8, 1285-99	342
2167	An inhibitor of yeast cyclin-dependent protein kinase plays an important role in ensuring the genomic integrity of daughter cells. 1994 , 14, 3320-8	150
2166	Inactivation of a Cdk2 inhibitor during interleukin 2-induced proliferation of human T lymphocytes. 1994 , 14, 4889-901	249
2165	The PCL2 (ORFD)-PHO85 cyclin-dependent kinase complex: a cell cycle regulator in yeast. 1994 , 266, 1391-5	161
2164	Defect in Radiation Signal Transduction in Ataxia-telangiectasia. 1994 , 66, S151-S156	18
2163	p53, a potential target for tumor-directed T cells. 1994 , 40, 171-8	75
2162	Tumor suppressor genes in molecular medicine. 1994 , 72, 619-30	8
2161	A Drosophila gene encoding a DEAD box RNA helicase can suppress loss of wee1/mik1 function in Schizosaccharomyces pombe. 1994 , 245, 654-7	13
2160	Control of cell proliferation during plant development. 1994 , 26, 1289-303	25

2159	Tumor suppressor genes and their roles in breast cancer. 1994 , 32, 19-38	38
2158	Evidence for a p53-independent pathway for upregulation of SDI1/CIP1/WAF1/p21 RNA in human cells. 1994 , 11, 59-64	124
2157	TP53 gene mutations and CCND1 gene amplification in head and neck squamous cell carcinoma cell lines. 1994 , 59, 383-7	38
2156	Cell cycle control and cancer chemotherapy. 1994 , 54, 440-52	66
2155	Applications of interaction traps/two-hybrid systems to biotechnology research. 1994 , 5, 482-6	56
2154	Expression systems. 1994 , 5, 561-75	
2153	From genetics to chemistry: tumor suppressor genes and drug discovery. 1994 , 1, 7-9	5
2152	Cell cycle control and cancer. 1994 , 266, 1821-8	1890
2151	The two-hybrid system: an assay for protein-protein interactions. 1994 , 10, 286-92	560
2150	The G1/S cell-cycle checkpoint in eukaryotic cells. 1994 , 1198, 215-30	12
2149	The function(s) of CAK, the p34cdc2-activating kinase. 1994 , 19, 496-500	76
2148	Investigational Strategies for Detection and Intervention in Early-Stage Pancreatic Cancer. April 24-27, Annapolis, Maryland. Abstracts. 1994 , 16, 183-310	1
2147	Malignant transformation of keratinocytes by human papillomaviruses. 1994 , 21, 193-9	7
2146	Physiological T-cell death: susceptibility is modulated by activation, aging, and transformation, but the mechanism is constant. 1994 , 142, 273-99	34
2145	Apoptosis and its role in human disease. 1994 , 12, 487-93	173
2144	Frequent somatic mutations and homozygous deletions of the p16 (MTS1) gene in pancreatic adenocarcinoma. 1994 , 8, 27-32	980
2143	Cell cycle. Rum tale of replication. 1994 , 367, 219-20	8
2142	The p21 inhibitor of cyclin-dependent kinases controls DNA replication by interaction with PCNA. 1994 , 369, 574-8	1499

2141	p53-dependent apoptosis in the absence of transcriptional activation of p53-target genes. 1994 , 370, 220-3	814
2140	Tumour biology. p53, guardian of Rb. 1994 , 371, 21-2	154
2139	Cell cycle. Stifled by inhibitions. 1994 , 371, 204-5	76
2138	Differential effects by the p21 CDK inhibitor on PCNA-dependent DNA replication and repair. 1994 , 371, 534-7	580
2137	Activation of Raf-1 by 14-3-3 proteins. 1994 , 371, 612-4	339
2136	Interleukin-2-mediated elimination of the p27Kip1 cyclin-dependent kinase inhibitor prevented by rapamycin. 1994 , 372, 570-3	857
2135	Solution structure of the tetrameric minimum transforming domain of p53. 1994 , 1, 877-90	242
2134	Close correlation between the dephosphorylation of p53 and growth suppression by transforming growth factor-beta 1 in nasopharyngeal carcinoma cells transduced with adenovirus early region genes. 1994 , 85, 459-63	10
2133	Cancer genetics. Is p53 the only real tumor suppressor gene?. 1994 , 4, 137-9	19
2132	Signal transduction. Switching off MAP kinases. 1994 , 4, 647-50	41
2131	Allosteric activation of latent p53 tetramers. 1994 , 4, 865-75	292
2130	Cip1 blocks the initiation of DNA replication in Xenopus extracts by inhibition of cyclin-dependent kinases. 1994 , 4, 876-83	126
2129	Cip1 inhibits DNA replication but not PCNA-dependent nucleotide excision-repair. 1994 , 4, 1062-8	137
2128	Negative control of cell proliferation in eukaryotes. 1994 , 27, 373-394	10
2127	Inhibition of cyclin-dependent kinases by purine analogues. 1994 , 224, 771-86	504
2126	Transcriptional activation by p53 correlates with suppression of growth but not transformation. <i>Cell</i> , 1994 , 79, 817-27	56.2 219
2125	Cyclic AMP-induced G1 phase arrest mediated by an inhibitor (p27Kip1) of cyclin-dependent kinase 4 activation. <i>Cell</i> , 1994 , 79, 487-96	56.2 712
2124	p53-dependent inhibition of cyclin-dependent kinase activities in human fibroblasts during radiation-induced G1 arrest. <i>Cell</i> , 1994 , 76, 1013-23	56.2 1317

2123	roughex is a dose-dependent regulator of the second meiotic division during <i>Drosophila</i> spermatogenesis. <i>Cell</i> , 1994 , 77, 1015-25	56.2	53
2122	G1 phase progression: cycling on cue. <i>Cell</i> , 1994 , 79, 551-5	56.2	2505
2121	Mitosis in transition. <i>Cell</i> , 1994 , 79, 563-71	56.2	683
2120	Cyclins and cancer. II: Cyclin D and CDK inhibitors come of age. <i>Cell</i> , 1994 , 79, 573-82	56.2	1959
2119	Cloning of p27Kip1, a cyclin-dependent kinase inhibitor and a potential mediator of extracellular antimitogenic signals. <i>Cell</i> , 1994 , 78, 59-66	56.2	1928
2118	p27, a novel inhibitor of G1 cyclin-Cdk protein kinase activity, is related to p21. <i>Cell</i> , 1994 , 78, 67-74	56.2	1842
2117	TGF-beta receptors and actions. 1994 , 1222, 71-80		245
2116	The role of the p53 protein in the apoptotic response. 1994 , 345, 277-80		50
2115	Mechanisms of action of the p53 tumor suppressor and prospects for cancer gene therapy by reconstitution of p53 function. 1994 , 716, 265-80; discussion 280-2		18
2114	Multiple pathways leading to genomic instability and tumorigenesis. 1994 , 726, 165-77		18
2113	Interaction of the p53-regulated protein Gadd45 with proliferating cell nuclear antigen. 1994 , 266, 1376-80		831
2112	Arresting developments in cell-cycle control. 1994 , 19, 143-5		69
2111	Protein kinases. 1994 , 4, 833-40		65
2110	Oncogenes and cell death. 1994 , 4, 120-9		229
2109	Tumor suppressor genes. 1994 , 4, 135-41		188
2108	DNA amplification: new insights into its mechanism. 1994 , 103, 73-81		20
2107	Cdc2 regulatory factors. 1994 , 6, 877-82		344
2106	Cell cycle checkpoints. 1994 , 6, 872-6		149

2105	DNA damage triggers a prolonged p53-dependent G1 arrest and long-term induction of Cip1 in normal human fibroblasts. 1994 , 8, 2540-51	931
2104	Crystal structure of a p53 tumor suppressor-DNA complex: understanding tumorigenic mutations. 1994 , 265, 346-55	2093
2103	Cloning of the complete coding region for human protein phosphatase inhibitor 2 using the two hybrid system and expression of inhibitor 2 in E. coli. 1994 , 340, 93-8	32
2102	Cyclins and cancer: wheels within wheels. 1994 , 343, 931-2	10
2101	Disrupted dichotomous intracellular control of human papillomavirus infection in cancer of the cervix. 1994 , 343, 955-7	78
2100	Deletions of the cyclin-dependent kinase-4 inhibitor gene in multiple human cancers. 1994 , 368, 753-6	1495
2099	Cancer genetics. 1994 , 4, 109-19	12
2098	p53 and Rb: their cellular roles. 1994 , 6, 853-8	71
2097	Cell multiplication. 1994 , 6, 898-907	
2096	Cdk inhibitors: on the threshold of checkpoints and development. 1994 , 6, 847-52	288
2095	Apoptosis in human tumor cells following treatment with p120 antisense oligodeoxynucleotide ISIS 3466. 1994 , 86, 151-7	15
2094	Signal transduction and growth control in normal and cancer cells. 1994 , 4, 1-4	52
2093	Protein kinase regulation: insights from crystal structure analysis. 1994 , 6, 239-46	91
2092	Genetics of growth arrest and cell death: key determinants of tissue homeostasis. 1994 , 30A, 2001-12	15
2091	European School of Oncology Task Force Report. New approaches in cancer pharmacology: drug design and development (Part 2). 1994 , 30A, 1148-60	1
2090	A cell cycle regulator potentially involved in genesis of many tumor types. 1994 , 264, 436-40	2450
2089	p21-containing cyclin kinases exist in both active and inactive states. 1994 , 8, 1750-8	506
2088	Myc-mediated apoptosis requires wild-type p53 in a manner independent of cell cycle arrest and the ability of p53 to induce p21waf1/cip1. 1994 , 8, 2817-30	406

2087	Identification of p53 mutations in endometrial adenocarcinoma by polymerase chain reaction-single-strand conformation polymorphism. 1994 , 1, 234-7	5
2086	p53: tumor suppression through control of the cell cycle. 1994 , 106, 1708-11	22
2085	The structure, function, and regulation of papillomaviral genes in infection and cervical cancer. 1994 , 44, 305-56	48
2084	Southwestern internal medicine conference: hereditary predisposition to colorectal cancer: new insights. 1994 , 308, 295-308	3
2083	The retinoblastoma tumor suppressor protein. 1994 , 64, 25-85	182
2082	Dissecting molecular carcinogenesis: development of transgenic mouse models by epidermal gene targeting. 1994 , 64, 247-96	13
2081	Role of androgens in prostatic cancer. 1994 , 49, 433-502	102
2080	Constitutive expression of B-myb can bypass p53-induced Waf1/Cip1-mediated G1 arrest. 1994 , 91, 10079-83	95
2079	Inducible growth arrest: new mechanistic insights. 1994 , 91, 1985-6	18
2078	Virus-encoded cyclin. 1994 , 14, 7235-44	123
2077	Specific association between the human DNA repair proteins XPA and ERCC1. 1994 , 91, 5012-6	256
2076	A cell cycle-regulated inhibitor of cyclin-dependent kinases. 1994 , 91, 5291-5	251
2075	Cdk-interacting protein 1 directly binds with proliferating cell nuclear antigen and inhibits DNA replication catalyzed by the DNA polymerase delta holoenzyme. 1994 , 91, 8655-9	369
2074	Overexpression of human cyclin D1 reduces the transforming growth factor beta (TGF-beta) type II receptor and growth inhibition by TGF-beta 1 in an immortalized human esophageal epithelial cell line. 1994 , 91, 11576-80	63
2073	Transformation by homeobox genes can be mediated by selective transcriptional repression.. 1994 , 13, 5967-5976	17
2072	Growth arrest by induction of p53 in DNA damaged keratinocytes is bypassed by human papillomavirus 16 E7. 1994 , 91, 4382-6	202
2071	Interaction mating reveals binary and ternary connections between Drosophila cell cycle regulators. 1994 , 91, 12980-4	269
2070	Senescence of immortal human fibroblasts by the introduction of normal human chromosome 6. 1994 , 91, 5498-502	75

2069	Relief of p53-mediated transcriptional repression by the adenovirus E1B 19-kDa protein or the cellular Bcl-2 protein. 1994 , 91, 8940-4	142
2068	Gene regulation by temperature-sensitive p53 mutants: identification of p53 response genes. 1994 , 91, 10640-4	65
2067	Mutations and altered expression of p16INK4 in human cancer. 1994 , 91, 11045-9	457
2066	Hepatitis B virus X protein inhibits p53 sequence-specific DNA binding, transcriptional activity, and association with transcription factor ERCC3. 1994 , 91, 2230-4	578
2065	A novel inhibitor of cyclin-Cdk activity detected in transforming growth factor beta-arrested epithelial cells. 1994 , 14, 3683-94	300
2064	Senescence-like growth arrest induced by hydrogen peroxide in human diploid fibroblast F65 cells. 1994 , 91, 4130-4	519
2063	p53-dependent G1 arrest involves pRB-related proteins and is disrupted by the human papillomavirus 16 E7 oncoprotein. 1994 , 91, 5320-4	289
2062	Oncogenic capacity of the E2F1 gene. 1994 , 91, 12823-7	222
2061	Phosphorylation of the p34 subunit of human single-stranded-DNA-binding protein in cyclin A-activated G1 extracts is catalyzed by cdk-cyclin A complex and DNA-dependent protein kinase. 1994 , 91, 8343-7	102
2060	Mouse p53 represses the rat brain creatine kinase gene but activates the rat muscle creatine kinase gene. 1994 , 14, 8483-92	48
2059	Myocyte nuclear factor, a novel winged-helix transcription factor under both developmental and neural regulation in striated myocytes. 1994 , 14, 4596-605	83
2058	Identification of a cell-type-specific and E2F-independent mechanism for repression of cdc2 transcription. 1995 , 15, 3282-90	45
2057	v-Abl activates c-myc transcription through the E2F site. 1995 , 15, 6535-44	57
2056	Modulation of p53-mediated transcriptional repression and apoptosis by the adenovirus E1B 19K protein. 1995 , 15, 1060-70	186
2055	The human papilloma virus 16E6 gene sensitizes human mammary epithelial cells to apoptosis induced by DNA damage. 1995 , 92, 7829-33	72
2054	Single cell monitoring of growth arrest and morphological changes induced by transfer of wild-type p53 alleles to glioblastoma cells. 1995 , 92, 1008-12	48
2053	A proliferative p53-responsive element mediates tumor necrosis factor alpha induction of the human immunodeficiency virus type 1 long terminal repeat. 1995 , 15, 3450-9	32
2052	Astrocytes derived from p53-deficient mice provide a multistep in vitro model for development of malignant gliomas. 1995 , 15, 4249-59	84

2051	Platelet-derived growth factor induces apoptosis in growth-arrested murine fibroblasts. 1995 , 92, 9500-4	62
2050	G1 phase arrest induced by Wilms tumor protein WT1 is abrogated by cyclin/CDK complexes. 1995 , 92, 4517-21	75
2049	Biological response to phorbol ester determined by alternative G1 pathways. 1995 , 92, 4793-7	55
2048	An apoptotic defect in lens differentiation caused by human p53 is rescued by a mutant allele. 1995 , 92, 6142-6	70
2047	Phosphorylated and unphosphorylated forms of human single-stranded DNA-binding protein are equally active in simian virus 40 DNA replication and in nucleotide excision repair. 1995 , 92, 4636-40	65
2046	p53 controls both the G2/M and the G1 cell cycle checkpoints and mediates reversible growth arrest in human fibroblasts. 1995 , 92, 8493-7	718
2045	The C-terminal domain of p53 recognizes DNA damaged by ionizing radiation. 1995 , 92, 9455-9	167
2044	Cloning and characterization of the Xenopus cyclin-dependent kinase inhibitor p27XIC1. 1995 , 92, 10187-91	95
2043	Regulation of p53-mediated apoptosis and cell cycle arrest by Steel factor. 1995 , 15, 6953-60	59
2042	The p53-mediated G1 checkpoint is retained in tumorigenic rat embryo fibroblast clones transformed by the human papillomavirus type 16 E7 gene and EJ-ras. 1995 , 15, 1446-54	26
2041	Cyclin E restores p53 activity in contact-inhibited cells. 1995 , 15, 3926-33	28
2040	Exit from G0 and entry into the cell cycle of cells expressing p21Sdi1 antisense RNA. 1995 , 92, 4352-6	123
2039	Functional domains of Pho81p, an inhibitor of Pho85p protein kinase, in the transduction pathway of Pi signals in <i>Saccharomyces cerevisiae</i> . 1995 , 15, 997-1004	77
2038	Identification of human and mouse p19, a novel CDK4 and CDK6 inhibitor with homology to p16ink4. 1995 , 15, 2682-8	301
2037	Genetic alterations in human gastrointestinal cancers. The application to molecular diagnosis. 1995 , 75, 1410-7	110
2036	Use of the yeast two-hybrid system for identifying the cascade of protein interactions resulting in apoptotic cell death. 1995 , 46, 139-51	4
2035	Transforming growth factor beta induces the cyclin-dependent kinase inhibitor p21 through a p53-independent mechanism. 1995 , 92, 5545-9	784
2034	Inhibition of ras-induced proliferation and cellular transformation by p16INK4. 1995 , 267, 249-52	384

2033	Mitogen-responsive nuclear factors that mediate growth control signals in vascular myocytes. 1995 , 30, 585-592	21
2032	Role of cysteine residues in regulation of p53 function. 1995 , 15, 3892-903	264
2031	Cell cycle control mechanisms and their role in cardiac growth. 1995 , 30, 557-569	36
2030	Differential regulation of cyclin A, cyclin B and p21 concentrations in a growth-restricted human fibroblast cell line. 1995 , 312 (Pt 3), 693-8	8
2029	Cyclins and cyclin-dependent kinases: a biochemical view. 1995 , 308 (Pt 3), 697-711	481
2028	Molecular genetics of exocrine pancreatic neoplasms. 1995 , 75, 857-69	50
2027	p53: DNA damage, DNA repair, and apoptosis. 1996 , 127, 65-95	36
2026	Identifying DNA replication complex components using protein affinity chromatography. 1995 , 262, 415-30	5
2025	Tumor suppressor p53 mutations and breast cancer: a critical analysis. 1995 , 66, 71-141	68
2024	V(D)J recombination and double-strand break repair. 1995 , 58, 29-85	49
2023	Use of two-hybrid system to identify Rab binding proteins. 1995 , 257, 200-8	2
2022	Loss of cyclin-dependent kinase inhibitor genes and chromosome 9 karyotypic abnormalities in human bladder cancer cell lines. 1995 , 72, 1214-8	25
2021	E2F-5, a new E2F family member that interacts with p130 in vivo. 1995 , 15, 3082-9	210
2020	Involvement of the cell-cycle inhibitor Cip1/WAF1 and the E1A-associated p300 protein in terminal differentiation. 1995 , 92, 5451-5	312
2019	Growth suppression by p16ink4 requires functional retinoblastoma protein. 1995 , 92, 6289-93	387
2018	14-3-3 proteins associate with cdc25 phosphatases. 1995 , 92, 7892-6	238
2017	Multiple genetic loci within 11p15 defined by Beckwith-Wiedemann syndrome rearrangement breakpoints and subchromosomal transferable fragments. 1995 , 92, 12456-60	93
2016	Extradenticle protein is a selective cofactor for the Drosophila homeotics: role of the homeodomain and YPWM amino acid motif in the interaction. 1995 , 92, 739-43	120

2015	FAR1 and the G1 phase specificity of cell cycle arrest by mating factor in <i>Saccharomyces cerevisiae</i> . 1995 , 15, 2509-16	53
2014	Wild-type human p53 and a temperature-sensitive mutant induce Fas/APO-1 expression. 1995 , 15, 3032-40	638
2013	MyoD-induced expression of p21 inhibits cyclin-dependent kinase activity upon myocyte terminal differentiation. 1995 , 15, 3823-9	356
2012	Cell-cycle regulators and cancer. 1995 , 11, 136-40	254
2011	Modulation of cell kinetics and cell cycle status by treating CD34+ chronic myeloid leukaemia cells with p53 antisense phosphorothioate oligonucleotides. 1995 , 90, 8-14	18
2010	Structural integrity of the cyclin-dependent kinase inhibitor genes, p15, p16 and p18 in myeloid leukaemias. 1995 , 91, 139-49	55
2009	Screening for germline mutations of the p53 gene in familial breast cancer patients. 1995 , 25, 132-7	7
2008	A small peptide inhibitor of DNA replication defines the site of interaction between the cyclin-dependent kinase inhibitor p21WAF1 and proliferating cell nuclear antigen. 1995 , 5, 275-82	258
2007	The cellular responses to DNA damage. 1995 , 5, 32-40	100
2006	Authors' correction. 1995 , 5, 40	
2005	Time, telomeres and tumours: is cellular senescence more than an anticancer mechanism?. 1995 , 5, 293-7	112
2004	Functions of pRb and p53: what's the connection?. 1995 , 5, 448-50	20
2003	D-type cyclins. 1995 , 20, 187-90	805
2002	Finding prospective partners in the library: the two-hybrid system and phage display find a match. 1995 , 20, 511-6	96
2001	Protein p53 modulates transcription from a promoter containing its binding site in a concentration-dependent manner. 1995 , 234, 827-31	11
2000	p53 expression in dedifferentiated chondrosarcoma. 1995 , 76, 223-7	44
1999	Overexpression of MDM-2 mRNA and mutation of the p53 tumor suppressor gene in bladder carcinoma cell lines. 1995 , 13, 173-81	30
1998	Delay of dimethylbenz[a]anthracene-induced mammary tumorigenesis in transgenic mice by apoptosis induced by an unusual mutant p53 protein. 1995 , 14, 75-83	22

1997	UV irradiation of chromosomal DNA and its effect upon MPF and meiosis in mammalian oocytes. 1995 , 41, 503-12	38
1996	Cyclin-dependent protein kinases: key regulators of the eukaryotic cell cycle. 1995 , 17, 471-80	789
1995	Tumour suppressors, kinases and clamps: how p53 regulates the cell cycle in response to DNA damage. 1995 , 17, 501-8	279
1994	Origins of G1 arrest in senescent human fibroblasts. 1995 , 17, 537-43	123
1993	Stopped for repairs. 1995 , 17, 545-8	68
1992	Life and death by p53. 1995 , 17, 923-30	88
1991	Decreased cytotoxic effects of doxorubicin in a human ovarian cancer-cell line expressing wild-type p53 and WAF1/CIP1 genes. 1995 , 61, 397-401	34
1990	Absence of mutations and identification of two polymorphisms in the SSCP and sequence analysis of p21CKI gene in malignant gliomas. 1995 , 62, 115-7	17
1989	Expression of the cyclin-dependent kinase inhibitors p16INK4, p15INK4B and p21WAF1/CIP1 in human breast cancer. 1995 , 63, 584-91	71
1988	Expression of p21WAF1/CIP1 is heterogeneous and unrelated to proliferation index in human ovarian carcinoma. 1995 , 63, 611-5	50
1987	Alterations of CDKN2 (p16) in non-small cell lung cancer. 1995 , 14, 164-70	43
1986	The p53 gene and its role in human brain tumors. 1995 , 15, 308-27	156
1985	Bcl-2 protooncogene expression in cervical carcinoma cell lines containing inactive p53. 1995 , 57, 509-21	58
1984	Apoptosis and the cell cycle. 1995 , 58, 160-74	316
1983	Differential regulation of p34cdc2 and p33cdk2 by transforming growth factor-beta 1 in murine mammary epithelial cells. 1995 , 58, 517-26	10
1982	Retrovirally mediated wild-type p53 restores S-phase modulation without inducing WAF1 mRNA in breast carcinoma cells containing mutant p53. 1995 , 59, 537-44	4
1981	Effects of ionizing radiation on cell cycle progression. A review. 1995 , 34, 79-83	109
1980	Regulation of apoptosis in immune cells. 1995 , 15, 1-16	66

1979	The pathophysiology and management of spine metastasis from lung cancer. 1995 , 23, 109-20	6
1978	Interferon modulates the messenger RNA of G1-controlling genes to suppress the G1-to-S transition in Daudi cells. 1995 , 152, 149-58	16
1977	Regulatory properties of neuronal cdc2-like kinase. 1995 , 149-150, 35-9	6
1976	The two-hybrid: an in vivo protein-protein interaction assay. 1995 , 21, 119-27	26
1975	Apoptosis, cancer and the p53 tumour suppressor gene. 1995 , 14, 149-61	133
1974	P53, cell cycle control and apoptosis: implications for cancer. 1995 , 14, 3-15	392
1973	Cell cycle regulation in response to DNA damage in mammalian cells: a historical perspective. 1995 , 14, 17-29	88
1972	Genetic instability as a consequence of inappropriate entry into and progression through S-phase. 1995 , 14, 59-73	73
1971	Comparative analysis of Homo sapiens and Mus musculus cyclin-dependent kinase (CDK) inhibitor genes p16 (MTS1) and p15 (MTS2). 1995 , 41, 795-802	15
1970	Inhibitors of cyclin-dependent kinase and cancer. 1995 , 73, 509-14	41
1969	Identification of a PstI polymorphism in the p21Cip1/Waf1 cyclin-dependent kinase inhibitor gene. 1995 , 95, 459-60	11
1968	Molecular biology of gastric cancer. 1995 , 19, 484-8; discussion 489-90	135
1967	Multiple modes of ligand recognition: crystal structures of cyclin-dependent protein kinase 2 in complex with ATP and two inhibitors, olomoucine and isopentenyladenine. 1995 , 22, 378-91	237
1966	Role of tumor suppressor genes in determining radiation-induced G1 arrest and transformation in human cells. 1995 , 3, 268-271	
1965	MDM2 and CDK4 gene amplification in Ewing's sarcoma. 1995 , 175, 211-7	85
1964	p53 protein expression in colorectal adenomas: an immunohistochemical study using an antigen retrieval system. 1995 , 27, 517-23	10
1963	Assessment of cell proliferation in pathology--what next?. 1995 , 26, 105-12	51
1962	Deletion analysis of gene minE which encodes the topological specificity factor of cell division in Escherichia coli. 1995 , 18, 321-9	85

1961	Tumor suppressor genes: prospects for cancer therapies. 1995 , 13, 127-31	3
1960	A mutant p53 transgene accelerates tumour development in heterozygous but not nullizygous p53-deficient mice. 1995 , 9, 305-11	204
1959	Molecular foundations of cancer: new targets for intervention. 1995 , 1, 309-20	93
1958	The p21 cyclin-dependent kinase inhibitor suppresses tumorigenicity in vivo. 1995 , 1, 1052-6	177
1957	Principles of CDK regulation. 1995 , 374, 131-4	2906
1956	Separate domains of p21 involved in the inhibition of Cdk kinase and PCNA. 1995 , 374, 386-8	509
1955	A role for retinoblastoma protein in potentiating transcriptional activation by the glucocorticoid receptor. 1995 , 374, 562-5	179
1954	Cell-cycle inhibition by independent CDK and PCNA binding domains in p21Cip1. 1995 , 375, 159-61	498
1953	A giant nucleopore protein that binds Ran/TC4. 1995 , 376, 184-8	434
1952	A WD-domain protein that is associated with and phosphorylated by the type II TGF-beta receptor. 1995 , 377, 548-52	183
1951	Radiation-induced cell cycle arrest compromised by p21 deficiency. 1995 , 377, 552-7	1119
1950	Induction of the growth inhibitor IGF-binding protein 3 by p53. 1995 , 377, 646-9	786
1949	Rescue of early embryonic lethality in mdm2-deficient mice by deletion of p53. 1995 , 378, 203-6	1214
1948	Multiple polymorphisms, but no mutations, in the WAF1/CIP1 gene in human brain tumours. 1995 , 72, 1230-3	57
1947	Cyclin D and retinoblastoma gene product expression in actinic keratosis and cutaneous squamous cell carcinoma in relation to p53 expression. 1995 , 22, 427-34	41
1946	Cell cycle regulators in the keratinocyte (cyclin-cdk). 1995 , 4, 1-8	7
1945	The yeast two-hybrid system for studying protein-protein interactions. 1995 , 6, 59-64	67
1944	Analytical biotechnology. 1995 , 6, 121-38	

1943	Genetic analysis of cellular senescence. 1995 , 1242, 29-41	21
1942	Signaling by the transforming growth factor-beta receptors. 1995 , 1242, 115-36	16
1941	Molecular analysis of the Cip1/Waf1 (p21) gene in diverse types of human tumors. 1995 , 1263, 275-80	35
1940	Progress against cancer. 1995 , 121, 633-47	8
1939	Induction of apoptosis by tumor suppressor genes and oncogenes. 1995 , 6, 17-25	70
1938	Implications of apoptotic cell death regulation in cancer therapy. 1995 , 6, 53-60	60
1937	Regulation of the cell cycle by viral oncoproteins. 1995 , 6, 109-16	101
1936	Role of p53 in leukemogenesis of chronic myeloid leukemia. 1995 , 13, 445-52	29
1935	Recessive oncogenes: current status. 1995 , 1, 7-22	7
1934	Multiple mechanisms account for genomic instability and molecular mutation in neoplastic transformation. 1995 , 41, 644-657	43
1933	Cyclin D2 and Ha-Ras transformed rat embryo fibroblasts exhibit a novel deregulation of cell size control and early S phase arrest in low serum.. 1995 , 14, 1892-1903	18
1932	NGF regulates the PC12 cell cycle machinery through specific inhibition of the Cdk kinases and induction of cyclin D1. 1995 , 15, 6200-12	167
1931	Nerve growth factor-induced growth arrest and induction of p21Cip1/WAF1 in NIH-3T3 cells expressing TrkA. 1995 , 270, 30841-4	32
1930	Irreversible repression of DNA synthesis in Fanconi anemia cells is alleviated by the product of a novel cyclin-related gene. 1995 , 15, 305-14	27
1929	The tumour suppressor gene product APC blocks cell cycle progression from G0/G1 to S phase.. 1995 , 14, 5618-5625	121
1928	Identification of the active region of the DNA synthesis inhibitory gene p21Sdi1/CIP1/WAF1.. 1995 , 14, 555-563	122
1927	Lack of cyclin D-Cdk complexes in Rb-negative cells correlates with high levels of p16INK4/MTS1 tumour suppressor gene product.. 1995 , 14, 503-511	240
1926	Accumulation of wild-type p53 protein upon gamma-irradiation induces a G2 arrest-dependent immunoglobulin kappa light chain gene expression.. 1995 , 14, 1392-1401	77

1925	Suppression of the yeast mutation rft1-1 by human p53. 1995 , 270, 22556-64	13
1924	Targets of immunophilin-immunosuppressant complexes are distinct highly conserved regions of calcineurin A.. 1995 , 14, 2772-2783	86
1923	Nin1p, a regulatory subunit of the 26S proteasome, is necessary for activation of Cdc28p kinase of <i>Saccharomyces cerevisiae</i> .. 1995 , 14, 3105-3115	75
1922	Negative feedback regulation of wild-type p53 biosynthesis.. 1995 , 14, 4442-4449	205
1921	Alternatively spliced forms in the carboxy-terminal domain of the p53 protein regulate its ability to promote annealing of complementary single strands of nucleic acids. 1995 , 15, 497-504	111
1920	Molecular biology and colorectal cancer: genetic alterations, inherited syndromes, and applications to colon cancer screening. 1995 , 13, 182-9	2
1919	Identification of a Myc-dependent step during the formation of active G1 cyclin-cdk complexes.. 1995 , 14, 4814-4826	176
1918	GCN20, a novel ATP binding cassette protein, and GCN1 reside in a complex that mediates activation of the eIF-2 alpha kinase GCN2 in amino acid-starved cells.. 1995 , 14, 3184-3199	130
1917	Identification of a cdk-activating kinase in fission yeast.. 1995 , 14, 6173-6183	57
1916	Physical and functional interactions between p53 and cell cycle co-operating transcription factors, E2F1 and DP1.. 1995 , 14, 6184-6192	69
1915	Ubiquitination of the G1 cyclin Cln2p by a Cdc34p-dependent pathway.. 1995 , 14, 303-312	163
1914	A direct effect of activated human p53 on nuclear DNA replication.. 1995 , 14, 2099-2105	57
1913	Cdk2. 1995 , 188-190	
1912	Complex formation in yeast double-strand break repair: participation of Rad51, Rad52, Rad55, and Rad57 proteins. 1995 , 92, 6925-9	268
1911	Regulation of Raf-1 kinase activity by the 14-3-3 family of proteins.. 1995 , 14, 685-696	117
1910	A direct interaction between G-protein beta gamma subunits and the Raf-1 protein kinase. 1995 , 270, 14251-4	61
1909	Regulation of Transcription Functions of the p53 Tumor Suppressor by the mdm-2 Oncogene. 1995 , 1, 142-152	169
1908	Taxol-Induced Mitotic Block Triggers Rapid Onset of a p53-Independent Apoptotic Pathway. 1995 , 1, 506-526	221

1907	Systemic gene therapy with p53 reduces growth and metastases of a malignant human breast cancer in nude mice. 1995 , 6, 395-405	132
1906	p57KIP2, a structurally distinct member of the p21CIP1 Cdk inhibitor family, is a candidate tumor suppressor gene. 1995 , 9, 650-62	731
1905	To pop or not to pop: p53 as a critical modulator of tumour responsiveness to therapy in vivo?. 1995 , 14, 222-5	1
1904	Induction of G1 arrest by down-regulation of cyclin D3 in T cell hybridomas. 1995 , 182, 401-8	30
1903	Interaction of the ribosomal protein, L5, with protein phosphatase type 1. 1995 , 270, 19786-90	47
1902	Expression of the E2F1 transcription factor overcomes type beta transforming growth factor-mediated growth suppression. 1995 , 92, 483-7	148
1901	Two variants of the CIP1/WAF1 gene occur together and are associated with human cancer. 1995 , 4, 1089-92	96
1900	The Genetics of Cancer. 1995 ,	2
1899	Differential regulation of plasminogen activator and inhibitor gene transcription by the tumor suppressor p53. 1995 , 23, 3710-7	125
1898	p53 transcriptional activation mediated by coactivators TAFII40 and TAFII60. 1995 , 267, 100-4	407
1897	Use of semiquantitative reverse transcription-polymerase chain reaction to study gene expression in normal human skin fibroblasts following low dose-rate irradiation. 1995 , 67, 135-43	15
1896	Abi-2, a novel SH3-containing protein interacts with the c-Abl tyrosine kinase and modulates c-Abl transforming activity. 1995 , 9, 2569-82	224
1895	Interactions between the subunits of casein kinase II. 1995 , 270, 13017-21	114
1894	Evidence for a differential interaction of SHC and the insulin receptor substrate-1 (IRS-1) with the insulin-like growth factor-I (IGF-I) receptor in the yeast two-hybrid system. 1995 , 270, 23456-60	81
1893	p53 is phosphorylated in vitro and in vivo by an ultraviolet radiation-induced protein kinase characteristic of the c-Jun kinase, JNK1. 1995 , 270, 5511-8	188
1892	Kip/Cip and Ink4 Cdk inhibitors cooperate to induce cell cycle arrest in response to TGF-beta. 1995 , 9, 1831-45	742
1891	Correlation of terminal cell cycle arrest of skeletal muscle with induction of p21 by MyoD. 1995 , 267, 1018-21	1034
1890	Inhibition of cell proliferation by C/EBP alpha occurs in many cell types, does not require the presence of p53 or Rb, and is not affected by large T-antigen. 1995 , 23, 4726-33	116

1889	Growth factor modulation of p53-mediated growth arrest versus apoptosis. 1995 , 9, 600-11	272
1888	Inhibition of nucleotide excision repair by the cyclin-dependent kinase inhibitor p21. 1995 , 270, 22008-16	120
1887	Constitutive overexpression of CDK2 inhibits neuronal differentiation of rat pheochromocytoma PC12 cells. 1995 , 270, 23031-7	75
1886	Functional analysis of the transforming growth factor beta responsive elements in the WAF1/Cip1/p21 promoter. 1995 , 270, 28623-8	373
1885	Applications of molecular biology to biomedicine and toxicology. 1995 , 13, 1-51	8
1884	Raf1 interaction with Cdc25 phosphatase ties mitogenic signal transduction to cell cycle activation. 1995 , 9, 1046-58	190
1883	A new version of the two-hybrid assay for detection of protein-protein interactions. 1995 , 23, 876-8	81
1882	Early events in DNA replication require cyclin E and are blocked by p21CIP1. 1995 , 130, 755-69	186
1881	Both p16 and p21 families of cyclin-dependent kinase (CDK) inhibitors block the phosphorylation of cyclin-dependent kinases by the CDK-activating kinase. 1995 , 270, 18195-7	145
1880	Modulation of interleukin-6-induced plasma protein secretion in hepatoma cells by p53 species. 1995 , 270, 23159-65	18
1879	Identification of Epstein-Barr virus nuclear antigen 1 protein domains that direct interactions at a distance between DNA-bound proteins. 1995 , 270, 30914-8	33
1878	An analysis of the regulation of DNA synthesis by cdk2, Cip1, and licensing factor. 1995 , 129, 1-15	79
1877	Inhibitors of mammalian G1 cyclin-dependent kinases. 1995 , 9, 1149-63	2652
1876	p53 binds single-stranded DNA ends through the C-terminal domain and internal DNA segments via the middle domain. 1995 , 23, 362-9	151
1875	Irradiation induces WAF1 expression through a p53-independent pathway in KG-1 cells. 1995 , 270, 19181-7	47
1874	Molecular cloning and characterization of the bovine and porcine outer dense fibers cDNA and organization of the bovine gene. 1995 , 376, 431-5	7
1873	Pbx proteins display hexapeptide-dependent cooperative DNA binding with a subset of Hox proteins. 1995 , 9, 663-74	325
1872	A p53-independent pathway for activation of WAF1/CIP1 expression following oxidative stress. 1995 , 270, 29386-91	186

1871	Regulation of p53-Dependent Apoptosis by E1A and E1B. 1995 , 33-58	6
1870	Cyclins and cyclin-dependent kinases: theme and variations. 1995 , 66, 181-212	122
1869	p53, Rb and bcl-2 expression during the cell cycle: a study in phytohaemagglutinin stimulated lymphocytes and microwave irradiated lymphoid tissue sections. 1995 , 48, 151-9	16
1868	Similarity of the DNA-damage responsiveness and growth-suppressive properties of waf1/cip1 and gadd45. 1995 , 6, 937-46	4
1867	Overexpression of wild-type p53 overrides the mitogenic effect of ri-alpha subunit of protein-kinase-a in human breast cells. 1995 , 7, 331-6	1
1866	The first intron of human h-ras is regulated by p53 - mediation of specific activation by a p53-binding element. 1995 , 7, 1021-8	
1865	Absence of somatic mutations in the coding region of the waf1/cip1 gene in human breast, lung and ovarian carcinomas - a polymorphism at codon-31. 1995 , 6, 187-9	7
1864	Status of the mdm-2 and waf-1 genes in mouse epidermal jb6 variants harboring wild-type p53 - a p53-independent induction of waf-1. 1995 , 6, 465-71	1
1863	The gene encoding the p53-regulated inhibitor of cdks (pic1) is not expressed in the molt-4 leukemia-cell line with p53 truncated at the carboxyl-terminus, and harbors a nucleotide substitution at codon-31 in several other cancer cell-lines. 1995 , 6, 871-6	
1862	The aberrant p53 protein (review). 1995 , 6, 1209-26	2
1861	Differential-effects of transforming growth-factor-Beta-1 on protein-levels of p21 waf and cdk-2 and on cdk-2 kinase-activity in human rd and ccl64 mink lung-cells. 1995 , 7, 337-41	1
1860	P53-independent induction of p21(waf1) pathway is preserved during tumor progression. 1995 , 7, 889-93	3
1859	Specific recognition of a transcriptional element within the human h-ras protooncogene by the p53 tumor-suppressor. 1995 , 7, 1029-34	2
1858	Radiation-induced irreversible g(0) g(1) block is abolished in human-diploid fibroblasts transfected with the human papilloma-virus e6 gene - implication of the p53-cip1 waf1 pathway. 1995 , 6, 233-6	2
1857	Discovery of Tumor Suppressor Gene Function. 1995 , 57, 200-201	1
1856	Human cyclin E, a nuclear protein essential for the G1-to-S phase transition. 1995 , 15, 2612-24	1020
1855	Inhibition of myogenic differentiation in proliferating myoblasts by cyclin D1-dependent kinase. 1995 , 267, 1022-4	445
1854	p53-independent expression of p21Cip1 in muscle and other terminally differentiating cells. 1995 , 267, 1024-7	957

1853	Novel INK4 proteins, p19 and p18, are specific inhibitors of the cyclin D-dependent kinases CDK4 and CDK6. 1995 , 15, 2672-81	560
1852	Tumor suppressor genes and clonal evolution in B-CLL. 1995 , 18, 41-9	14
1851	p53 expression in non-Hodgkin's lymphomas: a marker of p53 inactivation?. 1995 , 17, 35-42	21
1850	Deletion of the p16 and p15 genes in human bladder tumors. 1995 , 87, 1524-9	157
1849	Up-regulation of p21WAF1/CIP1 in psoriasis and after the application of irritants and tape stripping. 1995 , 105, 274-9	27
1848	Altered expression of cyclins and c-fos in R6 cells that overproduce PKC epsilon. 1995 , 16, 2423-8	23
1847	Cell cycle and cancer. 1995 , 87, 1499-501	78
1846	Effects of tumor necrosis factor-alpha on antimitogenicity and cell cycle-related proteins in MCF-7 cells. 1995 , 270, 18367-73	58
1845	Homodimerization of the human U1 snRNP-specific protein C. 1995 , 23, 4864-71	20
1844	Potential role of WAF1/Cip1/p21 as a mediator of TGF-beta cytoinhibitory effect. 1995 , 270, 4971-4	192
1843	Separation of phenotypes in mutant alleles of the Schizosaccharomyces pombe cell-cycle checkpoint gene rad1+. 1995 , 6, 1793-805	24
1842	Advances in cancer gene therapy. 1995 , 32, 289-341	20
1841	Cell cyclins and cyclin-dependent kinase activities in mouse mammary tumor development. 1995 , 16, 823-30	57
1840	RACH2, a novel human gene that complements a fission yeast cell cycle checkpoint mutation. 1995 , 6, 1411-21	17
1839	Distinct modes of cyclin E/cdc2c kinase regulation and S-phase control in mitotic and endoreduplication cycles of Drosophila embryogenesis. 1995 , 9, 1327-39	187
1838	Essential role for p53-mediated transcription in E1A-induced apoptosis. 1995 , 9, 2184-92	182
1837	p53-mediated cellular response to DNA damage in cells with replicative hepatitis B virus. 1995 , 92, 1342-6	45
1836	Cellular aging in vitro. 1995 , 5, 369-381	4

1835	E2F-1 accumulation bypasses a G1 arrest resulting from the inhibition of G1 cyclin-dependent kinase activity. 1995 , 9, 2873-87	166
1834	Analyzing protein-protein interactions using two-hybrid system. 1995 , 254, 241-63	294
1833	p53: a cell cycle regulator activated by DNA damage. 1995 , 66, 143-80	87
1832	Inhibition of poly(ADP-ribose) polymerase increases (+/-)-anti-benzo [a]pyrene diolepoxide-induced micronuclei formation and p53 accumulation in isolated human peripheral blood lymphocytes. 1995 , 16, 2765-71	12
1831	Activation of the p21 pathway of growth arrest and apoptosis by the beta 4 integrin cytoplasmic domain. 1995 , 270, 22673-6	95
1830	TOR mutations confer rapamycin resistance by preventing interaction with FKBP12-rapamycin. 1995 , 270, 27531-7	180
1829	Complex interactions between yeast TFIIIB and TFIIIC. 1995 , 270, 15353-8	73
1828	p53-dependent repression of CDK4 translation in TGF-beta-induced G1 cell-cycle arrest. 1995 , 9, 204-17	133
1827	Redistribution of the CDK inhibitor p27 between different cyclin.CDK complexes in the mouse fibroblast cell cycle and in cells arrested with lovastatin or ultraviolet irradiation. 1995 , 6, 1197-213	229
1826	p107 uses a p21CIP1-related domain to bind cyclin/cdk2 and regulate interactions with E2F. 1995 , 9, 1740-52	213
1825	Overexpression of the c-Myc oncoprotein blocks the growth-inhibitory response but is required for the mitogenic effects of transforming growth factor beta 1. 1995 , 92, 3239-43	124
1824	Phosphorylation-dependent interaction of the cytoplasmic domains of the type I and type II transforming growth factor-beta receptors. 1995 , 270, 12235-41	70
1823	Developmental control of the G1 to S transition in Drosophila: cyclin Eis a limiting downstream target of E2F. 1995 , 9, 1456-68	202
1822	Induction of apoptosis in HeLa cells by trans-activation-deficient p53. 1995 , 9, 2170-83	429
1821	Inhibition of cyclin-dependent kinases by p21. 1995 , 6, 387-400	836
1820	The C-terminal region of p21SDI1/WAF1/CIP1 is involved in proliferating cell nuclear antigen binding but does not appear to be required for growth inhibition. 1995 , 270, 17060-3	80
1819	Prolonged induction of p21Cip1/WAF1/CDK2/PCNA complex by epidermal growth factor receptor activation mediates ligand-induced A431 cell growth inhibition. 1995 , 131, 235-42	113
1818	The Role of Apoptosis in Development, Tissue Homeostasis and Malignancy. 1995 ,	3

1817	p53 Mutational Status and Survival of Human Breast Cancer MCF-7 Cell Variants after Exposure to X Rays or Fission Neutrons. 1995 , 142, 256	23
1816	CDC25 phosphatases as potential human oncogenes. 1995 , 269, 1575-7	446
1815	Genomic instability and cancer. 1995 , 337, 1-7	69
1814	Cell cycle arrest in response to DNA damage: lessons from yeast. 1995 , 337, 73-84	17
1813	Cyclin dependent kinase regulation. 1995 , 7, 773-80	240
1812	Apoptosis and the cell cycle. 1995 , 7, 825-34	272
1811	Cyclin kinase inhibitors add a new dimension to cell cycle control. 1995 , 31B, 291-8	18
1810	Infrequent MDM2 gene amplification and absence of gross WAF1 gene alterations in nasopharyngeal carcinoma. 1995 , 31B, 328-32	16
1809	The role of inducible transcription factors in apoptotic nerve cell death. 1995 , 21, 1-28	160
1808	Transcriptional repression in normal human keratinocytes by wild-type and mutant p53. 1995 , 91, 85-92	3
1807	Growth arrest associated changes of mRNA levels in breast cancer cells measured by semi-quantitative RT-PCR: potential early indicators of treatment response. 1995 , 97, 107-16	21
1806	Yeast vectors for the controlled expression of heterologous proteins in different genetic backgrounds. 1995 , 156, 119-22	1587
1805	A splice donor site mutation results in the insertion of five extra amino acids into P53 from SEWA mouse sarcoma cells. 1995 , 162, 231-4	1
1804	p53 expression and DNA ploidy of cartilage lesions. 1995 , 26, 620-4	61
1803	Molecular and cell biological studies of ageing and their application to considerations of T lymphocyte immunosenescence. 1995 , 79, 1-32	58
1802	Mice lacking p21CIP1/WAF1 undergo normal development, but are defective in G1 checkpoint control. <i>Cell</i> , 1995 , 82, 675-84	56.2 1875
1801	Absence of p53 allows direct immortalization of hematopoietic cells by the myc and raf oncogenes. <i>Cell</i> , 1995 , 82, 29-36	56.2 113
1800	FADD, a novel death domain-containing protein, interacts with the death domain of Fas and initiates apoptosis. <i>Cell</i> , 1995 , 81, 505-12	56.2 2110

1799	p19Skp1 and p45Skp2 are essential elements of the cyclin A-CDK2 S phase kinase. <i>Cell</i> , 1995 , 82, 915-25	56.2	426
1798	The retinoblastoma protein and cell cycle control. <i>Cell</i> , 1995 , 81, 323-30	56.2	4192
1797	Evidence for a NIMA-like mitotic pathway in vertebrate cells. <i>Cell</i> , 1995 , 81, 413-24	56.2	165
1796	Tumor suppressor p53 is a direct transcriptional activator of the human bax gene. <i>Cell</i> , 1995 , 80, 293-9	56.2	3503
1795	Identification of a novel cellular cofactor for the Rev/Rex class of retroviral regulatory proteins. <i>Cell</i> , 1995 , 82, 485-94	56.2	292
1794	DNA polymerase epsilon links the DNA replication machinery to the S phase checkpoint. <i>Cell</i> , 1995 , 80, 29-39	56.2	373
1793	The Epstein-Barr virus transforming protein LMP1 engages signaling proteins for the tumor necrosis factor receptor family. <i>Cell</i> , 1995 , 80, 389-99	56.2	881
1792	Transcriptional Regulation by Tumor Suppressor Genes. 1995 , 8, 215-224		1
1791	Tumor Suppressor Gene-Derived Peptide Antigens. 1995 , 8, 225-233		5
1790	Clinical applications of the p53 tumor suppressor gene. 1995 , 237, 79-90		11
1789	Induction of p53 and apoptosis by delta 12-PGJ2 in human hepatocarcinoma SK-HEP-1 cells. 1995 , 368, 348-52		29
1788	Studies of specific gene induction during apoptosis of cell lines conditionally immortalized by SV40. 1995 , 374, 384-6		7
1787	Precise mapping of the tms1 binding site on p53. 1995 , 377, 155-8		11
1786	Molecular genetics of colorectal cancer. 1995 , 768, 101-10		46
1785	The spectrum of mutations at the p53 locus. Evidence for tissue-specific mutagenesis, selection of mutant alleles, and a "gain of function" phenotype. 1995 , 768, 111-28		82
1784	Low incidence of p53 mutations in European hepatocellular carcinomas with heterogeneous mutation as a rare event. 1995 , 23, 412-9		28
1783	Networking with proline-directed protein kinases implicated in tau phosphorylation. 1995 , 16, 247-56; discussion 257-61		55
1782	p53-dependent and independent expression of p21 during cell growth, differentiation, and DNA damage. 1995 , 9, 935-44		850

1781	Uncoupling cell fate determination from patterned cell division in the <i>Drosophila</i> eye. 1995 , 270, 983-5	131
1780	Yeast transformation and the preparation of frozen spheroplasts for electroporation. 1995 , 47, 261-7	9
1779	p53 mutations, O6-alkylguanine DNA alkyltransferase activity, and sensitivity to procarbazine in human brain tumors. 1995 , 75, 1339-42	40
1778	DNA repair in humans. 1995 , 29, 69-105	180
1777	Cell-mediated cytotoxicity can be regulated by p53 tumor suppressor gene activity in vitro. 1995 , 84, 175-85	5
1776	Cellular effects of olomoucine, an inhibitor of cyclin-dependent kinases. 1995 , 83, 105-20	104
1775	Effect of donor age on the phosphorylation of the retinoblastoma gene product in cultured human keratinocytes. 1995 , 9, 59-63	1
1774	Cloning of p57KIP2, a cyclin-dependent kinase inhibitor with unique domain structure and tissue distribution. 1995 , 9, 639-49	661
1773	Potential for pharmacological intervention in Werner syndrome. 1995 , 7, 449-58	2
1772	p53 trans-dominantly suppresses tumor formation of human breast cancer cells mediated by retroviral bulk infection without marker gene selection: an expeditious in vitro protocol with implications towards gene therapy. 1995 , 14, 153-7	9
1771	A p16INK4a-insensitive CDK4 mutant targeted by cytolytic T lymphocytes in a human melanoma. 1995 , 269, 1281-4	971
1770	Biochemical properties and biological effects of p53. 1995 , 5, 84-90	161
1769	Mammalian antiproliferative signals and their targets. 1995 , 5, 91-6	113
1768	Oncogenes and cell proliferation. 1995 , 5, 115-50	
1767	Risk assessment of environmental chemicals. 1995 , 35, 341-68	36
1766	The prognostic value of NCAM, p53 and cyclin D1 in resected non-small cell lung cancer. 1996 , 14, 207-17	27
1765	Ionizing radiation-induced phosphorylation of RPA p34 is deficient in ataxia telangiectasia and reduced in aged normal fibroblasts. 1996 , 39, 43-52	35
1764	The genetic program of genital human papillomaviruses in infection and cancer. 1996 , 23, 735-58	31

1763	Clinical implications of the p53 gene. 1996 , 47, 285-301	144
1762	Expression of p53 protein in melanoma progression. 1996 , 12, 97-103	13
1761	The p53 gene as a modifier of intrinsic radiosensitivity: implications for radiotherapy. 1996 , 40, 197-223	163
1760	Associations among PH and SH3 domain-containing proteins and Rho-type GTPases in Yeast. 1996 , 133, 879-94	82
1759	Probing Protein/Protein Interactions with Mass Spectrometry and Isotopic Labeling: Analysis of the p21/Cdk2 Complex. 1996 , 118, 5320-5321	55
1758	Evidence For Activities Inhibiting In Trans Initiation of DNA Replication in Extract Prepared from Irradiated Cells. 1996 , 145, 408	11
1757	Analysis of the K-ras and p53 Pathways in X-Ray-Induced Lung Tumors in the Rat. 1996 , 145, 449	18
1756	Proliferation precedes differentiation in IGF-I-stimulated myogenesis. 1996 , 135, 431-40	242
1755	In vitro inhibition of MAP kinase (ERK1/ERK2) activity by phosphorylated glia maturation factor (GMF). 1996 , 35, 6283-8	46
1754	Purification and characterization of versicolorin B synthase from <i>Aspergillus parasiticus</i> . Catalysis of the stereodifferentiating cyclization in aflatoxin biosynthesis essential to DNA interaction. 1996 , 35, 11470-86	25
1753	Use of the yeast one-hybrid system to screen for mutations in the ligand-binding domain of the estrogen receptor. 1996 , 61, 102-9	18
1752	Interaction of the Ubc9 human homologue with c-Jun and with the glucocorticoid receptor. 1996 , 61, 257-62	63
1751	Lack of p16/CDKN2 alterations in thyroid carcinomas. 1996 , 101, 85-92	15
1750	Low expression of the WAF1/CIP1 gene product, p21, in enzyme-altered foci induced in rat liver by diethylnitrosamine or phenobarbital. 1996 , 104, 21-6	18
1749	Vectors for a 'double-tagging' assay for protein-protein interactions: localization of the CDK2-binding domain of human p21. 1996 , 173, 147-54	2
1748	Cell division and the nervous system: regulating the cycle from neural differentiation to death. 1996 , 19, 62-8	137
1747	Gamma-radiation-induced cell death in the fetal rat brain possesses molecular characteristics of apoptosis and is associated with specific messenger RNA elevations. 1996 , 35, 19-30	42
1746	Apoptosis: a programmed cell death involved in ovarian and uterine physiology. 1996 , 67, 85-102	79

1745	RAR beta 2-mediated growth inhibition in HeLa cells. 1996 , 223, 102-11	44
1744	The retinoblastoma gene product is reversibly dephosphorylated and bound in the nucleus in S and G2 phases during hypoxic stress. 1996 , 227, 106-15	46
1743	p21 (WAF1/CIP1) expression is induced in newly nondividing cells in diverse epithelia and during differentiation of the Caco-2 intestinal cell line. 1996 , 227, 171-81	114
1742	Clonal nature of spontaneously immortalized 3T3 cells. 1996 , 229, 7-13	14
1741	FMS (CSF-1 receptor) prolongs cell cycle and promotes retinoic acid-induced hypophosphorylation of retinoblastoma protein, G1 arrest, and cell differentiation. 1996 , 229, 111-25	16
1740	A novel transcript encoded within the 10-kb first intron of the human p53 tumor suppressor gene (D17S2179E) is induced during differentiation of myeloid leukemia cells. 1996 , 38, 364-70	20
1739	Presence of oncogenic HPV DNAs in cervical carcinoma tissues and pelvic lymph nodes associating with proliferating cell nuclear antigen expression. 1996 , 60, 418-23	32
1738	The exit from G(0) into the cell cycle requires and is controlled by sarco(endo)plasmic reticulum Ca ²⁺ pump. 1996 , 329, 65-72	27
1737	DNA-dependent protein kinase inhibitor (OK-1035) suppresses p21 expression in HCT116 cells containing wild-type p53 induced by adriamycin. 1996 , 221, 207-12	32
1736	Specific in vitro binding of p53 to the promoter region of the human mismatch repair gene hMSH2. 1996 , 221, 722-8	71
1735	K252a inhibits the phosphorylation of pRb without changing the levels of G1 cyclins and Cdk2 protein in human hepatoma cells. 1996 , 224, 180-3	2
1734	Effect of aging on regulation of sdi-1 in rat hepatocytes. 1996 , 225, 122-7	6
1733	Proteasome-dependent regulation of p21WAF1/CIP1 expression. 1996 , 227, 564-9	212
1732	P21waf-1/cip-1/sdi-1 is expressed at G1 phase in primary culture of hepatocytes from old rats, presumably preventing the cells from entering the S phase of the cell cycle. 1996 , 228, 819-24	5
1731	Interaction of human leukotriene C4 synthase and microsomal glutathione transferase in vivo. 1996 , 229, 388-95	8
1730	Characterization of the human p57KIP2 gene: alternative splicing, insertion/deletion polymorphisms in VNTR sequences in the coding region, and mutational analysis. 1996 , 97, 625-31	66
1729	The induction of p53 and WAF1/CIP1 in chronic lymphocytic leukemia cells treated with 2-chlorodeoxyadenosine. 1996 , 74, 143-7	22
1728	Expression of cyclin E in colorectal adenomas and adenocarcinomas: correlation with expression of Ki-67 antigen and p53 protein. 1996 , 429, 13-9	45

1727	Antisense oncogene and tumor suppressor gene therapy of cancer. 1996 , 74, 191-204		18
1726	Mutational analysis of the human cyclin-dependent kinase inhibitor p27kip1 in primary breast carcinomas. 1996 , 97, 91-4		62
1725	The oligomerization domain of p53: crystal structure of the trigonal form. 1996 , 399, 166-70		32
1724	Receptor protein tyrosine kinase DDR is up-regulated by p53 protein. 1996 , 398, 165-9		24
1723	The role of p53 mutation and protein expression in primary and recurrent adenoid cystic carcinoma. 1996 , 27, 567-72		47
1722	Immunohistochemical detection of p21waf1/cip1/sdi1 and p53 proteins in formalin-fixed, paraffin-embedded tissue sections of colorectal carcinoma. 1996 , 27, 912-6		20
1721	Age-related changes in proliferating cell nuclear antigen levels. 1996 , 92, 53-66		19
1720	SKP1 connects cell cycle regulators to the ubiquitin proteolysis machinery through a novel motif, the F-box. <i>Cell</i> , 1996 , 86, 263-74	56.2	1168
1719	Yeast HOG1 MAP kinase cascade is regulated by a multistep phosphorelay mechanism in the SLN1-YPD1-SSK1 "two-component" osmosensor. <i>Cell</i> , 1996 , 86, 865-75	56.2	764
1718	Mice lacking p27(Kip1) display increased body size, multiple organ hyperplasia, retinal dysplasia, and pituitary tumors. <i>Cell</i> , 1996 , 85, 707-20	56.2	1403
1717	Enhanced growth of mice lacking the cyclin-dependent kinase inhibitor function of p27(Kip1). <i>Cell</i> , 1996 , 85, 721-32	56.2	1121
1716	A syndrome of multiorgan hyperplasia with features of gigantism, tumorigenesis, and female sterility in p27(Kip1)-deficient mice. <i>Cell</i> , 1996 , 85, 733-44	56.2	1327
1715	The tumor suppressor gene Brca1 is required for embryonic cellular proliferation in the mouse. <i>Cell</i> , 1996 , 85, 1009-23	56.2	574
1714	p53 Protein exhibits 3'-to-5' exonuclease activity. <i>Cell</i> , 1996 , 85, 1089-99	56.2	234
1713	Structure of the C-terminal region of p21(WAF1/CIP1) complexed with human PCNA. <i>Cell</i> , 1996 , 87, 297-306	56.2	665
1712	Dacapo, a cyclin-dependent kinase inhibitor, stops cell proliferation during <i>Drosophila</i> development. <i>Cell</i> , 1996 , 87, 1225-35	56.2	282
1711	The role of p53 in cell cycle regulation. 1996 , 192, 669-75		84
1710	Cdk inhibitors in development and cancer. 1996 , 6, 56-64		375

1709	Biochemistry of cell death. 1996 , 6, 71-80	43
1708	Effects of 1,25 dihydroxyvitamin D3 and its analogues on induction of apoptosis in breast cancer cells. 1996 , 58, 395-401	159
1707	Modulation of DNA topoisomerase I activity by p53. 1996 , 35, 5778-86	94
1706	p53: puzzle and paradigm. 1996 , 10, 1054-72	1871
1705	Cell growth arrest and induction of cyclin-dependent kinase inhibitor p21 WAF1/CIP1 mediated by STAT1. 1996 , 272, 719-22	714
1704	Replicative senescence: implications for in vivo aging and tumor suppression. 1996 , 273, 63-7	479
1703	A cellular homolog of hepatitis delta antigen: implications for viral replication and evolution. 1996 , 274, 90-4	148
1702	Structure of the p53 tumor suppressor bound to the ankyrin and SH3 domains of 53BP2. 1996 , 274, 1001-5	477
1701	Alterations in the Progression of Cells through the Cell Cycle after Exposure to Alpha Particles or Gamma Rays. 1996 , 146, 414	29
1700	A significant decrease of the transcriptional activity of p53 mutants deriving from human functional adrenal tumors. 1996 , 15, 793-803	6
1699	P21Waf1/Cip1/Sdi1 and p53 expression in association with DNA strand breaks in idiopathic pulmonary fibrosis. 1996 , 154, 477-83	267
1698	Cyclin-dependent protein kinases and the regulation of the eukaryotic cell cycle. 179-201	3
1697	. 1996 ,	49
1696	Imprinting of the gene encoding a human cyclin-dependent kinase inhibitor, p57KIP2, on chromosome 11p15. 1996 , 93, 3026-30	266
1695	The brain-specific activator p35 allows Cdk5 to escape inhibition by p27Kip1 in neurons. 1996 , 93, 3259-63	106
1694	Biological and clinical importance of the p53 tumor suppressor gene. 1996 , 42, 858-868	156
1693	Regulators of Life and Death: The Bcl-2 Gene Family. 1996 , 6, 312-336	15
1692	Induction of the WAF1/CIP1 protein and apoptosis in human T-cell leukemia virus type I-transformed lymphocytes after treatment with adriamycin by using a p53-independent pathway. 1996 , 93, 265-8	77

1691	Reconstitution of DNA base excision-repair with purified human proteins: interaction between DNA polymerase beta and the XRCC1 protein.. 1996 , 15, 6662-6670	536
1690	Structural basis for specificity and potency of a flavonoid inhibitor of human CDK2, a cell cycle kinase. 1996 , 93, 2735-40	432
1689	Cross talk between cell death and cell cycle progression: BCL-2 regulates NFAT-mediated activation. 1996 , 93, 9545-52	303
1688	The Clk/Sty protein kinase phosphorylates SR splicing factors and regulates their intranuclear distribution.. 1996 , 15, 265-275	411
1687	The tumour suppressor gene p53 as a regulator of proliferative life-span and tumour progression. 1996 , 5, 139-53	16
1686	DNA damage and p53-mediated cell cycle arrest: a reevaluation. 1996 , 93, 15209-14	150
1685	A nuclear role for the Fragile X mental retardation protein.. 1996 , 15, 5408-5414	86
1684	p21Cip1/Waf1 disrupts the recruitment of human Fen1 by proliferating-cell nuclear antigen into the DNA replication complex. 1996 , 93, 11597-602	115
1683	Cell type-specific inhibition of p53-mediated apoptosis by mdm2.. 1996 , 15, 1596-1606	151
1682	A suppressor of mutations in the class III transcription system encodes a component of yeast TFIIIB.. 1996 , 15, 1941-1949	69
1681	Transcriptional activation by p53, but not induction of the p21 gene, is essential for oncogene-mediated apoptosis.. 1996 , 15, 3693-3701	165
1680	p53-dependent cell cycle arrest induced by N-acetyl-L-leucinyl-L-leucinyl-L-norleucin in platelet-derived growth factor-stimulated human fibroblasts. 1996 , 93, 10815-9	64
1679	Isolation of 10 differentially expressed cDNAs in p53-induced apoptosis: activation of the vertebrate homologue of the drosophila seven in absentia gene. 1996 , 93, 3953-7	140
1678	Role of the p21 cyclin-dependent kinase inhibitor in limiting intimal cell proliferation in response to arterial injury. 1996 , 93, 7905-10	221
1677	T cells from baxalpha transgenic mice show accelerated apoptosis in response to stimuli but do not show restored DNA damage-induced cell death in the absence of p53.. 1996 , 15, 1221-1230	87
1676	The Epstein-Barr virus bZIP transcription factor Zta causes G0/G1 cell cycle arrest through induction of cyclin-dependent kinase inhibitors.. 1996 , 15, 2748-2759	153
1675	E47 activates the Ig-heavy chain and TdT loci in non-B cells.. 1996 , 15, 5014-5021	79
1674	Bax alpha perturbs T cell development and affects cell cycle entry of T cells.. 1996 , 15, 6991-7001	116

1673	Activation of cyclin E/CDK2 is coupled to site-specific autophosphorylation and ubiquitin-dependent degradation of cyclin E.. 1996 , 15, 4182-4193	254
1672	Nuclear export of late HIV-1 mRNAs occurs via a cellular protein export pathway. 1996 , 93, 4421-4	62
1671	Interactions between the ankyrin repeat-containing protein Akr1p and the pheromone response pathway in <i>Saccharomyces cerevisiae</i> . 1996 , 16, 168-78	53
1670	Three classes of mutations in the A subunit of the CCAAT-binding factor CBF delineate functional domains involved in the three-step assembly of the CBF-DNA complex. 1996 , 16, 328-37	148
1669	p53-dependent association between cyclin G and the B' subunit of protein phosphatase 2A. 1996 , 16, 6593-602	95
1668	Identification of a cyclin-cdk2 recognition motif present in substrates and p21-like cyclin-dependent kinase inhibitors. 1996 , 16, 6623-33	332
1667	Cytoplasmic sequestration of wild-type p53 protein impairs the G1 checkpoint after DNA damage. 1996 , 16, 1126-37	234
1666	Regulation of p16CDKN2 expression and its implications for cell immortalization and senescence. 1996 , 16, 859-67	626
1665	Helix-loop-helix proteins LYL1 and E2a form heterodimeric complexes with distinctive DNA-binding properties in hematolymphoid cells. 1996 , 16, 2394-401	50
1664	Interaction of the interferon-induced PKR protein kinase with inhibitory proteins P58IPK and vaccinia virus K3L is mediated by unique domains: implications for kinase regulation. 1996 , 16, 4172-81	95
1663	Inhibition of p53-mediated growth arrest by overexpression of cyclin-dependent kinases. 1996 , 16, 4445-55	31
1662	A mutation in mouse rad51 results in an early embryonic lethal that is suppressed by a mutation in p53. 1996 , 16, 7133-43	623
1661	Rat embryo fibroblasts immortalized with simian virus 40 large T antigen undergo senescence upon its inactivation. 1996 , 16, 5127-38	37
1660	Expression of E1A in terminally differentiated muscle cells reactivates the cell cycle and suppresses tissue-specific genes by separable mechanisms. 1996 , 16, 5302-12	66
1659	Inhibition of G1 cyclin-dependent kinase activity during growth arrest of human breast carcinoma cells by prostaglandin A2. 1996 , 16, 762-70	104
1658	Regulation of the p21Sdi1/Cip1/Waf1 DNA Synthesis Inhibitor in Senescent Human Diploid Fibroblasts. 1996 , 15, 315-329	1
1657	Induction of meiosis in <i>Saccharomyces cerevisiae</i> depends on conversion of the transcriptional repressor Ume6 to a positive regulator by its regulated association with the transcriptional activator Ime1. 1996 , 16, 2518-26	118
1656	Ras induces anchorage-independent growth by subverting multiple adhesion-regulated cell cycle events. 1996 , 16, 3370-80	85

1655	Identification of the bud emergence gene BEM4 and its interactions with rho-type GTPases in <i>Saccharomyces cerevisiae</i> . 1996 , 16, 4387-95	42
1654	p21 Disrupts the interaction between cdk2 and the E2F-p130 complex. 1996 , 16, 737-44	77
1653	A mutant p53 that discriminates between p53-responsive genes cannot induce apoptosis. 1996 , 16, 4961-71	276
1652	Anchorage-dependent transcription of the cyclin A gene. 1996 , 16, 4632-8	122
1651	Cyclin-mediated inhibition of muscle gene expression via a mechanism that is independent of pRB hyperphosphorylation. 1996 , 16, 7043-53	116
1650	Id2 specifically alters regulation of the cell cycle by tumor suppressor proteins. 1996 , 16, 2570-8	200
1649	Inhibition of E2F activity by the cyclin-dependent protein kinase inhibitor p21 in cells expressing or lacking a functional retinoblastoma protein. 1996 , 16, 2987-97	126
1648	The p53-binding protein 53BP2 also interacts with Bc12 and impedes cell cycle progression at G2/M. 1996 , 16, 3884-92	138
1647	Determination of functional domains in the C subunit of the CCAAT-binding factor (CBF) necessary for formation of a CBF-DNA complex: CBF-B interacts simultaneously with both the CBF-A and CBF-C subunits to form a heterotrimeric CBF molecule. 1996 , 16, 4003-13	128
1646	Protein sequence requirements for function of the human T-cell leukemia virus type 1 Rex nuclear export signal delineated by a novel in vivo randomization-selection assay. 1996 , 16, 4207-14	322
1645	The cyclin-dependent kinase inhibitor p21 (WAF1) is required for survival of differentiating neuroblastoma cells. 1996 , 16, 1335-41	221
1644	Repression of p27kip1 synthesis by platelet-derived growth factor in BALB/c 3T3 cells. 1996 , 16, 4327-36	158
1643	Involvement of the cyclin-dependent kinase inhibitor p16 (INK4a) in replicative senescence of normal human fibroblasts. 1996 , 93, 13742-7	769
1642	Chapter 25. Cell Cycle Control and Cancer. 1996 , 31, 241-248	6
1641	Transcriptional activation of the human proliferating-cell nuclear antigen promoter by p53. 1996 , 93, 895-9	113
1640	The TGF β receptors and signaling pathways. 1996 , 1, 395-432	1
1639	Sporadic CDKN2 (MTS1/p16ink4) gene alterations in human ovarian tumours. 1996 , 74, 1069-73	22
1638	p53 mutation is associated with high S-phase fraction in primary fallopian tube adenocarcinoma. 1996 , 74, 1157-60	11

1637	p21WAF1 immunohistochemical expression in breast carcinoma: correlations with clinicopathological data, oestrogen receptor status, MIB1 expression, p53 gene and protein alterations and relapse-free survival. 1996 , 74, 208-15	96
1636	Differential sensitivity of normal and H-ras oncogene-transformed rat kidney epithelial cells to okadaic acid-induced apoptosis. 1996 , 141, 93-101	32
1635	Cell cycle control in fission yeast and mammals: identification of new regulatory mechanisms. 1996 , 69, 17-62	29
1634	Mechanisms of programmed cell death in <i>Caenorhabditis elegans</i> and vertebrates. 1996 , 32, 139-74	15
1633	Evidence of gene deletion of p21 (WAF1/CIP1), a cyclin-dependent protein kinase inhibitor, in thyroid carcinomas. 1996 , 74, 1336-41	31
1632	Structural studies of p21Waf1/Cip1/Sdi1 in the free and Cdk2-bound state: conformational disorder mediates binding diversity. 1996 , 93, 11504-9	483
1631	Transcriptionally active Stat1 is required for the antiproliferative effects of both interferon alpha and interferon gamma. 1996 , 93, 7673-8	426
1630	<i>Leishmania mexicana</i> p12cks1, a homologue of fission yeast p13suc1, associates with a stage-regulated histone H1 kinase. 1996 , 316 (Pt 3), 833-9	30
1629	Reversal of the temperature-shift-induced growth restriction of a temperature-sensitive simian virus 40 T-antigen-transformed human fibroblast cell line by treatment with retinoic acid. 1996 , 317 (Pt 3), 707-11	6
1628	Cyclin from sea urchins to HeLas: making the human cell cycle. 1996 , 24, 15-33	31
1627	Reactive oxygen species and their contribution to pathology in Down syndrome. 1997 , 38, 379-402	57
1626	G1 arrest and down-regulation of cyclin E/cyclin-dependent kinase 2 by the protein kinase inhibitor staurosporine are dependent on the retinoblastoma protein in the bladder carcinoma cell line 5637. 1996 , 93, 5941-6	58
1625	Mammalian cells resistant to tumor suppressor genes. 1996 , 93, 8390-4	9
1624	Activation of the human homologue of the <i>Drosophila</i> sina gene in apoptosis and tumor suppression. 1996 , 93, 9039-42	92
1623	The melanoma differentiation associated gene mda-7 suppresses cancer cell growth. 1996 , 93, 9160-5	254
1622	The wln transcription factor encoded by the nude locus contains an evolutionarily conserved and functionally indispensable activation domain. 1996 , 93, 9661-4	76
1621	Molecular biology of malignant degeneration of astrocytoma. 1996 , 24, 41-9	14
1620	p53 protein expression in non-Hodgkin's lymphoma. Comparative study with the wild type p53 induced proteins mdm2 and p21/waf1. 1996 , 49, M278-82	4

1619	Experimental elongation of telomeres extends the lifespan of immortal x normal cell hybrids.. 1996 , 15, 1734-1741	100
1618	Cancer cell cycles. 1996 , 274, 1672-7	4404
1617	Alterations of the p15, p16, and p18 genes in osteosarcoma. 1996 , 86, 136-42	100
1616	Induced differentiation, the cell cycle, and the treatment of cancer. 1996 , 69, 97-102	39
1615	Replicative senescence: considerations relating to the stability of heterochromatin domains. 1996 , 31, 281-93	68
1614	Differential CDK-inhibitor gene expression in aging human diploid fibroblasts. 1996 , 31, 311-25	89
1613	Studies demonstrating the complexity of regulation and action of the growth inhibitory gene SD11. 1996 , 31, 327-35	9
1612	Models of initiation of replicative senescence by loss of telomeric DNA. 1996 , 31, 235-43	37
1611	The role of DNA damage in cellular aging: is it time for a reassessment?. 1996 , 31, 61-8	9
1610	From telomere loss to p53 induction and activation of a DNA-damage pathway at senescence: the telomere loss/DNA damage model of cell aging. 1996 , 31, 295-301	176
1609	Chromosome changes caused by alterations of p53 expression. 1996 , 354, 129-38	41
1608	Negative regulation of cell growth by TGF beta. 1996 , 1242, 185-99	32
1607	p16INK4A as a human tumor suppressor. 1996 , 1242, 165-9	15
1606	Effects of p53 mutation on tumor progression: recent insights from mouse tumor models. 1996 , 1242, 171-6	8
1605	p53 in growth control and neoplasia. 1996 , 1287, 77-102	198
1604	Retroviral insertional mutagenesis as a strategy to identify cancer genes. 1996 , 1287, 29-57	92
1603	Cell cycle regulation by the retinoblastoma family of growth inhibitory proteins. 1996 , 1287, 103-20	70
1602	Pterygia and limbal epithelial cells: Relationship and molecular mechanisms. 1996 , 15, 297-329	10

1601	The p53 gene is a potent determinant of chemosensitivity and radiosensitivity in gastric and colorectal cancers. 1996 , 122, 360-5	95
1600	Interactions of the human papillomavirus E7 protein with cell cycle regulators. 1996 , 7, 327-37	75
1599	Immunohistochemical study of Cell Cycle Modulators in G(1)-S Transition in Clinical Breast Cancer Tissue. 1996 , 3, 93-104	3
1598	Homozygous deletions of the CDKN2/p16 gene in dural hemangiopericytomas. 1996 , 91, 221-5	26
1597	A mutation in a thioredoxin reductase homolog suppresses p53-induced growth inhibition in the fission yeast <i>Schizosaccharomyces pombe</i> . 1996 , 252, 518-29	22
1596	Mammary tumors induced by human adenovirus type 9: a role for the viral early region 4 gene. 1996 , 39, 57-67	18
1595	Regulation of the cell cycle following DNA damage in normal and Ataxia telangiectasia cells. 1996 , 52, 316-28	12
1594	Role of protein kinase activity in apoptosis. 1996 , 52, 979-94	59
1593	The p53 tumour suppressor gene: a mediator of a G1 growth arrest and of apoptosis. 1996 , 52, 1001-7	61
1592	Cyclin-dependent kinase inhibitors (CKIs) and hematological malignancies. 1996 , 38, 313-23	17
1591	Molecular diagnosis of gastrointestinal cancers: The application to clinical practice. 1996 , 1, 63-68	3
1590	C23 interacts with B23, a putative nucleolar-localization-signal-binding protein. 1996 , 237, 153-8	133
1589	Human and plant proliferating-cell nuclear antigen have a highly conserved binding site for the p53-inducible gene product p21WAF1. 1996 , 237, 854-61	19
1588	Development of intestinal cell culture models for drug transport and metabolism studies. 1996 , 22, 3-52	51
1587	Apoptosis and gastrointestinal pharmacology. 1996 , 72, 149-69	60
1586	Mammalian DNA damage-inducible genes associated with growth arrest and apoptosis. 1996 , 340, 109-24	96
1585	Subcellular distribution of p21 and PCNA in normal and repair-deficient cells following DNA damage. 1996 , 6, 189-99	126
1584	Molecular biology of the cell cycle: Potential for therapeutic applications in radiation oncology. 1996 , 6, 284-294	19

1583	Regulation of cellular proliferation effects on alteration of normal signaling pathways. 1996 , 27, 20-24	
1582	Colorectal cancer: Molecular genetic studies and their future clinical applications. 1996 , 27, 35-40	6
1581	p21/WAF1/CIP1 expression in normal mucosa and in adenomas and adenocarcinomas of the colon: its relationship with differentiation. 1996 , 179, 248-53	79
1580	MDM2 and p21WAF1/CIP1, wild-type p53-induced proteins, are regularly expressed by Sternberg-Reed cells in Hodgkin's disease. 1996 , 180, 58-64	21
1579	Expression of cyclin-dependent kinase inhibitor p21WAF1/CIP1 in non-neoplastic mucosa and neoplasia of the stomach: relationship with p53 status and proliferative activity. 1996 , 180, 122-8	70
1578	In vivo association of protein fragments giving active AraC. 1996 , 25, 501-505	1
1577	Molecular analysis of the cyclin-dependent kinase inhibitor family: p16(CDKN2/MTS1/INK4A), p18(INK4C) and p27(Kip1) genes in neuroblastomas. 1996 , 77, 570-5	42
1576	Radiation therapy tolerance limits. For one or for all?--Janeway Lecture. 1996 , 77, 2379-85	52
1575	The helix-loop-helix protein Id-1 and a retinoblastoma protein binding mutant of SV40 T antigen synergize to reactivate DNA synthesis in senescent human fibroblasts. 1996 , 18, 161-72	64
1574	Ionizing radiation and the cell cycle: A review. 1996 , 4, 147-158	1
1573	Mutation in p53 and de-regulation of p53-related gene expression in three human cell lines immortalized with 4-nitroquinoline 1-oxide or 60Co gamma rays. 1996 , 66, 698-702	11
1572	Reduced messenger RNA expression level of p21 CIP1 in human colorectal carcinoma tissues and its association with p53 gene mutation. 1996 , 69, 259-64	23
1571	Abrogation of apoptosis induced by DNA-damaging agents in human bladder-cancer cell lines with p21/WAF1/CIP1 and/or p53 gene alterations. 1996 , 68, 501-5	39
1570	Temperature-sensitive mutant p53 (ala143) interferes transiently with DNA-synthesis and cell-cycle progression in Saos-2 cells. 1996 , 25, 21-31	4
1569	Characterization of senescence- and apoptosis-dependent forms of terminin as derived from a precursor found in replicating and nonreplicating cells. 1996 , 60, 107-20	6
1568	Inducible expression of cyclin D1 in T-47D human breast cancer cells is sufficient for Cdk2 activation and pRB hyperphosphorylation. 1996 , 60, 363-378	23
1567	Retinoblastoma protein family in cell cycle and cancer: A review. 1996 , 62, 418-430	145
1566	Tumor necrosis factor alpha: posttranscriptional stabilization of WAF1 mRNA in p53-deficient human leukemic cells. 1996 , 166, 568-76	43

1565	Differential regulation of p27 and cyclin D1 by TGF-beta and EGF in C3H 10T1/2 mouse fibroblasts. 1996 , 168, 510-20	37
1564	c-Myc inactivation by mutant Max alters growth and morphology of NCI-H-630 colon cancer cells. 1996 , 169, 200-8	6
1563	Establishment of spontaneously immortalized rat type 1 astroglial cell lines: the role of p53 in astroglial carcinogenesis. 1996 , 18, 185-99	5
1562	TP53 and MYC gene alterations independently predict poor prognosis in breast cancer patients. 1996 , 16, 170-9	58
1561	Separate amplified regions encompassing CDK4 and MDM2 in human sarcomas. 1996 , 17, 254-9	86
1560	Induction of p53 and p21/WAF1/CIP1 expression by nitric oxide and their association with apoptosis in human cancer cells. 1996 , 16, 20-31	118
1559	p53 transactivation through various p53-responsive elements. 1996 , 16, 101-8	11
1558	Mutational analysis of the p21/WAF1/CIP1/SDI1 coding region in human tumor cell lines. 1996 , 16, 221-8	22
1557	The role of cdc2, cdc25 and cyclin A genes in the maintenance of immortalization and growth arrest in a rat embryonic fibroblast conditional cell line. 1996 , 20, 159-67	3
1556	Understanding and controlling the cell cycle with natural products. 1996 , 3, 623-39	148
1555	Genetic and biochemical probes for protein-protein interactions. 1996 , 7, 554-9	12
1554	Coexpression of p21Waf1/Cip1 and p53 in sun-exposed normal epidermis, but not in neoplastic epidermis. 1996 , 135, 717-720	2
1553	Direct cell killing by suicide genes. 1996 , 15, 301-16	26
1552	Molecular and cellular biomarkers for field cancerization and multistep process in head and neck tumorigenesis. 1996 , 15, 53-76	40
1551	Synchronization in mammalian system: An introduction. 1996 , 18, 75-81	
1550	Infrequent but significant p21/WAF1/CIP1 gene alteration in synchronous or metachronous transitional cell carcinoma. 1996 , 1, 69-74	11
1549	The role of the cell cycle in genitourinary carcinoma. 1996 , 14, 310-7	2
1548	Purification and crystallization of cyclin-dependent kinase inhibitor p21. 1996 , 5, 1928-30	4

1547	Cellular resistance to camptothecins. 1996 , 803, 60-73	19
1546	MTS1 gene mutations in archival oral squamous cell carcinomas. 1996 , 25, 541-6	10
1545	Simultaneously detected aberrant p53 tumor suppressor protein and HPV-DNA localize mostly in separate keratinocytes in anogenital and common warts. 1996 , 5, 72-8	7
1544	Disturbance of the cell cycle with colchicine enhances the growth advantage of diethylnitrosamine-initiated hepatocytes in rats. 1996 , 87, 5-9	11
1543	Absence of a mutation of the p21/WAF1 gene in human lung and pancreatic cancers. 1996 , 87, 275-8	29
1542	Inhibition of cell growth by transforming growth factor beta 1 is associated with p53-independent induction of p21 in gastric carcinoma cells. 1996 , 87, 377-84	33
1541	p53 antisense oligonucleotide inhibits growth of human colon tumor and normal cell lines. 1996 , 87, 735-42	18
1540	Genetic status and expression of the cyclin-dependent kinase inhibitors in human gastric carcinoma cell lines. 1996 , 87, 824-30	42
1539	Immunohistochemical detection of CDK4 and 9 16INK4 proteins in cutaneous malignant melanoma. 1996 , 134, 269-275	40
1538	Ste50p sustains mating pheromone-induced signal transduction in the yeast <i>Saccharomyces cerevisiae</i> . 1996 , 20, 773-83	49
1537	Expression of p21waf1/Cip1, MDM2 and p53 in vivo: analysis of cytological preparations. 1996 , 7, 340-51	4
1536	An imprinted gene p57KIP2 is mutated in Beckwith-Wiedemann syndrome. 1996 , 14, 171-3	348
1535	Identification of a RING protein that can interact in vivo with the BRCA1 gene product. 1996 , 14, 430-40	595
1534	Evasion of apoptosis by DNA viruses. 1996 , 74, 527-37	38
1533	Changes in cell-cycle protein expression during experimental mesangial proliferative glomerulonephritis. 1996 , 50, 1230-9	79
1532	A human peptidyl-prolyl isomerase essential for regulation of mitosis. 1996 , 380, 544-7	766
1531	Cell-cycle control and its watchman. 1996 , 381, 643-4	259
1530	A non-enzymatic p21 protein inhibitor of stress-activated protein kinases. 1996 , 381, 804-6	237

1529	Crystal structure of the p27Kip1 cyclin-dependent-kinase inhibitor bound to the cyclin A-Cdk2 complex. 1996 , 382, 325-31	804
1528	Cooperation of the tumour suppressors IRF-1 and p53 in response to DNA damage. 1996 , 382, 816-8	301
1527	Interactions of the LIM-domain-binding factor Ldb1 with LIM homeodomain proteins. 1996 , 384, 270-2	298
1526	Relationship between p53 status and radiosensitivity in human tumour cell lines. 1996 , 73, 581-8	56
1525	A non-random deletion in the p53 gene in oral squamous cell carcinoma. 1996 , 73, 1381-6	21
1524	WAF1/CIP1 structural abnormalities do not contribute to cell cycle deregulation in ovarian cancer. 1996 , 73, 1398-400	16
1523	Clinical and pathological associations with p53 tumour-suppressor gene mutations and expression of p21WAF1/Cip1 in colorectal carcinoma. 1996 , 74, 165-71	53
1522	Expression of p21 (WAF1/CIP1) protein in clinical thyroid tissues. 1996 , 74, 1269-74	31
1521	Involvement of p53 in DNA strand break-induced apoptosis in postmitotic CNS neurons. 1996 , 8, 1812-21	120
1520	CCAAT/enhancer-binding protein alpha (C/EBP alpha) inhibits cell proliferation through the p21 (WAF-1/CIP-1/SDI-1) protein. 1996 , 10, 804-15	318
1519	Amino- and carboxy-terminal domains of the yeast Rab escort protein are both required for binding of Ypt small G proteins. 1996 , 7, 1521-33	19
1518	Defect in multiple cell cycle checkpoints in ataxia-telangiectasia postirradiation. 1996 , 271, 20486-93	105
1517	G0/G1 growth arrest mediated by a region encompassing the basic leucine zipper (bZIP) domain of the Epstein-Barr virus transactivator Zta. 1996 , 271, 31799-802	54
1516	Interaction of cyclin-dependent kinase 5 (Cdk5) and neuronal Cdk5 activator in bovine brain. 1996 , 271, 1538-43	78
1515	Differential ability to form the G protein betagamma complex among members of the beta and gamma subunit families. 1996 , 271, 7141-6	75
1514	Physical and functional association of the cbl protooncogen product with an src-family protein tyrosine kinase, p53/56lyn, in the B cell antigen receptor-mediated signaling. 1996 , 183, 675-80	89
1513	Spinocerebellar ataxia type-1 and spinobulbar muscular atrophy gene products interact with glyceraldehyde-3-phosphate dehydrogenase. 1996 , 5, 1311-8	114
1512	The E1B 19K protein blocks apoptosis by interacting with and inhibiting the p53-inducible and death-promoting Bax protein. 1996 , 10, 461-77	265

1511	Cell cycle control by Xenopus p28Kix1, a developmentally regulated inhibitor of cyclin-dependent kinases. 1996 , 7, 457-69	65
1510	The p53-MDM2 interaction in a cancer-prone family, and the identification of a novel therapeutic target. 1996 , 35, 429-34	26
1509	Identification of natural monomeric response elements of the nuclear receptor RZR/ROR. They also bind COUP-TF homodimers. 1996 , 271, 19732-6	86
1508	Genetic determinants of p53-induced apoptosis and growth arrest. 1996 , 10, 1945-52	374
1507	14-3-3 proteins associate with A20 in an isoform-specific manner and function both as chaperone and adapter molecules. 1996 , 271, 20029-34	153
1506	p202, an interferon-inducible modulator of transcription, inhibits transcriptional activation by the p53 tumor suppressor protein, and a segment from the p53-binding protein 1 that binds to p202 overcomes this inhibition. 1996 , 271, 27544-55	86
1505	A tri-hybrid system for the analysis and detection of RNA--protein interactions. 1996 , 24, 4838-40	68
1504	Localisation of apoptosis and expression of apoptosis related proteins in the synovium of patients with rheumatoid arthritis. 1996 , 55, 442-9	75
1503	Expression of Bcl-xL and loss of p53 can cooperate to overcome a cell cycle checkpoint induced by mitotic spindle damage. 1996 , 10, 2621-31	196
1502	B-myb promotes S phase and is a downstream target of the negative regulator p107 in human cells. 1996 , 271, 9363-7	42
1501	Cyclin-dependent kinases are inactivated by a combination of p21 and Thr-14/Tyr-15 phosphorylation after UV-induced DNA damage. 1996 , 271, 13283-91	119
1500	Mutation of phosphoserine 389 affects p53 function in vivo. 1996 , 271, 29380-5	84
1499	Viral transactivators specifically target distinct cellular protein kinases that phosphorylate the RNA polymerase II C-terminal domain. 1996 , 24, 501-8	60
1498	Phosphorylation of p53 at the casein kinase II site selectively regulates p53-dependent transcriptional repression but not transactivation. 1996 , 24, 1119-26	60
1497	Skeletal muscle cells lacking the retinoblastoma protein display defects in muscle gene expression and accumulate in S and G2 phases of the cell cycle. 1996 , 135, 441-56	288
1496	Heterologous expression of the human cyclin-dependent kinase inhibitor p21Cip1 in the fission yeast, <i>Schizosaccharomyces pombe</i> reveals a role for PCNA in the chk1+ cell cycle checkpoint pathway. 1996 , 7, 651-62	29
1495	p53 and Breast Cancer. 1996 , 4, 93-110	5
1494	p53 regulates the minimal promoter of the human topoisomerase IIalpha gene. 1996 , 24, 4464-70	81

1493	p53 levels, functional domains, and DNA damage determine the extent of the apoptotic response of tumor cells. 1996 , 10, 2438-51	542
1492	The small subunit of the splicing factor U2AF is conserved in fission yeast. 1996 , 24, 1849-54	38
1491	Allosteric regulation of the thermostability and DNA binding activity of human p53 by specific interacting proteins. CRC Cell Transformation Group. 1996 , 271, 3917-24	78
1490	Induction of p18INK4c and its predominant association with CDK4 and CDK6 during myogenic differentiation. 1996 , 7, 1587-99	108
1489	Abnormal accumulation of copper in LEC rat liver induces expression of p53 and nuclear matrix-bound p21(waf 1/cip 1). 1996 , 17, 2157-61	25
1488	Correlation of tumor markers p53, bcl-2, CD34, CD44H, CD44v6, and Ki-67 with survival and metastasis in laryngeal squamous cell carcinoma. 1996 , 122, 627-32	109
1487	Sites and types of UV-induced mutations leading to inactivation of the growth-arresting activity in p21 (sdi1/cip1/waf1) cDNA. 1996 , 17, 2343-5	5
1486	The Atr and Atm protein kinases associate with different sites along meiotically pairing chromosomes. 1996 , 10, 2423-37	216
1485	Wild-type p53 transgenic mice exhibit altered differentiation of the ureteric bud and possess small kidneys. 1996 , 10, 836-50	106
1484	Alterations of p53 and expression of WAF1/p21 in human thyroid tumors. 1996 , 6, 1-9	49
1483	Huntingtin is ubiquitinated and interacts with a specific ubiquitin-conjugating enzyme. 1996 , 271, 19385-94	263
1482	Gene identification using the yeast two-hybrid system. 1996 , 273, 331-47	112
1481	Abrogation of p27Kip1 by cDNA antisense suppresses quiescence (G0 state) in fibroblasts. 1996 , 271, 18337-41	172
1480	A Drosophila protein-tyrosine phosphatase associates with an adapter protein required for axonal guidance. 1996 , 271, 17002-5	42
1479	The role of the transcription factor Sp1 in regulating the expression of the WAF1/CIP1 gene in U937 leukemic cells. 1996 , 271, 901-6	185
1478	Biochemical characterization of p16INK4- and p18-containing complexes in human cell lines. 1996 , 271, 15942-9	47
1477	Decorin-induced growth suppression is associated with up-regulation of p21, an inhibitor of cyclin-dependent kinases. 1996 , 271, 18961-5	188
1476	A predictive scale for evaluating cyclin-dependent kinase substrates. A comparison of p34cdc2 and p33cdk2. 1996 , 271, 25240-6	146

1475	Identification of a novel protein phosphatase 2A regulatory subunit highly expressed in muscle. 1996 , 271, 5164-70	106
1474	Novel form of p21(WAF1/CIP1/SDI1) protein in phorbol ester-induced G2/M arrest. 1996 , 271, 29556-60	45
1473	Differential Taxol-dependent arrest of transformed and nontransformed cells in the G1 phase of the cell cycle, and specific-related mortality of transformed cells. 1996 , 135, 689-700	85
1472	Life, death, and the pursuit of apoptosis. 1996 , 10, 1-15	1041
1471	Transcriptional activation of the Cdk inhibitor p21 by vitamin D3 leads to the induced differentiation of the myelomonocytic cell line U937. 1996 , 10, 142-53	697
1470	A reversible, p53-dependent G0/G1 cell cycle arrest induced by ribonucleotide depletion in the absence of detectable DNA damage. 1996 , 10, 934-47	411
1469	Isolation and characterization of p19INK4d, a p16-related inhibitor specific to CDK6 and CDK4. 1996 , 7, 57-70	109
1468	Lack of CD54 expression and mutation of p53 gene relate to the prognosis of childhood Burkitt's lymphoma. 1996 , 21, 449-55	6
1467	Role for cyclin A-dependent kinase in DNA replication in human S phase cell extracts. 1996 , 271, 31627-37	44
1466	Prostaglandin A2 blocks the activation of G1 phase cyclin-dependent kinase without altering mitogen-activated protein kinase stimulation. 1996 , 271, 9376-83	26
1465	The absence of p21Cip1/WAF1 alters keratinocyte growth and differentiation and promotes ras-tumor progression. 1996 , 10, 3065-75	262
1464	The product of the mouse nude locus, Whn, regulates the balance between epithelial cell growth and differentiation. 1996 , 10, 2212-21	122
1463	Heat shock protein 84 forms a complex with mutant p53 protein predominantly within a cytoplasmic compartment of the cell. 1996 , 271, 15084-90	87
1462	MCC, a cytoplasmic protein that blocks cell cycle progression from the G0/G1 to S phase. 1996 , 271, 10341-6	36
1461	Transcriptional activation of the human p21(WAF1/CIP1) gene by retinoic acid receptor. Correlation with retinoid induction of U937 cell differentiation. 1996 , 271, 31723-8	257
1460	Adenovirus-mediated gene transfer of the tumor suppressor, p53, induces apoptosis in postmitotic neurons. 1996 , 135, 1085-96	118
1459	Insulin receptor substrate-2 binds to the insulin receptor through its phosphotyrosine-binding domain and through a newly identified domain comprising amino acids 591-786. 1996 , 271, 5980-3	143
1458	cDNA Library Protocols. 1996 ,	1

1457	P53 gene mutations in chronic myelogenous leukemia medullary and extramedullary blast crisis. 1996 , 24, 175-82	7
1456	Cell Cycle [Materials and Methods. 1996 ,	2
1455	A 39 amino acid fragment of the cell cycle regulator p21 is sufficient to bind PCNA and partially inhibit DNA replication in vivo. 1996 , 24, 1727-33	68
1454	Adhesion-dependent cell cycle progression linked to the expression of cyclin D1, activation of cyclin E-cdk2, and phosphorylation of the retinoblastoma protein. 1996 , 133, 391-403	416
1453	Elevation in the ratio of Cu/Zn-superoxide dismutase to glutathione peroxidase activity induces features of cellular senescence and this effect is mediated by hydrogen peroxide. 1996 , 5, 283-92	188
1452	Targeted in vivo expression of the cyclin-dependent kinase inhibitor p21 halts hepatocyte cell-cycle progression, postnatal liver development and regeneration. 1996 , 10, 245-60	185
1451	PAN3 encodes a subunit of the Pab1p-dependent poly(A) nuclease in <i>Saccharomyces cerevisiae</i> . 1996 , 16, 5744-53	140
1450	Analysis of wild-type and mutant p21WAF-1 gene activities. 1996 , 16, 1786-93	103
1449	Expression and sequence analysis of the SDI1/WAF1/CIP1/p21 tumor suppressor gene in prostate cancer cell lines. 1996 , 8, 1237-41	1
1448	Relationship between oncogene amplification, aneuploidy and altered expression of p53 in breast cancer. 1996 , 8, 359-65	
1447	Irrelevance of the mutated p53 gene product to tumor rejection antigen in 3-methylcholanthrene-induced fibrosarcomas. 1996 , 8, 1045-52	
1446	Polymorphisms in the promoter region of the WAF1/CIP1 gene. 1996 , 9, 559	
1445	UV irradiation leads to transient changes in phosphorylation and stability of tumor suppressor protein p53. 1996 , 9, 1277-85	
1444	Cyclin-binding motifs are essential for the function of p21CIP1. 1996 , 16, 4673-82	286
1443	Detection of RB, p16/CDKN2 and p15(INK4B) gene alterations with immunohistochemical studies in human prostate carcinomas. 1996 , 8, 107-12	2
1442	No significant changes in the expression of the fas,fasl,bcl-2 and bax genes in apoptosis of an erythroleukemic cell line by p53. 1996 , 9, 269-77	
1441	WAF1 expression is independent of p53 gene alterations and protein expression in human lung cancer cells. 1996 , 9, 405-10	
1440	Yeast two-hybrid library screening. 1997 , 69, 185-202	2

1439	Prognostic significance of the p53 mutation in esophageal cancer. 1996 , 26, 287-92	24
1438	Functional analysis of a p21WAF1,CIP1,SDI1 mutant (Arg94 --> Trp) identified in a human breast carcinoma. Evidence that the mutation impairs the ability of p21 to inhibit cyclin-dependent kinases. 1996 , 271, 15782-6	45
1437	p53 tumor suppressor gene: from the basic research laboratory to the clinic--an abridged historical perspective. 1996 , 17, 1187-98	206
1436	The family of the small leucine-rich proteoglycans: key regulators of matrix assembly and cellular growth. 1997 , 32, 141-74	406
1435	Yeast GAL4 two-hybrid system. A genetic system to identify proteins that interact with a target protein. 1997 , 63, 173-96	19
1434	Prognostic indicators for breast cancer patients with one to three regional lymph node metastases, with special reference to alterations in expression levels of bcl-2, p53 and c-erbB-2 proteins. 1997 , 27, 371-7	25
1433	Expression of p21WAF1/CIP1 in fetal and adult tissues: simultaneous analysis with Ki67 and p53. 1997 , 50, 645-53	14
1432	Glucocorticoid inhibition of fibroblast proliferation and regulation of the cyclin kinase inhibitor p21Cip1. 1997 , 11, 577-86	69
1431	The genetic defect in ataxia-telangiectasia. 1997 , 15, 177-202	532
1430	Progress in Cell Cycle Research. 1997 ,	10
1429	Induction of multiple PCR-SSCPE mobility shifts in p53 exons in cultures of normal human urothelium exposed to low-dose gamma-radiation. 1997 , 72, 21-31	9
1428	The 30-kD subunit of mammalian cleavage and polyadenylation specificity factor and its yeast homolog are RNA-binding zinc finger proteins. 1997 , 11, 1703-16	141
1427	The geranylgeranyltransferase-I inhibitor GGTI-298 arrests human tumor cells in G0/G1 and induces p21(WAF1/CIP1/SDI1) in a p53-independent manner. 1997 , 272, 27224-9	148
1426	New functional activities for the p21 family of CDK inhibitors. 1997 , 11, 847-62	1057
1425	Inhibition of protein phosphatase activity induces p53-dependent apoptosis in the absence of p53 transactivation. 1997 , 272, 15220-6	94
1424	HBP1: a HMG box transcriptional repressor that is targeted by the retinoblastoma family. 1997 , 11, 383-96	125
1423	Inactivation of the cyclin D-dependent kinase in the rat fibroblast cell line, 3Y1, induced by contact inhibition. 1997 , 272, 8065-70	51
1422	KLP38B: a mitotic kinesin-related protein that binds PP1. 1997 , 138, 395-409	49

1421	Ionizing radiation induces apoptosis and elevates cyclin A1-Cdk2 activity before but not after the midblastula transition in <i>Xenopus</i> . 1997 , 8, 1195-206	99
1420	Cyclin-dependent kinase regulation during G1 phase and cell cycle regulation by TGF-beta. 1997 , 71, 165-207	108
1419	Butyrate activates the WAF1/Cip1 gene promoter through Sp1 sites in a p53-negative human colon cancer cell line. 1997 , 272, 22199-206	313
1418	Analysis of phosphorylation of pRB and its regulatory proteins in breast cancer. 1997 , 50, 407-12	13
1417	Dietary Fat and Cancer. 1997 ,	
1416	Pathways of p53-dependent apoptosis. 1997 , 53, 139-73	6
1415	Mechanisms of Apoptosis. 1997 , 20, 183-229	1
1414	Evidence for a direct interaction between insulin receptor substrate-1 and Shc. 1997 , 272, 17166-70	21
1413	Functional and physical interaction between the yeast splicing factors Slu7 and Prp18. 1997 , 25, 2146-52	57
1412	Ablation of the CDK inhibitor p57Kip2 results in increased apoptosis and delayed differentiation during mouse development. 1997 , 11, 973-83	390
1411	HTLV-I Tax self-association in optimal trans-activation function. 1997 , 25, 379-87	66
1410	Characterization of p53 and p21 functional interactions in glioma cells en route to apoptosis. 1997 , 89, 1036-44	108
1409	p21: structure and functions associated with cyclin-CDK binding. 1997 , 3, 125-34	44
1408	The cyclin-dependent kinase-activating kinase (CAK) assembly factor, MAT1, targets and enhances CAK activity on the POU domains of octamer transcription factors. 1997 , 272, 29852-8	65
1407	The amino-terminal domain of desmoplakin binds to plakoglobin and clusters desmosomal cadherin-plakoglobin complexes. 1997 , 139, 773-84	197
1406	Cyclin E-CDK2 is a regulator of p27Kip1. 1997 , 11, 1464-78	705
1405	Cloning of an Apobec-1-binding protein that also interacts with apolipoprotein B mRNA and evidence for its involvement in RNA editing. 1997 , 272, 1452-5	79
1404	Redox state regulates binding of p53 to sequence-specific DNA, but not to non-specific or mismatched DNA. 1997 , 25, 1289-95	68

1403	CDK2 is a target for retinoic acid-mediated growth inhibition in MCF-7 human breast cancer cells. 1997 , 11, 1191-202	77
1402	Recombinant Protein Protocols. 1997 ,	
1401	Nuclear and non-nuclear targets of genotoxic agents in the induction of gene expression. Shared principles in yeast, rodents, man and plants. 1997 , 378, 1217-29	57
1400	Identification of a novel, putative Rho-specific GDP/GTP exchange factor and a RhoA-binding protein: control of neuronal morphology. 1997 , 137, 1603-13	143
1399	Brca2 is required for embryonic cellular proliferation in the mouse. 1997 , 11, 1242-52	222
1398	The XPB subunit of repair/transcription factor TFIIH directly interacts with SUG1, a subunit of the 26S proteasome and putative transcription factor. 1997 , 25, 2274-83	77
1397	A conditionally expressed third partner stabilizes or prevents the formation of a transcriptional activator in a three-hybrid system. 1997 , 272, 22995-9	90
1396	Cloning and characterization of a transcription factor that binds to the proximal promoters of the two mouse type I collagen genes. 1997 , 272, 4915-23	64
1395	Oocyte polarity and cell determination in early mammalian embryos. 1997 , 3, 863-905	188
1394	Activation of p53-p21waf1 pathway in response to disruption of cell-matrix interactions. 1997 , 272, 29091-8	66
1393	p53 regulates apoptosis in human retinoblastoma. 1997 , 115, 213-9	54
1392	Extended Abstracts. 1997 , 25, 674-696	
1391	Drug Toxicity in Embryonic Development I. 1997 ,	1
1390	Ras links growth factor signaling to the cell cycle machinery via regulation of cyclin D1 and the Cdk inhibitor p27KIP1. 1997 , 17, 3850-7	370
1389	Activation of Raf kinase by phorbol ester does not correlate with enhanced phosphorylation or transactivation activity of tumor suppressor protein p53. 1997 , 10, 649-57	
1388	Control of cell cycle regulatory proteins and modulation of STAT1 proteins by IFN-gamma in human prostatic JCA-1 cells. 1997 , 10, 835-9	
1387	Levels of p21(WAF1/CIP1) do not affect radiation-induced cell death in human breast epithelial cells. 1997 , 11, 1349-53	0
1386	Induction of cdk2 after gamma-ray irradiation is dependent on p53 status. 1997 , 10, 1257-60	

1385	Correlation between reduced p21(WAF1/CIP1) expression and abnormal p53 expression in esophageal carcinomas. 1997 , 11, 703-8	2
1384	Molecular analysis of INK4 genes in breast carcinomas. 1997 , 11, 737-44	1
1383	Aberrant expression of p53 and retinoblastoma gene products in human esophageal squamous cell carcinoma. 1997 , 11, 1109-14	1
1382	Differential regulation of cdk2 and cyclin D1 in irradiated human glioma cells. 1997 , 10, 93-9	1
1381	Ubiquitination of p53 and p21 is differentially affected by ionizing and UV radiation. 1997 , 17, 355-63	299
1380	Apoptosis and carcinogenesis. 1997 , 53, 554-69	26
1379	Inhaled asbestos fibers induce p53 expression in the rat lung. 1997 , 16, 479-85	42
1378	Repression of p53-mediated transcription by MDM2: a dual mechanism. 1997 , 11, 1974-86	213
1377	Expression of p27Kip1 in osteoblast-like cells during differentiation with parathyroid hormone. 1997 , 138, 1995-2004	57
1376	A novel protein, Psp1, essential for cell cycle progression of <i>Schizosaccharomyces pombe</i> is phosphorylated by Cdc2-Cdc13 upon entry into G0-like stationary phase of cell growth. 1997 , 272, 19993-20002 ¹⁸	18
1375	A sequence in the N-terminal region of human uracil-DNA glycosylase with homology to XPA interacts with the C-terminal part of the 34-kDa subunit of replication protein A. 1997 , 272, 6561-6	116
1374	Tyr624 and Tyr628 in insulin receptor substrate-2 mediate its association with the insulin receptor. 1997 , 272, 16414-20	55
1373	Differential interaction of the cyclin-dependent kinase (Cdk) inhibitor p27Kip1 with cyclin A-Cdk2 and cyclin D2-Cdk4. 1997 , 272, 25863-72	214
1372	Identification of several human homologs of hamster DNA damage-inducible transcripts. Cloning and characterization of a novel UV-inducible cDNA that codes for a putative RNA-binding protein. 1997 , 272, 26720-6	77
1371	DNA bending is essential for the site-specific recognition of DNA response elements by the DNA binding domain of the tumor suppressor protein p53. 1997 , 272, 14842-9	79
1370	Isolation and characterization of a dual prenylated Rab and VAMP2 receptor. 1997 , 272, 26991-8	92
1369	Tcn1p/Crz1p, a calcineurin-dependent transcription factor that differentially regulates gene expression in <i>Saccharomyces cerevisiae</i> . 1997 , 11, 3445-58	272
1368	Characterization of human activating transcription factor 4, a transcriptional activator that interacts with multiple domains of cAMP-responsive element-binding protein (CREB)-binding protein. 1997 , 272, 24088-95	93

1367	T-cell proto-oncogene rhombotin-2 is a complex transcription regulator containing multiple activation and repression domains. 1997 , 272, 5594-9	13
1366	Proteasome- and p53-dependent masking of signal transducer and activator of transcription (STAT) factors. 1997 , 272, 4659-62	33
1365	Induction of the cyclin-dependent kinase inhibitor p21(Sdi1/Cip1/Waf1) by nitric oxide-generating vasodilator in vascular smooth muscle cells. 1997 , 272, 10050-7	133
1364	1-(5-Isoquinolinesulfonyl)-2-methylpiperazine induces apoptosis in human neuroblastoma cells, SH-SY5Y, through a p53-dependent pathway. 1997 , 272, 4252-60	55
1363	Mitosis-specific negative regulation of epidermal growth factor receptor, triggered by a decrease in ligand binding and dimerization, can be overcome by overexpression of receptor. 1997 , 272, 18656-65	48
1362	Inhibition of CDK activity and PCNA-dependent DNA replication by p21 is blocked by interaction with the HPV-16 E7 oncoprotein. 1997 , 11, 2090-100	387
1361	p21CIP1-mediated inhibition of cell proliferation by overexpression of the gax homeodomain gene. 1997 , 11, 1674-89	143
1360	Cooperating oncogenes converge to regulate cyclin/cdk complexes. 1997 , 11, 663-77	184
1359	Defining the minimal domain of Ku80 for interaction with Ku70. 1997 , 272, 27259-65	40
1358	Activation of adenomatous polyposis coli (APC) gene expression by the DNA-alkylating agent N-methyl-N'-nitro-N-nitrosoguanidine requires p53. 1997 , 272, 30619-22	73
1357	Oligodendrocyte precursor differentiation is perturbed in the absence of the cyclin-dependent kinase inhibitor p27Kip1. 1997 , 11, 2335-46	218
1356	Phosphorylation by p34cdc2 protein kinase regulates binding of the kinesin-related motor HsEg5 to the dynactin subunit p150. 1997 , 272, 19418-24	124
1355	Identification of CDK4 sequences involved in cyclin D1 and p16 binding. 1997 , 272, 18869-74	72
1354	Understanding gene and allele function with two-hybrid methods. 1997 , 31, 663-704	134
1353	Activin A induction of cell-cycle arrest involves modulation of cyclin D2 and p21CIP1/WAF1 in plasmacytic cells. 1997 , 11, 1044-52	46
1352	Virus-induced apoptosis. 1997 , 41, 295-336	50
1351	Induction of c-myc transcription by the v-Abl tyrosine kinase requires Ras, Raf1, and cyclin-dependent kinases. 1997 , 11, 654-62	66
1350	p53-dependent response in UV-induced transformation. 1997 , 18, 2319-25	2

1349	The bifunctional DCOH protein binds to HNF1 independently of its 4-alpha-carbinolamine dehydratase activity. 1997 , 25, 1476-84	40
1348	Purification and analysis of CIP/KIP proteins. 1997 , 283, 230-44	13
1347	Cellular response to DNA damage from a potent carcinogen involves stabilization of p53 without induction of p21(waf1/cip1). 1997 , 18, 2313-8	34
1346	Ki-ras mutations are an early event and correlate with tumor stage in transplacentally-induced murine lung tumors. 1997 , 18, 1163-8	29
1345	Control of differentiation, transformation, and apoptosis in granulosa cells by oncogenes, oncoviruses, and tumor suppressor genes. 1997 , 18, 435-61	100
1344	Mso1p: a yeast protein that functions in secretion and interacts physically and genetically with Sec1p. 1997 , 94, 7331-6	28
1343	Activities and response to DNA damage of latent and active sequence-specific DNA binding forms of mouse p53. 1997 , 94, 8982-7	19
1342	The ataxia-telangiectasia gene product, a constitutively expressed nuclear protein that is not up-regulated following genome damage. 1997 , 94, 1840-5	132
1341	Wip1, a novel human protein phosphatase that is induced in response to ionizing radiation in a p53-dependent manner. 1997 , 94, 6048-53	449
1340	The murine C'-terminally alternatively spliced form of p53 induces attenuated apoptosis in myeloid cells. 1997 , 17, 713-22	21
1339	Disruption of the c/ebp alpha gene in adult mouse liver. 1997 , 17, 6014-22	166
1338	Molecular mechanisms of myogenic coactivation by p300: direct interaction with the activation domain of MyoD and with the MADS box of MEF2C. 1997 , 17, 1010-26	325
1337	Transforming growth factor beta stabilizes p15INK4B protein, increases p15INK4B-cdk4 complexes, and inhibits cyclin D1-cdk4 association in human mammary epithelial cells. 1997 , 17, 2458-67	168
1336	RING1 is associated with the polycomb group protein complex and acts as a transcriptional repressor. 1997 , 17, 4105-13	160
1335	Identification of a member of a DNA-dependent ATPase family that causes interference with silencing. 1997 , 17, 5461-72	46
1334	Regulation of the protein kinase PKR by the vaccinia virus pseudosubstrate inhibitor K3L is dependent on residues conserved between the K3L protein and the PKR substrate eIF2alpha. 1997 , 17, 4146-58	106
1333	FKBP12 physically and functionally interacts with aspartokinase in <i>Saccharomyces cerevisiae</i> . 1997 , 17, 5968-75	35
1332	Induction of senescence-like phenotypes by forced expression of hic-5, which encodes a novel LIM motif protein, in immortalized human fibroblasts. 1997 , 17, 1224-35	91

1331	Yrb2p, a Nup2p-related yeast protein, has a functional overlap with Rna1p, a yeast Ran-GTPase-activating protein. 1997 , 17, 2235-46	62
1330	Identification and characterization of interactions between the vertebrate polycomb-group protein BMI1 and human homologs of polyhomeotic. 1997 , 17, 2326-35	149
1329	Regulation of the expression of cyclin-dependent kinase inhibitor p21 by E2A and Id proteins. 1997 , 17, 5888-96	276
1328	Npp106p, a <i>Schizosaccharomyces pombe</i> nucleoporin similar to <i>Saccharomyces cerevisiae</i> Nic96p, functionally interacts with Rae1p in mRNA export. 1997 , 17, 7047-60	25
1327	A family of cyclin-like proteins that interact with the Pho85 cyclin-dependent kinase. 1997 , 17, 1212-23	166
1326	The viral oncoprotein E1A blocks transforming growth factor beta-mediated induction of p21/WAF1/Cip1 and p15/INK4B. 1997 , 17, 2030-7	81
1325	Inactivation of the cyclin-dependent kinase Cdc28 abrogates cell cycle arrest induced by DNA damage and disassembly of mitotic spindles in <i>Saccharomyces cerevisiae</i> . 1997 , 17, 2723-34	45
1324	Induction of cell proliferation in quiescent NIH 3T3 cells by oncogenic c-Raf-1. 1997 , 17, 2576-86	157
1323	Thrombopoietin-induced differentiation of a human megakaryoblastic leukemia cell line, CMK, involves transcriptional activation of p21(WAF1/Cip1) by STAT5. 1997 , 17, 2933-43	181
1322	<i>Saccharomyces cerevisiae</i> Mpt5p interacts with Sst2p and plays roles in pheromone sensitivity and recovery from pheromone arrest. 1997 , 17, 3429-39	44
1321	WAF1 retards S-phase progression primarily by inhibition of cyclin-dependent kinases. 1997 , 17, 4877-82	173
1320	Ran-binding protein 5 (RanBP5) is related to the nuclear transport factor importin-beta but interacts differently with RanBP1. 1997 , 17, 5087-96	75
1319	SQT1, which encodes an essential WD domain protein of <i>Saccharomyces cerevisiae</i> , suppresses dominant-negative mutations of the ribosomal protein gene QSR1. 1997 , 17, 5146-55	52
1318	A dominant-negative cyclin D1 mutant prevents nuclear import of cyclin-dependent kinase 4 (CDK4) and its phosphorylation by CDK-activating kinase. 1997 , 17, 7362-74	157
1317	Analysis of IFN-gamma-induced cell cycle arrest and cell death in hepatocytes. 1997 , 121, 677-83	72
1316	Raf-induced proliferation or cell cycle arrest is determined by the level of Raf activity with arrest mediated by p21Cip1. 1997 , 17, 5598-611	590
1315	p21(Waf1/Cip1) and p53 protein expression in breast cancer. 1997 , 107, 684-91	77
1314	Quantitative p53-Proteinbestimmung in benignen Mammageweben, Mammakarzinomen und axillären Lymphknotenmetastasen. 1997 , 57, 342-348	2

1313	CCAAT/enhancer binding protein alpha regulates p21 protein and hepatocyte proliferation in newborn mice. 1997 , 17, 7353-61	214
1312	Role of p53 in apoptosis. 1997 , 41, 429-60	49
1311	Antiprogesterin inhibition of cell cycle progression in T-47D breast cancer cells is accompanied by induction of the cyclin-dependent kinase inhibitor p21. 1997 , 11, 54-66	59
1310	Gossypol inhibition of mitosis, cyclin D1 and Rb protein in human mammary cancer cells and cyclin-D1 transfected human fibrosarcoma cells. 1997 , 76, 21-8	49
1309	Enhancement of DNA repair in human skin cells by thymidine dinucleotides: evidence for a p53-mediated mammalian SOS response. 1997 , 94, 12627-32	184
1308	Principles of Cell Cycle Control. 1997 , 819-842	
1307	The two-hybrid system in yeast: applications in biotechnology and basic research. 1997 , 3, 31-58	2
1306	Vitamin D analogues up-regulate p21 and p27 during growth inhibition of pancreatic cancer cell lines. 1997 , 76, 884-9	88
1305	Protein-protein interactions among the Aux/IAA proteins. 1997 , 94, 11786-91	448
1304	Direct involvement of the ubiquitin-conjugating enzyme Ubc9/Hus5 in the degradation of I κ B α . 1997 , 94, 7862-7	47
1303	Leukemia-associated retinoic acid receptor alpha fusion partners, PML and PLZF, heterodimerize and colocalize to nuclear bodies. 1997 , 94, 10255-60	109
1302	Phosphorylation of human CDC25B phosphatase by CDK1-cyclin A triggers its proteasome-dependent degradation. 1997 , 272, 32731-4	78
1301	Interaction of human apurinic endonuclease and DNA polymerase beta in the base excision repair pathway. 1997 , 94, 7166-9	310
1300	Interaction of CTLA-4 with AP50, a clathrin-coated pit adaptor protein. 1997 , 94, 9273-8	167
1299	p21WAF1 mutations and human malignancies. 1997 , 26, 35-41	31
1298	Death and dying in the immune system. 1997 , 41, 179-218	11
1297	Retinoids and Apoptosis. 1997 , 161-196	2
1296	Loss of p21WAF1/CIP1 expression correlates with disease progression in gastric carcinoma. 1997 , 75, 1617-20	51

1295	Overexpression of p53 mRNA in colorectal cancer and its relationship to p53 gene mutation. 1997 , 75, 528-36	28
1294	Tumor suppressor genes and human cancer. 1997 , 36, 45-135	24
1293	P53 expression in altered limbal basal cells of pingueculae, pterygia, and limbal tumors. 1997 , 16, 1179-92	125
1292	G1 cyclins and control of the cell division cycle in normal and transformed cells. 1997 , 15, 143-52	33
1291	The initiation of simian virus 40 DNA replication in vitro. 1997 , 32, 503-68	124
1290	Recent insights into the functions of the retinoblastoma susceptibility gene product. 1997 , 15, 243-54	39
1289	p53 and ATM: cell cycle, cell death, and cancer. 1997 , 71, 1-25	222
1288	The human papillomavirus E7 oncoprotein can uncouple cellular differentiation and proliferation in human keratinocytes by abrogating p21Cip1-mediated inhibition of cdk2. 1997 , 11, 2101-11	353
1287	Rb and p53 Gene Deletions in Lung Adenocarcinomas from Irradiated and Control Mice. 1997 , 148, 81	13
1286	Differential Activation of p53 Targets in Cells Treated with Ultraviolet Radiation That Undergo Both Apoptosis and Growth Arrest. 1997 , 148, 115	39
1285	Reversion of the malignant phenotype of human breast cells in three-dimensional culture and in vivo by integrin blocking antibodies. 1997 , 137, 231-45	1353
1284	Antisense inhibition of CAS, the human homologue of the yeast chromosome segregation gene CSE1, interferes with mitosis in HeLa cells. 1997 , 36, 9493-500	27
1283	Abundance of alpha 1(I) and alpha 1(III) procollagen and p21 mRNAs in fibroblasts cultured from fetal and postnatal dermis. 1997 , 97, 131-42	13
1282	Molecular Epidemiology in Environmental Health: The Potential of Tumor Suppressor Gene p53 as a Biomarker. 1997 , 105, 155	4
1281	Molecular Analysis of the INK4 Family of Genes in Prostate Carcinomas. 1997 , 157, 1995-1999	23
1280	Inhibition of smooth muscle cell migration by the p21 cyclin-dependent kinase inhibitor (Cip1). 1997 , 132, 53-9	40
1279	P53 synthesis and phosphorylation in the aging diet-restricted rat following retinoic acid administration. 1997 , 97, 15-34	8
1278	Expression and sequence analysis of the p21(WAF1/CIP1) gene in renal cancers. 1997 , 49, 481-6	10

1277	Human adenovirus vectors for gene transfer into mammalian cells. 1997 , 40, 137-206	142
1276	Analysis of proliferation markers and p53 expression in gliomas of astrocytic origin: relationships and prognostic value. 1997 , 86, 121-30	83
1275	ATM-dependent telomere loss in aging human diploid fibroblasts and DNA damage lead to the post-translational activation of p53 protein involving poly(ADP-ribose) polymerase. 1997 , 16, 6018-33	311
1274	Immunohistochemical detection of p21WAF1/CIP1 and p53 proteins in formalin-fixed paraffin-embedded tissue sections of squamous cell carcinoma of the skin. 1997 , 14, 233-9	8
1273	Gene regulation by reactive oxygen species. 1997 , 35, 123-48	71
1272	Inactivation of cyclin-dependent kinase inhibitor genes and development of human acute leukemias. 1997 , 25, 23-35	12
1271	Coordination of Drosophila metamorphosis by two ecdysone-induced nuclear receptors. 1997 , 276, 114-7	260
1270	Gene identification using the yeast two-hybrid system. 1997 , 283, 141-56	73
1269	Characterisation of DNA binding and transcriptional regulatory function of an endogenous mutant p53 in MDA-468 human breast cancer cells. 1997 , 232, 14-9	9
1268	Functional expression of human p21(WAF1/CIP1) gene in rat glioma cells suppresses tumor growth in vivo and induces radiosensitivity. 1997 , 233, 329-35	43
1267	Changes in BRCA2 expression during progression of the cell cycle. 1997 , 234, 247-51	23
1266	Rat TAFII31 gene is induced upon programmed cell death in differentiated PC12 cells deprived of NGF. 1997 , 234, 230-4	8
1265	Cloning and characterization of Gu/RH-II binding protein. 1997 , 234, 335-40	54
1264	Activation of the p21(Waf1/Cip1) promoter by the ets oncogene family transcription factor E1AF. 1997 , 236, 79-82	36
1263	Histone deacetylase inhibitor activates the WAF1/Cip1 gene promoter through the Sp1 sites. 1997 , 241, 142-50	272
1262	Molecular cloning of DNAs encoding the regulatory subunits of elongin from <i>Saccharomyces cerevisiae</i> and <i>Drosophila melanogaster</i> . 1997 , 241, 334-40	20
1261	Early ultraviolet B-induced G1 arrest and suppression of the malignant phenotype by wild-type p53 in human squamous cell carcinoma cells. 1997 , 233, 135-44	28
1260	Inhibition of mouse thymidylate synthase promoter activity by the wild-type p53 tumor suppressor protein. 1997 , 234, 270-6	42

1259	Fibroblasts can modulate the phenotype of malignant epithelial cells in vitro. 1997 , 235, 180-7	64
1258	Effects of cyclin D1 overexpression on G1 progression-related events. 1997 , 236, 173-80	38
1257	Nuclear association of cyclin D1 in human fibroblasts: tight binding to nuclear structures and modulation by protein kinase inhibitors. 1997 , 237, 127-34	16
1256	Physical status and expression of HPV genes in cervical cancers. 1997 , 65, 121-9	114
1255	Induction of cell cycle arrest and B cell terminal differentiation by CDK inhibitor p18(INK4c) and IL-6. 1997 , 6, 47-56	137
1254	14-3-3sigma is a p53-regulated inhibitor of G2/M progression. 1997 , 1, 3-11	1062
1253	Oncogenes and antioncogenes in the development of HPV associated tumors. 1997 , 15, 207-15	5
1252	In vitro experimental systems for HPV: epithelial raft cultures for investigations of viral reproduction and pathogenesis and for genetic analyses of viral proteins and regulatory sequences. 1997 , 15, 217-27	54
1251	A role for p53 in DNA end rejoining by human cell extracts. 1997 , 385, 21-9	31
1250	Regulation of CDK/cyclin complexes during the cell cycle. 1997 , 29, 559-73	153
1249	The role of p53, p21WAF1/C1PI, and bcl-2 in radioresistant colorectal carcinoma. 1997 , 28, 1189-95	38
1248	Dachshund and eyes absent proteins form a complex and function synergistically to induce ectopic eye development in <i>Drosophila</i> . <i>Cell</i> , 1997 , 91, 893-903	56.2 350
1247	Mutation analysis of p53 gene in childhood malignant solid tumors. 1997 , 32, 1175-80	68
1246	Regulation of the DNA binding of p53 by its interaction with protein kinase CK2. 1997 , 408, 99-104	28
1245	Molecular cloning and characterization of the human p27Kip1 gene promoter. 1997 , 411, 1-6	62
1244	Similarity of apoptosis induction by 2-chlorodeoxyadenosine and cisplatin in human mononuclear blood cells. 1997 , 76, 1448-54	16
1243	Expression of Bax, Bcl-2, Waf-1, and PCNA gene products in an immortalized human endothelial cell line undergoing p53-mediated apoptosis. 1997 , 2, 442-54	5
1242	Senescence, immortalization and cancer. 1997 , 35, 95-8	0

1241	Complex interplay among apoptosis factors: RB, p53, E2F, TGF-beta, cell cycle inhibitors and the bcl2 gene family. 1997 , 35, 257-61	20
1240	Retinoblastoma protein expression and radiation response in muscle-invasive bladder cancer. 1997 , 39, 687-95	26
1239	Lack of mutation in the WAF1/CIP1 gene during bovine leukemia virus-induced leukemogenesis. 1997 , 59, 311-22	
1238	Adenovirus-mediated gene transfer: biological and clinical applications. 1997 , 11, 177-179	
1237	Decreased expression and rare somatic mutation of the CIP1/WAF1 gene in human hepatocellular carcinoma. 1997 , 111, 191-7	29
1236	Induction of cyclin-dependent kinase inhibitor, p21WAF1, by treatment with 3,4-dihydro-6-[4-(3,4)-dimethoxybenzoyl]-1-piperazinyl]-2(1H)-quinoline (vesnarinone) in a human salivary cancer cell line with mutant p53 gene. 1997 , 112, 181-9	20
1235	Introduction of p21(Waf1/Cip1) gene into a carcinoma cell line of the uterine cervix with inactivated p53. 1997 , 116, 233-9	7
1234	Alteration of proto-oncogenes during apoptosis in the oral squamous cell carcinoma cell line, SAS, induced by staurosporine. 1997 , 118, 101-7	15
1233	Cloning and characterization of Chinese hamster p53 cDNA. 1997 , 184, 177-83	61
1232	Antisense-mediated regulation of Annexin VII gene expression during the transition from growth to differentiation in Dictyostelium discoideum. 1997 , 189, 49-56	22
1231	Cloning and characterization of rat p27Kip1, a cyclin-dependent kinase inhibitor. 1997 , 191, 211-8	9
1230	Molecular advances in pancreatic cancer. 1997 , 58, 550-6	32
1229	Stable DNA-binding yeast vector allowing high-bait expression for use in the two-hybrid system. 1997 , 23, 816-8, 820	43
1228	Genetic redundancy between SPT23 and MGA2: regulators of Ty-induced mutations and Ty1 transcription in Saccharomyces cerevisiae. 1997 , 17, 4718-29	32
1227	Ionizing radiation and teniposide increase p21(waf1/cip1) and promote Rb dephosphorylation but fail to suppress E2F activity in MCF-7 breast tumor cells. 1997 , 52, 373-9	13
1226	A proline-rich motif in p53 is required for transactivation-independent growth arrest as induced by Gas1. 1997 , 94, 4675-80	82
1225	Tumor necrosis factor receptor-associated factor (TRAF) 5 and TRAF2 are involved in CD30-mediated NFkappaB activation. 1997 , 272, 2042-5	167
1224	Molecular Interactions of Aging and Cancer. 1997 , 13, 69-77	4

1223	Making hybrids of two-hybrid systems. 1997 , 22, 916-8, 920-2	11
1222	The influence of the proliferating cell nuclear antigen-interacting domain of p21(CIP1) on DNA synthesis catalyzed by the human and <i>Saccharomyces cerevisiae</i> polymerase delta holoenzymes. 1997 , 272, 2373-81	47
1221	Expression of p24, a novel p21Waf1/Cip1/Sdi1-related protein, correlates with measurement of the finite proliferative potential of rodent embryo fibroblasts. 1997 , 94, 151-6	20
1220	Molecular epidemiology in environmental health: the potential of tumor suppressor gene p53 as a biomarker. 1997 , 105 Suppl 1, 155-63	19
1219	Cloning and functional characterization of Roaz, a zinc finger protein that interacts with O/E-1 to regulate gene expression: implications for olfactory neuronal development. 1997 , 17, 4159-69	121
1218	Stn1, a new <i>Saccharomyces cerevisiae</i> protein, is implicated in telomere size regulation in association with Cdc13. 1997 , 11, 512-27	219
1217	p53 and WAF1 are induced and Rb protein is hypophosphorylated during cell growth inhibition by the thymidylate synthase inhibitor ZD1694 (Tomudex). 1997 , 51, 630-6	13
1216	Estrogenic regulation of a novel 34 kDa protein associated with cyclin B1 in MCF-7 breast cancer cells. 1997 , 4, 15-21	2
1215	Nuclear Signalling of Melatonin. 1997 , 23, 25-35	10
1214	Topographical association between the cyclin-dependent kinases inhibitor P21, p53 accumulation, and cellular proliferation in human atherosclerotic tissue. 1997 , 17, 2218-24	81
1213	Deletions and Loss of Expression of P16INK4a and P21Waf1 Genes Are Associated With Aggressive Variants of Mantle Cell Lymphomas. 1997 , 89, 272-280	204
1212	Modulation of Idarubicin-Induced Apoptosis in Human Acute Myeloid Leukemia Blasts by All-Trans Retinoic Acid, 1,25(OH) ₂ Vitamin D ₃ , and Granulocyte-Macrophage Colony-Stimulating Factor. 1997 , 90, 4578-4587	69
1211	Polyploidization and Functional Maturation Are Two Distinct Processes During Megakaryocytic Differentiation: Involvement of Cyclin-Dependent Kinase Inhibitor p21 in Polyploidization. 1997 , 89, 3980-3990	69
1210	Retinoid Induced Apoptosis in Leukemia Cells Through a Retinoic Acid Nuclear Receptor-Independent Pathway. 1997 , 89, 4470-4479	126
1209	Apoptosis of Late-Stage Erythroblasts in Megaloblastic Anemia: Association With DNA Damage and Macrocyte Production. 1997 , 89, 4617-4623	74
1208	Human Non-Hodgkin's Lymphomas Overexpress a Wild-Type Form of p53 Which Is a Functional Transcriptional Activator of the Cyclin-Dependent Kinase Inhibitor p21. 1997 , 89, 2523-2528	28
1207	Upregulation of the Elongation Factor-1 Gene by p53 in Association With Death of an Erythroleukemic Cell Line. 1997 , 90, 1373-1378	49
1206	MDM2 Protein Overexpression Promotes Proliferation and Survival of Multiple Myeloma Cells. 1997 , 90, 1982-1992	74

1205	Mechanisms of induction of skin cancer by UV radiation. 1997 , 2, d538-51	110
1204	p53-independent apoptosis induced by paclitaxel through an indirect mechanism. 1997 , 94, 9679-83	139
1203	Current Concepts in Neuro-Oncology: The Cell Cycle-A Review. 1997 ,	
1202	Cellular localization and chromosome mapping of a novel candidate tumor suppressor gene (ING1). 1997 , 76, 176-8	52
1201	p21 (WAF1/Cip1/Sdi1/Pic1) mRNA is expressed in neuroblastoma cell lines but not in Ewing's sarcoma and primitive neuroectodermal tumor cell lines. 1997 , 39, 590-4	3
1200	Overexpression of cyclin-dependent kinase-activating CDC25B phosphatase in human gastric carcinomas. 1997 , 88, 947-52	71
1199	Reduced expression of cyclin-dependent kinase inhibitor p27Kip1 is associated with advanced stage and invasiveness of gastric carcinomas. 1997 , 88, 625-9	118
1198	Expressions of cell cycle regulators in human colorectal cancer cell lines. 1997 , 88, 855-60	34
1197	Wild-type p53 gene transfer: a novel therapeutic strategy for neointimal hyperplasia after arterial injury. 1997 , 811, 395-400	10
1196	Adenovirus-mediated transfer of cyclin-dependent kinase inhibitor-p21 suppresses neointimal formation in the balloon-injured rat carotid arteries in vivo. 1997 , 811, 401-11	27
1195	Retinoic acid modulates the anti-proliferative effect of 1,25-dihydroxyvitamin D3 in cultured human epidermal keratinocytes. 1997 , 109, 46-54	45
1194	Potential molecular targets for manipulating the radiation response. 1997 , 37, 639-53	96
1193	Transfection of p53-knockout mouse fibroblasts with wild-type p53 increases the thermosensitivity and stimulates apoptosis induced by heat stress. 1997 , 38, 1089-95	27
1192	Apoptosis in the rat mammary gland and ventral prostate: detection of cell death-associated genes using a coincident-expression cloning approach. 1997 , 4, 114-24	18
1191	Cancer gene therapy using a novel adeno-associated virus vector expressing human wild-type p53. 1997 , 4, 675-82	54
1190	PACT: cloning and characterization of a cellular p53 binding protein that interacts with Rb. 1997 , 14, 145-55	58
1189	Inhibition of the growth of WI-38 fibroblasts by benzyloxycarbonyl-Leu-Leu-Tyr diazomethyl ketone: evidence that cleavage of p53 by a calpain-like protease is necessary for G1 to S-phase transition. 1997 , 14, 255-63	70
1188	PCNA: structure, functions and interactions. 1997 , 14, 629-40	689

1187	An alternative pathway for STAT activation that is mediated by the direct interaction between JAK and STAT. 1997 , 14, 751-61	137
1186	The RAR alpha-PLZF chimera associated with Acute Promyelocytic Leukemia has retained a sequence-specific DNA-binding domain. 1997 , 14, 1067-74	58
1185	Induction of BCL2 family member MCL1 as an early response to DNA damage. 1997 , 14, 1031-9	74
1184	Functional roles of E2F in cell cycle regulation. 1997 , 14, 1191-200	44
1183	Suppression of interleukin-1beta converting enzyme (ICE)-induced apoptosis by SV40 large T antigen. 1997 , 14, 1207-14	16
1182	Cyclin D2 activates Cdk2 in preference to Cdk4 in human breast epithelial cells. 1997 , 14, 1329-40	47
1181	Differentiation induced by RB expression and apoptosis induced by p53 expression in an osteosarcoma cell line. 1997 , 14, 1389-96	34
1180	T-cell oncogene rhombotin-2 interacts with retinoblastoma-binding protein 2. 1997 , 14, 1531-9	33
1179	Failure of HPV E6 to rapidly degrade p53 in human HeLa x PNET cell hybrids. 1997 , 14, 1669-78	10
1178	Role of p21Waf1/Cip1/Sdi1 in cell death and DNA repair as studied using a tetracycline-inducible system in p53-deficient cells. 1997 , 14, 1875-82	105
1177	Polyomavirus large T antigen overcomes p53 dependent growth arrest. 1997 , 14, 1923-31	26
1176	Abrogation of p53 function by HPV16 E6 gene delays apoptosis and enhances mutagenesis but does not alter radiosensitivity in TK6 human lymphoblast cells. 1997 , 14, 1661-7	62
1175	Vascular permeability factor/vascular endothelial growth factor (VPF/VEGF) delays and induces escape from senescence in human dermal microvascular endothelial cells. 1997 , 14, 2025-32	118
1174	Dissociation between cell cycle arrest and apoptosis can occur in Li-Fraumeni cells heterozygous for p53 gene mutations. 1997 , 14, 2137-47	46
1173	Cells lacking CIP1/WAF1 genes exhibit preferential sensitivity to cisplatin and nitrogen mustard. 1997 , 14, 2127-36	150
1172	A recombinant adenovirus expressing p27Kip1 induces cell cycle arrest and loss of cyclin-Cdk activity in human breast cancer cells. 1997 , 14, 2283-9	180
1171	Tec tyrosine kinase links the cytokine receptors to PI-3 kinase probably through JAK. 1997 , 14, 2273-82	81
1170	HPV-16 oncogenes E6 and E7 are mutagenic in normal human oral keratinocytes. 1997 , 14, 2347-53	38

1169	Identification of a p130 domain mediating interactions with cyclin A/cdk 2 and cyclin E/cdk 2 complexes. 1997 , 14, 2395-406	56
1168	SAGE transcript profiles for p53-dependent growth regulation. 1997 , 15, 1079-85	171
1167	Regulation of DNA binding and transactivation in p53 by nuclear localization and phosphorylation. 1997 , 14, 2511-20	29
1166	In vivo evidence for binding of p53 to consensus binding sites in the p21 and GADD45 genes in response to ionizing radiation. 1997 , 15, 87-99	77
1165	Cloning and characterization of APS, an adaptor molecule containing PH and SH2 domains that is tyrosine phosphorylated upon B-cell receptor stimulation. 1997 , 15, 7-15	119
1164	Heat shock induces transient p53-dependent cell cycle arrest at G1/S. 1997 , 15, 561-8	86
1163	Unmasking by soluble IL-6 receptor of IL-6 effect on metastatic melanoma: growth inhibition and differentiation of B16-F10.9 tumor cells. 1997 , 15, 569-77	21
1162	Induction of p27Kip1 degradation and anchorage independence by Ras through the MAP kinase signaling pathway. 1997 , 15, 629-37	169
1161	The polyproline region of p53 is required to activate apoptosis but not growth arrest. 1997 , 15, 887-98	248
1160	Ethanol upregulates the expression of p21 WAF1/CIP1 and prolongs G1 transition via a p53-independent pathway in human epithelial cells. 1997 , 15, 1143-9	25
1159	Butyrate modulates DNA-damage-induced p53 response by induction of p53-independent differentiation and apoptosis. 1997 , 15, 1395-406	61
1158	Cytostatic effect of TNFalpha on cancer cells is independent of p21WAF1. 1997 , 15, 1605-9	11
1157	The p53 targets mdm2 and Fas are not required as mediators of apoptosis in vivo. 1997 , 15, 1527-34	61
1156	Modulation of cell cycle control by vitamin D3 and its analogue, EB1089, in human breast cancer cells. 1997 , 15, 1555-63	93
1155	Involvement of p21(WAF1/Cip1), CDK4 and Rb in activin A mediated signaling leading to hepatoma cell growth inhibition. 1997 , 15, 1705-11	67
1154	p53 expression overcomes p21WAF1/CIP1-mediated G1 arrest and induces apoptosis in human cancer cells. 1997 , 15, 1903-9	74
1153	Retinoic acid and the cyclin dependent kinase inhibitors synergistically alter proliferation and morphology of U343 astrocytoma cells. 1997 , 15, 2037-48	57
1152	Cell cycle re-entry following chemically-induced cell cycle synchronization leads to elevated p53 and p21 protein levels. 1997 , 15, 2749-53	30

1151	p53 protein stability in tumour cells is not determined by mutation but is dependent on Mdm2 binding. 1997 , 15, 1179-89	270
1150	Overexpression of the cyclin-dependent kinase inhibitor p21(WAF1/CIP1) in human cutaneous malignant melanoma. 1997 , 24, 265-71	43
1149	p21WAF1/CIP1 expression in non-melanoma skin tumors. 1997 , 24, 223-7	16
1148	Attenuation of p53 expression and Bax down-regulation during phorbol ester mediated inhibition of apoptosis. 1997 , 121, 625-34	21
1147	Partial rescue of Brca1 (5-6) early embryonic lethality by p53 or p21 null mutation. 1997 , 16, 298-302	219
1146	Deletion of p21 cannot substitute for p53 loss in rescue of mdm2 null lethality. 1997 , 16, 336-7	15
1145	Atm selectively regulates distinct p53-dependent cell-cycle checkpoint and apoptotic pathways. 1997 , 17, 453-6	174
1144	Adenovirally transferred p16INK4/CDKN2 and p53 genes cooperate to induce apoptotic tumor cell death. 1997 , 3, 313-9	211
1143	Cell-cycle arrest versus cell death in cancer therapy. 1997 , 3, 1034-6	317
1142	Antioxidants enhance the cytotoxicity of chemotherapeutic agents in colorectal cancer: a p53-independent induction of p21WAF1/CIP1 via C/EBPbeta. 1997 , 3, 1233-41	296
1141	A plant cyclin-dependent kinase inhibitor gene. 1997 , 386, 451-2	160
1140	The cerebellar leucine-rich acidic nuclear protein interacts with ataxin-1. 1997 , 389, 974-8	227
1139	A new protein containing an SH2 domain that inhibits JAK kinases. 1997 , 387, 921-4	1209
1138	Structure and function of a new STAT-induced STAT inhibitor. 1997 , 387, 924-9	1122
1137	Resistance to chemotherapeutic antimetabolites: a function of salvage pathway involvement and cellular response to DNA damage. 1997 , 75, 935-45	74
1136	Spatial association of apoptosis-related gene expression and cellular death in clinical neuroblastoma. 1997 , 75, 1185-94	38
1135	Nuclear accumulation of p53 correlates significantly with clinical features and inversely with the expression of the cyclin-dependent kinase inhibitor p21(WAF1/CIP1) in pancreatic cancer. 1997 , 76, 299-305	38
1134	Mesangial cell proliferation mediated by PDGF and bFGF is determined by levels of the cyclin kinase inhibitor p27Kip1. 1997 , 51, 1088-99	79

1133	Cell-cycle control and renal disease. 1997 , 52, 294-308	76
1132	Cyclin kinase inhibitors are increased during experimental membranous nephropathy: potential role in limiting glomerular epithelial cell proliferation in vivo. 1997 , 52, 404-13	97
1131	Cyclin-dependent kinase inhibitors: the age of crystals. 1997 , 1332, M39-42	5
1130	Involvement of p53 in cell differentiation and development. 1997 , 1333, F1-27	72
1129	Novel candidate biomarkers for dietary chemoprevention of colon cancer. 1997 , 13, 918-20	
1128	Cell-cycle arrest and inhibition of Cdk4 activity by small peptides based on the carboxy-terminal domain of p21WAF1. 1997 , 7, 71-80	168
1127	Regulation of the mating pheromone and invasive growth responses in yeast by two MAP kinase substrates. 1997 , 7, 228-38	165
1126	Two's company, three's a crowd: the yeast two hybrid system for mapping molecular interactions. 1997 , 5, 13-7	21
1125	The Li-Fraumeni syndrome: an inherited susceptibility to cancer. 1997 , 3, 390-5	66
1124	Redox-mediated regulation of p21(waf1/cip1) expression involves a post-transcriptional mechanism and activation of the mitogen-activated protein kinase pathway. 1997 , 245, 730-7	83
1123	The retinoblastoma protein: a master regulator of cell cycle, differentiation and apoptosis. 1997 , 246, 581-601	178
1122	Linking protein kinase C to cell-cycle control. 1997 , 248, 1-9	179
1121	Expression of p21WAF1/CIP1 in colorectal adenomas and adenocarcinomas and its correlation with p53 protein expression. 1997 , 47, 470-7	31
1120	Apoptosis and protein expression after focal cerebral ischemia in rat. 1997 , 765, 301-12	144
1119	Differentiation, differentiation/gene therapy and cancer. 1997 , 73, 51-65	40
1118	Colorectal carcinogenesis: from chromosomal evolution pathways to molecular pathogenesis. 1997 , 93, 63-73	22
1117	The expression of MDM2 and other p53-regulated proteins in the tissues of the developing rat. 1997 , 1350, 306-16	8
1116	Differential expression of G1 cyclins during human placentogenesis. 1997 , 18, 9-16	24

1115	Modulation of p53, WAF1/p21 and BCL-2 expression during retinoic acid-induced differentiation of NB4 promyelocytic cells. 1997 , 21, 439-47	33
1114	Shortened survival after relapse in T-cell acute lymphoblastic leukemia patients with p16/p15 deletions. 1997 , 21, 549-58	29
1113	Regulation of apoptosis and cell cycle arrest by Zac1, a novel zinc finger protein expressed in the pituitary gland and the brain. 1997 , 16, 2814-25	177
1112	Mitotic phosphorylation of rab4 prevents binding to a specific receptor on endosome membranes. 1997 , 16, 4497-507	46
1111	Grr1 of <i>Saccharomyces cerevisiae</i> is connected to the ubiquitin proteolysis machinery through Skp1: coupling glucose sensing to gene expression and the cell cycle. 1997 , 16, 5629-38	178
1110	Dual role of the C34 subunit of RNA polymerase III in transcription initiation. 1997 , 16, 5730-41	90
1109	Induced N- and C-terminal cleavage of p53: a core fragment of p53, generated by interaction with damaged DNA, promotes cleavage of the N-terminus of full-length p53, whereas ssDNA induces C-terminal cleavage of p53. 1997 , 16, 6008-17	63
1108	Identification of partners of TIF34, a component of the yeast eIF3 complex, required for cell proliferation and translation initiation. 1997 , 16, 6812-22	47
1107	Chk1 is a wee1 kinase in the G2 DNA damage checkpoint inhibiting cdc2 by Y15 phosphorylation. 1997 , 16, 545-54	306
1106	Transgenic mice with p53-responsive lacZ: p53 activity varies dramatically during normal development and determines radiation and drug sensitivity in vivo. 1997 , 16, 1391-400	223
1105	I kappa B epsilon, a novel member of the I kappa B family, controls RelA and cRel NF-kappa B activity. 1997 , 16, 1413-26	316
1104	Adriamycin (ADM) induced apoptosis in transitional cell cancer (TCC) cell lines accompanied by p21 WAF1/CIP1 induction. 1997 , 2, 207-13	9
1103	5-Fluorouracil (5-FU) induced apoptosis in gastric cancer cell lines: role of the p53 gene. 1997 , 2, 221-6	35
1102	The treatment with differentiation- and apoptosis-inducing agent, vesnarinone, of a patient with oral squamous cell carcinoma. 1997 , 2, 313-8	6
1101	Cu,Zn-superoxide dismutase gene dosage and cell resistance to oxidative stress: a review. 1997 , 17, 85-9	11
1100	Regulation of NF-kappaB by cyclin-dependent kinases associated with the p300 coactivator. 1997 , 275, 523-7	675
1099	Decreased C-MYC and BCL2 expression correlates with methylprednisolone-mediated inhibition of Raji lymphoma growth. 1997 , 60, 108-15	4
1098	Repression of p53 transcriptional activity by the HPV E7 proteins. 1997 , 227, 255-9	56

1097	Transactivation of prothymosin alpha and c-myc promoters by human papillomavirus type 16 E6 protein. 1997 , 232, 53-61	46
1096	A comparative analysis of the interactions of the E6 proteins from cutaneous and genital papillomaviruses with p53 and E6AP in correlation to their transforming potential. 1997 , 239, 132-49	68
1095	Induction of differentiation by wild-type p53 gene in a human glioma cell line. 1997 , 32, 125-33	9
1094	WAF1/CIP1 protein expression in human breast tumors. 1997 , 43, 99-103	30
1093	Identification of proteins that interact with a protein of interest: Applications of the yeast two-hybrid system. 1997 , 172, 67-79	113
1092	Mechanisms of transcriptional regulation of cellular genes by SV40 large T- and small T-antigens. 1997 , 15, 135-54	47
1091	Regulators of Cardiac Cell Growth, Differentiation, and Apoptosis. 1997 , 2, 117-124	1
1090	Apoptosis: a new pharmacodynamic endpoint. 1997 , 14, 1659-71	32
1089	Association between sucrase-isomaltase and p53 expression in colorectal cancer. 1997 , 4, 176-83	3
1088	Predictive value of p53, Bcl2 and bax in the radiotherapy of head and neck cancer. 1997 , 3, 204-10	19
1087	Human proliferation-related protein p120 interacts with HSRP1. 1997 , 105, 553-9	
1086	Expression of the cyclin dependent kinase inhibitor p21WAF1/CIP1 in oesophageal squamous cell carcinomas. 1997 , 430, 389-95	24
1085	New p57KIP2 mutations in Beckwith-Wiedemann syndrome. 1997 , 100, 681-3	68
1084	p53 accumulation and apoptosis in embolized meningiomas. 1997 , 93, 599-605	12
1083	Accumulation of wild-type p53 in astrocytomas is associated with increased p21 expression. 1997 , 94, 21-7	31
1082	Inducible expression of p21WAF-1/CIP-1/SDI-1 from a promoter conversion retroviral vector. 1997 , 75, 820-8	15
1081	Expression of p21CIP1/WAF1 in chondrocytes. 1997 , 61, 199-204	33
1080	WAF1 expression and p53 mutations in human colorectal cancers. 1997 , 123, 118-23	15

1079	UV-induced signal transduction. 1997 , 37, 1-17	233
1078	Transfection of p53-knockout mouse fibroblasts with wild-type p53 increases the thermosensitivity and stimulates apoptosis induced by heat stress. 1997 , 39, 197-203	21
1077	Platelet-derived growth factor (PDGF)-signaling mediates radiation-induced apoptosis in human prostate cancer cells with loss of p53 function. 1997 , 39, 731-6	16
1076	p21: a monitor of p53 dysfunction in ovarian neoplasia. 1997 , 7, 296-303	19
1075	Genes for a range of growth factors and cyclin-dependent kinase inhibitors are expressed by isolated human hair follicles. 1997 , 137, 693-698	3
1074	Expression of p53, mdm2, p21/waf1 and bcl-2 proteins in thymomas. 1997 , 30, 549-55	26
1073	p53 expression in CMV-infected cells: association with the alternative expression of the p53 transactivated genes p21/WAF1 and MDM2. 1997 , 30, 120-5	13
1072	Epithelial apoptosis. 1997 , 19, 711-20	52
1071	Reduced p21(WAF1/CIP1) expression and p53 mutation in hepatocellular carcinomas. 1997 , 25, 575-9	73
1070	p21WAF1/CIP1 and MDM2 expression in non-Hodgkin's lymphoma and their relationship to p53 status: a p53+, MDM2-, p21-immunophenotype associated with missense p53 mutations. 1997 , 181, 51-61	51
1069	Relationship between abnormal p53 protein and failure to express p21 protein in human breast carcinomas. 1997 , 181, 140-5	46
1068	p21WAF1/Cip1 expression is associated with cell differentiation but not with p53 mutations in squamous cell carcinomas of the larynx. 1997 , 183, 156-63	41
1067	Mdm-2: Big brother of p53. 1997 , 64, 343-352	123
1066	Up-regulated P21CIP1 expression is part of the regulation quantitatively controlling serum deprivation-induced apoptosis. 1997 , 64, 434-446	44
1065	Post-proliferative cyclin E-associated kinase activity in differentiated osteoblasts: Inhibition by proliferating osteoblasts and osteosarcoma cells. 1997 , 66, 141-152	19
1064	Expression of the vitamin D and the retinoid X receptors in <i>Saccharomyces cerevisiae</i> : alternative in vivo models for ligand-induced transactivation. 1997 , 66, 184-96	8
1063	Human papillomavirus (HPV) 16 E6 sensitizes cells to atractyloside-induced apoptosis: role of p53, ICE-like proteases and the mitochondrial permeability transition. 1997 , 66, 245-55	38
1062	Expression of cellular genes in HPV16-immortalized and cigarette smoke condensate-transformed human endocervical cells. 1997 , 66, 309-321	18

1061	The effect of different TP53 mutations on the chromosomal stability of a human colonic adenoma derived cell line with endogenous wild type TP53 activity, before and after DNA damage. 1997 , 20, 44-52	10
1060	Resistance to apoptosis induced by alkylating agents in v-Ha-ras-transformed cells due to defect in p53 function. 1997 , 18, 221-231	13
1059	Induction of p21/WAF1 and G1 cell-cycle arrest by the chemopreventive agent apigenin. 1997 , 19, 74-82	126
1058	Differential effects of p53 mutants on the growth of human bronchial epithelial cells. 1997 , 19, 191-203	5
1057	Inhibition of cell death by lens-specific overexpression of bcl-2 in transgenic mice. 1997 , 20, 276-87	41
1056	p53-Independent tumorigenic progression of human prostate cells. 1997 , 5, 269-74	2
1055	Progesterone induces apoptosis and up-regulation of p53 expression in human ovarian carcinoma cell lines. 1997 , 79, 1944-50	96
1054	Expression of p21 (waf1/cip1/sdi1), but not p53 protein, is a factor in the survival of patients with advanced gastric carcinoma. 1997 , 79, 2067-72	82
1053	Association between human cancer and two polymorphisms occurring together in the p21Waf1/Cip1 cyclin-dependent kinase inhibitor gene. 1997 , 79, 2424-9	75
1052	The clinical significance of p21(WAF1/CIP-1) and p53 expression in pancreatic adenocarcinoma. 1997 , 80, 372-81	56
1051	p53-independent response of a human breast carcinoma xenograft to radioimmunotherapy. 1997 , 80, 2529-2537	20
1050	Aberrant p21(CIP1/WAF1) protein accumulation in head-and-neck cancer. 1997 , 74, 383-9	74
1049	Interaction between bcl-2 and p21 (WAF1/CIP1) in breast carcinomas with wild-type p53. 1997 , 73, 38-41	27
1048	Introduction of p53 induces cell-cycle arrest in p53-deficient human medullary-thyroid-carcinoma cells. 1997 , 73, 449-55	6
1047	A novel cytostatic process enhances the productivity of Chinese hamster ovary cells. 1997 , 55, 927-39	101
1046	Different mechanisms for inhibition of cell proliferation via cell cycle proteins in PC12 cells by nerve growth factor and staurosporine. 1997 , 49, 461-474	33
1045	Cyclin-dependent kinase inhibitor p27kip1 is expressed at high levels in cells that express a myelinating phenotype. 1997 , 50, 373-82	26
1044	Method to screen for relevant yeast two-hybrid-derived clones by coimmunoprecipitation and colocalization of epitope-tagged fragments--application to Bcl-xL. 1997 , 252, 33-9	15

1043	Probing protein structure using biochemical and biophysical methods. Proteolysis, matrix-assisted laser desorption/ionization mass spectrometry, high-performance liquid chromatography and size-exclusion chromatography of p21Waf1/Cip1/Sdi1. 1997 , 777, 23-30	52
1042	Signal transduction and the regulation of apoptosis: roles of ceramide. 1998 , 3, 317-34	36
1041	Expression of p53 and p21WAF1/CIP1 proteins in gastric and esophageal cancers: comparison with mutations of the p53 gene. 1998 , 43, 279-89	18
1040	The maize retinoblastoma protein homologue ZmRb-1 is regulated during leaf development and displays conserved interactions with G1/S regulators and plant cyclin D (CycD) proteins. 1998 , 37, 155-69	125
1039	Induction of p21 (CIP1/WAF1/SID1) by estradiol in a breast epithelial cell line transfected with the recombinant estrogen receptor gene: a possible mechanism for a negative regulatory role of estradiol. 1998 , 47, 181-93	18
1038	Analysis of the p21 gene in gliomas. 1998 , 40, 107-11	7
1037	Prognostic implications of expression of the cell cycle inhibitor protein p27Kip1. 1998 , 52, 29-41	45
1036	Biochemical and molecular mechanisms regulating apoptosis. 1998 , 178, 9-25	37
1035	A new aspect on glutathione-associated biological function of MRP/GS-X pump and its gene expression. 1998 , 27, 81-93	6
1034	Involvement of p21 in mitomycin C-induced G2 arrest in LP1-1 cells. 1998 , 44, 1011-1020	
1033	p53-inducible human homologue of Drosophila seven in absentia (Siah) inhibits cell growth: suppression by BAG-1. 1998 , 17, 2736-47	165
1032	The requirement for the p53 proline-rich functional domain for mediation of apoptosis is correlated with specific PIG3 gene transactivation and with transcriptional repression. 1998 , 17, 4668-79	223
1031	Specific binding to a novel and essential Golgi membrane protein (Yip1p) functionally links the transport GTPases Ypt1p and Ypt31p. 1998 , 17, 4954-63	102
1030	Complex formation by the Drosophila MSL proteins: role of the MSL2 RING finger in protein complex assembly. 1998 , 17, 5409-17	103
1029	Novel mutants of NAB corepressors enhance activation by Egr transactivators. 1998 , 17, 6010-9	62
1028	Mechanism of Nef-induced CD4 endocytosis: Nef connects CD4 with the mu chain of adaptor complexes. 1998 , 17, 2472-81	179
1027	p53 and p21(WAF1) expression in lymphocytic thyroiditis and thyroid tumors. 1998 , 88, 183-91	18
1026	Differential association of uracil DNA glycosylase with SIVSM Vpr and Vpx proteins. 1998 , 245, 338-43	12

1025	Levels of p53 in Epstein-Barr virus-infected cells determine cell fate: apoptosis, cell cycle arrest at the G1/S boundary without apoptosis, cell cycle arrest at the G2/M boundary without apoptosis, or unrestricted proliferation. 1998 , 251, 217-26	18
1024	DNA-dependent protein kinase acts upstream of p53 in response to DNA damage. 1998 , 394, 700-4	265
1023	Erratum: The cerebellar leucine-rich acidic nuclear protein interacts with ataxin-1. 1998 , 391, 818-818	
1022	Erratum: Fear conditioning induces associative long-term potentiation in the amygdala. 1998 , 391, 818-818	3
1021	p53 and brain tumors: from gene mutations to gene therapy. 1998 , 8, 599-613	50
1020	Heterodimerization is required for the formation of a functional GABA(B) receptor. 1998 , 396, 679-82	1025
1019	Higher productivity of growth-arrested Chinese hamster ovary cells expressing the cyclin-dependent kinase inhibitor p27. 1998 , 14, 705-13	88
1018	Molecular regulation of cell-cycle progression and apoptosis in mammalian cells: implications for biotechnology. 1998 , 14, 807-33	81
1017	Differential patterns of molecular genetic alterations define subsets among glioblastomas and oligoastrocytomas. 1998 , 18, 145-153	2
1016	p53 expression in gastric mucosa with Helicobacter pylori infection. 1998 , 13, 215-9	13
1015	Cell cycle-dependent modulation of promoter activities of RB and WAF1/Cip1 genes. 1998 , 89, 626-33	1
1014	Phenotypic alterations of small cell lung carcinoma induced by different levels of wild-type p53 expression. 1998 , 5, 148-55	15
1013	Apoptosis and the cell cycle: the p53 connection. 1998 , 5, 129-31	29
1012	A new p21waf1/cip1 isoform is an early event of cell response to oxidative stress. 1998 , 5, 940-5	26
1011	Inhibition of intimal hyperplasia after vein grafting by in vivo transfer of human senescent cell-derived inhibitor-1 gene. 1998 , 5, 761-9	45
1010	Cell death and cancer: replacement of apoptotic genes and inactivation of death suppressor genes in therapy. 1998 , 5, 728-39	59
1009	Transcriptional regulation and induction of apoptosis: implications for the use of monomeric p53 variants in gene therapy. 1998 , 5, 1631-41	2
1008	Lowering of p27Kip1 levels by its antisense or by development of resistance to 1,25-dihydroxyvitamin D3 reverses the G1 block but not differentiation of HL60 cells. 1998 , 12, 1256-65	31

1007	Prognostic significance of allelic losses in primary melanoma. 1998 , 16, 2213-8	71
1006	Effects of adenovirus-mediated p16INK4A expression on cell cycle arrest are determined by endogenous p16 and Rb status in human cancer cells. 1998 , 16, 265-72	111
1005	U.V.C.-induction of p53 activation and accumulation is dependent on cell cycle and pathways involving protein synthesis and phosphorylation. 1998 , 16, 459-69	15
1004	Interferon-induces expression of cyclin-dependent kinase-inhibitors p21WAF1 and p27Kip1 that prevent activation of cyclin-dependent kinase by CDK-activating kinase (CAK). 1998 , 16, 217-25	94
1003	Induction of growth arrest and cell death by overexpression of the cyclin-Cdk inhibitor p21 in hamster BHK21 cells. 1998 , 16, 369-80	48
1002	p21waf1 can block cells at two points in the cell cycle, but does not interfere with processive DNA-replication or stress-activated kinases. 1998 , 16, 431-41	145
1001	p21WAF1 induces permanent growth arrest and enhances differentiation, but does not alter apoptosis in PC12 cells. 1998 , 16, 443-51	51
1000	Mutated p21(WAF1/CIP1/SDI1) lacking CDK-inhibitory activity fails to prevent apoptosis in human colorectal carcinoma cells. 1998 , 16, 705-12	78
999	Identification of cdk2 binding sites on the p27Kip1 cyclin-dependent kinase inhibitor. 1998 , 16, 755-62	11
998	Antisense oligonucleotide of WAF1 gene prevents EGF-induced cell-cycle arrest in A431 cells. 1998 , 16, 797-802	26
997	Small contribution of G1 checkpoint control manipulation to modulation of p53-mediated apoptosis. 1998 , 16, 957-66	23
996	Nuclear factor - kappaB-dependent regulation of p53 gene expression induced by daunomycin genotoxic drug. 1998 , 16, 1187-95	90
995	Interferon-alpha-induced G1 phase arrest through up-regulated expression of CDK inhibitors, p19Ink4D and p21Cip1 in mouse macrophages. 1998 , 16, 2075-86	46
994	Potential role for cathepsin D in p53-dependent tumor suppression and chemosensitivity. 1998 , 16, 2177-83	189
993	Functional interplay between p53 and E2F through co-activator p300. 1998 , 16, 2695-710	108
992	p27Kip1: a key mediator of retinoic acid induced growth arrest in the SMS-KCNR human neuroblastoma cell line. 1998 , 16, 3337-43	78
991	Absence of p53-dependent cell cycle regulation in pluripotent mouse cell lines. 1998 , 16, 3003-11	38
990	Agents that cause DNA double strand breaks lead to p16INK4a enrichment and the premature senescence of normal fibroblasts. 1998 , 16, 1113-23	381

989	Expression of a p53 mutant in the epidermis of transgenic mice accelerates chemical carcinogenesis. 1998 , 17, 35-45	71
988	Expression of a novel form of p21Cip1/Waf1 in UV-irradiated and transformed cells. 1998 , 16, 1333-43	46
987	p21-induced cycle arrest in G1 protects cells from apoptosis induced by UV-irradiation or RNA polymerase II blockage. 1998 , 16, 3461-9	131
986	TGF-beta1 effects on proliferation of rat intestinal epithelial cells are due to inhibition of cyclin D1 expression. 1998 , 16, 3445-54	71
985	Blockade of TGFbeta3 up-regulation of p27Kip1 and p21Cip1 by expression of RasN17 in epithelial cells. 1998 , 17, 47-55	34
984	Excision of mismatched nucleotides from DNA: a potential mechanism for enhancing DNA replication fidelity by the wild-type p53 protein. 1998 , 17, 261-70	69
983	p53-mediated transcription induces resistance of DNA to UV inactivation. 1998 , 17, 401-11	15
982	Persistent DNA damage induced by ultraviolet light inhibits p21waf1 and bax expression: implications for DNA repair, UV sensitivity and the induction of apoptosis. 1998 , 17, 545-55	83
981	Favorable prognostic significance of high-level retinoic acid receptor beta expression in neuroblastoma mediated by effects on cell cycle regulation. 1998 , 17, 751-9	47
980	p53 regulates Cdc2 independently of inhibitory phosphorylation to reinforce radiation-induced G2 arrest in human cells. 1998 , 17, 673-84	61
979	Uncoupling of p21WAF1/CIP1/SDI1 mRNA and protein expression upon genotoxic stress. 1998 , 17, 781-7	42
978	p21Waf1 inhibits the activity of cyclin dependent kinase 2 by preventing its activating phosphorylation. 1998 , 17, 959-69	30
977	Endogenous p53 regulation and function in early stage Friend virus-induced tumor progression differs from that following DNA damage. 1998 , 17, 1119-30	13
976	Human tumor-derived p53 proteins exhibit binding site selectivity and temperature sensitivity for transactivation in a yeast-based assay. 1998 , 16, 2527-39	83
975	Insensitivity to growth inhibition by TGF-beta1 correlates with a lack of inhibition of the CDK2 activity in prostate carcinoma cells. 1998 , 17, 1549-56	22
974	Cell cycle arrest and DNA endoreduplication following p21Waf1/Cip1 expression. 1998 , 17, 1691-703	148
973	Hypoxia-induced pRB hypophosphorylation results from downregulation of CDK and upregulation of PP1 activities. 1998 , 17, 2295-304	70
972	Fractional allelic loss in gastric carcinoma correlates with growth patterns. 1998 , 17, 2655-9	32

971	Activation and repression of p21(WAF1/CIP1) transcription by RB binding proteins. 1998 , 17, 3463-9	63
970	A targeted disruption of the murine Brca1 gene causes gamma-irradiation hypersensitivity and genetic instability. 1998 , 17, 3115-24	291
969	Lovastatin mediated G1 arrest in normal and tumor breast cells is through inhibition of CDK2 activity and redistribution of p21 and p27, independent of p53. 1998 , 17, 2393-402	173
968	Resistance of human nucleotide excision repair synthesis in vitro to p21Cdn1. 1998 , 17, 2827-38	67
967	Enforced CDK4 expression in a hematopoietic cell line confers resistance to the G1 arrest induced by ionizing radiation. 1998 , 17, 2961-71	20
966	Roles for p53 in growth arrest and apoptosis: putting on the brakes after genotoxic stress. 1998 , 17, 3287-99	352
965	Controlled proliferation by multigene metabolic engineering enhances the productivity of Chinese hamster ovary cells. 1998 , 16, 468-72	250
964	Identification of a calcium channel modulator using a high throughput yeast two-hybrid screen. 1998 , 16, 946-50	104
963	Prognostic significance of cyclin E and p53 protein overexpression in carcinoma of the renal pelvis and ureter. 1998 , 77, 783-8	31
962	A novel strategy for inhibiting growth of human pancreatic cancer cells by blocking cyclin-dependent kinase activity. 1998 , 2, 36-43	13
961	Control of the human cell cycle by a bacterial protein, gapstatin. 1998 , 77, 228-38	13
960	Changes in c-Jun but not Bcl-2 family proteins in p53-dependent apoptosis of mouse cerebellar granule neurons induced by DNA damaging agent bleomycin. 1998 , 794, 239-47	39
959	A comparative analysis of the proteins between the fibroblasts from Werner's syndrome patients and age-matched normal individuals using two-dimensional gel electrophoresis. 1998 , 100, 133-43	24
958	Growth arrest associated with 12-o-tetradecanoylphorbol-13-acetate-induced hematopoietic differentiation with a defective retinoblastoma tumor suppressor-mediated pathway. 1998 , 22, 413-20	9
957	Regulation of the expression of enzymes involved in the replication of DNA in chemically-induced granulocytic differentiation of HL-60 leukemia cells. 1998 , 22, 687-95	6
956	Regulation of the expression of enzymes involved in the replication of DNA in chemically induced monocytic/macrophagic differentiation of HL-60 leukemia cells. 1998 , 22, 697-703	4
955	Ubiquitin, E6-AP, and their role in p53 inactivation. 1998 , 78, 129-39	77
954	BDNF accelerates gene expression in cultured cerebellar granule neurons. 1998 , 105, 277-86	17

953	The impact of two-hybrid and related methods on biotechnology. 1998 , 16, 355-63	42
952	The papillomavirus E6 proteins. 1998 , 1378, F1-19	35
951	Tumor resistance to antimetabolites. 1998 , 30, 623-6	30
950	p21(WAF1/Cip1) retards the growth of human squamous cell carcinomas in vivo. 1998 , 34, 211-8	28
949	Expression of p21WAF1/CIP1 is unrelated to p53 tumour suppressor gene status in oral squamous cell carcinomas. 1998 , 34, 198-203	36
948	p53- and p21-independent apoptosis of squamous cell carcinoma cells induced by 5-fluorouracil and radiation. 1998 , 34, 529-37	34
947	Divergent effects of bryostatin 1 and phorbol myristate acetate on cell cycle arrest and maturation in human myelomonocytic leukemia cells (U937). 1998 , 63, 33-42	58
946	The 14-3-3 proteins positively regulate rapamycin-sensitive signaling. 1998 , 8, 1259-67	81
945	ES cells do not activate p53-dependent stress responses and undergo p53-independent apoptosis in response to DNA damage. 1998 , 8, 145-55	378
944	Byr4 and Cdc16 form a two-component GTPase-activating protein for the Spg1 GTPase that controls septation in fission yeast. 1998 , 8, 947-54	135
943	Transcriptional activation by the Werner syndrome gene product in yeast. 1998 , 33, 805-12	19
942	Loss of butyrate-induced apoptosis in human hepatoma cell lines HCC-M and HCC-T having substantial Bcl-2 expression. 1998 , 27, 1233-40	33
941	The prognostic significance of the biomarkers p21WAF1/CIP1, p53, and bcl-2 in laryngeal squamous cell carcinoma. 1998 , 82, 2159-2165	65
940	Expression of p21WAF1/CIP1 in adenocarcinoma of the uterine cervix. 1998 , 82, 2409-2417	71
939	Reduced expression of cyclin-dependent kinase inhibitor p27Kip1 is an indicator of malignant behavior in oral squamous cell carcinoma. 1998 , 83, 2447-55	43
938	Induction of apoptosis in human keratinocytes containing mutated p53 alleles and its inhibition by both the E6 and E7 oncoproteins. 1998 , 75, 96-104	40
937	Induction of p53 and melanoma cell death is reciprocal with down-regulation of E2F, cyclin D1 and pRB. 1998 , 76, 757-60	10
936	Increased level of p21 in human ovarian tumors is associated with increased expression of cdk2, cyclin A and PCNA. 1998 , 76, 891-6	31

935	Suppression of growth of hepatocellular carcinoma by sodium butyrate in vitro and in vivo. 1998 , 76, 897-902	48
934	p21/WAF1, p53 and PCNA expression and p53 mutation status in hepatocellular carcinoma. 1998 , 79, 424-8	51
933	Increased expression of cyclin G1 and p21WAF1/CIP1 in neurons following transient forebrain ischemia: comparison with early DNA damage. 1998 , 53, 279-96	48
932	"Isogaba Maware": quality control of genome DNA by checkpoints. 1998 , 20, 391-9	14
931	p21WAF1/Cip1 is associated with cyclin D1CCND1 expression and tubular differentiation but is independent of p53 overexpression in human breast carcinoma. 1998 , 184, 265-71	44
930	Increased RB1 abnormalities in human primary prostate cancer following combined androgen blockade. 1998 , 34, 145-51	24
929	Genistein inhibits proliferation similarly in estrogen receptor-positive and negative human breast carcinoma cell lines characterized by P21WAF1/CIP1 induction, G2/M arrest, and apoptosis. 1998 , 69, 44-54	118
928	Transforming growth factor- β induces apoptotic cell death in cultured retinal endothelial cells but not pericytes: Association with decreased expression of p21waf1/cip1. 1998 , 70, 70-83	40
927	Binding of CDK9 to TRAF2. 1998 , 71, 467-478	32
926	Growth arrest of immortalized human keratinocytes and suppression of telomerase activity by p21WAF1 gene expression. 1998 , 21, 26-36	27
925	Relaxed cell-cycle arrests and propagation of unrepaired chromosomal damage in cancer cell lines with wild-type p53. 1998 , 23, 1-12	18
924	DNA adduct levels associated with p53 induction and delay of MCF-7 cells in S phase after exposure to benzo[g]chrysene dihydrodiol epoxide enantiomers. 1998 , 23, 115-20	16
923	Alterations in cyclin-dependent kinase 2 function during differentiation of primary human keratinocytes. 1998 , 23, 226-33	16
922	Expression of retinoblastoma gene product and p21 (WAF1/Cip 1) protein in gliomas: correlations with proliferation markers, p53 expression and survival. 1998 , 95, 617-24	38
921	Differential response of basal keratinocytes in a human skin equivalent to ultraviolet irradiation. 1998 , 290, 420-4	2
920	Segregational fidelity of chromosomes in human thyroid tumour cells. 1998 , 107, 491-7	10
919	Dermatofibrosarcoma protuberans with fibrosarcomatous areas. Molecular abnormalities of the p53 pathway in fibrosarcomatous transformation of dermatofibrosarcoma protuberans. 1998 , 433, 323-9	38
918	Switch-domain mutations in the <i>Saccharomyces cerevisiae</i> G protein alpha-subunit Gpa1p identify a receptor subtype-biased mating defect. 1998 , 257, 662-71	3

917	The Cdc14 phosphatase is functionally associated with the Dbf2 protein kinase in <i>Saccharomyces cerevisiae</i> . 1998 , 258, 104-16	20
916	Role of cyclin E and p53 expression in progression of early gastric cancer. 1998 , 1, 160-165	14
915	New p53-based anti-cancer therapeutic strategies. 1998 , 15, 222-8	14
914	Immunohistochemical analysis of p53 and p21 in human primary glioblastomas in relation to proliferative potential and apoptosis. 1998 , 15, 89-94	10
913	Alteration of bcl-2 and bax expression in embolized meningiomas. 1998 , 15, 13-7	5
912	[p16(INK4A)/CDKN2--the "melanoma gene"? Status of research and outlook]. 1998 , 49, 91-100	
911	The challenge of p53: linking biochemistry, biology, and patient management. 1998 , 16, 248-60	14
910	Prognostic factors in muscle-invasive bladder cancer treated with radiotherapy: an immunohistochemical study. 1998 , 81, 862-9	23
909	Induction of squamous cell carcinoma in p53-deficient mice after ultraviolet irradiation. 1998 , 110, 72-5	74
908	Cyclin D1, p16, and retinoblastoma gene regulate mitogenic signaling of endothelin in rat mesangial cells. 1998 , 53, 76-83	25
907	p53-Dependent DNA repair and apoptosis respond differently to high- and low-dose ultraviolet radiation. 1998 , 139, 3-10	45
906	Mutation of p16, p21 or cyclin dependent kinase 4 is rare in acute lymphoblastic leukaemia. 1998 , 103, 467-72	4
905	Hepatitis C virus core protein represses p21WAF1/Cip1/Sid1 promoter activity. 1998 , 208, 331-6	135
904	Construction of a modular yeast two-hybrid cDNA library from human EST clones for the human genome protein linkage map. 1998 , 215, 143-52	17
903	Receptor-interacting protein 140 interacts with and inhibits transactivation by, peroxisome proliferator-activated receptor alpha and liver-X-receptor alpha. 1998 , 146, 69-76	64
902	p53-independent induction of WAF1/Cip1 is correlated with osteoblastic differentiation by vitamin D3. 1998 , 129, 61-8	31
901	Induction of p21 during ceramide-mediated apoptosis in human hepatocarcinoma cells. 1998 , 129, 215-22	28
900	Induction of cyclin-dependent kinase inhibitor p21 in vesnarinone-induced differentiation of squamous cell carcinoma cells. 1998 , 133, 35-45	13

899	CD40-mediated induction of p21 accumulation in resting and cycling B cells. 1998 , 35, 567-80	10
898	Cell cycle profiles and expressions of p21CIP1 AND P27KIP1 during myocyte development. 1998 , 67, 133-42	68
897	Cell cycle-related gene expression in the adult rat brain: selective induction of cyclin G1 and p21WAF1/CIP1 in neurons following focal cerebral ischemia. 1998 , 84, 1097-112	53
896	Altered topographic expression of p21WAF1/CIP1/SDI1, bcl2 and p53 during gastric carcinogenesis. 1998 , 194, 309-17	22
895	Expression of p53 and p21 proteins in oral squamous cell carcinoma: correlation with lymph node metastasis and response to chemoradiotherapy. 1998 , 194, 821-30	21
894	16 SmartGenetic Screens. 1998 , 26, 269-295	6
893	15 Two-Hybrid Analysis of Protein-Protein Interactions in Yeast. 1998 , 255-268	1
892	Tumor suppressor gene therapy for cancer: from the bench to the clinic. 1998 , 1, 205-10	2
891	G0/G1 cell cycle arrest in the brain of <i>Sarcophaga crassipalpis</i> during pupal diapause and the expression pattern of the cell cycle regulator, proliferating cell nuclear antigen. 1998 , 28, 83-9	79
890	The CRY1 blue light photoreceptor of <i>Arabidopsis</i> interacts with phytochrome A in vitro. 1998 , 1, 939-48	281
889	Overexpression of ErbB2 blocks Taxol-induced apoptosis by upregulation of p21Cip1, which inhibits p34Cdc2 kinase. 1998 , 2, 581-91	311
888	Growth arrest failure, G1 restriction point override, and S phase death of sensory precursor cells in the absence of neurotrophin-3. 1998 , 21, 1003-15	59
887	Altered expression of the p53-regulated proteins, p21Waf1/Cip1, MDM2, and Bax in ultraviolet-irradiated human skin. 1998 , 29, 559-64	17
886	Interaction of Oct-1 and automodification domain of poly(ADP-ribose) synthetase. 1998 , 424, 27-32	74
885	Promoter activation and following induction of the p21/WAF1 gene by flavone is involved in G1 phase arrest in A549 lung adenocarcinoma cells. 1998 , 437, 61-4	34
884	Short-chain fatty acids induce cell cycle inhibitors in colonocytes. 1998 , 114, 940-6	38
883	Association of downregulation of cyclin D1 and of overexpression of cyclin E with p53 mutation, high tumor grade and poor prognosis in hepatocellular carcinoma. 1998 , 29, 281-9	61
882	Stimulation of p53-mediated transcriptional activation by the p53-binding proteins, 53BP1 and 53BP2. 1998 , 273, 26061-8	144

881	Protein Targeting Protocols. 1998,	0
880	Tumor surveillance via the ARF-p53 pathway. 1998, 12, 2984-91	554
879	Clinical role of p53 and p21WAF1/CIP1 in squamous cell carcinoma of the pyriform sinus. 1998, 118, 432-7	8
878	New developments in the multi-site phosphorylation and integration of stress signalling at p53. 1998, 74, 729-37	30
877	Inhibitors of Cell Growth. 1998,	1
876	Decreased BRCA1 expression levels may arrest the cell cycle through activation of p53 checkpoint in human sporadic breast tumors. 1998, 245, 75-80	69
875	IGF I induction of p53 requires activation of MAP kinase in cardiac muscle cells. 1998, 245, 912-7	15
874	Characterization of the enhancer-like okadaic acid response element region of the cyclin-dependent kinase 1 (p34cdc2) promoter. 1998, 246, 696-702	7
873	Transforming growth factor-beta 1 stimulates or inhibits cell growth via down- or up-regulation of p21/Waf1. 1998, 246, 873-80	53
872	The p16(INK4A) protein and flavopiridol restore yeast cell growth inhibited by Cdk4. 1998, 250, 791-7	17
871	Molecular cloning and expression of human grap-2, a novel leukocyte-specific SH2- and SH3-containing adaptor-like protein that binds to gab-1. 1998, 253, 443-7	31
870	A positive effect of p21cip1/waf1 in the colony formation from murine myeloid progenitor cells as assessed by retroviral-mediated gene transfer. 1998, 24, 138-48	37
869	Apoptosis was promoted at a nonpermissive temperature in DNA replication-defective temperature-sensitive mutants of mouse FM3A cells. 1998, 238, 317-23	3
868	Contribution of protein kinase C to p53-dependent WAF1 induction pathway after heat treatment in human glioblastoma cell lines. 1998, 238, 399-406	30
867	Regulation of the cell cycle at the G2/M boundary in metastatic melanoma cells by 12-O-tetradecanoyl phorbol-13-acetate (TPA) by blocking p34cdc2 kinase activity. 1998, 242, 381-90	31
866	PD 98059 prevents establishment of the spindle assembly checkpoint and inhibits the G2-M transition in meiotic but not mitotic cell cycles in <i>Xenopus</i> . 1998, 241, 12-22	44
865	Evidence of a functional role for the cyclin-dependent kinase inhibitor p21(WAF1/CIP1/MDA6) in the reciprocal regulation of PKC activator-induced apoptosis and differentiation in human myelomonocytic leukemia cells. 1998, 244, 105-16	51
864	Up-regulation of p21WAF1 by phorbol ester and calcium in human keratinocytes through a protein kinase C-dependent pathway. 1998, 153, 39-45	51

863	Histopathological evaluation of apoptosis in cancer. 1998 , 153, 1041-53	172
862	Overview of the cell cycle. 2001 , Chapter 8, Unit 8.1	4
861	Association of human CUL-1 and ubiquitin-conjugating enzyme CDC34 with the F-box protein p45(SKP2): evidence for evolutionary conservation in the subunit composition of the CDC34-SCF pathway. 1998 , 17, 368-83	168
860	New COP1-binding motifs involved in ER retrieval. 1998 , 17, 6863-70	74
859	Recruitment of a protein complex containing Tat and cyclin T1 to TAR governs the species specificity of HIV-1 Tat. 1998 , 17, 7056-65	232
858	Radiation and the G 2 Phase of the Cell Cycle. 1998 , 150, S52	51
857	p21WAF1/CIP1 expression in gestational trophoblastic disease: correlation with clinicopathological parameters, and Ki67 and p53 gene expression. 1998 , 51, 159-62	31
856	Expression of the cyclin-dependent kinase inhibitor, p21Waf-1/Cip-1/Sdi-1, in human vascular smooth muscle cells in the proliferating state. 1998 , 13, 246-55	3
855	Regulation of the cell cycle by CDK inhibitors. 1998 , 22, 111-31	8
854	A viral mechanism for inhibition of the cellular phosphatase calcineurin. 1998 , 281, 562-5	101
853	MP1: a MEK binding partner that enhances enzymatic activation of the MAP kinase cascade. 1998 , 281, 1668-71	362
852	Rational design of antitumor prostaglandins with high biological stability. 1998 , 41, 3084-90	44
851	Attenuation of G1 checkpoint function by the non-genotoxic carcinogen phenobarbital. 1998 , 19, 1173-83	15
850	Localization of apoptotic cells within the human endometrium and correlation between apoptosis and p21 expression. 1998 , 4, 1157-64	24
849	Inhibition of growth of human vascular smooth muscle cells by overexpression of p21 gene through induction of apoptosis. 1998 , 31, 493-8	38
848	Accumulation of p21(Cip1/WAF1) during hyperoxic lung injury in mice. 1998 , 19, 777-85	58
847	Cyclin-dependent kinases participate in death of neurons evoked by DNA-damaging agents. 1998 , 143, 457-67	235
846	Review : p53 in the pathogenesis, diagnosis, and treatment of cancer. 1998 , 4, 75-102	

845	Molecular genetic approaches. I. Two-hybrid systems. 1998 , 88, 101-31	6
844	WT1 interacts with the splicing factor U2AF65 in an isoform-dependent manner and can be incorporated into spliceosomes. 1998 , 12, 3217-25	189
843	p21 is a critical CDK2 regulator essential for proliferation control in Rb-deficient cells. 1998 , 141, 503-14	128
842	Determination of the functional domain organization of the importin alpha nuclear import factor. 1998 , 143, 309-18	106
841	Identification of a novel p53 functional domain that is necessary for mediating apoptosis. 1998 , 273, 13030-6	130
840	Serine/threonine protein phosphatase type 5 acts upstream of p53 to regulate the induction of p21(WAF1/Cip1) and mediate growth arrest. 1998 , 273, 12250-8	91
839	Mutation and expression analysis of the cyclin-dependent kinase inhibitor gene p27/Kip1 in pituitary tumors. 1998 , 157, 337-41	44
838	p21WAF1/CIP1 expression in primary lung adenocarcinomas: heterogeneous expression in tumor tissues and correlation with p53 expression and proliferative activities. 1998 , 19, 1755-61	17
837	Transfer of wild-type p53 gene effectively inhibits vascular smooth muscle cell proliferation in vitro and in vivo. 1998 , 82, 147-56	123
836	Chemical transformation of mouse liver cells results in altered cyclin D-CDK protein complexes. 1998 , 19, 1093-102	5
835	When overexpressed, a novel centrosomal protein, RanBPM, causes ectopic microtubule nucleation similar to gamma-tubulin. 1998 , 143, 1041-52	158
834	Different proliferative properties of smooth muscle cells of human arterial and venous bypass vessels: role of PDGF receptors, mitogen-activated protein kinase, and cyclin-dependent kinase inhibitors. 1998 , 97, 181-7	113
833	Glucose rapidly and reversibly decreases INS-1 cell insulin gene transcription via decrements in STF-1 and C1 activator transcription factor activity. 1998 , 12, 207-19	59
832	Tumor necrosis factor-induced apoptosis stimulates p53 accumulation and p21WAF1 proteolysis in ME-180 cells. 1998 , 273, 5067-72	69
831	Induction of cell cycle arrest by the endogenous product of lipid peroxidation, malondialdehyde. 1998 , 19, 1275-83	68
830	Patterning muscles using organizers: larval muscle templates and adult myoblasts actively interact to pattern the dorsal longitudinal flight muscles of Drosophila. 1998 , 141, 1135-45	58
829	Interaction between the retinoid X receptor and transcription factor IIB is ligand-dependent in vivo. 1998 , 273, 2296-305	14
828	Induction of mutations in Ki-ras and INK4a in liver tumors of mice exposed in utero to 3-methylcholanthrene. 1998 , 19, 1045-52	18

827	Expression patterns of cyclin D1 and related proteins regulating G1-S phase transition in uveal melanoma and retinoblastoma. 1998 , 82, 961-70	52
826	Regenerating livers of old rats contain high levels of C/EBPalpha that correlate with altered expression of cell cycle associated proteins. 1998 , 26, 3293-9	54
825	Distinct altered patterns of p27KIP1 gene expression in benign prostatic hyperplasia and prostatic carcinoma. 1998 , 90, 1284-91	243
824	Functional loss of p21/Waf-1 in a case of benign canine multicentric melanoma. 1998 , 35, 94-101	20
823	C-Nap1, a novel centrosomal coiled-coil protein and candidate substrate of the cell cycle-regulated protein kinase Nek2. 1998 , 141, 1563-74	362
822	Roles of the tumor suppressor p53 and the cyclin-dependent kinase inhibitor p21WAF1/CIP1 in receptor-mediated apoptosis of WEHI 231 B lymphoma cells. 1998 , 187, 1671-9	45
821	Ectopic p21(WAF1) expression induces differentiation-specific cell cycle changes in PC12 cells characteristic of nerve growth factor treatment. 1998 , 273, 23517-23	64
820	Inhibition of cell proliferation and induction of apoptosis by the retinoid AHPN in human lung carcinoma cells. 1998 , 18, 323-33	46
819	Induction of p21WAF/CIP1 during hyperoxia. 1998 , 18, 179-87	53
818	p21waf1/cip1mda-6 expression in non-small-cell lung cancer: relationship to survival. 1998 , 18, 213-7	43
817	Resistance to growth inhibition by transforming growth factor-beta in malignant glioma cells with functional receptors. 1998 , 88, 529-34	24
816	Functional association of poly(ADP-ribose) polymerase with DNA polymerase alpha-primase complex: a link between DNA strand break detection and DNA replication. 1998 , 26, 1891-8	115
815	Determination of Gab1 (Grb2-associated binder-1) interaction with insulin receptor-signaling molecules. 1998 , 12, 914-23	60
814	Hormone-induced proliferation and differentiation of granulosa cells: a coordinated balance of the cell cycle regulators cyclin D2 and p27Kip1. 1998 , 12, 924-40	342
813	Induction of p53 without increase in p21WAF1 in betulinic acid-mediated cell death is preferential for human metastatic melanoma. 1998 , 17, 399-406	36
812	Effect of p21WAF1/CIP1 expression on tumor progression in bladder cancer. 1998 , 90, 1072-9	259
811	Site-directed mutant p21 proteins defective in both inhibition of E2F-regulated transcription and disruption of E2F-p130-cyclin-cdk2 complexes. 1998 , 17, 9-18	4
810	Isolation and characterization of RAD51C, a new human member of the RAD51 family of related genes. 1998 , 26, 1179-84	133

809	Positive regulation of the human macrophage stimulating protein gene transcription. Identification of a new hepatocyte nuclear factor-4 (HNF-4) binding element and evidence that indicates direct association between NF-Y and HNF-4. 1998 , 273, 19339-47	25
808	Disruption of fibronectin binding to the alpha 5 beta 1 integrin stimulates the expression of cyclin-dependent kinases and DNA synthesis through activation of extracellular signal-regulated kinase. 1998 , 273, 1662-9	31
807	Identification and characterization of an unusual double serine/threonine protein phosphatase 2C in the malaria parasite <i>Plasmodium falciparum</i> . 1998 , 273, 11241-7	40
806	Serine 13 is the site of mitotic phosphorylation of human thymidine kinase. 1998 , 273, 12095-100	24
805	The Tal1 oncoprotein inhibits E47-mediated transcription. Mechanism of inhibition. 1998 , 273, 7030-7	65
804	The cyclin-dependent kinase inhibitor p27(Kip1) induces N-terminal proteolytic cleavage of cyclin A. 1998 , 95, 15374-81	28
803	DNA end-independent activation of DNA-PK mediated via association with the DNA-binding protein C1D. 1998 , 12, 2188-99	62
802	An eukaryotic RuvB-like protein (RUVBL1) essential for growth. 1998 , 273, 27786-93	107
801	Complex formation by all five homologues of mammalian translation initiation factor 3 subunits from yeast <i>Saccharomyces cerevisiae</i> . 1998 , 273, 18573-85	126
800	The G1-phase growth-arresting action of interleukin-1 is independent of p53 and p21/WAF1 function. 1998 , 273, 30517-23	16
799	Pyrrolidine dithiocarbamate prevents p53 activation and promotes p53 cysteine residue oxidation. 1998 , 273, 18898-905	61
798	An important role for the retinoblastoma protein in staurosporine-induced G1 arrest in murine embryonic fibroblasts. 1998 , 273, 3803-7	15
797	Glucocorticoids stimulate p21 gene expression by targeting multiple transcriptional elements within a steroid responsive region of the p21waf1/cip1 promoter in rat hepatoma cells. 1998 , 273, 1998-2007	95
796	p21(waf1) mRNA contains a conserved element in its 3'-untranslated region that is bound by the Elav-like mRNA-stabilizing proteins. 1998 , 273, 20511-6	100
795	Transcriptional activation of the p21(WAF1,CIP1,SDI1) gene by interleukin-6 type cytokines. A prerequisite for their pro-differentiating and anti-apoptotic effects on human osteoblastic cells. 1998 , 273, 21137-44	194
794	A clinicopathological study of p53, p21 (WAF1/CIP1) and cyclin D1 expression in human prostate cancers. 1998 , 61, 90-4	20
793	Enhancement of radiosensitivity of wild-type p53 human glioma cells by adenovirus-mediated delivery of the p53 gene. 1998 , 89, 125-32	64
792	Expression of cyclin-dependent kinase inhibitors in vascular disease. 1998 , 82, 396-403	242

791	E1A signaling to p53 involves the p19(ARF) tumor suppressor. 1998 , 12, 2434-42	490
790	Role of cyclin-dependent kinases and their inhibitors in cellular differentiation and development. 1998 , 227, 57-103	64
789	An artificial cell-cycle inhibitor isolated from a combinatorial library. 1998 , 95, 14272-7	96
788	Astrocyte progression from G1 to S phase of the cell cycle depends upon multiple protein interaction. 1998 , 273, 13966-72	39
787	Functional defects of a muscle-specific calpain, p94, caused by mutations associated with limb-girdle muscular dystrophy type 2A. 1998 , 273, 17073-8	119
786	Cleavage of CDK inhibitor p21(Cip1/Waf1) by caspases is an early event during DNA damage-induced apoptosis. 1998 , 273, 19207-12	149
785	Calmodulin inhibitor W13 induces sustained activation of ERK2 and expression of p21(cip1). 1998 , 273, 22145-50	52
784	Interaction of BTG1 and p53-regulated BTG2 gene products with mCaf1, the murine homolog of a component of the yeast CCR4 transcriptional regulatory complex. 1998 , 273, 22563-9	111
783	Association of neurofilament proteins with neuronal Cdk5 activator. 1998 , 273, 2329-35	33
782	Calmodulin is essential for cyclin-dependent kinase 4 (Cdk4) activity and nuclear accumulation of cyclin D1-Cdk4 during G1. 1998 , 273, 33279-86	68
781	A genetic analysis of interactions with Spc110p reveals distinct functions of Spc97p and Spc98p, components of the yeast gamma-tubulin complex. 1998 , 9, 2201-16	77
780	Expression of p21(WAF1/CIP1) during mouse odontogenesis. 1998 , 106 Suppl 1, 104-11	27
779	Myc signaling via the ARF tumor suppressor regulates p53-dependent apoptosis and immortalization. 1998 , 12, 2424-33	957
778	Interaction between the N-terminus of human topoisomerase I and SV40 large T antigen. 1998 , 26, 1841-7	36
777	Cyclin D3-associated kinase activity is regulated by p27kip1 in BALB/c 3T3 cells. 1998 , 9, 2081-92	32
776	Human and yeast cdk-activating kinases (CAKs) display distinct substrate specificities. 1998 , 9, 2545-60	92
775	Activity and nature of p21(WAF1) complexes during the cell cycle. 1998 , 95, 12254-9	52
774	p53 in tumor progression: life, death, and everything. 1998 , 74, 25-48	51

773	Biologic Markers in Breast Cancer: An Update. 1998 , 21, 317-325	2
772	CUS2, a yeast homolog of human Tat-SF1, rescues function of misfolded U2 through an unusual RNA recognition motif. 1998 , 18, 5000-9	69
771	HVJ (Sendai virus) liposome-mediated gene transfer: current status and future perspectives (review). 1998 , 12, 1277-85	1
770	The apoptotic effects of cisplatin and carboplatin in retinoblastoma Y79 cells. 1998 , 13, 225-32	8
769	Suppression of heat-induced p53 accumulation and activation by CDDP or x-rays in human glioblastoma cells. 1998 , 13, 741-7	1
768	Cell cycle arrest in ovarian cancer cell lines does not depend on p53 status upon treatment with cytostatic drugs. 1998 , 13, 1007-16	5
767	WAF1/p21 regulates proliferation, but does not mediate p53-dependent apoptosis in urothelial carcinoma cell lines. 1998 , 12, 621-8	5
766	Differential role for protein kinase C-mediated signaling in the proliferation of medulloblastoma cell lines. 1998 , 12, 759-68	3
765	A heterozygous frameshift mutation of the PTEN/MMAC1 gene in a patient with Lhermitte-Duclos disease - only the mutated allele was expressed in the cerebellar tumor. 1998 , 1, 925-9	14
764	Role of a mutant p53 protein in apoptosis: characterization of a function independent of transcriptional trans-activation. 1998 , 13, 107-14	2
763	p53-independent down-regulation of cyclin D1 and p21Waf1 in the process of immortalization of human esophageal epithelial cells. 1998 , 12, 325-8	3
762	Heterogeneous induction of apoptosis in colon cancer cells by wild-type p53 gene transfection. 1998 , 12, 777-84	
761	Upregulation of p21WAF1/CIP1 in human breast cancer cell lines MCF-7 and MDA-MB-468 undergoing apoptosis induced by natural product anticancer drugs 10-hydroxycamptothecin and camptothecin through p53-dependent and independent pathways.. 1998 , 12, 793	1
760	Identification of STRAP, a novel WD domain protein in transforming growth factor-beta signaling. 1998 , 273, 34671-4	95
759	A genetic system based on split-ubiquitin for the analysis of interactions between membrane proteins in vivo. 1998 , 95, 5187-92	494
758	Identification of a novel cortactin SH3 domain-binding protein and its localization to growth cones of cultured neurons. 1998 , 18, 5838-51	213
757	Ectopic expression of cdc2/cdc28 kinase subunit Homo sapiens 1 uncouples cyclin B metabolism from the mitotic spindle cell cycle checkpoint. 1998 , 18, 6224-37	17
756	Identification and functional characterization of a novel nuclear localization signal present in the yeast Nab2 poly(A)+ RNA binding protein. 1998 , 18, 1449-58	61

755	Repression of TFIIH transcriptional activity and TFIIH-associated cdk7 kinase activity at mitosis. 1998 , 18, 1467-76	78
754	p53--an acrobat in tumorigenesis. 1998 , 9, 23-37	48
753	Inhibition of PrKX, a novel protein kinase, and the cyclic AMP-dependent protein kinase PKA by the regulatory proteins of adeno-associated virus type 2. 1998 , 18, 5921-9	47
752	Maturation of human cyclin E requires the function of eukaryotic chaperonin CCT. 1998 , 18, 7584-9	124
751	The Mdm2 oncoprotein interacts with the cell fate regulator Numb. 1998 , 18, 3974-82	118
750	Identification of a translation initiation factor 3 (eIF3) core complex, conserved in yeast and mammals, that interacts with eIF5. 1998 , 18, 4935-46	163
749	Transdominant genetic analysis of a growth control pathway. 1998 , 95, 7508-13	72
748	p21WAF-1 reorganizes the nucleus in tumor suppression. 1998 , 95, 1131-5	50
747	Alteration of the p53 Tumor Suppressor Gene in Prostate Cancer: Analytical Approaches and Clinical Implications. 1998 , 21, 113-122	0
746	Structure-based inhibitor design for CDK2, a cell cycle controlling protein kinase. 1998 , 70, 555-565	16
745	Regulation of G cyclin-dependent kinases in liver regeneration. 1998 , 13, S100-S105	11
744	Demystified ... p53. 1998 , 51, 248-53	14
743	Two distinct types of repression domain in engrailed: one interacts with the groucho corepressor and is preferentially active on integrated target genes. 1998 , 18, 2804-14	139
742	A chimeric subunit of yeast transcription factor IIC forms a subcomplex with tau95. 1998 , 18, 3191-200	29
741	Cyclin partners determine Pho85 protein kinase substrate specificity in vitro and in vivo: control of glycogen biosynthesis by Pcl8 and Pcl10. 1998 , 18, 3289-99	108
740	Studies of the interaction between Rad52 protein and the yeast single-stranded DNA binding protein RPA. 1998 , 18, 4400-6	121
739	Inhibition of pancreatic tumor cell growth in culture by p21WAF1 recombinant adenovirus. 1998 , 16, 107-13	36
738	Immunohistochemical analysis of p53 and p21(WAF1/Cip1) expression in primary intracranial germ cell tumors. 1998 , 5, e2	5

737	Interactions within the yeast Sm core complex: from proteins to amino acids. 1998 , 18, 1956-66	37
736	Cyclin E associates with components of the pre-mRNA splicing machinery in mammalian cells. 1998 , 18, 4526-36	84
735	p16INK4A participates in a G1 arrest checkpoint in response to DNA damage. 1998 , 18, 378-87	150
734	Yeast Los1p has properties of an exportin-like nucleocytoplasmic transport factor for tRNA. 1998 , 18, 6374-86	217
733	Characterization of the p53-dependent postmitotic checkpoint following spindle disruption. 1998 , 18, 1055-64	439
732	Regulation of cellular genes in a chromosomal context by the retinoblastoma tumor suppressor protein. 1998 , 18, 4565-76	19
731	Molecular determinants of AHPN (CD437)-induced growth arrest and apoptosis in human lung cancer cell lines. 1998 , 18, 4719-31	157
730	Analysis of histological therapeutic effect, apoptosis rate and p53 status after combined treatment with radiation, hyperthermia and 5-fluorouracil suppositories for advanced rectal cancers. 1998 , 77, 159-66	20
729	Depletion of intracellular Ca ²⁺ stores, phosphorylation of eIF2alpha, and sustained inhibition of translation initiation mediate the anticancer effects of clotrimazole. 1998 , 95, 8280-5	115
728	Protein kinase CK2 interacts with and phosphorylates the Arabidopsis circadian clock-associated 1 protein. 1998 , 95, 11020-5	200
727	Phylogenetic tests of the hypothesis of block duplication of homologous genes on human chromosomes 6, 9, and 1. 1998 , 15, 854-70	103
726	In vitro analysis of UV-damage-induced inhibition of replication. 1998 , 330 (Pt 1), 181-7	12
725	Human carbon catabolite repressor protein (CCR4)-associative factor 1: cloning, expression and characterization of its interaction with the B-cell translocation protein BTG1. 1998 , 336 (Pt 2), 471-81	75
724	Anti-cancer-prostaglandin-induced cell-cycle arrest and its modulation by an inhibitor of the ATP-dependent glutathione S-conjugate export pump (GS-X pump). 1998 , 336 (Pt 3), 569-76	34
723	Expression of p53, p21 (Waf1/Cip1/Sdi1) and Fas antigen in collagen vascular and granulomatous lung diseases. 1998 , 12, 920-5	15
722	Suppression of tumorigenic and metastatic potentials of human melanoma cell lines by mutated (143 Val-Ala) p53. 1998 , 77, 2215-22	5
721	Acute promyelocytic leukemia as a model for cross-talk between interferon and retinoic acid pathways: from molecular biology to clinical applications. 1998 , 30, 11-22	32
720	AvrXa10 contains an acidic transcriptional activation domain in the functionally conserved C terminus. 1998 , 11, 824-32	145

719	Hemidesmosome formation is initiated by the beta4 integrin subunit, requires complex formation of beta4 and HD1/plectin, and involves a direct interaction between beta4 and the bullous pemphigoid antigen 180. 1998 , 142, 271-84	154
718	Parallel analysis of genetic selections using whole genome oligonucleotide arrays. 1998 , 95, 3752-7	104
717	Molecular abnormalities in lung cancer. 1998 , 16, 1207-17	247
716	Abnormalities in Cell Cycle Control in Cancer and Their Clinical Implications. 1998 , 84, 421-433	19
715	Regulation of the human p21/WAF1/Cip1 promoter in hepatic cells by functional interactions between Sp1 and Smad family members. 1998 , 95, 6733-8	310
714	Tumor-suppressor p53: implications for tumor development and prognosis. 1998 , 16, 3158-68	222
713	p21(WAF1) is required for butyrate-mediated growth inhibition of human colon cancer cells. 1998 , 95, 6791-6	483
712	Circular RNA circRHOBTB3 acts as a sponge for miR-654-3p inhibiting gastric cancer growth. 2020 , 39, 1	107
711	Immunomodulation by anticancer cell cycle inhibitors. 2020 , 20, 669-679	43
710	EMDIP: An Entropy Measure to Discover Important Proteins in PPI networks. 2020 , 120, 103740	3
709	Network mechanisms and dysfunction within an integrated computational model of progression through mitosis in the human cell cycle. 2020 , 16, e1007733	3
708	Acetyl-11-keto-β-boswellic acid enhances the cisplatin sensitivity of non-small cell lung cancer cells through cell cycle arrest, apoptosis induction, and autophagy suppression via p21-dependent signaling pathway. 2021 , 37, 209-228	10
707	Induction of cell cycle arrest and apoptosis by tomentosin in hepatocellular carcinoma HepG2 and Huh7 cells. 2021 , 40, 231-244	4
706	Context is key: Understanding the regulation, functional control, and activities of the p53 tumour suppressor. 2021 , 39, 235-247	10
705	JQ1, a selective inhibitor of BRD4, suppresses retinoblastoma cell growth by inducing cell cycle arrest and apoptosis. 2021 , 202, 108304	6
704	6,4'-dihydroxy-7-methoxyflavanone protects against HO-induced cellular senescence by inducing SIRT1 and inhibiting phosphatidylinositol 3-kinase/Akt pathway activation. 2021 , 476, 863-872	2
703	Interplay between HMGA and TP53 in cell cycle control along tumor progression. 2021 , 78, 817-831	4
702	Epigenetic regulation of the cell cycle & DNA-repair in cancer. 2021 , 521-531	

701	The role of p53/p21/p16 in DNA damage signaling and DNA repair. 2021 , 257-274	
700	Goji berry (spp.) extracts exhibit antiproliferative activity modulating cell cycle arrest, cell apoptosis, and the p53 signaling pathway. 2021 , 12, 6513-6525	2
699	The inhibitory role of the metabolites of Moringa oleifera seeds in cancer cells by apoptosis and cell cycle arrest activation. 2021 , 533-554	1
698	Concomitant MEK and Cyclin Gene Alterations: Implications for Response to Targeted Therapeutics. 2021 , 27, 2792-2797	8
697	Small molecules targeting misfolded mutants of p53 as a rescue strategy to improve glioblastoma chemotherapy. 2021 , 749-771	
696	Nanostructure of Functional Larotaxel Liposomes Decorated with Guanine-Rich Quadruplex Nucleotide-Lipid Derivative for Treatment of Resistant Breast Cancer. 2021 , 17, e2007391	1
695	Long non-coding RNA BCAR4 aggravated proliferation and migration in esophageal squamous cell carcinoma by negatively regulating p53/p21 signaling pathway. 2021 , 12, 682-696	13
694	Multiple functions of p21 in cancer radiotherapy. 2021 , 147, 987-1006	4
693	RNA-Sequencing of Long-Term Label-Retaining Colon Cancer Stem Cells Identifies Novel Regulators of Quiescence.	
692	Long-Term Effects of Very Low Dose Particle Radiation on Gene Expression in the Heart: Degenerative Disease Risks. 2021 , 10,	3
691	USP39 mediates p21-dependent proliferation and neoplasia of colon cancer cells by regulating the p53/p21/CDC2/cyclin B1 axis. 2021 , 60, 265-278	6
690	The transcription factor PBX3 promotes tumor cell growth through transcriptional suppression of the tumor suppressor p53. 2021 , 42, 1888-1899	4
689	Caffeic Acid Enhances the Anti-Leukemic Effect of Imatinib on Chronic Myeloid Leukemia Cells and Triggers Apoptosis in Cells Sensitive and Resistant to Imatinib. 2021 , 22,	5
688	Regulation of p53 by E3s. 2021 , 13,	3
687	Single cell transcriptomic analysis of murine lung development on hyperoxia-induced damage. 2021 , 12, 1565	10
686	LMNB2 promotes the progression of colorectal cancer by silencing p21 expression. 2021 , 12, 331	5
685	LncRNA-ZXF1 regulates P21 expression in endometrioid endometrial carcinoma by managing ubiquitination-mediated degradation and miR-378a-3p/PCDHA3 axis. 2021 ,	1
684	Molecular mechanisms of transcription factor mediated cell reprogramming: conversion of liver to pancreas. 2021 , 49, 579-590	1

683	Mechanisms of Cellular Senescence: Cell Cycle Arrest and Senescence Associated Secretory Phenotype. 2021 , 9, 645593	102
682	Nkx2.5 Functions as a Conditional Tumor Suppressor Gene in Colorectal Cancer Cells Acting as a Transcriptional Coactivator in p53-Mediated p21 Expression. 2021 , 11, 648045	1
681	Targeting Premature Renal Aging: from Molecular Mechanisms of Cellular Senescence to Senolytic Trials. 2021 , 12, 630419	2
680	Ubiquitin-proteasome system and the role of its inhibitors in cancer therapy. 2021 , 11, 200390	10
679	The role of E26 transformation-specific variant transcription factor 5 in colorectal cancer cell proliferation and cell cycle progression. 2021 , 12, 427	1
678	Targeting Post-Translational Modifications of the p73 Protein: A Promising Therapeutic Strategy for Tumors. 2021 , 13,	0
677	TTK inhibitor promotes radiosensitivity of liver cancer cells through p21. 2021 , 550, 84-91	2
676	P53 long noncoding RNA regulatory network in cancer development. 2021 , 45, 1583-1598	4
675	Chromatin-Directed Proteomics Identifies ZNF84 as a p53-Independent Regulator of p21 in Genotoxic Stress Response. 2021 , 13,	4
674	The p53 status in rheumatoid arthritis with focus on fibroblast-like synoviocytes. 2021 , 69, 225-238	4
673	Centromere protein N may be a novel malignant prognostic biomarker for hepatocellular carcinoma. 2021 , 9, e11342	4
672	New Insights into CDK Regulators: Novel Opportunities for Cancer Therapy. 2021 , 31, 331-344	7
671	Sir3 Heterochromatin Protein Promotes NHEJ by Direct Inhibition of Sae2.	
670	Expression of therapy-induced senescence markers in breast cancer samples upon incomplete response to neoadjuvant chemotherapy. 2021 , 41,	6
669	Mechanisms of TP53 Pathway Inactivation in Embryonic and Somatic Cells-Relevance for Understanding (Germ Cell) Tumorigenesis. 2021 , 22,	5
668	The Involvement of Ubiquitination Machinery in Cell Cycle Regulation and Cancer Progression. 2021 , 22,	10
667	Apoptosis inducing properties of 3-biotinylate-6-benzimidazole B-nor-cholesterol analogues. 2021 , 169, 108822	1
666	Gonadal sex patterns p21-induced cellular senescence in mouse and human glioblastoma.	

665	Susceptibility of cyclin-dependent kinase inhibitor 1-deficient mice to rheumatoid arthritis arising from interleukin-1β-induced inflammation. 2021 , 11, 12516	0
664	RNA sequencing of long-term label-retaining colon cancer stem cells identifies novel regulators of quiescence. 2021 , 24, 102618	2
663	Sgpl1 deletion elevates S1P levels, contributing to NPR2 inactivity and p21 expression that block germ cell development. 2021 , 12, 574	2
662	Exposure to long-term evolution radiofrequency electromagnetic fields decreases neuroblastoma cell proliferation via Akt/mTOR-mediated cellular senescence. 2021 , 84, 846-857	2
661	The Synergic Cytotoxicity Effect of Cisplatin and Salicylic Acid on the A2780 cp Ovarian Carcinoma Cell Line, and the Evaluation of p21 and ZEB1 Expression Levels. 2021 , 19, 1	1
660	Association of myostatin deficiency with collagen related disease-umbilical hernia and tippy toe standing in pigs. 2021 , 30, 663-674	3
659	Potential Prospect of CDK4/6 Inhibitors in Triple-Negative Breast Cancer. 2021 , 13, 5223-5237	6
658	Tumor suppressor p53: Biology, signaling pathways, and therapeutic targeting. 2021 , 1876, 188556	28
657	TRPM7 is a crucial regulator of pancreatic endocrine development and high-fat-diet-induced βcell proliferation. 2021 , 148,	0
656	Long-term p21 and p53 trends regulate the frequency of mitosis events and cell cycle arrest.	
655	Tartrate-resistant acid phosphatase type 5/ACP5 promotes cell cycle entry of 3T3-L1 preadipocytes by increasing IGF-1/Akt signaling. 2021 , 595, 2616-2627	1
654	p53 mRNA Metabolism Links with the DNA Damage Response. 2021 , 12,	1
653	Epigenetic toxicity and cytotoxicity of perfluorooctanoic acid and its effects on gene expression in embryonic mouse hypothalamus cells. 2021 , 72, 182-190	
652	The redox-senescence axis and its therapeutic targeting. 2021 , 45, 102032	7
651	Synthesis and biological evaluation of novel isoxazole-piperazine hybrids as potential anti-cancer agents with inhibitory effect on liver cancer stem cells. 2021 , 221, 113489	2
650	Senescence and Apoptosis: Architects of Mammalian Development. 2020 , 8, 620089	7
649	Using TUNEL Assay to Quantitate p53-Induced Apoptosis in Mouse Tissues. 2021 , 2267, 181-190	1
648	In Vitro Cytotoxic Effects of Smilax aspera L. Roots on Cancer Cell Lines.	

647	BOP1 Knockdown Attenuates Neointimal Hyperplasia by Activating p53 and Inhibiting Nascent Protein Synthesis. 2021 , 2021, 5986260	1
646	Checking on the cell cycle. 1998 , 72, 50-54	1
645	Checking on the cell cycle. 1998 , 72, 50-54	30
644	Genetic alterations in human gastrointestinal cancers. The application to molecular diagnosis. 1995 , 75, 1410-1417	107
643	In vivo association of protein fragments giving active AraC. 1996 , 25, 501-5	7
642	The p53 Network. 2005 , 1-23	2
641	Atm and cellular response to DNA damage. 2005 , 570, 457-76	20
640	Genetic Disruptions within the Murine Genome Reveal Numerous Roles of the Smad Gene Family in Development, Disease, and Cancer. 2006 , 151-176	2
639	c-Myc, genome instability, and tumorigenesis: the devil is in the details. 2006 , 302, 169-203	50
638	Differentiation and De-Differentiation of Neuronal Cell-Cycle Regulation During Development and Age-Related Neurodegenerative Disorders. 2008 , 157-213	5
637	Cell Cycle Control in Pancreatic Cancer Pathogenesis. 2010 , 333-367	1
636	Apoptosis in Hematopoiesis and Leukemogenesis. 1996 , 151-201	4
635	Factors Involved In The Cell Cycle Arrest Of Adult Rat Cardiomyocytes. 1999 , 239-254	2
634	TGF- β Inhibition of Intestinal Epithelial Cell Proliferation: G1 Cyclins, Cyclin-Dependent Kinases, and Cyclin Kinase Inhibitors. 1996 , 43-71	1
633	20-EPI-Vitamin D3 Analogs. 1996 , 53-70	9
632	Cyclins and breast cancer. 1996 , 83, 141-70	11
631	The role of p53 in malignancy. 1996 , 84, 113-37	2
630	The role of cyclin E in the regulation of entry into S phase. 1995 , 1, 125-39	57

629	Regulation of cell cycle progression following DNA damage. 1995 , 1, 149-62	8
628	The Cdc28 inhibitor p40SIC1. 1995 , 1, 173-85	11
627	The role of RB in cell cycle control. 1995 , 1, 9-19	107
626	Chemical inhibitors of cyclin-dependent kinases. 1995 , 1, 351-63	45
625	Cell cycle control of DNA replication. 1995 , 1, 73-89	23
624	Cyclophilin and gag in HIV-1 replication and pathogenesis. 1995 , 374, 217-28	6
623	Digested fiber from wheat bran induces cdk inhibitors which block colon epithelial cells in G1. 1999 , 470, 65-76	1
622	Cell-anchorage, cell cytoskeleton, and Rho-GTPase family in regulation of cell cycle progression. 2000 , 4, 19-25	8
621	Cyclooxygenase-independent induction of p21WAF-1/CIP1, apoptosis and differentiation by L-745,337 and salicylate in HT-29 colon cancer cells. 1999 , 469, 555-61	3
620	Recent insights into the molecular basis of intrinsic resistance of colorectal cancer: new challenges for systemic therapeutic approaches. 1998 , 98, 293-338	2
619	Stress-responsive signal transduction: emerging concepts and biological significance. 1998 , 85-117	1
618	Viral genes that modulate apoptosis. 1998 , 243-279	2
617	The role of cyclin E in cell proliferation, development and cancer. 1997 , 3, 171-91	90
616	Intestinal cell cycle regulation. 1997 , 3, 43-52	21
615	The regulation of cyclin-dependent kinase inhibitors (CKIs). 1997 , 3, 99-108	24
614	Contribution of the dual coding capacity of the p16INK4a/MTS1/CDKN2 locus to human malignancies. 1997 , 3, 109-24	10
613	Structural basis for chemical inhibition of CDK2. 1996 , 2, 137-45	36
612	Apoptosis and the cell cycle. 1996 , 2, 147-63	26

611	DNA damage checkpoints: implications for cancer therapy. 1996 , 2, 165-73	46
610	G1/S regulatory mechanisms from yeast to man. 1996 , 2, 15-27	16
609	Regulation of G1 progression in fission yeast by the rum1+ gene product. 1996 , 2, 29-35	8
608	A temporal and biochemical link between growth factor-activated MAP kinases, cyclin D1 induction and cell cycle entry. 1996 , 2, 49-58	83
607	p53 in Human Cancer. 1995 , 77-110	1
606	Genetic Alterations in Lung Cancer. 1995 , 209-229	1
605	Diet, apoptosis, and carcinogenesis. 1997 , 422, 97-107	13
604	Molecular and Biologic Factors in Aging: The Origins, Causes, and Prevention of Senescence. 1997 , 3-28	4
603	Cell Cycle Checkpoints and Cancer Chemotherapy. 1996 , 293-301	1
602	Transformation and Tumorigenesis Mediated by the Adenovirus E1A and E1B Oncogenes. 1995 , 195-225	11
601	Transformation by Polyomaviruses. 1995 , 27-50	5
600	Cell growth inhibition by antitumor prostaglandin and its modulation by MRP/GS-X pump. 1997 , 407, 387-91	7
599	Involvement of the multiple tumor suppressor genes and 12-lipoxygenase in human prostate cancer. Therapeutic implications. 1997 , 407, 41-53	46
598	Methods to assess the nucleocytoplasmic shuttling of the HPV E1 helicase and its effects on cellular proliferation and induction of a DNA damage response. 2015 , 1249, 67-80	3
597	Yeast One- and Two-Hybrid High-Throughput Screenings Using Arrayed Libraries. 2017 , 1629, 47-65	3
596	Novel Molecular Targets for Cancer Drug Discovery. 2002 , 521-540	2
595	Posttranslational Mechanisms Leading to Mammalian Gene Activation in Response to Genotoxic Stress. 1998 , 263-298	3
594	Stroke. 1997 , 1-30	2

593	Modeling Human Colorectal Cancer in Mice for Chemoprevention Studies. 2005 , 57-68	2
592	Protein-protein interactions: the yeast two-hybrid system. 2008 , 451, 421-39	9
591	Evasion of G1 Checkpoints in Cancer. 2010 , 3-26	1
590	Regulation of p53 Activity and Associated Checkpoint Controls. 2010 , 171-188	1
589	Yeast two-hybrid screens: improvement of array-based screening results by N- and C-terminally tagged fusion proteins. 2012 , 815, 277-88	1
588	Array-based yeast two-hybrid screens: a practical guide. 2012 , 812, 21-38	3
587	Genetic instability and tumor cell variation. 1998 , 179-234	1
586	Signaling events controlling the molecular response to genotoxic stress. 1996 , 77, 273-88	40
585	The cell cycle and apoptosis. 1999 , 23, 127-44	8
584	The p53 tumor suppressor gene: structure, function and mechanism of action. 1999 , 23, 145-72	5
583	Radiation-induced cell death and its implications in human disease. 1998 , 24, 213-32	3
582	Regulation of CDKs by phosphorylation. 1998 , 22, 79-109	44
581	Cell cycle regulation during proliferation and differentiation of mammalian muscle precursor cells. 2011 , 53, 473-527	24
580	Regulated gene expression after retroviral vector-mediated delivery of cancer-relevant therapeutic genes. 1998 , 144, 116-26	3
579	Molecular epidemiology of human cancer. 1998 , 154, 22-36	24
578	From Sequence to Function: Structural Motifs of Cell Cycle Proteins. 1996 , 186-199	1
577	Cell Death. 1997 , 211-244	12
576	Genomic instability and its role in neoplasia. 1997 , 221, 37-46	33

575	Inhibitors of the Cip/Kip family. 1998 , 227, 25-41	105
574	p21/p53, cellular growth control and genomic integrity. 1998 , 227, 121-37	111
573	The Growth-Inhibitory Effects of TGF β 1998 , 11-24	3
572	The growth-regulatory role of p21 (WAF1/CIP1). 1998 , 20, 43-71	36
571	Use of the E2F transcription factor by DNA tumor virus regulatory proteins. 1996 , 208, 63-78	46
570	SV40-mediated immortalization. 2000 , 24, 121-53	16
569	Molecular Diagnosis of Gastrointestinal Cancer. 1997 , 187-207	2
568	Interactive Effects of p53 Tumor Suppressor Gene and Hepatitis B Virus in Hepatocellular Carcinogenesis. 1997 , 209-218	3
567	Telomeres and Telomerase in Gastrointestinal Cancers. 1997 , 245-259	0
566	Multiple Genetic Alterations and Abnormal Growth Factor Network in Human Esophageal Carcinomas. 1997 , 31-41	1
565	Molecular Bases of Human Stomach Carcinogenesis. 1997 , 55-70	7
564	Preoptic Regulatory Factor-2, a Rhogap Domain Protein that Modifies Cell Cycle Progression and Apoptosis in the CNS. 2014 , 219-230	1
563	The Cyclin/Cyclin-Dependent Kinase (cdk) Complex. 1997 , 145-174	2
562	Role of ATM in Radiation Signal Transduction. 2003 , 225-236	4
561	The Cardiac Cell Cycle. 1999 , 405-427	6
560	Myocardial Cellular Development and Morphogenesis. 1997 , 33-80	3
559	Transforming Growth Factor β . 1998 , 415-432	3
558	Tumor suppressor gene expression during normal and pathologic myocardial growth.. 1994 , 269, 22607-22613	53

557	Cloning and characterization of the essential <i>Saccharomyces cerevisiae</i> RFC4 gene encoding the 37-kDa subunit of replication factor C.. 1994 , 269, 21880-21884	23
556	NF-kappa B activation of p53. A potential mechanism for suppressing cell growth in response to stress.. 1994 , 269, 20067-20074	265
555	A novel RING finger protein interacts with the cytoplasmic domain of CD40.. 1994 , 269, 30069-30072	269
554	Cross-talk between protein kinase C and multifunctional Ca ²⁺ /calmodulin-dependent protein kinase.. 1992 , 267, 12197-12201	111
553	Development of the Ocular Lens. 2004 ,	22
552	Avasimibe exerts anticancer effects on human glioblastoma cells via inducing cell apoptosis and cell cycle arrest. 2021 , 42, 97-107	10
551	miR-365 inhibits duck myoblast proliferation by targeting IGF-I via PI3K/Akt pathway. 2019 , 39,	4
550	Studies on the molecular mechanism of growth inhibition with p53 adenoviral construct in human ovarian cancer. 1998 , 8, 233-241	7
549	Disruption of cell cycle control by human papillomaviruses with special reference to cervical carcinoma. 2000 , 10, 263-274	32
548	DNA-binding activity of wild-type p53 protein is mediated by the central part of the molecule and controlled by its C terminus. 1998 , 22, 1-13	13
547	Evidence for Different Mechanisms of Growth Inhibition of T-cell Lymphoma by Phorbol Esters and Concanavalin A. 1997 , 272, 2470-2476	19
546	A proinflammatory cytokine inhibits p53 tumor suppressor activity. 1999 , 190, 1375-82	482
545	Characterization of G1 checkpoint control in the yeast <i>Saccharomyces cerevisiae</i> following exposure to DNA-damaging agents. 1994 , 138, 271-81	122
544	Characterization of functional regions in the <i>Schizosaccharomyces pombe</i> mei3 developmental activator. 1998 , 150, 1007-18	7
543	Hmo1p, a high mobility group 1/2 homolog, genetically and physically interacts with the yeast FKBP12 prolyl isomerase. 1999 , 151, 935-44	28
542	<i>Saccharomyces cerevisiae</i> putative G protein, Gtr1p, which forms complexes with itself and a novel protein designated as Gtr2p, negatively regulates the Ran/Gsp1p G protein cycle through Gtr2p. 1999 , 152, 853-67	89
541	In vivo analysis of the domains of yeast Rvs167p suggests Rvs167p function is mediated through multiple protein interactions. 1999 , 152, 881-93	61
540	The git5 Gbeta and git11 Ggamma form an atypical Gbetagamma dimer acting in the fission yeast glucose/cAMP pathway. 2001 , 157, 1159-68	51

539	The <i>Drosophila melanogaster</i> DNA Ligase IV gene plays a crucial role in the repair of radiation-induced DNA double-strand breaks and acts synergistically with Rad54. 2003 , 165, 1929-41	32
538	A review of tumor suppressor genes in cutaneous neoplasms with emphasis on cell cycle regulators. 1998 , 20, 302-13	11
537	Relationship of p53 gene alterations with tumor progression and recurrence in olfactory neuroblastoma. 1996 , 20, 715-21	26
536	Intestinal cell cycle regulations. Interactions of cyclin D1, Cdk4, and p21Cip1. 1996 , 223, 620-7; discussion 627-8	17
535	Li-Fraumeni syndrome and the role of the p53 tumor suppressor gene in cancer susceptibility. 1998 , 41, 172-99	26
534	MOLECULAR TARGETS FOR THE THERAPEUTIC MANIPULATION OF APOPTOSIS IN BLADDER CANCER. 2001 , 946-954	1
533	Current concepts in neuro-oncology: the cell cycle--a review. 1997 , 40, 1000-13; discussion 1013-5	66
532	Cyclosporine induces the expression of the cyclin inhibitor p21. 1999 , 67, 1262-8	34
531	Insights on the pathogenicity of human T-lymphotropic/leukemia virus types I and II. 1996 , 13 Suppl 1, S69-75	14
530	Functional analysis of proteins encoded by banana bunchy top virus DNA-4 to -6. 2000 , 81, 299-306	61
529	The GCD10 subunit of yeast eIF-3 binds the methyltransferase-like domain of the 126 and 183 kDa replicase proteins of tobacco mosaic virus in the yeast two-hybrid system. 2000 , 81, 1587-91	25
528	Cell-nonautonomous local and systemic responses to cell arrest enable long-bone catch-up growth in developing mice.	1
527	A limited number of double-strand DNA breaks are sufficient to delay cell cycle progression.	2
526	Multiplexed single-cell transcriptomic analysis of normal and impaired lung development in the mouse.	2
525	Expression of NPAT, a novel substrate of cyclin E-CDK2, promotes S-phase entry. 1998 , 12, 456-61	165
524	A putative protein complex consisting of Ctf19, Mcm21, and Okp1 represents a missing link in the budding yeast kinetochore. 1999 , 13, 1140-55	173
523	Analysis of p53-regulated gene expression patterns using oligonucleotide arrays. 2000 , 14, 981-993	247
522	Cell cycle signaling and cardiovascular disease. 2002 , 67, 163-70	4

521	Neurogenic differentiation factor 1 promotes colorectal cancer cell proliferation and tumorigenesis by suppressing the p53/p21 axis. 2020 , 111, 175-185	8
520	Coexpression of p21Waf1/Cip1 and p53 in sun-exposed normal epidermis, but not in neoplastic epidermis. 1996 , 135, 717-720	14
519	Genes for a range of growth factors and cyclin-dependent kinase inhibitors are expressed by isolated human hair follicles. 1997 , 137, 693-698	26
518	Developing a research agenda in biogerontology: basic mechanisms. 2005 , 2005, pe33	5
517	Gastric Cancer. 481-498	4
516	Mck1, a member of the glycogen synthase kinase 3 family of protein kinases, is a negative regulator of pyruvate kinase in the yeast <i>Saccharomyces cerevisiae</i> . 1997 , 179, 4415-8	21
515	The tumor suppressor protein p53 strongly alters human immunodeficiency virus type 1 replication. 1994 , 68, 4302-13	74
514	The kinetics of simian virus 40-induced progression of quiescent cells into S phase depend on four independent functions of large T antigen. 1994 , 68, 5496-508	58
513	The ability of human papillomavirus E6 proteins to target p53 for degradation in vivo correlates with their ability to abrogate actinomycin D-induced growth arrest. 1994 , 68, 5698-705	156
512	Cytomegalovirus infection induces high levels of cyclins, phosphorylated Rb, and p53, leading to cell cycle arrest. 1995 , 69, 6697-704	232
511	Hepatitis B virus X protein interacts with a probable cellular DNA repair protein. 1995 , 69, 1107-14	202
510	Lentivirus Tat proteins specifically associate with a cellular protein kinase, TAK, that hyperphosphorylates the carboxyl-terminal domain of the large subunit of RNA polymerase II: candidate for a Tat cofactor. 1995 , 69, 1612-20	286
509	Human papillomavirus type 11 and 16 E5 represses p21(Waf1/Sdi1/Cip1) gene expression in fibroblasts and keratinocytes. 1996 , 70, 7535-9	51
508	Epstein-Barr virus latent membrane protein 1 blocks p53-mediated apoptosis through the induction of the A20 gene. 1996 , 70, 8653-9	198
507	In vivo assay of p53 function in homologous recombination between simian virus 40 chromosomes. 1996 , 70, 737-44	63
506	Alteration of cell cycle kinase complexes in human papillomavirus E6- and E7-expressing fibroblasts precedes neoplastic transformation. 1996 , 70, 999-1008	62
505	The latency-related gene of bovine herpesvirus 1 encodes a product which inhibits cell cycle progression. 1996 , 70, 3807-14	73
504	A conserved domain of the Epstein-Barr virus nuclear antigens 3A and 3C binds to a discrete domain of Jkappa. 1996 , 70, 4228-36	94

503	High-risk human papillomavirus E6 protein has two distinct binding sites within p53, of which only one determines degradation. 1996 , 70, 4509-16	144
502	Cellular aging is a critical determinant of primary cell resistance to v-src transformation. 1997 , 71, 237-47	8
501	Mutation of Tp53 contributes to the malignant phenotype of Abelson virus-transformed lymphoid cells. 1997 , 71, 8149-56	29
500	DNA-dependent transregulation by IE1 of Autographa californica nuclear polyhedrosis virus: IE1 domains required for transactivation and DNA binding. 1997 , 71, 9270-7	48
499	Kaposi's sarcoma-associated herpesvirus encodes a functional cyclin. 1997 , 71, 1984-91	235
498	Accumulation of human papillomavirus type 16 E7 protein bypasses G1 arrest induced by serum deprivation and by the cell cycle inhibitor p21. 1997 , 71, 3451-7	45
497	p300 binding by E1A cosegregates with p53 induction but is dispensable for apoptosis. 1997 , 71, 3515-25	75
496	Perturbation of the p53 response by human papillomavirus type 16 E7. 1997 , 71, 3710-8	41
495	Initiation of DNA synthesis by human papillomavirus E7 oncoproteins is resistant to p21-mediated inhibition of cyclin E-cdk2 activity. 1997 , 71, 5570-8	53
494	Human cytomegalovirus IE2 86-kilodalton protein binds p53 but does not abrogate G1 checkpoint function. 1997 , 71, 5861-70	68
493	Infection of primary cells by adeno-associated virus type 2 results in a modulation of cell cycle-regulating proteins. 1997 , 71, 6020-7	50
492	Interaction of the UV-damaged DNA-binding protein with hepatitis B virus X protein is conserved among mammalian hepadnaviruses and restricted to transactivation-proficient X-insertion mutants. 1997 , 71, 6194-9	87
491	Adenovirus type 12 early region 1B 54K protein significantly extends the life span of normal mammalian cells in culture. 1997 , 71, 6629-40	21
490	Identification and functional characterization of a high-affinity Bel-1 DNA binding site located in the human foamy virus internal promoter. 1998 , 72, 504-11	43
489	The NH2 terminus of the herpes simplex virus type 1 regulatory protein ICP0 contains a promoter-specific transcription activation domain. 1998 , 72, 7785-95	17
488	p53 status does not determine outcome of E1B 55-kilodalton mutant adenovirus lytic infection. 1998 , 72, 9479-90	215
487	Expression of the pRb-binding regions of E1A enables efficient transformation of primary epithelial cells by v-src. 1998 , 72, 2815-24	4
486	Derivation and functional characterization of a consensus DNA binding sequence for the tas transcriptional activator of simian foamy virus type 1. 1998 , 72, 5502-9	12

485	Transforming potential of the adenovirus type 5 E4orf3 protein. 1999 , 73, 1591-600	68
484	Neoplastic transformation-associated stimulation of the in vitro resolution of concatemer junction fragments from minute virus of mice DNA. 1999 , 73, 2552-8	3
483	EBP2, a human protein that interacts with sequences of the Epstein-Barr virus nuclear antigen 1 important for plasmid maintenance. 1999 , 73, 2587-95	136
482	The simian virus 40 small-t and large-T antigens jointly regulate cell cycle reentry in human fibroblasts. 1999 , 73, 3102-7	43
481	Adenovirus-mediated p21((WAF1/SDII/CIP1)) gene transfer induces apoptosis of human cervical cancer cell lines. 1999 , 73, 4983-90	86
480	Middle T antigen activation of signal transduction pathways does not overcome p53-mediated growth arrest. 1999 , 73, 7882-5	3
479	Virus-encoded cyclin. 1994 , 14, 7235-7244	62
478	Mouse p53 represses the rat brain creatine kinase gene but activates the rat muscle creatine kinase gene. 1994 , 14, 8483-8492	18
477	Regulation of cyclin D-dependent kinase 4 (cdk4) by cdk4-activating kinase. 1994 , 14, 2713-2721	103
476	An inhibitor of yeast cyclin-dependent protein kinase plays an important role in ensuring the genomic integrity of daughter cells. 1994 , 14, 3320-3328	71
475	A novel inhibitor of cyclin-Cdk activity detected in transforming growth factor beta-arrested epithelial cells. 1994 , 14, 3683-3694	98
474	Myocyte nuclear factor, a novel winged-helix transcription factor under both developmental and neural regulation in striated myocytes. 1994 , 14, 4596-4605	31
473	Inactivation of a Cdk2 inhibitor during interleukin 2-induced proliferation of human T lymphocytes. 1994 , 14, 4889-4901	103
472	p53 domains: structure, oligomerization, and transformation. 1994 , 14, 5182-5191	55
471	Effects of c-myc expression on cell cycle progression. 1994 , 14, 5748-5755	47
470	Hypoxia induces accumulation of p53 protein, but activation of a G1-phase checkpoint by low-oxygen conditions is independent of p53 status. 1994 , 14, 6264-6277	181
469	Protein-protein interactions: methods for detection and analysis. 1995 , 59, 94-123	628
468	Molecular pathogenesis of oral squamous carcinoma. 2000 , 53, 165-72	143

467	Phenoxodiol, a novel isoflavone, induces G1 arrest by specific loss in cyclin-dependent kinase 2 activity by p53-independent induction of p21WAF1/CIP1. <i>Cancer Research</i> , 2005 , 65, 3364-73	10.1	54
466	Apoptosis of rat vascular smooth muscle cells is regulated by p53-dependent and -independent pathways. 1995 , 77, 266-73		95
465	Enhanced survival in vitro of human corneal endothelial cells using mouse embryonic stem cell conditioned medium. 2010 , 16, 611-22		20
464	Diabetic LDL inhibits cell-cycle progression via STAT5B and p21waf. 2002 , 109, 111-119		19
463	Induction of the Cdk inhibitor p21 by LY83583 inhibits tumor cell proliferation in a p53-independent manner. 2002 , 110, 1717-1727		53
462	Posttranscriptional stabilization underlies p53-independent induction of p21WAF1/CIP1/SDI1 in differentiating human leukemic cells. 1995 , 95, 973-9		103
461	Disappearance of cyclin A correlates with permanent withdrawal of cardiomyocytes from the cell cycle in human and rat hearts. 1995 , 95, 2275-80		84
460	p53-dependent ceramide response to genotoxic stress. 1998 , 102, 329-39		132
459	Adenovirus-mediated over-expression of the cyclin/cyclin-dependent kinase inhibitor, p21 inhibits vascular smooth muscle cell proliferation and neointima formation in the rat carotid artery model of balloon angioplasty. 1995 , 96, 2260-8		283
458	Expression of p21(WAF1/CIP1/SDI1) and p53 in apoptotic cells in the adrenal cortex and induction by ischemia/reperfusion injury. 1996 , 97, 1723-31		46
457	Suppression of p53 activity and p21WAF1/CIP1 expression by vascular cell integrin alphaVbeta3 during angiogenesis. 1996 , 98, 426-33		297
456	p53 and the hypoxia-induced apoptosis of cultured neonatal rat cardiac myocytes. 1997 , 99, 2635-43		236
455	Ectopic expression of decorin protein core causes a generalized growth suppression in neoplastic cells of various histogenetic origin and requires endogenous p21, an inhibitor of cyclin-dependent kinases. 1997 , 100, 149-57		169
454	Induction of p21WAF1/CIP1/SDI1 in kidney tubule cells affects the course of cisplatin-induced acute renal failure. 1998 , 101, 777-82		220
453	Induction of the Cdk inhibitor p21 by LY83583 inhibits tumor cell proliferation in a p53-independent manner. 2002 , 110, 1717-27		27
452	p21Cip1 modulates arterial wound repair through the stromal cell-derived factor-1/CXCR4 axis in mice. 2008 , 118, 2050-61		48
451	Stat3-dependent acute Rantes production in vascular smooth muscle cells modulates inflammation following arterial injury in mice. 2010 , 120, 303-14		80
450	HIV-1 Rev-binding protein accelerates cellular uptake of iron to drive Notch-induced T cell leukemogenesis in mice. 2010 , 120, 2537-48		13

449	Regulation of smooth muscle cell migration and integrin expression by the Gax transcription factor. 1999 , 104, 1469-80	67
448	p21 mediates macrophage reprogramming through regulation of p50-p50 NF- κ B and IFN- γ 2016 , 126, 3089-103	50
447	Decorin suppresses tumor cell growth by activating the epidermal growth factor receptor. 1998 , 101, 406-12	226
446	Deletions and Loss of Expression of P16INK4a and P21Waf1 Genes Are Associated With Aggressive Variants of Mantle Cell Lymphomas. 1997 , 89, 272-280	9
445	Upregulation of the Elongation Factor-1 β Gene by p53 in Association With Death of an Erythroleukemic Cell Line. 1997 , 90, 1373-1378	2
444	Regulation of p21(WAF1) Expression During Normal Myeloid Differentiation. 1998 , 91, 4531-4542	7
443	p21 ^{cip-1/waf-1} Deficiency Causes Deformed Nuclear Architecture, Centriole Overduplication, Polyploidy, and Relaxed Microtubule Damage Checkpoints in Human Hematopoietic Cells. 1999 , 93, 1390-1398 ¹¹	
442	Induced Differentiation of U937 Cells by 1,25-dihydroxyvitamin D3 Involves Cell Cycle Arrest in G1 That Is Preceded by a Transient Proliferative Burst and an Increase in Cyclin Expression. 1999 , 93, 2721-2729	2
441	The Potential of Iron Chelators of the Pyridoxal Isonicotinoyl Hydrazone Class as Effective Antiproliferative Agents III: The Effect of the Ligands on Molecular Targets Involved in Proliferation. 1999 , 94, 781-792	2
440	Bcr-Abl kinase down-regulates cyclin-dependent kinase inhibitor p27 in human and murine cell lines. 2000 , 96, 1933-1939	9
439	Synergic effects of arsenic trioxide and cAMP during acute promyelocytic leukemia cell maturation subtends a novel signaling cross-talk. 2002 , 99, 1014-1022	4
438	Ectopic expression of activated Ras1 induces hyperplastic growth and increased cell death in Drosophila imaginal tissues. 1998 , 125, 1-9	220
437	The life history of an embryonic signaling center: BMP-4 induces p21 and is associated with apoptosis in the mouse tooth enamel knot. 1998 , 125, 161-169	312
436	Nanos interacts with cup in the female germline of Drosophila. 2000 , 127, 5225-5232	47
435	In vitro p53 and/or Rb antisense oligonucleotide treatment in association with growth factors induces the proliferation of peripheral hematopoietic progenitors. 1995 , 108, 1287-1293	7
434	The novel human protein serine/threonine phosphatase 6 is a functional homologue of budding yeast Sit4p and fission yeast ppe1, which are involved in cell cycle regulation. 1996 , 109, 2865-2874	116
433	Accelerated neuronal differentiation induced by p53 suppression. 1996 , 109, 1509-1516	44
432	Paradoxical accumulation of the cyclin-dependent kinase inhibitor p27 ^{kip1} during the cAMP-dependent mitogenic stimulation of thyroid epithelial cells. 1996 , 109, 1759-1764	25

431	Nuclear import of hnRNP A1 is mediated by a novel cellular cofactor related to karyopherin-beta. 1997 , 110, 1325-1331	108
430	VE-cadherin and desmoplakin are assembled into dermal microvascular endothelial intercellular junctions: a pivotal role for plakoglobin in the recruitment of desmoplakin to intercellular junctions. 1998 , 111, 3045-3057	103
429	LAP2 binding protein 1 (L2BP1/BAF) is a candidate mediator of LAP2-chromatin interaction. 1999 , 112, 2485-2492	167
428	Formation of higher-order nuclear Rad51 structures is functionally linked to p21 expression and protection from DNA damage-induced apoptosis. 2002 , 115, 153-164	71
427	DNA damage-dependent interaction of the nuclear matrix protein C1D with translin-associated factor X (TRAX). 2002 , 115, 207-216	46
426	Cyclin-dependent kinase inhibitor, p21Waf1, regulates vascular smooth muscle cell hypertrophy. 2004 , 27, 283-91	13
425	Antagomir-17-5p abolishes the growth of therapy-resistant neuroblastoma through p21 and BIM. 2008 , 3, e2236	312
424	Gene profiling of MTA1 identifies novel gene targets and functions. 2011 , 6, e17135	28
423	Androgen receptor drives cellular senescence. 2012 , 7, e31052	41
422	Caffeic acid phenethyl ester causes p21 induction, Akt signaling reduction, and growth inhibition in PC-3 human prostate cancer cells. 2012 , 7, e31286	66
421	3,3'-Diindolylmethane exhibits antileukemic activity in vitro and in vivo through a Akt-dependent process. 2012 , 7, e31783	20
420	JKA97, a novel benzylidene analog of harmine, exerts anti-cancer effects by inducing G1 arrest, apoptosis, and p53-independent up-regulation of p21. 2012 , 7, e34303	30
419	Strategic cell-cycle regulatory features that provide mammalian cells with tunable G1 length and reversible G1 arrest. 2012 , 7, e35291	22
418	GABA maintains the proliferation of progenitors in the developing chick ciliary marginal zone and non-pigmented ciliary epithelium. 2012 , 7, e36874	11
417	p14ARF post-transcriptional regulation of nuclear cyclin D1 in MCF-7 breast cancer cells: discrimination between a good and bad prognosis?. 2012 , 7, e42246	11
416	Proteome analysis identified the PPAR α ligand 15d-PGJ2 as a novel drug inhibiting melanoma progression and interfering with tumor-stroma interaction. 2012 , 7, e46103	27
415	Probing the role of nascent helicity in p27 function as a cell cycle regulator. 2012 , 7, e47177	17
414	Generation and characterisation of cisplatin-resistant non-small cell lung cancer cell lines displaying a stem-like signature. 2013 , 8, e54193	181

413	Epigenetic regulation of multiple tumor-related genes leads to suppression of breast tumorigenesis by dietary genistein. 2013 , 8, e54369	63
412	Epithelial cells as active player in fibrosis: findings from an in vitro model. 2013 , 8, e56575	37
411	Identification of novel gene targets and functions of p21-activated kinase 1 during DNA damage by gene expression profiling. 2013 , 8, e66585	22
410	Neuronal-specific deficiency of the splicing factor Tra2b causes apoptosis in neurogenic areas of the developing mouse brain. 2014 , 9, e89020	20
409	ALDH1A1 maintains ovarian cancer stem cell-like properties by altered regulation of cell cycle checkpoint and DNA repair network signaling. 2014 , 9, e107142	96
408	A JAZ Protein in Astragalus sinicus Interacts with a Leghemoglobin through the TIFY Domain and Is Involved in Nodule Development and Nitrogen Fixation. 2015 , 10, e0139964	10
407	Internal Tandem Duplication in FLT3 Attenuates Proliferation and Regulates Resistance to the FLT3 Inhibitor AC220 by Modulating p21Cdkn1a and Pbx1 in Hematopoietic Cells. 2016 , 11, e0158290	7
406	p27Kip1 Is Required to Mediate a G1 Cell Cycle Arrest Downstream of ATM following Genotoxic Stress. 2016 , 11, e0162806	16
405	FNC efficiently inhibits mantle cell lymphoma growth. 2017 , 12, e0174112	3
404	SOX14 activates the p53 signaling pathway and induces apoptosis in a cervical carcinoma cell line. 2017 , 12, e0184686	11
403	Dysregulation of valvular interstitial cell let-7c, miR-17, miR-20a, and miR-30d in naturally occurring canine myxomatous mitral valve disease. 2018 , 13, e0188617	3
402	Human Galectin-9 Is a Potent Mediator of HIV Transcription and Reactivation. 2016 , 12, e1005677	50
401	Transcriptional Repression of High-Mobility Group Box 2 by p21 in Radiation-Induced Senescence. 2018 , 41, 362-372	3
400	Prevalence of p21 immunohistochemical expression in esophageal adenocarcinoma. 2006 , 43, 212-8	3
399	Cell senescence and its implications for nephrology. 2001 , 12, 385-393	82
398	Role of the increase in p21 in cisplatin-induced acute renal failure in rats. 2001 , 12, 900-908	69
397	Long non-coding RNA NEAT1 promotes non-small cell lung cancer progression through regulation of miR-377-3p-E2F3 pathway. 2016 , 7, 51784-51814	233
396	Marine guanidine alkaloids crambescidins inhibit tumor growth and activate intrinsic apoptotic signaling inducing tumor regression in a colorectal carcinoma zebrafish xenograft model. 2016 , 7, 83071-83087 ²⁶	

395	Epithelial derived-matrix metalloproteinase (MMP9) exhibits a novel defensive role of tumor suppressor in colitis associated cancer by activating MMP9-Notch1-ARF-p53 axis. 2017 , 8, 364-378	13
394	Specific up-regulation of p21 by a small active RNA sequence suppresses human colorectal cancer growth. 2017 , 8, 25055-25065	13
393	USP22 maintains gastric cancer stem cell stemness and promotes gastric cancer progression by stabilizing BMI1 protein. 2017 , 8, 33329-33342	22
392	The zebrafish miR-125c is induced under hypoxic stress hypoxia-inducible factor 1 and functions in cellular adaptations and embryogenesis. 2017 , 8, 73846-73859	7
391	Classical swine fever virus Shimen infection increases p53 signaling to promote cell cycle arrest in porcine alveolar macrophages. 2017 , 8, 55938-55949	11
390	Overexpression of HMGB1 in melanoma predicts patient survival and suppression of HMGB1 induces cell cycle arrest and senescence in association with p21 (Waf1/Cip1) up-regulation via a p53-independent, Sp1-dependent pathway. 2014 , 5, 6387-403	42
389	MicroRNA-10b inhibition reduces E2F1-mediated transcription and miR-15/16 activity in glioblastoma. 2015 , 6, 3770-83	36
388	Differential targeting of the cyclin-dependent kinase inhibitor, p21CIP1/WAF1, by chelators with anti-proliferative activity in a range of tumor cell-types. 2015 , 6, 29694-711	12
387	Opposite regulation of MDM2 and MDMX expression in acquisition of mesenchymal phenotype in benign and cancer cells. 2015 , 6, 36156-71	13
386	CGK733-induced LC3 II formation is positively associated with the expression of cyclin-dependent kinase inhibitor p21Waf1/Cip1 through modulation of the AMPK and PERK/CHOP signaling pathways. 2015 , 6, 39692-701	7
385	Dietary NiCl ₂ causes G ₂ M cell cycle arrest in the broiler's kidney. 2015 , 6, 35964-77	19
384	Human T-cell leukemia virus type-1-encoded protein HBZ represses p53 function by inhibiting the acetyltransferase activity of p300/CBP and HBO1. 2016 , 7, 1687-706	31
383	Hsa-miR-326 targets CCND1 and inhibits non-small cell lung cancer development. 2016 , 7, 8341-59	99
382	Hsa-miR-329 exerts tumor suppressor function through down-regulation of MET in non-small cell lung cancer. 2016 , 7, 21510-26	63
381	Tumor growth suppressive effect of IL-4 through p21-mediated activation of STAT6 in IL-4R β overexpressed melanoma models. 2016 , 7, 23425-38	12
380	Hsa-miR-134 suppresses non-small cell lung cancer (NSCLC) development through down-regulation of CCND1. 2016 , 7, 35960-35978	79
379	Hsa-miR-875-5p exerts tumor suppressor function through down-regulation of EGFR in colorectal carcinoma (CRC). 2016 , 7, 42225-42240	21
378	Effects of tea constituents on cell cycle progression of human leukemia U937 cells. 2005 , 26, 1-7	21

377	Abdominal Irradiation Ameliorates Obesity in ob/ob Mice. 2007 , 40, 123-30	9
376	E1AF Induces Both Matrix Metalloprotease Transcription and Cell Cycle Arrest that Occurs in the Stage of Cancer Cell Invasion. 2004 , 9, 19-24	1
375	β-Sitosterol Induced Growth Inhibition is Associated with Up-regulation of Cdk Inhibitor p21WAF1/CIP1 in Human Colon Cancer Cells. 2004 , 33, 1-6	6
374	Circadian variation in expression of G1 phase cyclins D1 and E and cyclin-dependent kinase inhibitors p16 and p21 in human bowel mucosa. 2006 , 12, 2109-14	17
373	Association of p53/p21 expression with cigarette smoking and prognosis in esophageal squamous cell carcinoma patients. 2010 , 16, 4958-67	37
372	Apoptotic pathway induced by diallyl trisulfide in pancreatic cancer cells. 2014 , 20, 193-203	36
371	Equol inhibits proliferation of human gastric carcinoma cells via modulating Akt pathway. 2015 , 21, 10385-99	10
370	Oncogenic role of p21 in hepatocarcinogenesis suggests a new treatment strategy. 2015 , 21, 12150-6	28
369	Ubiquitin-like modifier activating enzyme 2 promotes cell migration and invasion through Wnt/β-catenin signaling in gastric cancer. 2018 , 24, 4773-4786	7
368	Relationship between the expression of human telomerase reverse transcriptase gene and cell cycle regulators in gastric cancer and its significance. 2003 , 9, 427-31	13
367	S-phase delay in human hepatocellular carcinoma cells induced by overexpression of integrin beta1. 2003 , 9, 1689-96	11
366	Epigallocatechin gallate induces chemopreventive effects on rats with diethylnitrosamine-induced liver cancer via inhibition of cell division cycle 25A. 2020 , 22, 3873-3885	6
365	Function of p21 and its therapeutic effects in esophageal cancer. 2021 , 21, 136	3
364	Prognostic significance of p21 and p53 expression in gastric cancer. 2003 , 18, 98-103	26
363	A Fermented Ginseng Extract, BST204, Inhibits Proliferation and Motility of Human Colon Cancer Cells. 2011 , 19, 211-217	12
362	p53 expression in pterygium in two climatic regions in Turkey. 2009 , 57, 203-6	7
361	Molecular concept in human oral cancer. 2015 , 6, 9-15	19
360	Senescence and Cancer. 2018 , 4, 70-74	38

359	Stem cell quiescence and its clinical relevance. 2020 , 12, 1307-1326	10
358	Multifaceted p21 in carcinogenesis, stemness of tumor and tumor therapy. 2020 , 12, 481-487	21
357	p53 in stem cells. 2011 , 2, 202-14	57
356	Role of the Rb-mediated cell cycle regulatory pathway in human ovarian cancer cell lines. 1997 , 6, 51-57	1
355	Regulation of Bcl-2 Family and Cyclooxygenases by Furanoterpenoids Isolated from a Marine Sponge Swcotragus nt. in Human Lung Cancer A549 Cells.. 2004 , 14, 445-452	3
354	Isoliquiritigenin inhibited cell proliferation and triggered apoptosis in human endometrial cancer cell line. 2010 , 3, 89	7
353	TGF-beta-dependent cell growth arrest and apoptosis. 2002 , 35, 47-53	38
352	Peanut Sprout Extracts Cultivated with Fermented Sawdust Medium Inhibits Benign Prostatic Hyperplasia and. 2020 , 38, 385-396	8
351	Association between p21 Ser31Arg polymorphism and cancer risk: a meta-analysis. 2011 , 30, 254-63	13
350	Multiparameter immunohistochemical analysis of the cell cycle proteins cyclin D1, Ki-67, p21WAF1, p27KIP1, and p53 in mantle cell lymphoma. 2000 , 124, 1457-62	24
349	The -omics era and its impact. 2004 , 128, 1337-45	26
348	Expression of proteasome activator REG1 in human laryngeal carcinoma and associations with tumor suppressor proteins. 2012 , 13, 2699-703	8
347	PRDM9 activity depends on HELLS and promotes local 5-hydroxymethylcytosine enrichment. 2020 , 9,	4
346	RNAi-mediated knockdown of without disrupting the effects of melatonin on apoptosis and cell cycle in bovine granulose cells. 2018 , 6, e4463	4
345	GET4 is a novel driver gene in colorectal cancer that regulates the localization of BAG6, a nucleocytoplasmic shuttling protein. 2021 ,	1
344	Adenovirus Mediated p53 (Adp53) Gene Transfer. 2000 , 292-302	
343	THE GROWTH INHIBITORY EFFECT OF p21 ADENOVIRUS ON HUMAN BLADDER CANCER CELLS. 2000 , 1033	
342	Suppression of primary tumor growth and the progression to metastasis with p53 adenovirus in human prostate cancer. 2000 , 164, 814-9	9

- 341 Cell Cycle Regulation in Plants. **2001**,
- 340 Inactivation of Negative Growth Regulators During Neoplastic Transformation. **2002**, 81-111
- 339 p53 and Its Targets. **2002**, 77-96
- 338 Signal Transduction Involved in Cell Cycle Regulation of Normal Hepatocyte and Hepatoma Cells. **2002**, 41-51
- 337 Pankreaskarzinom. **2002**, 187-206
- 336 CDK Inhibitors. **2002**, 123-143 1
- 335 Senescence.
- 334 Cell Cycle.
- 333 Vitamin D Regulation of Cell Cycle and Differentiation in Myeloid Cells. **2002**, 147-171
- 332 Difference in the Types of Uterine Tumors between Heterozygous p53-deficient and Wild Type CBA Mice Treated with Ethinylestradiol after N-ethyl-N-nitrosourea Initiation.. **2002**, 15, 203-207
- 331 Cell Cycle.
- 330 Genetics of Cellular Aging. **2003**, 9-26
- 329 Cell Cycle Regulatory Mechanisms in Head and Neck Squamous Cell Carcinoma. **2003**, 101-116
- 328 Cellular Senescence. **2003**,
- 327 Development of an In vitro Ubiquitination System for the Cyclin Kinase Inhibitor, p21. **2003**, 15, 79-84
- 326 The p53 Pathway, Cancer and Aging. **2003**, 121-149
- 325 Radiation Responses in Drosophila. **2003**, 213-217
- 324 Cell Cycle Events and Cell Cycle-Dependent Processes.

- 323 Potential Function of the Werner Syndrome Homologue in the African Clawed Frog and the Mouse. **2004**, 107-122
- 322 Lebensdauer: Genetische Determinierung und lebensverlängernde Strategien. **2004**, 8-66 1
- 321 Molekulare Grundlagen des Alterns Eine Einführung. **2004**, 67-86
- 320 Microarray Profiling of Gene Expression Patterns of Genistein in Tumor Cells. **2004**, 77-103
- 319 An Experimental Study on Apoptosis of cultivated Wild Ginseng Distilled Herbal Acupuncture by Concentration Level. **2004**, 7, 5-17 8
- 318 Two-hybrid Systems. **2006**, 2006, 4
- 317 p53, p21 and bcl-2 Protein Expressions and the Clinical Significance in Papillary Thyroid Carcinoma. **2007**, 22, 98 1
- 316 Yeast and mammalian two-hybrid systems for studying protein-protein interactions. **2007**, 383, 215-25 2
- 315 Molecular Genetics of Lung and Pleural Neoplasms. **2008**, 47-157 1
- 314 Cdk5 May Be an Atypical Kinase, but Not in the Way You Think. **2008**, 119-137
- 313 Receptors, Signaling Pathways, Cell Cycle, and DNA Damage Repair. **2008**, 11-21
- 312 The Future of Molecular Neuro-Oncology. **2009**, 3201-3228
- 311 Regulation of the P21 Gene Promotor in Response to Clinically Low Dose Radiation. **2009**, 8, BR42-BR48
- 310 Antiestrogens and the Cell Cycle. **2009**, 17-45
- 309 Cell Cycle Regulation and DNA Damage. **2009**, 81-107
- 308 Chromatin Modifications and Orchestration of Checkpoint Response in Cancer. **2010**, 83-93
- 307 Short Introduction to the Cell Cycle. **2010**, 3-14 1
- 306 Radiation Responses in Drosophila. **2010**, 2159-2163

- 305 p53 Dilemma in Transcription: Analysis by Microarrays. **2010**, 142-159
- 304 Cell Cycle Control and Replication in Corneal Endothelium. **2010**, 69-86 0
- 303 Osteoblast Biology. **2010**, 55-112 1
- 302 p21/Waf1/Cip1 cellular expression in chronic long-lasting hepatitis C: correlation with HCV proteins (C, NS3, NS5A), other cell-cycle related proteins and selected clinical data. **2009**, 47, 385-94 7
- 301 Human Papillomaviruses. **2010**, 207-252
- 300 Strategies and Methods in Monitoring and Targeting Protein-Protein Interactions. 1
- 299 Role of Myostatin in Skeletal Muscle Growth and Development: Implications for Sarcopenia. **2011**, 419-447
- 298 Checkpoint Control Following Radiation Exposure. **2011**, 53-77
- 297 Analyzing p53 regulated DNA damage checkpoints by flow cytometry. **2011**, 782, 193-203
- 296 Stem Cells and Aging. **2013**, 363-373
- 295 Encyclopedia of Systems Biology. **2013**, 2134-2138 1
- 294 p21 Mediates Senescence by a Mechanism Involving Accumulation of Reactive Oxygen Species. **2013**, 153-167
- 293 Functional Maturation of PAKs from Unicellular to Multicellular Organisms. **2013**, 1-21
- 292 CARF Regulates Cellular Senescence and Apoptosis through p53-Dependent and -Independent Pathways. **2013**, 137-157
- 291 Control of cell proliferation during plant development. **1994**, 53-67
- 290 Lessons from developmental biology. **1995**, 85-97
- 289 Involvement of Nitric Oxide(NO) to disease state.. **1995**, 57, 1127-1131
- 288 Transfer and Expression of Antioncogenes and Paraneoplastic Genes in Normal and Neoplastic Cells in Vitro and in Vivo. **1995**, 275-VIII

- 287 Death genes in T cells. **1995**, 200, 137-46 4
- 286 Tumour Suppressor Genes in Hodgkin's Disease. **1995**, 209-222
- 285 Regulatory properties of neuronal cdc2-like kinase. **1995**, 35-39
- 284 Target of breeding and canceration of keratinocytes.Cyclin and cdk complex.. **1995**, 57, 687-695 1
- 283 Biophysical and Biochemical Properties of the p53 Protein. **1995**, 55-72
- 282 The role of the p53 protein in the apoptotic response. **1995**, 41-44 1
- 281 Cell cycle of the epidermis. (III).. **1995**, 57, 1170-1175
- 280 Cell Cycle Regulation in Intestinal Epithelial Cells. **1996**, 73-80
- 279 From Start to S Phase: Early Events in the Yeast Cell Cycle. **1996**, 11-25
- 278 P53-Mediated Apoptosis. **1996**, 83-101 1
- 277 Alterations in cell cycle control during tumor progression: effects on apoptosis and the response to therapeutic agents. **1996**, 213 (Pt 2), 197-213 2
- 276 Hormones, Growth Factors, and Gene Expression in Preneoplasias of the Mouse Mammary Gland. **1996**, 132-140 1
- 275 Differentiation and proliferation of epidermal cell. (1). Cell cycle and Stem Cell in the proliferation of epidermal cell (epidermal keratinocyte).. **1996**, 58, 113-115
- 274 p16 Family Inhibitors of Cyclin-Dependent Kinases. **1996**, 57-82
- 273 Growth Factors and Ageing. **1996**, 111-129
- 272 Interaction-Based Cloning of Novel Proteins. **1996**, 211-230 1
- 271 Genetics of Breast Cancer. **1996**, 197-224
- 270 Neoplastic Transformation: Oncogenes, Tumor Suppressors, Cyclins, and Cyclin-Dependent Kinases. **1996**, 3-41

269 Cell Cycle Control. **1996**, 48-58

268 Use of a yeast genetic screen to isolate B cell-specific proteins interacting specifically with octamer-binding proteins. **1996**, 333-349

267 Identification of Novel Cell Cycle Targets Using Small Molecule Ligands. **1996**, 145-156

266 Gene Alterations in Glial Tumors. **1996**, 161-172

265 Cell Cycle Control of Genetic Stability. **1997**, 33-52

264 Regulation of p53-Dependent Apoptosis in Human Neuroblastoma Cells by Isoquinolines. **1997**, 71-77

263 Novel Approaches to Photoprotection. **1997**, 388-394

262 Neoplastic Progression in Barrett's Esophagus. **1997**, 195-214

261 WAF1. **1997**, 512-516

260 Identification of proteins that interact with a protein of interest: Applications of the yeast two-hybrid system. **1997**, 67-79

3

259 Natriuretic Peptides as Antigrowth Factors. **1997**, 223-237

258 Medical Background: Human DNA Damage Recognition and Processing Disorders. **1997**, 1-30

257 E6 Protein. **1997**, 71-102

1

256 References. **1997**, 215-326

255 p53-Dependent Signaling in Response to DNA Damage or Arrest of DNA Synthesis and its Role in Cell Cycle Control. **1997**, 69-81

254 Immunohistochemical Evaluation of Cell Cycle Regulating Proteins in Epithelial Skin Tumors. **1997**, 786-791

253 UVB Irradiation, Mismatch Repair and Cutaneous Melanoma. **1997**, 727-737

252 Molecular Analysis of the INK4 Family of Genes in Prostate Carcinomas. **1997**, 1995-1999

1

251 Modulation of Idarubicin-Induced Apoptosis in Human Acute Myeloid Leukemia Blasts by All-Trans Retinoic Acid, 1,25(OH)₂ Vitamin D₃, and Granulocyte-Macrophage Colony-Stimulating Factor. **1997**, 90, 4578-4587

250 Lung Cancer. **1998**, 357-361

249 Regulation of S phase. **1998**, 22, 35-55

248 Gene Therapy for Pancreatic Cancer. **1998**, 295-318

247 Mechanisms of cell cycle blocks at the G₂/M transition and their role in differentiation and development. **1998**, 20, 73-100

246 A new aspect on glutathione-associated biological function of MRP/GS-X pump and its gene expression. **1998**, 81-93

245 The molecular genetics of colonic cancer. **1998**, 98, 351-82

1

244 The role of p53 in apoptosis. **1998**, 5-35

0

243 Tumor Suppressor Gene Therapy for Brain Tumors. **1998**, 205-229

242 Mammalian Cell-Cycle Responses to DNA-Damaging Agents. **1998**, 465-486

241 Prognostic implications of expression of the cell cycle inhibitor protein p27kip1. **1998**, 119-131

240 Screening for Pancreatic Cancer Using Techniques to Detect Altered Gene Products. **1998**, 113-136

239 Molecular Pathological Mechanisms in NSCLC and the Assessment of Individuals with a High Risk of Developing Lung Cancer. **1998**, 247-261

238 Potential applications of cell cycle manipulation to clinical response. **1998**, 93, 169-90

1

237 Transgenic Animal Models. **1998**, 209-221

236 Use of Biochemical and Molecular Biomarkers for Cancer Risk Assessment in Humans. **1999**, 81-182

2

235 BTF3 is a potential new substrate of protein kinase CK2. **1999**, 121-128

234 Inhibition of Human Umbilical Vein Endothelial Cell Proliferation by the CXC Chemokine, Platelet Factor 4 (PF4), Is Associated With Impaired Downregulation of p21Cip1/WAF1. **1999**, 93, 25-33

4

- 233 The Generation, Detection, and Prevention of Genomic Instability During Cancer Progression and Metastasis. **2015**, 15-38
- 232 Neoplasia of the Gastrointestinal Tract. 587-616
- 231 Biomarkers of Replicative Senescence Revisited. **2016**, 203-239
- 230 Removing a Cystein Group On Interferon Alpha 2b at Position 2 and 99 does Not Diminish Antitumor Activity of the Protein, Even Better. **2016**, 84, 113-30
- 229 Development of Therapeutic dsP21-322 for Cancer Treatment. **2017**, 983, 217-229 2
- 228 Label propagation defines signaling networks associated with recurrently mutated cancer genes.
- 227 Kinesin-Binding Protein (KBP) buffers the activity of KIF18A and KIF15 in mitosis to ensure accurate chromosome segregation.
- 226 Correlation between the aberrant human testicular germ-cell gene expression and disruption of spermatogenesis leading to male infertility.
- 225 Plant photoreceptors and their signaling components compete for binding to the ubiquitin ligase COP1 using their VP-peptide motifs. 0
- 224 FLIP(L) determines p53 induced life or death.
- 223 Phellinus gilvus-derived protocatechualdehyde induces G0/G1 phase arrest and apoptosis in murine B16-F10 cells. **2020**, 21, 1107-1114 3
- 222 Tumour suppressor OTUD3 induces growth inhibition and apoptosis by directly deubiquitinating and stabilizing p53 in invasive breast carcinoma cells.
- 221 Mechanical stimulation induced osteogenic differentiation of BMSCs through TWIST/E2A/p21 axis. **2020**, 40, 1
- 220 Cordycepin inhibits pancreatic cancer cell growth in vitro and in vivo via targeting FGFR2 and blocking ERK signaling. **2020**, 18, 345-355 6
- 219 Increased qualities and in vitro anticancer effects of Doenjang fermented in Dnggi **2020**, 27, 346-355 0
- 218 Tumor suppressor OTUD3 induces growth inhibition and apoptosis by directly deubiquitinating and stabilizing p53 in invasive breast carcinoma cells.
- 217 Phenotype Spectrum reflects Synergies among the Cell Architecture over Stages of the Cell Cycle.
- 216 A constitutively monomeric UVR8 photoreceptor allele confers enhanced UV-B photomorphogenesis.

215	Deletion of p21 expression accelerates cartilage tissue repair via chondrocyte proliferation. 2020 , 21, 2236-2242	2
214	Striga angustifolia mediated synthesis of silver nanoparticles: Anti-microbial, antioxidant and anti-proliferative activity in apoptotic p53 signalling pathway. 2021 , 67, 102945	1
213	TRPM7 is a critical regulator of pancreatic endocrine development and high-fat diet-induced β cell proliferation.	
212	Increasing Antibody Production by Suppressing Cell Proliferation with Controllable Expression of Cyclin Inhibitor P21 and P27. 1999 , 171-175	
211	Molecular Staging of Non-Small-Cell Lung Cancer. 2006 , 159-176	2
210	T-Cell Non-Hodgkin's Lymphoma. 2006 , 161-220	0
209	Cell cycle regulation and apoptotic cell death. 2000 , 101-108	0
208	Diabetic LDL inhibits cell-cycle progression via STAT5B and p21(waf). 2002 , 109, 111-9	5
207	Proapoptotic Strategy in Cancer Gene Therapy. 2005 , 273-286	
206	Cell Cycle Regulators and Vascular Proliferative Diseases. 2007 , 199-212	
205	Analysis of p53-regulated gene expression patterns using oligonucleotide arrays. 2000 , 14, 981-93	299
204	Cooperative effects of genes controlling the G(2)/M checkpoint. 2000 , 14, 1584-8	67
203	Nin1p, a regulatory subunit of the 26S proteasome, is necessary for activation of Cdc28p kinase of Saccharomyces cerevisiae. 1995 , 14, 3105-15	28
202	GCN20, a novel ATP binding cassette protein, and GCN1 reside in a complex that mediates activation of the eIF-2 alpha kinase GCN2 in amino acid-starved cells. 1995 , 14, 3184-99	52
201	Negative feedback regulation of wild-type p53 biosynthesis. 1995 , 14, 4442-9	102
200	Identification of a Myc-dependent step during the formation of active G1 cyclin-cdk complexes. 1995 , 14, 4814-26	65
199	The tumour suppressor gene product APC blocks cell cycle progression from G0/G1 to S phase. 1995 , 14, 5618-25	51
198	Identification of a cdk-activating kinase in fission yeast. 1995 , 14, 6173-83	34

197	Physical and functional interactions between p53 and cell cycle co-operating transcription factors, E2F1 and DP1. 1995 , 14, 6184-92	26
196	A temperature-sensitive mutant of human p53. 1994 , 13, 2535-44	40
195	The differential localization of human cyclins A and B is due to a cytoplasmic retention signal in cyclin B. 1994 , 13, 3772-81	84
194	Study of the cell cycle-dependent assembly of the DNA pre-replication centres in Xenopus egg extracts. 1994 , 13, 4153-64	38
193	Activation of the phosphatase activity of human cdc25A by a cdk2-cyclin E dependent phosphorylation at the G1/S transition. 1994 , 13, 4302-10	125
192	Cyclin G is a transcriptional target of the p53 tumor suppressor protein. 1994 , 13, 4816-22	126
191	Wild-type alternatively spliced p53: binding to DNA and interaction with the major p53 protein in vitro and in cells. 1994 , 13, 4823-30	15
190	The transcription factor, the Cdk, its cyclin and their regulator: directing the transcriptional response to a nutritional signal. 1994 , 13, 5410-20	42
189	Immunophilins interact with calcineurin in the absence of exogenous immunosuppressive ligands. 1994 , 13, 5944-57	72
188	Transformation by homeobox genes can be mediated by selective transcriptional repression. 1994 , 13, 5967-76	10
187	p53 oligomerization and DNA looping are linked with transcriptional activation. 1994 , 13, 6011-20	45
186	Ubiquitination of the G1 cyclin Cln2p by a Cdc34p-dependent pathway. 1995 , 14, 303-12	71
185	Lack of cyclin D-Cdk complexes in Rb-negative cells correlates with high levels of p16INK4/MTS1 tumour suppressor gene product. 1995 , 14, 503-11	84
184	Identification of the active region of the DNA synthesis inhibitory gene p21Sdi1/CIP1/WAF1. 1995 , 14, 555-63	40
183	Regulation of Raf-1 kinase activity by the 14-3-3 family of proteins. 1995 , 14, 685-96	38
182	Accumulation of wild-type p53 protein upon gamma-irradiation induces a G2 arrest-dependent immunoglobulin kappa light chain gene expression. 1995 , 14, 1392-401	32
181	Cyclin D2 and Ha-Ras transformed rat embryo fibroblasts exhibit a novel deregulation of cell size control and early S phase arrest in low serum. 1995 , 14, 1892-903	7
180	A direct effect of activated human p53 on nuclear DNA replication. 1995 , 14, 2099-105	22

179	Targets of immunophilin-immunosuppressant complexes are distinct highly conserved regions of calcineurin A. 1995 , 14, 2772-83	45
178	The Clk/Sty protein kinase phosphorylates SR splicing factors and regulates their intranuclear distribution. 1996 , 15, 265-75	232
177	T cells from baxalpha transgenic mice show accelerated apoptosis in response to stimuli but do not show restored DNA damage-induced cell death in the absence of p53. 1996 , 15, 1221-30	25
176	Cell type-specific inhibition of p53-mediated apoptosis by mdm2. 1996 , 15, 1596-606	63
175	Experimental elongation of telomeres extends the lifespan of immortal x normal cell hybrids. 1996 , 15, 1734-41	35
174	A suppressor of mutations in the class III transcription system encodes a component of yeast TFIIIB. 1996 , 15, 1941-9	38
173	The Epstein-Barr virus bZIP transcription factor Zta causes G0/G1 cell cycle arrest through induction of cyclin-dependent kinase inhibitors. 1996 , 15, 2748-59	100
172	Transcriptional activation by p53, but not induction of the p21 gene, is essential for oncogene-mediated apoptosis. 1996 , 15, 3693-701	59
171	Activation of cyclin E/CDK2 is coupled to site-specific autophosphorylation and ubiquitin-dependent degradation of cyclin E. 1996 , 15, 4182-93	98
170	E47 activates the Ig-heavy chain and TdT loci in non-B cells. 1996 , 15, 5014-21	32
169	A nuclear role for the Fragile X mental retardation protein. 1996 , 15, 5408-14	47
168	Reconstitution of DNA base excision-repair with purified human proteins: interaction between DNA polymerase beta and the XRCC1 protein. 1996 , 15, 6662-70	255
167	Bax alpha perturbs T cell development and affects cell cycle entry of T cells. 1996 , 15, 6991-7001	41
166	Epidermal growth factor increases the level of the cyclin-dependent kinase (CDK) inhibitor p21/CIP1 (CDK-interacting protein 1) in A431 cells by increasing the half-lives of the p21/CIP1 transcript and the p21/CIP1 protein. 1999 , 337 (Pt 3), 599-606	12
165	p21WAF1 expression by an activator of protein kinase C is regulated mainly at the post-transcriptional level in cells lacking p53: important role of RNA stabilization. 1999 , 337 (Pt 3), 607-16	18
164	Strategies for manipulating the p53 pathway in the treatment of human cancer. 2000 , 352 Pt 1, 1-17	28
163	Conservation of structure and subunit interactions in yeast homologues of splicing factor 3b (SF3b) subunits. 1998 , 4, 1-10	42
162	Germ-line p53 mutations in 15 families with Li-Fraumeni syndrome. 1995 , 56, 608-15	136

161	Cyclin-dependent kinase inhibitor p27KIP1 in lymphoid tissue: p27KIP1 expression is inversely proportional to the proliferative index. 1997 , 151, 151-60	92
160	Analysis of p21Waf1/Cip1 expression in normal, premalignant, and malignant cells during the development of human lung adenocarcinoma. 1997 , 151, 461-70	22
159	CD95/CD95L-mediated apoptosis of the hepatic stellate cell. A mechanism terminating uncontrolled hepatic stellate cell proliferation during hepatic tissue repair. 1997 , 151, 1265-72	139
158	Differentiation-dependent p53 regulation of nucleotide excision repair in keratinocytes. 1997 , 150, 1457-64	46
157	Molecular aberrations of the G1-S checkpoint in myxoid and round cell liposarcoma. 1997 , 151, 1531-9	45
156	WAF1/Cip1 gene polymorphism and expression in carcinomas of the breast, ovary, and endometrium. 1997 , 150, 167-75	52
155	Tumor suppressor genes and related molecules in leiomyosarcoma. 1996 , 148, 1037-45	67
154	Decreased DNA repair but normal apoptosis in ultraviolet-irradiated skin of p53-transgenic mice. 1996 , 148, 1113-23	74
153	Immunohistochemical detection of p53 in Wilms' tumors correlates with unfavorable outcome. 1996 , 148, 1577-89	59
152	Molecular diagnosis of p53 mutations in gastric carcinoma by touch preparation. 1996 , 148, 405-13	10
151	Interleukin-11 induces intestinal epithelial cell growth arrest through effects on retinoblastoma protein phosphorylation. 1996 , 149, 895-902	37
150	Differentiation-associated overexpression of the cyclin-dependent kinase inhibitor p21waf-1 in human cutaneous squamous cell carcinoma. 1996 , 149, 1139-46	32
149	Early alteration of cell-cycle-regulated gene expression in colorectal neoplasia. 1996 , 149, 381-7	62
148	Association of p53 and WAF1 expression with apoptosis in diffuse alveolar damage. 1996 , 149, 531-8	53
147	Cyclin kinase inhibitor p21WAF1/CIP1 in malignant melanoma: reduced expression in metastatic lesions. 1996 , 149, 1813-22	36
146	Assessment of sensitivity and specificity of immunohistochemical staining of p53 in lung and head and neck cancers. 1995 , 146, 1170-7	36
145	Heterogeneity in intratumor distribution of p53 mutations in human prostate cancer. 1995 , 147, 92-101	86
144	Human replicative senescence. A molecular study. 1995 , 147, 1-8	36

143	Mutations of cell cycle regulators. Biological and clinical implications for human neoplasia. 1995 , 147, 545-60	317
142	p53-independent expression of the cyclin-dependent kinase inhibitor p21 in pancreatic carcinoma. 1995 , 147, 884-8	83
141	The interaction of taxol and vinblastine with radiation induction of p53 and p21 WAF1/CIP1. 1996 , 27, S82-5	5
140	Regulation of transcription functions of the p53 tumor suppressor by the mdm-2 oncogene. 1995 , 1, 142-52	71
139	Taxol-induced mitotic block triggers rapid onset of a p53-independent apoptotic pathway. 1995 , 1, 506-26	76
138	Stress sensor Gadd45 genes as therapeutic targets in cancer. 2009 , 7, 268-276	63
137	Analysis of genomic instability in Li-Fraumeni fibroblasts with germline p53 mutations. 1996 , 12, 2267-78	45
136	Pleurotus ostreatus inhibits proliferation of human breast and colon cancer cells through p53-dependent as well as p53-independent pathway. 2008 , 33, 1307-13	19
135	Decreasing expression of the G1-phase inhibitors, p21Cip1 and p16INK4a, promotes division of corneal endothelial cells from older donors. 2010 , 16, 897-906	34
134	Cotylenin A inhibits cell proliferation and induces apoptosis and PAX6 mRNA transcripts in retinoblastoma cell lines. 2010 , 16, 970-82	9
133	Targeting Rb inactivation in cancers by synthetic lethality. 2011 , 1, 773-86	12
132	Optimization of immunolocalization of cell cycle proteins in human corneal endothelial cells. 2011 , 17, 3494-511	21
131	Research progress on the negative factors of corneal endothelial cells proliferation. 2012 , 5, 614-9	4
130	Role of p53 in Anticancer Drug Treatment- and Radiation-Induced Injury in Normal Small Intestine. 2012 , 9, 1-8	5
129	BCCIP is required for the nuclear localization of the p21 protein. 2009 , 8, 3019-24	15
128	Association of TBX2 and P21 expression with clinicopathological features and survival of laryngeal squamous cell carcinoma. 2014 , 7, 5394-402	6
127	Nonviral gene transfer strategies for the vasculature. 2002 , 9, 35-49	9
126	Inhibition of Aurora A promotes chemosensitivity via inducing cell cycle arrest and apoptosis in cervical cancer cells. 2015 , 5, 1133-45	15

125	Study of P21 Expression in Oral Lichen Planus and Oral Squamous Cell Carcinoma by Immunohistochemical Technique. 2015 , 16, 156-61	2
124	Thymoquinone potentiates chemoprotective effect of Vitamin D3 against colon cancer: a pre-clinical finding. 2017 , 9, 774-790	5
123	p53-dependent activation of the mouse MCK gene promoter: identification of a novel p53-responsive sequence and evidence for cooperation between distinct p53 binding sites. 1995 , 5, 19-33	6
122	Differential upregulation of p53-responsive genes by genotoxic stress in hematopoietic cells containing wild-type and mutant p53. 1999 , 8, 197-206	10
121	Functional role of p21 during the cellular response to stress. 1999 , 7, 377-85	51
120	Dephosphorylation of p53 Ser 392 Enhances Trimethylation of Histone H3 Lys 9 via SUV39h1 Stabilization in CK2 Downregulation-Mediated Senescence. 2019 , 42, 773-782	1
119	[Role of P21 in Resistance of Lung Cancer]. 2020 , 23, 597-602	
118	MAGEA3 promotes proliferation and suppresses apoptosis in cervical cancer cells by inhibiting the KAP1/p53 signaling pathway. 2020 , 12, 3596-3612	5
117	Essential Oil as A Source of Sesquiterpenes to Induce Apoptosis and G1 Cell Cycle Arrest in Cervical Cancer Cells. 2020 , 19, 341-351	
116	Ginsenoside Rg1 improves pathological damages by activating the p21-p53-STK pathway in ovary and Bax-Bcl2 in the uterus in premature ovarian insufficiency mouse models. 2021 , 23,	1
115	Lycorine hydrochloride inhibits melanoma cell proliferation, migration and invasion via down-regulating p21. 2021 , 11, 1391-1409	2
114	Effect of metformin on irinotecan-induced cell cycle arrest in colorectal cancer cell lines HCT116 and SW480. 2021 , 15, 34-41	
113	Cooperative effects of genes controlling the G2/M checkpoint. 2000 , 14, 1584-1588	174
112	The dicyano compound induces autophagic or apoptotic cell death via Twist/c-Myc axis depending on metastatic characteristics of breast cancer cells. 2021 , 49, 39	0
111	The ESCRT machinery counteracts Nesprin-2G-mediated mechanical forces during nuclear envelope repair. 2021 , 56, 3192-3202.e8	3
110	Sir3 heterochromatin protein promotes non-homologous end joining by direct inhibition of Sae2. 2021 , e108813	1
109	Targeted Protein Profiling of In Vivo NIPP-Treated Tissues Using DigiWest Technology. 2021 , 11, 11238	2
108	The Significant Influence of a Second Metal on the Antiproliferative Properties of the Complex [Ru(η ⁵ -C ₅ H ₅)(Cl)(dmoPTA)]. 2021 , 28, e202103048	0

107	PP2A is a therapeutically targetable driver of cell fate decisions via a c-Myc/p21 axis in Acute Myeloid Leukemia. 2021 ,	1
106	Effect of Ionizing Radiation on the Transcript Variants Expression of p21 Gene. 2021 , 22, 3717-3722	0
105	Safinamide protects against amyloid β -induced oxidative stress and cellular senescence in M17 neuronal cells.. 2022 , 13, 1921-1930	0
104	Research on the mechanisms of taraxerol for the treatment of gastric cancer effect based on network pharmacology.. 2022 , 36, 20587384211063962	
103	Integrating network pharmacology deciphers the action mechanism of Zuojin capsule in suppressing colorectal cancer.. 2021 , 96, 153881	0
102	Anticancer effects of acteoside: Mechanistic insights and therapeutic status.. 2021 , 916, 174699	4
101	LincRNA-p21 promotes p21-mediated cell cycle arrest in benzene-induced hematotoxicity by sponging miRNA-17-5p.. 2021 , 296, 118706	1
100	Ginsenoside Rg1 improves pathological damages by activating the p21-p53-STK pathway in ovary and Bax-Bcl2 in the uterus in premature ovarian insufficiency mouse models. 2020 , 23, 1-1	3
99	The Renaissance of Cyclin Dependent Kinase Inhibitors.. 2022 , 14,	6
98	XBP1u Is Involved in C2C12 Myoblast Differentiation Accelerated Proteasomal Degradation of Id3.. 2022 , 13, 796190	
97	Down-Regulating HAUS6 Suppresses Cell Proliferation by Activating the p53/p21 Pathway in Colorectal Cancer.. 2021 , 9, 772077	0
96	A Temperature-Based Easy-Separable (TempEasy) 3D Hydrogel Coculture System.. 2022 , e2102389	2
95	Anticancer properties of arylchromenes and arylchromans: an overview. 2022 ,	
94	Design, synthesis, and biological activities of 3-((4,6-diphenylpyrimidin-2-ylamino)methylene)-2,3-dihydrochromen-4-ones.. 2022 , 120, 105634	1
93	Downregulation of CPT2 promotes proliferation and inhibits apoptosis through p53 pathway in colorectal cancer.. 2022 , 92, 110267	1
92	Fumonisin B Inhibits Cell Proliferation and Decreases Barrier Function of Swine Umbilical Vein Endothelial Cells.. 2021 , 13,	1
91	Identification of proteins that interact with a protein of interest: applications of the yeast two-hybrid system. 1997 , 172, 67-79	43
90	BTF3 is a potential new substrate of protein kinase CK2. 1999 , 191, 121-8	6

89	Dissecting Tumor Growth: The Role of Cancer Stem Cells in Drug Resistance and Recurrence.. 2022 , 14,	9
88	A gene signature consisting of ubiquitin ligases and deubiquitinating enzymes of SKP2 is associated with clinical outcome in breast cancer.. 2022 , 12, 2478	
87	BEND3 safeguards pluripotency by repressing differentiation-associated genes.. 2022 , 119,	1
86	Should mutant TP53 be targeted for cancer therapy?. 2022 ,	1
85	Flow cytometric single cell-based assay to simultaneously detect cell death, cell cycling, DNA content and cell senescence.. 2022 ,	0
84	Lipids as Regulators of Cellular Senescence.. 2022 , 13, 796850	2
83	Therapeutic potential of CDK4/6 inhibitors in renal cell carcinoma.. 2022 ,	2
82	Proteomic analysis reveals microvesicles containing NAMPT as mediators of radiation resistance in glioma.	
81	Cell cycle regulation: p53-p21-RB signaling.. 2022 ,	16
80	Targeting CDK4 and CDK6 in cancer.. 2022 ,	5
79	In vitro cytotoxic effects of Smilax aspera L. roots on cancer cell lines. 2022 , 46, 101501	1
78	Immunomodulatory effect of mushrooms and their bioactive compounds in cancer: A comprehensive review. 2022 , 149, 112901	3
77	Peroxiredoxin 6 Applied after Exposure Attenuates Damaging Effects of X-ray Radiation in 3T3 Mouse Fibroblasts.. 2021 , 10,	0
76	ZC3H15 Correlates with a Poor Prognosis and Tumor Progression in Melanoma.. 2021 , 2021, 8305299	0
75	Endoderm development requires centrioles to restrain p53-mediated apoptosis in the absence of ERK activity.. 2021 , 56, 3334-3348.e6	0
74	Decomposition of cell activities revealing the role of the cell cycle in driving biofunctional heterogeneity. 2021 , 11, 23431	1
73	The grape MYB24 mediates the coordination of light-induced terpene and flavonol accumulation in response to berry anthocyanin sunscreen depletion.	0
72	Green Tea () Extract Induces p53-Mediated Cytotoxicity and Inhibits Migration of Breast Cancer Cells.. 2021 , 10,	0

71	Regulatory Connections Between the Cyanobacterial Factor PipX and the Ribosome Assembly GTPase EngA.. 2021 , 12, 781760		0
70	Targeted CUL4A inhibition synergizes with cisplatin to yield long-term survival in models of head and neck squamous cell carcinoma through a DDB2-mediated mechanism.. 2022 , 13, 350		0
69	An Unanticipated Modulation of Cyclin-Dependent Kinase Inhibitors: The Role of Long Non-Coding RNAs.. 2022 , 11,		0
68	Immunomodulatory and Direct Activities of Ropeginterferon Alfa-2b on Cancer Cells in Mouse Models of Leukemia.. 2022 ,		
67	The antitumour activity of C steroidal glycosides and their derivatives of Baishouwu: A review.. 2022 , 293, 115300		1
66	p53, Cell Cycle Arrest and Apoptosis. 2007 , 141-163		
65	Image_1.pdf. 2019 ,		
64	Image_1.pdf. 2018 ,		
63	Human proliferation-related protein p120 interacts with HSRP1. 1997 , 105, 553-559		
62	Human Cytomegalovirus-IE2 Affects Embryonic Liver Development and Survival in Transgenic Mouse.. <i>Cellular and Molecular Gastroenterology and Hepatology</i> , 2022 ,	7.9	0
61	A Simple Quantitative Assay for Measuring β -Galactosidase Activity Using X-Gal in Yeast-Based Interaction Analyses.. <i>Current Protocols</i> , 2022 , 2, e421		
60	TAFII70 Isoform-Specific Growth Suppression Correlates With Its Ability to Complex With the GADD45a Protein. <i>Molecular Cancer Research</i> , 2004 , 2, 442-452	6.6	8
59	Inhibitory Effects of Terfezia (Ascomycota) Desert Truffles on PANC-1 Cell Growth Via Upregulation of the Pro-apoptotic Genes TP53, CDKN1A, and BAX, and Downregulation of the Anti-apoptotic Gene BCL2. <i>International Journal of Medicinal Mushrooms</i> , 2022 ,	1.3	
58	Disrupted control of origin activation compromises genome integrity upon destabilization of Pol δ and dysfunction of the TRP53-CDKN1A/P21 axis. <i>Cell Reports</i> , 2022 , 39, 110871	10.6	0
57	Emerging Insight Into the Role of Circadian Clock Gene BMAL1 in Cellular Senescence. <i>Frontiers in Endocrinology</i> , 13,	5.7	0
56	Inhibition of DEK Enhances Doxorubicin-Induced Apoptosis and Cell Cycle Arrest in T-Cell Acute Lymphoblastic Leukemia Cells. <i>Disease Markers</i> , 2022 , 2022, 1-10	3.2	
55	miR-30d Inhibition Protects IPEC-J2 Cells Against Clostridium perfringens Beta2 Toxin-Induced Inflammatory Injury. <i>Frontiers in Veterinary Science</i> , 9,	3.1	
54	Transcriptomic landscape of sodium butyrate-induced growth inhibition of human colorectal cancer organoids. <i>Molecular Omics</i> ,	4.4	0

53	Negative regulation of p53 by the poliovirus receptor PVR is a target of a human cytomegalovirus immune evasion molecule.		
52	Gene expression correlating with response to paclitaxel in ovarian carcinoma xenografts. <i>Molecular Cancer Therapeutics</i> , 2004 , 3, 111-121	6.1	24
51	Premature Senescence Is a Primary Fail-safe Mechanism of ERBB2-Driven Tumorigenesis in Breast Carcinoma Cells. <i>Cancer Research</i> , 2005 , 65, 840-849	10.1	24
50	Prognostic Implications of Molecular and Immunohistochemical Profiles of the Rb and p53 Cell Cycle Regulatory Pathways in Primary Non-Small Cell Lung Carcinoma. 2005 , 11, 232-241		9
49	Cell Division/Death: Cell Cycle [The Restriction Point. 2022 ,		
48	Gonadal sex patterns p21-induced cellular senescence in mouse and human glioblastoma. 2022 , 5,		1
47	From cyclins to CDKs: Cell cycle regulation of skeletal muscle stem cell quiescence and activation. 2022 , 113275		2
46	Nuclear basket protein ZC3HC1 and its yeast homolog Pml39p feature an evolutionary conserved bimodular construction essential for initial binding to NPC-anchored homologs of scaffold protein TPR.		0
45	Cell Division/Death: Cell Cycle [Cyclins, Cyclin-Dependent Kinases, and Cyclin-Dependent Kinase Inhibitors. 2022 ,		0
44	Cell Division/Death: Cell Cycle [CDK Inhibitors in Normal and Malignant Cells. 2022 ,		0
43	Circulating Biomarkers in Predicting Pathological Response to Neoadjuvant Therapy for Colorectal Cancer. 2022 , 113-132		0
42	p53 positively regulates the proliferation of hepatic progenitor cells promoted by laminin-521. 2022 , 7,		0
41	p53: From Fundamental Biology to Clinical Applications in Cancer. 2022 , 11, 1325		4
40	Bmal1 Regulates Prostate Growth via Cell-Cycle Modulation. 2022 , 23, 11272		1
39	Identification of Important Genes of Keratoconus and Construction of the Diagnostic Model. 2022 , 2022, 1-16		0
38	A comprehensive study of p53 protein.		0
37	Long-term p21 and p53 dynamics regulate the frequency of mitosis events and cell cycle arrest following radiation damage.		0
36	P21 deficiency exhibits delayed endochondral ossification during fracture healing. 2022 , 165, 116572		0

35	Markers for DNA damage are induced in the rat colon by the <i>Alternaria</i> toxin altertoxin-II, but not a complex extract of cultured <i>Alternaria alternata</i> . 4,	0
34	Hypoxia and ER β Transcriptional Crosstalk Is Associated with Endocrine Resistance in Breast Cancer. 2022 , 14, 4934	0
33	Olive: A potential suppressor for cervical cancer by upregulation of p21.	0
32	Current insights into the regulation of programmed cell death by TP53 mutation in cancer. 12,	1
31	The regulatory roles of circular RNAs via autophagy in ischemic stroke. 13,	0
30	Chemopreventive and anti-tumor potential of vitamin E in preclinical breast cancer studies: a systematic review. 2022 ,	2
29	Poly-ADP ribosylation of p21 by tankyrases promotes p21 degradation and regulates cell cycle progression.	0
28	Association of RB1 rs9568036 and CDKN1A rs1801270 polymorphisms with retinoblastoma susceptibility. 2022 , 34, 328	1
27	Chemical Composition, Antitumor Properties, and Mechanism of the Essential Oil from <i>Plagiomnium acutum</i> T. Kop.. 2022 , 23, 14790	0
26	Analysis of cataract-regulated genes using chemical DNA damage induction in a rat ex vivo model. 2022 , 17, e0273456	0
25	Revealing active components and action mechanism of <i>Fritillariae Bulbus</i> against non-small cell lung cancer through spectrum-effect relationship and proteomics. 2022 , 154635	0
24	Cannabidiol-induced transcriptomic changes and cellular senescence in human Sertoli cells.	1
23	TGF- β 1 Induces the Cyclin-Dependent Kinase Inhibitor p27Kip1 mRNA and Protein in Murine B Cells. 1998 , 160, 770-777	9
22	A Pivotal Role of Cyclin D3 and Cyclin-Dependent Kinase Inhibitor p27 in the Regulation of IL-2-, IL-4-, or IL-10-Mediated Human B Cell Proliferation. 1998 , 161, 1123-1131	8
21	The Mitogen-Activated Protein Kinase Pathway Inhibits Ceramide-Induced Terminal Differentiation of a Human Monoblastic Leukemia Cell Line, U937. 1998 , 161, 1390-1398	4
20	Novel delivery system with a dual-trigger release of savory essential oil by mesoporous silica nanospheres and its possible targets in leukemia cancer cells: in vitro study. 2023 , 14,	0
19	P53 protein and the diseases in central nervous system. 13,	0
18	Different impacts of TP53 mutations on cell cycle-related gene expression among cancer types.	0

- 17 Cyclo-glycylproline attenuates hydrogen peroxide-induced cellular damage mediated by the MDM2-p53 pathway in human neural stem cells. ○
- 16 Cytotoxicity of Isoxazole Curcumin Analogs on Chronic Myeloid Leukemia-Derived K562 Cell Lines Sensitive and Resistant to Imatinib. **2023**, 24, 2356 ○
- 15 METTL3 depletion contributes to tumour progression and drug resistance via N6 methyladenosine-dependent mechanism in HR+HER2⁺Breast cancer. **2023**, 25, ○
- 14 P53 upregulation by USP7-engaging molecular glues. ○
- 13 STEAP1 Knockdown Decreases the Sensitivity of Prostate Cancer Cells to Paclitaxel, Docetaxel and Cabazitaxel. **2023**, 24, 6643 ○
- 12 An evolutionarily conserved bimodular domain anchors ZC3HC1 and its yeast homologue Pml39p to the nuclear basket. **2023**, 34, ○
- 11 The effect of prolonged intermittent fasting on autophagy, inflammasome and senescence genes expressions: An exploratory study in healthy young males. **2023**, 32, 200189 ○
- 10 The role of lamin B2 in human diseases. **2023**, 870, 147423 ○
- 9 NFATc1 Regulation of Dexamethasone-Induced TGFB2 Expression Is Cell Cycle Dependent in Trabecular Meshwork Cells. **2023**, 12, 504 ○
- 8 USP15 Represses Hepatocellular Carcinoma Progression by Regulation of Pathways of Cell Proliferation and Cell Migration: A System Biology Analysis. **2023**, 15, 1371 ○
- 7 Role of RUNX3 in Restriction Point Regulation. **2023**, 12, 708 ○
- 6 Targeting p53 pathways: mechanisms, structures, and advances in therapy. **2023**, 8, ○
- 5 Cell Cycle and Cancer. **2023**, 83-101 ○
- 4 2,5-Hexanedione Affects Ovarian Granulosa Cells in Swine by Regulating the CDKN1A Gene: A Transcriptome Analysis. **2023**, 10, 201 ○
- 3 Different impacts of TP53 mutations on cell cycle-related gene expression among cancer types. **2023**, 13, ○
- 2 Proteomic analysis reveals microvesicles containing NAMPT as mediators of radioresistance in glioma. **2023**, 6, e202201680 ○
- 1 Gestational exposure to haloperidol changes Cdkn1a and Apaf1 mRNA expressions in mouse hippocampus. **2023**, 199, 110662 ○