CITATION REPORT List of articles citing

L-arginine administration normalizes pressure natriuresis in hypertensive Dahl rats

DOI: 10.1161/01.hyp.22.6.863 Hypertension, 1993, 22, 863-9.

Source: https://exaly.com/paper-pdf/24252628/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
83	Effects of NG-nitro-L-arginine on pressure natriuresis in anaesthetized rabbits. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1995 , 22, 94-101	3	18
82	Nitric oxide in hypertension and renal diseases. <i>Annals of Medicine</i> , 1995 , 27, 353-7	1.5	27
81	Nitric oxide in the regulation of blood flow and arterial pressure. <i>Annual Review of Physiology</i> , 1995 , 57, 771-90	23.1	232
80	Hypertension is not related to suppressed lymphocyte proliferation but to elevated NO synthesis in vascular smooth muscle cells of borderline hypertensive rat. <i>Blood Pressure</i> , 1995 , 4, 249-56	1.7	1
79	Dietary calcium supplementation restores pressure natriuresis responses in Dahl-S rats. <i>American Journal of Hypertension</i> , 1995 , 8, 615-21	2.3	4
78	Salt-sensitive hypertension: lessons from animal models. <i>American Journal of Kidney Diseases</i> , 1996 , 28, 775-82	7.4	28
77	Chronic sodium-potassium-ATPase inhibition with ouabain impairs renal haemodynamics and pressure natriuresis in the rat. <i>Clinical Science</i> , 1996 , 91, 497-502	6.5	16
76	Relationship between insulin resistance and endothelium-dependent vascular relaxation in patients with essential hypertension. <i>Hypertension</i> , 1997 , 29, 280-5	8.5	54
75	Relationship of diastolic blood pressure with cyclic GMP excretion among young adults (the CARDIA Study): influence of a family history of hypertension. Coronary Artery Risk Development in Young Adults. <i>Journal of Hypertension</i> , 1997 , 15, 955-62	1.9	6
74	Withdrawal-induced antihypertensive effect of vasopressin: role of the L-arginine/nitric oxide pathway. <i>Canadian Journal of Physiology and Pharmacology</i> , 1997 , 75, 812-817	2.4	1
73	Impairment of endothelial function in salt-sensitive hypertension in humans. <i>American Journal of Hypertension</i> , 1997 , 10, 1083-90	2.3	63
72	Enalapril and pressure-diuresis in hypertensive rats transgenic for mouse renin gene. <i>Kidney and Blood Pressure Research</i> , 1997 , 20, 1-5	3.1	5
71	Nitric oxide, the kidney and hypertension. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1997 , 24, 600-6	3	23
7º	Pressor and sympathetic responses to excitatory amino acids are not augmented in the ventrolateral medulla of Dahl salt-sensitive rats. <i>Brain Research</i> , 1997 , 750, 195-200	3.7	13
69	Nitric oxide in blood pressure regulation, with special reference to patients undergoing hemodialysis. <i>Clinical and Experimental Nephrology</i> , 1997 , 1, 12-19	2.5	4
68	Is the nitric oxide system involved in genetic hypertension in Dahl rats?. <i>Kidney International</i> , 1998 , 53, 1501-11	9.9	18
67	Vascular smooth muscle nitric oxide synthase anomalies in Dahl/Rapp salt-sensitive rats. <i>Hypertension</i> , 1998 , 31, 918-24	8.5	47

66	Genetic mapping of soluble guanylyl cyclase genes: implications for linkage to blood pressure in the Dahl rat. <i>Hypertension</i> , 1998 , 32, 149-54	8.5	33
65	Role of nitric oxide in vascular hyper-responsiveness to norepinephrine in hypertensive Dahl rats. <i>Journal of Hypertension</i> , 1998 , 16, 1611-8	1.9	50
64	Renal medullary interstitial infusion of L-arginine prevents hypertension in Dahl salt-sensitive rats. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 1998, 275, R1667-73	3.2	29
63	Dietary salt enhances glomerular endothelial nitric oxide synthase through TGF-beta1. <i>American Journal of Physiology - Renal Physiology</i> , 1998 , 275, F18-24	4.3	43
62	Endothelial nitric oxide gene knockout mice: cardiac phenotypes and the effect of angiotensin-converting enzyme inhibitor on myocardial ischemia/reperfusion injury. <i>Hypertension</i> , 1999 , 34, 24-30	8.5	128
61	Prolonged L-arginine on cardiovascular mass and myocardial hemodynamics and collagen in aged spontaneously hypertensive rats and normal rats. <i>Hypertension</i> , 1999 , 33, 451-5	8.5	50
60	Inhibitory effect of nitric oxide on the renin-angiotensin system in Dahl salt-sensitive rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1999 , 26, 914-9	3	1
59	Role of nitric oxide in the control of renal function and salt sensitivity. <i>Current Hypertension Reports</i> , 1999 , 1, 178-86	4.7	69
58	Endothelial Function and Dysfunction. 1999 , 49-70		
57	Tubulointerstitial injury and loss of nitric oxide synthases parallel the development of hypertension in the Dahl-SS rat. <i>Journal of Hypertension</i> , 2000 , 18, 1497-505	1.9	58
56	Effects of sodium intake on the pressor and renal responses to nitric oxide synthesis inhibition in normotensive individuals with different sodium sensitivity. <i>Journal of Hypertension</i> , 2000 , 18, 615-21	1.9	19
55	Abnormal pressure-natriuresis in hypertension: role of nitric oxide. <i>Acta Physiologica Scandinavica</i> , 2000 , 168, 161-8		46
54	Characterization of L-arginine transporters in rat renal inner medullary collecting duct. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2000 , 278, R1506-12	3.2	34
53	Role of female sex hormones in the development and reversal of dahl hypertension. <i>Hypertension</i> , 2000 , 35, 484-9	8.5	107
52	Blood pressure and metabolic changes during dietary L-arginine supplementation in humans. <i>American Journal of Hypertension</i> , 2000 , 13, 547-51	2.3	95
51	Gender differences in the attenuation of salt-induced hypertension by angiotensin (1-7). <i>Peptides</i> , 2001 , 22, 927-33	3.8	37
50	Role of abnormal nitric oxide systems in salt-sensitive hypertension. <i>American Journal of Hypertension</i> , 2001 , 14, 68S-73S	2.3	43
49	The role of gender in salt-induced hypertension. <i>Clinical and Experimental Hypertension</i> , 2001 , 23, 241-55	2.2	32

48	Effect of salt intake on endothelium-derived factors in a group of patients with essential hypertension. <i>Clinical Science</i> , 2001 , 101, 73-78	6.5	11
47	Effect of salt intake on endothelium-derived factors in a group of patients with essential hypertension. <i>Clinical Science</i> , 2001 , 101, 73	6.5	5
46	Inhibition of NO biosynthesis, but not elevated blood pressure, reduces angiogenesis in rat models of secondary hypertension. <i>Blood Pressure</i> , 2002 , 11, 116-24	1.7	24
45	Renal medullary nitric oxide deficit of Dahl S rats enhances hypertensive actions of angiotensin II. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2002 , 283, R266-72	3.2	59
44	Contributions of 20-HETE to the antihypertensive effects of Tempol in Dahl salt-sensitive rats. <i>Hypertension</i> , 2003 , 41, 697-702	8.5	72
43	Role of renal NO production in the regulation of medullary blood flow. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2003 , 284, R1355-69	3.2	145
42	Influence of dietary NaCl on L-arginine transport in the renal medulla. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2004 , 286, R89-93	3.2	12
41	L-arginine attenuates hypertension in pregnant rats with reduced uterine perfusion pressure. <i>Hypertension</i> , 2004 , 43, 832-6	8.5	85
40	L-Arginine uptake affects nitric oxide production and blood flow in the renal medulla. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2004 , 287, R1478-85	3.2	55
39	Identification of salt-sensitive genes in the kidneys of Dahl rats. <i>Journal of Hypertension</i> , 2004 , 22, 1487	-9.4)	8
38	Nutraceuticals, vitamins, antioxidants, and minerals in the prevention and treatment of hypertension. <i>Progress in Cardiovascular Diseases</i> , 2005 , 47, 396-449	8.5	151
37	Amino acids as modulators of endothelium-derived nitric oxide. <i>American Journal of Physiology - Renal Physiology</i> , 2006 , 291, F297-304	4.3	52
36	Sodium in Health and Disease. 2007,		3
35	The Influence of Dietary Salt Intake on Endothelial Cell Function. 1287-1293		
34	Nitric oxide and superoxide interactions in the kidney and their implication in the development of salt-sensitive hypertension. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2007 , 34, 946-52	3	73
33	Dietary salt activates an endothelial proline-rich tyrosine kinase 2/c-Src/phosphatidylinositol 3-kinase complex to promote endothelial nitric oxide synthase phosphorylation. <i>Hypertension</i> , 2008 , 52, 1134-41	8.5	15
32	The antihypertensive effect of arginine. International Journal of Angiology, 2008, 17, 7-22	1.1	29
31	Nitric oxide in the kidney: its physiological role and pathophysiological implications. <i>Electrolyte and Blood Pressure</i> , 2008 , 6, 27-34	1.1	20

30	Vascular consequences of dietary salt intake. <i>American Journal of Physiology - Renal Physiology</i> , 2009 , 297, F237-43	4.3	93
29	Molecular regulation of NKCC2 in the thick ascending limb. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 301, F1143-59	4.3	119
28	Statins reverse renal inflammation and endothelial dysfunction induced by chronic high salt intake. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 301, F263-70	4.3	26
27	Hyperphosphorylation of Na-K-2Cl cotransporter in thick ascending limbs of Dahl salt-sensitive rats. <i>Hypertension</i> , 2012 , 60, 1464-70	8.5	16
26	Overexpression of HIF-1 transgene in the renal medulla attenuated salt sensitive hypertension in Dahl S rats. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012 , 1822, 936-41	6.9	21
25	Hypertension: physiology and pathophysiology. <i>Comprehensive Physiology</i> , 2012 , 2, 2393-442	7.7	145
24	Dominant factors that govern pressure natriuresis in diuresis and antidiuresis: a mathematical model. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 306, F952-69	4.3	17
23	Silencing of HIF prolyl-hydroxylase 2 gene in the renal medulla attenuates salt-sensitive hypertension in Dahl S rats. <i>American Journal of Hypertension</i> , 2014 , 27, 107-13	2.3	21
22	Exogenous L-arginine attenuates the effects of angiotensin II on renal hemodynamics and the pressure natriuresis-diuresis relationship. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014 , 41, 270-8	3	6
21	Hormonal regulation of salt and water excretion: a mathematical model of whole kidney function and pressure natriuresis. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 306, F224-48	4.3	18
20	Novel Paradigms of Salt and Hypertension. <i>Journal of the American Society of Nephrology: JASN</i> , 2017 , 28, 1362-1369	12.7	50
19	Nitric oxide production by glomerular podocytes. <i>Nitric Oxide - Biology and Chemistry</i> , 2018 , 72, 24-31	5	8
18	Arginase upregulation and eNOS uncoupling contribute to impaired endothelium-dependent vasodilation in a rat model of intrauterine growth restriction. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018 , 315, R509-R520	3.2	16
17	Thick Ascending Limb Sodium Transport in the Pathogenesis of Hypertension. <i>Physiological Reviews</i> , 2019 , 99, 235-309	47.9	16
16	Arginine and Endothelial Function. <i>Biomedicines</i> , 2020 , 8,	4.8	42
15	Norvaline Reduces Blood Pressure and Induces Diuresis in Rats with Inherited Stress-Induced Arterial Hypertension. <i>BioMed Research International</i> , 2020 , 2020, 4935386	3	6
14	l -Arginine Can Enhance the Beneficial Effect of Losartan in Patients with Chronic Aortic Regurgitation and Isolated Systolic Hypertension. <i>International Journal of Angiology</i> , 2021 , 30, 122-131	1.1	O
13	Norvaline reduces blood pressure and induces diuresis in rats with inherited stress-induced arterial hypertension.		2

12	Nitric oxide synthase isoform activities in kidney of Dahl salt-sensitive rats. <i>Hypertension</i> , 1995 , 26, 10,	3081 5	40
11	Blunted pressure natriuresis in ovariectomized Dahl-Iwai salt-sensitive rats. <i>Hypertension</i> , 1996 , 27, 11	9-845	13
10	Renal response to L-arginine in salt-sensitive patients with essential hypertension. <i>Hypertension</i> , 1996 , 27, 643-8	8.5	43
9	Acute Na+,K+-ATPase inhibition with bufalin impairs pressure natriuresis in the rat. <i>Hypertension</i> , 1996 , 27, 668-71	8.5	6
8	Pressure natriuresis after adrenomedullin in anesthetized spontaneously hypertensive rats. <i>Hypertension</i> , 1997 , 30, 660-3	8.5	1
7	Effect of nitric oxide inhibition on blood pressure and renal function in TGR(mRen2)27 rats. <i>Pediatric Research</i> , 1998 , 43, 203-8	3.2	4
6	Sodium chloride loading does not alter endothelium-dependent vasodilation of forearm vasculature in either salt-sensitive or salt-resistant patients with essential hypertension. <i>Hypertension Research</i> , 2001 , 24, 711-6	4.7	20
5	Age-dependent salt hypertension in Dahl rats: fifty years of research. <i>Physiological Research</i> , 2012 , 61, S35-S87	2.1	44
4	Role of Nitric Oxide in the Regulation of Renal Function in Conscious Animals. 2000, 320-336		
3	Nitric Oxide and Hypertension. 2007 , 225-243		
2	Salt and Hypertension: Epidemiological and Clinical Evidence for a Link. 2007, 245-274		
1	Animal models of hypertension: The status of nitric oxide and oxidative stress and the role of the renal medulla. <i>Nitric Oxide - Biology and Chemistry</i> , 2022 , 125-126, 40-46	5	Ο