

Acute Tocolysis for Fetal Distress: Terbutaline Versus M

Australian and New Zealand Journal of Obstetrics and Gynaecology
33, 362-364

DOI: [10.1111/j.1479-828x.1993.tb02109.x](https://doi.org/10.1111/j.1479-828x.1993.tb02109.x)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Acute tocolysis for suspected intrapartum fetal distress: maternal effects of terbutaline versus magnesium sulfate. <i>International Journal of Obstetric Anesthesia</i> , 1995, 4, 140-144.	0.2	7
2	Betamimetics in fetal distress: a randomised controlled trial. <i>Journal of Perinatal Medicine</i> , 1997, 25, 97-100.	0.6	15
3	Tocolytics for suspected intrapartum fetal distress. <i>The Cochrane Library</i> , 1998, , CD000035.	1.5	17
4	Intrapartum fetal distress and magnesium sulfate. <i>International Journal of Gynecology and Obstetrics</i> , 2000, 68, 3-6.	1.0	6
5	Intrauterine resuscitation: active management of fetal distress. <i>International Journal of Obstetric Anesthesia</i> , 2002, 11, 105-116.	0.2	240
6	Cesarean Delivery for Nonreassuring Fetal Heart Rate Tracing. <i>Obstetrics and Gynecology Clinics of North America</i> , 2005, 32, 273-286.	0.7	17
7	Tocolysis for assisting delivery at caesarean section. , 2006, , CD004944.		9
8	Randomized comparison of intravenous terbutaline vs nitroglycerin for acute intrapartum fetal resuscitation. <i>American Journal of Obstetrics and Gynecology</i> , 2007, 197, 414.e1-414.e6.	0.7	31
9	A prospective randomized trial of acute tocolysis in term labour with atosiban or ritodrine. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2008, 139, 139-145.	0.5	38
10	Acute Tocolysis for Uterine Activity Reduction in Term Labor. <i>Obstetrical and Gynecological Survey</i> , 2008, 63, 383-388.	0.2	34
11	<i>In vitro</i> myometrial contractility reflects indication for caesarean section. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2011, 118, 1499-1506.	1.1	7
12	Intrapartum fetal monitoring. <i>Series in Maternal-fetal Medicine</i> , 2012, , 92-104.	0.1	0
13	Terbutaline: effects on the fetal heart at term. <i>Journal of Perinatal Medicine</i> , 2012, 40, 69-71.	0.6	5
14	Acute tocolysis for uterine tachysystole or suspected fetal distress. <i>The Cochrane Library</i> , 0, , .	1.5	5
15	Interventions for Intrauterine Resuscitation in Suspected Fetal Distress During Term Labor. <i>Obstetrical and Gynecological Survey</i> , 2015, 70, 524-539.	0.2	18
16	Techniques for assisting difficult delivery at caesarean section. <i>The Cochrane Library</i> , 2016, 2016, CD004944.	1.5	30
17	Acute tocolysis for uterine tachysystole or suspected fetal distress. <i>The Cochrane Library</i> , 2018, 7, CD009770.	1.5	9
18	Outcomes following acute tocolysis prior to emergency caesarean section. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2020, 60, 884-889.	0.4	1

#	ARTICLE	IF	CITATIONS
19	Cesarean delivery at term for non-reassuring fetal heart rate tracing: risk factors and predictability. Journal of Maternal-Fetal and Neonatal Medicine, 2022, 35, 6714-6720.	0.7	2
20	Controversies in Tocolytic Therapy. Clinical Obstetrics and Gynecology, 1999, 42, 802.	0.6	50
21	Intrapartum fetal monitoring. Series in Maternal-fetal Medicine, 2007, , 67-74.	0.1	1
22	EFFECTIVIDAD DE LA HIPEROXIGENACIÓN MATERNA Y TOCOLISIS AGUDA EN MONITOREO ELECTRÓNICO FETAL INTRAPARTO ALTERADO. Revista Chilena De Obstetricia Y Ginecología, 2009, 74, .	0.1	0
24	Resuscitation of the Obstetric Patient. Emergency Medicine Clinics of North America, 2023, 41, 323-335.	0.5	1