

CITATION REPORT

List of articles citing

Time and taphonomy: quantitative estimates of time-averaging and stratigraphic disorder in a shallow marine habitat

DOI: 10.1017/s0094837300015918
Paleobiology, 1993, 19, 266-286.

Source: <https://exaly.com/paper-pdf/24441921/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
168	Geographic gradients in the formation of shell concentrations: Plio-pleistocene marine deposits, Gulf of California. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1993 , 101, 1-25	2.9	36
167	Influence of Organic Matrix on the Post-Mortem Destruction of Molluscan Shells. 1993 , 101, 729-747		114
166	Models of time-averaging as a maturation process: How soon do sedimentary sections escape reworking?. 1993 , 6, 188-209		2
165	Taphonomic approaches to temporal resolution in stratigraphy: Examples from Paleozoic marine mudrocks. 1993 , 6, 251-274		5
164	Time-averaging and temporal resolution in Recent marine shelly faunas. 1993 , 6, 9-33		12
163	Time and taphonomy: Actualistic evidence for time-averaging of benthic foraminiferal assemblages. 1993 , 6, 34-56		2
162	Taphofacies analysis of recent shelly cheniers (beach ridges), northeastern baja california, Mexico. 1994 , 31, 209-241		60
161	Shell survival and time-averaging in nearshore and shelf environments: estimates from the radiocarbon literature. 1994 , 27, 153-165		119
160	Approaches to palaeoenvironmentalreconstructions. 1995 , 28, 183-195		16
159	Connections between ecology, biogeography, and paleobiology: Relationship between local abundance and geographic distribution in fossil and recent molluscs. 1995 , 9, 586-604		56
158	Amino acid racemization geochronology of reworked Quaternary mollusks on U.S. Atlantic coast beaches: implications for chronostratigraphy, taphonomy, and coastal sediment transport. 1995 , 124, 303-337		54
157	Taphonomy and time-averaging of foraminiferal assemblages in Holocene tidal flat sediments, Bahia la Choya, Sonora, Mexico (northern Gulf of California). <i>Marine Micropaleontology</i> , 1995 , 26, 187-206 ^{1.7}		38
156	The application of guild and tier structure and energy flow in paleoecologic analysis: An example using parautochthonous death assemblages from a variable salinity bay. <i>Historical Biology</i> , 1995 , 10, 281-327	1.1	10
155	The Quality of the Fossil Record: Populations, Species, and Communities. 1995 , 26, 269-299		158
154	Faunal gradients in surface and subsurface shelly accumulations from a recent clastic tidal flat, Bahia la Choya, northern Gulf of California, Mexico. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1996 , 126, 261-279	2.9	5
153	Statistical testing for paleocommunity recurrence: Are similar fossil assemblages ever the same?. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1996 , 127, 107-133	2.9	84
152	THE QUALITY OF THE FOSSIL RECORD: Populations, Species, and Communities. 1996 , 24, 433-464		117

151	Comparative taphonomy of bivalves and foraminifera from Holocene tidal flat sediments, Bahía la Choya, Sonora, Mexico (Northern Gulf of California): taphonomic grades and temporal resolution. <i>Paleobiology</i> , 1996 , 22, 80-90	2.6	65
150	Time-Averaging, Overcompleteness, and the Geological Record. 1996 , 104, 317-326		134
149	Gastropod shell repair in the intertidal of Bahía la Choya (N. Gulf of California). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1997 , 136, 67-78	2.9	47
148	Radiocarbon Reservoir Ages in the Gulf of California: Roles of Upwelling and Flow from the Colorado River. 1997 , 39, 139-148		43
147	Time-averaging and postmortem skeletal survival in benthic fossil assemblages: quantitative comparisons among Holocene environments. <i>Paleobiology</i> , 1997 , 23, 207-229	2.6	105
146	Time-averaging in the marine fossil record: Overview of strategies and uncertainties. 1997 , 30, 977-995		107
145	Shell Beds as paleoecological puzzles: A case study from the Upper Permian of the Paraná Basin, Brazil. 1998 , 38, 175-195		29
144	Subtropical coral-reef associated sedimentary facies characterized by molluscs (Northern Bay of Safage, Red Sea, Egypt). 1998 , 38, 229-254		43
143	Endobionts on modern and fossil <i>Turritella</i> from the northern Gulf of California region. 1998 , 6, 99-115		9
142	Weighing vs. Counting: Measurement Reliability and the California School of Midden Analysis. 1998 , 63, 303-324		60
141	Taking advantage of time-averaging. <i>Paleobiology</i> , 1999 , 25, 226-238	2.6	113
140	Microstratigraphic study of meristic variation in an Eocene fish from a 10 000-year varved interval at Horsefly, British Columbia. 1999 , 36, 2059-2072		10
139	Taphonomic tiering: experimental field taphonomy of molluscs and foraminifera above and below the sediment-water interface. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1999 , 149, 227-244	2.9	56
138	An epeiric ramp: low-energy, cool-water carbonate facies in a Tertiary inland sea, Murray Basin, South Australia. <i>Sedimentology</i> , 2000 , 47, 851-881	3.3	94
137	Taphonomy and paleobiology. <i>Paleobiology</i> , 2000 , 26, 103-147	2.6	118
136	A comparison of living and dead molluscs on coral reef associated hard substrata in the northern Red Sea: Implications for the fossil record. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000 , 159, 167-190	2.9	47
135	Paleobiogeography. <i>Topics in Geobiology</i> , 2000 ,	0.2	95
134	Taphonomy and paleobiology. <i>Paleobiology</i> , 2000 , 26, 103-147	2.6	361

133	Dating Modern Deltas: Progress, Problems, and Prognostics. 2001 , 29, 257-294		35
132	Time-Averaging. 292-296		5
131	Below the Sediment-Water-Interface: A New Frontier in Taphonomic Research. <i>Palaios</i> , 2001 , 16, 113-114.6		11
130	Reworked ammonoids and their taphonomic implications in the Upper Cretaceous of northwestern Hokkaido, Japan. 2001 , 22, 615-625		14
129	Bone Preservation in Hayonim Cave (Israel): a Macroscopic and Mineralogical Study. 2001 , 28, 643-659		87
128	Sensitivity of Taphonomic Signatures to Sample Size, Sieve Size, Damage Scoring System, and Target Taxa. <i>Palaios</i> , 2001 , 16, 26-52	1.6	54
127	Stability of Late Pleistocene Reef Mollusks from San Salvador Island, Bahamas. <i>Palaios</i> , 2001 , 16, 372-386.6		13
126	Applied Marine Paleoecology: An Oxymoron or Reality?. <i>Palaios</i> , 2001 , 16, 309-310	1.6	7
125	The population ecology of contemporary adaptations: what empirical studies reveal about the conditions that promote adaptive evolution. 2001 , 112/113, 183-198		512
124	Microevolution Rate, Pattern, Process. <i>Contemporary Issues in Genetics and Evolution</i> , 2001 ,		3
123	Differential Preservation of Gravel-sized Bioclasts in Alpheid- versus Callianassid-Bioturbated Muddy Reefal Sediments. <i>Palaios</i> , 2001 , 16, 185-191	1.6	7
122	Shell Repair Frequencies in New Jersey Bivalves: A Recent Baseline for Tests of Escalation with Tertiary, Mid-Atlantic Congeners. <i>Palaios</i> , 2001 , 16, 354-371	1.6	49
121	Time-averaging, evolution, and morphologic variation. <i>Paleobiology</i> , 2002 , 28, 9-25	2.6	41
120	Artificial time-averaging of marsh foraminiferal assemblages: linking the temporal scales of ecology and paleoecology. <i>Paleobiology</i> , 2002 , 28, 263-277	2.6	23
119	Mollusc Shell Encrustation and Bioerosion Rates in a Modern Epeiric Sea: Taphonomy Experiments in the Java Sea, Indonesia. <i>Palaios</i> , 2002 , 17, 171-191	1.6	70
118	Taphonomic Trends Along a Forereef Slope: Lee Stocking Island, Bahamas. II. Time. <i>Palaios</i> , 2002 , 17, 66-83	1.6	22
117	Taphonomy on the continental shelf and slope: two-year trends [Gulf of Mexico and Bahamas. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2002 , 184, 1-35	2.9	46
116	Taphonomic Trends Along a Forereef Slope: Lee Stocking Island, Bahamas. I. Location and Water Depth. <i>Palaios</i> , 2002 , 17, 50-65	1.6	32

115	Quantitative estimates of time-averaging in terebratulid brachiopod shell accumulations from a modern tropical shelf. <i>Paleobiology</i> , 2003 , 29, 381-402	2.6	85
114	Taphonomy of Eemian marine molluscs and acorn barnacles from eastern Arkhangelsk region, northern Russia. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2003 , 191, 139-168	2.9	21
113	Applicability and resolving power of statistical tests for simultaneous extinction events in the fossil record. <i>Paleobiology</i> , 2003 , 29, 37-51	2.6	8
112	Average Lifetime and Age Spectra of Detrital Grains: Toward a Unifying Theory of Sedimentary Particles. 2003 , 111, 427-439		32
111	Modeling the Influence of Taphonomic Destruction, Reworking, and Burial on Time-Averaging in Fossil Accumulations. <i>Palaios</i> , 2004 , 19, 39-50	1.6	67
110	An Assessment of Morphological Fidelity in the Sub-fossil Record of a Terebratulide Brachiopod. <i>Palaios</i> , 2004 , 19, 460-476	1.6	16
109	Age and preservation of Amphistegina (foraminifera) in Hawaiian beach sand: implication for sand turnover rate and resource renewal. <i>Marine Micropaleontology</i> , 2004 , 50, 225-236	1.7	16
108	Actualistic Taphonomy: Death, Decay, and Disintegration in Contemporary Settings. <i>Palaios</i> , 2004 , 19, 423-427	1.6	19
107	Formation et signification paléo-environnementale des concentrations coquillières : exemples de l'Ordovicien de Sardaigne et du Dévonien du Massif armoricain. 2004 , 3, 353-360		13
106	Detecting time-averaging and spatial mixing using oxygen isotope variation: a case study. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004 , 205, 1-21	2.9	23
105	Quantitative taphonomic analysis and taphofacies in lower Pliocene temperate carbonate-siliciclastic mixed platform deposits (Almería-Nerja basin, SE Spain). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004 , 207, 83-103	2.9	44
104	Quantitative Taphonomy in Sandstones from an Ancient Fan Delta System (Lower Pleistocene, Western Emilia, Italy). <i>Palaios</i> , 2004 , 19, 193-205	1.6	10
103	Brachyuran Taphonomy in a Modern Tidal-Flat Environment: Preservation Potential and Anatomical Bias. 2005 , 20, 400-410		26
102	Taphonomic trade-offs in tropical marine death assemblages: Differential time averaging, shell loss, and probable bias in siliciclastic vs. carbonate facies. <i>Geology</i> , 2005 , 33, 729	5	90
101	DATES AND RATES: Temporal Resolution in the Deep Time Stratigraphic Record. 2006 , 34, 569-590		31
100	Preservation of Autochthonous Shell Beds by Positive Feedback between Increased Hardpart-Input Rates and Increased Sedimentation Rates. 2006 , 114, 287-312		28
99	Trilobite Taphonomy and Temporal Resolution in the Mt. Orab Shale Bed (Upper Ordovician, Ohio, U.S.A.). <i>Palaios</i> , 2006 , 21, 26-45	1.6	26
98	The Temporal Resolution of Epibiont Assemblages: Are They Ecological Snapshots or Overexposures?. 2006 , 114, 313-324		39

97	Modeling shelliness and alteration in shell beds: variation in hardpart input and burial rates leads to opposing predictions. <i>Paleobiology</i> , 2006 , 32, 278-298	2.6	38
96	Sediment mixing and stratigraphic disorder revealed by the age-structure of <i>Tellina</i> shells in Great Barrier Reef sediment. <i>Geology</i> , 2007 , 35, 811	5	52
95	Changes in theoretical ecospace utilization in marine fossil assemblages between the mid-Paleozoic and late Cenozoic. <i>Paleobiology</i> , 2007 , 33, 76-97	2.6	114
94	Scale and structure of time-averaging (age mixing) in terrestrial gastropod assemblages from Quaternary eolian deposits of the eastern Canary Islands. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007 , 251, 283-299	2.9	29
93	Molluscan paleoecology in the reconstruction of coastal changes. 2007 , 23-46		3
92	The Reciprocal Taphonomic Model. 2007 , 30, 86-88		23
91	Influence of transportation and time-averaging in fossil assemblages from the Pennsylvanian of Oklahoma. 2007 , 30, 315-329		19
90	Taphonomy of <i>Clypeaster</i> fragments: preservation and taphofacies. 2007 , 32, 241-252		25
89	A review of the ecological and taphonomic controls on foraminiferal assemblage development in intertidal environments. 2007 , 83, 205-230		104
88	Taphonomy and taphofacies models of the Pliocene deposits of Vejer de la Frontera (Cádiz, SW Spain). 2008 , 41, 543-558		6
87	Molluscan Shell Condition After Eight Years on the Sea Floor—Taphonomy in the Gulf of Mexico and Bahamas. 2008 , 27, 191-225		25
86	Comparison of Radiocarbon Ages from Different Organic Fractions in Tropical Peat Cores: Insights from Kalimantan, Indonesia. 2008 , 50, 359-372		33
85	Taphonomic signatures and patterns of test degradation on tropical, intertidal benthic foraminifera. <i>Marine Micropaleontology</i> , 2009 , 73, 148-163	1.7	31
84	An inordinate fondness for turrids. 2009 , 56, 1724-1731		37
83	Fidelity of variation in species composition and diversity partitioning by death assemblages: time-averaging transfers diversity from beta to alpha levels. <i>Paleobiology</i> , 2009 , 35, 94-118	2.6	62
82	Taphonomic bias and time-averaging in tropical molluscan death assemblages: differential shell half-lives in Great Barrier Reef sediment. <i>Paleobiology</i> , 2009 , 35, 565-586	2.6	61
81	The effects of temporal resolution on species turnover and on testing metacommunity models. 2010 , 175, 587-606		52
80	Evolution in fossil lineages: paleontology and The Origin of Species. 2010 , 176 Suppl 1, S61-76		19

79	Influence of hydro-sedimentary factors on mollusc death assemblages in a temperate mixed tide-and-wave dominated coastal environment: Implications for the fossil record. 2010 , 30, 1876-1890		21
78	Quantitative comparisons and models of time-averaging in bivalve and brachiopod shell accumulations. <i>Paleobiology</i> , 2010 , 36, 428-452	2.6	49
77	Predicting the effects of increasing temporal scale on species composition, diversity, and rank-abundance distributions. <i>Paleobiology</i> , 2010 , 36, 672-695	2.6	66
76	The living, the dead, and the expected dead: variation in life span yields little bias of proportional abundances in bivalve death assemblages. <i>Paleobiology</i> , 2010 , 36, 615-640	2.6	16
75	Accounting for the effects of biological variability and temporal autocorrelation in assessing the preservation of species abundance. <i>Paleobiology</i> , 2011 , 37, 332-354	2.6	32
74	Encyclopedia of Modern Coral Reefs. <i>Encyclopedia of Earth Sciences Series</i> , 2011 , 168-172	0	3
73	Taphonomic degradation of molluscan remains during thirteen years on the continental shelf and slope of the northwestern Gulf of Mexico. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011 , 312, 209-232	2.9	43
72	The influence of molluscan taxon on taphofacies development over a broad range of environments of preservation: The SSETI experience. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011 , 312, 233-264	2.9	12
71	Drilling predation and taphonomy in modern mollusk death assemblages, San Salvador Island, Bahamas. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2011 , 311, 74-81	2.9	7
70	The problem of isotopic baseline: Reconstructing the diet and trophic position of fossil animals. 2011 , 106, 131-148		92
69	The relationship of bionts and taphonomic processes in molluscan taphofacies formation on the continental shelf and slope: eight-year trends: Gulf of Mexico and Bahamas. 2011 , 57, 15-37		15
68	Remembrance of things past: modelling the relationship between species abundances in living communities and death assemblages. <i>Biology Letters</i> , 2012 , 8, 131-4	3.6	23
67	A lower Cretaceous (Valanginian) seed cone provides the earliest fossil record for <i>Picea</i> (Pinaceae). <i>American Journal of Botany</i> , 2012 , 99, 1069-82	2.7	35
66	Ecology Needs a Paleontological Perspective. 2012 , 23-38		11
65	Probable tsunami origin for a Shell and Sand Sheet from marine ponds on Anegada, British Virgin Islands. <i>Natural Hazards</i> , 2012 , 63, 101-117	3	19
64	Rate and synchronicity of environmental changes on a shallow carbonate platform (Late Oxfordian, Swiss Jura Mountains). <i>Sedimentology</i> , 2012 , 59, 185-211	3.3	18
63	Radiocarbon-calibrated multiple amino acid geochronology of Holocene molluscs from Bramble and Rib Reefs (Great Barrier Reef, Australia). <i>Quaternary Geochronology</i> , 2013 , 16, 73-86	2.7	27
62	Variations in racemization/epimerization ratios and amino acid content of <i>Glycymeris</i> shells in raised marine deposits in the Mediterranean. <i>Quaternary Geochronology</i> , 2013 , 16, 35-49	2.7	15

61	Relative sea level during the Holocene in Uruguay. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013 , 374, 123-131	2.9	37
60	Time-averaging and fidelity of modern death assemblages: building a taphonomic foundation for conservation palaeobiology. <i>Palaeontology</i> , 2013 , 56, 487-522	2.9	127
59	Population dynamics and taphonomy of the Late Triassic (Carnian) freshwater bivalves from Krasiejów (Poland). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013 , 379-380, 68-80	2.9	6
58	Encyclopedia of Scientific Dating Methods. 2013 , 1-7		
57	Mass Extinctions and the Structure and Function of Ecosystems. <i>The Paleontological Society Papers</i> , 2013 , 19, 115-156		5
56	Utility of marine benthic associations as a multivariate proxy of paleobathymetry: a direct test from recent coastal ecosystems of North Carolina. <i>PLoS ONE</i> , 2014 , 9, e95711	3.7	13
55	Towards a formal description of foraminiferal assemblage formation in shallow-water environments: Qualitative and quantitative concepts. <i>Marine Micropaleontology</i> , 2014 , 112, 27-38	1.7	5
54	A continuous multi-millennial record of surficial bivalve mollusk shells from the São Paulo Bight, Brazilian shelf. <i>Quaternary Research</i> , 2014 , 81, 274-283	1.9	15
53	The Relationship Between Modern Mollusk Assemblages and Their Expression in Subsurface Sediment in a Carbonate Lagoon, St. Croix, US Virgin Islands. <i>Topics in Geobiology</i> , 2014 , 143-167	0.2	4
52	A multi-proxy study of Holocene environmental change recorded in alluvial deposits along the southern coast of the Pampa region, Argentina. <i>Journal of Quaternary Science</i> , 2014 , 29, 329-342	2.3	8
51	The importance of large benthic foraminifera to reef island sediment budget and dynamics at Raine Island, northern Great Barrier Reef. <i>Geomorphology</i> , 2014 , 222, 68-81	4.3	39
50	Paleoecological significance of coupling metrics of successful and unsuccessful shell-breaking predation: Examples using Neogene bivalve prey. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014 , 399, 89-97	2.9	8
49	Hiatuses and condensation: an estimation of time lost on a shallow carbonate platform. <i>Depositional Record</i> , 2015 , 1, 91-117	2	29
48	Taphonomy of a clypeasteroid echinoid using a new quasimetric approach. <i>Acta Palaeontologica Polonica</i> , 2015 ,		2
47	The role of character displacement in the molarization of hominin mandibular premolars. <i>Evolution; International Journal of Organic Evolution</i> , 2015 , 69, 1630-1642	3.8	7
46	Sediment accumulation, stratigraphic order, and the extent of time-averaging in lagoonal sediments: a comparison of ²¹⁰ Pb and ¹⁴ C/amino acid racemization chronologies. <i>Coral Reefs</i> , 2015 , 34, 215-229	4.2	25
45	Ammonoid Intraspecific Variability. <i>Topics in Geobiology</i> , 2015 , 359-426	0.2	36
44	Encyclopedia of Scientific Dating Methods. <i>Encyclopedia of Earth Sciences Series</i> , 2015 , 409-414	0	1

43	Encyclopedia of Scientific Dating Methods. <i>Encyclopedia of Earth Sciences Series</i> , 2015 , 372-378	0	
42	Taphonomic signatures, ichnofacies analysis and depositional dynamics of fossil macro-invertebrate assemblages of the San Juan Raya Formation, Zapotitlán Basin, Puebla, Mexico. <i>Historical Biology</i> , 2015 , 27, 915-937	1.1	2
41	Encyclopedia of Scientific Dating Methods. <i>Encyclopedia of Earth Sciences Series</i> , 2015 , 371-372	0	1
40	Where does the time go?: Mixing and the depth-dependent distribution of fossil ages. <i>Geology</i> , 2015 , 43, 487-490	5	27
39	Taphonomy and paleoecology of Cenomanian oysters from the Musabaa Salama area, southwestern Sinai, Egypt. <i>Geosciences Journal</i> , 2015 , 19, 655-679	1.4	7
38	The value of geohistorical data in identifying a recent human-induced range expansion of a predatory gastropod in the Colorado River delta, Mexico. <i>Journal of Biogeography</i> , 2016 , 43, 791-800	4.1	14
37	The effects of shellfish harvesting by aboriginal inhabitants of Southwest Florida (USA) on productivity of the eastern oyster: Implications for estuarine management and restoration. <i>Anthropocene</i> , 2016 , 16, 28-41	3.9	12
36	Common mollusk genera indicate interactions with their predators were ecologically stable across the Plio-Pleistocene extinction. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 463, 216-229	2.9	6
35	Inferring skeletal production from time-averaged assemblages: skeletal loss pulls the timing of production pulses towards the modern period. <i>Paleobiology</i> , 2016 , 42, 54-76	2.6	28
34	Paleoecology Studies in Chesapeake Bay: A Model System for Understanding Interactions Between Climate, Anthropogenic Activities and the Environment. <i>Developments in Paleoenvironmental Research</i> , 2017 , 495-527		3
33	Encrusting and Boring Barnacles Through the Cretaceous/Paleogene Boundary in Northern Patagonia (Argentina). <i>Ameghiniana</i> , 2017 , 54, 107	0.9	3
32	Surrogate taxa and fossils as reliable proxies of spatial biodiversity patterns in marine benthic communities. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017 , 284,	4.4	19
31	Holocene ecosystem shifts and human-induced loss of <i>Arca</i> and <i>Ostrea</i> shell beds in the north-eastern Adriatic Sea. <i>Marine Pollution Bulletin</i> , 2018 , 126, 19-30	6.7	15
30	One fossil record, multiple time resolutions: Disparate time-averaging of echinoids and mollusks on a Holocene carbonate platform. <i>Geology</i> , 2018 , 46, 51-54	5	23
29	Identifying hierarchical spatial patterns within paleocommunities: An example from the Upper Pennsylvanian Ames Limestone of the Appalachian Basin. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018 , 506, 1-11	2.9	4
28	How physical and biotic factors affect brachiopods from the Patagonian Continental Shelf. <i>Journal of Marine Systems</i> , 2018 , 187, 223-234	2.7	3
27	Environmental controls on shallow subtidal molluscan death assemblages on San Salvador Island, The Bahamas. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019 , 527, 14-24	2.9	3
26	The Fossil, the Dead, the Living: Beach Death Assemblages and Molluscan Biogeography of the Uruguayan Coast. <i>Topics in Geobiology</i> , 2020 , 17-34	0.2	

25	Scale of time-averaging in archaeological shell middens from the Canary Islands. <i>Holocene</i> , 2020 , 30, 258-271	2.6	1
24	Dermal denticle assemblages in coral reef sediments correlate with conventional shark surveys. <i>Methods in Ecology and Evolution</i> , 2020 , 11, 362-375	7.7	7
23	Pre-burial taphonomic imprints on drilling intensity: a case study from the recent molluscs of Chandipur, India. <i>Historical Biology</i> , 2020 , 1-7	1.1	2
22	Live, dead, and fossil mollusks in Florida freshwater springs and spring-fed rivers: Taphonomic pathways and the formation of multisourced, time-averaged death assemblages. <i>Paleobiology</i> , 2020 , 46, 356-378	2.6	2
21	Is there a reliable taphonomic clock in the temperate North Atlantic? An example from a North Sea population of the mollusc <i>Arctica islandica</i> . <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020 , 560, 109975	2.9	3
20	Diatom assemblages are controlled by light attenuation in oligotrophic and mesotrophic lakes in northern Ontario (Canada). <i>Journal of Paleolimnology</i> , 2020 , 64, 419-433	2.1	4
19	Large-scale spatial biostratigraphic patterns along the Eastern Indian coasts: Identification of a generalized siliciclastic beach taphofacies applicable in analogues (paleo)environments. <i>Estuarine, Coastal and Shelf Science</i> , 2021 , 249, 107073	2.9	2
18	Late Holocene seasonal temperature variability of the western Scottish shelf (St Kilda) recorded in fossil shells of the bivalve <i>Glycymeris glycymeris</i> . <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021 , 562, 110146	2.9	1
17	Inferring time averaging and hiatus durations in the stratigraphic record of high-frequency depositional sequences. <i>Sedimentology</i> , 2021 ,	3.3	7
16	The taphonomic clock in fish otoliths. <i>Paleobiology</i> , 1-17	2.6	4
15	Accounting for uncertainty from zero inflation and overdispersion in paleoecological studies of predation using a hierarchical Bayesian framework. <i>Paleobiology</i> , 1-18	2.6	1
14	The population ecology of contemporary adaptations: What empirical studies reveal about the conditions that promote adaptive evolution. <i>Contemporary Issues in Genetics and Evolution</i> , 2001 , 183-198		20
13	GASTROPOD DRILLING PREDATION IN THE UPPER JURASSIC OF KUTCH, INDIA. <i>Palaios</i> , 2021 , 36, 301-312	1.26	0
12	Performance of <i>Gladiolus</i> as influenced by boron and zinc. <i>Pakistan Journal of Biological Sciences</i> , 2007 , 10, 581-5	0.8	1
11	Encyclopedia of Modern Coral Reefs. <i>Encyclopedia of Earth Sciences Series</i> , 2011 , 158-163	0	0
10	Encyclopedia of Scientific Dating Methods. <i>Encyclopedia of Earth Sciences Series</i> , 2015 , 431-435	0	
9	References. 2017 , 77-91		
8	Documenting the Evolution of a Southern California Coastal Lagoon during the Late Holocene. <i>Coasts</i> , 2022 , 2, 102-124		

- 7 Millennial-scale changes in abundance of brachiopods in bathyal environments detected by postmortem age distributions in death assemblage (Bari Canyon, Adriatic Sea). **2023**, 529, 0
- 6 How long does a brachiopod shell last on a seafloor? Modern mid-bathyal environments as taphonomic analogues of continental shelves prior to the Mesozoic Marine Revolution. **2022**, 65, 0
- 5 Stratigraphic expression of the human impacts in condensed deposits of the Northern Adriatic Sea. **2023**, 529, 0
- 4 A downcore increase in time averaging is the null expectation from the transit of death assemblages through a mixed layer. 1-36 0
- 3 Temporal scales, sampling designs, and age distributions in marine conservation palaeobiology. **2023**, 529, 0
- 2 TAPHONOMIC SIGNATURES IN DEAD SHELLS OF THE INVASIVE GASTROPOD *RAPANA VENOSA* (VALENCIENNES, 1846) AFTER TWO DECADES IN THE RÍO DE LA PLATA, URUGUAY. **2023**, 38, 136-147 1
- 1 ONSHORE-OFFSHORE TRENDS IN THE TEMPORAL RESOLUTION OF MOLLUSCAN DEATH ASSEMBLAGES: HOW AGE-FREQUENCY DISTRIBUTIONS REVEAL QUATERNARY SEA-LEVEL HISTORY. **2023**, 38, 148-157 1