

# Discordance and concordance between morphological a

Paleobiology

19, 185-204

DOI: [10.1017/s0094837300015864](https://doi.org/10.1017/s0094837300015864)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Contributions of individual taxa to overall morphological disparity. <i>Paleobiology</i> , 1993, 19, 403-419.	1.3	239
2	Extinctions in the fossil record. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1994, 344, 11-17.	1.8	183
3	Disparity as an evolutionary index: a comparison of Cambrian and Recent arthropods. <i>Paleobiology</i> , 1994, 20, 93-130.	1.3	312
4	Effects of the Mesozoic Marine Revolution on the taxonomic, morphologic, and biogeographic evolution of a group: aporroid gastropods during the Mesozoic. <i>Paleobiology</i> , 1994, 20, 274-296.	1.3	61
5	Morphological disparity in Ordovician-Devonian crinoids and the early saturation of morphological space. <i>Paleobiology</i> , 1994, 20, 320-344.	1.3	222
6	A task for Paleobiology at the threshold of majority. <i>Paleobiology</i> , 1995, 21, 1-14.	1.3	15
7	Morphological diversification of Paleozoic crinoids. <i>Paleobiology</i> , 1995, 21, 273-299.	1.3	116
8	Trilobite Taphonomy and Taxonomy: A Problem and Some Implications. <i>Palaios</i> , 1995, 10, 283.	0.6	13
9	Parallel Evolution of Nonfeeding Larvae in Echinoids. <i>Systematic Biology</i> , 1996, 45, 308-322.	2.7	160
10	Molar Tooth Diversity, Disparity, and Ecology in Cenozoic Ungulate Radiations. <i>Science</i> , 1996, 274, 1489-1492.	6.0	179
11	Ecological Controls on the Evolutionary Recovery of Post-Paleozoic Crinoids. <i>Science</i> , 1996, 274, 1492-1495.	6.0	92
12	The roles of mass extinction and biotic interaction in large-scale replacements: a reexamination using the fossil record of stromboidean gastropods. <i>Paleobiology</i> , 1996, 22, 436-452.	1.3	62
13	Morphological diversification of Ptychopariida (Trilobita) from the Marjumiid biomere (Middle and Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	1.3	20
14	Evolution of ammonoid morphospace during the Early Jurassic radiation. <i>Paleobiology</i> , 1996, 22, 219-240.	1.3	71
15	PERSPECTIVE METAZOAN COMPLEXITY AND EVOLUTION: IS THERE A TREND?. <i>Evolution; International Journal of Organic Evolution</i> , 1996, 50, 477-492.	1.1	157
16	PERSPECTIVE: EVOLUTIONARY PATTERNS IN THE FOSSIL RECORD. <i>Evolution; International Journal of Organic Evolution</i> , 1996, 50, 1-11.	1.1	62
17	Calibrating the Ordovician Radiation of marine life: implications for Phanerozoic diversity trends. <i>Paleobiology</i> , 1996, 22, 304-309.	1.3	202
18	The biodiversity crisis and the future of evolution. <i>The Environmentalist</i> , 1996, 16, 37-47.	0.7	38

#	ARTICLE	IF	CITATIONS
19	The Independent Variable in the Early origin of Higher Taxa. <i>Journal of Theoretical Biology</i> , 1996, 181, 85-94.	0.8	3
20	DISSECTING GLOBAL DIVERSITY PATTERNS: Examples from the Ordovician Radiation. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 1997, 28, 85-104.	6.7	111
21	A new look at age and area: the geographic and environmental expansion of genera during the Ordovician Radiation. <i>Paleobiology</i> , 1997, 23, 410-419.	1.3	76
22	Bipedalism, flight, and the evolution of theropod locomotor diversity. <i>Journal of Vertebrate Paleontology</i> , 1997, 17, 308-329.	0.4	165
23	EXTINCTION VULNERABILITY AND SELECTIVITY: Combining Ecological and Paleontological Views. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 1997, 28, 495-516.	6.7	781
24	The spirit of D'Arcy Thompson dwells in empirical morphospace. <i>Mathematical Biosciences</i> , 1997, 142, 13-30.	0.9	37
25	THE EVOLUTION OF MORPHOLOGICAL DIVERSITY. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 1997, 28, 129-152.	6.7	507
26	Morphological approaches to measuring biodiversity. <i>Trends in Ecology and Evolution</i> , 1997, 12, 277-281.	4.2	131
27	Patterns of morphologic diversification among the Rostroconchia. <i>Paleobiology</i> , 1997, 23, 115-150.	1.3	111
28	Sampling, taxonomic description, and our evolving knowledge of morphological diversity. <i>Paleobiology</i> , 1997, 23, 181-206.	1.3	37
29	Crustacean disparity through the Phanerozoic: comparing morphological and stratigraphic data. <i>Biological Journal of the Linnean Society</i> , 1998, 65, 455-500.	0.7	84
30	Pond macrophyte assemblages, biodisparity and spatial distribution of ponds in the Northumberland coastal plain, UK. <i>Aquatic Conservation: Marine and Freshwater Ecosystems</i> , 1998, 8, 657-667.	0.9	25
31	Early Permian insect folivory on a gigantopterid-dominated riparian flora from north-central Texas. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 1998, 142, 139-173.	1.0	103
32	POSSIBLE LARGEST-SCALE TRENDS IN ORGANISMAL EVOLUTION: Eight "Live Hypotheses". <i>Annual Review of Ecology, Evolution, and Systematics</i> , 1998, 29, 293-318.	6.7	117
33	Species level phenotypic variation in lower Paleozoic trilobites. <i>Paleobiology</i> , 1998, 24, 17-36.	1.3	20
34	The rise and fall of late Paleozoic trilobites of the United States. <i>Journal of Paleontology</i> , 1999, 73, 164-175.	0.5	24
35	Morphologic diversity of inarticulate brachiopods through the Phanerozoic. <i>Paleobiology</i> , 1999, 25, 396-408.	1.3	23
36	Dynamics of clade diversification on the morphological hypercube. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 1999, 266, 817-824.	1.2	45

#	ARTICLE	IF	CITATIONS
37	Theropod hind limb disparity revisited: comments on Gatesy and Middleton (1997). <i>Journal of Vertebrate Paleontology</i> , 1999, 19, 602-605.	0.4	16
38	Disparity and constraint in olenelloid trilobites and the Cambrian Radiation. <i>Paleobiology</i> , 1999, 25, 459-470.	1.3	37
39	Theropod forelimb design and evolution. <i>Zoological Journal of the Linnean Society</i> , 2000, 128, 149-187.	1.0	93
40	Ontogenetic changes in the carapace shape of the non-marine ostracod <i>Eucypris virens</i> (Jurine). <i>Hydrobiologia</i> , 2000, 419, 65-72.	1.0	31
41	Trends in the evolution of molar crown types in ungulate mammals: evidence from the northern hemisphere. , 2000, , 269-281.		28
42	Micro- and macroevolution: Scale and hierarchy in evolutionary biology and paleobiology. <i>Paleobiology</i> , 2000, 26, 15-52.	1.3	18
43	Conversations about Phanerozoic global diversity. <i>Paleobiology</i> , 2000, 26, 53-73.	1.3	14
44	Contrasting evolutionary flexibility in sister groups: disparity and diversity in Mesozoic atelostomate echinoids. <i>Paleobiology</i> , 2000, 26, 56-79.	1.3	92
45	Conversations about Phanerozoic global diversity. <i>Paleobiology</i> , 2000, 26, 53-73.	1.3	32
46	Evolutionary Biology and Ecology of Ostracoda. , 2000, , .		9
47	Theoretical Morphology: State of the Art - Theoretical Morphology: The Concept and Its Applications. George R. McChee Jr. Columbia University Press, New York. 1999. 316 pages. Cloth \$60.00, paper \$26.50.. <i>Paleobiology</i> , 2000, 26, 520-528.	1.3	23
48	Micro- and macroevolution: scale and hierarchy in evolutionary biology and paleobiology. <i>Paleobiology</i> , 2000, 26, 15-52.	1.3	110
49	Disparity vs. Diversity. , 0, , 495-500.		10
50	Morphological Disparity: A Primer. <i>Topics in Geobiology</i> , 2001, , 55-144.	0.6	76
51	Detecting changes in morphospace occupation patterns in the fossil record: characterization and analysis of measures of disparity. <i>Paleobiology</i> , 2001, 27, 695-715.	1.3	229
52	Ordovician Radiation. , 0, , 49-52.		5
53	Not all written in stone: interdisciplinary syntheses in echinoderm paleontology. <i>Canadian Journal of Zoology</i> , 2001, 79, 1209-1231.	0.4	19
54	Speciation, extinction and diversity. , 2001, , 257-277.		41

#	ARTICLE	IF	CITATIONS
55	Speciation and extinction in the fossil record of North American mammals. , 2001, , 301-323.		33
56	History of marine biodiversity. Geological Journal, 2001, 36, 231-249.	0.6	37
57	The Phylogeny and Systematics of Blind Cambrian Ptychoparioid Trilobites. Palaeontology, 2001, 44, 167-207.	1.0	38
58	Chance and necessity: the evolution of morphological complexity and diversity. Nature, 2001, 409, 1102-1109.	13.7	478
59	Substrate affinities of higher taxa and the Ordovician Radiation. Paleobiology, 2001, 27, 768-778.	1.3	47
60	Global Ordovician faunal transitions in the marine benthos: proximate causes. Paleobiology, 2001, 27, 779-795.	1.3	36
61	Projecting mechanics into morphospace: disparity in the feeding system of labrid fishes. Proceedings of the Royal Society B: Biological Sciences, 2002, 269, 317-326.	1.2	111
62	EXCURSIONS IN MACROEVOLUTION <sup>1,2</sup> . Evolution; International Journal of Organic Evolution, 2002, 56, 1876.	1.1	0
63	Morphological disparity in populations with and without sexual reproduction: a case study in <i>Eucypris virens</i> (Crustacea: Ostracoda). Biological Journal of the Linnean Society, 2002, 75, 9-19.	0.7	29
64	Mapping cladograms into morphospaces. Acta Zoologica, 2002, 84, 63-68.	0.6	15
65	The continuity of microevolution and macroevolution. Journal of Evolutionary Biology, 2002, 15, 688-701.	0.8	136
66	EXCURSIONS IN MACROEVOLUTION <sup>2</sup> . Evolution; International Journal of Organic Evolution, 2002, 56, 1876-1879.	1.1	0
67	Tempo and Mode of Evolutionary Radiation in Iguanian Lizards. Science, 2003, 301, 961-964.	6.0	597
68	Spatial patterns of disparity and diversity of the Recent cuttlefishes (Cephalopoda) across the Old World. Journal of Biogeography, 2003, 30, 1125-1137.	1.4	55
69	Le d�bat macro�volutif�: apports de la disparit� morphologique. Comptes Rendus - Palevol, 2003, 2, 423-433.	0.1	5
70	Morphological diversity of Carboniferous arthropods and insights on disparity patterns through the Phanerozoic. Paleobiology, 2003, 29, 349-368.	1.3	24
71	The ontogenetic dynamics of shape disparity. Paleobiology, 2003, 29, 139-156.	1.3	134
72	<i>Crassianguлина variacornuta</i> sp. nov. from the late Llandovery and its bearing on Silurian and Devonian acritarch taxonomy. Bulletin - Societie Geologique De France, 2003, 174, 67-81.	0.9	8

#	ARTICLE	IF	CITATIONS
73	Evolution of hypercarnivory: the effect of specialization on morphological and taxonomic diversity. <i>Paleobiology</i> , 2004, 30, 108-128.	1.3	112
74	Morphological Disparity of Ammonoids and the Mark of Permian Mass Extinctions. <i>Science</i> , 2004, 306, 264-266.	6.0	62
75	Are Genome Evolution, Organism Complexity and Species Diversity Linked?. <i>Integrative and Comparative Biology</i> , 2004, 44, 358-365.	0.9	12
76	MORPHOLOGICAL DISPARITY AS A BIODIVERSITY METRIC IN LOWER BATHYAL AND ABYSSAL GASTROPOD ASSEMBLAGES. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 338.	1.1	4
77	Ammonoid taxonomic and morphologic recovery patterns after the Permian-Triassic. <i>Geology</i> , 2004, 32, 665.	2.0	42
78	Disparity and variation. , 2004, , 293-319.		2
79	The K/T event and infaunality: morphological and ecological patterns of extinction and recovery in veneroid bivalves. <i>Paleobiology</i> , 2004, 30, 507-521.	1.3	36
80	Assessing the robustness of disparity estimates: the impact of morphometric scheme, temporal scale, and taxonomic level in spatangoid echinoids. <i>Paleobiology</i> , 2004, 30, 652-665.	1.3	42
81	CONSTRAINTS ON THE MORPHOLOGICAL EVOLUTION OF MARSUPIAL HOULDER GIRDLES. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 2353-2370.	1.1	78
82	MORPHOLOGICAL DISPARITY AS A BIODIVERSITY METRIC IN LOWER BATHYAL AND ABYSSAL GASTROPOD ASSEMBLAGES. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 338-348.	1.1	45
85	CONSTRAINTS ON THE MORPHOLOGICAL EVOLUTION OF MARSUPIAL SHOULDER GIRDLES. <i>Evolution; International Journal of Organic Evolution</i> , 2004, 58, 2353.	1.1	67
86	Biodiversity dynamics and their driving factors during the Cretaceous diversification of Spatangoida (Echinoidea, Echinodermata). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2004, 214, 265-282.	1.0	9
87	BIOLOGICAL RADIATIONS AND SPECIATION. , 2005, , 266-279.		1
88	Body size, extinction events, and the early Cenozoic record of veneroid bivalves: a new role for recoveries?. <i>Paleobiology</i> , 2005, 31, 578-590.	1.3	13
89	The morphological diversification of carnivores in North America. <i>Paleobiology</i> , 2005, 31, 35-55.	1.3	101
90	Body size, extinction events, and the early Cenozoic record of veneroid bivalves: a new role for recoveries?. <i>Paleobiology</i> , 2005, 31, 578.	1.3	33
91	A Null Model of Morphospace Occupation. <i>American Naturalist</i> , 2005, 166, E1-E13.	1.0	68
92	Mass extinctions and macroevolution. <i>Paleobiology</i> , 2005, 31, 192-210.	1.3	236

#	ARTICLE	IF	CITATIONS
93	Ammonoid recovery from the Late Permian mass extinction event. <i>Comptes Rendus - Palevol</i> , 2005, 4, 517-530.	0.1	26
94	Tendencies in paleontological practice when defining species, and consequences on biodiversity studies. <i>Geology</i> , 2005, 33, 969.	2.0	11
95	TESTING FOR DIFFERENT RATES OF CONTINUOUS TRAIT EVOLUTION USING LIKELIHOOD. <i>Evolution; International Journal of Organic Evolution</i> , 2006, 60, 922.	1.1	183
96	The Ordovician biodiversification: Setting an agenda for marine life. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2006, 232, 148-166.	1.0	219
97	TESTING FOR DIFFERENT RATES OF CONTINUOUS TRAIT EVOLUTION USING LIKELIHOOD. <i>Evolution; International Journal of Organic Evolution</i> , 2006, 60, 922-933.	1.1	516
98	Latitudinal gradients in the phenetic diversity of New World bat communities. <i>Oikos</i> , 2006, 112, 41-50.	1.2	36
99	Evolutionary patterns in early tetrapods. II. Differing constraints on available character space among clades. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2006, 273, 2113-2118.	1.2	59
100	Diversification of atypical Paleozoic echinoderms: a quantitative survey of patterns of stylophoran disparity, diversity, and geography. <i>Paleobiology</i> , 2006, 32, 483-510.	1.3	19
101	A Cambrian Peak in Morphological Variation Within Trilobite Species. <i>Science</i> , 2007, 317, 499-502.	6.0	90
102	Using a theoretical ecospace to quantify the ecological diversity of Paleozoic and modern marine biotas. <i>Paleobiology</i> , 2007, 33, 273-294.	1.3	65
103	The space-time relationship of taxonomic diversity and morphological disparity in the Middle Jurassic ammonite radiation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 248, 82-95.	1.0	35
104	Fourier analysis and the extinction of unionoid bivalves near the Cretaceous-Tertiary boundary of the Western Interior, USA: Pattern, causes, and ecological significance. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2007, 255, 48-63.	1.0	13
105	The Evolution of Trilobite Body Patterning. <i>Annual Review of Earth and Planetary Sciences</i> , 2007, 35, 401-434.	4.6	117
106	Combining ontogenetic and evolutionary scales of morphological disparity: a study of early Jurassic ammonites. <i>Evolution &amp; Development</i> , 2007, 9, 472-482.	1.1	56
107	The correlated evolution of <i>Runx2</i> tandem repeats, transcriptional activity, and facial length in Carnivora. <i>Evolution &amp; Development</i> , 2007, 9, 555-565.	1.1	91
108	Patterns of size and shape differentiation during the evolutionary radiation of the European Miocene murine rodents. <i>Lethaia</i> , 1999, 32, 61-71.	0.6	31
109	DISPARITY: MORPHOLOGICAL PATTERN AND DEVELOPMENTAL CONTEXT. <i>Palaeontology</i> , 2007, 50, 57-73.	1.0	298
110	Measuring morphology and genetic biodiversity of the <i>Suaeda salsa</i> population in the Huanghe River Delta. <i>Russian Journal of Ecology</i> , 2007, 38, 277-284.	0.3	4

#	ARTICLE	IF	CITATIONS
111	Shape variation between arthrodire morphotypes indicates possible feeding niches. <i>Journal of Vertebrate Paleontology</i> , 2008, 28, 961-969.	0.4	25
112	The Avalon Explosion: Evolution of Ediacara Morphospace. <i>Science</i> , 2008, 319, 81-84.	6.0	152
113	ALLOMETRIC SPACE AND ALLOMETRIC DISPARITY: A DEVELOPMENTAL PERSPECTIVE IN THE MACROEVOLUTIONARY ANALYSIS OF MORPHOLOGICAL DISPARITY. <i>Evolution; International Journal of Organic Evolution</i> , 2008, 62, 1450-1457.	1.1	76
114	Morphologic and taxonomic history of Paleozoic ammonoids in time and morphospace. <i>Paleobiology</i> , 2008, 34, 128-154.	1.3	21
115	Extinction as the loss of evolutionary history. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 11520-11527.	3.3	61
116	Morphological Diversity and the Roles of Contingency, Chance and Determinism in African Cichlid Radiations. <i>PLoS ONE</i> , 2009, 4, e4740.	1.1	63
117	Functional trait assembly through ecological and evolutionary time. <i>Theoretical Ecology</i> , 2009, 2, 239-250.	0.4	19
118	The effects of rarity and abundance distributions on measurements of local morphological disparity. <i>Paleobiology</i> , 2009, 35, 175-189.	1.3	22
119	Biodiversity and body size are linked across metazoans. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2009, 276, 2209-2215.	1.2	35
120	Les Ammonoïtes (Mollusca, Cephalopoda): avancées et contributions récentes à la paléobiologie évolutive. <i>Comptes Rendus - Palevol</i> , 2009, 8, 167-178.	0.1	9
121	The diversity of North American projectile-point types, before and after the bow and arrow. <i>Journal of Anthropological Archaeology</i> , 2009, 28, 1-13.	0.7	45
122	Morphometry of Middle Bronze Age palstaves by Discrete Cosine Transform. <i>Journal of Archaeological Science</i> , 2009, 36, 721-729.	1.2	12
123	Biomechanics, functional patterns, and disparity in Late Devonian arthrodires. <i>Paleobiology</i> , 2009, 35, 321-342.	1.3	41
124	The rise of bilaterians: a reply. <i>Historical Biology</i> , 2009, 21, 239-246.	0.7	5
125	Morphological variability in time and space: an example of patterns within buchiid bivalves ( <i>Bivalvia</i> ). <i>Tj ETQqO 0 0 rgBT /Overlock 10 Tf 5</i>	1.0	2
126	The evolution of Metriorhynchoidea (mesoeucrocodylia, thalattosuchia): an integrated approach using geometric morphometrics, analysis of disparity, and biomechanics. <i>Zoological Journal of the Linnean Society</i> , 2010, 158, 801-859.	1.0	183
127	Habitat use affects morphological diversification in dragon lizards. <i>Journal of Evolutionary Biology</i> , 2010, 23, 1033-1049.	0.8	79
128	Resampling Methods in Paleontology. <i>The Paleontological Society Papers</i> , 2010, 16, 19-54.	0.8	24



#	ARTICLE	IF	CITATIONS
129	Evolution in Carnivora: identifying a morphological bias. , 0, , 189-224.		10
130	Macroevolutionary patterns in the evolutionary radiation of archosaurs (Tetrapoda: Diapsida). <i>Earth and Environmental Science Transactions of the Royal Society of Edinburgh</i> , 2010, 101, 367-382.	0.3	62
131	Diversity trends and their ontogenetic basis: an exploration of allometric disparity in rodents. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 1227-1234.	1.2	84
132	Early Maastrichtian ammonites and nautiloids from Hrebenne, southeast Poland, and phenotypic plasticity of <i>Acanthoscaphites tridens</i> (). <i>Cretaceous Research</i> , 2010, 31, 27-60.	0.6	19
133	Disparity fluctuations in Jurassic ammonoids by means of conch geometry. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2010, 292, 520-531.	1.0	15
134	Phylogenetic corrections for morphological disparity analysis: new methodology and case studies. <i>Paleobiology</i> , 2011, 37, 1-22.	1.3	54
135	Developmental aspects of morphological disparity dynamics: a simple analytical exploration. <i>Paleobiology</i> , 2011, 37, 237-251.	1.3	16
136	A probabilistic approach to the craniometric variability of the genus <i>Homo</i> and inferences on the taxonomic affinities of the first human population dispersing out of Africa. <i>Quaternary International</i> , 2011, 243, 219-230.	0.7	12
137	Early evolutionary differentiation of morphological variation in the mandible of South American caviomorph rodents (Rodentia, Caviomorpha). <i>Journal of Evolutionary Biology</i> , 2011, 24, 2687-2695.	0.8	15
138	Modularity of a Cambrian ptychoparioid trilobite cranium. <i>Evolution &amp; Development</i> , 2011, 13, 96-109.	1.1	31
139	MOSAIC HETEROCHRONY AND EVOLUTIONARY MODULARITY: THE TRILOBITE GENUS <i>ZACANTHOPSIS</i> AS A CASE STUDY. <i>Evolution; International Journal of Organic Evolution</i> , 2011, 65, 3241-3252.	1.1	55
140	Evolutionary uniformitarianism. <i>Developmental Biology</i> , 2011, 357, 27-34.	0.9	37
141	Resetting the evolution of marine reptiles at the Triassic-Jurassic boundary. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 8339-8344.	3.3	100
142	Biting through constraints: cranial morphology, disparity and convergence across living and fossil carnivorous mammals. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 1831-1839.	1.2	120
143	A Web of Controversies: Complexity in the Burgess Shale Debate. <i>Journal of the History of Biology</i> , 2011, 44, 745-780.	0.2	8
144	Evolutionary Lability of Integration in Cambrian Ptychoparioid Trilobites. <i>Evolutionary Biology</i> , 2011, 38, 144-162.	0.5	28
145	Temporal patterns in disparity and diversity of the Jurassic ammonoids of southern Germany. <i>Fossil Record</i> , 2011, 14, 77-94.	0.4	11
146	Testing the plateau: a reexamination of disparity and morphologic constraints in early Paleozoic crinoids. <i>Paleobiology</i> , 2011, 37, 214-236.	1.3	36

#	ARTICLE	IF	CITATIONS
147	Overshooting dynamics in a model adaptive radiation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2011, 278, 392-398.	1.2	18
148	Morphological Disparity in Plio-Pleistocene Large Carnivore Guilds from Italian Peninsula. <i>Acta Palaeontologica Polonica</i> , 2011, 56, 33-44.	0.4	16
149	Comparing taxonomic and geographic scales in the morphologic disparity of Ordovician through Early Silurian Laurentian crinoids. <i>Paleobiology</i> , 2012, 38, 538-553.	1.3	16
150	<i>Ecological and Evolutionary Morphology.</i> , 2012, , 263-296.		1
152	Tooth and cranial disparity in the fossil relatives of <i>Sphenodon</i> ( <i>Rhynchocephalia</i> ) dispute the persistent "living fossil" label. <i>Journal of Evolutionary Biology</i> , 2012, 25, 2194-2209.	0.8	39
153	Evidence for determinism in species diversification and contingency in phenotypic evolution during adaptive radiation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 4817-4826.	1.2	67
154	Palaeozoic Ammonoids " Diversity and Development of Conch Morphology. , 2012, , 491-534.		17
155	Macroevolutionary transition in crinoids following the Late Ordovician extinction event (Ordovician to Early Silurian). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2012, 361-362, 38-48.	1.0	31
156	Graptoloid diversity and disparity became decoupled during the Ordovician mass extinction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 3428-3433.	3.3	76
157	The Mosquito Fauna: From Metric Disparity to Species Diversity. , 2012, , .		2
158	Dinosaur morphological diversity and the end-Cretaceous extinction. <i>Nature Communications</i> , 2012, 3, 804.	5.8	68
159	The evolution of cranial form and function in theropod dinosaurs: insights from geometric morphometrics. <i>Journal of Evolutionary Biology</i> , 2012, 25, 365-377.	0.8	78
160	HOW DO GEOLOGICAL SAMPLING BIASES AFFECT STUDIES OF MORPHOLOGICAL EVOLUTION IN DEEP TIME? A CASE STUDY OF PTEROSAUR (REPTILIA: ARCHOSAURIA) DISPARITY. <i>Evolution; International Journal of Organic Evolution</i> , 2012, 66, 147-162.	1.1	95
161	VERTEBRAL EVOLUTION AND THE DIVERSIFICATION OF SQUAMATE REPTILES. <i>Evolution; International Journal of Organic Evolution</i> , 2012, 66, 1044-1058.	1.1	44
162	The generalized time variable reconstructed birth-death process. <i>Journal of Theoretical Biology</i> , 2012, 300, 265-276.	0.8	17
163	Do different disparity proxies converge on a common signal? Insights from the cranial morphometrics and evolutionary history of Pterosauria (Diapsida: Archosauria). <i>Journal of Evolutionary Biology</i> , 2012, 25, 904-915.	0.8	48
164	Modelling distributions of fossil sampling rates over time, space and taxa: assessment and implications for macroevolutionary studies. <i>Methods in Ecology and Evolution</i> , 2013, 4, 703-713.	2.2	52
165	Adaptive radiation in the fossil record: a case study among Jurassic ammonoids. <i>Palaeontology</i> , 2013, 56, 1247-1261.	1.0	20

#	ARTICLE	IF	CITATIONS
166	Geometric morphology as an alternative for measuring the diversity of fish assemblages. <i>Ecological Indicators</i> , 2013, 29, 159-166.	2.6	36
167	Clades reach highest morphological disparity early in their evolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 13875-13879.	3.3	206
168	Disparity pattern of unionoid bivalves from Lake Malawi (East-Africa): a case study for adaptive strategies to heterogeneous environment. <i>Zoosystematics and Evolution</i> , 2013, 89, 215-225.	0.4	3
169	Rapid action in the Palaeogene, the relationship between phenotypic and taxonomic diversification in Coenozoic mammals. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20122244.	1.2	41
170	Pterosaur diversity: Untangling the influence of sampling biases, Lagerstätten, and genuine biodiversity signals. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 372, 78-87.	1.0	59
171	Patterns of cranial ontogeny in lacertid lizards: morphological and allometric disparity. <i>Journal of Evolutionary Biology</i> , 2013, 26, 399-415.	0.8	31
172	Mammals across the K/Pg boundary in northeastern Montana, U.S.A.: dental morphology and body-size patterns reveal extinction selectivity and immigrant-fueled ecospace filling. <i>Paleobiology</i> , 2013, 39, 429-469.	1.3	106
173	An integrative view of phylogenetic comparative methods: connections to population genetics, community ecology, and paleobiology. <i>Annals of the New York Academy of Sciences</i> , 2013, 1289, 90-105.	1.8	206
174	EXTINCTION SPACE-A METHOD FOR THE QUANTIFICATION AND CLASSIFICATION OF CHANGES IN MORPHOSPACE ACROSS EXTINCTION BOUNDARIES. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, n/a-n/a.	1.1	36
175	Decoupling of taxonomic diversity and morphological disparity during decline of the Cambrian trilobite family Pterocephaliidae. <i>Journal of Evolutionary Biology</i> , 2013, 26, 1665-1676.	0.8	40
176	Decoupling of morphological disparity and taxic diversity during the adaptive radiation of anomodont therapsids. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20131071.	1.2	73
177	Ammonoid recovery after the Permian-Triassic mass extinction: a re-exploration of morphological and phylogenetic diversity patterns. <i>Journal of the Geological Society</i> , 2013, 170, 225-236.	0.9	36
178	Large-scale patterns in morphological diversity and species assemblages in Neotropical Triatominae (Heteroptera: Reduviidae). <i>Memorias Do Instituto Oswaldo Cruz</i> , 2013, 108, 997-1008.	0.8	17
179	On the Relationship between the Macroevolutionary Trajectories of Morphological Integration and Morphological Disparity. <i>PLoS ONE</i> , 2013, 8, e63913.	1.1	24
180	Phylogenetic eigenvector regression in paleobiology. <i>Revista Brasileira De Paleontologia</i> , 2014, 17, 105-122.	0.2	6
181	Inferring the accumulation of morphological disparity in epiphyllous liverworts. <i>Organisms Diversity and Evolution</i> , 2014, 14, 151-162.	0.7	9
182	Body mass evolution and diversification within horses (family Equidae). <i>Ecology Letters</i> , 2014, 17, 211-220.	3.0	29
183	Robust Regression and Posterior Predictive Simulation Increase Power to Detect Early Bursts of Trait Evolution. <i>Systematic Biology</i> , 2014, 63, 293-308.	2.7	97

#	ARTICLE	IF	CITATIONS
184	Trait-based diversification shifts reflect differential extinction among fossil taxa. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 16419-16424.	3.3	25
185	The environmental structure of trilobite morphological disparity. <i>Paleobiology</i> , 2014, 40, 352-373.	1.3	29
186	The ontogenetic origins of skull shape disparity in the <i>Triturus cristatus</i> group. <i>Evolution &amp; Development</i> , 2014, 16, 306-317.	1.1	16
187	Ecological fidelity of functional traits based on species presence-absence in a modern mammalian bone assemblage (Amboseli, Kenya). <i>Paleobiology</i> , 2014, 40, 560-583.	1.3	51
188	Phenotypic Evolution in Fossil Species: Pattern and Process. <i>Annual Review of Earth and Planetary Sciences</i> , 2014, 42, 421-441.	4.6	58
189	Graphing Evolutionary Pattern in Stone Tools to Reveal Evolutionary Process. , 2015, , 29-47.		2
190	Illustrating ontogenetic change in the dentition of the Nile monitor lizard, <i>Varanus niloticus</i> : a case study in the application of geometric morphometric methods for the quantification of shape size heterodonty. <i>Journal of Anatomy</i> , 2015, 226, 403-419.	0.9	23
191	What limits the morphological disparity of clades?. <i>Interface Focus</i> , 2015, 5, 20150042.	1.5	31
192	Evolutionary Trends of Triassic Ammonoids. <i>Topics in Geobiology</i> , 2015, , 25-50.	0.6	4
193	A morphospace of planktonic marine diatoms. I. Two views of disparity through time. <i>Paleobiology</i> , 2015, 41, 45-67.	1.3	20
194	Empirical and theoretical study of atelostomate (Echinoidea, Echinodermata) plate architecture: using graph analysis to reveal structural constraints. <i>Paleobiology</i> , 2015, 41, 436-459.	1.3	10
195	The Evolution of Morphological Integration in the Ruminant Skull. <i>Evolutionary Biology</i> , 2015, 42, 99-114.	0.5	41
196	Differences in mandibular disparity between extant and extinct species of metatherian and placental carnivore clades. <i>Lethaia</i> , 2015, 48, 196-204.	0.6	10
197	Tempo and mode in the evolution of morphological disparity in the Neotropical fern genus <i>Pleopeltis</i> . <i>Biological Journal of the Linnean Society</i> , 2016, 118, 929-939.	0.7	5
198	Radiation and extinction: investigating clade dynamics in deep time. <i>Biological Journal of the Linnean Society</i> , 2016, 118, 6-12.	0.7	11
199	Multiple transoceanic dispersals and geographical structure in the pantropical leafy liverwort <i>Ceratolejeunea</i> (Lejeuneaceae, Porellales). <i>Journal of Biogeography</i> , 2016, 43, 1739-1749.	1.4	30
200	Slow and steady: the evolution of cranial disparity in fossil and recent turtles. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20161881.	1.2	29
201	General models of ecological diversification. I. Conceptual synthesis. <i>Paleobiology</i> , 2016, 42, 185-208.	1.3	11

#	ARTICLE	IF	CITATIONS
202	General models of ecological diversification. II. Simulations and empirical applications. <i>Paleobiology</i> , 2016, 42, 209-239.	1.3	11
203	Eutherian morphological disparity across the end-Cretaceous mass extinction. <i>Biological Journal of the Linnean Society</i> , 2016, 118, 152-168.	0.7	55
204	Phenotypic Covariation and Morphological Diversification in the Ruminant Skull. <i>American Naturalist</i> , 2016, 187, 576-591.	1.0	41
205	Tightly congruent bursts of lineage and phenotypic diversification identified in a continental ant radiation. <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 903-912.	1.1	39
206	Therian mammals experience an ecomorphological radiation during the Late Cretaceous and selective extinction at the K-Pg boundary. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20160256.	1.2	70
207	Discordance between morphological and taxonomic diversity: land snails of oceanic archipelagos. <i>Journal of Biogeography</i> , 2016, 43, 2050-2061.	1.4	17
208	The challenges to inferring the regulators of biodiversity in deep time. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150216.	1.8	29
209	Early bursts of diversification defined the faunal colonization of land. <i>Nature Ecology and Evolution</i> , 2017, 1, .	3.4	50
210	How well does a part represent the whole? A comparison of cranial shape evolution with exoskeletal character evolution in the trilobite family Pteroccephaliidae. <i>Palaeontology</i> , 2017, 60, 309-318.	1.0	16
211	Approaches to Macroevolution: 2. Sorting of Variation, Some Overarching Issues, and General Conclusions. <i>Evolutionary Biology</i> , 2017, 44, 451-475.	0.5	72
212	New palaeothentid marsupials (Paucituberculata) from the middle Miocene of Quebrada Honda, Bolivia, and their implications for the palaeoecology, decline and extinction of the Palaeothentoidea. <i>Journal of Systematic Palaeontology</i> , 2017, 15, 787-820.	0.6	18
213	Discrete and continuous character-based disparity analyses converge to the same macroevolutionary signal: a case study from captorhinids. <i>Scientific Reports</i> , 2017, 7, 17531.	1.6	16
214	Modern Morphometrics of Medically Important Arthropods. , 2017, , 285-311.		1
215	Diversity and disparity of sparassodonts (Metatheria) reveal non-analogue nature of ancient South American mammalian carnivore guilds. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20172012.	1.2	28
216	Evolution of Angiosperm Pollen. 5. Early Diverging Superasteridae (Berberidopsidales, Caryophyllales). <i>Tj ETQq0 0 0 rgBT /Overlock 10 TF</i> 2018, 103, 106-161.	1.3	5
217	Post-Cretaceous bursts of evolution along the benthic-pelagic axis in marine fishes. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20182010.	1.2	30
218	A new family of dissimilarity metrics for discrete character matrices that include inapplicable characters and its importance for disparity studies. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, .	1.2	13
219	Early bursts of disparity and the reorganization of character integration. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20181604.	1.2	13

#	ARTICLE	IF	CITATIONS
220	A fly in a tube: Macroevolutionary expectations for integrated phenotypes. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 2580-2594.	1.1	100
221	Static Dental Disparity and Morphological Turnover in Sharks across the End-Cretaceous Mass Extinction. <i>Current Biology</i> , 2018, 28, 2607-2615.e3.	1.8	22
222	Disentangling the drivers of diversification in an imperiled group of freshwater fishes (Cyprinodontiformes: Goodeidae). <i>BMC Evolutionary Biology</i> , 2018, 18, 116.	3.2	19
223	Are phenotypic disparity and rate of morphological evolution correlated with ecological diversity in Carnivora?. <i>Biological Journal of the Linnean Society</i> , 2018, 124, 294-307.	0.7	15
224	The multi-peak adaptive landscape of crocodylomorph body size evolution. <i>BMC Evolutionary Biology</i> , 2019, 19, 167.	3.2	46
225	Ecomorphological diversification in squamates from conserved pattern of cranial integration. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 14688-14697.	3.3	111
226	Evolutionary rates and adaptive radiations. <i>Biology and Philosophy</i> , 2019, 34, 1.	0.7	6
227	From Assessing to Conserving Biodiversity. <i>History, Philosophy and Theory of the Life Sciences</i> , 2019, , .	0.4	9
228	Biodiversity, Disparity and Evolvability. <i>History, Philosophy and Theory of the Life Sciences</i> , 2019, , 233-246.	0.4	1
229	Misunderstanding graphs: The confusion of biological clade diversity diagrams and archaeological frequency seriation diagrams. <i>Studies in History and Philosophy of Science Part C: Studies in History and Philosophy of Biological and Biomedical Sciences</i> , 2019, 77, 101178.	0.8	2
230	Testing the evolutionary constraints of metamorphosis: The ontogeny of head shape in <i>Triturus newts</i> . <i>Evolution; International Journal of Organic Evolution</i> , 2019, 73, 1253-1264.	1.1	15
231	Contingency's causality and structural diversity. <i>Biology and Philosophy</i> , 2019, 34, 1.	0.7	13
232	Fossils Reveal Long-Term Continuous and Parallel Innovation in the Sacro-Caudo-Pelvic Complex of the Highly Aquatic Pipid Frogs. <i>Frontiers in Earth Science</i> , 2019, 7, .	0.8	10
233	Use and misuse of discrete character data for morphospace and disparity analyses. <i>Palaeontology</i> , 2019, 62, 305-319.	1.0	29
234	Evolutionary constraints on disparity of ericaceous pollen grains. <i>Annals of Botany</i> , 2019, 123, 805-813.	1.4	2
235	Evolution of South American Paucituberculata (Metatheria: Marsupialia): adaptive radiation and climate changes at the Eocene- Oligocene boundary. <i>Historical Biology</i> , 2020, 32, 476-493.	0.7	18
236	The morphospace of Late Permian coiled nautiloids. <i>Lethaia</i> , 2020, 53, 154-165.	0.6	3
237	Phenotypic integration in feliform carnivores: Covariation patterns and disparity in hypercarnivores versus generalists. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 2681-2702.	1.1	16

#	ARTICLE	IF	CITATIONS
238	Cretaceous–Paleogene plant extinction and recovery in Patagonia. <i>Paleobiology</i> , 2020, 46, 445-469.	1.3	24
239	The complex effects of mass extinctions on morphological disparity. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 2207-2220.	1.1	19
240	Moving towards a better understanding of iterative evolution: an example from the late Silurian Monograptidae (Graptolithina) of the Baltic Basin. <i>Palaeontology</i> , 2020, 63, 629-649.	1.0	4
241	Paleobiogeography, paleoecology, diversity, and speciation patterns in the Eublastoidea (Blastozoa): Tj ETQq1 1 0.784314 rgBT /Over	1.3	7
243	OUP accepted manuscript. <i>Systematic Biology</i> , 2021, , .	2.7	1
244	Were all trilobites fully marine? Trilobite expansion into brackish water during the early Palaeozoic. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20202263.	1.2	15
245	The patterns and modes of the evolution of disparity in Mesozoic birds. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2021, 288, 20203105.	1.2	15
246	On the Importance of Systematics to Archaeological Research: the Covariation of Typological Diversity and Morphological Disparity. <i>Journal of Paleolithic Archaeology</i> , 2021, 4, 1.	0.7	4
247	The Neo-Gouldian Argument for Evolutionary Contingency: Mass Extinctions. <i>British Journal for the Philosophy of Science</i> , 0, , .	1.4	1
248	Are Feeding Modes Concealing Morphofunctional Diversity? The Case of the New World Parrotfishes. <i>Frontiers in Marine Science</i> , 2021, 8, .	1.2	4
249	Selectivity and the effect of mass extinctions on disparity and functional ecology. <i>Science Advances</i> , 2021, 7, .	4.7	22
251	Phylogeny, disparity and mass extinction response in the trilobite order Harpetida. <i>Papers in Palaeontology</i> , 2021, 7, 2205-2225.	0.7	6
252	Tooth morphology elucidates shark evolution across the end-Cretaceous mass extinction. <i>PLoS Biology</i> , 2021, 19, e3001108.	2.6	6
253	Fluid dynamic simulation suggests hopping locomotion in the Ordovician trilobite <i>Placoparia</i> . <i>Journal of Theoretical Biology</i> , 2021, 531, 110916.	0.8	6
254	Morphological Disparity. , 2021, , 965-976.		6
256	Morphological Disparity. , 2017, , 1-12.		28
257	Ontogenetic changes in the carapace shape of the non-marine ostracod <i>Eucypris virens</i> (Jurine). , 2000, , 65-72.		7
258	The Establishment of Continental Ecosystems. <i>Topics in Geobiology</i> , 2016, , 205-324.	0.6	27



#	ARTICLE	IF	CITATIONS
260	Phylogenetic Methods in Palaeobiogeography: Changing from Simplicity to Complexity without Losing Parsimony. , 2011, , 29-54.		1
263	Geometric morphometric analysis of the pronotum and elytron in stag beetles: insight into its diversity and evolution. ZooKeys, 2019, 833, 21-40.	0.5	14
265	Shape dynamics of silica scales (Chrysophyceae, Stramenopiles) associated with pH.. Fottea, 2012, 12, 281-291.	0.4	11
266	The ontogeny of shape disparity in three species of Otariids (Pinnipedia: Mammalia). The Latin American Journal of Aquatic Mammals, 2007, 6, .	0.5	3
267	8. The Role of Development in Evolutionary Radiations. , 2001, , 132-161.		3
268	Graduate Students Supervised. Heterocycles, 2006, 70, 25.	0.4	0
271	Southern higher-latitude lamniform sharks track mid-Cretaceous environmental change. Gondwana Research, 2021, 103, 362-362.	3.0	0
272	Does island ontogeny dictate the accumulation of both species richness and functional diversity?. Global Ecology and Biogeography, 2022, 31, 123-137.	2.7	6
273	A new middle Cambrian trilobite with a specialized cephalon from Shandong Province, North China. Acta Palaeontologica Polonica, 0, 65, .	0.4	0
274	Study on the Relationship between Richness and Morphological Diversity of Higher Taxa in the Darkling Beetles (Coleoptera: Tenebrionidae). Diversity, 2022, 14, 60.	0.7	7
275	Morphological volatility precedes ecological innovation in early echinoderms. Nature Ecology and Evolution, 2022, 6, 263-272.	3.4	10
276	Why does pollen morphology vary? Evolutionary dynamics and morphospace occupation in the largest angiosperm order (Asterales). New Phytologist, 2022, 234, 1075-1087.	3.5	15
279	Calibrating the Ordovician Radiation of marine life: implications for Phanerozoic diversity trends. Paleobiology, 1996, 22, 304-9.	1.3	40
280	Post-Ordovician trilobite diversity and evolutionary faunas. Earth-Science Reviews, 2022, 230, 104035.	4.0	9
281	Evolvability and Macroevolution: Overview and Synthesis. Evolutionary Biology, 2022, 49, 265-291.	0.5	14
282	Topographically distinct adaptive landscapes for teeth, skeletons, and size explain the adaptive radiation of Carnivora (Mammalia). Evolution; International Journal of Organic Evolution, 2022, 76, 2049-2066.	1.1	5
284	Morphological disparity trends in Devonian trilobites from North Africa. Palaeontology, 2022, 65, .	1.0	4
285	Drifting with trilobites: The invasion of early post-embryonic trilobite stages to the pelagic realm. Palaeogeography, Palaeoclimatology, Palaeoecology, 2023, 613, 111403.	1.0	12



#	ARTICLE	IF	CITATIONS
286	Coupling of taxonomic diversity and morphological disparity in Devonian trilobites?. <i>Historical Biology</i> , 2024, 36, 473-484.	0.7	2
287	Decoupled Patterns of Diversity and Disparity Characterize an Ecologically Specialized Lineage of Neotropical Crickets. <i>Evolutionary Biology</i> , 0, , .	0.5	0
288	Morphospace trends underlying a global turnover: Ecological dynamics of trilobite assemblages at the onset of the Ordovician Radiation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 615, 111448.	1.0	5
289	Evolutionary contingency in lingulid brachiopods across mass extinctions. <i>Current Biology</i> , 2023, 33, 1565-1572.e3.	1.8	3
290	Contrasting patterns of disparity suggest differing constraints on the evolution of trilobite cephalic structures during the Cambrian "explosion". <i>Palaeontology</i> , 2023, 66, .	1.0	3
291	Permian trilobites and the applicability of the "living fossil" concept to extinct clades. <i>Frontiers in Ecology and Evolution</i> , 0, 11, .	1.1	2
298	Mass Extinctions, Concept of. , 2024, , 300-318.		0