

Local inhibitory synaptic inputs to neurones of the paraventricular nucleus of the rat hypothalamus.

Journal of Physiology

469, 179-192

DOI: [10.1113/jphysiol.1993.sp019810](https://doi.org/10.1113/jphysiol.1993.sp019810)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Homogeneity of intracellular electrophysiological properties in different neuronal subtypes in medial preoptic slices containing the sexually dimorphic nucleus of the rat. <i>Journal of Comparative Neurology</i> , 1994, 345, 396-408.	0.9	32
2	GABA-induced facilitation of the periodic bursting activity of oxytocin neurones in suckled rats.. <i>Journal of Physiology</i> , 1995, 488, 103-114.	1.3	72
3	Neural control of the pineal gland. <i>Behavioural Brain Research</i> , 1995, 73, 125-130.	1.2	322
4	Physiological Mapping of Local Inhibitory Inputs to the Hypothalamic Paraventricular Nucleus. <i>Journal of Neuroscience</i> , 1996, 16, 7151-7160.	1.7	297
5	Chapter 4 Excitatory and inhibitory amino acids and synaptic transmission in the suprachiasmatic nucleus. <i>Progress in Brain Research</i> , 1996, 111, 41-56.	0.9	13
6	The effects of GABA A receptor blockade in the dorsomedial hypothalamic nucleus on corticotrophin (ACTH) and corticosterone secretion in male rats. <i>Brain Research</i> , 1996, 739, 46-51.	1.1	57
7	Chapter 17 Electrophysiology of suprachiasmatic nucleus projections to hypothalamic paraventricular nucleus neurons. <i>Progress in Brain Research</i> , 1996, 111, 241-252.	0.9	14
8	Nitric oxide regulates NMDA-driven GABAergic inputs to type I neurones of the rat paraventricular nucleus.. <i>Journal of Physiology</i> , 1997, 499, 733-746.	1.3	149
9	Local synaptic release of glutamate from neurons in the rat hypothalamic arcuate nucleus.. <i>Journal of Physiology</i> , 1997, 499, 747-761.	1.3	46
10	Neurocircuitry of stress: central control of the hypothalamo-pituitary-adrenocortical axis. <i>Trends in Neurosciences</i> , 1997, 20, 78-84.	4.2	1,936
11	Physiological Evidence for Local Excitatory Synaptic Circuits in the Rat Hypothalamus. <i>Journal of Neurophysiology</i> , 1997, 77, 3396-3400.	0.9	170
12	Glutamate Microstimulation of Local Inhibitory Circuits in the Supraoptic Nucleus From Rat Hypothalamus Slices. <i>Journal of Neurophysiology</i> , 1997, 78, 3180-3186.	0.9	15
13	Diazepam attenuation of restraint stress-induced corticosterone levels is enhanced by prior exposure to repeated restraint. <i>Psychoneuroendocrinology</i> , 1997, 22, 349-360.	1.3	33
14	GABA immunoreactivity in hypothalamic neurons and growth cones in early development in vitro before synapse formation. , 1997, 383, 178-188.		29
15	Dissociated central and peripheral release of vasopressin, but not oxytocin, in response to repeated swim stress: New insights into the secretory capacities of peptidergic neurons. <i>Neuroscience</i> , 1998, 85, 1209-1222.	1.1	318
16	Kainate Acts at Presynaptic Receptors to Increase GABA Release From Hypothalamic Neurons. <i>Journal of Neurophysiology</i> , 1999, 82, 1059-1062.	0.9	41
17	Projections of the mediolateral part of the lateral septum to the hypothalamus, revealed by Fos expression and axonal tracing in rats. <i>Anatomy and Embryology</i> , 1999, 199, 249-263.	1.5	22
18	GABA release from suprachiasmatic nucleus terminals is necessary for the light-induced inhibition of nocturnal melatonin release in the rat. <i>Neuroscience</i> , 1999, 91, 453-461.	1.1	85

#	ARTICLE	IF	CITATIONS
19	Presynaptic NMDA receptor subunit immunoreactivity in GABAergic terminals in rat brain. <i>Journal of Comparative Neurology</i> , 2000, 423, 330-347.	0.9	59
20	Local circuitry regulates the excitability of rat neurohypophysial neurones. <i>Experimental Physiology</i> , 2000, 85, 153s-161s.	0.9	32
21	Diazepam-like effects of a fish protein hydrolysate (Gabolysat PC60) on stress responsiveness of the rat pituitary-adrenal system and sympathoadrenal activity. <i>Psychopharmacology</i> , 2000, 149, 34-40.	1.5	43
22	Vasopressin Increases GABAergic Inhibition of Rat Hypothalamic Paraventricular Nucleus Neurons In Vitro. <i>Journal of Neurophysiology</i> , 2000, 83, 705-711.	0.9	77
24	Neurotransmitter/Neuropeptide Interactions in the Regulation of Neurohypophyseal Hormone Release. <i>Experimental Neurology</i> , 2001, 171, 200-209.	2.0	44
25	GABA, Not Glutamate, a Primary Transmitter Driving Action Potentials in Developing Hypothalamic Neurons. <i>Journal of Neurophysiology</i> , 2001, 85, 425-434.	0.9	84
26	Membrane Properties Underlying Patterns of GABA-Dependent Action Potentials in Developing Mouse Hypothalamic Neurons. <i>Journal of Neurophysiology</i> , 2001, 86, 1252-1265.	0.9	24
27	The Effects of Ionotropic Agonists of Excitatory Amino Acids on the Release of Arginine Vasopressin in Rat Hypothalamic Slices. <i>Journal of Neuroendocrinology</i> , 2001, 12, 970-976.	1.2	8
28	Activation of A-Type \hat{I}^3 -Aminobutyric Acid Receptors Excites Gonadotropin-Releasing Hormone Neurons. <i>Molecular Endocrinology</i> , 2002, 16, 2872-2891.	3.7	268
29	GABAergic innervation of corticotropin-releasing hormone (CRH)-secreting parvocellular neurons and its plasticity as demonstrated by quantitative immunoelectron microscopy. <i>Neuroscience</i> , 2002, 113, 581-592.	1.1	155
30	Coordinate Release of ATP and GABA at <i>In Vitro</i> Synapses of Lateral Hypothalamic Neurons. <i>Journal of Neuroscience</i> , 2002, 22, 4794-4804.	1.7	132
31	Noradrenaline Excites and Inhibits GABAergic Transmission in Parvocellular Neurons of Rat Hypothalamic Paraventricular Nucleus. <i>Journal of Neurophysiology</i> , 2002, 87, 2287-2296.	0.9	80
32	Neurotransmitter Regulation of Cellular Activation and Neuropeptide Gene Expression in the Paraventricular Nucleus of the Hypothalamus. <i>Journal of Neuroscience</i> , 2002, 22, 959-969.	1.7	217
33	Nitric Oxide Inhibits Spinally Projecting Paraventricular Neurons Through Potentiation of Presynaptic GABA Release. <i>Journal of Neurophysiology</i> , 2002, 88, 2664-2674.	0.9	106
34	Local circuit regulation of paraventricular nucleus stress integration. <i>Pharmacology Biochemistry and Behavior</i> , 2002, 71, 457-468.	1.3	240
35	Rapid neuromodulation by cortisol in the rat paraventricular nucleus: an in vitro study. <i>British Journal of Pharmacology</i> , 2002, 137, 87-97.	2.7	31
36	The medullary dorsal reticular nucleus enhances the responsiveness of spinal nociceptive neurons to peripheral stimulation in the rat. <i>European Journal of Neuroscience</i> , 2003, 18, 580-588.	1.2	37
37	GABAergic control of neuropeptide gene expression in parvocellular neurons of the hypothalamic paraventricular nucleus. <i>European Journal of Neuroscience</i> , 2003, 18, 1518-1526.	1.2	72

#	ARTICLE	IF	CITATIONS
38	Angiotensin II Stimulates Spinally Projecting Paraventricular Neurons through Presynaptic Disinhibition. <i>Journal of Neuroscience</i> , 2003, 23, 5041-5049.	1.7	151
39	Effect of Adrenalectomy on Miniature Inhibitory Postsynaptic Currents in the Paraventricular Nucleus of the Hypothalamus. <i>Journal of Neurophysiology</i> , 2003, 89, 237-245.	0.9	32
40	Angiotensin II Activates a Nitric-Oxide-Driven Inhibitory Feedback in the Rat Paraventricular Nucleus. <i>Journal of Neurophysiology</i> , 2003, 89, 1238-1244.	0.9	25
41	Local gamma-aminobutyric acid and glutamate circuit control of hypophyseotropic corticotropin-releasing factor neuron activity in the paraventricular nucleus of the hypothalamus. <i>European Journal of Neuroscience</i> , 2004, 19, 777-782.	1.2	55
42	GABAergic Mechanisms Constraining the Activity of the Hypothalamo-Pituitary-Adrenocortical Axis. <i>Annals of the New York Academy of Sciences</i> , 2004, 1018, 466-476.	1.8	62
43	Hypothalamic Supraoptic and Paraventricular Nuclei. , 2004, , 369-388.		28
44	Activity changes of the cat paraventricular hypothalamus during stressor exposure. <i>NeuroReport</i> , 2004, 15, 43-48.	0.6	5
45	Regulation of Synaptic Inputs to Paraventricular-Spinal Output Neurons by $\hat{1}\pm 2$ Adrenergic Receptors. <i>Journal of Neurophysiology</i> , 2005, 93, 393-402.	0.9	42
46	Regulation of synaptic input to hypothalamic presympathetic neurons by GABAB receptors. <i>Neuroscience</i> , 2006, 142, 595-606.	1.1	22
47	Presynaptic $\hat{1}\pm 1$ Adrenergic Receptors Differentially Regulate Synaptic Glutamate and GABA Release to Hypothalamic Presympathetic Neurons. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 316, 733-742.	1.3	37
48	Substance P Targets Sympathetic Control Neurons in the Paraventricular Nucleus. <i>Circulation Research</i> , 2007, 100, 1650-1658.	2.0	20
49	Identification of the adrenoceptor subtypes expressed on GABAergic neurons in the anterior hypothalamic area and rostral zona incerta of GAD65-eGFP transgenic mice. <i>Neuroscience Letters</i> , 2007, 422, 153-157.	1.0	15
50	γ -Amino Butyric Acid Control of Arginine Vasopressin Release from the Ewe Hypothalamus In Vitro: Sensitivity to Oestradiol. <i>Reproduction in Domestic Animals</i> , 2007, 42, 527-535.	0.6	10
51	GABA Regulates the Rat Hypothalamicâ€Pituitaryâ€Adrenocortical Axis via Different GABAâ€A Receptor $\hat{1}\pm 2$ Subtypes. <i>Annals of the New York Academy of Sciences</i> , 2008, 1148, 384-392.	1.8	20
52	GABAergic mediation of stress-induced secretion of corticosterone and oxytocin, but not prolactin, by the hypothalamic paraventricular nucleus. <i>Life Sciences</i> , 2008, 83, 686-692.	2.0	24
53	Serotonin inhibits GABA synaptic transmission in presympathetic paraventricular nucleus neurons. <i>Neuroscience Letters</i> , 2008, 439, 138-142.	1.0	17
54	Roles of forebrain GABA receptors in controlling vasopressin secretion and related phenomena under basal and hyperosmotic circumstances in conscious rats. <i>Brain Research Bulletin</i> , 2008, 77, 61-69.	1.4	12
55	Plasticity of pre- and postsynaptic GABA _B receptor function in the paraventricular nucleus in spontaneously hypertensive rats. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 295, H807-H815.	1.5	30

#	ARTICLE	IF	CITATIONS
56	Recurrent hypoglycemia alters hypothalamic expression of the regulatory proteins FosB and synaptophysin. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 295, R1446-R1454.	0.9	16
57	GABA in the central amygdaloid nucleus modulates the electrolyte excretion and hormonal responses to blood volume expansion in rats. <i>Brazilian Journal of Medical and Biological Research</i> , 2009, 42, 114-121.	0.7	5
58	Enhanced Excitatory Input to Melanin Concentrating Hormone Neurons during Developmental Period of High Food Intake Is Mediated by GABA. <i>Journal of Neuroscience</i> , 2009, 29, 15195-15204.	1.7	13
59	Altered balance of γ -aminobutyric acidergic and glutamatergic afferent inputs in rostral ventrolateral medulla-projecting neurons in the paraventricular nucleus of the hypothalamus of renovascular hypertensive rats. <i>Journal of Comparative Neurology</i> , 2010, 518, 567-585.	0.9	55
60	Retrograde Endocannabinoid Signaling Reduces GABAergic Synaptic Transmission to Gonadotropin-Releasing Hormone Neurons. <i>Endocrinology</i> , 2010, 151, 5818-5829.	1.4	113
61	Galanin and the orexin 2 receptor as possible regulators of enkephalin in the paraventricular nucleus of the hypothalamus: relation to dietary fat. <i>Neuroscience</i> , 2011, 193, 10-20.	1.1	16
62	Function and Pharmacology of Spinally-Projecting Sympathetic Pre-Autonomic Neurones in the Paraventricular Nucleus of the Hypothalamus. <i>Current Neuropharmacology</i> , 2011, 9, 262-277.	1.4	71
63	GABA Is Excitatory in Adult Vasopressinergic Neuroendocrine Cells. <i>Journal of Neuroscience</i> , 2012, 32, 572-582.	1.7	87
64	Involvement of Hypothalamic Periventricular GABAergic Nerves in the Central Pressor Response to Clonidine in Freely-Moving Conscious Rats. <i>Journal of Pharmacological Sciences</i> , 2012, 118, 382-390.	1.1	8
65	Ionotropic Glutamate Receptors in Hypothalamic Paraventricular and Supraoptic Nuclei Mediate Vasopressin and Oxytocin Release in Unanesthetized Rats. <i>Endocrinology</i> , 2012, 153, 2323-2331.	1.4	21
66	Perinatal dexamethasone-induced alterations in apoptosis within the hippocampus and paraventricular nucleus of the hypothalamus are influenced by age and sex. <i>Journal of Neuroscience Research</i> , 2012, 90, 1403-1412.	1.3	32
67	Tonic Regulation of GABAergic Synaptic Activity on Vasopressin Neurons by Cannabinoids. <i>Journal of Neuroendocrinology</i> , 2012, 24, 664-673.	1.2	11
68	Effects of Stresscopin on Rat Hypothalamic Paraventricular Nucleus Neurons In Vitro. <i>PLoS ONE</i> , 2013, 8, e53863.	1.1	10
69	Chrelin Decreases Firing Activity of Gonadotropin-Releasing Hormone (GnRH) Neurons in an Estrous Cycle and Endocannabinoid Signaling Dependent Manner. <i>PLoS ONE</i> , 2013, 8, e78178.	1.1	51
70	Ablation of TrkB signalling in CCK neurons results in hypercortisolism and obesity. <i>Nature Communications</i> , 2014, 5, 3427.	5.8	11
71	Stress-induced dendritic internalization and nuclear translocation of the neurokinin-3 (NK3) receptor in vasopressinergic profiles of the rat paraventricular nucleus of the hypothalamus. <i>Brain Research</i> , 2014, 1590, 31-44.	1.1	6
72	Osmoregulation Requires Brain Expression of the Renal Na-K-2Cl Cotransporter NKCC2. <i>Journal of Neuroscience</i> , 2015, 35, 5144-5155.	1.7	34
73	Hypothalamic Supraoptic and Paraventricular Nuclei. , 2015, , 295-314.		17

#	ARTICLE	IF	CITATIONS
74	A novel GABA-mediated corticotropin-releasing hormone secretory mechanism in the median eminence. <i>Science Advances</i> , 2016, 2, e1501723.	4.7	50
75	Effects of Salt Loading on the Regulation of Rat Hypothalamic Magnocellular Neurosecretory Cells by Ionotropic GABA and Glycine Receptors. <i>Journal of Neuroendocrinology</i> , 2016, 28, .	1.2	14
76	Angiotensin Type-2 Receptors Influence the Activity of Vasopressin Neurons in the Paraventricular Nucleus of the Hypothalamus in Male Mice. <i>Endocrinology</i> , 2016, 157, 3167-3180.	1.4	33
77	Local oxytocin tempers anxiety by activating GABA _A receptors in the hypothalamic paraventricular nucleus. <i>Psychoneuroendocrinology</i> , 2016, 63, 50-58.	1.3	83
78	Nicotine enhances GABAergic inhibition of oxytocin mRNA-expressing neuron in the hypothalamic paraventricular nucleus in vitro in rats. <i>Neuroscience Letters</i> , 2017, 638, 5-11.	1.0	5
79	Ion Channels in the Paraventricular Hypothalamic Nucleus (PVN); Emerging Diversity and Functional Roles. <i>Frontiers in Physiology</i> , 2018, 9, 760.	1.3	18
80	Downregulation of Orexin Receptor in Hypothalamic Paraventricular Nucleus Decreases Blood Pressure in Obese Zucker Rats. <i>Journal of the American Heart Association</i> , 2019, 8, e011434.	1.6	11
81	Electrophysiology and distribution of oxytocin and vasopressin neurons in the hypothalamic paraventricular nucleus: a study in male and female rats. <i>Brain Structure and Function</i> , 2020, 225, 285-304.	1.2	11
83	BDNF shifts excitatory-inhibitory balance in the paraventricular nucleus of the hypothalamus to elevate blood pressure. <i>Journal of Neurophysiology</i> , 2021, 126, 1209-1220.	0.9	6
84	Differential Central and Peripheral Release of Vasopressin and Oxytocin in Response to Swim Stress in Rats. <i>Advances in Experimental Medicine and Biology</i> , 1998, 449, 175-177.	0.8	8
85	Milk Ejection and Its Control. , 2006, , 3129-3190.		21
86	Cell Biology of Oxytocin and Vasopressin Cells. , 2002, , 811-842.		2
87	The GABA _B receptor associates with regulators of G-protein signaling 4 protein in the mouse prefrontal cortex and hypothalamus. <i>BMB Reports</i> , 2014, 47, 324-329.	1.1	17
88	GABAergic Control of the Hypothalamic-Pituitary-Adrenal (HPA) Axis: Role of Extrasynaptic GABA _A Receptors. , 2014, , 239-270.		0
89	Neuromodulatory Action of Opioid Peptides on Hypothalamic Neurons. , 1995, , 295-305.		0
90	The Role of the Hypothalamus in Neuroendocrinology. , 1996, , 379-401.		1
93	A Subpopulation of AgRP Neurons Excites CRH Axon Terminals in Median Eminence Led to HPA Axis Activation in Response to Food Restriction. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
94	Intrahypothalamic effects of oxytocin on PVN CRH neurons in response to acute stress. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2022, , 100382.	0.6	1

#	ARTICLE	IF	CITATIONS
95	A subpopulation of agouti-related peptide neurons exciting corticotropin-releasing hormone axon terminals in median eminence led to hypothalamic-pituitary-adrenal axis activation in response to food restriction. <i>Frontiers in Molecular Neuroscience</i> , 0, 15, .	1.4	2
96	In the parvocellular part of paraventricular nucleus, glutamatergic and GABAergic neurons mediate cardiovascular responses to AngII. <i>Synapse</i> , 0, , .	0.6	0