

Inhibition of Ca²⁺ transport pathways in thymic lymphocytes and SKF 96365

American Journal of Physiology - Cell Physiology
264, C654-C662

DOI: [10.1152/ajpcell.1993.264.3.c654](https://doi.org/10.1152/ajpcell.1993.264.3.c654)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Emptying of intracellular Ca ²⁺ stores releases a novel small messenger that stimulates Ca ²⁺ influx. <i>Nature</i> , 1993, 364, 809-814.	13.7	886
2	Ionomycin activates electrogenic Ca ²⁺ influx in rat thymic lymphocytes. <i>Biochemical Journal</i> , 1993, 296, 33-39.	1.7	60
3	A Study of the Effect of Inhibitors of the Animal Sarcoplasmic/Endoplasmic Reticulum-Type Calcium Pumps on the Primary Ca ²⁺ -ATPases of Red Beet. <i>Plant Physiology</i> , 1994, 104, 1295-1300.	2.3	20
4	Histamine induces K ⁺ , Ca ²⁺ , and Cl ⁻ currents in human vascular endothelial cells. Role of ionic currents in stimulation of nitric oxide biosynthesis.. <i>Circulation Research</i> , 1994, 75, 304-314.	2.0	63
5	Ca ²⁺ Regulation and Endothelial Vascular Function. <i>Endothelium: Journal of Endothelial Cell Research</i> , 1994, 1, 223-236.	1.7	48
6	Voltage-independent calcium channels mediate slow oscillations of cytosolic calcium that are glucose dependent in pancreatic beta-cells.. <i>Endocrinology</i> , 1994, 135, 365-372.	1.4	48
7	Isolation and characterization of membrane potential changes associated with release of calcium from intracellular stores in rat thymic lymphocytes. <i>Journal of Membrane Biology</i> , 1994, 137, 159-68.	1.0	14
8	Role of intracellular Ca ²⁺ stores in the regulation of electrogenic plasma membrane Ca ²⁺ uptake in a B-lymphocytic cell line. <i>Journal of Cellular Physiology</i> , 1994, 161, 441-448.	2.0	11
9	The imidazole antimycotics econazole and miconazole reduce agonist-evoked protein-tyrosine phosphorylation and evoke membrane depolarisation in human platelets: cautions for their use in studying Ca ²⁺ signalling pathways. <i>Cell Calcium</i> , 1994, 16, 413-418.	1.1	22
10	Multiple pathways for entry of calcium and other divalent cations in a vascular smooth muscle cell line (A7r5). <i>Cell Calcium</i> , 1994, 15, 317-330.	1.1	38
11	Temporal relationships between Ca ²⁺ store mobilization and Ca ²⁺ entry in an exocrine cell. <i>Cell Calcium</i> , 1994, 15, 457-466.	1.1	33
12	Calcium signalling in platelets and other nonexcitable cells. , 1994, 64, 395-443.		54
13	Effects of 5,8,11,14-eicosatetraenoic acid on thapsigargin-induced calcium entry, and intracellular pH in thyroid FRTL-5 cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1994, 1223, 274-278.	1.9	9
14	TRH-evoked entry of extracellular calcium in GH4C1 cells: Possible importance of arachidonic acid metabolites. <i>Molecular and Cellular Endocrinology</i> , 1994, 102, 103-110.	1.6	5
15	Effect of sphingosine derivatives on calcium fluxes in thyroid FRTL-5 cells. <i>Biochemical Journal</i> , 1994, 299, 213-218.	1.7	31
16	Cytochrome P450 mono-oxygenase-regulated signalling of Ca ²⁺ entry in human and bovine endothelial cells.. <i>Journal of Physiology</i> , 1995, 482, 259-274.	1.3	196
17	Protein kinase C modulates cytosolic free calcium by stimulating calcium pump activity in Jurkat T cells. <i>Cell Calcium</i> , 1995, 18, 526-541.	1.1	42
18	Pharmacologic characterization of refilling inositol 1,4,5-trisphosphate-sensitive Ca ²⁺ stores in NG108-15 cells. <i>Brain Research</i> , 1995, 704, 10-18.	1.1	9

#	ARTICLE	IF	CITATIONS
19	Rapid inactivation of depletion-activated calcium current (ICRAC) due to local calcium feedback.. Journal of General Physiology, 1995, 105, 209-226.	0.9	357
20	Binding of Human Factor VIIa to Tissue Factor Induces Cytosolic Ca ²⁺ Signals in J82 Cells, Transfected COS-1 Cells, Madin-Darby Canine Kidney Cells and in Human Endothelial Cells Induced to Synthesize Tissue Factor. Journal of Biological Chemistry, 1995, 270, 4650-4660.	1.6	158
21	Stimulation of HIV Expression by Intracellular Calcium Pump Inhibition. Journal of Biological Chemistry, 1995, 270, 10278-10283.	1.6	28
22	Maitotoxin-elicited calcium influx in cultured cells. Biochemical Pharmacology, 1995, 50, 1187-1197.	2.0	46
23	On the inhibition of prostanoid formation by SK&F 96365, a blocker of receptor-operated calcium entry. British Journal of Pharmacology, 1995, 114, 598-601.	2.7	15
24	Inhibition of prostanoid formation in intact cells by 2,5-di-(<i>tert</i> -butyl)-1,4-benzohydroquinone, a blocker of Ca ²⁺ -ATPases. British Journal of Pharmacology, 1996, 117, 540-544.	2.7	3
25	Extracellular site for econazole-mediated block of Ca ²⁺ release-activated Ca ²⁺ current (IC _{crac}) in T lymphocytes. British Journal of Pharmacology, 1996, 119, 647-654.	2.7	29
26	Mechanisms of L ^G nitroarginine/indomethacin-resistant relaxation in bovine and porcine coronary arteries. British Journal of Pharmacology, 1996, 119, 1177-1186.	2.7	34
27	Evidence for the presence of two (Ca ²⁺ -Mg ²⁺)ATPases with different sensitivities to thapsigargin and cyclopiazonic acid in the human flatworm Schistosoma mansoni. Comparative Biochemistry and Physiology - B Biochemistry and Molecular Biology, 1996, 114, 199-205.	0.7	18
28	Ca ²⁺ entry following store depletion in SH-SY5Y neuroblastoma cells. Molecular Brain Research, 1996, 36, 93-100.	2.5	32
29	Dual effects of SK&F 96365 in human leukemic HL-60 cells. Biochemical Pharmacology, 1996, 51, 605-612.	2.0	34
30	Modulation of Human T-Lymphocyte Plasma Membrane Ca ²⁺ Permeability by Imidazole Antimycotics. Immunopharmacology and Immunotoxicology, 1996, 18, 237-245.	1.1	9
31	Evidence for a Phorbol Ester-insensitive Phosphorylation Step in Capacitative Calcium Entry in Rat Thymic Lymphocytes. Journal of Biological Chemistry, 1996, 271, 26732-26738.	1.6	14
32	Two different store-operated Ca ²⁺ entry pathways in MDCK cells. Cell Calcium, 1996, 20, 11-19.	1.1	16
33	Pharmacological and functional properties of voltage-independent Ca ²⁺ channels. Cell Calcium, 1996, 19, 269-279.	1.1	105
34	SK&F 96365 inhibits intracellular Ca ²⁺ pumps and raises cytosolic Ca ²⁺ concentration without production of nitric oxide and von Willebrand factor. Cell Calcium, 1996, 20, 501-508.	1.1	31
35	Store-operated Ca ²⁺ influx: What is the message from the stores to the membrane?. Translational Research, 1996, 128, 19-26.	2.4	37
36	Insulinotropic Glucagon-like Peptide-1-mediated Activation of Non-selective Cation Currents in Insulinoma Cells Is Mimicked by Maitotoxin. Journal of Biological Chemistry, 1997, 272, 17987-17993.	1.6	71

#	ARTICLE	IF	CITATIONS
37	Thapsigargin-Induced Gene Expression in Nonexcitable Cells Is Dependent on Calcium Influx. <i>Molecular Endocrinology</i> , 1997, 11, 281-291.	3.7	28
38	Oligomycin inhibits store-operated channels by a mechanism independent of its effects on mitochondrial ATP. <i>Biochemical Journal</i> , 1997, 324, 971-980.	1.7	29
39	Effects of the anti-allergics astemizole and norastemizole on Fc ϵ RI receptor-mediated signal transduction processes. <i>European Journal of Pharmacology</i> , 1997, 322, 97-105.	1.7	15
40	Loperamide: A positive modulator for store-operated calcium channels?. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 14912-14917.	3.3	33
41	Activation of microsomal cytochrome P450 mono-oxygenase by Ca ²⁺ store depletion and its contribution to Ca ²⁺ entry in porcine aortic endothelial cells. <i>British Journal of Pharmacology</i> , 1997, 121, 1579-1588.	2.7	68
42	Capacitative Ca ²⁺ influx in glial cells is inhibited by glycolytic inhibitors. , 1997, 21, 315-326.		23
43	SK&F 96365 (1- β -[3-(4-methoxyphenyl)propoxy]-4-methoxyphenylethyl]-1H-imidazole hydrochloride) stimulates phosphoinositide hydrolysis in human U373 MG astrocytoma cells. <i>Biochemical Pharmacology</i> , 1998, 56, 1023-1027.	2.0	6
44	Calcium signalling through nucleotide receptor P2Y2 in cultured human vascular endothelium. <i>Cell Calcium</i> , 1998, 24, 117-127.	1.1	38
45	Capacitative Ca ²⁺ entry into <i>Xenopus</i> oocytes is sensitive to ω -conotoxins GVIA, MVIIA and MVIIC. <i>Cell Calcium</i> , 1998, 23, 229-239.	1.1	12
46	P-type calcium ATPases in higher plants – biochemical, molecular and functional properties. <i>BBA - Biomembranes</i> , 1998, 1376, 1-25.	7.9	67
47	Pharmacological analysis of intracellular Ca ²⁺ signalling: problems and pitfalls. <i>Trends in Pharmacological Sciences</i> , 1998, 19, 370-375.	4.0	154
48	Characterisation of calcium signalling in DT40 chicken B-cells. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1998, 1448, 299-310.	1.9	18
49	Inhibition of platelet serotonin uptake by cytochrome P450 inhibitors miconazole and econazole. <i>Life Sciences</i> , 1998, 62, 2203-2208.	2.0	6
50	On the Mechanism of Action of Econazole, the Capacitative Calcium Inflow Blocker. <i>Biochemical and Biophysical Research Communications</i> , 1998, 248, 75-77.	1.0	20
51	Dual Effect of the Anti-Allergic Astemizole on Ca ²⁺ Fluxes in Rat Basophilic Leukemia (RBL-2H3) Cells: Release of Ca ²⁺ from Intracellular Stores and Inhibition of Ca ²⁺ Release-Activated Ca ²⁺ Influx. <i>Biochemical Pharmacology</i> , 1998, 55, 1255-1262.	2.0	30
52	Miconazole represses CO ₂ -induced pial arteriolar dilation only under selected circumstances. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999, 277, H1484-H1490.	1.5	9
53	Current Perspectives in the Pharmacological Studies of Store-Operated Ca ²⁺ Entry Blockers. <i>The Japanese Journal of Pharmacology</i> , 1999, 81, 253-258.	1.2	11
54	Activation of three types of voltage-independent Ca ²⁺ channel in A7r5 cells by endothelin-1 as revealed by a novel Ca ²⁺ channel blocker LOE 908. <i>British Journal of Pharmacology</i> , 1999, 126, 1107-1114.	2.7	68

#	ARTICLE	IF	CITATIONS
55	Regulation of the Na ⁺ -K ⁺ -(NH ₄) ₂ Cl ⁻ cotransporter of rat submandibular glands. , 1999, 180, 422-430.		2
56	Inhibitors of store-operated calcium channels: Imidazoles, phenothiazines, and other tricyclics. Drug Development Research, 1999, 47, 107-117.	1.4	20
57	Multiple effects of econazole on calcium signaling: depletion of thapsigargin-sensitive calcium store, activation of extracellular calcium influx, and inhibition of capacitative calcium entry. Biochimica Et Biophysica Acta - Molecular Cell Research, 1999, 1448, 533-542.	1.9	35
58	Mechanisms of miconazole-induced rise in cytoplasmic calcium concentrations in Madin Darby canine kidney (MDCK) cells. Life Sciences, 1999, 65, 2513-2522.	2.0	9
59	Current Perspectives in the Pharmacological Studies of Store-Operated Ca ²⁺ Entry Blockers.. The Japanese Journal of Pharmacology, 1999, 81, 253-258.	1.2	50
60	Inhibition of Microtubule Polymerization by SK&F 96365, a Blocker of Receptor-Linked Ca ²⁺ Entry. The Japanese Journal of Pharmacology, 2000, 82, 269-271.	1.2	7
61	Voltage-dependent inhibition of the muscarinic cationic current in guinea-pig ileal cells by SK&F 96365. British Journal of Pharmacology, 2000, 129, 695-702.	2.7	16
62	Mechanisms of the thapsigargin-induced Ca ²⁺ entry in in situ endothelial cells of the porcine aortic valve and the endothelium-dependent relaxation in the porcine coronary artery. British Journal of Pharmacology, 2000, 131, 115-123.	2.7	15
63	Pharmacological evaluation of the role of cytochrome P450 in intracellular calcium signalling in rat pancreatic acinar cells. British Journal of Pharmacology, 2000, 131, 761-771.	2.7	13
64	Positive regulation of capacitative Ca ²⁺ entry by intracellular Ca ²⁺ in Xenopus oocytes expressing rat TRP4. Cell Calcium, 2000, 28, 151-159.	1.1	19
65	Effect of calmidazolium analogs on calcium influx in HL-60 cells. Biochemical Pharmacology, 2000, 60, 317-324.	2.0	20
66	P-450 epoxygenase and NO synthase inhibitors reduce cerebral blood flow response to N-methyl-D-aspartate. American Journal of Physiology - Heart and Circulatory Physiology, 2000, 279, H1616-H1624.	1.5	77
67	Presenilin-Mediated Modulation of Capacitative Calcium Entry. Neuron, 2000, 27, 561-572.	3.8	309
68	1 α -Adrenoceptor-induced Mg ²⁺ extrusion from rat hepatocytes occurs via Na ⁺ -dependent transport mechanism. American Journal of Physiology - Renal Physiology, 2001, 280, G1145-G1156.	1.6	21
69	Control of calcium homeostasis in Schistosoma mansoni. Memorias Do Instituto Oswaldo Cruz, 2001, 96, 85-88.	0.8	19
70	Orexin receptors couple to Ca ²⁺ channels different from store-operated Ca ²⁺ channels. NeuroReport, 2001, 12, 2017-2020.	0.6	54
71	Failure of endothelin-1 to activate store-operated Ca ²⁺ channels by lack of mobilization from intracellular Ca ²⁺ stores in cultured bovine adrenal chromaffin cells. Naunyn-Schmiedeberg's Archives of Pharmacology, 2001, 364, 42-46.	1.4	1
72	Modulation of cytosolic calcium levels of human lymphocytes by yessotoxin, a novel marine phycotoxin. Biochemical Pharmacology, 2001, 61, 827-833.	2.0	109

#	ARTICLE	IF	CITATIONS
73	Inhibition of sarcoplasmic reticulum Ca ²⁺ -ATPase by miconazole. American Journal of Physiology - Cell Physiology, 2002, 283, C85-C92.	2.1	13
74	Diacylglycerol activates the influx of extracellular cations in T-lymphocytes independently of intracellular calcium-store depletion and possibly involving endogenous TRP6 gene products. Biochemical Journal, 2002, 364, 245-254.	1.7	79
75	Suppression of cortical functional hyperemia to vibrissal stimulation in the rat by epoxygenase inhibitors. American Journal of Physiology - Heart and Circulatory Physiology, 2002, 283, H2029-H2037.	1.5	114
76	Azaspiracid-1, a potent, nonapoptotic new phycotoxin with several cell targets. Cellular Signalling, 2002, 14, 703-716.	1.7	72
77	The developing relationship between receptor-operated and store-operated calcium channels in smooth muscle. British Journal of Pharmacology, 2002, 135, 1-13.	2.7	218
78	Dimethylsphingosine increases cytosolic calcium and intracellular pH in human T lymphocytes. Biochemical Pharmacology, 2003, 65, 465-478.	2.0	14
79	Testosterone inhibits the prostaglandin F2 α -mediated increase in intracellular calcium in A7r5 aortic smooth muscle cells: evidence of an antagonistic action upon store-operated calcium channels. Journal of Endocrinology, 2003, 178, 381-393.	1.2	17
80	Ligand-Activated Signal Transduction in the 2-Cell Embryo ¹ . Biology of Reproduction, 2003, 69, 106-116.	1.2	28
81	A Kunitz-type Protease Inhibitor, Bikunin, Inhibits Ovarian Cancer Cell Invasion by Blocking the Calcium-dependent Transforming Growth Factor- β 1 Signaling Cascade. Journal of Biological Chemistry, 2003, 278, 7790-7799.	1.6	56
82	A Pyrazole Derivative, YM-58483, Potently Inhibits Store-Operated Sustained Ca ²⁺ Influx and IL-2 Production in T Lymphocytes. Journal of Immunology, 2003, 170, 4441-4449.	0.4	228
83	Effects of Prolactin on Ionic Membrane Conductances in the Human Malignant Astrocytoma Cell Line U87-MG. Journal of Neurophysiology, 2004, 91, 1203-1216.	0.9	5
84	Presenilin ϵ 1 and intracellular calcium stores regulate neuronal glutamate uptake. Journal of Neurochemistry, 2004, 88, 1361-1372.	2.1	25
85	Manganese toxicity upon overexposure. NMR in Biomedicine, 2004, 17, 544-553.	1.6	656
86	Azaspiracid-4 inhibits Ca ²⁺ entry by stored operated channels in human T lymphocytes. Biochemical Pharmacology, 2005, 69, 1627-1636.	2.0	55
87	Determining the functional role of TRPC channels in primary cells. Pflugers Archiv European Journal of Physiology, 2005, 451, 43-52.	1.3	7
88	Manganese distribution across the blood-brain barrier. Evidence for brain influx through store-operated calcium channels. NeuroToxicology, 2005, 26, 297-307.	1.4	78
89	Capacitative Ca ²⁺ entry is involved in regulating soluble amyloid precursor protein (sAPP α) release mediated by muscarinic acetylcholine receptor activation in neuroblastoma SH-SY5Y cells. Journal of Neurochemistry, 2006, 97, 245-254.	2.1	19
90	Imidazole-induced elevations of intracellular calcium in HL-60 cells: effect of inhibition of phospholipase C by the steroidal maleimide U73122. Drug Development Research, 2006, 67, 519-534.	1.4	0

#	ARTICLE	IF	CITATIONS
91	Control of intestinal motility by the Ca _v 1.2 L-type calcium channel in mice. <i>FASEB Journal</i> , 2006, 20, 1260-1262.	0.2	52
92	A Pyrazole Derivative Potently Inhibits Lymphocyte Ca ²⁺ Influx and Cytokine Production by Facilitating Transient Receptor Potential Melastatin 4 Channel Activity. <i>Molecular Pharmacology</i> , 2006, 69, 1413-1420.	1.0	139
93	Nuclear Factor- κ B Activated by Capacitative Ca ²⁺ Entry Enhances Muscarinic Receptor-mediated Soluble Amyloid Precursor Protein (sAPP β) Release in SH-SY5Y Cells. <i>Journal of Biological Chemistry</i> , 2006, 281, 12722-12728.	1.6	34
94	Extracellular calcium sensing promotes human B-cell activation and function. <i>Blood</i> , 2007, 110, 3985-3995.	0.6	26
95	CRAC inhibitors: identification and potential. <i>Expert Opinion on Drug Discovery</i> , 2008, 3, 787-800.	2.5	27
96	Characterization of YM-58483/BTP2, a novel store-operated Ca ²⁺ entry blocker, on T cell-mediated immune responses in vivo. <i>International Immunopharmacology</i> , 2008, 8, 1787-1792.	1.7	65
97	The suppressive effects of YM-58483/BTP-2, a store-operated Ca ²⁺ entry blocker, on inflammatory mediator release in vitro and airway responses in vivo. <i>Pulmonary Pharmacology and Therapeutics</i> , 2008, 21, 360-369.	1.1	46
98	Leukotriene B4 release by human lung macrophages via receptor- not voltage-operated Ca ²⁺ channels. <i>European Respiratory Journal</i> , 2009, 33, 1105-1112.	3.1	11
99	Manganese Flux Across the Blood-Brain Barrier. <i>NeuroMolecular Medicine</i> , 2009, 11, 297-310.	1.8	108
100	Intrasperm Ca ²⁺ modulation and human ejaculated sperm viability: influence of miconazole, clotrimazole and loperamide. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 58, 1145-1151.	1.2	5
101	Econazole-induced Ca ²⁺ fluxes and apoptosis in human oral cancer cells. <i>Drug Development Research</i> , 2010, 71, 240-248.	1.4	2
102	The transient receptor potential channel antagonist SKF96365 is a potent blocker of low-voltage-activated T-type calcium channels. <i>British Journal of Pharmacology</i> , 2010, 160, 1464-1475.	2.7	152
103	The anti-inflammatory effect of the SOCC blocker SK&F 96365 on mouse lymphocytes after stimulation by Con A or PMA/ionomycin. <i>Immunobiology</i> , 2011, 216, 1044-1053.	0.8	13
104	Calcium dependence of purinergic subtype P2Y1 receptor modulation of C6 glioma cell migration. <i>Neuroscience Letters</i> , 2011, 497, 80-84.	1.0	9
105	New Uses for Old Drugs: Pharmacophore-Based Screening for the Discovery of P-glycoprotein Inhibitors. <i>Chemical Biology and Drug Design</i> , 2011, 78, 57-72.	1.5	56
106	Manganese-Enhanced Magnetic Resonance Imaging (MEMRI). <i>Methods in Molecular Biology</i> , 2011, 711, 145-174.	0.4	66
107	Marfan Syndrome Decreases Ca ²⁺ Wave Frequency and Vasoconstriction in Murine Mesenteric Resistance Arteries without Changing Underlying Mechanisms. <i>Journal of Vascular Research</i> , 2011, 48, 150-162.	0.6	8
108	Manganese enhanced MRI (MEMRI): neurophysiological applications. <i>Reviews in the Neurosciences</i> , 2011, 22, 675-94.	1.4	74

#	ARTICLE	IF	CITATIONS
109	Azole Antimycotics - A Highway to New Drugs or a Dead End?. <i>Current Medicinal Chemistry</i> , 2012, 19, 1378-1388.	1.2	30
110	TRPC-Mediated Current Is Not Involved in Endocannabinoid-Induced Short-Term Depression in Cerebellum. <i>Korean Journal of Physiology and Pharmacology</i> , 2012, 16, 139.	0.6	1
111	Pharmacological comparison of novel synthetic fenamate analogues with econazole and 2-APB on the inhibition of TRPM2 channels. <i>British Journal of Pharmacology</i> , 2012, 167, 1232-1243.	2.7	39
112	Neural effects of insecticides in the honey bee. <i>Apidologie</i> , 2012, 43, 348-370.	0.9	152
113	SKF-96365 attenuates toxin-induced neuronal injury through opposite regulatory effects on Homer1a and Homer1b/c in cultured rat mesencephalic cells. <i>Neuroscience Letters</i> , 2013, 543, 183-188.	1.0	6
114	Effect of econazole on Ca ²⁺ signaling in human colorectal adenocarcinoma cells. <i>Turkish Journal of Biochemistry</i> , 2013, 38, 0-0.	0.3	1
115	Manganese homeostasis in the nervous system. <i>Journal of Neurochemistry</i> , 2015, 134, 601-610.	2.1	222
116	T Cell Receptor Mediated Calcium Entry Requires Alternatively Spliced Cav1.1 Channels. <i>PLoS ONE</i> , 2016, 11, e0147379.	1.1	13
118	Rapid coupling between gravitational forces and the transcriptome in human myelomonocytic U937 cells. <i>Scientific Reports</i> , 2018, 8, 13267.	1.6	31
120	Recent Advancement in the One-pot Synthesis of the Tri-substituted Methanes (TRSMs) and their Biological Applications. <i>Current Organic Synthesis</i> , 2022, 19, 86-114.	0.7	8
121	Cross-talk between calcium and cAMP-dependent intracellular signaling pathways. Implications for synergistic secretion in T84 colonic epithelial cells and rat pancreatic acinar cells.. <i>Journal of Clinical Investigation</i> , 1995, 96, 386-393.	3.9	58
122	PAF-mediated Ca ²⁺ influx in human neutrophils occurs via store-operated mechanisms. <i>Journal of Leukocyte Biology</i> , 2001, 69, 63-68.	1.5	44
123	Ionic Channels in the Therapy of Malignant Glioma. , 0, , .		1
124	Imidazole Antifungals: A Review of Their Action Mechanisms on Cancerous Cells. <i>International Journal of Secondary Metabolite</i> , 0, , 139-159.	0.5	5
125	4-[1-Ethyl-1-methylhexyl]-phenol induces apoptosis and interrupts Ca ²⁺ homeostasis via ROS pathway in Sertoli TM4 cells. <i>Environmental Science and Pollution Research</i> , 2022, 29, 52665-52674.	2.7	2