CITATION REPORT List of articles citing

Rab9 functions in transport between late endosomes and the trans Golgi network.

DOI: 10.1002/j.1460-2075.1993.tb05701.x EMBO Journal, 1993, 12, 677-682.

Source: https://exaly.com/paper-pdf/24603128/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
411	An immunologist® look at the Rho and Rab GTP-binding proteins. 1993, 14, 440-4		20
410	Regulation of endocytosis by the small GTP-ase Rab5. 1993 , 11, S47-9		14
409	Interaction of Sec4 with GDI proteins from bovine brain, Drosophila melanogaster and Saccharomyces cerevisiae. Conservation of GDI membrane dissociation activity. 1993 , 331, 233-8		33
408	Rab11, a small GTPase associated with both constitutive and regulated secretory pathways in PC12 cells. 1993 , 334, 175-82		175
407	Rab proteins and the road maps for intracellular transport. 1993 , 11, 789-99		278
406	Rab GTPases in vesicular transport. 1993 , 5, 613-20		353
405	Friends and family: the role of the Rab GTPases in vesicular traffic. 1993 , 75, 597-601		366
404	Lamellar bodies of rat alveolar type 2 cells have late endosomal marker proteins on their limiting membranes. 1994 , 102, 329-35		27
403	Vesicular transport. No exchange without receipt. 1994 , 369, 18-9		24
402	Membrane targeting of the small GTPase Rab9 is accompanied by nucleotide exchange. 1994 , 369, 76-	8	182
401	Study of rab6, a ras-like GTP-binding protein associated with the Golgi complex. 1994 , 733, 340-3		5
400	Study of rab6, a ras-like GTP-binding protein associated with the Golgi complex. 1994 , 710, 192-5		5
399	Expression of Rab9 protein in Escherichia coli: purification and isoprenylation in vitro. 1995 , 257, 15-21		3
398	Effects of prenyl modifications on interactions of small G proteins with regulators. 1995 , 250, 122-33		7
397	Intracellular transport and maturation of nascent low density lipoprotein receptor is blocked by mutation in the Ras-related GTP-binding protein, RAB1B. 1995 , 15, 847-62		7
396	Rab7 and Rab9 are recruited onto late endosomes by biochemically distinguishable processes. 1995 , 270, 25541-8		59
395	The Ras-related GTP-binding protein, Rab1B, regulates early steps in exocytic transport and processing of beta-amyloid precursor protein. 1995 , 270, 10982-9		51

(1996-1995)

394	Ricin cytotoxicity is sensitive to recycling between the endoplasmic reticulum and the Golgi complex. 1995 , 270, 20078-83	63
393	Evidence that the Rab3a-binding protein, rabphilin3a, enhances regulated secretion. Studies in adrenal chromaffin cells. 1995 , 270, 16714-8	115
392	Effect of guanine nucleotide binding on the intrinsic tryptophan fluorescence properties of Rab5. 1995 , 270, 24204-8	13
391	GDP dissociation inhibitor serves as a cytosolic acceptor for newly synthesized and prenylated Rab5. 1995 , 270, 26904-9	21
390	Reconstitution of Rab9 endosomal targeting and nucleotide exchange using purified Rab9-GDP dissociation inhibitor complexes and endosome-enriched membranes. 1995 , 257, 253-9	8
389	Rab GDP dissociation inhibitor: putting rab GTPases in the right place. 1995 , 270, 17057-9	190
388	Quantitative analysis of the interactions between prenyl Rab9, GDP dissociation inhibitor-alpha, and guanine nucleotides. 1995 , 270, 11085-90	35
387	Role of clathrin-coated vesicles in glycoprotein transport from the cell surface to the Golgi complex. 1995 , 270, 665-71	21
386	Deficient geranylgeranylation of Ram/Rab27 in choroideremia. 1995 , 270, 24420-7	172
385	Membrane transport in the endocytic pathway. 1995 , 7, 552-63	563
384	Analysis of a family of ypt genes and their products from Chlamydomonas reinhardtii. 1995 , 158, 41-50	31
383	Endocytosis and molecular sorting. 1996 , 12, 575-625	1337
382	The vacuolar ATPase proton pump is required for the cytotoxicity of Bacillus anthracis lethal toxin. 1996 , 386, 161-4	40
381	Regulation of cellular signalling by fatty acid acylation and prenylation of signal transduction proteins. 1996 , 8, 403-12	199
380	Post-translational modifications of Ras and Ral are important for the action of Ral GDP dissociation stimulator. 1996 , 271, 19710-6	33
379	Rab4 and Rab7 define distinct nonoverlapping endosomal compartments. 1996 , 271, 29191-7	71
378	The effects of ribavirin on the GTP level and the VIP receptor dynamic of human IGR39 cells. 1996 , 16, 39-58	3
377	Transport between cis and medial Golgi cisternae requires the function of the Ras-related protein Rab6. 1996 , 271, 16097-103	24

376	Rab1a and multiple other Rab proteins are associated with the transcytotic pathway in rat liver. 1996 , 271, 30105-13	37
375	A novel Rab9 effector required for endosome-to-TGN transport. 1997 , 138, 283-90	123
374	Homotypic lysosome fusion in macrophages: analysis using an in vitro assay. 1997 , 139, 665-73	48
373	Isoforms of ankyrin-3 that lack the NH2-terminal repeats associate with mouse macrophage lysosomes. 1997 , 136, 1059-70	64
372	A Rab GTPase is required for homotypic assembly of the endoplasmic reticulum. 1997 , 272, 13479-83	27
371	A novel assay reveals a role for soluble N-ethylmaleimide-sensitive fusion attachment protein in mannose 6-phosphate receptor transport from endosomes to the trans Golgi network. 1997 , 272, 27737-44	41
370	Rab7 regulates transport from early to late endocytic compartments in Xenopus oocytes. 1997 , 272, 13055-9	82
369	Sequential actions of Rab5 and Rab7 regulate endocytosis in the Xenopus oocyte. 1997 , 136, 1227-37	62
368	Regulated Exocytosis in Mammalian Secretory Cells. 1997 , 649-664	
367	Role of Rab GTPases in membrane traffic. 1997 , 176, 1-85	178
367 366	Role of Rab GTPases in membrane traffic. 1997 , 176, 1-85 Cloning and mapping of human Rab7 and Rab9 cDNA sequences and identification of a Rab9 pseudogene. 1997 , 41, 131-4	178
	Cloning and mapping of human Rab7 and Rab9 cDNA sequences and identification of a Rab9	
366	Cloning and mapping of human Rab7 and Rab9 cDNA sequences and identification of a Rab9 pseudogene. 1997 , 41, 131-4 Small GTP-binding protein, Rab6, is associated with secretory granules in atrial myocytes. <i>American</i>	19
366 365	Cloning and mapping of human Rab7 and Rab9 cDNA sequences and identification of a Rab9 pseudogene. 1997, 41, 131-4 Small GTP-binding protein, Rab6, is associated with secretory granules in atrial myocytes. American Journal of Physiology - Cell Physiology, 1997, 272, C1594-601 5-4	19
366 365 364	Cloning and mapping of human Rab7 and Rab9 cDNA sequences and identification of a Rab9 pseudogene. 1997, 41, 131-4 Small GTP-binding protein, Rab6, is associated with secretory granules in atrial myocytes. American Journal of Physiology - Cell Physiology, 1997, 272, C1594-601 5.4 Vesicular transport: how many Ypt/Rab-GTPases make a eukaryotic cell?. 1997, 22, 468-72 Flow cytometric sorting and biochemical characterization of the late endosomal rab7-containing	19 21 184
366 365 364 363	Cloning and mapping of human Rab7 and Rab9 cDNA sequences and identification of a Rab9 pseudogene. 1997, 41, 131-4 Small GTP-binding protein, Rab6, is associated with secretory granules in atrial myocytes. American Journal of Physiology - Cell Physiology, 1997, 272, C1594-601 5-4 Vesicular transport: how many Ypt/Rab-GTPases make a eukaryotic cell?. 1997, 22, 468-72 Flow cytometric sorting and biochemical characterization of the late endosomal rab7-containing compartment. 1997, 18, 2682-8	19 21 184 21
366 365 364 363 362	Cloning and mapping of human Rab7 and Rab9 cDNA sequences and identification of a Rab9 pseudogene. 1997, 41, 131-4 Small GTP-binding protein, Rab6, is associated with secretory granules in atrial myocytes. American Journal of Physiology - Cell Physiology, 1997, 272, C1594-601 Vesicular transport: how many Ypt/Rab-GTPases make a eukaryotic cell?. 1997, 22, 468-72 Flow cytometric sorting and biochemical characterization of the late endosomal rab7-containing compartment. 1997, 18, 2682-8 Maturation of phagosomes is accompanied by specific patterns of small GTPases. 1998, 19, 2528-35 Cloning and characterization of a Dictyostelium gene encoding a small GTPase of the Rab11 family.	19 21 184 21 9

(2000-1998)

358	Fusion of lysosomes with late endosomes produces a hybrid organelle of intermediate density and is NSF dependent. 1998 , 140, 591-601	187
357	Direct pathway from early/recycling endosomes to the Golgi apparatus revealed through the study of shiga toxin B-fragment transport. 1998 , 143, 973-90	379
356	Expression of mutant dynamin inhibits toxicity and transport of endocytosed ricin to the Golgi apparatus. 1998 , 140, 553-63	111
355	Hydrolysis of GTP on rab11 is required for the direct delivery of transferrin from the pericentriolar recycling compartment to the cell surface but not from sorting endosomes. 1998 , 95, 6187-92	392
354	VAMP-7 mediates vesicular transport from endosomes to lysosomes. 1999 , 146, 765-76	156
353	Rab15 mediates an early endocytic event in Chinese hamster ovary cells. 1999 , 274, 22303-12	41
352	Comparison of the effects on secretion in chromaffin and PC12 cells of Rab3 family members and mutants. Evidence that inhibitory effects are independent of direct interaction with Rabphilin3. 1999 , 274, 18113-20	65
351	Asparagine-linked oligosaccharides protect Lamp-1 and Lamp-2 from intracellular proteolysis. 1999 , 274, 31039-46	140
350	Rab GTPases as regulators of transport through endosomes. 1999 , 210, 1-10	
349	Regulation of membrane transport through the endocytic pathway by rabGTPases. 1999 , 16, 81-7	118
348	Niemann-Pick C1 is a late endosome-resident protein that transiently associates with lysosomes and the trans-Golgi network. 1999 , 68, 1-13	210
347	Facing inward from compartment shores: how many pathways were we looking for?. 2000, 1, 119-23	37
346	Niemann-Pick type C mutations cause lipid traffic jam. 2000 , 1, 218-25	111
345	Overexpression of a novel sorting nexin, SNX15, affects endosome morphology and protein trafficking. 2000 , 1, 904-16	43
344	Membrane transport in the endocytic pathway: Animal versus plant cells. 2000 , 210, 123-132	22
343	Rapid transport of internalized P-selectin to late endosomes and the TGN: roles in regulating cell surface expression and recycling to secretory granules. 2000 , 151, 107-16	36
342	Rab7: a key to lysosome biogenesis. 2000 , 11, 467-80	782
341	Live Salmonella modulate expression of Rab proteins to persist in a specialized compartment and escape transport to lysosomes. 2000 , 275, 16281-8	112

340	Quantitative analysis of TIP47-receptor cytoplasmic domain interactions: implications for endosome-to-trans Golgi network trafficking. 2000 , 275, 25188-93	51
339	Role for dynamin in late endosome dynamics and trafficking of the cation-independent mannose 6-phosphate receptor. 2000 , 11, 481-95	80
338	Sorting of yeast membrane proteins into an endosome-to-Golgi pathway involves direct interaction of their cytosolic domains with Vps35p. 2000 , 151, 297-310	157
337	Rab11b is essential for recycling of transferrin to the plasma membrane. 2000 , 259, 257-65	75
336	Characterization of a Rab11 homologue in Trypanosoma cruzi. 2000 , 243, 179-85	31
335	Toxines & Contre-courant. 2000 , 2000, 28-32	
334	Intracellular cholesterol trafficking: role of the NPC1 protein. 2000 , 1486, 171-83	90
333	Evidence for the Involvement of annexin 6 in the trafficking between the endocytic compartment and lysosomes. 2001 , 269, 13-22	43
332	Evolution of the Rab family of small GTP-binding proteins. 2001 , 313, 889-901	626
331	Rab4 affects both recycling and degradative endosomal trafficking. 2001 , 495, 21-30	129
330	Shiga toxins. 2001 , 39, 1629-35	162
329	Role of Rab9 GTPase in facilitating receptor recruitment by TIP47. 2001 , 292, 1373-6	212
328	Endocytosed SP-A and surfactant lipids are sorted to different organelles in rat type II pneumocytes. 2001 , 281, L345-60	25
327	Endocytosis of NBD-sphingolipids in neurons: exclusion from degradative compartments and transport to the Golgi complex. 2001 , 2, 395-405	18
326	Mouse hepatitis virus replicase protein complexes are translocated to sites of M protein accumulation in the ERGIC at late times of infection. 2001 , 285, 21-9	64
325	Endosome to Golgi transport of ricin is independent of clathrin and of the Rab9- and Rab11-GTPases. 2001 , 12, 2099-107	72
324	SopE acts as an Rab5-specific nucleotide exchange factor and recruits non-prenylated Rab5 on Salmonella-containing phagosomes to promote fusion with early endosomes. 2001 , 276, 23607-15	60
323	Ypt/rab gtpases: regulators of protein trafficking. 2001 , 2001, re11	109

322	Identification of residues in TIP47 essential for Rab9 binding. 2002 , 99, 7450-4	30
321	Membrane traffic exploited by protein toxins. 2002 , 18, 1-24	208
320	Early/recycling endosomes-to-TGN transport involves two SNARE complexes and a Rab6 isoform. 2002 , 156, 653-64	424
319	Stimulation of PrP(C) retrograde transport toward the endoplasmic reticulum increases accumulation of PrP(Sc) in prion-infected cells. 2002 , 277, 38972-7	90
318	Overexpression of rab7 enhances the kinetics of antigen processing and presentation with MHC class II molecules in B cells. 2002 , 14, 309-18	19
317	A novel binding protein composed of homophilic tetramer exhibits unique properties for the small GTPase Rab5. 2002 , 277, 3412-8	81
316	Diverting intracellular trafficking of Salmonella to the lysosome through activation of the late endocytic Rab7 by intracellular delivery of muramyl dipeptide. 2002 , 115, 3693-701	24
315	A phosphorylated cytoplasmic autoantigen, GW182, associates with a unique population of human mRNAs within novel cytoplasmic speckles. 2002 , 13, 1338-51	296
314	Rab coupling protein (RCP), a novel Rab4 and Rab11 effector protein. 2002, 277, 12190-9	134
313	Visualization of Rab9-mediated vesicle transport from endosomes to the trans-Golgi in living cells. 2002 , 156, 511-8	239
312	Transport of protein toxins into cells: pathways used by ricin, cholera toxin and Shiga toxin. 2002 , 529, 49-53	204
311	Intracellular membrane trafficking pathways in bone-resorbing osteoclasts revealed by cloning and subcellular localization studies of small GTP-binding rab proteins. 2002 , 293, 1060-5	43
310	Rab proteins and endocytic trafficking: potential targets for therapeutic intervention. 2003, 55, 1421-37	107
309	Effects of HIV-1 Nef on retrograde transport from the plasma membrane to the endoplasmic reticulum. 2003 , 4, 323-32	20
308	Characterization of the in vitro retrograde transport of MPR46. 2003, 4, 802-11	39
307	The ubiquitin-vacuolar protein sorting system is selectively required during entry of influenza virus into host cells. 2003 , 4, 857-68	82
306	Dynamics of endosomal sorting. 2003 , 232, 1-57	37
305	Ricin. Mechanisms of cytotoxicity. 2003 , 22, 53-64	143

304	Regulation of G protein-coupled receptor endocytosis and trafficking by Rab GTPases. 2003, 74, 225-35	162
303	Telomerase immortalization upregulates Rab9 expression and restores LDL cholesterol egress from Niemann-Pick C1 late endosomes. 2003 , 44, 243-53	73
302	Targeting of the human immunodeficiency virus type 1 envelope to the trans-Golgi network through binding to TIP47 is required for env incorporation into virions and infectivity. 2003 , 77, 6931-45	111
301	Rab GTPases are recruited to chlamydial inclusions in both a species-dependent and species-independent manner. 2003 , 71, 5855-70	186
300	Intracellular delivery of drugs to macrophages. 2003 , 84, 183-209	3
299	Differential regulation of CXCR2 trafficking by Rab GTPases. 2003 , 101, 2115-24	99
298	[The double-play of PP17/TIP47]. 2004 , 20, 1020-5	3
297	Efficient endosome-to-Golgi transport of Shiga toxin is dependent on dynamin and clathrin. 2004 , 117, 2321-31	110
296	High resolution crystal structure of human Rab9 GTPase: a novel antiviral drug target. 2004 , 279, 40204-8	9
295	PtdIns-specific MPR pathway association of a novel WD40 repeat protein, WIPI49. 2004 , 15, 2652-63	110
294	Rab9 GTPase regulates late endosome size and requires effector interaction for its stability. 2004 , 15, 5420-30	127
293	Rab22a regulates the recycling of membrane proteins internalized independently of clathrin. 2004 , 15, 3758-70	163
292	Ricin: structure, synthesis, and mode of action. 2004 , 215-233	4
291	The proteasome alpha-subunit XAPC7 interacts specifically with Rab7 and late endosomes. 2004 , 279, 21334-42	58
290	Intracellular machinery for matrix degradation in bone-resorbing osteoclasts. 2004, 19, 1432-40	103
289	PrPc on the road: trafficking of the cellular prion protein. 2004 , 88, 769-81	67
288	Endocytosis of influenza viruses. 2004 , 6, 929-36	232
287	Cytotoxic ribosome-inactivating lectins from plants. 2004 , 1701, 1-14	140

286	Shiga toxins and their mechanisms of cell entry. 2004 , 35-53	3
285	Crystal structure of Rab9 complexed to GDP reveals a dimer with an active conformation of switch II. 2004 , 568, 23-9	21
284	Where sterols are required for endocytosis. 2004 , 1666, 51-61	76
283	Clustering and redistribution of late endocytic compartments in response to Helicobacter pylori vacuolating toxin. 2004 , 15, 1946-59	59
282	Clathrin adaptor epsinR is required for retrograde sorting on early endosomal membranes. 2004, 6, 525-38	191
281	Cholera toxin: a paradigm for multi-functional engagement of cellular mechanisms (Review). 2004 , 21, 77-92	162
2 80	A model for Rab GTPase localization. 2005 , 33, 627-30	54
279	Structural basis of family-wide Rab GTPase recognition by rabenosyn-5. 2005 , 436, 415-9	173
278	Rab9 GTPase is required for replication of human immunodeficiency virus type 1, filoviruses, and measles virus. 2005 , 79, 11742-51	127
277	Infectious bronchitis virus 3a protein localizes to a novel domain of the smooth endoplasmic reticulum. 2005 , 79, 6142-51	13
276	The oxysterol-binding protein homologue ORP1L interacts with Rab7 and alters functional properties of late endocytic compartments. 2005 , 16, 5480-92	171
275	Purification and analysis of TIP47 function in Rab9-dependent mannose 6-phosphate receptor trafficking. 2005 , 403, 357-66	8
274	Overexpression of Rab22a hampers the transport between endosomes and the Golgi apparatus. 2005 , 304, 339-53	23
273	Chemical biology of protein lipidation: semi-synthesis and structure elucidation of prenylated RabGTPases. 2005 , 3, 1157-64	16
272	Retrograde transport pathways utilised by viruses and protein toxins. 2006 , 3, 26	116
271	Plant prevacuolar/endosomal compartments. 2006 , 253, 95-129	30
270	Rab-GTPases: dual roles in vesicular transport and viral replication. 2006 , 1, 811-822	1
269	Internalized Pseudomonas exotoxin A can exploit multiple pathways to reach the endoplasmic reticulum. 2006 , 7, 379-93	63

268	Retrograde transport from endosomes to the trans-Golgi network. 2006 , 7, 568-79	493
267	IL-6 and IL-12 specifically regulate the expression of Rab5 and Rab7 via distinct signaling pathways. EMBO Journal, 2006, 25, 2878-88	43
266	Cholesterol accumulation sequesters Rab9 and disrupts late endosome function in NPC1-deficient cells. 2006 , 281, 17890-9	91
265	A functional role for the GCC185 golgin in mannose 6-phosphate receptor recycling. 2006 , 17, 4353-63	104
264	Modification of host lipid raft proteome upon hepatitis C virus replication. 2006 , 5, 2319-25	80
263	Rabs and their effectors: achieving specificity in membrane traffic. 2006 , 103, 11821-7	800
262	The Shiga toxins: properties and action on cells. 2006 , 310-322	6
261	Intracellular localization of type III-delivered Pseudomonas ExoS with endosome vesicles. 2007 , 282, 13022-32	25
260	Rab GTPases at a glance. 2007 , 120, 3905-10	294
259	The retromer component sorting nexin-1 is required for efficient retrograde transport of Shiga toxin from early endosome to the trans Golgi network. 2007 , 120, 2010-21	107
258	Syntaxin 16 and syntaxin 5 are required for efficient retrograde transport of several exogenous and endogenous cargo proteins. 2007 , 120, 1457-68	92
257	Lysosome-associated small Rab GTPase Rab7b negatively regulates TLR4 signaling in macrophages by promoting lysosomal degradation of TLR4. 2007 , 110, 962-71	160
256	A network of Rab GTPases controls phagosome maturation and is modulated by Salmonella enterica serovar Typhimurium. 2007 , 176, 263-8	130
255	The mast cell: where endocytosis and regulated exocytosis meet. 2007 , 217, 292-303	34
254	Intracellular trafficking of Pseudomonas ExoS, a type III cytotoxin. 2007 , 8, 1331-45	16
253	Gene expression profiling on sheep brain reveals differential transcripts in scrapie-affected/not-affected animals. 2007 , 1142, 217-22	16
252	Rab32 regulates melanosome transport in Xenopus melanophores by protein kinase a recruitment. 2007 , 17, 2030-4	36
251	Role of endosomal Rab GTPases in cytokinesis. 2007 , 86, 25-35	63

(2009-2008)

250	Constitutive overexpression of a stress-inducible small GTP-binding protein PgRab7 from Pennisetum glaucum enhances abiotic stress tolerance in transgenic tobacco. 2008 , 27, 105-15	56
249	Retrograde traffic in the biosynthetic-secretory route. 2008 , 129, 277-88	33
248	Salmonella-containing vacuoles: directing traffic and nesting to grow. 2008 , 9, 2022-31	135
247	Cholesterol level regulates endosome motility via Rab proteins. 2008 , 94, 1508-20	58
246	Tracing the retrograde route in protein trafficking. 2008 , 135, 1175-87	288
245	Beclin 1 forms two distinct phosphatidylinositol 3-kinase complexes with mammalian Atg14 and UVRAG. 2008 , 19, 5360-72	871
244	Copper-induced translocation of the Wilson disease protein ATP7B independent of Murr1/COMMD1 and Rab7. 2008 , 173, 1783-94	29
243	Rab18 and Rab43 have key roles in ER-Golgi trafficking. 2008 , 121, 2768-81	128
242	A syntaxin 10-SNARE complex distinguishes two distinct transport routes from endosomes to the trans-Golgi in human cells. 2008 , 180, 159-72	135
241	Downregulation of the T-cell receptor complex and impairment of T-cell activation by human herpesvirus 6 u24 protein. 2008 , 82, 602-8	53
240	The Salmonella virulence protein SifA is a G protein antagonist. 2008, 105, 14141-6	66
239	Probing host pathogen cross-talk by transcriptional profiling of both Mycobacterium tuberculosis and infected human dendritic cells and macrophages. 2008 , 3, e1403	148
238	Multiple Rab GTPase binding sites in GCC185 suggest a model for vesicle tethering at the trans-Golgi. 2009 , 20, 209-17	80
237	Deficiency of niemann-pick type C-1 protein impairs release of human immunodeficiency virus type 1 and results in Gag accumulation in late endosomal/lysosomal compartments. 2009 , 83, 7982-95	58
236	EHD3 regulates early-endosome-to-Golgi transport and preserves Golgi morphology. 2009 , 122, 389-400	68
235	Transport of mannose-6-phosphate receptors from the trans-Golgi network to endosomes requires Rab31. 2009 , 315, 2215-30	32
234	Sorting of lysosomal proteins. 2009 , 1793, 605-14	550
233	Multiple routes of protein transport from endosomes to the trans Golgi network. 2009 , 583, 3811-6	61

232	Regulation of endosomal clathrin and retromer-mediated endosome to Golgi retrograde transport by the J-domain protein RME-8. <i>EMBO Journal</i> , 2009 , 28, 3290-302	3	118
231	The integral membrane of lysosomes: its proteins and their roles in disease. 2009 , 72, 23-33		29
230	RhoBTB3: a Rho GTPase-family ATPase required for endosome to Golgi transport. 2009 , 137, 938-48		75
229	PIKfyve upregulates CFTR activity. 2009 , 390, 952-7		15
228	Pseudomonas exotoxin A: from virulence factor to anti-cancer agent. 2009 , 299, 161-76		107
227	Chapter 5: rab proteins and their interaction partners. 2009 , 274, 235-74		18
226	Rab7: roles in membrane trafficking and disease. 2009 , 29, 193-209		98
225	Affitoxina novel recombinant, HER2-specific, anticancer agent for targeted therapy of HER2-positive tumors. 2009 , 32, 817-25		56
224	The retromer complex. 2010 , 50, 216-36		71
223	Involvement of Rab9 and Rab11 in the intracellular trafficking of TRPC6. 2010 , 1803, 805-12		21
222	OSBP-related protein 11 (ORP11) dimerizes with ORP9 and localizes at the Golgi-late endosome interface. 2010 , 316, 3304-16		28
221	Endocytosis of FcalphaR is clathrin and dynamin dependent, but its cytoplasmic domain is not required. 2010 , 20, 223-37		4
220	Shiga toxinsfrom cell biology to biomedical applications. 2010 , 8, 105-16		358
219	Alteraciones en el reclutamiento y activacifi de protefias Rab durante la infeccifi micobacteriana. 2010 , 30, 283		
218	AB toxins: a paradigm switch from deadly to desirable. 2010 , 2, 1612-45		52
217	Family-wide characterization of the DENN domain Rab GDP-GTP exchange factors. 2010 , 191, 367-81		218
216	The clathrin heavy chain isoform CHC22 functions in a novel endosomal sorting step. 2010 , 188, 131-44		52
215	Rab7b controls trafficking from endosomes to the TGN. 2010 , 123, 1480-91		87

214	Toxin-based therapeutic approaches. 2010 , 2, 2519-83	104
213	Assembly of the biogenesis of lysosome-related organelles complex-3 (BLOC-3) and its interaction with Rab9. 2010 , 285, 7794-804	80
212	Intracellular delivery of an antisense oligonucleotide via endocytosis of a G protein-coupled receptor. 2010 , 38, 6567-76	73
211	Diversity and impact of prokaryotic toxins on aquatic environments: a review. 2010 , 2, 2359-410	55
21 0	Cholesterol involvement in the pathogenesis of neurodegenerative diseases. 2010 , 43, 33-42	143
209	Short hairpin RNA-mediated inhibition of measles virus replication in vitro. 2010 , 56, 77-80	4
208	Intracellular localization of organized lipid domains of C16-ceramide/cholesterol. 2011, 175, 21-30	15
207	Retrograde transport: two (or more) roads diverged in an endosomal tree?. 2011 , 12, 956-62	54
206	GD1b-derived gangliosides modulate FcRI endocytosis in mast cells. 2011 , 59, 428-40	10
205	GCC185 plays independent roles in Golgi structure maintenance and AP-1-mediated vesicle tethering. 2011 , 194, 779-87	35
204	Rab9-dependent retrograde transport and endosomal sorting of the endopeptidase furin. 2011 , 124, 2401-13	54
203	Detergent-free isolation and characterization of cholesterol-rich membrane domains from trans-Golgi network vesicles. 2011 , 52, 582-9	30
202	RUTBC1 protein, a Rab9A effector that activates GTP hydrolysis by Rab32 and Rab33B proteins. 2011 , 286, 33213-22	47
201	Macrophage endocytic trafficking of antiretroviral nanoparticles. 2011 , 6, 975-94	54
200	Role of Rab GTPases in membrane traffic and cell physiology. 2011 , 91, 119-49	1006
199	Endocytic tubules regulated by Rab GTPases 5 and 11 are used for envelopment of herpes simplex virus. <i>EMBO Journal</i> , 2012 , 31, 4204-20	99
198	Roles of the Drosophila LRRK2 homolog in Rab7-dependent lysosomal positioning. 2012 , 21, 1350-63	166
197	Polyplexes traffic through caveolae to the Golgi and endoplasmic reticulum en route to the nucleus. 2012 , 9, 1280-90	73

196	Rab33a mediates anterograde vesicular transport for membrane exocytosis and axon outgrowth. 2012 , 32, 12712-25	42
195	RUTBC2 protein, a Rab9A effector and GTPase-activating protein for Rab36. 2012 , 287, 22740-8	25
194	Dynamic of ion channel expression at the plasma membrane of cardiomyocytes. 2012 , 92, 1317-58	76
193	Integrin trafficking at a glance. 2012 , 125, 3695-701	131
192	Different endocytic functions of AGEF-1 in C. elegans coelomocytes. 2012 , 1820, 829-40	4
191	High-speed imaging of Rab family small GTPases reveals rare events in nanoparticle trafficking in living cells. 2012 , 6, 1513-21	108
190	Phosphoinositides in the mammalian endo-lysosomal network. 2012 , 59, 65-110	22
189	Nanocarriers for Drug Targeting to Macrophages: Emerging Options for a Therapeutic Need. 2012 , 82, 151-165	O
188	Rab GTPases regulating receptor trafficking at the late endosome-lysosome membranes. 2012 , 30, 515-23	28
187	SNX-BAR-mediated endosome tubulation is co-ordinated with endosome maturation. 2012 , 13, 94-107	118
186	Dynamics of Rab7b-dependent transport of sorting receptors. 2012 , 13, 1273-85	27
185	A role of Rab7 in stabilizing EGFR-Her2 and in sustaining Akt survival signal. 2012 , 227, 2788-97	38
184	Autonomous translocation and intracellular trafficking of the cell-penetrating and immune-suppressive effector protein YopM. 2013 , 70, 4809-23	17
183	Rac and Rab GTPases dual effector Nischarin regulates vesicle maturation to facilitate survival of intracellular bacteria. <i>EMBO Journal</i> , 2013 , 32, 713-27	27
182	Novel mechanisms of tube-size regulation revealed by the Drosophila trachea. 2013 , 354, 343-54	17
181	Cargo trafficking between endosomes and the trans-Golgi network. 2013 , 140, 307-15	20
180	Rab1a and Rab5a preferentially bind to binary lipid compositions with higher stored curvature elastic energy. 2013 , 30, 303-14	6
179	LDL cholesterol recycles to the plasma membrane via a Rab8a-Myosin5b-actin-dependent membrane transport route. 2013 , 27, 249-62	73

(2014-2013)

178	Stargazin regulates AMPA receptor trafficking through adaptor protein complexes during long-term depression. 2013 , 4, 2759	49
177	New views on cellular uptake and trafficking of manufactured nanoparticles. 2013 , 10, 20120939	250
176	Investigating endocytic pathways to the endoplasmic reticulum and to the cytosol using SNAP-trap. 2013 , 14, 36-46	17
175	Role of phospholipids in endocytosis, phagocytosis, and macropinocytosis. 2013 , 93, 69-106	186
174	Suppression of non-small cell lung cancer proliferation and tumorigenicity by DENND2D. 2013 , 79, 104-10	14
173	Rab9 and retromer regulate retrograde trafficking of luminal protein required for epithelial tube length control. 2013 , 4, 1358	61
172	Regulation of hepatitis B virus infection by Rab5, Rab7, and the endolysosomal compartment. 2013 , 87, 6415-27	75
171	Reevaluation of the requirement for TIP47 in human immunodeficiency virus type 1 envelope glycoprotein incorporation. 2013 , 87, 3561-70	22
170	Identification of a role for the trans-Golgi network in human papillomavirus 16 pseudovirus infection. 2013 , 87, 3862-70	98
169	Rab11-family interacting proteins define spatially and temporally distinct regions within the dynamic Rab11a-dependent recycling system. 2013 , 24, 643-58	53
168	Cellular interactions of the cytolethal distending toxins from Escherichia coli and Haemophilus ducreyi. 2013 , 288, 7492-7505	27
167	Rab Proteins in Autophagy: Streptococcus Model. 2014 , 159-169	
166	Vesicular Trafficking Defects, Developmental Abnormalities, and Alterations in the Cellular Death Process Occur in Cell Lines that Over-Express Dictyostelium GTPase, Rab2, and Rab2 Mutants. 2014 , 3, 514-35	3
165	SARA and RNF11 at the crossroads of EGFR signaling and trafficking. 2014 , 535, 225-47	5
164	Novel ethyl methanesulfonate (EMS)-induced null alleles of the Drosophila homolog of LRRK2 reveal a crucial role in endolysosomal functions and autophagy in vivo. 2014 , 7, 1351-63	49
163	Rab7 is functionally required for selective cargo sorting at the early endosome. 2014 , 15, 309-26	45
162	Rotaviruses reach late endosomes and require the cation-dependent mannose-6-phosphate receptor and the activity of cathepsin proteases to enter the cell. 2014 , 88, 4389-402	38
161	RAB GTPases and RAB-interacting proteins and their role in the control of cognitive functions. 2014 , 46 Pt 2, 302-14	35

160	Cytoskeletal roles in cardiac ion channel expression. 2014 , 1838, 665-73	19
159	High-throughput quantitation of intracellular trafficking and organelle disruption by flow cytometry. 2014 , 15, 572-82	11
158	From endosomes to the trans-Golgi network. 2014 , 31, 30-9	47
157	Crystal structure of the Rab9A-RUTBC2 RBD complex reveals the molecular basis for the binding specificity of Rab9A with RUTBC2. <i>Structure</i> , 2014 , 22, 1408-20	5
156	Rab proteins: the key regulators of intracellular vesicle transport. 2014 , 328, 1-19	161
155	Analysis of 52 Rab GTPases from channel catfish and their involvement in immune responses after bacterial infections. 2014 , 45, 21-34	20
154	Live imaging of endosome dynamics. 2014 , 31, 11-9	18
153	The Vac14-interaction network is linked to regulators of the endolysosomal and autophagic pathway. 2014 , 13, 1397-411	38
152	Neovascularization in the pulmonary endothelium is regulated by the endosome: Rab4-mediated trafficking and p18-dependent signaling. 2015 , 309, L700-9	5
151	Partial nephrogenic diabetes insipidus caused by a novel AQP2 variation impairing trafficking of the aquaporin-2 water channel. 2015 , 16, 217	13
150	Characterization of Helicobacter pylori VacA-containing vacuoles (VCVs), VacA intracellular trafficking and interference with calcium signalling in T lymphocytes. 2015 , 17, 1811-32	22
149	Retromer-Mediated Trafficking of Transmembrane Receptors and Transporters. 2015 , 5, 288-306	18
148	Exosome Biogenesis, Regulation, and Function in Viral Infection. 2015 , 7, 5066-83	200
147	Endocytosis of Nanomedicines: The Case of Glycopeptide Engineered PLGA Nanoparticles. 2015 , 7, 74-89	34
146	Shiga toxins. 2015 , 267-286	1
145	Syntaxin 5-dependent retrograde transport to the trans-Golgi network is required for adeno-associated virus transduction. 2015 , 89, 1673-87	45
144	Identification and function of 11 Rab GTPases in giant freshwater prawn Macrobrachium rosenbergii. 2015 , 43, 120-30	13
143	Nanoprobing the acidification process during intracellular uptake and trafficking. 2015 , 11, 1585-96	7

(2017-2015)

142	Prolonged-acting, multi-targeting gallium nanoparticles potently inhibit growth of both HIV and mycobacteria in co-infected human macrophages. 2015 , 5, 8824	50
141	Histone-targeted Polyplexes Avoid Endosomal Escape and Enter the Nucleus During Postmitotic Redistribution of ER Membranes. 2015 , 4, e226	31
140	Rab, Arf, and Arl-Regulated Membrane Traffic in Cortical Neuron Migration. 2016 , 231, 1417-23	18
139	Calnuc Function in Endosomal Sorting of Lysosomal Receptors. 2016 , 17, 416-32	7
138	Spatiotemporal Resolution of Rab9 and CI-MPR Dynamics in the Endocytic Pathway. 2016 , 17, 211-29	22
137	Retrograde Transport. 2016 , 433-441	O
136	Dictyostelium discoideum RabS and Rab2 colocalize with the Golgi and contractile vacuole system and regulate osmoregulation. 2016 , 41, 205-17	6
135	Chapter Five - Ubiquitination of Ion Channels and Transporters. 2016 , 141, 161-223	10
134	Bidirectional traffic between the Golgi and the endosomes - machineries and regulation. 2016 , 129, 3971-398	32 ₅₇
133	Early events in hepatitis B virus infection: From the cell surface to the nucleus. 2016 , 31, 302-9	24
132	Rab9A is required for delivery of cargo from recycling endosomes to melanosomes. 2016 , 29, 43-59	24
131	The multiple roles of Rab9 in the endolysosomal system. 2016 , 9, e1204498	23
130	Parkinsonß Disease-Related Proteins PINK1 and Parkin Repress Mitochondrial Antigen Presentation. 2016 , 166, 314-327	281
129	Subversion of Retrograde Trafficking by Translocated Pathogen Effectors. 2016 , 24, 450-462	75
128	Endocytic membrane trafficking and neurodegenerative disease. 2016 , 73, 1529-45	99
127	Select Rab GTPases Regulate the Pulmonary Endothelium via Endosomal Trafficking of Vascular Endothelial-Cadherin. 2016 , 54, 769-81	9
126	Routes and mechanisms of post-endosomal cholesterol trafficking: A story that never ends. 2017 , 18, 209-217	61
125	Bidirectional apical-basal traffic of the cation-independent mannose-6-phosphate receptor in brain endothelial cells. 2017 , 37, 2598-2613	17

124	Look whoß talking-the crosstalk between oxidative stress and autophagy supports exosomal-dependent release of HCV particles. 2017 , 33, 211-231	23
123	The parasite sequesters diverse Rab host vesicles within an intravacuolar network. 2017 , 216, 4235-4254	44
122	Sequence-dependent cargo recognition by SNX-BARs mediates retromer-independent transport of CI-MPR. 2017 , 216, 3695-3712	94
121	Recycling endosomes in human cytotoxic T lymphocytes constitute an auxiliary intracellular trafficking pathway for newly synthesized perforin. 2017 , 65, 1031-1045	6
120	FMNL2 and -3 regulate Golgi architecture and anterograde transport downstream of Cdc42. 2017 , 7, 9791	25
119	Endocytosis and Enamel Formation. 2017 , 8, 529	8
118	Formation of the Replicative Compartment at the Crossroads of Retrograde Trafficking. 2017, 7, 482	37
117	Dynamic Changes in the Intracellular Association of Selected Rab Small GTPases with MHC Class II and DM during Dendritic Cell Maturation. 2017 , 8, 340	7
116	Modulation of cis- and trans- Golgi and the Rab9A-GTPase during infection by Besnoitia besnoiti, Toxoplasma gondii and Neospora caninum. 2018 , 187, 75-85	5
115	trans-Golgi network-bound cargo traffic. 2018 , 97, 137-149	12
115	trans-Golgi network-bound cargo traffic. 2018 , 97, 137-149 Delta opioid receptors recycle to the membrane after sorting to the degradation path. 2018 , 75, 2257-2271	12
114	Delta opioid receptors recycle to the membrane after sorting to the degradation path. 2018 , 75, 2257-2271 Characterization of LAMP1-labeled nondegradative lysosomal and endocytic compartments in	12
114	Delta opioid receptors recycle to the membrane after sorting to the degradation path. 2018 , 75, 2257-2271 Characterization of LAMP1-labeled nondegradative lysosomal and endocytic compartments in neurons. 2018 , 217, 3127-3139	12
114 113	Delta opioid receptors recycle to the membrane after sorting to the degradation path. 2018 , 75, 2257-2271 Characterization of LAMP1-labeled nondegradative lysosomal and endocytic compartments in neurons. 2018 , 217, 3127-3139 Consequences of Rab GTPase dysfunction in genetic or acquired human diseases. 2018 , 9, 158-181	12
114 113 112	Delta opioid receptors recycle to the membrane after sorting to the degradation path. 2018, 75, 2257-2271 Characterization of LAMP1-labeled nondegradative lysosomal and endocytic compartments in neurons. 2018, 217, 3127-3139 Consequences of Rab GTPase dysfunction in genetic or acquired human diseases. 2018, 9, 158-181 Post-Golgi, Prevacuolar Compartments. 2018, 285-315 Vimentin deficiency in macrophages induces increased oxidative stress and vascular inflammation	12 122 29
114 113 112 111 110	Delta opioid receptors recycle to the membrane after sorting to the degradation path. 2018, 75, 2257-2271 Characterization of LAMP1-labeled nondegradative lysosomal and endocytic compartments in neurons. 2018, 217, 3127-3139 Consequences of Rab GTPase dysfunction in genetic or acquired human diseases. 2018, 9, 158-181 Post-Golgi, Prevacuolar Compartments. 2018, 285-315 Vimentin deficiency in macrophages induces increased oxidative stress and vascular inflammation but attenuates atherosclerosis in mice. 2018, 8, 16973	12 122 29 25

(2020-2018)

106	EhRab21 mobilization during erythrophagocytosis in Entamoeba histolytica. 2018 , 81, 1024-1035	6
105	Autophagy Modulation in Cancer: Current Knowledge on Action and Therapy. 2018, 2018, 8023821	108
104	Rab GTPase Function in Endosome and Lysosome Biogenesis. 2018 , 28, 957-970	142
103	Distinct mechanisms enable inward or outward budding from late endosomes/multivesicular bodies. 2018 , 372, 1-15	4
102	Membrane Trafficking in Autophagy. 2018 , 336, 1-92	47
101	A versatile nanobody-based toolkit to analyze retrograde transport from the cell surface. 2018 , 115, E6227-E6236	16
100	Molecular aspects of delta opioid receptors. 2019 , 111, 49-90	5
99	Membrane association but not identity is required for LRRK2 activation and phosphorylation of Rab GTPases. 2019 , 218, 4157-4170	43
98	Lipocalin-2 Regulates Epidermal Growth Factor Receptor Intracellular Trafficking. 2019 , 29, 2067-2077.e6	5
97	Intracellular Transport and Cytotoxicity of the Protein Toxin Ricin. 2019, 11,	28
96	The secretion of the angiogenic and neurotrophic factor angiogenin is COPII and microtubule dependent. 2019 , 381, 265-279	1
95	Zika virus: mapping and reprogramming the entry. 2019 , 17, 41	14
94	Endocytic Markers Associated with the Internalization and Processing of Conidia by BEAS-2B Cells. 2019 , 4,	13
93	Porcine sapelovirus enters PK-15 cells via caveolae-dependent endocytosis and requires Rab7 and Rab11. 2019 , 529, 160-168	6
92	Evolving and Expanding the Roles of Mitophagy as a Homeostatic and Pathogenic Process. 2019 , 99, 853-892	77
91	Rabs on the fly: Functions of Rab GTPases during development. 2019 , 10, 89-98	3
90	Rab GTPases take centre stage in understanding biology. 2020 , 11, 320-333	14
89	Herpes Simplex Virus Entry by a Nonconventional Endocytic Pathway. 2020 , 94,	7

88	Effect of docosahexaenoic acid, phorbol myristate acetate, and insulin on the interaction of the FFA4 (short isoform) receptor with Rab proteins. 2020 , 889, 173595	О
87	Effects of agonists and phorbol esters on ⊞drenergic receptor-Rab protein interactions. 2020 , 885, 173423	О
86	VARP and Rab9 Are Dispensable for the Rab32/BLOC-3 Dependent Killing. 2020 , 10, 581024	2
85	Autophagy in cancers including brain tumors: role of MicroRNAs. 2020 , 18, 88	26
84	The low density receptor-related protein 1 plays a significant role in ricin-mediated intoxication of lung cells. 2020 , 10, 9007	2
83	EhRab21 associates with the Golgi apparatus in Entamoeba histolytica. 2020 , 119, 1629-1640	3
82	Canonical and non-canonical autophagy pathways in microglia. 2020,	2
81	Reticulon-3 Promotes Endosome Maturation at ER Membrane Contact Sites. 2021 , 56, 52-66.e7	16
80	Intracellular trafficking of adeno-associated virus (AAV) vectors: challenges and future directions. 2021 ,	8
79	Regulation of CTLA-4 recycling by LRBA and Rab11. 2021 , 164, 106-119	3
78	escapes lysosomal degradation through inactivation of Rab31 by IpaH4.5. 2021 , 70,	О
77	HIV-1 Hijacking of Host ATPases and GTPases That Control Protein Trafficking. 2021 , 9, 622610	2
76	Whoß in control? Principles of Rab GTPase activation in endolysosomal membrane trafficking and beyond. 2021 , 220,	8
75	Trends in Research on Exosomes in Cancer Progression and Anticancer Therapy. 2021 , 13,	26
74	Pseudomonas Exotoxin A-Based Immunotoxins for Targeted Cancer Therapy. 2010 , 269-288	1
73	Role of Annexin 6 in Receptor-Mediated Endocytosis, Membrane Trafficking and Signal Transduction. 2003 , 157-171	1
72	Molecular and cellular characterization of GCC185: a tethering protein of the trans-Golgi network. 2015 , 1270, 179-90	1
71	Multiple Roles of Rab GTPases at the Golgi. 2019 , 67, 95-123	5

(2001-1997)

70	Protein sorting and vesicular traffic in the Golgi apparatus. 1997 , 63-129	38
69	Retrograde plasma membrane-to-Golgi apparatus transport. 2008 , 459-474	1
68	Compartmentalization of rab Proteins in Mammalian Cells. 1993 , 423-445	1
67	Biogenesis of the Fungal Cell Wall. 1994 , 111-124	19
66	Intracellular trafficking of bacterial and plant protein toxins. 2006, 135-153	8
65	Neuronal Protein Trafficking in Alzheimerß Disease and Niemann-Pick Type C Disease. 2007 , 391-411	2
64	Receptor extracellular domains may contain trafficking information. Studies of the 300-kDa mannose 6-phosphate receptor 1994 , 269, 12159-12166	40
63	Evidence for the involvement of Rab3A in Ca(2+)-dependent exocytosis from adrenal chromaffin cells 1994 , 269, 10229-10234	177
62	Structural features of the GTP-binding defective Rab5 mutants required for their inhibitory activity on endocytosis 1994 , 269, 14631-14635	85
61	Molecular cloning and characterization of two rab GDI species from rat brain: brain-specific and ubiquitous types 1994 , 269, 14191-14198	54
60	Determination of structural requirements for the interaction of Rab6 with RabGDI and Rab geranylgeranyltransferase 1994 , 269, 13637-13643	43
59	Rab-GDI presents functional Rab9 to the intracellular transport machinery and contributes selectivity to Rab9 membrane recruitment 1994 , 269, 15427-15430	57
58	Removal of Rab GTP-binding proteins from Golgi membranes by GDP dissociation inhibitor inhibits inter-cisternal transport in the Golgi stacks 1994 , 269, 794-797	39
57	Rab GDP dissociation inhibitor as a general regulator for the membrane association of rab proteins 1993 , 268, 18143-18150	219
56	Biochemical analysis of rab9, a ras-like GTPase involved in protein transport from late endosomes to the trans Golgi network 1993 , 268, 6925-6931	32
55	The human active breakpoint cluster region-related gene encodes a brain protein with homology to guanine nucleotide exchange proteins and GTPase-activating proteins 1993 , 268, 27291-27298	50
54	A novel mammalian guanine nucleotide exchange factor (GEF) specific for rab proteins. 1994 , 29, 109-19	9
53	Cell biology. A TIP about Rabs. 2001 , 292, 1313-4	10

52	Ypt/Rab GTPases: Regulators of Protein Trafficking. 2001 , 2001, re11-re11	5
51	Differential interaction with endocytic and exocytic pathways distinguish parasitophorous vacuoles of Coxiella burnetii and Chlamydia trachomatis. 1996 , 64, 796-809	319
50	An alternative mitophagy pathway mediated by Rab9 protects the heart against ischemia. 2019 , 129, 802-819	110
49	Involvement of PLEKHM1 in osteoclastic vesicular transport and osteopetrosis in incisors absent rats and humans. 2007 , 117, 919-30	164
48	CD4(+) T cell vaccination overcomes defective cross-presentation of fungal antigens in a mouse model of chronic granulomatous disease. 2012 , 122, 1816-31	63
47	The small GTP-binding protein rab6p is redistributed in the cytosol by brefeldin A. 1993 , 106, 789-802	17
46	Rab6 is associated with a compartment that transports rhodopsin from the trans-Golgi to the site of rod outer segment disk formation in frog retinal photoreceptors. 1993 , 106, 803-813	53
45	Involvement of Ypt7p, a small GTPase, in traffic from late endosome to the vacuole in yeast. 1993 , 106, 823-830	93
44	Molecular cloning and subcellular localization of three GTP-binding proteins of the rab subfamily. 1993 , 106, 1249-1261	108
43	A Rab4-like GTPase in Dictyostelium discoideum colocalizes with V-H(+)-ATPases in reticular membranes of the contractile vacuole complex and in lysosomes. 1994 , 107, 2801-2812	45
42	Membrane association of cathepsin B can be induced by transfection of human breast epithelial cells with c-Ha-ras oncogene. 1994 , 107, 373-384	132
41	The rab7 GTPase resides on a vesicular compartment connected to lysosomes. 1995 , 108, 3349-3358	235
40	Localization of the small GTP-binding protein rab1p to early compartments of the secretory pathway. 1995 , 108, 1541-1552	88
39	Evidence for a functional link between Rab3 and the SNARE complex. 1996 , 109, 2875-2884	48
38	A novel Rab GTPase, Rab33B, is ubiquitously expressed and localized to the medial Golgi cisternae. 1998 , 111, 1061-1069	54
37	Rab GTPases coordinate endocytosis. 2000 , 113, 183-192	344
36	Rab7 regulates phagosome maturation in Dictyostelium. 2001 , 114, 2449-2460	56
35	Rab22a affects the morphology and function of the endocytic pathway. 2001 , 114, 4041-4049	70

(2021-2001)

34	Lysosome proteins are redistributed during expression of a GTP-hydrolysis-defective rab5a. 2001 , 114, 4499-4508		46	
33	Plasma membrane targeting of SNAP-25 increases its local concentration and is necessary for SNARE complex formation and regulated exocytosis. 2002 , 115, 3341-3351		30	
32	Selective regulation of the Rab9-independent transport of ricin to the Golgi apparatus by calcium. 2002 , 115, 3449-3456		24	
31	The small GTPase Rab22 interacts with EEA1 and controls endosomal membrane trafficking. 2002 , 115, 899-911		111	
30	The 14-3-3[protein binds to the cell adhesion molecule L1, promotes L1 phosphorylation by CKII and influences L1-dependent neurite outgrowth. 2010 , 5, e13462		16	
29	Cellular vacuoles induced by Mycoplasma pneumoniae CARDS toxin originate from Rab9-associated compartments. 2011 , 6, e22877		29	
28	Proprotein convertase 1/3 (PC1/3) in the rat alveolar macrophage cell line NR8383: localization, trafficking and effects on cytokine secretion. 2013 , 8, e61557		17	
27	The basolateral vesicle sorting machinery and basolateral proteins are recruited to the site of enteropathogenic E. coli microcolony growth at the apical membrane. 2017 , 12, e0179122		9	
26	Protein flexibility is required for vesicle tethering at the Golgi. 2015 , 4,		46	
25	The Endocytic Recycling Compartment Serves as a Viral Factory for Hepatitis E Virus.		1	
24	Intracellular Trafficking and Signaling: The Role of Endocytic Rab GTPase. 2009, 405-418		2	
23	Synthesis of Functional and Variable HIV-1 Envelope Glycoproteins. 2013, 75-122			
22	GTPases in Transport Between Late Endosomes and the Trans Golgi Network. 1993 , 447-459			
21	Regulation of Receptor Trafficking by ras-Like GTPases. 1995 , 27-36			
20	In vitro Reconstitution of Early Endosome Membrane Dynamics. 1996 , 69-80			
19	Skeletal Muscle Insulin Resistance in Humans: Cellular Mechanisms. 1999 , 179-195			
18	Retrograde transport of mannose-6-phosphate receptor depends on several sorting machineries as analyzed by sulfatable nanobodies.			
17	RNF13 Dileucine Motif Variants L311S and L312P Interfere with Endosomal Localization and AP-3 Complex Association. <i>Cells</i> , 2021 , 10,	7.9	O	

16 Endosomes Come of Age. **2006**, 1-13

15	Rab Domains on Endosomes. 2006 , 23-35		
14	Retrograde endosome-to-TGN transport. 2008 , 425-458		
13	Herpes simplex virus entry by a non-conventional endocytic pathway.		
12	The HIV-1 matrix protein p17 does cross the Blood-Brain Barrier. 2021 , JVI0120021		1
11	Nde1 is a Rab9 effector for loading late endosomes to cytoplasmic dynein motor complex. <i>Structure</i> , 2021 ,	5.2	1
10	Retrograde Transport. 2022 ,		
9	Maintaining Golgi Homeostasis: A Balancing Act of Two Proteolytic Pathways <i>Cells</i> , 2022 , 11,	7.9	O
8	Retrograde transport of CDMPR depends on several machineries as analyzed by sulfatable nanobodies <i>Life Science Alliance</i> , 2022 , 5,	5.8	0
7	DataSheet_1.docx. 2020 ,		
6	KATP channel trafficking American Journal of Physiology - Cell Physiology, 2022,	5.4	1
5	Membrane Targeting and GTPase Activity of Rab7 Are Required for Its Ubiquitination by RNF167. <i>International Journal of Molecular Sciences</i> , 2022 , 23, 7847	6.3	1
4	Host Cellular Response during Enterohaemorrhagic Escherichia coli Shiga Toxin Exposure. 2022,		0
3	The endocytic recycling compartment serves as a viral factory for hepatitis E virus. 2022, 79,		O
2	Protein sorting from endosomes to the TGN. 11,		1
1	Disease mechanisms as subtypes: Lysosomal dysfunction in the endolysosomal Parkinson ß disease subtype. 2023 , 33-51		О