

Phylogenies and angiosperm diversification

Paleobiology

19, 141-167

DOI: [10.1017/s0094837300015840](https://doi.org/10.1017/s0094837300015840)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Time for the angiosperms. <i>Nature</i> , 1993, 366, 631-632.	13.7	21
2	Insect diversity in the fossil record. <i>Science</i> , 1993, 261, 310-315.	6.0	620
3	Permineralized seed fern cupules from the Triassic of Antarctica: implications for cupule and carpel evolution. <i>American Journal of Botany</i> , 1994, 81, 666-677.	0.8	58
4	The evolution of embryogeny in seed plants and the developmental origin and early history of endosperm. <i>American Journal of Botany</i> , 1994, 81, 1468-1486.	0.8	51
5	Elizabeth C. Dudley (ed.), <i>The Unity of Evolutionary Biology: Proceedings of the Fourth International Congress of Systematic and Evolutionary Biology, Volumes 1 and 2. Systematic Biology</i> , 1994, 43, 136-139.	2.7	0
6	Floral structure and evolution of primitive angiosperms: Recent advances. <i>Plant Systematics and Evolution</i> , 1994, 192, 79-97.	0.3	131
7	Origin of insect pollination. <i>Nature</i> , 1994, 368, 195-195.	13.7	54
8	Extinctions in the fossil record. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1994, 344, 11-17.	1.8	183
9	Shifts in Diversification Rate with the Origin of Angiosperms. <i>Science</i> , 1994, 264, 1590-1593.	6.0	246
10	The Molecular Fossil Record of Oleanane and Its Relation to Angiosperms. <i>Science</i> , 1994, 265, 768-771.	6.0	432
11	Patterns of floral evolution in the early diversification of non-magnoliid dicotyledons (eudicots). , 1994, , 93-122.		37
12	Origin of the angiosperm flower: a phylogenetic perspective. , 1994, , 7-29.		15
13	Introduction " Major trends in the study of early flower evolution. , 1994, , 1-6.		1
14	Progress and Prospects in Reconstructing Plant Phylogeny. <i>Annals of the Missouri Botanical Garden</i> , 1994, 81, 405.	1.3	61
15	<i>The Unity of Evolutionary Biology: Proceedings of the Fourth International Congress of Systematic and Evolutionary Biology, Volumes 1 and 2.. Systematic Biology</i> , 1994, 43, 136.	2.7	1
16	Interpreting Quantitative and Qualitative Characteristics in Comparative Analyses. <i>Journal of Ecology</i> , 1995, 83, 730.	1.9	14
17	Pollination biology of <i>Gnetum</i> (<i>Gnetaceae</i>) in a LOWLAND MIXED DIPTEROCARP forest in Sarawak. <i>American Journal of Botany</i> , 1995, 82, 862-868.	0.8	41
18	A hierarchical branching model of evolutionary radiations. <i>Paleobiology</i> , 1995, 21, 440-460.	1.3	45

#	ARTICLE	IF	CITATIONS
19	Phylogeny and early evolution of the Cynipoidea (Hymenoptera). <i>Systematic Entomology</i> , 1995, 20, 309-335.	1.7	140
20	Karyological studies of four genera of the Chloranthaceae. <i>Plant Systematics and Evolution</i> , 1995, 195, 177-185.	0.3	15
21	Angiosperm growth habit, dispersal and diversification reconsidered. <i>Evolutionary Ecology</i> , 1995, 9, 93-117.	0.5	112
22	The origin and early diversification of angiosperms. <i>Nature</i> , 1995, 374, 27-33.	13.7	694
23	Dispersed angiosperm cuticles: Their history, preparation, and application to the rise of angiosperms in Cretaceous and Paleocene coals, southern western interior of North America. <i>International Journal of Coal Geology</i> , 1995, 28, 161-227.	1.9	69
24	Diversity patterns among early gastropods: contrasting taxonomic and phylogenetic descriptions. <i>Paleobiology</i> , 1995, 21, 410-439.	1.3	65
25	Phylogeny and Ecology Reconsidered. <i>Journal of Ecology</i> , 1995, 83, 730.	1.9	40
26	Morphology of the outer integument in three primitive angiosperm families. <i>Canadian Journal of Botany</i> , 1995, 73, 1242-1249.	1.2	19
27	Phylogenetic uncertainties and sensitivity analyses in comparative biology. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1996, 351, 1241-1249.	1.8	109
28	Evolutionary trends in root-microbe symbioses. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1996, 351, 1367-1375.	1.8	116
29	Perspective: Evolutionary Patterns in the Fossil Record. <i>Evolution; International Journal of Organic Evolution</i> , 1996, 50, 1.	1.1	19
30	Evolution, structure and function of the small heat shock proteins in plants. <i>Journal of Experimental Botany</i> , 1996, 47, 325-338.	2.4	601
31	Diversification Rates in a Temperate Legume Clade: Are there "So Many Species" of <i>Astragalus</i> (Fabaceae). <i>American Journal of Botany</i> , 1996, 83, 1488.	0.8	92
32	Reconstructing shifts in diversification rates on phylogenetic trees. <i>Trends in Ecology and Evolution</i> , 1996, 11, 15-20.	4.2	177
33	Flowering Plant Origin, Evolution & Phylogeny. , 1996, , .		56
34	Ghost taxa, ancestors, assumptions, and expectations: a reply to Norell. <i>Paleobiology</i> , 1996, 22, 456-460.	1.3	14
35	Unusual Resin Chemistry from Upper Carboniferous Pteridosperm Resin Rodlets. <i>ACS Symposium Series</i> , 1995, , 149-169.	0.5	20
36	PERSPECTIVE: EVOLUTIONARY PATTERNS IN THE FOSSIL RECORD. <i>Evolution; International Journal of Organic Evolution</i> , 1996, 50, 1-11.	1.1	62

#	ARTICLE	IF	CITATIONS
37	Diversification rates in a temperate legume clade: Are there "so many species" of <i>Astragalus</i> (Fabaceae)? American Journal of Botany, 1996, 83, 1488-1502.	0.8	119
38	Paleobotany in cladistics and cladistics in paleobotany: enlightenment and uncertainty. Review of Palaeobotany and Palynology, 1996, 90, 361-373.	0.8	54
39	Phylogeny and historical biogeography of the cynipoid wasp family Ibalidae (Hymenoptera). Systematic Entomology, 1996, 21, 151-166.	1.7	54
40	The African rain forest " main characteristics of changes in vegetation and climate from the Upper Cretaceous to the Quaternary. Proceedings of the Royal Society of Edinburgh Section B Biological Sciences, 1996, 104, 31-73.	0.2	146
41	Phylogenetic analyses of "higher" Hamamelididae based on plastid sequence data. American Journal of Botany, 1997, 84, 1407-1419.	0.8	130
42	Stratigraphic Indices and Tree Balance. Systematic Biology, 1997, 46, 563-569.	2.7	27
43	Fossil mushrooms from Miocene and Cretaceous ambers and the evolution of Homobasidiomycetes. American Journal of Botany, 1997, 84, 981-991.	0.8	125
44	A Comparison of Phylogenetic Nomenclature with the Current System: A Botanical Case Study. Systematic Biology, 1997, 46, 313-331.	2.7	102
45	Pollen wall of <i>Ephedra foliata</i> . Palynology, 1997, 21, 7-18.	0.7	31
46	Mutation accumulation in nuclear, organelle, and prokaryotic transfer RNA genes. Molecular Biology and Evolution, 1997, 14, 914-925.	3.5	166
47	Analyzing Large Data Sets: rbcL 500 Revisited. Systematic Biology, 1997, 46, 554-563.	2.7	122
48	A Nonparametric Approach to Estimating Divergence Times in the Absence of Rate Constancy. Molecular Biology and Evolution, 1997, 14, 1218-1231.	3.5	1,094
50	Phylogeny and Geographic History of Annonaceae. Géographie Physique Et Quaternaire, 1997, 51, 353-361.	0.2	39
51	Patterns of morphologic diversification among the Rostroconchia. Paleobiology, 1997, 23, 115-150.	1.3	111
52	Population thinking and tree thinking in systematics. Zoologica Scripta, 1997, 26, 323-329.	0.7	162
53	Gynoecium diversity and systematics of the Laurales. Botanical Journal of the Linnean Society, 1997, 125, 93-168.	0.8	115
54	La plus ancienne sauterelle Tettigoniidae, Orthoptera (Trias, NE France): mimétisme ou exaptation?. Palaeontologische Zeitschrift, 1997, 71, 71-77.	0.8	14
55	Gynoecium diversity and systematics of the paleoherbs. Botanical Journal of the Linnean Society, 1998, 127, 289-370.	0.8	119

#	ARTICLE	IF	CITATIONS
56	Duplicate Genes and the Root of Angiosperms, with an Example Using Phytochrome Sequences. <i>Molecular Phylogenetics and Evolution</i> , 1998, 9, 489-500.	1.2	31
57	The evolution of double fertilization and endosperm: an "historical" perspective. <i>Sexual Plant Reproduction</i> , 1998, 11, 6-16.	2.2	98
58	Cyclopropenoic fatty acids in gymnosperms: The seed oil of <i>Welwitschia</i> . <i>JAOCs, Journal of the American Oil Chemists' Society</i> , 1998, 75, 1761-1765.	0.8	13
59	Polarity, aperture condition and germination in pollen grains of <i>Ephedra</i> (Gnetales). <i>Plant Systematics and Evolution</i> , 1998, 213, 217-231.	0.3	33
60	Phylogenetic analysis of <i>Potentilla</i> using DNA sequences of nuclear ribosomal internal transcribed spacers (ITS), and implications for the classification of <i>Rosoideae</i> (Rosaceae). <i>Plant Systematics and Evolution</i> , 1998, 211, 155-179.	0.3	108
61	ECOLOGICAL ASPECTS OF THE CRETACEOUS FLOWERING PLANT RADIATION. <i>Annual Review of Earth and Planetary Sciences</i> , 1998, 26, 379-421.	4.6	243
62	Integrating Phylogenetic Analysis and Classification in Fungi. <i>Mycologia</i> , 1998, 90, 347.	0.8	33
63	Revealing the factors that promote speciation. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 1998, 353, 241-249.	1.8	182
64	Estimating Rate and Time in Molecular Phylogenies: Beyond the Molecular Clock?. , 1998, , 242-264.		98
65	Early Metazoan Evolution: Reconciling Paleontology and Molecular Biology. <i>American Zoologist</i> , 1998, 38, 867-877.	0.7	54
66	Stomatal plugs of <i>Drimys winteri</i> (Winteraceae) protect leaves from mist but not drought. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1998, 95, 14256-14259.	3.3	63
67	Molecular Phylogenetic Insights on the Origin and Evolution of Oceanic Island Plants. , 1998, , 410-441.		84
68	Integrating phylogenetic analysis and classification in fungi. <i>Mycologia</i> , 1998, 90, 347-356.	0.8	62
70	A developmental and evolutionary analysis of embryology in <i>Platanus</i> (platanaceae), a basal eudicot. <i>American Journal of Botany</i> , 1999, 86, 1523-1537.	0.8	37
71	MADS about Gnetales. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 8811-8813.	3.3	23
72	Gynoecium diversity and systematics of the basal eudicots. <i>Botanical Journal of the Linnean Society</i> , 1999, 130, 305-393.	0.8	113
73	Angiosperm wood evolution and the potential contribution of paleontological data. <i>Botanical Review, The</i> , 1999, 65, 278-300.	1.7	37
74	Multigene analyses identify the three earliest lineages of extant flowering plants. <i>Current Biology</i> , 1999, 9, 1485-1491.	1.8	217

#	ARTICLE	IF	CITATIONS
75	Accounting for Mode of Speciation Increases Power and Realism of Tests of Phylogenetic Asymmetry. <i>American Naturalist</i> , 1999, 153, 332-346.	1.0	20
76	The Root of Angiosperm Phylogeny Inferred from Duplicate Phytochrome Genes. <i>Science</i> , 1999, 286, 947-950.	6.0	402
77	Phylogenetic Taxonomy, a Farewell to Species, and a Revision of Heteropodarke (Hesionidae). <i>Tj ETQq0 0 0 rgBT /Oyerlock 10 Tf 50 662</i>	2.7	70
78	Comparing palynological abundance and diversity: implications for biotic replacement during the Cretaceous angiosperm radiation. <i>Paleobiology</i> , 1999, 25, 305-340.	1.3	186
79	A new taxon, capricornia (Hesionidae, Polychaeta), illustrating the LITU ('Least-Inclusive Taxonomic) Tj ETQq0 0 0 rgBT /Oyerlock 10 Tf 5	0.7	34
80	Title is missing!. <i>Plant Ecology</i> , 2000, 150, 7-26.	0.7	58
81	Systematic plant morphology and anatomyâ€”50 years of progress. <i>Taxon</i> , 2000, 49, 401-434.	0.4	48
82	Morphological Phylogenetic Analysis of Basal Angiosperms: Comparison and Combination with Molecular Data. <i>International Journal of Plant Sciences</i> , 2000, 161, S121-S153.	0.6	353
83	Cytosolic heat-stress proteins Hsp17.7 class I and Hsp17.3 class II of tomato act as molecular chaperones in vivo. <i>Planta</i> , 2000, 211, 575-582.	1.6	109
85	Evolution and Expansion of Flowering Plants. <i>The Paleontological Society Papers</i> , 2000, 6, 209-232.	0.8	9
86	Structure and Function of Tracheary Elements in <i>Amborella trichopoda</i> . <i>International Journal of Plant Sciences</i> , 2000, 161, 705-712.	0.6	52
87	Age Rank/Clade Rank Metrics-Sampling, Taxonomy, and the Meaning of "Stratigraphic Consistency". <i>Systematic Biology</i> , 2000, 49, 463-479.	2.7	36
88	Utility of 17 chloroplast genes for inferring the phylogeny of the basal angiosperms. <i>American Journal of Botany</i> , 2000, 87, 1712-1730.	0.8	305
89	Estimating Divergence Times in the Presence of an Overdispersed Molecular Clock. <i>Molecular Biology and Evolution</i> , 2000, 17, 1647-1660.	3.5	88
90	The Quality of the Fossil Record and the Accuracy of Phylogenetic Inferences about Sampling and Diversity. <i>Systematic Biology</i> , 2000, 49, 65-86.	2.7	100
91	The Mostly Male Theory of Flower Evolutionary Origins: From Genes to Fossils. <i>Systematic Botany</i> , 2000, 25, 155.	0.2	248
92	Patterns of <i>Aspergillus niger</i> var. <i>phoenicis</i> (Corda) Al-Musallam infection in Namibian populations of <i>Welwitschia mirabilis</i> Hook.f.. <i>Journal of Arid Environments</i> , 2000, 46, 181-198.	1.2	17
93	An herbaceous fossil conifer: Gymnospermous ruderals in the evolution of Mesozoic vegetation. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2000, 156, 139-145.	1.0	50

#	ARTICLE	IF	CITATIONS
94	Paleobotany, Relationships, and Geographic History of Winteraceae. <i>Annals of the Missouri Botanical Garden</i> , 2000, 87, 303.	1.3	58
95	Diversification and Relationships of Extant Homosporous Lycopods. <i>American Fern Journal</i> , 2001, 91, 150-165.	0.2	33
96	PERSPECTIVE: THE ORIGIN OF FLOWERING PLANTS AND THEIR REPRODUCTIVE BIOLOGY—A TALE OF TWO PHYLOGENIES. <i>Evolution; International Journal of Organic Evolution</i> , 2001, 55, 217.	1.1	1
97	Evolution of the angiosperms: calibrating the family tree. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2001, 268, 2211-2220.	1.2	1,358
98	ABSOLUTE DIVERSIFICATION RATES IN ANGIOSPERM CLADES. <i>Evolution; International Journal of Organic Evolution</i> , 2001, 55, 1762.	1.1	98
99	PHYLOGENETIC NOMENCLATURE AND PALEONTOLOGY. <i>Journal of Paleontology</i> , 2001, 75, 754-757.	0.5	12
100	Phylogenetic nomenclature and paleontology. <i>Journal of Paleontology</i> , 2001, 75, 754-757.	0.5	25
101	Origins of Flower Morphology. , 2001, , 493-510.		3
102	Systematics, character evolution, and biogeography of Gentianaceae, including a new tribal and subtribal classification. , 2001, , 21-309.		52
103	Acclimation of Leaf Anatomy, Photosynthetic Light Use, and Xylem Hydraulics to Light in <i>Amborella trichopoda</i> (Amborellaceae). <i>International Journal of Plant Sciences</i> , 2001, 162, 999-1008.	0.6	40
104	Historical biogeography of Melastomataceae: the roles of Tertiary migration and long-distance dispersal. <i>American Journal of Botany</i> , 2001, 88, 1290-1300.	0.8	190
105	Did dinosaurs invent flowers? Dinosaur—angiosperm coevolution revisited. <i>Biological Reviews</i> , 2001, 76, 411-447.	4.7	181
106	Origins of flower morphology. <i>The Journal of Experimental Zoology</i> , 2001, 291, 105-115.	1.4	127
107	Evolution of Lycopodiaceae (Lycopsidea): Estimating Divergence Times from <i>rbcl</i> Gene Sequences by Use of Nonparametric Rate Smoothing. <i>Molecular Phylogenetics and Evolution</i> , 2001, 19, 177-186.	1.2	117
108	ABSOLUTE DIVERSIFICATION RATES IN ANGIOSPERM CLADES. <i>Evolution; International Journal of Organic Evolution</i> , 2001, 55, 1762-1780.	1.1	780
109	PERSPECTIVE: THE ORIGIN OF FLOWERING PLANTS AND THEIR REPRODUCTIVE BIOLOGY?A TALE OF TWO PHYLOGENIES. <i>Evolution; International Journal of Organic Evolution</i> , 2001, 55, 217-231.	1.1	46
110	Sources of error and confidence intervals in estimating the age of angiosperms from <i>rbcl</i> and 18S rDNA data. <i>American Journal of Botany</i> , 2001, 88, 1499-1516.	0.8	235
111	Estimating the age of the polydnavirus/braconid wasp symbiosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 7508-7513.	3.3	152

#	ARTICLE	IF	CITATIONS
112	PHYLOGENY OF GAERTNERA LAM. (RUBIACEAE) BASED ON MULTIPLE DNA MARKERS: EVIDENCE OF A RAPID RADIATION IN A WIDESPREAD, MORPHOLOGICALLY DIVERSE GENUS. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 42.	1.1	4
113	Phylogenetic Balance and Ecological Evenness. <i>Systematic Biology</i> , 2002, 51, 898-907.	2.7	33
114	PHYLOGENY OF GAERTNERA LAM. (RUBIACEAE) BASED ON MULTIPLE DNA MARKERS: EVIDENCE OF A RAPID RADIATION IN A WIDESPREAD, MORPHOLOGICALLY DIVERSE GENUS. <i>Evolution; International Journal of Organic Evolution</i> , 2002, 56, 42-57.	1.1	112
115	SPECIATION IN NORTH AMERICAN BLACK BASSES, MICROPTERUS (ACTINOPTERYGII: CENTRARCHIDAE). <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 1610-1621.	1.1	118
116	NONSTOCHASTIC VARIATION OF SPECIES-LEVEL DIVERSIFICATION RATES WITHIN ANGIOSPERMS. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 460-479.	1.1	40
117	The Ancestral Ecology of Angiosperms: Emerging Perspectives from Extant Basal Lineages. <i>International Journal of Plant Sciences</i> , 2003, 164, S129-S142.	0.6	78
118	NONSTOCHASTIC VARIATION OF SPECIES-LEVEL DIVERSIFICATION RATES WITHIN ANGIOSPERMS. <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 460.	1.1	9
119	Adaptive Evolution in the Photosensory Domain of Phytochrome A in Early Angiosperms. <i>Molecular Biology and Evolution</i> , 2003, 20, 1087-1097.	3.5	49
120	SPECIATION IN NORTH AMERICAN BLACK BASSES, MICROPTERUS (ACTINOPTERYGII: CENTRARCHIDAE). <i>Evolution; International Journal of Organic Evolution</i> , 2003, 57, 1610.	1.1	6
121	Ecophysiological Shade Adaptation in the Basal Angiosperm, <i>Austrobaileya scandens</i> (Austrobaileyaceae). <i>International Journal of Plant Sciences</i> , 2003, 164, 313-324.	0.6	28
122	Dark and disturbed: a new image of early angiosperm ecology. <i>Paleobiology</i> , 2004, 30, 82-107.	1.3	215
123	High-Latitude Tertiary Migrations of an Exclusively Tropical Clade: Evidence from Malpighiaceae. <i>International Journal of Plant Sciences</i> , 2004, 165, S107-S121.	0.6	69
124	Fossils and plant phylogeny. <i>American Journal of Botany</i> , 2004, 91, 1683-1699.	0.8	115
125	Assessing the quality of molecular divergence time estimates by fossil calibrations and fossil-based model selection. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2004, 359, 1477-1483.	1.8	155
126	Phylogenetic Supertrees. <i>Computational Biology</i> , 2004, , .	0.1	186
127	A transitional-combinational theory for the origin of angiosperms. <i>Taxon</i> , 2004, 53, 3-16.	0.4	15
128	Clades, Clocks, and Continents: Historical and Biogeographical Analysis of Myrtaceae, Vochysiaceae, and Relatives in the Southern Hemisphere. <i>International Journal of Plant Sciences</i> , 2004, 165, S85-S105.	0.6	178
129	A Transitional-Combinational Theory for the Origin of Angiosperms. <i>Taxon</i> , 2004, 53, 3.	0.4	46

#	ARTICLE	IF	CITATIONS
130	Environmental causes for plant biodiversity gradients. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2004, 359, 1645-1656.	1.8	44
131	Estimating divergence times of notothenioid fishes using a fossil-calibrated molecular clock. <i>Antarctic Science</i> , 2004, 16, 37-44.	0.5	106
132	Timing of Early Cretaceous angiosperm diversification and possible links to major paleoenvironmental change. <i>Geology</i> , 2005, 33, 141.	2.0	127
133	Saving the stem group—a contradiction in terms?. <i>Paleobiology</i> , 2005, 31, 553-558.	1.3	7
134	The phylogenetic history and biogeography of the frankincense and myrrh family (Burseraceae) based on nuclear and chloroplast sequence data. <i>Molecular Phylogenetics and Evolution</i> , 2005, 35, 85-101.	1.2	176
135	Phylogeny and Historical Biogeography of the Genus <i>Platanus</i> as Inferred From Nuclear and Chloroplast DNA. <i>Systematic Botany</i> , 2005, 30, 786-799.	0.2	45
136	Form, function and environments of the early angiosperms: merging extant phylogeny and ecophysiology with fossils. <i>New Phytologist</i> , 2005, 166, 383-408.	3.5	84
137	Dispersal, vicariance, and timing of diversification in <i>Nothonotus darters</i> . <i>Molecular Ecology</i> , 2005, 14, 3485-3496.	2.0	72
138	ANGIOSPERM DIVERGENCE TIMES: THE EFFECT OF GENES, CODON POSITIONS, AND TIME CONSTRAINTS. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1653-1670.	1.1	134
139	FOSSIL CALIBRATIONS AND MOLECULAR DIVERGENCE TIME ESTIMATES IN CENTRARCHID FISHES (TELEOSTEI: Tj ETQq1 1 0.784314 134	1.1	134
140	Fungi Evolution Revisited: Application of the Penalized Likelihood Method to a Bayesian Fungal Phylogeny Provides a New Perspective on Phylogenetic Relationships and Divergence Dates of Ascomycota Groups. <i>Journal of Molecular Evolution</i> , 2005, 60, 726-735.	0.8	61
141	Estimating paleodiversities: a test of the taxic and phylogenetic methods. <i>Paleobiology</i> , 2005, 31, 21-34.	1.3	56
142	Saving the stem group—a contradiction in terms?. <i>Paleobiology</i> , 2005, 31, 553.	1.3	57
143	ANGIOSPERM DIVERGENCE TIMES: THE EFFECT OF GENES, CODON POSITIONS, AND TIME CONSTRAINTS. <i>Evolution; International Journal of Organic Evolution</i> , 2005, 59, 1653.	1.1	137
144	Teasing Apart Molecular- Versus Fossil-based Error Estimates when Dating Phylogenetic Trees: A Case Study in the Birch Family (Betulaceae). <i>Systematic Botany</i> , 2005, 30, 118-133.	0.2	54
145	Dating the Dipsacales: comparing models, genes, and evolutionary implications. <i>American Journal of Botany</i> , 2005, 92, 284-296.	0.8	138
146	FOSSIL CALIBRATIONS AND MOLECULAR DIVERGENCE TIME ESTIMATES IN CENTRARCHID FISHES (TELEOSTEI: Tj ETQq0 0 0 ggBT /Over	1.1	6
147	Relaxed molecular clocks for dating historical plant dispersal events. <i>Trends in Plant Science</i> , 2005, 10, 550-558.	4.3	213

#	ARTICLE	IF	CITATIONS
148	Genome duplication and the origin of angiosperms. <i>Trends in Ecology and Evolution</i> , 2005, 20, 591-597.	4.2	483
149	Assessing Concordance of Fossil Calibration Points in Molecular Clock Studies: An Example Using Turtles. <i>American Naturalist</i> , 2005, 165, 137-146.	1.0	255
150	Biogeochemical evidence for the presence of the angiosperm molecular fossil oleanane in Paleozoic and Mesozoic non-angiospermous fossils. <i>Paleobiology</i> , 2006, 32, 179-190.	1.3	52
151	Dating Dispersal and Radiation in the Gymnosperm Gnetum (Gnetales)â€™ Clock Calibration When Outgroup Relationships Are Uncertain. <i>Systematic Biology</i> , 2006, 55, 610-622.	2.7	114
152	Assessing Calibration Uncertainty in Molecular Dating: The Assignment of Fossils to Alternative Calibration Points. <i>Systematic Biology</i> , 2007, 56, 591-608.	2.7	126
153	Sampling taxa, estimating phylogeny and inferring macroevolution: an example from Devonian terebratulide brachiopods. <i>Earth and Environmental Science Transactions of the Royal Society of Edinburgh</i> , 2007, 98, 311-325.	0.3	12
154	Ecology of Plant Reproduction. <i>Books in Soils, Plants, and the Environment</i> , 2007, , .	0.1	2
155	Towards a phylogenetic nomenclature of <i>Tracheophyta</i> . <i>Taxon</i> , 2007, 56, 822-846.	0.4	101
156	Towards a phylogenetic nomenclature of <i>Tracheophyta</i> . <i>Taxon</i> , 2007, 56, E1.	0.4	71
157	How and when did Old World ratsnakes disperse into the New World?. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 173-189.	1.2	104
158	A congruent molecular signature of vicariance across multiple plant lineages. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 1106-1117.	1.2	135
159	The ecophysiology of early angiosperms. <i>Plant, Cell and Environment</i> , 2007, 30, 291-309.	2.8	116
160	Second Meeting of the International Society for Phylogenetic Nomenclature: a Report. <i>Zoologica Scripta</i> , 2007, 36, 109-117.	0.7	12
161	Are Macaronesian islands refugia of relict plant lineages?: a molecular survey. , 2007, , 297-314.		55
162	The identification of fossil angiosperm pollen and its bearing on the time and place of the origin of angiosperms. <i>Plant Systematics and Evolution</i> , 2007, 263, 117-134.	0.3	25
163	Tree thinking for all biology: the problem with reading phylogenies as ladders of progress. <i>BioEssays</i> , 2008, 30, 854-867.	1.2	108
164	Integrating Molecular Phylogenetic and Paleobotanical Evidence on Origin of the Flower. <i>International Journal of Plant Sciences</i> , 2008, 169, 816-843.	0.6	156
165	Escalation and its role in Jurassic biotic history. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2008, 263, 3-8.	1.0	59

#	ARTICLE	IF	CITATIONS
166	A Seed Related to Myristicaceae in the Early Eocene of Southern England. <i>Systematic Botany</i> , 2008, 33, 636-646.	0.2	19
167	Selection of Fossils for Calibration of Molecular Dating Models1. <i>Annals of the Missouri Botanical Garden</i> , 2008, 95, 34-42.	1.3	68
168	Conflicting Mitochondrial and Nuclear Phylogenies for the Widely Disjunct Emys (Testudines: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 667 Biology, 2009, 58, 1-20.	2.7	99
169	Origin of Mediterranean insular endemics in the Boraginales: integrative evidence from molecular dating and ancestral area reconstruction. <i>Journal of Biogeography</i> , 2009, 36, 1282-1296.	1.4	91
170	The angiosperm radiation revisited, an ecological explanation for Darwin's "abominable mystery". <i>Ecology Letters</i> , 2009, 12, 865-872.	3.0	118
171	Ancestral xerophobia: a hypothesis on the whole plant ecophysiology of early angiosperms. <i>Geobiology</i> , 2009, 7, 237-264.	1.1	116
172	As Time Goes by: A Simple Fool's Guide to Molecular Clock Approaches in Invertebrates[*]. <i>American Malacological Bulletin</i> , 2009, 27, 25-45.	0.2	186
173	Angiosperm diversification through time. <i>American Journal of Botany</i> , 2009, 96, 349-365.	0.8	364
174	Distinguishing angiosperms from the earliest angiosperms: A Lower Cretaceous (Valanginian-Hauterivian) fruit-like reproductive structure. <i>American Journal of Botany</i> , 2009, 96, 323-335.	0.8	37
175	Phylum Magnoliophyta (Flowering Plants)., 2009, , 1-6.		0
176	<i>Amborella trichopoda</i> (Amborellaceae) and the evolutionary developmental origins of the angiosperm progamic phase. <i>American Journal of Botany</i> , 2009, 96, 144-165.	0.8	63
177	The effects of fossil placement and calibration on divergence times and rates: An example from the termites (Insecta: Isoptera). <i>Arthropod Structure and Development</i> , 2010, 39, 204-219.	0.8	69
178	Integrating Early Cretaceous fossils into the phylogeny of living angiosperms: Magnoliidae and eudicots. <i>Journal of Systematics and Evolution</i> , 2010, 48, 1-35.	1.6	136
179	LARGE-SCALE PATTERNS OF DIVERSIFICATION IN THE WIDESPREAD LEGUME GENUS SENNA AND THE EVOLUTIONARY ROLE OF EXTRAFLORAL NECTARIES. <i>Evolution; International Journal of Organic Evolution</i> , 2010, 64, 3570-3592.	1.1	72
180	Molecular phylogeny and biogeographic diversification of <i>Parthenocissus</i> (Vitaceae) disjunct between Asia and North America. <i>American Journal of Botany</i> , 2010, 97, 1342-1353.	0.8	53
181	An uncorrelated relaxed-clock analysis suggests an earlier origin for flowering plants. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 5897-5902.	3.3	352
182	Early Cretaceous <i>Archaeofructus eoflora</i> sp. nov. with Bisexual Flowers from Beipiao, Western Liaoning, China. <i>Acta Geologica Sinica</i> , 2004, 78, 883-892.	0.8	50
183	Molecular and Fossil Dating: A Compatible Match?. <i>Entomologica Americana</i> , 2011, 117, 1-8.	0.2	3

#	ARTICLE	IF	CITATIONS
184	Integrating fossils in a molecular-based phylogeny and testing them as calibration points for divergence time estimates in Menispermaceae. <i>Journal of Systematics and Evolution</i> , 2011, 49, 25-49.	1.6	33
186	Establishing a time scale for plant evolution. <i>New Phytologist</i> , 2011, 192, 266-301.	3.5	306
187	Cenozoic extinctions account for the low diversity of extant gymnosperms compared with angiosperms. <i>New Phytologist</i> , 2011, 192, 997-1009.	3.5	171
188	Is lack of cycad (Cycadales) diversity a result of a lack of polyploidy?. <i>Botanical Journal of the Linnean Society</i> , 2011, 165, 156-167.	0.8	22
189	Recent Synchronous Radiation of a Living Fossil. <i>Science</i> , 2011, 334, 796-799.	6.0	304
190	Understanding angiosperm diversification using small and large phylogenetic trees. <i>American Journal of Botany</i> , 2011, 98, 404-414.	0.8	161
191	Integrating Fossil Preservation Biases in the Selection of Calibrations for Molecular Divergence Time Estimation. <i>Systematic Biology</i> , 2011, 60, 519-527.	2.7	62
192	Phylogenetic assessment of pollen characters in Myrtaceae. <i>Australian Systematic Botany</i> , 2012, 25, 171.	0.3	19
193	A Lower Cretaceous (Valanginian) seed cone provides the earliest fossil record for <i>Picea</i> (Pinaceae). <i>American Journal of Botany</i> , 2012, 99, 1069-1082.	0.8	44
194	The evolution of pollen germination timing in flowering plants: <i>Austrobaileya scandens</i> (Austrobaileyaceae). <i>AoB PLANTS</i> , 2012, 2012, pls010.	1.2	16
195	Pollen Tube Growth Rates and the Diversification of Flowering Plant Reproductive Cycles. <i>International Journal of Plant Sciences</i> , 2012, 173, 649-661.	0.6	57
196	Evaluating Fossil Calibrations for Dating Phylogenies in Light of Rates of Molecular Evolution: A Comparison of Three Approaches. <i>Systematic Biology</i> , 2012, 61, 22.	2.7	77
197	Evolutionary History of Lignins. <i>Advances in Botanical Research</i> , 2012, , 309-350.	0.5	18
199	Framing the Salmonidae Family Phylogenetic Portrait: A More Complete Picture from Increased Taxon Sampling. <i>PLoS ONE</i> , 2012, 7, e46662.	1.1	201
200	Distribution of living Cupressaceae reflects the breakup of Pangea. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 7793-7798.	3.3	236
201	Molecular and Fossil Evidence on the Origin of Angiosperms. <i>Annual Review of Earth and Planetary Sciences</i> , 2012, 40, 301-326.	4.6	185
202	Testing the Impact of Calibration on Molecular Divergence Times Using a Fossil-Rich Group: The Case of <i>Nothofagus</i> (Fagales). <i>Systematic Biology</i> , 2012, 61, 289-313.	2.7	351
203	Dating clades with fossils and molecules: the case of Annonaceae. <i>Botanical Journal of the Linnean Society</i> , 2012, 169, 84-116.	0.8	74

#	ARTICLE	IF	CITATIONS
204	Harvesting Betulaceae sequences from GenBank to generate a new chronogram for the family. <i>Botanical Journal of the Linnean Society</i> , 2013, 172, 465-477.	0.8	45
205	Convergent evolution of morphology and habitat use in the explosive Hawaiian fancy case caterpillar radiation. <i>Journal of Evolutionary Biology</i> , 2013, 26, 1763-1773.	0.8	16
206	Gene duplication as a major force in evolution. <i>Journal of Genetics</i> , 2013, 92, 155-161.	0.4	386
207	<i>Chengia laxispicatagen. et sp. nov.</i> , a new ephedroid plant from the Early Cretaceous Yixian Formation of western Liaoning, Northeast China: evolutionary, taxonomic, and biogeographic implications. <i>BMC Evolutionary Biology</i> , 2013, 13, 72.	3.2	19
208	A practical guide to molecular dating. <i>Comptes Rendus - Palevol</i> , 2013, 12, 355-367.	0.1	93
209	Land plant evolutionary timeline: Gene effects are secondary to fossil constraints in relaxed clock estimation of age and substitution rates. <i>American Journal of Botany</i> , 2013, 100, 556-573.	0.8	279
210	Angiosperm-like pollen and Afropollis from the Middle Triassic (Anisian) of the Germanic Basin (Northern Switzerland). <i>Frontiers in Plant Science</i> , 2013, 4, 344.	1.7	76
211	Gene duplication: A major force in evolution and bio-diversity. <i>International Journal of Biodiversity and Conservation</i> , 2014, 6, 41-49.	0.4	7
212	Integrating Early Cretaceous Fossils into the Phylogeny of Living Angiosperms: ANITA Lines and Relatives of Chloranthaceae. <i>International Journal of Plant Sciences</i> , 2014, 175, 555-600.	0.6	84
213	Insights into the Common Ancestor of Eudicots. <i>Advances in Botanical Research</i> , 2014, 69, 137-174.	0.5	1
214	Amplified fragment length polymorphisms, the evolution of the land snail genus <i>Theba</i> (Stylommatophora: Helicidae), and an objective approach for relating fossils to internal nodes of a phylogenetic tree using geometric morphometrics. <i>Zoological Journal of the Linnean Society</i> , 2014, 171, 92-107.	1.0	10
215	Long-term morphological stasis maintained by a plant-pollinator mutualism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 5914-5919.	3.3	83
216	Angiosperm Clades in the Potomac Group: What Have We Learned since 1977?. <i>Bulletin of the Peabody Museum of Natural History</i> , 2014, 55, 111-134.	0.6	32
217	Phylogenetic informativeness reconciles ray-finned fish molecular divergence times. <i>BMC Evolutionary Biology</i> , 2014, 14, 169.	3.2	77
218	The Generification of the Fossil Record. <i>Paleobiology</i> , 2014, 40, 511-528.	1.3	79
219	Amplified fragment length polymorphisms, the evolution of the land snail genus <i>Theba</i> (Stylommatophora: Helicidae), and an objective approach for relating fossils to internal nodes of a phylogenetic tree using geometric morphometrics. <i>Zoological Journal of the Linnean Society</i> , 0...	1.0	0
220	Molecular Phylogeny and Biogeographic Diversification of Linnaeoideae (Caprifoliaceae s. l.) Disjunctly Distributed in Eurasia, North America and Mexico. <i>PLoS ONE</i> , 2015, 10, e0116485.	1.1	37
221	Between a Rock and a Hard Place: Applications of the "Molecular Clock" in Systematic Biology. <i>Systematic Botany</i> , 2015, 40, 6-13.	0.2	12

#	ARTICLE	IF	CITATIONS
222	Pollen structure and development in Nymphaeales: Insights into character evolution in an ancient angiosperm lineage. <i>American Journal of Botany</i> , 2015, 102, 1685-1702.	0.8	25
223	Palaeobotanical redux: revisiting the age of the angiosperms. <i>Nature Plants</i> , 2017, 3, 17015.	4.7	145
225	Evolutionary rates and adaptive radiations. <i>Biology and Philosophy</i> , 2019, 34, 1.	0.7	6
226	Phylogenomics resolves major relationships and reveals significant diversification rate shifts in the evolution of silk moths and relatives. <i>BMC Evolutionary Biology</i> , 2019, 19, 182.	3.2	49
227	How deep is the conflict between molecular and fossil evidence on the age of angiosperms?. <i>New Phytologist</i> , 2019, 223, 83-99.	3.5	119
228	Hunting the Snark: the flawed search for mythical Jurassic angiosperms. <i>Journal of Experimental Botany</i> , 2020, 71, 22-35.	2.4	33
229	The presence of 18 β (H)-oleanane in Pennsylvanian and Mississippian rocks in the Anadarko Basin, Oklahoma. <i>Organic Geochemistry</i> , 2021, 152, 104181.	0.9	5
230	Mesozoic cupules and the origin of the angiosperm second integument. <i>Nature</i> , 2021, 594, 223-226.	13.7	33
231	Detecting Diversification Rate Variation in Supertrees. <i>Computational Biology</i> , 2004, , 487-533.	0.1	79
232	Ranunculiflorae " delimitation, phylogeny, diversification. , 1995, , 1-10.		1
233	Evolutionary Biology of Flowers: Prospects for the Next Century. , 1997, , 99-119.		27
234	Palynological Approaches to the Origin and Early Diversification of Angiosperms. , 1997, , 199-208.		1
236	<p>Phylogeny, classification, and species-level taxonomy of ants (Hymenoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf	6.2	99
237	Roadmap of Genomics Research in the 21st Century. , 2010, , 571-582.		0
238	Flower Evolution. , 1996, , 253-280.		0
240	Jugando con Dragones: Una experiencia lÃ©dica como introducciÃ³n a los conceptos filogenÃ©ticos en la enseÃ±anza de la biodiversidad. <i>Revista Eureka Sobre EnseÃ±anza Y DivulgaciÃ³n De Las Ciencias</i> , 2019, 17, 1-16.	0.2	2
242	Morphology and Viability of Pollen from Three Hardy Water Lilies and Their Cross-Compatibility with <i>Nymphaea</i> hybrid. <i>Diversity</i> , 2022, 14, 92.	0.7	2
244	Cladistics and Stratigraphy. <i>Geosciences (Switzerland)</i> , 2023, 13, 86.	1.0	0

#	ARTICLE	IF	CITATIONS
---	---------	----	-----------