
CITATION REPORT List of articles citing



DOI: 10.1523/jneurosci.14-12-07563.1994 Journal of Neuroscience, 1994, 14, 7563-71.

Source: https://exaly.com/paper-pdf/24688502/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
171	Analysis of connections between nitric oxide synthase neurons in the myenteric plexus of the guinea-pig small intestine. 1995 , 24, 257-63		38
170	Sources of inputs to longitudinal muscle motor neurons and ascending interneurons in the guinea-pig small intestine. <i>Cell and Tissue Research</i> , 1995 , 280, 549-60	4.2	50
169	Signalling mechanisms. 1995 , 5, 395-428		
168	P2X receptors bring new structure to ligand-gated ion channels. 1995 , 18, 224-9		252
167	Lack of evidence for P2X-purinoceptor involvement in fast synaptic responses in intact sympathetic ganglia isolated from guinea-pigs. 1995 , 69, 651-9		22
166	Analysis of contributions of acetylcholine and tachykinins to neuro-neuronal transmission in motility reflexes in the guinea-pig ileum. 1996 , 118, 973-83		84
165	Purinergic cation channels in neurons of rabbit vesical parasympathetic ganglia. 1996 , 212, 215-7		17
164	An antagonist-insensitive P2X receptor expressed in epithelia and brain EMBO Journal, 1996, 15, 55-67	2 13	324
163	ATP receptor activation potentiates a voltage-dependent Ca channel in hippocampal neurons. 1996 , 715, 208-16		24
162	P2X purinoceptors in cultured myenteric neurons of guinea-pig small intestine. <i>Journal of Physiology</i> , 1996 , 496 (Pt 3), 719-29	3.9	82
161	Computer simulation of the enteric neural circuits mediating an ascending reflex: roles of fast and slow excitatory outputs of sensory neurons. 1997 , 64, 143-57		13
160	Studies on the release and extracellular metabolism of endogenous ATP in rat superior cervical ganglion: support for neurotransmitter role of ATP. 1997 , 79, 893-903		79
159	Structure and chromosomal mapping of the mouse P2X3 gene. 1997 , 195, 101-11		20
158	ATP P2X receptors mediate fast synaptic transmission in the dorsal horn of the rat spinal cord. <i>Journal of Neuroscience</i> , 1997 , 17, 5297-304	6.6	235
157	PACAP38 modulates activity of NMDA receptors in cultured chick cortical neurons. 1997 , 78, 2231-4		36
156	Mg2+ inhibition of ATP-activated current in rat nodose ganglion neurons: evidence that Mg2+ decreases the agonist affinity of the receptor. 1997 , 77, 3391-5		32
155	Interleukin-1 enhances the ATP-evoked release of arachidonic acid from mouse astrocytes. <i>Journal of Neuroscience</i> , 1997 , 17, 2939-46	6.6	73

154	Guinea pig pancreatic neurons: morphology, neurochemistry, electrical properties, and response to 5-HT. <i>American Journal of Physiology - Renal Physiology</i> , 1997 , 273, G1273-89	5.1	6
153	Calcium flux through predominantly independent purinergic ATP and nicotinic acetylcholine receptors. 1997 , 77, 1407-17		48
152	Localization and functional expression of splice variants of the P2X2 receptor. <i>Molecular Pharmacology</i> , 1997 , 52, 237-48	4.3	135
151	Glutamatergic enteric neurons. <i>Journal of Neuroscience</i> , 1997 , 17, 4764-84	6.6	195
150	Inhibition of ATP-activated current by zinc in dorsal root ganglion neurones of bullfrog. <i>Journal of Physiology</i> , 1997 , 505 (Pt 3), 641-53	3.9	38
149	Role of ATP in fast excitatory synaptic potentials in locus coeruleus neurones of the rat. 1997 , 122, 423	3-30	122
148	Signal transduction pathways for serotonin as an intestinal secretagogue. 1997 , 118, 283-90		55
147	Non-additive interaction between nicotinic cholinergic and P2X purine receptors in guinea-pig enteric neurons in culture. <i>Journal of Physiology</i> , 1998 , 513 (Pt 3), 685-97	3.9	91
146	ATP and glutamate are released from separate neurones in the rat medial habenula nucleus: frequency dependence and adenosine-mediated inhibition of release. <i>Journal of Physiology</i> , 1998 , 508 (Pt 3), 691-701	3.9	53
145	Mutual occlusion of P2X ATP receptors and nicotinic receptors on sympathetic neurons of the guinea-pig. <i>Journal of Physiology</i> , 1998 , 510 (Pt 3), 783-91	3.9	63
144	Immunohistochemical localization of nicotinic acetylcholine receptors in the guinea pig bowel and pancreas. 1998 , 390, 497-514		66
143	Electron-immunocytochemical localization of P2X1 receptors in the rat cerebellum. <i>Cell and Tissue Research</i> , 1998 , 294, 253-60	4.2	88
142	Two types of P2x-purinoceptors in neurons of the guinea pig ileum submucous plexus. 1998 , 30, 242-24	45	10
141	P2X3 is expressed by DRG neurons that terminate in inner lamina II. 1998 , 10, 3470-8		289
140	Intrinsic primary afferent neurons of the intestine. 1998 , 54, 1-18		339
139	Metabotropic receptors for ATP and UTP: exploring the correspondence between native and recombinant nucleotide receptors. 1998 , 19, 506-14		128
138	ATP receptor-mediated enhancement of fast excitatory neurotransmitter release in the brain. <i>Molecular Pharmacology</i> , 1998 , 54, 372-8	4.3	130
137	Analysis of fast synaptic pathways in myenteric plexus of guinea pig ileum. <i>American Journal of Physiology - Renal Physiology</i> , 1999 , 276, G529-38	5.1	29

136	Endogenous interstitial adenosine in isolated myenteric neural networks varies inversely with prevailing PO2. <i>American Journal of Physiology - Renal Physiology</i> , 1999 , 276, G875-85	5.1	11
135	Differential modulation by copper and zinc of P2X2 and P2X4 receptor function. 1999 , 81, 2088-94		80
134	Identification and characterization of glucoresponsive neurons in the enteric nervous system. <i>Journal of Neuroscience</i> , 1999 , 19, 10305-17	6.6	129
133	Excitatory effect of P2X receptor activation on mesenteric afferent nerves in the anaesthetised rat. <i>Journal of Physiology</i> , 1999 , 520 Pt 2, 551-63	3.9	71
132	Synaptic corelease of ATP and GABA in cultured spinal neurons. 1999 , 2, 241-5		302
131	Neuronal P2X transmitter-gated cation channels change their ion selectivity in seconds. 1999 , 2, 322-30		306
130	Modulation of ATP-responses at recombinant rP2X4 receptors by extracellular pH and zinc. 1999 , 126, 762-8		60
129	Different receptors mediating the inhibitory action of exogenous ATP and endogenously released purines on guinea-pig intestinal peristalsis. 1999 , 128, 313-20		29
128	Connections between P2 purinoceptors and capsaicin-sensitive afferents in the intestine and other tissues. <i>European Journal of Pharmacology</i> , 1999 , 375, 203-10	5.3	14
127	Differential localization of Ca2+ channel alpha1 subunits in the enteric nervous system: presence of alpha1B channel-like immunoreactivity in intrinsic primary afferent neurons. <i>Journal of Comparative Neurology</i> , 1999 , 409, 85-104	3.4	29
126	Evidence that inhibitory motor neurons of the guinea-pig small intestine exhibit fast excitatory synaptic potentials mediated via P2X receptors. 1999 , 266, 169-72		44
125	Alcohol action on membrane ion channels gated by extracellular ATP (P2X receptors). 1999 , 35, 143-52		47
124	Antagonistic properties of the suramin analogue NF023 at heterologously expressed P2X receptors. <i>Neuropharmacology</i> , 1999 , 38, 141-9	5.5	98
123	The enteric nervous system and regulation of intestinal motility. 1999 , 61, 117-42		304
122	Receptor- and carrier-mediated release of ATP of postsynaptic origin: cascade transmission. 1999 , 120, 159-69		36
121	Differences in circular muscle contraction and peristaltic motor inhibition caused by tachykinin NK1 receptor agonists in the guinea-pig small intestine. <i>Neurogastroenterology and Motility</i> , 2000 , 12, 197-20	o 4	17
120	Inhibition by ethanol of rat P2X(4) receptors expressed in Xenopus oocytes. 2000 , 130, 1394-8		40
119	Descending inhibitory reflexes involve P2X receptor-mediated transmission from interneurons to motor neurons in guinea-pig ileum. <i>Journal of Physiology</i> , 2000 , 528, 551-60	3.9	57

(2001-2000)

118	Purinergic and cholinergic neuro-neuronal transmission underlying reflexes activated by mucosal stimulation in the isolated guinea-pig ileum. <i>Journal of Physiology</i> , 2000 , 522 Pt 2, 321-31	3.9	63
117	ATP facilitates spontaneous glycinergic IPSC frequency at dissociated rat dorsal horn interneuron synapses. <i>Journal of Physiology</i> , 2000 , 524 Pt 2, 471-83	3.9	81
116	Complex hippocampal responses to ATP: fade due to nucleotidase inhibition and P2-receptor-mediated adenosine release. 2000 , 860, 161-5		7
115	Characterisation of ATP-induced facilitation of transmission in rat hippocampus. <i>European Journal of Pharmacology</i> , 2000 , 409, 159-66	5.3	21
114	Changes in intracellular Ca2+ by activation of P2 receptors in submucosal neurons in short-term cultures. <i>European Journal of Pharmacology</i> , 2000 , 409, 243-57	5.3	32
113	Neuronal P2X receptors: localisation and functional properties. 2000 , 362, 324-39		174
112	Receptor-induced Ca(2+) signaling in cultured myenteric neurons. <i>American Journal of Physiology - Renal Physiology</i> , 2000 , 278, G905-14	5.1	13
111	Functional vagal input to gastric myenteric plexus as assessed by vagal stimulation-induced Fos expression. <i>American Journal of Physiology - Renal Physiology</i> , 2000 , 279, G73-81	5.1	25
110	P2X(2) receptor immunoreactivity in the dorsal vagal complex and area postrema of the rat. 2000 , 99, 683-96		52
109	GABA(A) receptors on calbindin-immunoreactive myenteric neurons of guinea pig intestine. 2000 , 78, 122-35		22
108	Ethanol inhibition of adenosine 5Ttriphosphate-activated current in freshly isolated adult rat hippocampal CA1 neurons. 2000 , 295, 77-80		23
107	Distribution of P2X1, P2X2, and P2X3 receptor subunits in rat primary afferents: relation to population markers and specific cell types. 2000 , 20, 141-62		104
106	Electrical properties and synaptic potentials of rabbit pancreatic neurons. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2000 , 84, 68-77	2.4	10
105	Modulation of fast synaptic transmission by presynaptic ligand-gated cation channels. 2000 , 81, 110-21		59
104	Multiple mechanisms of fast excitatory synaptic transmission in the enteric nervous system. 2000 , 81, 97-103		147
103	P2X Receptors for ATP: Classification, Distribution, and Function. 2000 , 519-540		
102	Pre- and postsynaptic actions of ATP on neurotransmission in rat submandibular ganglia. 2001 , 107, 283	-91	24
101	P2X receptors in peripheral neurons. 2001 , 65, 107-34		326

100	Smooth muscle does not have a common P2x receptor phenotype: expression, ontogeny and function of P2x1 receptors in mouse ileum, bladder and reproductive systems. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2001 , 92, 56-64	2.4	27
99	Properties of native P2X receptors in rat trigeminal mesencephalic nucleus neurones: lack of correlation with known, heterologously expressed P2X receptors. <i>Neuropharmacology</i> , 2001 , 40, 96-10	5 ^{5.5}	25
98	Classes of enteric nerve cells in the guinea-pig small intestine. 2001 , 262, 58-70		268
97	P2X(7) receptors in the enteric nervous system of guinea-pig small intestine. <i>Journal of Comparative Neurology</i> , 2001 , 440, 299-310	3.4	76
96	Release and effects of ATP and its derivatives at cholinergic synapses. 2001 , 52, 22-33		5
95	Molecular physiology of P2X receptors and ATP signalling at synapses. 2001 , 2, 165-74		325
94	Ionic selectivity of native ATP-activated (P2X) receptor channels in dissociated neurones from rat parasympathetic ganglia. <i>Journal of Physiology</i> , 2001 , 534, 423-35	3.9	36
93	Developmental changes in P2X purinoceptors on glycinergic presynaptic nerve terminals projecting to rat substantia gelatinosa neurones. <i>Journal of Physiology</i> , 2001 , 536, 505-19	3.9	43
92	Pharmacological properties of nicotinic acetylcholine receptors expressed by guinea pig small intestinal myenteric neurons. 2002 , 302, 889-97		55
91	Vagal mechanoreceptors and chemoreceptors in mouse stomach and esophagus. 2002 , 87, 2095-103		172
90	Molecular physiology of P2X receptors. 2002 , 82, 1013-67		2369
89	Nicotinic acetylcholine receptors in autonomic ganglia. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2002 , 97, 1-11	2.4	78
88	The distribution of P2X3 purine receptor subunits in the guinea pig enteric nervous system. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2002 , 101, 39-47	2.4	92
87	Tea catechin, (-)-epigallocatechin gallate, facilitates cholinergic ganglion transmission in the myenteric plexus of the guinea-pig small intestine. 2002 , 319, 63-6		21
86	Coordinate release of ATP and GABA at in vitro synapses of lateral hypothalamic neurons. <i>Journal of Neuroscience</i> , 2002 , 22, 4794-804	6.6	122
85	ATP as a putative sensory mediator: activation of intrinsic sensory neurons of the myenteric plexus via P2X receptors. <i>Journal of Neuroscience</i> , 2002 , 22, 4767-75	6.6	81
84	Fine tuning of sympathetic transmitter release via ionotropic and metabotropic presynaptic receptors. 2002 , 54, 43-99		176
83	Nicotinic mechanisms in the autonomic control of organ systems. 2002 , 53, 568-79		58

(2004-2002)

82	The distribution of purine P2X(2) receptors in the guinea-pig enteric nervous system. <i>Histochemistry and Cell Biology</i> , 2002 , 117, 415-22	2.4	103	
81	ATP and 5-HT are the principal neurotransmitters in the descending excitatory reflex pathway of the guinea-pig ileum. <i>Neurogastroenterology and Motility</i> , 2002 , 14, 255-64	4	54	
80	Ligand-gated ion channels in the enteric nervous system. <i>Neurogastroenterology and Motility</i> , 2002 , 14, 611-23	4	107	
79	A rhythmic motor pattern activated by circumferential stretch in guinea-pig distal colon. <i>Journal of Physiology</i> , 2002 , 545, 629-48	3.9	64	
78	Stimulation of Ca(2+) influx through ATP receptors on rat brain synaptosomes: identification of functional P2X(7) receptor subtypes. 2002 , 135, 1616-26		47	
77	Intraganglionic laminar endings in the rat esophagus contain purinergic P2X2 and P2X3 receptor immunoreactivity. 2003 , 207, 363-71		47	
76	Modulation of ATP-induced currents by zinc in acutely isolated hypothalamic neurons of the rat. 2003 , 139, 919-26		13	
75	P2X2 subunits contribute to fast synaptic excitation in myenteric neurons of the mouse small intestine. <i>Journal of Physiology</i> , 2003 , 552, 809-21	3.9	96	
74	Analysis of purinergic and cholinergic fast synaptic transmission to identified myenteric neurons. 2003 , 116, 335-47		56	
73	ATP and sensory transduction in the enteric nervous system. 2003 , 9, 243-60		62	
72	Peristalsis is impaired in the small intestine of mice lacking the P2X3 subunit. <i>Journal of Physiology</i> , 2003 , 551, 309-22	3.9	88	
71	A smooth muscle tone-dependent stretch-activated migrating motor pattern in isolated guinea-pig distal colon. <i>Journal of Physiology</i> , 2003 , 551, 955-69	3.9	41	
70	Contribution of calcium ions to P2X channel responses. <i>Journal of Neuroscience</i> , 2004 , 24, 3413-20	6.6	238	
69	Presynaptic modulation of cholinergic and non-cholinergic fast synaptic transmission in the myenteric plexus of guinea pig ileum. <i>Neurogastroenterology and Motility</i> , 2004 , 16, 355-64	4	28	
68	ATP participates in three excitatory postsynaptic potentials in the submucous plexus of the guinea pig ileum. <i>Journal of Physiology</i> , 2004 , 556, 571-84	3.9	62	
67	Mechanically evoked reflex electrogenic chloride secretion in rat distal colon is triggered by endogenous nucleotides acting at P2Y1, P2Y2, and P2Y4 receptors. <i>Journal of Comparative Neurology</i> , 2004 , 469, 16-36	3.4	54	
66	Distribution of neuronal nicotinic acetylcholine receptors containing different alpha-subunits in the submucosal plexus of the guinea-pig. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2004 , 110, 19-26	2.4	23	
65	P2X2 and P2X3 receptor expression in the gallbladder of the guinea pig. <i>Autonomic Neuroscience:</i> Basic and Clinical, 2004 , 111, 89-96	2.4	6	

64	Mechanical stimulation releases nucleotides that activate P2Y1 receptors to trigger neural reflex chloride secretion in guinea pig distal colon. <i>Journal of Comparative Neurology</i> , 2004 , 469, 1-15	3.4	51
63	Distribution of P2Y2 receptors in the guinea pig enteric nervous system and its coexistence with P2X2 and P2X3 receptors, neuropeptide Y, nitric oxide synthase and calretinin. <i>Histochemistry and Cell Biology</i> , 2005 , 124, 379-90	2.4	46
62	The distribution of P2X5 purinergic receptors in the enteric nervous system of mouse. <i>Cell and Tissue Research</i> , 2005 , 319, 191-200	4.2	45
61	P2X2 receptors are essential for [Ca2+]i increases in response to ATP in cultured rat myenteric neurons. <i>American Journal of Physiology - Renal Physiology</i> , 2005 , 289, G935-48	5.1	25
60	Motilin inhibits ganglionic transmission in the myenteric plexus of the guinea-pig ileum. <i>Neuroscience Research</i> , 2005 , 53, 156-60	2.9	7
59	Dynamics of fast synaptic excitation during trains of stimulation in myenteric neurons of guinea-pig ileum. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2005 , 117, 67-78	2.4	25
58	Fundamentals of neurogastroenterology: basic science. <i>Gastroenterology</i> , 2006 , 130, 1391-411	13.3	205
57	Characterization of DIDS-sensitive ATP accumulation in brain synaptic vesicles. <i>FEBS Letters</i> , 2006 , 580, 5894-8	3.8	11
56	Cellular Neurophysiology of Enteric Neurons. 2006 , 629-663		9
55	Multiple motor effects of ATP and their inhibition by P purinoceptor antagonist, pyridoxalphosphate-6-azophenyl-2Ţ4Fdisulphonic acid in the small intestine of the guinea-pig. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006 , 98, 488-95	3.1	10
54	Exocytotic release of ATP and activation of P2X receptors in dissociated guinea pig stellate neurons. <i>American Journal of Physiology - Cell Physiology</i> , 2006 , 291, C1062-71	5.4	8
53	Retinoic acids increase P2X2 receptor expression through the 5Tflanking region of P2rx2 gene in rat phaeochromocytoma PC-12 cells. <i>Molecular Pharmacology</i> , 2006 , 70, 319-28	4.3	12
52	. 2007,		92
51	A novel calcium-sensitive potassium conductance is coupled to P2X3 subunit containing receptors in myenteric neurons of guinea pig ileum. <i>Neurogastroenterology and Motility</i> , 2007 , 19, 912-22	4	8
50	A new role for P2 receptors: talking with calcium-activated potassium channels. Neurogastroenterology and Motility, 2007 , 19, 865-8	4	2
49	An intracellular motif of P2X(3) receptors is required for functional cross-talk with GABA(A) receptors in nociceptive DRG neurons. <i>Journal of Neurochemistry</i> , 2007 , 102, 1357-68	6	39
48	Purinergic receptors and synaptic transmission in enteric neurons. <i>Purinergic Signalling</i> , 2008 , 4, 255-66	3.8	29
47	Handbook of Neurochemistry and Molecular Neurobiology. 2008,		3

(2013-2009)

46	Distribution of P2X(3) receptor immunoreactivity in myenteric ganglia of the mouse esophagus. <i>Histochemistry and Cell Biology</i> , 2009 , 131, 13-27	2.4	17
45	Selective stimulation of intrinsic excitatory and inhibitory motor pathways in porcine lower oesophageal sphincter. <i>Neurogastroenterology and Motility</i> , 2009 , 21, 1342-e130	4	6
44	Two suramin binding sites are present in guinea pig but only one in murine native P2X myenteric receptors. <i>European Journal of Pharmacology</i> , 2010 , 626, 179-85	5.3	6
43	Recordings from human myenteric neurons using voltage-sensitive dyes. <i>Journal of Neuroscience Methods</i> , 2010 , 192, 240-8	3	14
42	Deletion of P2X2 and P2X3 receptor subunits does not alter motility of the mouse colon. <i>Frontiers in Neuroscience</i> , 2010 , 4, 22	5.1	13
41	Enteric glia are targets of the sympathetic innervation of the myenteric plexus in the guinea pig distal colon. <i>Journal of Neuroscience</i> , 2010 , 30, 6801-9	6.6	70
40	Enteric Nervous System: The Brain-in-the-Gut. <i>Colloquium Series on Integrated Systems Physiology From Molecule To Function</i> , 2011 , 3, 1-172		8
39	Transient receptor potential vanilloid 4 (TRPV4)-dependent calcium influx and ATP release in mouse oesophageal keratinocytes. <i>Journal of Physiology</i> , 2011 , 589, 3471-82	3.9	86
38	P2X7 receptors contribute to the currents induced by ATP in guinea pig intestinal myenteric neurons. <i>European Journal of Pharmacology</i> , 2011 , 668, 366-72	5.3	12
37	Neuronal P2X2 receptors are mobile ATP sensors that explore the plasma membrane when activated. <i>Journal of Neuroscience</i> , 2011 , 31, 16716-30	6.6	26
36	Retention of a new-defined intron changes pharmacology and kinetics of the full-length P2X2 receptor found in myenteric neurons of the guinea pig. <i>Neuropharmacology</i> , 2012 , 63, 394-404	5.5	6
35	The roles of purinergic signaling during gastrointestinal inflammation. <i>Current Opinion in Pharmacology</i> , 2012 , 12, 659-66	5.1	25
34	Neuromodulation by extracellular ATP and P2X receptors in the CNS. <i>Neuron</i> , 2012 , 76, 51-69	13.9	238
33	Cellular Neurophysiology of Enteric Neurons. 2012 , 629-669		10
32	P2X receptors in the gut. Environmental Sciences Europe, 2012 , 1, 269-279	5	7
31	Detecting sweet and umami tastes in the gastrointestinal tract. Acta Physiologica, 2012, 204, 169-77	5.6	18
30	P2X4 subunits are part of P2X native channels in murine myenteric neurons. <i>European Journal of Pharmacology</i> , 2013 , 709, 93-102	5.3	9
29	Structure activity relationship of synaptic and junctional neurotransmission. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2013 , 176, 11-31	2.4	25

28	Muscarinic acetylcholine receptors in the mouse esophagus: focus on intraganglionic laminar endings (IGLEs). <i>Neurogastroenterology and Motility</i> , 2013 , 25, e560-73	4	4
27	Characterization of human, mouse, and rat cultures of enteric glial cells and their effect on intestinal epithelial cells. <i>Neurogastroenterology and Motility</i> , 2013 , 25, e755-64	4	23
26	Modulation of lipopolysaccharide-induced neuronal response by activation of the enteric nervous system. <i>Journal of Neuroinflammation</i> , 2014 , 11, 202	10.1	38
25	Enteric Glia. 2014 , 1, 1-70		10
24	Ca2+ responses in enteric glia are mediated by connexin-43 hemichannels and modulate colonic transit in mice. <i>Gastroenterology</i> , 2014 , 146, 497-507.e1	13.3	122
23	Nicotine-Induced Modulation of the Cholinergic Twitch Response in the Ileum of Guinea Pig. <i>Pharmacology</i> , 2015 , 96, 61-7	2.3	3
22	Purinergic signalling in the enteric nervous system (An overview of current perspectives). <i>Autonomic Neuroscience: Basic and Clinical</i> , 2015 , 191, 141-7	2.4	13
21	The Enteric Nervous System. Advances in Experimental Medicine and Biology, 2016,	3.6	
20	Excitability and Synaptic Transmission in the Enteric Nervous System: Does Diet Play a Role?. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 891, 201-11	3.6	5
19	Interaction of EMethylene ATP with the Cholinergic Twitch Response in the Guinea-Pig Ileum. <i>Pharmacology</i> , 2016 , 97, 277-81	2.3	2
18	A novel enteric neuron-glia coculture system reveals the role of glia in neuronal development. <i>Journal of Physiology</i> , 2017 , 595, 583-598	3.9	26
17	Physiological Concentrations of Zinc Have Dual Effects on P2X Myenteric Receptors of Guinea Pig. <i>Cellular and Molecular Neurobiology</i> , 2018 , 38, 1439-1449	4.6	1
16	Optogenetic analysis of neuromuscular transmission in the colon of ChAT-ChR2-YFP BAC transgenic mice. <i>American Journal of Physiology - Renal Physiology</i> , 2019 , 317, G569-G579	5.1	7
15	Ionotropic Receptors. 2019 , 215-243		O
14	Bile acids are potent inhibitors of rat P2X2Ireceptors. <i>Purinergic Signalling</i> , 2019 , 15, 213-221	3.8	4
13	Morphology of P2X3-immunoreactive basket-like afferent nerve endings surrounding serosal ganglia and close relationship with vesicular nucleotide transporter-immunoreactive nerve fibers in the rat gastric antrum. <i>Journal of Comparative Neurology</i> , 2021 , 529, 3866-3881	3.4	
12	P2X receptors: a third major class of ligand-gated ion channels. <i>Novartis Foundation Symposium</i> , 1996 , 198, 91-105; discussion 105-9		19
11	The Innervation of the Gastrointestinal tract. 239-258		2

CITATION REPORT

10	ATP-Mediated Signaling in the Nervous System. 2008 , 227-254	2
9	Functions of Extracellular Nucleotides in Peripheral and Central Neuronal Tissues. 1998 , 259-290	6
8	Molecular Biology of P2X Purinoceptors. Developments in Cardiovascular Medicine, 1998, 159-186	11
7	Properties and Functional Aspects of the Enteric Nervous System. 1999 , 3-11	3
6	Enteric Neural Reflexes and Secretion. 2003, 34-58	2
5	Enteric Reflexes that Influence Motility. 2002 , 1-55	13
4	Enteric Glial Cells: Implications in Gut Pathology. 2014 , 493-518	
3	An antagonist-insensitive P2X receptor expressed in epithelia and brain. <i>EMBO Journal</i> , 1996 , 15, 55-62 13	115
2	Immunodetection of P2X2 Receptor in Enteric Nervous System Neurons of the Small Intestine of Pigs. 2022 , 12, 3576	О