Relationships of Droseraceae: a cladistic analysis of rbc data

American Journal of Botany

81, 1027-1037

DOI: 10.1002/j.1537-2197.1994.tb15591.x

Citation Report

#	Article	IF	Citations
1	ROLE OF ANGIOTENSIN III IN THE REGULATION OF BLOOD PRESSURE, PLASMA ALDOSTERONE AND PLASMA RENIN ACTIVITY IN RABBIT. European Journal of Endocrinology, 1978, 89, 132-141.	3.7	8
2	Wood Anatomy of Drosophyllum (Droseraceae): Ecological and Phylogenetic Considerations. Bulletin of the Torrey Botanical Club, 1995, 122, 185.	0.6	14
3	A Molecular Assessment of Relationships among Cryptic Species of Botrychium Subgenus Botrychium (Ophioglossaceae). American Fern Journal, 1995, 85, 375.	0.3	34
4	The distribution and systematic relevance of the androecial character oligomery. Botanical Journal of the Linnean Society, 1995, 118, 193-247.	1.6	24
5	A phylogenetic analysis of Zygophyllaceae R.Br. based on morphological, anatomical andrbcL DNA sequence data. Botanical Journal of the Linnean Society, 1996, 122, 279-300.	1.6	7
6	Pigment Evolution in the Caryophyllales: a Systematic Overview*. Botanica Acta, 1996, 109, 360-367.	1.6	135
7	NONFLORAL HOMOPLASY AND EVOLUTIONARY SCENARIOS IN LIVING AND FOSSIL LAND PLANTS. , 1996, , 91-130.		21
8	Self-incompatibility, Seed Abortion and Clonality in the Breeding Systems of Several Western Australian Drosera species (Droseraceae). Australian Journal of Botany, 1997, 45, 191.	0.6	20
9	Familial Relationships of Rhabdodendron (Rhabdodendraceae): Plastid rbcL Sequences Indicate a Caryophyllid Placement. Kew Bulletin, 1997, 52, 923.	0.9	56
10	Phylogeny and Classification of Voyria (saprophytic Gentianaceae). Brittonia, 1997, 49, 466.	0.2	17
11	Taxonomic affinities ofPhysena (Physenaceae) andAsteropeia (Theaceae). Botanical Review, The, 1997, 63, 231-239.	3.9	40
12	Assessing the Relative Contribution of Molecular and Morphological Characters in Simultaneous Analysis Trees. Molecular Phylogenetics and Evolution, 1998, 9, 427-436.	2.7	245
13	Phylogenetics and character evolution in the grass family (Poaceae): Simultaneous analysis of morphological and Chloroplast DNA restriction site character sets. Botanical Review, The, 1998, 64, 1-85.	3.9	164
14	Intralineage variation in the pattern ofrbcL nucleotide substitution. Plant Systematics and Evolution, 1998, 211, 103-112.	0.9	10
15	Systematics of Plumbaginaceae Based upon Cladistic Analysis of rbcL Sequence Data. Systematic Botany, 1998, 23, 21.	0.5	124
16	Choosing an Approach and an Appropriate Gene for Phylogenetic Analysis. , 1998, , 1-42.		204
17	Floristics and biodiversity research in Australia: the 21st century. Australian Systematic Botany, 1998, 11, 161.	0.9	1
18	A phylogenetic analysis of Rhamnaceae using rbcL and trnL -F plastid DNA sequences. American Journal of Botany, 2000, 87, 1309-1324.	1.7	185

#	Article	IF	Citations
19	Study of the Evolutionary Relationships among Limonium Species (Plumbaginaceae) Using Nuclear and Cytoplasmic Molecular Markers. Molecular Phylogenetics and Evolution, 2000, 14, 232-249.	2.7	56
20	Angiosperm phylogeny inferred from 18S rDNA, rbcL, and atpB sequences. Botanical Journal of the Linnean Society, 2000, 133, 381-461.	1.6	512
21	Molecular Phylogeny of Caryophyllidae s.l. Based on MatK Sequences with Special Emphasis on Carnivorous Taxa. Plant Biology, 2000, 2, 218-228.	3.8	72
22	Systematic plant morphology and anatomyâ€50 years of progress. Taxon, 2000, 49, 401-434.	0.7	48
23	The classification and geography of the flowering plants: Dicotyledons of the class Angiospermae. Botanical Review, The, 2000, 66, 441-647.	3.9	136
24	Aspectos morfo-anatÃ´micos de trÃªs espÃ©cies de Drosera, durante o desenvolvimento pÃ³s-seminal. Acta Botanica Brasilica, 2000, 14, 185-195.	0.8	1
25	Wood and stem anatomy of Sarcobatus (Caryophyllales): systematic and ecological implications. Taxon, 2000, 49, 27-34.	0.7	12
26	Patterns of Nucleotide Substitution in Angiosperm cpDNA trnL (UAA)â€“trnF (GAA) Regions. Molecular Biology and Evolution, 2000, 17, 1146-1155.	8.9	73
27	Seed dormancy-breaking and germination requirements ofDrosera anglica, an insectivorous species of the Northern Hemisphere. Acta Oecologica, 2001, 22, 1-8.	1.1	34
28	Phylogenetic Implications of the Multiple Losses of the Mitochondrial coxII.i3 Intron in the Angiosperms. International Journal of Plant Sciences, 2001, 162, 359-373.	1.3	17
29	Phylogenetic position and taxonomic status of the genus Aegialitis and subfamilies Staticoideae and Plumbaginoideae (Plumbaginaceae): evidence from plastid DNA sequences and morphology. Plant Systematics and Evolution, 2001, 229, 107-124.	0.9	32
30	WOOD AND STEM ANATOMY OF RHABDODENDRACEAE IS CONSISTENT WITH PLACEMENT IN CARYOPHYLLALES SENSU LATO. IAWA Journal, 2001, 22, 171-181.	2.7	7
31	Molecular evidence for the common origin of snapâ€traps among carnivorous plants. American Journal of Botany, 2002, 89, 1503-1509.	1.7	61
32	Molecular phylogenetics of Caryophyllales based on nuclear 18S rDNA and plastid rbcL, atpB, and matK DNA sequences. American Journal of Botany, 2002, 89, 132-144.	1.7	520
33	Function of epidermal surfaces in the trapping efficiency of Nepenthes alata pitchers. New Phytologist, 2002, 156, 479-489.	7.3	125
34	Regional differences in land use affect population performance of the threatened insectivorous plant Drosophyllum lusitanicum (Droseraceae). Diversity and Distributions, 2003, 9, 335-350.	4.1	27
35	Wood anatomy of Polygonaceae: analysis of a family with exceptional wood diversity. Botanical Journal of the Linnean Society, 2003, 141, 25-51.	1.6	26
36	Wood and stem anatomy of woody Amaranthaceae s.s.: ecology, systematics and the problems of defining rays in dicotyledons. Botanical Journal of the Linnean Society, 2003, 143, 1-19.	1.6	37

#	Article	IF	Citations
37	Phylogeny of the Bartramiaceae (Bryopsida) Based on Morphology and onrbcL,rps4, andtrnL-trnF Sequence Data. Bryologist, 2003, 106, 280-296.	0.6	16
38	Droseraceae. , 2003, , 198-202.		0
39	Drosophyllaceae. , 2003, , 203-205.		1
40	Nepenthaceae. , 2003, , 320-324.		0
41	Flowering Plants Â· Dicotyledons. , 2003, , .		16
43	Phylogeny of the sundews, Drosera (Droseraceae), based on chloroplast rbcL and nuclear 18S ribosomal DNA Sequences. American Journal of Botany, 2003, 90, 123-130.	1.7	106
44	A survey of tricolpate (eudicot) phylogenetic relationships. American Journal of Botany, 2004, 91, 1627-1644.	1.7	131
45	Phylogenetics of Utricularia (Lentibulariaceae) and molecular evolution of the trnK intron in a lineage with high substitutional rates. Plant Systematics and Evolution, 2005, 250, 39-67.	0.9	92
47	Phyloclimatic Modeling: Combining Phylogenetics and Bioclimatic Modeling. Systematic Biology, 2006, 55, 785-802.	5.6	118
48	Molecular Phylogeny and Character Evolution of Carnivorous Plant Families in Caryophyllales â€" Revisited. Plant Biology, 2006, 8, 821-830.	3.8	61
49	Recent Progress in Understanding the Evolution of Carnivorous Lentibulariaceae (Lamiales). Plant Biology, 2006, 8, 748-757.	3.8	53
50	Evolving Darwin's â€˜most wonderfulâ€™ plant: ecological steps to a snapâ€trap. New Phytologist, 2009, 183, 575-587.	7.3	44
51	Energetics and the evolution of carnivorous plantsâ€"Darwin's â€˜most wonderful plants in the worldâ€™. Journal of Experimental Botany, 2009, 60, 19-42.	4.8	222
52	Phylogeny of the Caryophyllales Sensu Lato: Revisiting Hypotheses on Pollination Biology and Perianth Differentiation in the Core Caryophyllales. International Journal of Plant Sciences, 2009, 170, 627-643.	1.3	118
53	Caryophyllales: a key group for understanding wood anatomy character states and their evolution. Botanical Journal of the Linnean Society, 2010, 164, 342-393.	1.6	37
54	3. Phylogenetic Inference: Examining Morphological and Molecular Datasets. , 2010, , 22-35.		0
56	A Sticky Situation: Assessing Adaptations for Plant Carnivory in the Caryophyllales by Means of Stochastic Character Mapping. International Journal of Plant Sciences, 2011, 172, 889-901.	1.3	26
57	Caryophyllales: Evaluating phylogenetic signal in trnK intron versus matK. Journal of Systematics and Evolution, 2012, 50, 387-410.	3.1	15

#	Article	IF	Citations
58	Impact of missing data, gene choice, and taxon sampling on phylogenetic reconstruction: the Caryophyllales (angiosperms). Plant Systematics and Evolution, 2012, 298, 297-312.	0.9	24
59	Trap diversity and evolution in the family Droseraceae. Plant Signaling and Behavior, 2013, 8, e24685.	2.4	19
60	RAPD Profiling of Three Japanese <i>Drosera</i> Species. Cytologia, 2015, 80, 393-398.	0.6	2
61	Determination of Ploidy Level and Nuclear DNA Content in the Droseraceae by Flow Cytometry. Cytologia, 2017, 82, 321-327.	0.6	8
63	A Near-Complete Series of Four Atropisomeric Jozimine A₂-Type Naphthylisoquinoline Dimers with Antiplasmodial and Cytotoxic Activities and Related Alkaloids from Ancistrocladus abbreviatus. Journal of Natural Products, 2019, 82, 3033-3046.	3.0	28
64	Martin's peripheral embryo â€“ unique but not a phylogenetic â€˜orphanâ€™ at the base of his family tree: a tribute to the insight of a pioneer seed biologist. Seed Science Research, 2019, 29, 155-166.	1.7	4
67	Wood and Stem Anatomy of Phytolaccoid and Rivinoid Phytolaccaceae (Caryophyllales): Ecology, Systematics, Nature of Successive Cambia. Aliso, 0, , 13-29.	0.2	10
68	Droseraceae gland and germination patterns revisited: support for recent molecular phylogenetic studies. , 2007, 36, 14-20.		2
69	Immunocytochemical Analysis of the Wall Ingrowths in the Digestive Gland Transfer Cells in Aldrovanda vesiculosa L. (Droseraceae). Cells, 2022, 11, 2218.	4.1	8