CITATION REPORT List of articles citing

Conductivity Anisotropy in Epitaxial 6H and 4H Sic

DOI: 10.1557/proc-339-595 Materials Research Society Symposia Proceedings, 1994, 339, 595.

Source: https://exaly.com/paper-pdf/24748059/citation-report.pdf

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
222	Anisotropy of the electron Hall mobility in 4H, 6H, and 15R silicon carbide. 1994 , 65, 3120-3122		75
221	The influence of emitter properties on the heat generation in SiC and Si PIN diodes under forward conduction. 1994 , T54, 60-64		1
220	Raman scattering from anisotropic LO-phononplasmonDoupled mode in n-type 4HD and 6HDiC. Journal of Applied Physics, 1995 , 78, 1996-2005	2.5	169
219	Excellent reverse blocking characteristics of high-voltage 4H-SiC Schottky rectifiers with boron-implanted edge termination. 1996 , 17, 139-141		123
218	Nitrogen implanted high voltage, planar, 6H-SiC N/sup +/-P junction diodes.		
217	Wide bandgap semiconductor materials and devices. 1996 , 43, 1633-1636		178
216	Silicon carbide high-power devices. 1996 , 43, 1732-1741		326
215	Silicon carbide MESFET's with 2 W/mm and 50% P.A.E. at 1.8 GHz. 1996 ,		2
214	Effects of Channel Mobility on SiC Power Metal-Oxide-Semiconductor Field Effect Transistor Performance. <i>Japanese Journal of Applied Physics</i> , 1996 , 35, 3331-3333	1.4	6
213	Silicon Carbide and Gallium Nitride Rf Power Devices. <i>Materials Research Society Symposia Proceedings</i> , 1997 , 483, 111		12
212	Breakdown Degradation Associated with Elementary Screw Dislocations in 4H-SiC P+N Junction Rectifiers. <i>Materials Research Society Symposia Proceedings</i> , 1997 , 483, 285		20
211	Analysis of gate dielectrics for SiC power UMOSFETS.		4
21 0	Extended anisotropic mobility model applied to 4H/6H-SiC devices.		2
209	Silicon carbide for power devices.		29
208	Single crystal growth of SiC and electronic devices. 1997 , 22, 111-197		30
207	High-voltage double-implanted power MOSFET's in 6H-SiC. 1997 , 18, 93-95		178
206	Modeling the temperature response of 4H silicon carbide junction field-effect transistors. <i>Journal of Applied Physics</i> , 1997 , 81, 7687-7689	2.5	16

205	Analysis of Schottky Barrier Heights of Metal/SiC Contacts and Its Possible Application to High-Voltage Rectifying Devices. 1997 , 162, 389-408	127
204	Simulation of SiC High Power Devices. 1997 , 162, 421-440	96
203	Effective Masses in SiC Determined by Cyclotron Resonance Experiments. 1997 , 162, 79-93	20
202	DC I-V characteristics and RF performance of a 4H-SiC JFET at 773 K. 1998 , 45, 2072-2074	7
201	Breakdown degradation associated with elementary screw dislocations in 4H-SiC p+n junction rectifiers. 1998 , 42, 2157-2164	66
200	Determining 4H silicon carbide electronic properties through combined use of device simulation and metalBemiconductor field-effect-transistor terminal characteristics. <i>Journal of Applied Physics</i> , 2.5 1998 , 84, 2065-2070	29
199	P-type 4H and 6H-SiC high-voltage Schottky barrier diodes. 1998 , 19, 71-73	22
198	Lateral n-channel inversion mode 4H-SiC MOSFETs. 1998 , 19, 228-230	39
197	Chapter 3 Building Blocks for SiC Devices: Ohmic Contacts, Schottky Contacts, and p-n Junctions. 1998 , 52, 77-160	19
196	Monte Carlo study of electron transport in SiC. <i>Journal of Applied Physics</i> , 1998 , 83, 3161-3167 2.5	77
195	Two-dimensional numerical investigation of the impact of material-parameter uncertainty on the steady-state performance of passivated 4HBiC thyristors. <i>Journal of Applied Physics</i> , 1998 , 84, 4625-4630 ^{2.5}	5
194	Comparison of the annealing behavior of high-dose nitrogen-, aluminum-, and boron-implanted 4HBiC. 1998 , 72, 2026-2028	42
193	Operation of power semiconductors at their thermal limit.	4
192	High Voltage Silicon Carbide Devices. <i>Materials Research Society Symposia Proceedings</i> , 1998 , 512, 77	20
191	Specular Surface Morphology of 4H-SiC Epilayers Grown on (\$textbf{11}bar{textbf{2}}textbf{0}\$) Face. Japanese Journal of Applied Physics, 1999 , 38, L1375-L1378	18
190	The 4H-SiC npn power bipolar junction transistor. 1999 , 14, 1088-1097	8
189	Performance evaluation of high-power wide band-gap semiconductor rectifiers. <i>Journal of Applied Physics</i> , 1999 , 85, 6889-6897	156
188	Theory of the electron mobility in n-type 6HBiC. <i>Journal of Applied Physics</i> , 1999 , 85, 8193-8198 2.5	18

187	Direct observation of excess carrier distribution in 4H-SiC power diodes. 1999 , 20, 295-297	2
186	Analysis and optimization of the planar 6H-SiC ACCUFET. 1999 , 43, 213-220	7
185	SiC and GaN wide bandgap semiconductor materials and devices. 1999 , 43, 1459-1464	52
184	Advances in SiC materials and devices: an industrial point of view. 1999 , 61-62, 9-17	53
183	Investigation of surface recombination and carrier lifetime in 4H/6H-SiC. 1999 , 61-62, 239-243	19
182	Effects of surface defects on the performance of 4HLand 6HBiC pn junction diodes. 1999 , 61-62, 349-352	12
181	Numerical simulation of implanted top-gate 6HBiC JFET characteristics. 1999 , 61-62, 415-418	6
180	Characterization of SiO2 layers thermally grown on 4H-SiC using high energy photoelectron spectroscopy. 1999 , 150, 137-142	12
179	SiC epitaxial layer growth in a novel multi-wafer vapor-phase epitaxial (VPE) reactor. 1999 , 200, 458-466	20
178	Temperature behavior of specific contact resistance and resistivity on nitrogen implanted 6H-SiC with titanium silicide ohmic contacts. <i>Journal of Applied Physics</i> , 1999 , 85, 2681-2686	13
177	Performance limiting surface defects in SiC epitaxial p-n junction diodes. 1999 , 46, 471-477	167
176	Study of bulk and elementary screw dislocation assisted reverse breakdown in low-voltage (. 1999 , 46, 485-492	24
175	Evaluation of high-voltage 4H-SiC switching devices. 1999 , 46, 589-597	21
174	High current density 800-V 4H-SiC gate turn-off thyristors. 1999 , 20, 219-222	16
173	High channel mobility in inversion layers of 4H-SiC MOSFETs by utilizing (112~0) face. 1999 , 20, 611-613	175
172	Comprehensive Study of the Electrothermal Operation of SiC Power Devices Using a Fully Coupled Physical Transport Model. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 622, 151	
171	Comparison of CurrentMoltage Characteristics of N and P Type 6H-SiC Schottky Diodes. <i>Materials Research Society Symposia Proceedings</i> , 2000 , 640, 1	
170	Effects of Anisotropy on the Electron Transport of 4H-SiC. 2000 , 219, 339-346	3

(2001-2000)

169	Numerical simulation of small-signal microwave performance of 4HBiC MESFET. 2000, 44, 1281-1287		4
168	In-depth analysis of SiC GTO thyristor performance using numerical simulations. 2000 , 44, 353-358		2
167	Electrothermal analysis of SiC power devices using physically-based device simulation. 2000 , 44, 359-368		4
166	Measurement of high-field electron transport in silicon carbide. 2000 , 47, 269-273		92
165	Electrical characterization of TiC ohmic contacts to aluminum ion implanted 4HBilicon carbide. 2000 , 77, 1478-1480		27
164	The effect of different transport models in simulations of a 4H SiC ultra short channel MOSFET. 2000 ,		
163	High Channel Mobility in Inversion Layer of SiC MOSFETs for Power Switching Transistors. <i>Japanese Journal of Applied Physics</i> , 2000 , 39, 2008-2011	4	28
162	Monte Carlo calculation of hole initiated impact ionization in 4H phase SiC. <i>Journal of Applied Physics</i> , 2000 , 87, 3864-3871	5	43
161	Photothermal ionization spectroscopy of shallow nitrogen donor states in 4HBiC. <i>Journal of Applied Physics</i> , 2000 , 87, 3800-3805	5	24
160	Progress in wide bandgap semiconductor SiC for power devices.		6
159	Electrical transport in n-type 4H silicon carbide. <i>Journal of Applied Physics</i> , 2001 , 90, 1869-1878 2.	5	87
158	Monte Carlo simulation of vertical MESFETs in 2H, 4H and 6H-SiC. 2001 , 10, 1283-1286		6
157	Large area 4H-SiC power MOSFETs.		4
156	A new physics-based circuit model for 4H-SiC power diodes implemented in SABER.		3
155	Investigation of temperature effects on electron transport in SiC using unique full band Monte Carlo simulation.		1
154	Advanced operational techniques and pn-pn-pn structures for high-power silicon carbide gate turn-off thyristors.		1
153	Temperature dependence of turn-on processes in 4HBiC thyristors. 2001 , 45, 453-459		23
152	The effect of different transport models in simulation of high frequency 4H-SiC and 6H-SiC vertical MESFETs. 2001 , 45, 645-653		11

151	p-Type doping of SiC by high dose Al implantation problems and progress. 2001 , 184, 307-316		90
150	Electron mobility models for 4H, 6H, and 3C SiC [MESFETs]. 2001, 48, 1442-1447		237
149	"Paradoxes" of carrier lifetime measurements in high-voltage SiC diodes. 2001 , 48, 1703-1710		65
148	An experimentally validated electro-thermal compact model for 4H-SiC power diodes.		
147	Surface, Pore Morphology, and Optical Properties of Porous 4H-SiC. 2001 , 148, G297		13
146	Raman scattering from LO phonon-plasmon coupled modes and Hall-effect in n-type silicon carbide 4HBiC. <i>Journal of Applied Physics</i> , 2001 , 90, 5211-5215	2.5	59
145	Characterization of heterojunction diodes with hydride vapor phase epitaxy grown AlGaN on 4HBiC. <i>Journal of Applied Physics</i> , 2002 , 91, 2372-2379	2.5	18
144	Low-dose n-type nitrogen implants in 4H-SiC. 2002 , 81, 4958-4960		16
143	Silicon carbide (SiC), carrier concentration, resistivity, mobilities. 1-19		
142	Carrier mobility model for simulation of SiC-based electronic devices. 2002 , 17, 974-977		45
141	Optimization of 2H, 4H and 6HBiC high speed vertical MESFETs. 2002 , 11, 1254-1257		6
140	. 2002 , 17, 1073-1079		6
139	Channel-carrier mobility parameters for 4H SiC MOSFETs.		4
138	Low-loss, high-voltage 6H-SiC epitaxial p-i-n diode. 2002 , 49, 150-154		36
137	Theoretical comparison of SiC PiN and Schottky diodes based on power dissipation considerations. 2002 , 49, 1657-1664		31
136	SiC-GTO thyristor gate and drift-region dopant polarity analysis using electrothermal simulation. 2002 , 49, 2064-2069		
135	A comparison of graphite and AlN caps used for annealing ion-implanted SiC. 2002, 31, 568-575		11
134	. 2002 , 49, 665-672		176

133	4H-silicon carbide Schottky barrier diodes for microwave applications. 2003 , 51, 796-804		24
132	High temperature SiC trench gate p-IGBTs. 2003 , 50, 774-784		28
131	Channel-carrier mobility parameters for 4H SiC MOSFETs. 2003 , 43, 405-411		19
130	Temperature dependence of the c-axis mobility in 6H-SiC Schottky diodes. 2003 , 83, 4181-4183		21
129	Measurements and simulations of self-heating and switching with 4H-SiC power BJTs.		2
128	Measurement of Hall Mobility in 4H-SiC for Improvement of the Accuracy of the Mobility Model in Device Simulation. 2003 , 433-436, 443-446		36
127	Monte Carlo study of high-field carrier transport in 4H-SiC including band-to-band tunneling. <i>Journal of Applied Physics</i> , 2003 , 93, 1099-1107	2.5	43
126	Fabrication of 1.4-kV mesa-type p+日 diodes with avalanche breakdown and without forward degradation on high-quality 6H-SiC substrate. 2003 , 83, 377-379		8
125	Ab initio study of 3C inclusions and stacking faultstacking fault interactions in 6H-SiC. <i>Journal of Applied Physics</i> , 2003 , 94, 4972	2.5	16
124	Fabrication of SiC lateral super junction diodes with multiple stacking p- and n-layers. 2003 , 24, 321-323	3	8
124	Fabrication of SiC lateral super junction diodes with multiple stacking p- and n-layers. 2003 , 24, 321-323 Effect of ion implantation parameters on Al dopant redistribution in SiC after annealing: Defect recovery and electrical properties of p-type layers. <i>Journal of Applied Physics</i> , 2003 , 94, 2992-2998	2.5	23
•	Effect of ion implantation parameters on Al dopant redistribution in SiC after annealing: Defect		
123	Effect of ion implantation parameters on Al dopant redistribution in SiC after annealing: Defect recovery and electrical properties of p-type layers. <i>Journal of Applied Physics</i> , 2003 , 94, 2992-2998 4H-SIC Dmosfets for High Frequency Power Switching Applications. <i>Materials Research Society</i>		23
123	Effect of ion implantation parameters on Al dopant redistribution in SiC after annealing: Defect recovery and electrical properties of p-type layers. <i>Journal of Applied Physics</i> , 2003 , 94, 2992-2998 4H-SIC Dmosfets for High Frequency Power Switching Applications. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 764, 1 Effects of high-temperature anneals on 4HBiC Implanted with Al or Al and Si. <i>Journal of Applied</i>	2.5	23
123 122 121	Effect of ion implantation parameters on Al dopant redistribution in SiC after annealing: Defect recovery and electrical properties of p-type layers. <i>Journal of Applied Physics</i> , 2003 , 94, 2992-2998 4H-SIC Dmosfets for High Frequency Power Switching Applications. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 764, 1 Effects of high-temperature anneals on 4HBiC Implanted with Al or Al and Si. <i>Journal of Applied Physics</i> , 2004 , 96, 5613-5618	2.5	2359
123 122 121	Effect of ion implantation parameters on Al dopant redistribution in SiC after annealing: Defect recovery and electrical properties of p-type layers. <i>Journal of Applied Physics</i> , 2003 , 94, 2992-2998 4H-SIC Dmosfets for High Frequency Power Switching Applications. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 764, 1 Effects of high-temperature anneals on 4HBiC Implanted with Al or Al and Si. <i>Journal of Applied Physics</i> , 2004 , 96, 5613-5618 High temperature high-dose implantation of aluminum in 4H-SiC. 2004 , 84, 5195-5197 Parameters required to simulate electric characteristics of SiC devices for n-type 4HBiC. <i>Journal of</i>	2.5	235935
123 122 121 120	Effect of ion implantation parameters on Al dopant redistribution in SiC after annealing: Defect recovery and electrical properties of p-type layers. <i>Journal of Applied Physics</i> , 2003 , 94, 2992-2998 4H-SIC Dmosfets for High Frequency Power Switching Applications. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 764, 1 Effects of high-temperature anneals on 4HBiC Implanted with Al or Al and Si. <i>Journal of Applied Physics</i> , 2004 , 96, 5613-5618 High temperature high-dose implantation of aluminum in 4H-SiC. 2004 , 84, 5195-5197 Parameters required to simulate electric characteristics of SiC devices for n-type 4HBiC. <i>Journal of Applied Physics</i> , 2004 , 96, 5601-5606 Dependence of acceptor levels and hole mobility on acceptor density and temperature in Al-doped	2.5	23593557

115	Extrinsic Base Design of SiC Bipolar Transistors. 2004 , 457-460, 1117-1120	2
114	Calculation of lattice heating in SiC RF power devices. 2004 , 48, 2103-2107	11
113	Silvaco modeling of a 10 kV SiC p-i-n diode.	1
112	Epitaxial Growth and Device Processing of SiC on Non-Basal Planes. 2004 , 711-733	1
111	Current Gain of 4H-SiC Bipolar Transistors Including the Effect of Interface States. 2005 , 483-485, 889-892	5
110	Structural defects near the film/substrate interface of a homo-epitaxial 4HBiC film grown by the vapour[]quidBolid mechanism. 2005 , 20, 645-651	1
109	SiC power bipolar junction transistors - modeling and improvement of the current gain. 2005,	
108	Numerical Investigation of SiC Devices Performance Considering the Incomplete Dopant Ionization. 2006 , 527-529, 1383-1386	
107	1.8 kV, 10 mOhm-cm2 4H-SiC JFETs. Materials Research Society Symposia Proceedings, 2006 , 911, 2	
106	950V, 8.7mohm-cm2 High Speed 4H-SiC Power DMOSFETs. <i>Materials Research Society Symposia Proceedings</i> , 2006 , 911, 4	3
105	The Influence of Doping Concentration, Temperature, and Electric Field on Mobility of Silicone Carbide Materials. 2006 ,	1
104	A Comparison of High Temperature Performance of SiC DMOSFETs and JFETs. 2007 , 556-557, 775-778	11
103	Raman scattering study of carrier-transport and phonon properties of 4HBiC crystals with graded doping. 2007 , 76,	38
102	Impact of Auger Recombination on Charge Collection of a 6H-SiC Diode by Heavy Ions. 2007 , 54, 2706-2713	15
101	Characteristics of High-Speed Silicon Carbide (Sic) Power Transistors. 2007,	1
100	Microwave photoconductivity decay characterization of high-purity 4H-SiC substrates. <i>Journal of Applied Physics</i> , 2007 , 102, 013704	14
99	Electro-thermal simulations of a microwave 4H-SiC MESFET on high purity semi-insulating substrate. 2007 , 51, 1144-1152	17
98	Low on-resistance of GaN p-i-n vertical conducting diodes grown on 4H-SiC substrates. 2007 , 4, 2662-2665	3

(2013-2008)

97	Band structure anisotropy effects on the ultrafast electron transport in 4H-SiC. 2008, 145, 397-400	O
96	Numerical Parameterization of Chemical-Vapor-Deposited (CVD) Single-Crystal Diamond for Device Simulation and Analysis. 2008 , 55, 2744-2756	34
95	. 2008 , 55, 3347-3353	5
94	I(V) computational conduction model for a SiC-6H Schottky diode. 2008 , 112, 63-67	2
93	Electrical properties of high energy ion irradiated 4H-SiC Schottky diodes. <i>Journal of Applied Physics</i> , 2008 , 104, 093711	19
92	A Self-Consistent Model of the OCVD Behavior of Si and 4H-SiC $\frac{p}^{+}hbox{-n-n}^{+}$ Diodes. 2009 , 56, 2902-2910	12
91	Measurements of impact ionization coefficients of electrons and holes in 4H-SiC and their application to device simulation. 2009 , 206, 2284-2294	23
90	Temperature and doping dependencies of electrical properties in Al-doped 4H-SiC epitaxial layers. Journal of Applied Physics, 2009 , 106, 013716	73
89	Design and investigation of frequency capability of 15kV 4H-SiC IGBT. 2009 ,	4
88	Semiconductor Properties. 2010 , 17-75	
88 8 7	Semiconductor Properties. 2010, 17-75 Schottky Diodes. 2010, 225-240	
		39
87	Schottky Diodes. 2010 , 225-240 An Analytical Model of the Forward IIV Characteristics of 4H-SiC p-i-n Diodes Valid for a Wide	39
8 ₇ 86	Schottky Diodes. 2010, 225-240 An Analytical Model of the Forward IIV Characteristics of 4H-SiC p-i-n Diodes Valid for a Wide Range of Temperature and Current. 2011, 26, 2835-2843	
87 86 85	Schottky Diodes. 2010, 225-240 An Analytical Model of the Forward IIV Characteristics of 4H-SiC p-i-n Diodes Valid for a Wide Range of Temperature and Current. 2011, 26, 2835-2843 Compensation-Dependent Carrier Transport of Al-Doped p-Type 4H-SiC. 2011, 679-680, 201-204 First-Principles Simulation on Piezoresistivity in Alpha and Beta Silicon Carbide Nanosheets.	2
87 86 85 84	Schottky Diodes. 2010, 225-240 An Analytical Model of the Forward IIV Characteristics of 4H-SiC p-i-n Diodes Valid for a Wide Range of Temperature and Current. 2011, 26, 2835-2843 Compensation-Dependent Carrier Transport of Al-Doped p-Type 4H-SiC. 2011, 679-680, 201-204 First-Principles Simulation on Piezoresistivity in Alpha and Beta Silicon Carbide Nanosheets. Japanese Journal of Applied Physics, 2011, 50, 06GE05	2
87 86 85 84 83	Schottky Diodes. 2010, 225-240 An Analytical Model of the Forward IIV Characteristics of 4H-SiC p-i-n Diodes Valid for a Wide Range of Temperature and Current. 2011, 26, 2835-2843 Compensation-Dependent Carrier Transport of Al-Doped p-Type 4H-SiC. 2011, 679-680, 201-204 First-Principles Simulation on Piezoresistivity in Alpha and Beta Silicon Carbide Nanosheets. Japanese Journal of Applied Physics, 2011, 50, 06GE05 A Comparative Study of Gate Structures for 9.4-kV 4H-SiC Normally On Vertical JFETs. 2012, 59, 2417-2423	2 11 3

79	Measurement of Ionization Energies of Nitrogen in 4H-SiC by Traveling-Wave Method. <i>Japanese Journal of Applied Physics</i> , 2013 , 52, 091301	1.4	2
78	Impact ionization of nitrogen in 4H- and 6H-SiC. Journal of Applied Physics, 2013, 114, 063704	2.5	3
77	Feasibility of high voltage SiC thyristor in HVDC transmission. 2014 ,		8
76	An efficient current-source power bipolar junction transistor driver. 2014,		
75	. 2014,		
74	First experimental demonstration of SiC super-junction (SJ) structure by multi-epitaxial growth method. 2014 ,		41
73	Physical Properties of Silicon Carbide. 2014 , 11-38		7
72	Monolithically Integrated Temperature Sensor in Silicon Carbide Power MOSFETs. 2014 , 29, 4970-4977		27
71	Appendix C: Major Physical Properties of Common SiC Polytypes. 2014, 521-524		2
70	Material science and device physics in SiC technology for high-voltage power devices. <i>Japanese Journal of Applied Physics</i> , 2015 , 54, 040103	1.4	558
69	Density and energy level of a deep-level Mg acceptor in 4H-SiC. <i>Japanese Journal of Applied Physics</i> , 2015 , 54, 011301	1.4	2
68	Influence of the anisotropy on the performance of D-band SiC IMPATT diodes. 2015 , 118, 1219-1227		3
67	Erratum: Effects of interface state density on 4H-SiC n-channel field-effect mobility[[Appl. Phys. Lett. 104, 083516 (2014)]. 2015 , 106, 109902		3
66	A model of the off-behaviour of 4HBiC power JFETs. 2015 , 109, 17-24		15
65	Systematic investigation on in-plane anisotropy of surface and buried channel mobility of metal-oxide-semiconductor field-effect-transistors on Si-, a-, and m-face 4H-SiC. 2015 , 106, 103506		7
64	Ultrahigh-Voltage SiC p-i-n Diodes With Improved Forward Characteristics. 2015 , 62, 374-381		88
63			
03	SiC absorption of near-infrared laser radiation at high temperatures. 2016 , 122, 1		7

61	Potential of ultra-high voltage silicon carbide semiconductor devices. 2016 ,	20
60	Field dependence of the electron drift velocity along the hexagonal axis of 4H-SiC. 2016 , 50, 883-887	3
59	Analytical PSpice model for SiC MOSFET based high power modules. 2016 , 53, 167-176	13
58	On the analogy of the potential barrier of trenched JFET and JBS devices. 2016 , 120, 6-12	7
57	Development of a Simple Analytical PSpice Model for SiC-Based BJT Power Modules. 2016 , 31, 4517-4525	11
56	Basal Plane Dislocation Free Recombination Layers on Low-Doped Buffer Layer for Power Devices. 2017 , 17, 1550-1557	4
55	Sub-bandgap response of graphene/SiC Schottky emitter bipolar phototransistor examined by scanning photocurrent microscopy. 2018 , 5, 011003	6
54	Numerical Analysis of 4H-SiC MOSFET Design Including High-k Gate Dielectrics for Power electronic Applications. 2018 ,	
53	Border Trap Based Modeling of SiC Transistor Transfer Characteristics. 2018,	2
52	Design Principles of Narrow and Wide Bandgap-Based Betavoltaic Batteries. 2018 , 65, 5518-5524	9
51	In situ high-pressure spectroscopic studies using moissanite (4H-SiC) anvils. 2018 , 8, 095012	1
50	Comparison of 3C-SiC and 4H-SiC Power MOSFETs. 2018 , 924, 774-777	6
49	Theoretical analysis of Hall factor and hole mobility in p-type 4H-SiC considering anisotropic valence band structure. <i>Journal of Applied Physics</i> , 2018 , 123, 245704	9
48	Carrier lifetime and breakdown phenomena in SiC power device material. 2018 , 51, 363001	24
47	Annealing Behavior of Electrical Resistivities Perpendicular and Parallel to the Basal Plane of Heavily Nitrogen-Doped 4H-SiC Crystals. 2018 , 924, 293-296	1
46	A Physics-Based Compact Model of SiC Junction Barrier Schottky Diode for Circuit Simulation. 2018 , 65, 3095-3103	6
45	Incomplete ionization in aluminum-doped 4H-silicon carbide. <i>Journal of Applied Physics</i> , 2019 , 126, 1457 © 15	18
44	Simulation of the Effects of Postimplantation Annealing on Silicon Carbide DMOSFET Characteristics. 2019 , 66, 3060-3065	3

43	High-Temperature Impact-Ionization Model for 4H-SiC. 2019 , 66, 1899-1904		8
42	Multiobjective Optimization of Design of 4H-SiC Power MOSFETs for Specific Applications. 2019 , 48, 3871-3880		24
41	Updated trade-off relationship between specific on-resistance and breakdown voltage in 4H-SiC{0001} unipolar devices. <i>Japanese Journal of Applied Physics</i> , 2019 , 58, 018002	1.4	18
40	SiC material properties. 2019 , 21-42		8
39	Investigation of Barrier Inhomogeneities and Electronic Transport on Al-Foil/p-Type-4H-SiC Schottky Barrier Diodes Using Diffusion Welding. 2020 , 10, 636		3
38	Analysis of Barrier Inhomogeneities of P-Type Al/4H-SiC Schottky Barrier Diodes. 2020 , 1004, 960-972		O
37	Electron transport analysis of 4H-SiC with full-band Monte Carlo simulation including real-space Coulomb interactions. <i>Journal of Applied Physics</i> , 2020 , 127, 155702	2.5	2
36	Design and simulation of 3C-SiC vertical power MOSFETs. 2021 , 108, 841-857		1
35	Electron mobility along and directions in 4H-SiC over a wide range of donor concentration and temperature.		2
34	Angle-Resolved Intensity of Polarized Micro-Raman Spectroscopy for 4H-SiC. 2021 , 11, 626		3
33	Analysis of Mobility for 4H-SiC N/P-Channel MOSFETs Up To 300 LC. 2021 , 68, 3936-3941		5
32	Express method of electro-physical parameters extraction for power Schottky diodes. 2021 , 186, 10816	9	1
31	Hall Effect Studies of Electron Mobility and Trapping at the SiC/SiO2 Interface. 2004, 387-410		7
30	Cyclotron Resonance Studies of Effective Masses and Band Structure in SiC. 2004 , 437-460		4
29	Electronic Properties of Stacking Faults and Thin Cubic Inclusions in SiC Polytypes. 2004, 89-118		6
28	SiC Technology. 2003 , 6-1-6-32		1
27	Fundamental research on semiconductor SiC and its applications to power electronics. <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2020 , 96, 235-254	4	18
26	Defect engineering in SiC technology for high-voltage power devices. 2020 , 13, 120101		44

25	First-Order SPICE Modeling of Extreme-Temperature 4H-SiC JFET Integrated Circuits. 2016 , 2016, 0002	263-00	02761
24	First-Principles Simulation on Piezoresistivity in Alpha and Beta Silicon Carbide Nanosheets. Japanese Journal of Applied Physics, 2011 , 50, 06GE05	1.4	23
23	Pulsed Laser Annealing of Phosphorous-Implanted 4H-SiC: Electrical and Structural Characteristics. 1		О
22	Silicon carbide distributed buffer gate turn-off thyristor structure for blocking high voltages. <i>Electronics Letters</i> , 2000 , 36, 2108	1.1	
21	Crystal growth of SiC II. Epitaxial growth. 2001 , 282-302		
20	Measurements of Impact Ionization Coefficients of Electrons and Holes in 4H-SiC and their Application to Device Simulation. 341-362		
19	Fundamental Aspects of SiC.		
18	Investigation of Silicon Carbide Diode Structures via Numerical Simulations Including Anisotropic Effects. 1995 , 340-343		
17	Semiconductor Properties. 2018 , 21-99		
16	Schottky Diodes. 2018 , 271-293		3
16 15	Schottky Diodes. 2018, 271-293 Characterization of Al-foil/p -4H-SiC SBDs Fabricated by DW with Variation of Process Conditions. 2020,		3
	Characterization of Al-foil/p -4H-SiC SBDs Fabricated by DW with Variation of Process Conditions.		3
15	Characterization of Al-foil/p -4H-SiC SBDs Fabricated by DW with Variation of Process Conditions. 2020 ,		3
15 14	Characterization of Al-foil/p -4H-SiC SBDs Fabricated by DW with Variation of Process Conditions. 2020, silicon carbide (SiC), impurities and defect levels, general. 1-24	1.4	3
15 14 13	Characterization of Al-foil/p -4H-SiC SBDs Fabricated by DW with Variation of Process Conditions. 2020, silicon carbide (SiC), impurities and defect levels, general. 1-24 Silizium-Carbid SiC und andere Materialien. 2006, 661-705 Enhancement of channel mobility in 4H-SiC trench MOSFET by inducing stress at SiO2/SiC gate	1.4	3 O
15 14 13	Characterization of Al-foil/p -4H-SiC SBDs Fabricated by DW with Variation of Process Conditions. 2020, silicon carbide (SiC), impurities and defect levels, general. 1-24 Silizium-Carbid SiC und andere Materialien. 2006, 661-705 Enhancement of channel mobility in 4H-SiC trench MOSFET by inducing stress at SiO2/SiC gate interface. Japanese Journal of Applied Physics, Impact of oxide/4H-SiC interface state density on field-effect mobility of counter-doped n-channel		
15 14 13 12 11	Characterization of Al-foil/p -4H-SiC SBDs Fabricated by DW with Variation of Process Conditions. 2020, silicon carbide (SiC), impurities and defect levels, general. 1-24 Silizium-Carbid SiC und andere Materialien. 2006, 661-705 Enhancement of channel mobility in 4H-SiC trench MOSFET by inducing stress at SiO2/SiC gate interface. Japanese Journal of Applied Physics, Impact of oxide/4H-SiC interface state density on field-effect mobility of counter-doped n-channel 4H-SiC MOSFETs. Japanese Journal of Applied Physics, 2022, 61, 021007	1.4	

7	High-voltage SiC power devices for improved energy efficiency <i>Proceedings of the Japan Academy Series B: Physical and Biological Sciences</i> , 2022 , 98, 161-189	4	1
6	Characteristics of Activation Rate and Damage of Ion-Implanted Phosphorous in 4H-SiC after Different Annealing by Optical Absorption. <i>Micromachines</i> , 2022 , 13, 804	3.3	O
5	A novel stair-stepping buffer-gate 4H-SiC MESFET with multiple recesses in a buffer layer. 2022 , 593, 124-131		
4	Bandgap, Mobility, Dielectric Constant, and Baliga® Figure of Merit of 4H-SiC, GaN, and EGa2O3 from 300 to 620 K. 2022 , 4, 4140-4145		1
3	Simulation on different orientation hexagonal SiC-based hetero-polytype IMPATT terahertz diodes. 2023 , 601, 126916		О
2	Computational Identification of Ternary Wide-Band-Gap Oxides for High-Power Electronics. 2022 , 1,		O
1	Simulation Investigation of Trenched Silicon Carbide Super-junction Schottky Diodes. 2023 ,		0