

# CITATION REPORT

List of articles citing

## Schizophrenia and nicotinic receptors

DOI: 10.3109/10673229409017136

Harvard Review of Psychiatry, 1994, 2, 179-92.

**Source:** <https://exaly.com/paper-pdf/24840330/citation-report.pdf>

**Version:** 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
172	Sensory gating deficits in parents of schizophrenics. <b>1995</b> , 60, 506-11		63
171	Preclinical Pharmacology of ABT-418: A Prototypical Cholinergic Channel Activator for the Potential Treatment of Alzheimer's Disease. <b>1995</b> , 1, 1-26		34
170	Restoration of sensory gating of auditory evoked response by nicotine in fimbria-fornix lesioned rats. <b>1995</b> , 705, 235-40		50
169	Cloning and mapping of the mouse alpha 7-neuronal nicotinic acetylcholine receptor. <b>1995</b> , 26, 399-402		33
168	What Is the Clinical Importance of Cigarette Smoking in Schizophrenia?. <b>1996</b> , 5, 189-208		20
167	Psychiatric disorder in a familial 15;18 translocation and sublocalization of myelin basic protein of 18q22.3. <b>1996</b> , 67, 154-61		17
166	Smoking and schizophrenia. <b>1996</b> , 38, 263-266		4
165	Society for Research on Nicotine and Tobacco. <i>Addiction</i> , <b>1996</b> , 91, 129-44	4.6	3
164	Linkage of a neurophysiological deficit in schizophrenia to a chromosome 15 locus. <b>1997</b> , 94, 587-92		1008
163	ADHD is associated with early initiation of cigarette smoking in children and adolescents. <b>1997</b> , 36, 37-44		417
162	Increased levels of the nicotine metabolite cotinine in schizophrenic smokers compared to other smokers. <b>1997</b> , 42, 1-5		218
161	A left temporal lobe impairment of auditory information processing in schizophrenia: an event-related potential study. <i>Neuroscience Letters</i> , <b>1997</b> , 229, 25-8	3.3	22
160	Alpha-conotoxin MII blocks nicotine-stimulated dopamine release in rat striatal synaptosomes. <i>Journal of Neuroscience</i> , <b>1997</b> , 17, 5263-70	6.6	203
159	Mice deficient in the alpha7 neuronal nicotinic acetylcholine receptor lack alpha-bungarotoxin binding sites and hippocampal fast nicotinic currents. <i>Journal of Neuroscience</i> , <b>1997</b> , 17, 9165-71	6.6	448
158	Further Evidence of an Association Between Attention-Deficit/Hyperactivity Disorder and Cigarette Smoking. <b>1997</b> , 6, 205-217		27
157	Rats reared in social isolation show schizophrenia-like changes in auditory gating. <b>1997</b> , 58, 1031-6		47
156	Comparison of the regional expression of nicotinic acetylcholine receptor alpha7 mRNA and [125I]-alpha-bungarotoxin binding in human postmortem brain. <b>1997</b> , 387, 385-98		193

155	The cognitive psychopharmacology of Alzheimer's disease: focus on cholinergic systems. <b>1998</b> , 23, 787-94	78
154	Further investigation of a chromosome 15 locus in schizophrenia: analysis of affected sibpairs from the NIMH Genetics Initiative. <b>1998</b> , 81, 308-12	95
153	Nicotinic receptor desensitization and sensory gating deficits in schizophrenia. <b>1998</b> , 44, 98-106	119
152	Neurobiology of attention-deficit hyperactivity disorder. <b>1998</b> , 44, 951-8	458
151	Genomic organization and partial duplication of the human alpha7 neuronal nicotinic acetylcholine receptor gene (CHRNA7). <b>1998</b> , 52, 173-85	207
150	Further evidence of an association between maternal smoking during pregnancy and attention deficit hyperactivity disorder: findings from a high-risk sample of siblings. <b>1998</b> , 27, 352-8	165
149	alpha-bungarotoxin receptors contain alpha7 subunits in two different disulfide-bonded conformations. <b>1999</b> , 146, 203-18	48
148	Nicotine blocks ethanol and diazepam impairment of air righting and ethanol impairment of maze performance. <b>1999</b> , 18, 123-30	25
147	Evidence for bilineal inheritance of physiological indicators of risk in childhood-onset schizophrenia. <b>1999</b> , 88, 188-199	37
146	New gene targets related to schizophrenia and other psychiatric disorders: enzymes, binding proteins and transport proteins involved in phospholipid and fatty acid metabolism. <b>1999</b> , 60, 141-67	68
145	A topographic event-related potential follow-up study on 'prepulse inhibition' in first and second episode patients with schizophrenia. <b>1999</b> , 90, 41-53	22
144	Neurochemical modulation of the P13 midlatency auditory evoked potential in the rat. <b>1999</b> , 92, 911-20	43
143	Aromatic substitutions in alpha-conotoxin Iml. Synthesis of iodinated photoactivatable derivative. <b>1999</b> , 37, 1683-95	17
142	Alternative phenotypes for the complex genetics of schizophrenia. <b>1999</b> , 45, 551-8	126
141	MRI anatomy of schizophrenia. <b>1999</b> , 45, 1099-119	580
140	Elementary phenotypes in the neurobiological and genetic study of schizophrenia. <b>1999</b> , 46, 8-18	115
139	Selective alpha 7 nicotinic receptor stimulation normalizes chronic cocaine-induced loss of hippocampal sensory inhibition in C3H mice. <b>1999</b> , 46, 1443-50	39
138	Attention and memory dysfunction after traumatic brain injury: cholinergic mechanisms, sensory gating, and a hypothesis for further investigation. <b>1999</b> , 13, 1-13	122

- 137 Nicotinic systems in central nervous systems disease: degenerative disorders and beyond. **2000**, 31, 91-101
- 136 Inhibitory neurophysiological deficit as a phenotype for genetic investigation of schizophrenia. **2000**, 97, 58-64 65
- 135 Depressive characteristics of FSL rats: involvement of central nicotinic receptors. **2000**, 66, 73-7 68
- 134 Nicotinic systems in central nervous systems disease: degenerative disorders and beyond. **2000**, 74, 91-101 62
- 133 Cholinergic modulation of the sleep state-dependent P13 midlatency auditory evoked potential in the rat. **2000**, 884, 196-200 16
- 132 Serotonergic modulation of the P13 midlatency auditory evoked potential in the rat. **2000**, 51, 387-91 24
- 131 The alpha7-nicotinic acetylcholine receptor and the pathology of hippocampal interneurons in schizophrenia. **2000**, 20, 299-306 186
- 130 The P50 auditory event-evoked potential in adult attention-deficit disorder: comparison with schizophrenia. **2000**, 47, 969-77 69
- 129 Regulation of the activity of hippocampal stratum oriens interneurons by alpha7 nicotinic acetylcholine receptors. **2001**, 106, 55-67 44
- 128 Laminar distribution of nicotinic receptor subtypes in cortical regions in schizophrenia. **2001**, 22, 115-26 153
- 127 Facteurs de risques des conduites de consommation de substances psycho-actives à l'adolescence. **2001**, 159, 622-631 5
- 126 Schizophrenia. **2001**, 85, 663-89 17
- 125 The activation and inhibition of human nicotinic acetylcholine receptor by RJR-2403 indicate a selectivity for the alpha4beta2 receptor subtype. **2000**, 75, 204-16 54
- 124 Linkage disequilibrium for schizophrenia at the chromosome 15q13-14 locus of the  $\alpha 7$ -nicotinic acetylcholine receptor subunit gene (CHRNA7). **2001**, 105, 20-22 164
- 123 Evidence for the multigenic inheritance of schizophrenia. **2001**, 105, 794-800 88
- 122 Chronic corticosterone treatment alters sensory gating in C3H mice. **2001**, 69, 359-66 36
- 121 Reversal of diminished inhibitory sensory gating in cocaine addicts by a nicotinic cholinergic mechanism. *Neuropsychopharmacology*, **2001**, 24, 671-9 8.7 27
- 120 A novel human nicotinic receptor subunit, alpha10, that confers functionality to the alpha9-subunit. **2002**, 61, 150-9 169

119	Neuronal nicotinic acetylcholine receptors: involvement in Alzheimer's disease and schizophrenia. <b>2002</b> , 1, 5-20		45
118	Nicotine and familial vulnerability to schizophrenia: A discordant twin study.. <b>2002</b> , 111, 687-693		51
117	Facilitation of dopamine-mediated locomotor activity in adult rats following cholinergic denervation. <b>2002</b> , 174, 96-108		16
116	Genetics and etiopathophysiology of schizophrenia. <b>2002</b> , 77, 1068-82		17
115	alpha7 nicotinic acetylcholine receptors on GABAergic interneurons evoke dendritic and somatic inhibition of hippocampal neurons. <b>2002</b> , 87, 548-57		62
114	Alpha-7 nicotinic receptor expression by two distinct cell types in the dorsal raphe nucleus and locus coeruleus of rat. <b>2002</b> , 938, 45-54		43
113	Mouse genetic models for prepulse inhibition: an early review. <b>2002</b> , 7, 1039-53		246
112	The genetics of sensory gating deficits in schizophrenia. <b>2003</b> , 5, 155-61		131
111	Inhibition of auditory evoked potentials and prepulse inhibition of startle in DBA/2J and DBA/2Hsd inbred mouse substrains. <b>2003</b> , 992, 85-95		51
110	Neuronal substrates of sensory gating within the human brain. <b>2003</b> , 53, 511-9		252
109	Differential effects of cigarette smoking on performance of a smooth pursuit and a saccadic eye movement task in schizophrenia. <i>Psychiatry Research</i> , <b>2003</b> , 117, 223-36	9.9	64
108	Evidence of association between smoking and alpha7 nicotinic receptor subunit gene in schizophrenia patients. <i>Neuropsychopharmacology</i> , <b>2004</b> , 29, 1522-6	8.7	123
107	The effects of ketamine vary among inbred mouse strains and mimic schizophrenia for the P80, but not P20 or N40 auditory ERP components. <b>2004</b> , 29, 1179-88		72
106	Alpha-7 nicotinic receptor agonists: potential new candidates for the treatment of schizophrenia. <i>Psychopharmacology</i> , <b>2004</b> , 174, 54-64	4.7	276
105	Nicotine improves delayed recognition in schizophrenic patients. <i>Psychopharmacology</i> , <b>2004</b> , 174, 334-40.	4.7	66
104	Nicotinic receptors and schizophrenia. <b>2004</b> , 20, 1057-74		107
103	Applications of the P50 evoked response to the evaluation of cognitive impairments after traumatic brain injury. <b>2004</b> , 15, 177-203, viii		25
102	Behavioral consequences of methyllycaconitine in mice: a model of alpha7 nicotinic acetylcholine receptor deficiency. <b>2004</b> , 74, 3133-9		20

101	Implications of CYP2A6 genetic variation for smoking behaviors and nicotine dependence. <b>2005</b> , 77, 145-58		199
100	Co-morbidity of smoking in patients with psychiatric and substance use disorders. <b>2005</b> , 14, 106-23		427
99	Rhesus monkey alpha7 nicotinic acetylcholine receptors: comparisons to human alpha7 receptors expressed in <i>Xenopus oocytes</i> . <i>European Journal of Pharmacology</i> , <b>2005</b> , 524, 11-8	5.3	14
98	Auditory inhibitory gating in the amygdala: single-unit analysis in the behaving rat. <b>2005</b> , 1043, 12-23		33
97	Tropisetron improves deficient inhibitory auditory processing in DBA/2 mice: role of alpha 7 nicotinic acetylcholine receptors. <i>Psychopharmacology</i> , <b>2005</b> , 183, 13-9	4.7	57
96	Nicotine suppresses the P13 auditory evoked potential by acting on the pedunculopontine nucleus in the rat. <b>2005</b> , 164, 109-19		18
95	Monoamine reuptake inhibition and nicotine receptor antagonism reduce amplitude and gating of auditory evoked potentials. <b>2005</b> , 133, 729-38		44
94	A comparison of ten-year cardiac risk estimates in schizophrenia patients from the CATIE study and matched controls. <i>Schizophrenia Research</i> , <b>2005</b> , 80, 45-53	3.6	406
93	A preliminary study of the effects of cigarette smoking on prepulse inhibition in schizophrenia: involvement of nicotinic receptor mechanisms. <i>Schizophrenia Research</i> , <b>2006</b> , 87, 307-15	3.6	92
92	Auditory inhibitory gating in medial prefrontal cortex: Single unit and local field potential analysis. <b>2006</b> , 141, 47-65		38
91	The Nemertine Toxin Anabaseine and Its Derivative DMXBA (GTS-21): Chemical and Pharmacological Properties. <b>2006</b> , 4, 255-273		53
90	The 5-HT(1A) receptor active compounds (R)-8-OH-DPAT and (S)-UH-301 modulate auditory evoked EEG responses in rats. <b>2006</b> , 31, 365-75		6
89	Heritability and reliability of P300, P50 and duration mismatch negativity. <b>2006</b> , 36, 845-57		150
88	Schizophrenia: do the genetics and neurobiology of neuregulin provide a pathogenesis model?. <i>Harvard Review of Psychiatry</i> , <b>2006</b> , 14, 64-77	4.1	8
87	Animal Models of Psychosis. <b>2006</b> , 193-220		5
86	Mecamylamine blocks nicotine-induced enhancement of the P20 auditory event-related potential and evoked gamma. <b>2007</b> , 144, 1314-23		47
85	Lack of RIC-3 congruence with beta2 subunit-containing nicotinic acetylcholine receptors in bipolar disorder. <b>2007</b> , 148, 454-60		18
84	The effects of interstimulus interval on sensory gating and on preattentive auditory memory in the oddball paradigm. Can magnitude of the sensory gating affect preattentive auditory comparison process?. <i>Neuroscience Letters</i> , <b>2007</b> , 412, 1-5	3.3	13

83	Schizophrenia and the alpha7 nicotinic acetylcholine receptor. <b>2007</b> , 78, 225-46		174
82	Event-related potentials in psychiatry. <i>Clinical EEG and Neuroscience</i> , <b>2007</b> , 38, 25-34	2.3	25
81	Gray matter volume differences and the effects of smoking on gray matter in schizophrenia. <i>Schizophrenia Research</i> , <b>2007</b> , 97, 242-9	3.6	51
80	Effects of nicotine vary across two auditory evoked potentials in the mouse. <b>2007</b> , 61, 23-30		52
79	Inhibitory gating of single unit activity in amygdala: effects of ketamine, haloperidol, or nicotine. <b>2007</b> , 61, 880-9		21
78	Novel alpha7 nicotinic receptor isoforms and deficient cholinergic transcription in schizophrenia. <b>2008</b> , 7, 37-45		39
77	Treating schizophrenia symptoms with an alpha7 nicotinic agonist, from mice to men. <i>Biochemical Pharmacology</i> , <b>2007</b> , 74, 1192-201	6	123
76	Sensory experience determines enrichment-induced plasticity in rat auditory cortex. <b>2007</b> , 1174, 76-91		35
75	Noradrenergic antagonism of the P13 and N40 components of the rat auditory evoked potential. <i>Psychopharmacology</i> , <b>2007</b> , 190, 117-25	4.7	7
74	Cognitive deficits in schizophrenia: focus on neuronal nicotinic acetylcholine receptors and smoking. <b>2007</b> , 27, 609-39		56
73	Lower serum cytokine levels in smokers than nonsmokers with chronic schizophrenia on long-term treatment with antipsychotics. <i>Psychopharmacology</i> , <b>2008</b> , 201, 383-9	4.7	28
72	Schizophrenia diagnosis and anterior hippocampal volume make separate contributions to sensory gating. <i>Psychophysiology</i> , <b>2008</b> , 45, 926-35	4.1	23
71	Postsynaptic action of brain-derived neurotrophic factor attenuates alpha7 nicotinic acetylcholine receptor-mediated responses in hippocampal interneurons. <i>Journal of Neuroscience</i> , <b>2008</b> , 28, 5611-8	6.6	39
70	The effects of transdermal nicotine on cognition in nonsmokers with schizophrenia and nonpsychiatric controls. <i>Neuropsychopharmacology</i> , <b>2008</b> , 33, 480-90	8.7	195
69	Sensory gating: a translational effort from basic to clinical science. <i>Clinical EEG and Neuroscience</i> , <b>2008</b> , 39, 69-72	2.3	123
68	Dietary choline supplementation improves behavioral, histological, and neurochemical outcomes in a rat model of traumatic brain injury. <i>Journal of Neurotrauma</i> , <b>2008</b> , 25, 975-83	5.4	65
67	[11C]CHIBA-1001 as a novel PET ligand for alpha7 nicotinic receptors in the brain: a PET study in conscious monkeys. <i>PLoS ONE</i> , <b>2008</b> , 3, e3231	3.7	47
66	Nicotine use in patients with schizophrenia evaluated by the Fagerstr�m Tolerance Questionnaire: a descriptive analysis from a Brazilian sample. <i>Revista Brasileira De Psiquiatria</i> , <b>2008</b> , 30, 350-2	2.6	13

65	A cog in cognition: how the alpha 7 nicotinic acetylcholine receptor is geared towards improving cognitive deficits. <i>Pharmacology &amp; Therapeutics</i> , <b>2009</b> , 122, 302-11	13.9	137
64	Differentiating nicotine- versus schizophrenia-associated decreases of the alpha7 nicotinic acetylcholine receptor transcript, CHRFAM7A, in peripheral blood lymphocytes. <i>Journal of Neural Transmission</i> , <b>2009</b> , 116, 213-20	4.3	12
63	Chronic nicotine improves cognitive performance in a test of attention but does not attenuate cognitive disruption induced by repeated phencyclidine administration. <i>Psychopharmacology</i> , <b>2009</b> , 202, 275-86	4.7	42
62	Schizophrenia and physical health problems. <i>Acta Psychiatrica Scandinavica</i> , <b>2009</b> , 119, 15-21	6.5	175
61	Characterization of compounds on nicotinic acetylcholine receptor alpha7 channels using higher throughput electrophysiology. <i>Journal of Neuroscience Methods</i> , <b>2009</b> , 177, 142-8	3	27
60	Effects of Smoking on Hormones, Brain, and Behavior. <b>2009</b> , 3337-3364		1
59	Associations between betel nut (Areca catechu) and symptoms of schizophrenia among patients in Nepal: A longitudinal study. <i>Psychiatry Research</i> , <b>2009</b> , 169, 203-11	9.9	30
58	How clinical neurophysiology may contribute to the understanding of a psychiatric disease such as schizophrenia. <i>Neurophysiologie Clinique</i> , <b>2009</b> , 39, 31-9	2.7	15
57	Can the role of genetic factors in schizophrenia be enlightened by studies of candidate gene mutant mice behaviour?. <i>World Journal of Biological Psychiatry</i> , <b>2009</b> , 10, 778-97	3.8	8
56	Mechanisms underlying the comorbidity of tobacco use in mental health and addictive disorders. <i>Canadian Journal of Psychiatry</i> , <b>2009</b> , 54, 356-67	4.8	66
55	Sensory gating and sensorimotor gating in medication-free obsessive-compulsive disorder patients. <i>International Clinical Psychopharmacology</i> , <b>2010</b> , 25, 232-40	2.2	19
54	In vivo evaluation of alpha7 nicotinic acetylcholine receptor agonists [11C]A-582941 and [11C]A-844606 in mice and conscious monkeys. <i>PLoS ONE</i> , <b>2010</b> , 5, e8961	3.7	27
53	A randomised, double-blind, placebo-controlled trial of tropisetron in patients with schizophrenia. <i>Annals of General Psychiatry</i> , <b>2010</b> , 9, 27	3.4	67
52	Respiratory related evoked potential measures of cerebral cortical respiratory information processing. <i>Biological Psychology</i> , <b>2010</b> , 84, 4-12	3.2	29
51	Studies on the hippocampal formation: From basic development to clinical applications: Studies on schizophrenia. <i>Progress in Neurobiology</i> , <b>2010</b> , 90, 263-75	10.9	24
50	A new role for endophenotypes in the GWAS era: functional characterization of risk variants. <i>Harvard Review of Psychiatry</i> , <b>2010</b> , 18, 67-74	4.1	50
49	Animal models of schizophrenia. <i>Current Topics in Behavioral Neurosciences</i> , <b>2010</b> , 4, 391-433	3.4	62
48	Electrophysiology of Schizophrenia. <b>2011</b> , 311-333		3

47	Involvement of the cholinergic system in conditioning and perceptual memory. <i>Behavioural Brain Research</i> , <b>2011</b> , 221, 443-65	3.4	92
46	Evidence for the involvement of adenomatous polyposis coli (APC) protein in maintaining cellular distributions of $\alpha 7$ nicotinic receptors. <i>Neuroscience Letters</i> , <b>2011</b> , 489, 105-9	3.3	
45	Chronic nicotine treatment differentially modifies acute nicotine and alcohol actions on GABA(A) and glutamate receptors in hippocampal brain slices. <i>British Journal of Pharmacology</i> , <b>2011</b> , 162, 1351-63	8.6	13
44	Aligning strategies for using EEG as a surrogate biomarker: a review of preclinical and clinical research. <i>Biochemical Pharmacology</i> , <b>2011</b> , 81, 1408-21	6	94
43	Sensory gating event-related potentials and oscillations in schizophrenia patients and their unaffected relatives. <i>Schizophrenia Bulletin</i> , <b>2011</b> , 37, 1187-99	1.3	65
42	Distinct muscarinic acetylcholine receptor subtypes mediate pre- and postsynaptic effects in rat neocortex. <i>BMC Neuroscience</i> , <b>2012</b> , 13, 42	3.2	11
41	Cotinine: Beyond that Expected, More than a Biomarker of Tobacco Consumption. <i>Frontiers in Pharmacology</i> , <b>2012</b> , 3, 173	5.6	46
40	Mouse models for studying genetic influences on factors determining smoking cessation success in humans. <i>Annals of the New York Academy of Sciences</i> , <b>2012</b> , 1248, 39-70	6.5	14
39	Smoking, quitting, and psychiatric disease: a review. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2012</b> , 36, 271-84	9	161
38	Molecular design, synthesis and physical properties of novel Cytisine-derivatives I: Experimental and theoretical study. <i>Journal of Molecular Structure</i> , <b>2013</b> , 1034, 173-182	3.4	3
37	Sensory and sensorimotor gating in adult attention-deficit/hyperactivity disorder (ADHD). <i>Psychiatry Research</i> , <b>2013</b> , 205, 117-26	9.9	37
36	Association study of polymorphisms in the alpha 7 nicotinic acetylcholine receptor subunit and catechol-o-methyl transferase genes with sensory gating in first-episode schizophrenia. <i>Psychiatry Research</i> , <b>2013</b> , 209, 431-8	9.9	15
35	Intermittent versus continuous central administration of clozapine in DBA/2 mice, improvement in sensory inhibition deficits. <i>Schizophrenia Research</i> , <b>2013</b> , 149, 121-6	3.6	5
34	Curcumin restores diabetes induced neurochemical changes in the brain stem of Wistar rats. <i>European Journal of Pharmacology</i> , <b>2013</b> , 702, 323-31	5.3	11
33	Acetylcholine release and inhibitory interneuron activity in hippocampal CA1. <i>Frontiers in Synaptic Neuroscience</i> , <b>2014</b> , 6, 20	3.5	35
32	Drug elucidation: invertebrate genetics sheds new light on the molecular targets of CNS drugs. <i>Frontiers in Pharmacology</i> , <b>2014</b> , 5, 177	5.6	9
31	Increased glutamine in patients undergoing long-term treatment for schizophrenia: a proton magnetic resonance spectroscopy study at 3 T. <i>JAMA Psychiatry</i> , <b>2014</b> , 71, 265-72	14.5	67
30	Human Brain Imaging of Acetylcholine Receptors. <b>2014</b> , 113-160		

29	Neurophysiologic effect of GWAS derived schizophrenia and bipolar risk variants. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2014</b> , 165B, 9-18	3.5	26
28	Altered receptor binding densities in experimental antiphospholipid syndrome despite only moderately enhanced autoantibody levels and absence of behavioral features. <i>Immunobiology</i> , <b>2014</b> , 219, 341-9	3.4	7
27	Genomewide association analyses of electrophysiological endophenotypes for schizophrenia and psychotic bipolar disorders: a preliminary report. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , <b>2015</b> , 168B, 151-61	3.5	24
26	Targeting of $\alpha 7$ Nicotinic Acetylcholine Receptors in the Treatment of Schizophrenia and the Use of Auditory Sensory Gating as a Translational Biomarker. <i>Current Pharmaceutical Design</i> , <b>2015</b> , 21, 3797-806	3.3	35
25	Long-lasting changes in neural networks to compensate for altered nicotinic input. <i>Biochemical Pharmacology</i> , <b>2015</b> , 97, 418-424	6	9
24	Ascending Projections of the RAS. <b>2015</b> , 107-128		
23	Anti-inflammatory role of microglial $\alpha 7$ nAChRs and its role in neuroprotection. <i>Biochemical Pharmacology</i> , <b>2015</b> , 97, 463-472	6	176
22	Nicotine recruits glutamate receptors to postsynaptic sites. <i>Molecular and Cellular Neurosciences</i> , <b>2015</b> , 68, 340-9	4.8	11
21	TCF4 gene polymorphism is associated with cognition in patients with schizophrenia and healthy controls. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 69, 95-101	5.2	14
20	Schizophrenia. <b>2016</b> , 55-65		1
19	Diminished Infant P50 Sensory Gating Predicts Increased 40-Month-Old Attention, Anxiety/Depression, and Externalizing Symptoms. <i>Journal of Attention Disorders</i> , <b>2017</b> , 21, 209-218	3.7	25
18	Managing Negative Symptoms of Schizophrenia: How Far Have We Come?. <i>CNS Drugs</i> , <b>2017</b> , 31, 373-388	6.7	27
17	Polygenic pleiotropy and potential causal relationships between educational attainment, neurobiological profile, and positive psychotic symptoms. <i>Translational Psychiatry</i> , <b>2018</b> , 8, 97	8.6	5
16	Visual hallucinations, thalamocortical physiology and Lewy body disease: A review. <i>Neuroscience and Biobehavioral Reviews</i> , <b>2019</b> , 103, 337-351	9	11
15	Double blind, two dose, randomized, placebo-controlled, cross-over clinical trial of the positive allosteric modulator at the $\alpha 7$ nicotinic cholinergic receptor AVL-3288 in schizophrenia patients. <i>Neuropsychopharmacology</i> , <b>2020</b> , 45, 1339-1345	8.7	16
14	Behavioral Pharmacology of Nicotine. <b>1998</b> , 299-317		3
13	Clinical Aspects of Nicotinic Agents: Therapeutic Applications in Central Nervous System Disorders. <i>Handbook of Experimental Pharmacology</i> , <b>2000</b> , 779-812	3.2	9
12	PSYCHOSIS AND SCHIZOPHRENIA. <b>2009</b> , 797-815		1

11	Society for Research on Nicotine and Tobacco. <i>Addiction</i> , <b>1996</b> , 91, 129-137	4.6	9
10	⚡ Nicotinic Receptor Agonists: Potential Therapeutic Drugs for Treatment of Cognitive Impairments in Schizophrenia and Alzheimer's Disease. <i>Open Medicinal Chemistry Journal</i> , <b>2010</b> , 4, 37-56 <sup>1.2</sup>		41
9	Neurotransmission. <i>Medical Psychiatry</i> , <b>2007</b> , 81-100		2
8	Contributions of molecular biology to antipsychotic drug discovery: promises fulfilled or unfulfilled?. <i>Dialogues in Clinical Neuroscience</i> , <b>2006</b> , 8, 303-9	5.7	11
7	The Functional Diversity of Nicotinic Receptors in the Nervous System: Perspectives on Receptor Subtypes and Receptor Specialization. <i>Handbook of Experimental Pharmacology</i> , <b>2000</b> , 301-336	3.2	
6	Cigarettes smoking and the risk of rehospitalization in patients with schizophrenia. <i>Current Problems of Psychiatry</i> , <b>2012</b> , 13, 284-290	0.1	
5	Phenotypic Markers in Event-Related Potentials. <i>Innovations in Cognitive Neuroscience</i> , <b>2016</b> , 245-261		
4	Alpha7 nicotinic receptor subunits are not necessary for hippocampal-dependent learning or sensorimotor gating: a behavioral characterization of Acra7-deficient mice. <i>Learning and Memory</i> , <b>1998</b> , 5, 302-16	2.8	111
3	⚡ Nicotinic Receptor Subunits Are Not Necessary for Hippocampal-Dependent Learning or Sensorimotor Gating: A Behavioral Characterization of Acra7-Deficient Mice. <i>Learning and Memory</i> , <b>1998</b> , 5, 302-316	2.8	216
2	Smoking as a Common Modulator of Sensory Gating and Reward Learning in Individuals with Psychotic Disorders.. <i>Brain Sciences</i> , <b>2021</b> , 11,	3.4	0
1	Schizophrenia. <b>2022</b> ,		0