

Fish Oil, Alcohol, and Liver Pathology: Role of Cytochrome

Experimental Biology and Medicine

207, 197-205

DOI: [10.3181/00379727-207-43807](https://doi.org/10.3181/00379727-207-43807)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | ALCOHOL AND ENDOTOXIN: ANOTHER PATH TO ALCOHOLIC LIVER INJURY?. Alcoholism: Clinical and Experimental Research, 1995, 19, 1364-1366. | 2.4 | 40 |
| 2 | Liver fibrosis in heterozygous WHHL rabbits fed cholesterol and fats; a new animal model. International Hepatology Communications, 1995, 3, 310-315. | 0.7 | 3 |
| 3 | Ethanol-Inducible Cytochrome P450 (CYP2E1): Biochemistry, Molecular Biology and Clinical Relevance: 1996 Update. Alcoholism: Clinical and Experimental Research, 1996, 20, 138a-146a. | 2.4 | 139 |
| 4 | Gadolinium Chloride Blocks Alcohol-Dependent Liver Toxicity in Rats Treated Chronically with Intra-gastric Alcohol Despite the Induction of CYP2E1. Molecular Pharmacology, 1997, 51, 944-950. | 2.3 | 152 |
| 5 | Diets enriched in menhaden fish oil, seal oil, or shark liver oil have distinct effects on the lipid and fatty-acid composition of guinea pig heart. Molecular and Cellular Biochemistry, 1997, 177, 257-269. | 3.1 | 18 |
| 6 | Manipulation of glutathione stores in rat hepatic stellate cells does not alter collagen synthesis. Hepatology, 1997, 26, 618-623. | 7.3 | 35 |
| 7 | Acetaldehyde-modified and 4-hydroxynonenal-modified proteins in the livers of rats with alcoholic liver disease. Hepatology, 1997, 26, 650-657. | 7.3 | 83 |
| 8 | Dietary saturated fatty acids down-regulate cyclooxygenase-2 and tumor necrosis factor alfa and reverse fibrosis in alcohol-induced liver disease in the rat. Hepatology, 1997, 26, 1538-1545. | 7.3 | 107 |
| 9 | Cytotoxic effect of 7 α -hydroxy-4-cholesten-3-one on HepG2 cells: Hypothetical role of acetaldehyde-modified 4-3-ketosteroid-5 α -reductase (the 37-kd-liver protein) in the pathogenesis of alcoholic liver injury in the rat. Hepatology, 1998, 27, 100-107. | 7.3 | 15 |
| 10 | Mallory body formation by ethanol feeding in drug-primed mice. Hepatology, 1998, 27, 116-122. | 7.3 | 43 |
| 11 | Increased lipid peroxidation and impaired antioxidant enzyme function is associated with pathological liver injury in experimental alcoholic liver disease in rats fed diets high in corn oil and fish oil. Hepatology, 1998, 27, 1317-1323. | 7.3 | 276 |
| 12 | Cytotoxicity and Apoptosis Produced by Cytochrome P450 2E1 in Hep G2 Cells. Molecular Pharmacology, 1998, 53, 638-648. | 2.3 | 165 |
| 13 | Oxidative Stress and Cytotoxicity Induced by Ferric-Nitritotriacetate in HepG2 Cells That Express Cytochrome P450 2E1. Molecular Pharmacology, 1998, 54, 1024-1035. | 2.3 | 101 |
| 14 | CYP2E1 is not involved in early alcohol-induced liver injury. American Journal of Physiology - Renal Physiology, 1999, 277, G1259-G1267. | 3.4 | 89 |
| 15 | Ethanol-Induced Apoptosis to Stable HepG2 Cell Lines Expressing Human Cytochrome P-4502E1. Alcoholism: Clinical and Experimental Research, 1999, 23, 67-76. | 2.4 | 116 |
| 16 | Activation of nuclear factor kappa B and cytokine imbalance in experimental alcoholic liver disease in the rat. Hepatology, 1999, 30, 934-943. | 7.3 | 202 |
| 17 | Expression of CYP2E1 by human monocyte-derived macrophages. , 1999, 188, 197-200. | | 15 |
| 18 | Essential role of tumor necrosis factor α in alcohol-induced liver injury in mice. Gastroenterology, 1999, 117, 942-952. | 1.3 | 695 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Interleukin-6 as a central mediator of cardiovascular risk associated with chronic inflammation, smoking, diabetes, and visceral obesity: down-regulation with essential fatty acids, ethanol and pentoxifylline. <i>Medical Hypotheses</i> , 1999, 52, 465-477. | 1.5 | 207 |
| 20 | CYP2E1-mediated oxidative stress induces collagen type I expression in rat hepatic stellate cells. <i>Hepatology</i> , 1999, 30, 987-996. | 7.3 | 175 |
| 21 | ?-tocopherol and ?-tocopherol attenuate ethanol-induced changes in membrane fatty acid composition in embryonic chick brains. <i>Teratology</i> , 2000, 62, 26-35. | 1.6 | 28 |
| 22 | Estrogen is involved in early alcohol-induced liver injury in a rat enteral feeding model. <i>Hepatology</i> , 2000, 31, 117-123. | 7.3 | 91 |
| 23 | The glutathione precursor L-2-oxothiazolidine-4-carboxylic acid protects against liver injury due to chronic enteral ethanol exposure in the rat. <i>Hepatology</i> , 2000, 31, 391-398. | 7.3 | 115 |
| 24 | Ethanol and arachidonic acid produce toxicity in hepatocytes from pyrazole-treated rats with high levels of CYP2E1. , 2000, 204, 157-167. | | 51 |
| 25 | Chronic Ethanol Increases Adeno-Associated Viral Transgene Expression in Rat Liver via Oxidant and NF- κ B-Dependent Mechanisms. <i>Hepatology</i> , 2000, 32, 1050-1059. | 7.3 | 27 |
| 26 | Development of an intragastric enteral model in the mouse: studies of alcohol-induced liver disease using knockout technology. <i>Journal of Hepato-Biliary-Pancreatic Surgery</i> , 2000, 7, 395-400. | 2.0 | 34 |
| 27 | Mechanisms of Alcoholic Liver Injury. <i>Canadian Journal of Gastroenterology & Hepatology</i> , 2000, 14, 327-332. | 1.7 | 51 |
| 28 | Medium-chain triglycerides inhibit free radical formation and TNF- α production in rats given enteral ethanol. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 278, G467-G476. | 3.4 | 45 |
| 29 | Gender differences in early alcohol-induced liver injury: role of CD14, NF- κ B, and TNF- α . <i>American Journal of Physiology - Renal Physiology</i> , 2000, 278, G652-G661. | 3.4 | 117 |
| 30 | Alcohol-induced free radicals in mice: Direct toxicants or signaling molecules?. <i>Hepatology</i> , 2001, 34, 935-942. | 7.3 | 71 |
| 31 | Ethanol- and nicotine-induced membrane changes in embryonic and neonatal chick brains. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2001, 130, 163-178. | 2.6 | 8 |
| 32 | ICAM-1 is involved in the mechanism of alcohol-induced liver injury: studies with knockout mice. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 280, G1289-G1295. | 3.4 | 65 |
| 33 | Diphenyleneiodonium sulfate, an NADPH oxidase inhibitor, prevents early alcohol-induced liver injury in the rat. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 280, G1005-G1012. | 3.4 | 128 |
| 34 | Development of an animal model of chronic alcohol-induced pancreatitis in the rat. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 280, G1178-G1186. | 3.4 | 46 |
| 35 | Subchronic Toxicity of Fish Oil Concentrates in Male and Female Rats.. <i>Journal of Nutritional Science and Vitaminology</i> , 2001, 47, 201-212. | 0.6 | 10 |
| 36 | Intragastric ethanol infusion model for cellular and molecular studies of alcoholic liver disease. <i>Journal of Biomedical Science</i> , 2001, 8, 20-27. | 7.0 | 82 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | CYP2E1-dependent toxicity and up-regulation of antioxidant genes. <i>Journal of Biomedical Science</i> , 2001, 8, 52-58. | 7.0 | 49 |
| 38 | Toll-like receptor 4 is involved in the mechanism of early alcohol-induced liver injury in mice. <i>Hepatology</i> , 2001, 34, 101-108. | 7.3 | 437 |
| 39 | Delivery of I[κ]B superrepressor gene with adenovirus reduces early alcohol-induced liver injury in rats. <i>Hepatology</i> , 2001, 34, 1149-1157. | 7.3 | 77 |
| 40 | Removal of Glutathione Produces Apoptosis and Necrosis in HepG2 Cells Overexpressing CYP2E1. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 619-628. | 2.4 | 77 |
| 41 | Alcoholic Liver Disease and Apoptosis. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 49S. | 2.4 | 46 |
| 42 | Transgenic and Gene "Knockout" Models in Alcohol Research. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 60S-66S. | 2.4 | 5 |
| 43 | Ethanol and Oxidative Stress. <i>Alcoholism: Clinical and Experimental Research</i> , 2001, 25, 237S-243S. | 2.4 | 93 |
| 44 | Ebselen prevents early alcohol-induced liver injury in rats. <i>Free Radical Biology and Medicine</i> , 2001, 30, 403-411. | 2.9 | 119 |
| 45 | Introduction "serial review: alcohol, oxidative stress and cell injury. <i>Free Radical Biology and Medicine</i> , 2001, 31, 1524-1526. | 2.9 | 170 |
| 46 | CYP2E1-dependent toxicity and oxidative stress in HepG2 cells. <i>Free Radical Biology and Medicine</i> , 2001, 31, 1539-1543. | 2.9 | 190 |
| 47 | Adenovirus-mediated Overexpression of Catalase in the Cytosolic or Mitochondrial Compartment Protects against Cytochrome P450 2E1-dependent Toxicity in HepG2 Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 4315-4321. | 3.4 | 53 |
| 48 | Reduced Early Alcohol-Induced Liver Injury in CD14-Deficient Mice. <i>Journal of Immunology</i> , 2001, 166, 4737-4742. | 0.8 | 229 |
| 49 | Overexpression of Manganese Superoxide Dismutase Prevents Alcohol-induced Liver Injury in the Rat. <i>Journal of Biological Chemistry</i> , 2001, 276, 36664-36672. | 3.4 | 184 |
| 50 | Sodium Salicylate Increases CYP2E1 Levels and Enhances Arachidonic Acid Toxicity in HepG2 Cells and Cultured Rat Hepatocytes. <i>Molecular Pharmacology</i> , 2001, 59, 795-805. | 2.3 | 38 |
| 51 | Cytochrome P450 2E1 Expression Induces Hepatocyte Resistance to Cell Death from Oxidative Stress. <i>Antioxidants and Redox Signaling</i> , 2002, 4, 701-709. | 5.4 | 32 |
| 52 | Role of Lipopolysaccharide-Binding Protein in Early Alcohol-Induced Liver Injury in Mice. <i>Journal of Immunology</i> , 2002, 168, 2963-2969. | 0.8 | 162 |
| 53 | Green Tea Extract Protects against Early Alcohol-Induced Liver Injury in Rats. <i>Biological Chemistry</i> , 2002, 383, 663-670. | 2.5 | 65 |
| 54 | Adenovirus-Mediated Overexpression of Catalase in the Cytosolic or Mitochondrial Compartment Protects against Toxicity Caused by Glutathione Depletion in HepG2 Cells Expressing CYP2E1. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 301, 111-118. | 2.5 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Cocoa extract protects against early alcohol-induced liver injury in the rat. Archives of Biochemistry and Biophysics, 2002, 406, 40-46. | 3.0 | 72 |
| 56 | Hepatotoxicity of polyunsaturated fatty acids in alcohol abuser. Journal of Hepatology, 2002, 37, 291-292. | 3.7 | 6 |
| 57 | Toxicity of ethacrynic acid in isolated rat hepatocytes. Toxicology in Vitro, 2002, 16, 151-158. | 2.4 | 20 |
| 58 | Cyclosporine a protects against arachidonic acid toxicity in rat hepatocytes: Role of CYP2E1 and mitochondria. Hepatology, 2002, 35, 1420-1430. | 7.3 | 50 |
| 59 | Antioxidants and fetal protection against ethanol teratogenicity. Neurotoxicology and Teratology, 2003, 25, 1-9. | 2.4 | 157 |
| 60 | The CYP inhibitor 1-aminobenzotriazole does not prevent oxidative stress associated with alcohol-induced liver injury in rats and mice. Free Radical Biology and Medicine, 2003, 35, 1568-1581. | 2.9 | 27 |
| 61 | Binge ethanol exposure increases liver injury in obese rats. Gastroenterology, 2003, 125, 1818-1833. | 1.3 | 88 |
| 62 | Chronic intragastric alcohol exposure causes hypoxia and oxidative stress in the rat pancreas. Archives of Biochemistry and Biophysics, 2003, 417, 34-43. | 3.0 | 22 |
| 63 | Inducible nitric oxide synthase is required in alcohol-induced liver injury: studies with knockout mice. Gastroenterology, 2003, 125, 1834-1844. | 1.3 | 227 |
| 64 | Ethanol- and Fe ²⁺ -induced membrane lipid oxidation is not additive in developing chick brains. Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology, 2003, 134, 267-279. | 2.6 | 1 |
| 65 | Increased Sp1-dependent Transactivation of the LAM ¹ Promoter in Hepatic Stellate Cells Co-cultured with HepG2 Cells Overexpressing Cytochrome P450 2E1. Journal of Biological Chemistry, 2003, 278, 15360-15372. | 3.4 | 29 |
| 66 | Role of p38 MAPK in CYP2E1-dependent Arachidonic Acid Toxicity. Journal of Biological Chemistry, 2003, 278, 1115-1124. | 3.4 | 53 |
| 67 | Embryonic Exposure to Exogenous α - and β -Tocopherol Partially Attenuates Ethanol-induced changes in Brain Morphology and Brain Membrane Fatty Acid Composition. Nutritional Neuroscience, 2003, 6, 201-212. | 3.1 | 20 |
| 68 | Contribution of Angiotensin II to Alcohol-Induced Pancreatic Fibrosis in Rats. Journal of Pharmacology and Experimental Therapeutics, 2004, 311, 921-928. | 2.5 | 12 |
| 69 | Pathogenesis of alcoholic hepatitis. Journal of Gastroenterology and Hepatology (Australia), 2004, 19, S229-S235. | 2.8 | 3 |
| 70 | Adenovirus mediated overexpression of CYP2E1 increases sensitivity of HepG2 cells to acetaminophen induced cytotoxicity. Molecular and Cellular Biochemistry, 2004, 262, 165-176. | 3.1 | 37 |
| 71 | TNF α -induced ras activation due to ethanol promotes hepatocyte proliferation independently of liver injury in the mouse. Hepatology, 2004, 39, 721-731. | 7.3 | 28 |
| 72 | Oxidative Stress, Toxicology, and Pharmacology of CYP2E1. Annual Review of Pharmacology and Toxicology, 2004, 44, 27-42. | 9.4 | 463 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Cytochrome P450 CYP2E1, but not nicotinamide adenine dinucleotide phosphate oxidase, is required for ethanol-induced oxidative DNA damage in rodent liver. <i>Hepatology</i> , 2005, 41, 336-344. | 7.3 | 147 |
| 74 | Induction of cytochrome P450 2E1 increases hepatotoxicity caused by Fas agonistic Jo2 antibody in mice. <i>Hepatology</i> , 2005, 42, 400-410. | 7.3 | 53 |
| 75 | The role of FABP2 gene polymorphism in alcoholic cirrhosis. <i>Hepatology Research</i> , 2005, 33, 306-312. | 3.4 | 16 |
| 76 | Alkohol und Leber. , 2005, , 230-274. | | 0 |
| 77 | Zinc prevention and treatment of alcoholic liver disease. <i>Molecular Aspects of Medicine</i> , 2005, 26, 391-404. | 6.4 | 104 |
| 78 | Zinc Supplementation Prevents Alcoholic Liver Injury in Mice through Attenuation of Oxidative Stress. <i>American Journal of Pathology</i> , 2005, 166, 1681-1690. | 3.8 | 167 |
| 79 | CYP2E1-dependent oxidative stress and toxicity: role in ethanol-induced liver injury. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2005, 1, 671-685. | 3.3 | 56 |
| 80 | S-Adenosyl-l-methionine Attenuates Hepatotoxicity Induced by Agonistic Jo2 Fas Antibody following CYP2E1 Induction in Mice. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006, 317, 44-52. | 2.5 | 27 |
| 81 | Metformin Prevents Alcohol-Induced Liver Injury in the Mouse: Critical Role of Plasminogen Activator Inhibitor-1. <i>Gastroenterology</i> , 2006, 130, 2099-2112. | 1.3 | 192 |
| 82 | Terminalia chebula (fruit) prevents liver toxicity caused by sub-chronic administration of rifampicin, isoniazid and pyrazinamide in combination. <i>Human and Experimental Toxicology</i> , 2006, 25, 111-118. | 2.2 | 73 |
| 83 | Nitric oxide donors prevent while the nitric oxide synthase inhibitor l-NAME increases arachidonic acid plus CYP2E1-dependent toxicity. <i>Toxicology and Applied Pharmacology</i> , 2006, 216, 282-292. | 2.8 | 9 |
| 84 | Nrf2 is increased by CYP2E1 in rodent liver and HepG2 cells and protects against oxidative stress caused by CYP2E1. <i>Hepatology</i> , 2006, 43, 144-153. | 7.3 | 171 |
| 85 | Resveratrol can only partially attenuate ethanol-induced oxidative stress in embryonic chick brains. <i>Nutritional Neuroscience</i> , 2006, 9, 121-129. | 3.1 | 11 |
| 86 | Opposite action of S-adenosyl methionine and its metabolites on CYP2E1-mediated toxicity in pyrazole-induced rat hepatocytes and HepG2 E47 cells. <i>American Journal of Physiology - Renal Physiology</i> , 2006, 290, G674-G684. | 3.4 | 16 |
| 87 | Adenovirus-Mediated Expression of CYP2E1 Produces Liver Toxicity in Mice. <i>Toxicological Sciences</i> , 2006, 91, 365-371. | 3.1 | 40 |
| 88 | Transcription Factor Nrf2 Protects HepG2 Cells against CYP2E1 plus Arachidonic Acid-dependent Toxicity. <i>Journal of Biological Chemistry</i> , 2006, 281, 14573-14579. | 3.4 | 33 |
| 89 | Overexpression of CYP2E1 in Mitochondria Sensitizes HepG2 Cells to the Toxicity Caused by Depletion of Glutathione. <i>Journal of Biological Chemistry</i> , 2006, 281, 5128-5136. | 3.4 | 69 |
| 90 | CCAAT/enhancing binding protein β deletion in mice attenuates inflammation, endoplasmic reticulum stress, and lipid accumulation in diet-induced nonalcoholic steatohepatitis. <i>Hepatology</i> , 2007, 45, 1108-1117. | 7.3 | 142 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Lysosomal Leakage and Lack of Adaptation of Hepatoprotective Enzyme Contribute to Enhanced Susceptibility to Ethanol-Induced Liver Injury in Female Rats. <i>Alcoholism: Clinical and Experimental Research</i> , 2007, 31, 1944-1952. | 2.4 | 34 |
| 92 | Acute ethanol pretreatment increases FAS-mediated liver injury in mice: Role of oxidative stress and CYP2E1-dependent and -independent pathways. <i>Free Radical Biology and Medicine</i> , 2007, 42, 971-984. | 2.9 | 26 |
| 93 | CYP2E1 and oxidative liver injury by alcohol. <i>Free Radical Biology and Medicine</i> , 2008, 44, 723-738. | 2.9 | 636 |
| 94 | CYP2E1 – Biochemical and Toxicological Aspects and Role in Alcohol-Induced Liver Injury. , 2008, , 1-36. | | 27 |
| 95 | Role of free radicals in liver diseases. <i>Hepatology International</i> , 2009, 3, 526-536. | 4.2 | 304 |
| 96 | Role of oxidative stress in alcohol-induced liver injury. <i>Archives of Toxicology</i> , 2009, 83, 519-548. | 4.2 | 499 |
| 97 | Nrf2 and antioxidant defense against CYP2E1 toxicity. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2009, 5, 1223-1244. | 3.3 | 49 |
| 98 | CYP2E1 potentiation of LPS and TNF α -induced hepatotoxicity by mechanisms involving enhanced oxidative and nitrosative stress, activation of MAP kinases, and mitochondrial dysfunction. <i>Genes and Nutrition</i> , 2010, 5, 149-167. | 2.5 | 47 |
| 99 | Differential effects of chronic ethanol exposure on cytochrome P450 2E1 and the hypothalamic–pituitary–adrenal axis in the maternal–fetal unit of the guinea pig. <i>Neurotoxicology and Teratology</i> , 2010, 32, 164-170. | 2.4 | 11 |
| 100 | Chronic alcohol-induced liver injury and oxidant stress are decreased in cytochrome P4502E1 knockout mice and restored in humanized cytochrome P4502E1 knock-in mice. <i>Free Radical Biology and Medicine</i> , 2010, 49, 1406-1416. | 2.9 | 174 |
| 101 | Betaine Protects Chronic Alcohol and ω -3 PUFA-Mediated Down-Regulations of PON1 Gene, Serum PON1 and Homocysteine Thiolactonase Activities With Restoration of Liver GSH. <i>Alcoholism: Clinical and Experimental Research</i> , 2010, 34, 424-431. | 2.4 | 30 |
| 102 | Hepatoprotective effects of S-adenosyl-L-methionine against alcohol- and cytochrome P450 2E1-induced liver injury. <i>World Journal of Gastroenterology</i> , 2010, 16, 1366. | 3.3 | 84 |
| 103 | Ethanol-Induced Hepatotoxicity. , 2010, , 421-435. | | 3 |
| 104 | Role of CYP2E1 in Ethanol-Induced Oxidant Stress, Fatty Liver and Hepatotoxicity. <i>Digestive Diseases</i> , 2010, 28, 802-811. | 1.9 | 108 |
| 105 | Physical and chemical modulation of lipid rafts by a dietary n-3 polyunsaturated fatty acid increases ethanol-induced oxidative stress. <i>Free Radical Biology and Medicine</i> , 2011, 51, 2018-2030. | 2.9 | 20 |
| 106 | CYP2E1 Sensitizes the Liver to LPS- and TNF α -Induced Toxicity via Elevated Oxidative and Nitrosative Stress and Activation of ASK-1 and JNK Mitogen-Activated Kinases. <i>International Journal of Hepatology</i> , 2012, 2012, 1-19. | 1.1 | 60 |
| 107 | General mechanisms of nicotine-induced fibrogenesis. <i>FASEB Journal</i> , 2012, 26, 4778-4787. | 0.5 | 74 |
| 108 | Ferric citrate CYP2E1-independently promotes alcohol-induced apoptosis in HepG2 cells via oxidative/nitrosative stress which is attenuated by pretreatment with baicalin. <i>Food and Chemical Toxicology</i> , 2012, 50, 3264-3272. | 3.6 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Reversal of Experimental Ethanol-Induced Liver Steatosis by Borage Oil. <i>Phytotherapy Research</i> , 2012, 26, 1626-1631. | 5.8 | 10 |
| 110 | Nrf2 and Antioxidant Defense Against CYP2E1 Toxicity. <i>Sub-Cellular Biochemistry</i> , 2013, 67, 105-130. | 2.4 | 33 |
| 111 | CYP2E1, Oxidative Stress, Post-translational Modifications and Lipid Metabolism. <i>Sub-Cellular Biochemistry</i> , 2013, 67, 199-233. | 2.4 | 12 |
| 112 | Inhibition of autophagy promotes CYP2E1-dependent toxicity in HepG2 cells via elevated oxidative stress, mitochondria dysfunction and activation of p38 and JNK MAPK. <i>Redox Biology</i> , 2013, 1, 552-565. | 9.0 | 68 |
| 113 | Ethanol and Vitamin D Receptor in T Cell Apoptosis. <i>Journal of NeuroImmune Pharmacology</i> , 2013, 8, 251-261. | 4.1 | 15 |
| 114 | In Vitro and in Vivo Models of Non-Alcoholic Fatty Liver Disease (NAFLD). <i>International Journal of Molecular Sciences</i> , 2013, 14, 11963-11980. | 4.1 | 203 |
| 115 | Cytochrome P450 2E1: Its Clinical Aspects and a Brief Perspective on the Current Research Scenario. <i>Sub-Cellular Biochemistry</i> , 2013, 67, 1-104. | 2.4 | 14 |
| 116 | The role of oxidative stress in the development of alcoholic liver disease. <i>Revista De Gastroenterología De México (English Edition)</i> , 2014, 79, 135-144. | 0.2 | 48 |
| 117 | Papel del estrés oxidativo en el desarrollo de la enfermedad hepática alcohólica. <i>Revista De Gastroenterología De México</i> , 2014, 79, 135-144. | 0.2 | 81 |
| 118 | Sitagliptin attenuates methionine/choline-deficient diet-induced steatohepatitis. <i>Diabetes Research and Clinical Practice</i> , 2014, 105, 47-57. | 2.8 | 63 |
| 119 | Autophagy Protects against CYP2E1/Chronic Ethanol-Induced Hepatotoxicity. <i>Biomolecules</i> , 2015, 5, 2659-2674. | 4.0 | 51 |
| 120 | Synergistic Toxic Interactions Between CYP2E1, LPS/TNF α , and JNK/p38 MAP Kinase and Their Implications in Alcohol-Induced Liver Injury. <i>Advances in Experimental Medicine and Biology</i> , 2015, 815, 145-172. | 1.6 | 25 |
| 121 | CYP2E1- and TNF α /LPS-Induced Oxidative Stress and MAPK Signaling Pathways in Alcoholic Liver Disease. <i>Current Pathobiology Reports</i> , 2015, 3, 263-272. | 3.4 | 4 |
| 122 | Alcoholic Liver Disease: Update on the Role of Dietary Fat. <i>Biomolecules</i> , 2016, 6, 1. | 4.0 | 86 |
| 123 | Fas Regulates Macrophage Polarization and Fibrogenic Phenotype in a Model of Chronic Ethanol-Induced Hepatocellular Injury. <i>American Journal of Pathology</i> , 2016, 186, 1524-1536. | 3.8 | 8 |
| 124 | An ω -3-enriched diet alone does not attenuate CCl ₄ -induced hepatic fibrosis. <i>Journal of Nutritional Biochemistry</i> , 2016, 38, 93-101. | 4.2 | 8 |
| 125 | The Pathophysiology of Alcoholic Liver Disease — , 2017, , 141-157. | | 3 |
| 127 | Cytochrome P450 and Oxidative Stress in the Liver. , 2017, , 401-419. | | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 128 | Cytochrome P450 2E1 increases the sensitivity of hepatoma cells to vitamin K2. International Journal of Oncology, 2017, 50, 1832-1838. | 3.3 | 1 |
| 129 | Decreased glucose-6-phosphate dehydrogenase activity along with oxidative stress affects visual contrast sensitivity in alcoholics. Alcohol, 2018, 73, 17-24. | 1.7 | 3 |
| 130 | Dietary Macronutrient Composition Determines the Contribution of DGAT1 to Alcoholic Steatosis. Alcoholism: Clinical and Experimental Research, 2018, 42, 2298-2312. | 2.4 | 2 |
| 131 | Dietary fatty acids and bioactive fatty acid metabolites in alcoholic liver disease. Liver Research, 2019, 3, 206-217. | 1.4 | 20 |
| 132 | Liver disease. , 2020, , 483-502. | | 1 |
| 133 | Hepatoprotective effects of melatonin and celecoxib against ethanol-induced hepatotoxicity in rats. Immunopharmacology and Immunotoxicology, 2020, 42, 255-263. | 2.4 | 23 |
| 134 | Abnormalities in Essential Fatty Acid Status in Alcoholism. , 1997, , 67-87. | | 11 |
| 135 | Development and Properties of HepG2 Cells That Constitutively Express CYP2E1. Methods in Molecular Biology, 2008, 447, 137-150. | 0.9 | 45 |
| 136 | Gene expression in the liver of rats fed alcohol by means of intragastric infusion. Alcohol, 2004, 33, 17-30. | 1.7 | 20 |
| 137 | Ethanol and Oxidative Stress. Alcoholism: Clinical and Experimental Research, 2001, 25, 237S-243S. | 2.4 | 48 |
| 138 | Intragastric Ethanol Infusion Model for Cellular and Molecular Studies of Alcoholic Liver Disease. Journal of Biomedical Science, 2001, 8, 20-27. | 7.0 | 3 |
| 139 | NADPH oxidase-derived free radicals are key oxidants in alcohol-induced liver disease. Journal of Clinical Investigation, 2000, 106, 867-872. | 8.2 | 440 |
| 140 | Fatty Acids and Effects on In Vitro and In Vivo Models of Liver Steatosis. Current Medicinal Chemistry, 2019, 26, 3439-3456. | 2.4 | 37 |
| 141 | Cytochrome P450S and Alcoholic Liver Disease. Current Pharmaceutical Design, 2018, 24, 1502-1517. | 1.9 | 76 |
| 142 | Alcoholic Liver Disease: from CYP2E1 to CYP2A5. Current Molecular Pharmacology, 2017, 10, 172-178. | 1.5 | 24 |
| 143 | Alcoholic Liver Disease and Apoptosis. Alcoholism: Clinical and Experimental Research, 2001, 25, 49S-53S. | 2.4 | 15 |
| 144 | Transgenic and Gene Knockout Models in Alcohol Research. Alcoholism: Clinical and Experimental Research, 2001, 25, 60S-66S. | 2.4 | 7 |
| 145 | Fibrosis in alcoholic cirrhosis. , 2002, , 60-91. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 146 | Nutritional Factors in the Pathogenesis of Alcoholic Liver Disease. , 2003, , 43-55. | | 0 |
| 147 | Alcohol-Induced Membrane Lipid Peroxidation. , 2003, , 339-364. | | 1 |
| 148 | Effect of Extract of Cultured <i>Lentinus edodes</i> Mycelia on Lipid Peroxidation in vivo. <i>Nihon Eiyō-Shokuryō Gakkai Shi = Nippon Eiyō-Shokuryō Gakkaishi = Journal of Japanese Society of Nutrition and Food Science</i> , 2005, 58, 217-223. | 0.2 | 4 |
| 149 | Alcohol Upregulation of CYP2A5: Role of Reactive Oxygen Species. <i>Reactive Oxygen Species (Apex, N C)</i> , 0, , . | 5.4 | 5 |
| 150 | Fatty Acids and Liver Disease. <i>Food Additives</i> , 2007, , 1007-1018. | 0.1 | 0 |
| 151 | Mechanisms of Alcoholic Steatosis/Steatohepatitis. , 2012, , 45-54. | | 0 |
| 152 | Alcohol-Induced Liver Injury. <i>Handbook of Experimental Pharmacology</i> , 1996, , 611-636. | 1.8 | 0 |
| 153 | Alkohol und Leber. , 1999, , 226-269. | | 0 |
| 154 | CD14 and lipopolysaccharide binding protein expression in a rat model of alcoholic liver disease. <i>American Journal of Pathology</i> , 1998, 152, 841-9. | 3.8 | 72 |
| 155 | Alcohol Upregulation of CYP2A5: Role of Reactive Oxygen Species. <i>Reactive Oxygen Species (Apex, N C)</i> , 2016, 1, 117-130. | 5.4 | 5 |
| 156 | Alcohol, oxidative stress, and free radical damage. <i>Alcohol Research</i> , 2003, 27, 277-84. | 1.0 | 193 |
| 158 | Oxidative Stress and Redox Signaling in the Pathophysiology of Liver Diseases. , 2022, 12, 3167-3192. | | 17 |
| 159 | Comparative transcriptome analysis provides new insights into the protective effect of astaxanthin on the liver of leopard coral grouper (<i>Plectropomus leopardus</i>). <i>Aquaculture</i> , 2023, 565, 739118. | 3.5 | 5 |