

CITATION REPORT

List of articles citing

Cracking During Nanoindentation and its Use in the Measurement of Fracture Toughness

DOI: 10.1557/proc-356-663

Materials Research Society Symposia Proceedings,
1994, 356, 663.

Source: <https://exaly.com/paper-pdf/24854364/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
145	Measurement of mechanical properties by ultra-low load indentation. 1998 , 253, 151-159		793
144	Preparation and evaluation of tungsten tips relative to diamond for nanoindentation of soft materials. 2001 , 72, 2804-2810		43
143	Sodium hypochlorite alterations of dentin and dentin collagen. 2001 , 491, 444-455		68
142	Mechanical properties of the dentinoenamel junction: AFM studies of nanohardness, elastic modulus, and fracture. 2001 , 54, 87-95		277
141	Porous Methylsilsesquioxane for Low-k Dielectric Applications. 2001 , 4, F25		55
140	Chemically Bonded Porogens in Methylsilsesquioxane. 2002 , 149, F171		23
139	Nanoindentation of Silicate Low-K Dielectric Thin Films. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 716, 12131		12
138	Acoustic Emission Monitoring of Nanoindentation-Induced Slip and Twinning in Sapphire. <i>Materials Research Society Symposia Proceedings</i> , 2002 , 750, 1		
137	Fracture mechanisms in nanoscale layered hard thin films. 2002 , 420-421, 275-280		80
136	Derivation of tensile flow properties of thin films using nanoindentation technique. 2002 , 2, 525-531		18
135	Nanoindentation techniques for assessing mechanical reliability at the nanoscale. 2003 , 69, 519-527		64
134	Nanoindentation measurements of combustion CVD Al ₂ O ₃ and YSZ films. 2003 , 359, 112-118		44
133	Fracture toughness, adhesion and mechanical properties of low-K dielectric thin films measured by nanoindentation. 2003 , 429, 201-210		237
132	Cracking and Phase Transformation in Silicon During Nanoindentation. <i>Materials Research Society Symposia Proceedings</i> , 2003 , 795, 451		
131	Fracture toughness from submicron derived indentation cracks. 2004 , 84, 3055-3057		68
130	Mechanical characterisation of powders using nanoindentation. 2004 , 143-144, 179-185		55
129	Factors limiting the measurement of residual stresses in thin films by nanoindentation. 2004 , 447-448, 251-257		37

128	Mechanical properties of nanocomposite metal/ceramic thin films. 2004 , 35, 157-162	32
127	Nanoindentation characteristics on polycarbonate polymer film. 2004 , 35, 595-599	46
126	Toughness measurement of ceramic thin films by two-step uniaxial tensile method. 2004 , 469-470, 233-238	14
125	Observation of fracture and plastic deformation during indentation and scratching inside the scanning electron microscope. 2004 , 469-470, 206-213	130
124	Deformation behavior of (Cu, Ag)/Sn intermetallics by nanoindentation. 2004 , 52, 4291-4303	234
123	Interface reliability assessments for copper/low-k products. 2004 , 4, 129-141	35
122	High temperature microhardness of soda-lime glass. 2004 , 348, 131-138	26
121	Residual stress determination on lithium disilicate glass-ceramic by nanoindentation. 2004 , 348, 139-143	25
120	Toughness measurement of thin films: a critical review. 2005 , 198, 74-84	263
119	High-resolution capacitive load-displacement transducer and its application in nanoindentation and adhesion force measurements. 2005 , 76, 045109	23
118	A new method based on work-displacement curve to assess the toughness of coated system. <i>Materials Research Society Symposia Proceedings</i> , 2005 , 890, 1	2
117	Nanoindentation of coatings. 2005 , 38, R393-R413	265
116	Effect of Interfacial Adhesion on the Mechanical Properties of Organic/Inorganic Hybrid Nanolaminates. 2006 , 82, 447-468	9
115	Statistical analysis of threshold load for radial crack nucleation by Vickers indentation in commercial soda-lime silica glass. 2006 , 352, 3544-3549	8
114	Computation of the Stress Intensity Factor and COD for Submicron Sized Indentation Cracks. 2006 , 114, 1044-1048	14
113	Assessment of the toughness of thin coatings using nanoindentation under displacement control. 2006 , 494, 1-7	94
112	Fracture toughness, hardness and elastic modulus of hydrogenated amorphous carbon films deposited by chemical vapor deposition. 2006 , 496, 481-488	36
111	Acoustic Emission Analysis of Nanoindentation-Induced Fracture Events. <i>Experimental Mechanics</i> , 2006 , 46, 333-345	2.6 8

110	Nanoindentation and Morphological Studies of Epoxy Nanocomposites. 2006 , 291, 1358-1366	64
109	Comparison of nanoindentation results obtained with Berkovich and cube-corner indenters. 2006 , 86, 5265-5283	44
108	Indentation fracture and toughness assessment for thin optical coatings on glass. 2007 , 40, 5401-5417	92
107	Effects of Laminate Architecture on Fracture Resistance of Sponge Biosilica: Lessons from Nature. 2008 , 18, 1241-1248	99
106	Determination of the effective zero-point and the extraction of spherical nanoindentation stress-strain curves. 2008 , 56, 3523-3532	178
105	Influence of indenter angle on cracking in Si and Ge during nanoindentation. 2008 , 56, 4458-4469	99
104	Nanoindentation-induced plastic deformation and fracture behavior difference between a- and c-domains of BaTiO ₃ single crystal. 2008 , 104, 103506	3
103	Computational Modeling of Indentation. 2010 , 153-183	1
102	A method to determine fracture toughness using cube-corner indentation. 2010 , 62, 199-201	45
101	Intrinsic stress effect on fracture toughness of plasma enhanced chemical vapor deposited SiN _x :H films. 2010 , 518, 4898-4907	53
100	Amorphous calcium phosphate offers improved crack resistance: a design feature from nature?. <i>Acta Biomaterialia</i> , 2011 , 7, 4235-41	10.8 27
99	Determination of Mechanical Properties of Sand Grains by Nanoindentation. <i>Experimental Mechanics</i> , 2011 , 51, 719-728	2.6 68
98	Deformation and fracture of TiN coating on a Si(111) substrate during nanoindentation. 2011 , 257, 7475-7480	3
97	Analysis methods and size effects in the indentation fracture toughness assessment of very thin oxide coatings on glass. 2011 , 339, 518-531	27
96	Mechanical property characterization of sputtered and plasma enhanced chemical deposition (PECVD) silicon nitride films after rapid thermal annealing. 2011 , 168, 117-126	26
95	Determination of fracture toughness and energy dissipation of SiO ₂ -poly(methyl metacrylate) hybrid films by nanoindentation. 2011 , 519, 5528-5534	14
94	A method to measure fracture toughness using indentation in REBa ₂ Cu ₃ O _{7-δ} superconductor single crystals. 2011 , 110, 103504	14
93	Experimental determination of the fracture toughness via microscratch tests: Application to polymers, ceramics, and metals. <i>Journal of Materials Research</i> , 2012 , 27, 485-493	2.5 89

92	Depth-Sensing Indentation on REBa ₂ Cu ₃ O _{7-x} Single Crystals Obtained from Xenotime Mineral. 2012 , 42, 330-339		1
91	Indentation-based methods to assess fracture toughness for thin coatings. 2012 , 45, 203001		64
90	Evaluation of fracture toughness of small volumes by means of cube-corner nanoindentation. 2012 , 66, 670-673		33
89	Fracture Toughness and Adhesion of Transparent Al:ZnO Films Deposited on Glass Substrates. <i>Journal of Materials Engineering and Performance</i> , 2013 , 22, 3161-3167	1.6	6
88	A method to assess the fracture toughness of intermetallic coatings by ultramicroindentation techniques: Applicability to coated medical stainless steel. 2013 , 61, 1886-1894		15
87	Détermination de la ténacité de matériaux fragiles ou ductiles à partir de l'essai d'indentation. 2013 , 110, 215-233		3
86	Effect of carbon content of WC-Co composite powder on properties of cermet coating. 2013 , 246, 492-498		10
85	Fresh and Hardened Properties of Concrete Incorporating Recycled Glass as 100% Sand Replacement. 2014 , 26, 04014073		28
84	Fracture characterization of thin-films by dual tip indentation. 2014 , 71, 44-55		5
83	Characterization of Young's modulus and fracture toughness of albite glass by different techniques. <i>Ceramics International</i> , 2014 , 40, 10893-10899	5.1	3
82	Modeling microstructural damage of silicate-based ceramics and its influence on macroscopic fracture strength. 2014 , 70, 30-44		5
81	Microscale Fracture Toughness of Bismuth Doped Copper Bicrystals Using Double Edge Notched Microtensile Tests. <i>Experimental Mechanics</i> , 2014 , 54, 685-688	2.6	9
80	Effect of water uptake on the fracture behavior of low-k organosilicate glass. 2014 , 32, 031512		6
79	Stress and Damage Mitigation from Oriented Nanostructures within the Radular Teeth of <i>Cryptochiton stelleri</i> . 2014 , 24, 6093-6104		35
78	Toward hard yet tough ceramic coatings. 2014 , 258, 1-16		123
77	Effect of Electrochemical Charging on Elastoplastic Properties and Fracture Toughness of Li _x CoO ₂ . 2014 , 161, F3084-F3090		53
76	Indentation damage evaluation on metal-coated thin-films stacked structure. <i>Journal of Materials Research</i> , 2015 , 30, 3071-3083	2.5	5
75	Comparing sintering and atomic layer deposition as methods to mechanically reinforce nanocolloidal crystals. <i>Journal of Materials Research</i> , 2015 , 30, 3717-3727	2.5	6

74	Nanoindentation Experimental Study on Mechanical Properties of As-cast BNi-2 Solder Alloy. 2015 , 130, 652-661		6
73	Fracture Toughness of Synthetic C-S-H Using Nanoindentation. 2015 ,		2
72	Dynamic nanomechanical properties of novel Si-rich intermetallic coatings growth on a medical 316 LVM steel by hot dipping in a hypereutectic Al-25Si alloy. 2015 , 46, 93-103		2
71	Fracture toughness testing of nanocrystalline alumina and fused quartz using chevron-notched microbeams. 2015 , 86, 385-395		80
70	Determination of fracture toughness of brittle materials by indentation. 2015 , 28, 221-234		17
69	Silica-Based and Borate-Based, Titania-Containing Bioactive Coatings Characterization: Critical Strain Energy Release Rate, Residual Stresses, Hardness, and Thermal Expansion. 2016 , 7,		14
68	Fracture toughness of glasses and hydroxyapatite: A comparative study of 7 methods by using Vickers indenter. <i>Ceramics International</i> , 2016 , 42, 12740-12750	5.1	32
67	A combined experimental and modelling study of indentation damage test on thin-film stacked structures. 2016 , 615, 74-83		4
66	Size-Effect Law for Scratch Tests of Axisymmetric Shape. 2016 , 142, 04016094		13
65	Nanomechanical properties and fracture toughness of Bi ₃ Se ₂ Te thin films grown using pulsed laser deposition. 2016 , 182, 72-76		2
64	Repetitive nano-impact tests as a new tool to measure fracture toughness in brittle materials. <i>Journal of the European Ceramic Society</i> , 2016 , 36, 3235-3243	6	10
63	Compliant Yet Brittle Mechanical Behavior of Li ₂ SB ₂ S ₅ Lithium-Ion-Conducting Solid Electrolyte. 2017 , 7, 1602011		144
62	A chevron-notched bowtie micro-beam bend test for fracture toughness measurement of brittle materials. 2017 , 132, 53-57		16
61	Nanomechanical properties of zirconia- yttria and alumina zirconia- yttria biomedical ceramics, subjected to low temperature aging. <i>Ceramics International</i> , 2017 , 43, 3931-3939	5.1	33
60	Investigation of modelling and stress distribution of a coating/substrate system after an indentation test. 2017 , 134, 1-14		21
59	Estimating fracture toughness of CBN using nanoindentation and the extended finite element method. 2017 , 9, 154-168		6
58	Quasi-static and dynamic nanoindentation of particle-reinforced soft composites. 2017 , 134,		1
57	Indentation Plasticity and Fracture Studies of Organic Crystals. 2017 , 7, 324		25

56	Improved methods for nanoindentation Berkovich probe calibrations using fused silica. <i>Journal of Materials Science</i> , 2018 , 53, 4814-4827	4.3	12
55	Characterization of the Mechanical Behavior of Colorado Mason Sand at Grain-Level by Nanoindentation. <i>Experimental Mechanics</i> , 2018 , 58, 449-463	2.6	5
54	Influence of Oxygen on the Tribomechanical Properties of Single Crystals of YBa ₂ Cu ₃ O ₇ 2018 , 31, 2363-2372		
53	CO ₂ -induced chemo-mechanical alteration in reservoir rocks assessed via batch reaction experiments and scratch testing. 2018 , 8, 133-149		16
52	A new method to extract elastic modulus of brittle materials from Berkovich indentation. <i>Journal of the European Ceramic Society</i> , 2018 , 38, 349-353	6	5
51	A study on intermetallic compound formation in Ag ₃ Al system and evaluation of its mechanical properties by micro-indentation. 2018 , 29, 3985-3991		14
50	Fracture resistance of high entropy alloys: A review. 2018 , 99, 69-83		95
49	The Mild-Severe Wear Transition in Erosion Wear. 2018 , 66, 1		10
48	Where Does Titan Sand Come From: Insight From Mechanical Properties of Titan Sand Candidates. 2018 , 123, 2310-2321		12
47	Influence of phase transformation on the damage tolerance of Ti-Al-N coatings. 2018 , 155, 153-157		12
46	Composition and Face Polarity Influences on Mechanical Properties of (111) Cd _{1-x} Zn _x Te Determined by Indentation. 2019 , 48, 6985-6990		1
45	Villari effect in silicone/FeGa composites. <i>Bulletin of Materials Science</i> , 2019 , 42, 1	1.7	1
44	Nano-mechanical Characterization of SLM-Fabricated Ti6Al4V Alloy: Etching and Precision. <i>Metallography, Microstructure, and Analysis</i> , 2019 , 8, 749-756	1.1	1
43	Nanoindentation-based study of the mechanical behavior of bulk supercrystalline ceramic-organic nanocomposites. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 3247-3256	6	32
42	Nanoscale fracture mechanics of Gondwana coal. <i>International Journal of Coal Geology</i> , 2019 , 204, 102-113	1.5	12
41	In-Situ Nanoindentation Measurement of Local Mechanical Behavior of a Li-Ion Battery Cathode in Liquid Electrolyte. <i>Experimental Mechanics</i> , 2019 , 59, 337-347	2.6	18
40	Micro indentation fracture of cement paste assessed by energy-based method: The method improvement and affecting factors. <i>Construction and Building Materials</i> , 2020 , 231, 117136	6.7	9
39	Fracture toughness determination of fused silica by cube corner indentation cracking and pillar splitting. <i>Materials and Design</i> , 2020 , 186, 108311	8.1	14

38	Measurement of the mechanical properties of silver and enamel thick films using nanoindentation. <i>International Journal of Applied Glass Science</i> , 2020 , 11, 195-206	1.8	4
37	Sliding of a diamond sphere on fused silica under ramping load. <i>Materials Today Communications</i> , 2020 , 25, 101684	2.5	4
36	Application of nanoindentation technology in rocks: a review. <i>Geomechanics and Geophysics for Geo-Energy and Geo-Resources</i> , 2020 , 6, 1	3.8	16
35	Study on Damage of 4H-SiC Single Crystal through Indentation and Scratch Testing in Micro/Nano Scales. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 5944	2.6	4
34	An Effective and Application-Specific Evaluation of Low-k Dielectric Integration Integrity using Copper Pillar Shear Testing. 2020 ,		1
33	Probing the Mechanical Properties of a Doped LiLaZrO Garnet Thin Electrolyte for Solid-State Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 24693-24700	9.5	10
32	A review on processing polycrystalline magnesium aluminate spinel (MgAl ₂ O ₄): Sintering techniques, material properties and machinability. <i>Materials and Design</i> , 2020 , 193, 108858	8.1	18
31	Influence of Vacuum Heat Treatments on Microstructure and Mechanical Properties of M35 High Speed Steel. <i>Metals</i> , 2020 , 10, 643	2.3	5
30	Atomistic Simulation of Nanoindentation of Ice Ih. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 9329-9336	3.8	4
29	Optimizing the Indirect Indentation Method for brittle material property measurements. <i>Ceramics International</i> , 2021 , 47, 9635-9642	5.1	
28	Effect of atomic layer deposited Al ₂ O ₃ and subsequent annealing on the nanomechanical properties on various substrates. <i>Journal of Materials Science</i> , 2021 , 56, 7879-7888	4.3	2
27	Automated Quantitative Fractography of Silicate Glasses with Visual Analysis. <i>Journal of Materials Engineering and Performance</i> , 2021 , 30, 3612-3623	1.6	1
26	The MoN _{1-x} TaN system: Role of vacancies in phase stability and mechanical properties. <i>Materials and Design</i> , 2021 , 202, 109568	8.1	2
25	Fracture toughness of the stomatopod dactyl club is enhanced by plastic dissipation: A fracture micromechanics study. <i>Acta Biomaterialia</i> , 2021 , 126, 339-349	10.8	1
24	Evaluation of Low-k Integration Integrity Using Shear Testing on Sub-30 Micron Micro-Cu Pillars. 2021 ,		
23	Novel approach to characterize the deformation under Berkovich and spherical indentations: Study on magnesium single crystals. <i>Physical Review Materials</i> , 2021 , 5,	3.2	1
22	Correlating point defects with mechanical properties in nanocrystalline TiN thin films. <i>Materials and Design</i> , 2021 , 207, 109844	8.1	4
21	Epimers with distinct mechanical behaviours. <i>CrystEngComm</i> , 2021 , 23, 5848-5855	3.3	1

- 20 Resistance to fracture in the glassy solid electrolyte Lipon. *Journal of Materials Research*, **2021**, 36, 787-796 4
- 19 Application of SPM and Related Techniques to the Mechanical Properties of Biotoool Materials. *Nanoscience and Technology*, **2009**, 71-103 0.6 1
- 18 Nanoindentation Test Integrated with Numerical Simulation to Characterize Mechanical Properties of Rock Materials. *Journal of Testing and Evaluation*, **2014**, 42, 20130035 1 16
- 17 Effect of Composition on Mechanical Properties and Conductivity of the Dual-Ion Conductor $\text{Na}_{1+x}\text{Mn}_x/2\text{Zr}_{2-x}/2(\text{PO}_4)_3$ for Solid-State Batteries. *ACS Applied Energy Materials*, **2021**, 4, 11684-11692 6.1 0
- 16 Continuum and Atomistic Modeling of Thin Films Subjected to Nanoindentation. **2005**,
- 15 Application of SPM and Related Techniques to the Mechanical Properties of Biotoool Materials. **2010**, 81-113
- 14 Fracture Toughness and Interfacial Adhesion Strength of Thin Films. **2010**, 67-98
- 13 The Fundamentals of Hard and Superhard Nanocomposites and Heterostructures. **2010**, 13-46
- 12 Toughness and Toughening of Hard Nanocomposite Coatings. **2010**, 99-145 1
- 11 Fracture Toughness and Interfacial Adhesion Strength of Thin Films. **2010**, 67-98
- 10 Fracture Toughness of the Stomatopod Dactyl Club is Enhanced by Plastic Dissipation: A Fracture Micromechanics Study. *SSRN Electronic Journal*, 1
- 9 Novel Nanoindentation Techniques and Their Applications. **2008**, 309-345
- 8 Volume, Side-Area, and Force Direction of Berkovich and Cubecorner Indenters, Novel Important Insights. *Advances in Materials Physics and Chemistry*, **2021**, 11, 212-241 0.5 1
- 7 Characterization of Mechanical Property Degradation of Ion-Irradiated Materials. *Frontiers in Materials*, **2022**, 9, 4
- 6 The effect of phase formation on biomechanical and biological performance of $\text{Li}_2\text{O-Al}_2\text{O}_3\text{-SiO}_2$ glass-ceramics. *Ceramics International*, **2022**, 48, 10187-10194 5.1
- 5 The crack shape evolution in unstable, flexural fractures for soda-lime glass beams by phase-field analysis. **2022**, 272, 108677
- 4 Fracture Toughness Characterization of Thin Films Based on Finite Element Assisted Nanoindentation Technique. **2022**, 0
- 3 Analytical description of unstable, rugose, circular cracks in brittle solids. 0

- 2 Evaluation of the Fracture Toughness K_{Ic} for Selected Magnetron Sputtering Coatings by Using the Laugier Model. **2022**, 15, 9061 ○
- 1 Pop-in phenomenon at nanoindentation and fracture toughness of two-phase ceramic composites. **2022**, ○