

CITATION REPORT

List of articles citing

Diurnal variations of blood pressure and microalbuminuria in essential hypertension

DOI: 10.1093/ajh/7.1.23

American Journal of Hypertension, 1994, 7, 23-9.

Source: <https://exaly.com/paper-pdf/24892410/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
348	Elevated serum insulin levels in patients with essential hypertension and microalbuminuria. <i>Hypertension</i> , 1994 , 23, 681-7	8.5	89
347	Salt sensitivity in hypertension. Renal and cardiovascular implications. <i>Hypertension</i> , 1994 , 23, 531-50	8.5	294
346	Albuminuria in normals and essential hypertension. 1994 , 8, 150-6		61
345	Ethnic aspects of hypertension. 1994 , 344, 450-2		75
344	Microalbuminuria as a marker of cardiovascular and renal disease in essential hypertension. 1995 , 10 Suppl 6, 10-4		37
343	Loss of nocturnal blood pressure fall after liver transplantation during immunosuppressive therapy. <i>American Journal of Hypertension</i> , 1995 , 8, 598-605	2.3	40
342	The effect of sleep intervals on analysis of 24-h ambulatory blood pressure data. <i>American Journal of Hypertension</i> , 1995 , 8, 672-5	2.3	15
341	Effects of actual versus arbitrary awake and sleep times on analyses of 24-h blood pressure. <i>American Journal of Hypertension</i> , 1995 , 8, 676-80	2.3	31
340	The antiatherosclerotic effect of calcium antagonists in man--what did MIDAS actually show? Multicenter Isradipine Diuretic Atherosclerosis Study. 1995 , 4, 133-6		13
339	Description of a new quotient that may differentiate blood pressure profiles in essential versus Cushing's syndrome-related hypertension. 1995 , 18, 789-95		1
338	Vascular mechanisms of blood pressure rhythms. 1996 , 783, 84-94		2
337	Renal hemodynamic mechanisms of blood pressure rhythms. 1996 , 783, 95-112		9
336	Ambulatory blood pressure monitoring. Application to clinical medicine and antihypertension medication trials. 1996 , 783, 278-94		11
335	Autonomic nervous function in essential hypertension in the elderly. Evaluation by power spectral analysis of heart rate variability. <i>American Journal of Hypertension</i> , 1996 , 9, 1084-9	2.3	21
334	Relationship between circadian changes in renal hemodynamics and circadian changes in urinary glycosaminoglycan excretion in normal rats. 1996 , 13, 349-58		30
333	Is deterioration of renal function in essential hypertension predictable?. 1996 , 119, 83-90		
332	Classic Papers Symposium: Ambulatory Blood Pressure Monitoring and Hypertensive Target Organ Damage. 1996 , 312, 221-224		

331	Microalbuminuria in Hypertension. 1996 , 73, 499-505		19
330	Ambulatory blood pressure in insulin-dependent diabetes: the relation to stages of diabetic kidney disease. 1996 , 10, 331-51		6
329	Long-term reproducibility and usefulness of daytime recording of noninvasive 24-hour ambulatory blood pressure monitoring in borderline hypertension: a two-year follow-up study. 1996 , 18, 637-57		7
328	End-stage Renal Disease in African-American and White Men. 1997 , 277, 1293		336
327	Microalbuminuria in essential hypertension. 1997 , 19, 753-67		2
326	Is the absence of a normal nocturnal fall in blood pressure (nondipping) associated with cardiovascular target organ damage?. <i>Journal of Hypertension</i> , 1997 , 15, 969-78	1.9	72
325	Implications of the linear pressure-natriuresis relationship and importance of sodium sensitivity in hypertension. <i>Journal of Hypertension</i> , 1997 , 15, 1055-61	1.9	59
324	Disfunci3n diast3lica, hipertrofia ventricular izquierda y microalbuminuria en la hipertensi3n arterial esencial ligera-moderada. 1997 , 50, 233-238		4
323	Chronopharmacology of Cardiovascular Diseases. 1997 , 251-297		29
322	Long-term control of blood pressure and sodium balance: is the baseline nocturnal?. 1997 , 40, 516-28		4
321	Hypertension, hyperlipidemia and microalbuminuria. 1997 , 120, 11-21		8
320	Hypothesis: the role of acquired tubulointerstitial disease in the pathogenesis of salt-dependent hypertension. 1997 , 52, 1169-79		99
319	Effects of controlled-onset extended-release verapamil on nocturnal blood pressure (dippers versus nondippers). COER-Verapamil Study Group. 1997 , 80, 469-74		47
318	Alteration of carotid circulation in essential hypertensive patients with left ventricular hypertrophy. 1998 , 12, 173-9		19
317	Comparison of instrument-read dipsticks for albumin and creatinine in urine with visual results and quantitative methods. 1998 , 12, 280-4		23
316	Microalbuminuria in essential hypertension. 1998 , 68, S51-4		34
315	Salt sensitivity: concept and pathogenesis. 1998 , 39 Suppl, S15-26		20
314	Microalbuminuria is an early marker of target organ damage in essential hypertension. <i>American Journal of Hypertension</i> , 1998 , 11, 430-8	2.3	55

313	Influence of diurnal blood pressure variations on target organ abnormalities in adolescents with mild essential hypertension. <i>American Journal of Hypertension</i> , 1998 , 11, 410-7	2.3	114
312	Nocturnal reduction of blood pressure and the antihypertensive response to a diuretic or angiotensin converting enzyme inhibitor in obese hypertensive patients. TROPHY Study Group. <i>American Journal of Hypertension</i> , 1998 , 11, 914-20	2.3	36
311	Ambulatory blood pressure and urinary albumin excretion in diabetic (non-insulin-dependent and insulin-dependent) hypertensive patients: relationships at baseline and after treatment by the angiotensin converting enzyme inhibitor trandolapril. <i>American Journal of Hypertension</i> , 1998 , 11, 1065-73	2.3	14
310	Microalbuminuria in normotensive patients with autosomal-dominant polycystic kidney disease. 1998 , 32, 356-9		16
309	Ambulatory blood pressure and urinary albumin excretion in clinically healthy subjects. <i>Hypertension</i> , 1998 , 32, 71-7	8.5	15
308	Reproducibility and clinical value of nocturnal hypotension: prospective evidence from the SAMPLE study. Study on Ambulatory Monitoring of Pressure and Lisinopril Evaluation. <i>Journal of Hypertension</i> , 1998 , 16, 733-8	1.9	173
307	Microalbuminuria predicts cardiovascular events and renal insufficiency in patients with essential hypertension. <i>Journal of Hypertension</i> , 1998 , 16, 1325-33	1.9	225
306	Ambulatory blood pressure monitoring in pregnancy. 1998 , 10, 69-89		16
305	Impact of salt intake on blood pressure and proteinuria in diabetes: importance of the renin-angiotensin system. 1998 , 24, 438-45		12
304	Why ambulatory blood pressure monitoring?. 1998 , 55 Suppl 3, S12-6		11
303	Cardiovascular, endocrine, and body fluid-electrolyte responses to salt loading in mRen-2 transgenic rats. 1998 , 275, H1130-7		14
302	Screening school children for albuminuria, proteinuria and occult blood with dipsticks. 1999 , 37, 149-57		26
301	Association between hyperlipidemia and microalbuminuria in essential hypertension. 1999 , 56, S10-S13		20
300	Relationship of angiotensin-converting enzyme gene polymorphism to carotid wall thickness in middle-aged men. 1999 , 77, 853-8		14
299	Circadian rhythm of blood pressure and cardiovascular risk in sodium-sensitive hypertension. 1999 , 3, 229-236		5
298	Determinants of circadian blood pressure rhythm in essential hypertension. <i>American Journal of Hypertension</i> , 1999 , 12, 35-9	2.3	27
297	Microalbuminuria in essential hypertension: significance, pathophysiology, and therapeutic implications. 1999 , 34, 973-95		136
296	Circadian rhythm of natriuresis is disturbed in nondipper type of essential hypertension. 1999 , 33, 29-35		133

295	Cardiovascular complications in patients with primary aldosteronism. 1999 , 33, 261-6		130
294	Cyclosporin-induced hypertension: incidence, pathogenesis and management. 1999 , 20, 437-49		107
293	Sodium sensitivity of blood pressure: A new prognostic factor in hypertension. 1999 , 83, 97-105		8
292	Significance of sympathetic nervous system in sodium-induced nocturnal hypertension. <i>Journal of Hypertension</i> , 1999 , 17, 947-57	1.9	17
291	Impact of nocturnal fall in blood pressure on early cardiovascular changes in essential hypertension. <i>Journal of Hypertension</i> , 1999 , 17, 1339-44	1.9	30
290	Clinical value of ambulatory blood pressure monitoring. <i>Journal of Hypertension</i> , 1999 , 17, 585-95	1.9	66
289	Autonomic nervous system activity in dipper and non-dipper essential hypertensive patients. What about sex differences?. <i>Journal of Hypertension</i> , 1999 , 17, 1805-11	1.9	39
288	Epidemiological and clinical studies on insulin resistance and diabetes. 2000 , 105, 135-50		6
287	Clinical value of microalbuminuria in hypertension. <i>Journal of Hypertension</i> , 2000 , 18, 645-54	1.9	53
286	Is microalbuminuria a predictor of cardiovascular and renal disease in patients with essential hypertension?. 2000 , 9, 143-7		22
285	Long-term comparison of losartan and enalapril on kidney function in hypertensive type 2 diabetics with early nephropathy. 2000 , 58, 762-9		152
284	Pulse pressure and isolated systolic hypertension: association with microalbuminuria. The GUBBIO Study Collaborative Research Group. 2000 , 58, 1211-8		68
283	The role of lipids in renal disease: Future challenges. 2000 , 57, S27-S31		78
282	Absence of any significant effects of circadian blood pressure variations on carotid artery elastic properties in essential hypertensive subjects. 2000 , 14, 813-8		39
281	Posttransplantation hypertension related to calcineurin inhibitors. 2000 , 6, 521-30		108
280	Hypertension-induced organ damage in African Americans: transforming growth factor-beta(1) excess as a mechanism for increased prevalence. 2000 , 2, 184-91		22
279	[Single daily dose of verapamil (COER-24 180/24 mg) in mild and moderate hypertension evaluated by ambulatory blood pressure monitoring]. 2000 , 74, 283-90		
278	Sleep apnea and daytime sleepiness and fatigue: relation to visceral obesity, insulin resistance, and hypercytokinemia. 2000 , 85, 1151-8		849

277	Prognostic value of ambulatory blood pressure : current evidence and clinical implications. <i>Hypertension</i> , 2000 , 35, 844-51	8.5	463
276	Proteinuria: its clinical importance and role in progressive renal disease. 2000 , 35, S97-105		101
275	Temporal relation between blood pressure and serum creatinine in young adults from a biracial community: the Bogalusa Heart Study. <i>American Journal of Hypertension</i> , 2000 , 13, 770-5	2.3	13
274	Microalbuminuria in never-treated hypertensives: lack of relationship to hyperinsulinemia and genetic predisposition to hypertension. <i>American Journal of Hypertension</i> , 2000 , 13, 353-8	2.3	11
273	Effect of time of day on intraindividual variability in ambulatory blood pressure. <i>American Journal of Hypertension</i> , 2000 , 13, 1203-9	2.3	15
272	Predictors of interindividual variation in ambulatory blood pressure and their time or activity dependence. <i>American Journal of Hypertension</i> , 2000 , 13, 52-60	2.3	4
271	Hypertension after liver transplantation: a predictive role for pretreatment hemodynamics and effects of isradipine on the systemic and renal circulations. <i>American Journal of Hypertension</i> , 2000 , 13, 231-9	2.3	18
270	Arterial wall thickening at different sites and its association with left ventricular hypertrophy in newly diagnosed essential hypertension. <i>American Journal of Hypertension</i> , 2000 , 13, 324-31	2.3	58
269	Variabilidad de la presi3n arterial y morbimortalidad cardiovascular. 2000 , 53, 110-116		1
268	[Nocturnal drop of arterial blood pressure: determinant factors and relationship with organic damage secondary to hypertension]. 2000 , 26, 607-13		0
267	Apolipoprotein E polymorphism and carotid artery intima-media thickness in a random sample of middle-aged men. 2000 , 153, 147-53		47
266	Relationship between high-density lipoprotein paraoxonase gene M/L55 polymorphism and carotid atherosclerosis differs in smoking and nonsmoking men. 2001 , 50, 1095-101		36
265	Loss of nocturnal dipping of blood pressure and heart rate in obesity-induced hypertension in rabbits. 2001 , 90, 152-7		22
264	Association between albumin:creatinine ratio and 24-hour ambulatory blood pressure in essential hypertension. <i>American Journal of Hypertension</i> , 2001 , 14, 338-44	2.3	19
263	Microalbuminuria as a marker of preclinical diastolic dysfunction in never-treated essential hypertensives. <i>American Journal of Hypertension</i> , 2001 , 14, 644-8	2.3	10
262	Sleep quality and blood pressure dipping in obstructive sleep apnea. <i>American Journal of Hypertension</i> , 2001 , 14, 887-92	2.3	104
261	. 2001 ,		4
260	Screening for and Diagnosis of Incipient Diabetic Nephropathy (IDN) in Diabetes. 115-127		

259	Measuring blood pressure in pregnancy and pre-eclampsia. 2001 , 258-275		1
258	Target organ damage and non-dipping pattern defined by two sessions of ambulatory blood pressure monitoring in recently diagnosed essential hypertensive patients. <i>Journal of Hypertension</i> , 2001 , 19, 1539-45	1.9	120
257	Blood pressure, endothelial function and circulating endothelin concentrations in liver transplant recipients. <i>Journal of Hypertension</i> , 2001 , 19, 1359-67	1.9	7
256	Prediction of blood pressure level and need for antihypertensive medication: 10 years of follow-up. <i>Journal of Hypertension</i> , 2001 , 19, 1193-201	1.9	11
255	Left ventricular mass assessed by electrocardiography and albumin excretion rate as a continuum in untreated essential hypertension. <i>Journal of Hypertension</i> , 2001 , 19, 1473-8	1.9	9
254	Nocturnal non-dipping: what does it augur?. 2001 , 10, 611-6		88
253	Frequency and determinants of microalbuminuria in mild hypertension: a primary-care-based study. <i>Journal of Hypertension</i> , 2001 , 19, 319-26	1.9	26
252	Sodium, kidney, and circadian rhythm of blood pressure. 2001 , 5, 13-18		21
251	Relationship between blood pressure and glucose tolerance in acromegaly. 2001 , 54, 189-95		39
250	Relationship between short-term and long-term blood pressure variabilities in essential hypertensives. 2001 , 15, 41-8		18
249	Circadian rhythm and postural change in natriuresis in non-dipper type of essential hypertension. 2001 , 15, 323-7		19
248	Effects of long-acting ACE inhibitor (temocapril) and long-acting Ca channel blocker (amlodipine) on 24-h ambulatory BP in elderly hypertensive patients. 2001 , 15, 643-8		9
247	Dipping status may be determined by nocturnal urination. <i>Hypertension</i> , 2001 , 37, 749-52	8.5	38
246	Microalbuminuria: marker of vascular dysfunction, risk factor for cardiovascular disease. 2002 , 7, 35-43		209
245	Non-dipping in diabetic patients: insights from the siesta. 2002 , 16, 435-8		26
244	Hypertension and renal complications in type 2 diabetes. 2002 , 2, 109-19		4
243	Ambulatory blood pressure monitoring in chronic renal disease: technical aspects and clinical relevance. 2002 , 11, 507-16		24
242	The majority of nondipping men do not have increased cardiovascular risk: a population-based study. <i>Journal of Hypertension</i> , 2002 , 20, 1501-6	1.9	39

241	Prognostic significance of the nocturnal decline in blood pressure in individuals with and without high 24-h blood pressure: the Ohasama study. <i>Journal of Hypertension</i> , 2002 , 20, 2183-9	1.9	767
240	Biomarkers in renal disease. 2002 , 45-55		
239	Disturbed circadian rhythm of urinary albumin excretion in non-dipper type of essential hypertension. 2002 , 22, 455-62		17
238	Urinary protein and essential hypertension in black and in white people. <i>Hypertension</i> , 2002 , 39, 1064-708.5		17
237	Carotid hemodynamic alterations in hypertensive patients with insulin resistance. <i>American Journal of Hypertension</i> , 2002 , 15, 851-6	2.3	22
236	Descenso nocturno de la presi3n arterial e hipertensi3n arterial secundaria. 2002 , 19, 215-221		
235	Influence of quality of sleep on the nocturnal decline in blood pressure during ambulatory blood pressure monitoring. 2002 , 78, 212-23		11
234	Relationship between microalbuminuria and cardiac structural changes in mild hypertensive patients. 2002 , 35, 799-804		3
233	Noninvasive 24-hour ambulatory blood pressure monitoring: overview of technology and clinical applications. 2002 , 22, 597-612		23
232	Why beta-blockers are not cardioprotective in elderly patients with hypertension. 2002 , 4, 468-73		19
231	Ambulatory blood pressure monitoring in pediatric renal transplantation. 2003 , 7, 86-92		40
230	Discordance of endothelial nitric oxide synthase in the arterial wall and its circulating products in baboons: interactions with redox metabolism. 2003 , 33, 288-95		12
229	Silent ischemia is more prevalent among hypertensive patients with microalbuminuria and salt sensitivity. 2003 , 17, 13-20		13
228	Reduced nocturnal fall in blood pressure, assessed by two ambulatory blood pressure monitorings and cardiac alterations in early phases of untreated essential hypertension. 2003 , 17, 245-51		51
227	Associations between nondipping of nocturnal blood pressure decrease and cardiovascular target organ damage in strictly selected community-dwelling normotensives. <i>American Journal of Hypertension</i> , 2003 , 16, 434-8	2.3	161
226	The burden of uncontrolled hypertension: morbidity and mortality associated with disease progression. 2003 , 5, 14-22		61
225	Blood pressure evaluation among older living kidney donors. 2003 , 14, 2159-67		48
224	Ambulatory blood pressure monitoring and prognosis in the management of essential hypertension. 2003 , 1, 79-89		8

223	Relationship between diurnal blood pressure, renal hemodynamic function, and the renin-angiotensin system in type 1 diabetes. 2003 , 52, 1806-11		27
222	Microalbuminuria in cerebrovascular diseases. 2003 , 3, 215-23		4
221	Circadian blood pressure regulation in hospitalized depressed patients and non-depressed comparison subjects. 2003 , 8, 71-6		10
220	Relevance of blood pressure variation in the circadian onset of cardiovascular events. <i>Journal of Hypertension</i> , 2003 , 21, S9-15	1.9	43
219	Ambulatory pulse pressure is a relatively sleep-independent variable. <i>Journal of Hypertension</i> , 2003 , 21, 723-8	1.9	15
218	Influence of two doses of irbesartan on non-dipper circadian blood pressure rhythm in salt-sensitive black hypertensives under high salt diet. <i>Journal of Cardiovascular Pharmacology</i> , 2003 , 42, 98-104	3.1	19
217	A single pathway for the development of essential hypertension. 2003 , 11, 180-96		20
216	Serum cystatin C level is a marker of end-organ damage in patients with essential hypertension. <i>Hypertension Research</i> , 2003 , 26, 895-9	4.7	52
215	Albuminuria and mortality in hypertension. 2004 , 141, 244-5		1
214	Leprosy accidentally transmitted from a patient to a surgeon in a nonendemic area. 2004 , 141, W51		4
213	Metabolic markers of insulin resistance in overweight persons. 2004 , 141, 243; author reply 243-4		1
212	Successful octreotide treatment of chylous pleural effusion and lymphedema in the yellow nail syndrome. 2004 , 141, 246-7		21
211	Clinical usefulness of ambulatory blood pressure monitoring. 2004 , 15 Suppl 1, S30-3		33
210	TIME-WEIGHTED VS CONVENTIONAL QUANTIFICATION OF 24 HOUR AVERAGE AMBULATORY SYSTOLIC BLOOD PRESSURE. <i>Journal of Hypertension</i> , 2004 , 22, S279-S280	1.9	
209	Continuous recording of blood pressure in cerebrovascular disease: when should it be done?. 2004 , 17 Suppl 1, 34-42		4
208	The efficacy and tolerability of barnidipine hydrochloride in Thai patients with hypertension. 2004 , 32, 185-200		3
207	Twenty-four-hour ambulatory blood pressure profiles in liver transplant recipients. 2004 , 8, 496-501		20
206	Nocturnal blood pressure is elevated with natriuresis and proteinuria as renal function deteriorates in nephropathy. 2004 , 65, 621-5		128

205	Reproducibility of nocturnal blood pressure fall in early phases of untreated essential hypertension: a prospective observational study. 2004 , 18, 503-9		65
204	Circulating oxidized low-density lipoprotein and common carotid artery intima-media thickness in a random sample of middle-aged men. 2004 , 11, 356-61		14
203	Blood pressure and progression of chronic kidney disease: importance of systolic, diastolic, or diurnal variation. 2004 , 6, 400-4		12
202	Is the nocturnal fall in blood pressure reduced in essential hypertensive patients with metabolic syndrome?. 2004 , 13, 230-5		15
201	Hypertension and microalbuminuria: the new detrimental duo. 2004 , 13, 198-211		28
200	Cronobiología y cronoterapia en la hipertensión arterial: implicaciones diagnósticas, pronósticas y terapéuticas. 2004 , 21, 256-270		
199	Cyclosporine A and adverse effects on organs: histochemical studies. 2004 , 39, 85-128		116
198	Microalbuminuria, cardiovascular autonomic dysfunction, and insulin resistance in patients with type 2 diabetes mellitus. 2004 , 53, 1359-64		34
197	Cardiovascular target organ damage in essential hypertensives with or without reproducible nocturnal fall in blood pressure. <i>Journal of Hypertension</i> , 2004 , 22, 273-80	1.9	149
196	Chronotherapy of hypertension. 2004 , 13, 501-5		64
195	Physician support for covering and caring for the uninsured. 2004 , 141, 244; author reply 245		1
194	Thiazide diuretics enhance nocturnal blood pressure fall and reduce proteinuria in immunoglobulin A nephropathy treated with angiotensin II modulators. <i>Journal of Hypertension</i> , 2005 , 23, 861-5	1.9	33
193	Metabolic syndrome score and ambulatory blood pressure in untreated essential hypertension. 2005 , 10, 175-80		14
192	Administration-time-dependent effects of antihypertensive treatment on the circadian pattern of blood pressure. 2005 , 14, 453-9		64
191	Hypotension associated with prone body position: a possible overlooked postural hypotension. <i>Hypertension Research</i> , 2005 , 28, 741-6	4.7	29
190	ACE Inhibitors and Chronotherapy. 2005 , 27, 179-185		12
189	Low-grade albuminuria and the risks of hypertension and blood pressure progression. <i>Circulation</i> , 2005 , 111, 1370-6	16.7	171
188	ACE Inhibitors and Chronotherapy. 2005 , 27, 179-185		13

187	Decrease in urinary albumin excretion associated with the normalization of nocturnal blood pressure in hypertensive subjects. <i>Hypertension</i> , 2005 , 46, 960-8	8.5	100
186	Circadian variation in stroke onset: identical temporal pattern in ischemic and hemorrhagic events. 2005 , 22, 417-53		134
185	Effects of time of day of treatment on ambulatory blood pressure pattern of patients with resistant hypertension. <i>Hypertension</i> , 2005 , 46, 1053-9	8.5	95
184	Taking diltiazem ER in the evening reduces morning blood pressure and heart rate more than ramipril. Commentary. 2005 , 9, 8-10		1
183	Reproducibilidad de la monitorizaci3n ambulatoria de la presi3n arterial en la diabetes mellitus tipo 2. 2006 , 23, 71-73		
182	Patr3n no reductor de presi3n arterial y enfermedad renal cr3nica en pacientes hipertensos. 2006 , 23, 141-145		0
181	[Proteinuria]. 2006 , 2, 32-40		1
180	Blood leukocyte count is a risk factor for intima-media thickening and subclinical carotid atherosclerosis in middle-aged men. 2006 , 188, 363-9		41
179	Reproducibilidad de la monitorizaci3n ambulatoria de la presi3n arterial en la diabetes mellitus tipo 2. 2006 , 23, 71-73		
178	Patr3n no reductor de presi3n arterial y enfermedad renal cr3nica en pacientes hipertensos. 2006 , 23, 141-145		
177	Microalbuminuria. 2006 , 26, 635-53, vi-vii		42
176	24-hour ambulatory blood pressure monitoring. 2006 , 151, 962-8		11
175	Attenuation of heart rate recovery after exercise in hypertensive patients with blunting of the nighttime blood pressure fall. 2006 , 106, 238-43		21
174	Twenty-four hour blood pressure record for smokers and nonsmokers. 2006 , 87, 504-11		9
173	Pression art3rielle. R3gulation et physiologie. Mesures et valeurs normales. 2006 , 1, 1-15		
172	Short-term reproducibility of a non-dipping pattern in type 2 diabetic hypertensive patients. <i>Journal of Hypertension</i> , 2006 , 24, 647-53	1.9	61
171	Metabolic syndrome as a predictor of non-dipping hypertension. 2006 , 210, 57-66		23
170	Japanese Society of Hypertension. <i>Hypertension Research</i> , 2006 , 29, S1-S105	4.7	29

169	The influence of circadian blood pressure changes on aortic distensibility and left ventricular diastolic function in hypertensive individuals. 2006 , 22, 157-65		18
168	Efficacy of combination therapy with amlodipine besylate/benazepril hydrochloride for lowering systolic blood pressure in stage 2 hypertension. 2006 , 15, 142-50		10
167	Nocturnal non-dipping pattern in untreated hypertensives at different cardiovascular risk according to the 2003 ESH/ESC guidelines. 2006 , 15, 37-44		16
166	Nocturnal sodium excretion, blood pressure dipping, and sodium sensitivity. <i>Hypertension</i> , 2006 , 48, 527-33		119
165	Reproducibility of nocturnal blood pressure assessed by self-measurement of blood pressure at home. <i>Hypertension Research</i> , 2007 , 30, 707-12	4.7	44
164	Chronotherapy in hypertensive patients: administration-time dependent effects of treatment on blood pressure regulation. 2007 , 5, 463-75		20
163	Predictors of all-cause mortality in clinical ambulatory monitoring: unique aspects of blood pressure during sleep. <i>Hypertension</i> , 2007 , 49, 1235-41	8.5	284
162	Prevalence and correlates of left ventricular hypertrophy in the African American Study of Kidney Disease Cohort Study. <i>Hypertension</i> , 2007 , 50, 1033-9	8.5	36
161	Blood Pressure Monitoring in Cardiovascular Medicine and Therapeutics. 2007 ,		8
160	Reproducibility of the circadian blood pressure pattern in 24-h versus 48-h recordings: the Spanish Ambulatory Blood Pressure Monitoring Registry. <i>Journal of Hypertension</i> , 2007 , 25, 2406-12	1.9	45
159	Nocturnal blood pressure fall and metabolic syndrome score in hypertensive patients. 2007 , 12, 351-6		21
158	Role of sleep-wake cycle on blood pressure circadian rhythms and hypertension. 2007 , 8, 668-80		123
157	Should pulse pressure and day/night variations in blood pressure be seen as independent risk factors requiring correction or simply as markers to be taken into account when evaluating overall vascular risk?. 2007 , 33, 321-30		15
156	Correlations of urinary albumin excretion and atherosclerosis in Japanese type 2 diabetic patients. 2007 , 77, 414-9		4
155	[Blood pressure. Regulation and epidemiology. Standard measures and values]. 2007 , 3, 163-84		4
154	Night-time blood pressure patterns and target organ damage: a review. 2007 , 23, 132-8		99
153	Nondipping blood pressure patterns among individuals with essential hypertension: a review of the literature. 2007 , 6, 9-26		71
152	Ambulatory blood pressure monitoring in the prediction of cardiovascular events and effects of chronotherapy: rationale and design of the MAPEC study. 2007 , 24, 749-75		118

151	Smoking is associated with urinary albumin excretion: an evaluation of premenopausal patients with type 2 diabetes mellitus. 2007 , 56, 179-84		6
150	Influencia de la edad y del índice de masa corporal en la presión arterial clínica y la presión arterial de 24 horas en pacientes tratados y no tratados de hipertensión arterial. 2007 , 54, 83-88		
149	Ambulatory blood pressure monitoring and casual blood pressure in hyper-reactive individuals. 2007 , 88, 565-72		3
148	Should reducing nocturnal blood pressure be a therapeutic target in CKD? The time is ripe for a clinical outcomes trial. 2007 , 50, 901-3		6
147	Circadian variation of blood pressure: the basis for the chronotherapy of hypertension. 2007 , 59, 904-22		137
146	Chronotherapy of hypertension: administration-time-dependent effects of treatment on the circadian pattern of blood pressure. 2007 , 59, 923-39		119
145	The association of myeloperoxidase promoter polymorphism with carotid atherosclerosis is abolished in patients with type 2 diabetes. 2008 , 41, 532-7		14
144	The effects of nocturnal dipping on cardiovascular outcomes and proteinuria in essential hypertensive patients. 2008 , 3, 279-286		
143	Twenty-four hour ambulatory blood pressure in a population of elderly men. <i>Journal of Internal Medicine</i> , 2008 , 248, 501-510	10.8	
142	Monitorización ambulatoria de presión arterial y enfermedad renal crónica en pacientes hipertensos diabéticos tipo 2 y en pacientes hipertensos. 2008 , 25, 94-98		0
141	Monitorización ambulatoria de presión arterial y enfermedad renal crónica en pacientes hipertensos diabéticos tipo 2 y en pacientes hipertensos. 2008 , 25, 94-98		
140	Circadian rhythm of blood pressure in patients with benign prostatic hyperplasia. 2008 , 42, 47-52		12
139	Nighttime blood pressure and nocturnal dipping are associated with daytime urinary sodium excretion in African subjects. <i>Hypertension</i> , 2008 , 51, 891-8	8.5	125
138	Clinical variables associated with non-dipping of nocturnal blood pressure in type 2 diabetes. 2008 , 8, 236-240		3
137	Is non-dipping of nocturnal blood pressure in type 2 diabetes associated with increased incidence of microalbuminuria?. 2008 , 8, 136-139		0
136	The role of microalbuminuria and insulin resistance as significant risk factors for white matter lesions in Japanese type 2 diabetic patients. 2008 , 24, 1561-7		20
135	Plasma tissue inhibitor of matrix metalloproteinase-1 level is increased in normotensive non-dippers in association with impaired glucose metabolism. <i>Hypertension Research</i> , 2008 , 31, 2045-51	4.7	6
134	Nocturnal blood pressure fall and metabolic syndrome score in patients with white coat hypertension. 2008 , 13, 251-6		15

133	Influence of microalbuminuria in achieving blood pressure goals. 2008 , 17, 457-63		13
132	Low-dose transdermal hormone therapy does not interfere with the blood pressure of hypertensive menopausal women: a pilot study. 2008 , 13, 277-83		8
131	Longitudinal association of sleep-disordered breathing and nondipping of nocturnal blood pressure in the Wisconsin Sleep Cohort Study. 2008 , 31, 795-800		138
130	Anticipating anticipation: pursuing identification of cardiomyocyte circadian clock function. 2009 , 107, 1339-47		28
129	Loss of nocturnal decline of blood pressure in non-diabetic patients with nephrotic syndrome in the early and middle stages of chronic kidney disease. <i>Hypertension Research</i> , 2009 , 32, 364-8	4-7	8
128	Effect of high-fat diet feeding on hypothalamic redox signaling and central blood pressure regulation. <i>Hypertension Research</i> , 2009 , 32, 983-8	4-7	13
127	DO RESTLESS LEGS SYNDROME (RLS) AND PERIODIC LIMB MOVEMENTS OF SLEEP (PLMS) PLAY A ROLE IN NOCTURNAL HYPERTENSION AND INCREASED CARDIOVASCULAR RISK OF RENALLY IMPAIRED PATIENTS?. 2009 , 26, 1206-1221		1
126	Circadian rhythms of diuresis, proteinuria and natriuresis in children with chronic glomerular disease. 2009 , 24, 1165-72		3
125	Matching the circadian rhythms of hypertension with pharmacotherapy. 2009 , 26, 10-15		78
124	Do restless legs syndrome (RLS) and periodic limb movements of sleep (PLMS) play a role in nocturnal hypertension and increased cardiovascular risk of renally impaired patients?. 2009 , 26, 1206-21		40
123	Nocturnal dosing and chronic kidney disease progression: new insights. 2009 , 18, 381-5		5
122	Relation between abnormalities in circadian blood pressure rhythm and target organ damage in normotensives. 2009 , 73, 899-904		52
121	References. <i>Hypertension Research</i> , 2009 , 32, 91-107	4-7	
120	Effect of dipping status on QRS morphology in patients with hypertension. 2010 , 15, 247-50		
119	Cardiovascular disease, chronopharmacotherapy, and the molecular clock. 2010 , 62, 956-66		13
118	Aging and hypertension. 2010 , 8, 1531-9		13
117	Nocturnal nondipping and left ventricular hypertrophy in hypertension: an updated review. 2010 , 8, 781-92		48
116	Mean platelet volume in patients with dipper and non-dipper hypertension. 2010 , 19, 26-30		20

115	Salt sensitivity and circadian rhythm of blood pressure: the keys to connect CKD with cardiovascular events. <i>Hypertension Research</i> , 2010 , 33, 515-20	4.7	88
114	Cardiovascular consequences of sleep apnea. 2010 , 31, 203-20		100
113	Urinary albumin excretion among nondipper hypertensive patients is closely related with the pattern of nondipping. 2010 , 4, 196-202		7
112	Evidence suggesting that the cardiomyocyte circadian clock modulates responsiveness of the heart to hypertrophic stimuli in mice. 2011 , 28, 187-203		74
111	Diurnal blood pressure pattern and development of prehypertension or hypertension in young adults: the CARDIA study. 2011 , 5, 48-55		21
110	Circadian variations in blood pressure in health and disease: implications for patient management. 2011 , 17		
109	Is blunted heart rate decrease at night associated with prevalent organ damage in essential hypertension?. 2011 , 16, 16-21		7
108	Clinical Significance of the Blood Pressure Changes from Day to Night. 2011 , 7, 13-19		1
107	Sickle cell nephropathy: challenging the conventional wisdom. 2011 , 26, 2099-109		41
106	The spectrum of albuminuria as a predictor of cardiorenal outcomes. 2011 , 8, 569-579		
105	Effect of age on high-fat diet-induced hypertension. 2011 , 301, H164-72		26
104	Nocturnal blood pressure in untreated essential hypertensives. 2011 , 20, 335-41		21
103	Urinary albumin excretion is associated with nocturnal systolic blood pressure in resistant hypertensives. <i>Hypertension</i> , 2011 , 57, 556-60	8.5	41
102	Relationship between ambulatory BP and clinical outcomes in patients with hypertensive CKD. 2012 , 7, 1770-6		70
101	Incremental effects of restless legs syndrome on nocturnal blood pressure in hypertensive patients and normotensive individuals. 2012 , 17, 231-4		31
100	Orthostatic hypotension is associated with nocturnal change in systolic blood pressure. <i>American Journal of Hypertension</i> , 2012 , 25, 159-64	2.3	27
99	Nighttime blood pressure dipping in young adults and coronary artery calcium 10-15 years later: the coronary artery risk development in young adults study. <i>Hypertension</i> , 2012 , 59, 1157-63	8.5	40
98	The Japanese Society of Hypertension Guidelines for Self-monitoring of Blood Pressure at Home (Second Edition). <i>Hypertension Research</i> , 2012 , 35, 777-95	4.7	135

97	Salt sensitivity and nondippers in chronic kidney disease. 2012 , 14, 382-7		15
96	WNK-OSR1/SPAK-NCC signal cascade has circadian rhythm dependent on aldosterone. 2012 , 427, 743-7		28
95	Clinical Significance of Home Blood Pressure and Its Possible Practical Application. 2012 , 18, 1		2
94	Metabolism as an integral cog in the mammalian circadian clockwork. 2013 , 48, 317-31		14
93	Non-dipping pattern in untreated hypertensive patients is related to increased pulse wave velocity independent of raised nocturnal blood pressure. 2013 , 22, 34-8		26
92	Treatment-time regimen of hypertension medications significantly affects ambulatory blood pressure and clinical characteristics of patients with resistant hypertension. 2013 , 30, 192-206		31
91	Effects of time-of-day of hypertension treatment on ambulatory blood pressure and clinical characteristics of patients with type 2 diabetes. 2013 , 30, 116-31		34
90	2013 ambulatory blood pressure monitoring recommendations for the diagnosis of adult hypertension, assessment of cardiovascular and other hypertension-associated risk, and attainment of therapeutic goals. 2013 , 30, 355-410		136
89	Circadian variation of blood pressure is impaired in normotensive pregnant women with gestational diabetes mellitus. 2013 , 35, 128-33		10
88	Clinical correlates of ambulatory BP monitoring among patients with CKD. 2013 , 8, 721-30		46
87	Divergent retinal vascular abnormalities in normotensive persons and patients with never-treated, masked, white coat hypertension. <i>American Journal of Hypertension</i> , 2013 , 26, 318-25	2.3	38
86	Diurnal Blood Pressure Variation in the Retinal Vein Occlusion. 2013 , 54, 1371		2
85	Circadian rhythm and cardiovascular disorders. 2014 , 27		3
84	Treatment efficiency of resistant hypertension in cardiologist's office. 2014 , 115, 25-9		
83	Clinical utility of ambulatory blood pressure monitoring in the management of hypertension. 2014 , 12, 623-34		14
82	The hypothalamic neuropeptide FF network is impaired in hypertensive patients. 2014 , 4, 453-67		2
81	Not nondipping but nocturnal blood pressure predicts left ventricular hypertrophy in the essential hypertensive patients: the Korean Ambulatory Blood Pressure multicenter observational study. <i>Journal of Hypertension</i> , 2014 , 32, 1999-2004; discussion 2004	1.9	18
80	Comprehensive low-dose imaging of carotid and coronary arteries with a single-injection dual-source CT angiography protocol. 2014 , 69, 246-53		6

79	Blood pressure abnormalities in children with sickle cell anemia. 2014 , 61, 518-22		35
78	Fine particulate matter results in hemodynamic changes in subjects with blunted nocturnal blood pressure dipping. 2014 , 131, 1-5		10
77	Microalbuminuria in non-diabetic patients with unstable angina/non ST-segment elevation myocardial infarction. 2015 , 8, 371		7
76	Ambulatory blood pressure monitoring: mercury rising. 2015 , 22, 81-5		2
75	Blood pressure reverse-dipping is associated with early formation of carotid plaque in senior hypertensive patients. 2015 , 94, e604		25
74	Circadian Blood Pressure Rhythm Is Changed by Improvement in Hypoalbuminemia and Massive Proteinuria in Patients with Minimal Change Nephrotic Syndrome. 2016 , 6, 209-15		2
73	Exaggerated exercise blood pressure response in middle-aged men as a predictor of future blood pressure: a 10-year follow-up. 2016 , 38, 696-700		6
72	Subclinical Kidney Damage in Hypertensive Patients: A Renal Window Opened on the Cardiovascular System. Focus on Microalbuminuria. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 956, 279-306	3.6	31
71	Blood Pressure Monitoring in Cardiovascular Medicine and Therapeutics. 2016 ,		1
70	Altered myocardial metabolic adaptation to increased fatty acid availability in cardiomyocyte-specific CLOCK mutant mice. 2016 , 1861, 1579-95		18
69	Prognostic Value of Ambulatory Blood Pressure Monitoring. 2016 , 165-191		
68	Relation between circadian blood pressure rhythm and serum albumin level in non-diabetic patients with proteinuria. 2016 , 25, 44-50		3
67	Dietary sodium and nocturnal blood pressure dipping in normotensive men and women. 2017 , 31, 145-150		16
66	Role of melatonin in blood pressure regulation: An adjunct anti-hypertensive agent. 2018 , 45, 755-766		43
65	Is ambulatory blood pressure measurement a new indicator for survival among advanced heart failure cases. 2018 , 70 Suppl 1, S73-S78		1
64	Evaluation of Cardiovascular Risk Factors and Restless Legs Syndrome in Women and Men: A Preliminary Population-Based Study in China. 2018 , 14, 445-450		8
63	Association of Urinary Sodium Excretion with Vascular Damage: A Local Kidney Effect, Rather Than a Marker of Generalized Vascular Impairment. 2018 , 2018, 7620563		2
62	Nondipping Blood Pressure Patterns Predict Obstructive Sleep Apnea in Patients Undergoing Ambulatory Blood Pressure Monitoring. <i>Hypertension</i> , 2018 , 72, 979-985	8.5	24

61	Serum endocan levels, carotid intima-media thickness and microalbuminuria in patients with newly diagnosed hypertension. 2019 , 41, 787-794		13
60	Ethnic Differences in Nighttime Melatonin and Nighttime Blood Pressure: A Study in European Americans and African Americans. <i>American Journal of Hypertension</i> , 2019 , 32, 968-974	2-3	6
59	Oral Salt Loading Test is Associated With 24-Hour Blood Pressure and Organ Damage in Primary Aldosteronism Patients. 2020 , 4, bvaa116		1
58	Restoration of nocturnal blood pressure dip and reduction of nocturnal blood pressure with evening anti-hypertensive medication administration in pediatric kidney transplant recipients: A pilot randomized clinical trial. 2020 , 24, e13854		7
57	Twenty-four-hour versus clinic blood pressure levels as predictors of long-term cardiovascular and renal disease outcomes among African Americans. 2020 , 10, 11685		3
56	An Observational Registry to Assess Urinary Albumin Evolution in Saudi Hypertensive Patients with the Current Treatment Local algorithm: Results of the RATIONAL Study. 2020 , 13, 75-83		
55	Association of a Disrupted Dipping Pattern of Blood Pressure with Progression of Renal Injury during the Development of Salt-Dependent Hypertension in Rats. 2020 , 21,		2
54	Nondipping Blood Pressure: Predictive or Reactive Failure of Renal Sodium Handling?. 2021 , 36, 21-34		4
53	Impact of the ambulatory blood pressure monitoring profile on cognitive and imaging findings of cerebral small-vessel disease in older adults with cognitive complaints. 2021 ,		2
52	Effect of non-dipper pattern on echocardiographic myocardial work parameters in normotensive individuals. 2021 , 38, 1586-1595		0
51	Microalbuminuria in essential hypertension: A single centre study. 2021 , 6, 189-193		
50	Microalbuminuria in Patients with Essential Hypertension. Cardiovascular and Renal Implications. 1998 , 569-584		1
49	Circadian Rhythm and Environmental Determinants of Blood Pressure Regulation in Normal and Hypertensive Conditions. 2001 , 79-138		15
48	Prognostic Value of Ambulatory Blood Pressure Monitoring. 2001 , 191-218		2
47	Circadian Rhythmic and Environmental Determinants of 24-Hour Blood Pressure Regulation in Normal and Hypertensive Conditions. 2007 , 135-158		12
46	Blood pressure profile is associated with microalbuminuria and retinopathy in hypertensive nondiabetic patients. <i>Wiener Klinische Wochenschrift</i> , 2018 , 130, 204-210	2-3	5
45	Chronotherapeutics in the Treatment of Hypertension. 2005 , 530-542		8
44	Twenty-four hour ambulatory blood pressure in a population of elderly men. <i>Journal of Internal Medicine</i> , 2000 , 248, 501-10	10.8	23

43	Trough-to-peak ratio and circadian blood pressure profile after treatment with once-daily extended-release diltiazem, 240 mg, in patients with mild-to-moderate essential hypertension. <i>Journal of Cardiovascular Pharmacology</i> , 1997 , 29, 316-22	3.1	5
42	Assessment of antihypertensive effect by blood pressure monitoring: applications to bisoprolol and lisinopril in a double-blind study. <i>Journal of Cardiovascular Pharmacology</i> , 1997 , 29, 612-7	3.1	6
41	Microalbuminuria as a predictive factor for cardiovascular events. <i>Journal of Cardiovascular Pharmacology</i> , 1999 , 33 Suppl 1, S11-5; discussion S41-3	3.1	21
40	Mechanisms and clinical implications of blood pressure variability. <i>Journal of Cardiovascular Pharmacology</i> , 2000 , 35, S15-9	3.1	76
39	The progressive pathway of microalbuminuria: from early marker of renal damage to strong cardiovascular risk predictor. <i>Journal of Hypertension</i> , 2010 , 28, 2357-69	1.9	65
38	Autoantibodies against oxidized LDL do not predict atherosclerotic vascular disease in non-insulin-dependent diabetes mellitus. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1996 , 16, 1236-42	9.4	84
37	Hypertensive nephropathy and the gene for angiotensin-converting enzyme. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 1997 , 17, 252-6	9.4	31
36	Sodium restriction shifts circadian rhythm of blood pressure from nondipper to dipper in essential hypertension. <i>Circulation</i> , 1997 , 96, 1859-62	16.7	192
35	The arterial system in hypertension. A prospective view. <i>Hypertension</i> , 1995 , 26, 10-4	8.5	61
34	Nocturnal fall of blood pressure and silent cerebrovascular damage in elderly hypertensive patients. Advanced silent cerebrovascular damage in extreme dippers. <i>Hypertension</i> , 1996 , 27, 130-5	8.5	379
33	Does the renin-angiotensin system determine the renal and systemic hemodynamic response to sodium in patients with essential hypertension?. <i>Hypertension</i> , 1996 , 27, 202-8	8.5	47
32	High sodium sensitivity implicates nocturnal hypertension in essential hypertension. <i>Hypertension</i> , 1996 , 28, 139-42	8.5	99
31	Autonomic nervous system dysfunction in elderly hypertensive patients with abnormal diurnal blood pressure variation: relation to silent cerebrovascular disease. <i>Hypertension</i> , 1997 , 30, 1504-10	8.5	63
30	Ultrasonographic correlates of carotid atherosclerosis in transient ischemic attack and stroke. <i>Stroke</i> , 1995 , 26, 614-9	6.7	84
29	Microalbuminuria and cardiorenal risk: old and new evidence in different populations. <i>F1000Research</i> , 2019 , 8,	3.6	5
28	Effects of hormone replacement therapy on office and ambulatory blood pressure in Japanese hypertensive postmenopausal women. <i>Hypertension Research</i> , 2003 , 26, 369-76	4.7	14
27	Blunted reduction of pulse pressure during nighttime is associated with left ventricular hypertrophy in elderly hypertensive patients. <i>Hypertension Research</i> , 2004 , 27, 573-9	4.7	14
26	Japanese Society of Hypertension guidelines for the management of hypertension (JSH 2004). <i>Hypertension Research</i> , 2006 , 29 Suppl, S1-105	4.7	190

25	[Blood pressure homeostasis and microvascular complications in diabetic patients]. <i>Arquivos Brasileiros De Endocrinologia E Metabologia</i> , 2005 , 49, 882-90		6
24	Optimal timing for antihypertensive dosing: focus on valsartan. <i>Therapeutics and Clinical Risk Management</i> , 2007 , 3, 119-31	2.9	26
23	Ambulatory blood pressure monitoring in the evaluation of pediatric disorders. <i>Pediatric Annals</i> , 1998 , 27, 491-4	1.3	4
22	The relationship between serum albumin levels and 24-h ambulatory blood pressure monitoring recordings in non-diabetic essential hypertensive patients. <i>Clinics</i> , 2016 , 71, 257-63	2.3	5
21	Microalbuminuria in Essential Hypertension. Significance for the Cardiovascular and Renal Systems. 2000 , 575-586		
20	Microalbuminuria and Cardiovascular Disease. 2000 , 39-53		
19	Treatment [General. 2003 , 69-69		
18	Microalbuminuria/Proteinuria. 2003 , 25-38		
17	[Abnormal patterns of diurnal blood pressure variation and cardiovascular remodeling in elderly hypertensive patients]. <i>Japanese Journal of Geriatrics</i> , 2007 , 44, 437-40	0	1
16	Transplant Hypertension. 2007 , 361-369		
15	Hypertension in Racial and Ethnic Minorities. 2007 , 707-718		
14	Microalbuminuria and Kidney Disease: An Evidence-based Perspective. 2010 , 117-130		
13	Sleep-Disordered Breathing and Cerebrovascular Disease. 2012 , 647-655		
12	The fixed-dose combination of losartan/hydrochlorothiazide elicits potent blood pressure lowering during nighttime in obese hypertensive patients. <i>Journal of Clinical Medicine Research</i> , 2014 , 6, 8-16	2.9	3
11	Endothelial Dysfunction: Clinical Applicability of Calcium Antagonist Drugs. 1995 , 148-156		
10	Klinischer Teil. 1996 , 141-369		
9	Calciumantagonisten bei essentieller Hypertonie. 1996 , 175-192		
8	Relationship between cardiac hypertrophy and microalbuminuria. <i>Advances in Experimental Medicine and Biology</i> , 1997 , 432, 135-43	3.6	

7	Microalbuminuria and Cardiovascular Disease. 1998 , 39-50		
6	Hypertonie und Schlaganfall ¶Rationale fñdie ACCESS-Studie. 1999 , 121-136		
5	Prognostic Value of Ambulatory Blood Pressure Monitoring. 2007 , 225-252		
4	Ambulatory Blood Pressure in Patients With Chronic Kidney Disease. 2007 , 389-410		
3	Dosing Time Matters? Nighttime vs. Daytime Administration of Nifedipine Gastrointestinal Therapeutic System (GITS) or Amlodipine on Non-dipper Hypertension: A Randomized Controlled Trial of NARRAS.. <i>Frontiers in Cardiovascular Medicine</i> , 2021 , 8, 755403	5.4	1
2	Microalbuminuria as an Independent Risk Factor for Developing Concentric Left Ventricular Hypertrophy in Primary Hypertension: A Single-Center Observational Study From South India.. <i>Cureus</i> , 2022 , 14, e21119	1.2	
1	Clinical study of ambulatory blood pressure monitoring applied to the evaluation of acupuncture treatment for hypertension. <i>Chinese Journal of Integrative Medicine</i> , 1998 , 4, 205-208	2.9	