

# CITATION REPORT

List of articles citing

Computerized three-dimensional segmented human anatom

DOI: 10.1118/1.597290

Medical Physics, 1994, 21, 299-302.

**Source:** <https://exaly.com/paper-pdf/24930773/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
829	Maximum likelihood reconstruction in fully 3D PET via the SAGE algorithm.		10
828	Spatially-adaptive temporal smoothing for reconstruction of dynamic and gated image sequences.		2
827	Unified description and validation of Monte Carlo simulators in PET.		
826	A log likelihood based method for recovery of localized defects in PET attenuation-correction images.		6
825	. <b>1994</b> , 41, 2771-2778		13
824	Investigation of scatter in singles-based PVI transmission imaging.		2
823	A computerized non-invasive method for the assessment of human facial volume. <b>1995</b> , 23, 280-6		26
822	.		
821	. <b>1995</b> , 42, 1310-1320		16
820	. <b>1996</b> , 44, 1855-1864		245
819	.		
818	Segmentation of the body and lungs from Compton scatter and photopeak window data in SPECT: a Monte-Carlo investigation. <b>1996</b> , 15, 13-24		33
817	FDTD analysis of the handset antenna and human body interaction.		
816	Compensation for nonuniform attenuation in SPECT brain imaging. <b>1996</b> , 43, 737-750		4
815	Simulation of MRI cluster plots and application to neurological segmentation. <b>1996</b> , 14, 73-92		59
814	Spectral analysis of PET projection data.		0
813	Assessment of coregistration of PET H/sub 2//sup 15/O images in the abdomen using digital phantoms.		

812	Choice of initial conditions in the ML reconstruction of fan-beam transmission with truncated projection data. <b>1997</b> , 16, 426-38	7
811	Registration of abdominal CT and SPECT images using Compton scatter data. <b>1997</b> , 232-244	3
810	Noise characteristics of MLEM SPECT reconstruction with a mis-matched projector-backprojector pair.	
809	Modeling of interaction of electromagnetic fields from a cellular telephone with hearing aids.	
808	.	1
807	. <b>1997</b> , 44, 1336-1341	2
806	Surface-based labeling of cortical anatomy using a deformable atlas. <b>1997</b> , 16, 41-54	197
805	A clinical perspective of accelerated statistical reconstruction. <b>1997</b> , 24, 797-808	57
804	X-ray microtomography: 3-dimensional imaging of teeth for computer-assisted learning. <b>1997</b> , 1, 61-5	15
803	Iterative restoration of SPECT projection images. <b>1997</b> , 44, 204-211	4
802	Evaluation of the effect of scatter correction on lesion detection in hepatic SPECT imaging. <b>1997</b> , 44, 1733-1740	7
801	Influence of human model resolution on computed currents induced in organs by 60-Hz magnetic fields. <b>1997</b> , 18, 478-490	58
800	High-resolution organ dosimetry for human exposure to low-frequency magnetic fields. <b>1998</b> , 34, 708-718	101
799	A planar diversity antenna for handheld PCS devices. <b>1998</b> , 47, 747-754	41
798	Facial volume changes during normal human growth and development. <b>1998</b> , 250, 480-7	40
797	Influence of skull anisotropy for the forward and inverse problem in EEG: simulation studies using FEM on realistic head models. <b>1998</b> , 6, 250-69	119
796	Cerebral blood flow imaging using ectomography-a feasibility study.	1
795	Noise characteristics of SPECT iterative reconstruction with a mis-matched projector-backprojector pair. <b>1998</b> , 45, 2183-2188	7

794	.	1
793	Modeling of interaction of electromagnetic fields from a cellular telephone with hearing aids. <b>1998</b> , 46, 1686-1693	12
792	Individualized phantom based on CT slices and auxological data (ICTA) for dose estimations following radiotherapy for skin haemangioma in childhood. <b>1998</b> , 49, 279-85	16
791	Performance Characterization of a Feature-Matching Axial Smoothing Method for Brain PET Images. <b>1998</b> , 85-90	
790	Parametric image reconstruction using spectral analysis of PET projection data. <b>1998</b> , 43, 651-66	68
789	. <b>1998</b> , 13, 366-373	39
788	Computerized biological brain phantom for evaluation of PET and SPECT reconstruction. <b>1998</b> , 45, 1238-1243	2
787	Boundary finding using Fourier surfaces of increasing order [simulated medical images].	
786	Fourier rebinning applied to multi-planar circular-orbit cone-beam SPECT.	
785	Four-dimensional superquadric-based cardiac-thorax phantom for Monte Carlo simulation of radiological imaging systems [SPECT application].	
784	Deformable Fourier surfaces for volume segmentation in SPECT.	
783	.	
782	A realistic spline-based dynamic heart phantom.	2
781	Modelisation of inhomogeneous and anisotropic conductivities in a realistic head model for the EEG and MEG forward problem. <b>1998</b> , 7, S679	
780	. <b>1999</b> , 46, 1009-1015	3
779	A new correction method for cross-talk using artificial neural networks: validation in simultaneous technetium and iodine cerebral imaging.	2
778	FDTD analysis of close-coupled 418 MHz radiating devices for human biotelemetry. <b>1999</b> , 44, 335-45	24
777	. <b>1999</b> , 46, 1129-1135	11

- 776 A prior image model with mixed continuity constraints for Bayesian PET image reconstruction.
- 775 MABDOSE. I: Characterization of a general purpose dose estimation code. *Medical Physics*, **1999**, 26, 1389-95 22
- 774 Relevance of accurate Monte Carlo modeling in nuclear medical imaging. *Medical Physics*, **1999**, 26, 574-608 168
- 773 NSERC industrial research chair in electromagnetic fields and living systems and research in wireless communication. **1999**,
- 772 Radiation dosimetry in nuclear medicine. **1999**, 50, 73-87 67
- 771 Magnetic induction at 60 Hz in the human heart: a comparison between the in situ and isolated scenarios. **1999**, 20, 233-243 13
- 770 Four-dimensional superquadric-based cardiac phantom for Monte Carlo simulation of radiological imaging systems. **1999**, 46, 2211-2217 21
- 769 Fourier rebinning applied to multiplanar circular-orbit cone-beam SPECT. **1999**, 18, 1076-84 5
- 768 .
- 767 The effect of camera geometry on singles flux, scatter fraction and trues and randoms sensitivity for cylindrical 3D PET-a simulation study.
- 766 . 1
- 765 A realistic spline-based dynamic heart phantom. **1999**, 46, 503-506 193
- 764 Comparison of imaging characteristics of Xe-133 and Xe-127 for use in dynamic brain SPECT: a Monte Carlo investigation.
- 763 VIP-Man: an image-based whole-body adult male model constructed from color photographs of the Visible Human Project for multi-particle Monte Carlo calculations. **2000**, 78, 476-86 250
- 762 Low Frequency Finite Difference Time Domain (FDTD) for Modeling of Induced Fields in Humans Close to Line Sources. **2000**, 162, 82-103 21
- 761 Model fitting for sequences of images. **2000**, 32, 323-335 1
- 760 Pacemaker interference and low-frequency electric induction in humans by external fields and electrodes. **2000**, 47, 1211-8 22
- 759 Monte Carlo investigation of scatter in dual head coincidence imaging. 1

758	.	
757	Creation of a three-dimensional model of human segmental lung anatomy. <b>2000</b> , 174, 1333-6	8
756	Simultaneous Tc-99m/I-123 SPECT brain imaging using generalized spectral factor analysis.	
755	.	
754	.	1
753	.	
752	Three-dimensional attenuation map reconstruction using geometrical models and free-form deformations. <b>2000</b> , 19, 404-11	12
751	Bayesian estimator for positron emission tomography imaging using a prior image model with mixed continuity constraints. <b>2000</b> , 9, 260	
750	Modeling antenna close to the human body.	1
749	Scatter and cross-talk corrections in simultaneous Tc-99m/I-123 brain SPECT using constrained factor analysis and artificial neural networks. <b>2000</b> , 47, 1573-1580	23
748	Interaction of low-frequency electric and magnetic fields with the human body. <b>2000</b> , 88, 643-664	72
747	Specific absorption rate and temperature increases in the head of a cellular-phone user. <b>2000</b> , 48, 1118-1126	168
746	Implementation of a 3D positron emission tomography Monte-Carlo simulator.	
745	Advances in computational dosimetry.	
744	A simple and efficient method for image segmentation with deformable templates.	1
743	A parallel Monte Carlo code for planar and SPECT imaging: implementation, verification and applications in <sup>131</sup> I SPECT.	1
742	Segmentation of dynamic PET images using cluster analysis.	1
741	.	

740	Determination of electromagnetic phased-array driving signals for hyperthermia based on a steady-state temperature criterion. <b>2000</b> , 48, 1864-1873		7
739	.		
738	The effect of camera geometry on singles flux, scatter fraction and trues and randoms sensitivity for cylindrical 3D PET-a simulation study. <b>2000</b> , 47, 1228-1232		43
737	Free-form deformation in tomographic reconstruction. Application to attenuation map reconstruction. <b>2000</b> , 47, 1065-1071		4
736	A correction algorithm for partial volume effects in 3D PET imaging: principle and validation.		4
735	Analytical versus voxelized phantom representation for Monte Carlo simulation in radiological imaging. <b>2000</b> , 19, 556-64		35
734	Registration of whole-body scintillation camera images for conjugate view quantification.		
733	Comparison between an image- and a sinogram-based correction algorithm for partial volume effect in 3D PET imaging.		1
732	Schemes for the optimization of chest radiography using a computer model of the patient and x-ray imaging system. <i>Medical Physics</i> , <b>2001</b> , 28, 2007-19	4-4	23
731	Monte Carlo evaluation of object shape effects in iodine-131 SPET tumor activity quantification. <b>2001</b> , 28, 900-6		26
730	Modeling respiratory mechanics in the MCAT and spline-based MCAT phantoms. <b>2001</b> , 48, 89-97		181
729	. <b>2001</b> , 48, 1418-1422		
728	. <b>2001</b> , 48, 768-773		9
727	. <b>2001</b> , 48, 720-724		8
726	Conversion coefficients based on the VIP-Man anatomical model and EGS4. <b>2001</b> , 81, 163-83		69
725	Fluence-to-dose conversion coefficients based on the VIP-Man anatomical model and MCNPX code for monoenergetic neutrons above 20 MeV. <b>2001</b> , 81, 184-202		32
724	Specific absorbed fractions from the image-based VIP-Man body model and EGS4-VLSI Monte Carlo code: internal electron emitters. <b>2001</b> , 46, 901-27		56
723	Dosimetry in models of child and adult for low-frequency electric field. <b>2001</b> , 48, 1007-12		49

722	Electric fields in the human body resulting from 60-Hz contact currents. <b>2001</b> , 48, 1020-6	45
721	[Calculation of conversion coefficients for radiological protection against external radiation exposure]. <b>2001</b> , 11, 141-50	1
720	Evaluation of biological effects, dosimetric models, and exposure assessment related to ELF electric- and magnetic-field guidelines. <b>2001</b> , 16, 1118-38	30
719	Demonstration of correlations between clinical and physical image quality measures in chest and lumbar spine screen-film radiography. <b>2001</b> , 74, 520-8	34
718	Detection of Inter-hemispheric Asymmetries of Brain Perfusion in SPECT. <b>2002</b> , 500-507	
717	Biases affecting the measurements of tumor-to-background activity ratio in PET. <b>2002</b> , 49, 2112-2118	15
716	Segmentation of dynamic PET images using cluster analysis. <b>2002</b> , 49, 200-207	91
715	A CT image based deterministic approach to dosimetry and radiography simulations. <b>2002</b> , 47, 3351-68	3
714	A parallel FDTD tool for the solution of large dosimetric problems: an application to the interaction between humans and radiobase antennas.	3
713	Biases affecting tumor uptake measurements in FDG-PET.	1
712	A Monte Carlo investigation of dual-planar circular-orbit cone-beam SPECT. <b>2002</b> , 47, 4357-70	6
711	Similarity based clustering using the expectation maximization algorithm.	3
710	Creation of two tomographic voxel models of paediatric patients in the first year of life. <b>2002</b> , 47, 3143-64	54
709	Characterization of single and multiple scatter from matter and activity distributions outside the FOV in PET.	
708	Absolute quantitation in simultaneous <sup>99m</sup> Tc/ <sup>123</sup> I brain SPECT using ANN: design optimization and validation.	
707	Iterative reconstruction of SPECT data with adaptive regularization.	
706	The GSF family of voxel phantoms. <b>2002</b> , 47, 89-106	207
705	Organ dose conversion coefficients for external photon irradiation of male and female voxel models. <b>2002</b> , 47, 2367-85	113



704	Content-adaptive 3D mesh modeling for representation of volumetric images.	8
703	Iterative reconstruction of SPECT data with adaptive regularization. <b>2002</b> , 49, 2350-2354	43
702	A parallel Monte Carlo code for planar and SPECT imaging: implementation, verification and applications in (131)I SPECT. <b>2002</b> , 67, 115-24	26
701	A software tool for specifying voxel models for dosimetry estimation. <b>2003</b> , 18, 379-92	18
700	Human exposure to the near field of radiobase antennas - a full-wave solution using parallel FDTD. <b>2003</b> , 51, 935-940	29
699	Model-order reduction of nonlinear models of electromagnetic phased-array hyperthermia. <b>2003</b> , 50, 1243-54	27
698	Magnetic resonance imaging-guided attenuation and scatter corrections in three-dimensional brain positron emission tomography. <i>Medical Physics</i> , <b>2003</b> , 30, 937-48	4-4 179
697	A review of US anthropometric reference data (1971-2000) with comparisons to both stylized and tomographic anatomic models. <b>2003</b> , 48, 3411-29	10
696	3D absorbed dose calculations based on SPECT: evaluation for 111-In/90-Y therapy using Monte Carlo simulations. <b>2003</b> , 18, 99-107	53
695	Calculations of specific absorbed fractions of the gastrointestinal tract using a realistic whole body tomographic model. <b>2003</b> , 18, 431-6	11
694	RMDP: a dedicated package for 131I SPECT quantification, registration and patient-specific dosimetry. <b>2003</b> , 18, 61-9	48
693	Image processing and analysis at IPAG. <b>2003</b> , 22, 1505-18	2
692	On the use of numerical phantoms in the study of the human-antenna interaction problem. <b>2003</b> , 2, 43-45	4
691	Pathological lesion detection in 3D dynamic PET images using asymmetry.	3
690	Segmentation of dynamic PET or fMRI images based on a similarity metric. <b>2003</b> , 50, 1410-1414	33
689	Acceleration of SimSET photon history generation.	1
688	Radiotherapy with internal emitters: what can dosimetrists offer?. <b>2003</b> , 18, 611-7	4
687	A methodology for generating normal and pathological brain perfusion SPECT images for evaluation of MRI/SPECT fusion methods: application in epilepsy. <b>2003</b> , 48, 4023-43	23

686	Dynamic model of the left ventricle for use in simulation of myocardial perfusion SPECT and gated SPECT. <i>Medical Physics</i> , <b>2003</b> , 30, 1968-75	4.4	2
685	Calibration of a radioactive ink-based stack phantom and its applications in nuclear medicine. <b>2003</b> , 18, 201-7		12
684	A semi-automatic method for developing an anthropomorphic numerical model of dielectric anatomy by MRI. <b>2003</b> , 48, 3157-70		30
683	Image sequence segmentation based on a similarity metric.		
682	A study and optimization of lumbar spine X-ray imaging systems. <b>2003</b> , 76, 177-88		17
681	Frame misalignment-induced errors in PET studies: an investigation on strategies for correction.		
680	A comparison of newborn stylized and tomographic models for dose assessment in paediatric radiology. <b>2003</b> , 48, 805-20		22
679	All about MAX: a male adult voxel phantom for Monte Carlo calculations in radiation protection dosimetry. <b>2003</b> , 48, 1239-62		146
678	Detection of inter-hemispheric asymmetries of brain perfusion in SPECT. <b>2003</b> , 48, 1505-17		17
677	Evaluation of the impact of 4D reconstruction algorithms in quantitative dynamic SPECT.		
676	Physical models and dose factors for use in internal dose assessment. <b>2003</b> , 85, 294-310		214
675	A quantitative evaluation measure for 3D biomedical image segmentation. <b>2003</b> , 36, 169-173		
674	From Anatomic Standardization Analysis of Perfusion SPECT Data to Perfusion Pattern Modelling. <b>2003</b> , 328-335		2
673	Iterative Image Reconstruction. <b>2004</b> , 443-472		12
672	Simulation Techniques and Phantoms. <b>2004</b> , 551-563		1
671	Automatic Classification of SPECT Images of Alzheimer's Disease Patients and Control Subjects. <b>2004</b> , 654-662		26
670	MAX meets ADAM: a dosimetric comparison between a voxel-based and a mathematical model for external exposure to photons. <b>2004</b> , 49, 887-910		35
669	Development of a 30-week-pregnant female tomographic model from computed tomography (CT) images for Monte Carlo organ dose calculations. <i>Medical Physics</i> , <b>2004</b> , 31, 2491-7	4.4	47

668	A stylized computational model of the head for the reference Japanese male. <i>Medical Physics</i> , <b>2005</b> , 32, 85-92	4.4	6
667	Integrating kinetic models for Simulating tumor growth in Monte Carlo Simulation of ECT systems. <b>2004</b> , 51, 2628-2633		7
666	All about FAX: a Female Adult voXel phantom for Monte Carlo calculation in radiation protection dosimetry. <b>2004</b> , 49, 5203-16		102
665	S-values calculated from a tomographic head/brain model for brain imaging. <b>2004</b> , 49, 4971-84		19
664	Reducing dynamic bladder artifact in pelvic bone SPECT: an assessment of lesion detectability using numerical and human observers.		
663	Motion correction of multi-frame PET data.		8
662	Improved reproducibility in dopamine D/sub 2/-receptor studies with automatic segmentation of striatum from PET images.		
661	Correction of partial volume effects for PET imaging: a comparison study. <b>2004</b> ,		1
660	Brain surface extraction from PET images with deformable model: assessment using Monte Carlo simulator.		
659	Calculation of effective dose from external exposure to photons for the Male Adult voXel (MAX) phantom. <b>2004</b> , 213, 654-657		1
658	Attenuation, Scatter, and Spatial Resolution Compensation in SPECT. <b>2004</b> , 473-498		22
657	Voxel-based computational models of real human anatomy: a review. <b>2004</b> , 42, 229-35		138
656	Attenuation compensation in cerebral 3D PET: effect of the attenuation map on absolute and relative quantitation. <b>2004</b> , 31, 52-63		32
655	Annex D. Dose coefficients for the embryo/fetus: Radioisotopes of sodium, magnesium, phosphorus, and potassium. <b>2004</b> , 34, 235-280		
654	A MCNP-based calibration method and a voxel phantom for in vivo monitoring of <sup>241</sup> Am in skull. <b>2004</b> , 526, 551-559		9
653	Volume of interest (VOI) feature representation and retrieval of multi-dimensional dynamic positron emission tomography images.		1
652	Temporal compression for dynamic positron emission tomography via principal component analysis in the sinogram domain.		
651	Characterization of single and multiple scatter from matter and activity distributions outside the FOV in 3-D PET. <b>2004</b> , 51, 10-15		7

650	Diffusion regularization for iterative reconstruction in emission tomography. <b>2004</b> , 51, 712-718	10
649	. <b>2004</b> , 51, 2612-2619	8
648	Assessment of brain surface extraction from PET images using Monte Carlo Simulations. <b>2004</b> , 51, 2641-2648	4
647	Korean adult male voxel model KORMAN segmented from magnetic resonance images. <i>Medical Physics</i> , <b>2004</b> , 31, 1017-22	4.4 30
646	Diffusion regularization for iterative reconstruction in emission tomography.	
645	. <b>2004</b> , 52, 1934-1943	434
644	Specific absorbed fractions for internal photon emitters calculated for a tomographic model of a pregnant woman. <b>2004</b> , 87, 507-11	11
643	Lesion detectability and quantification in PET/CT oncological studies by Monte Carlo simulations.	
642	.	
641	A database of simulated PET volumes with anatomical variability.	1
640	3-D Monte Carlo-based scatter compensation in quantitative I-131 SPECT reconstruction.	1
639	Adult female voxel models of different stature and photon conversion coefficients for radiation protection. <b>2004</b> , 86, 253-72	70
638	Regional effects of an MR-based brain PET partial volume correction algorithm: a Zubal phantom study.	
637	7 Internal dosimetry of radionuclides. 187-258	
636	Estimation of radiation-induced cancer from three-dimensional dose distributions: Concept of organ equivalent dose. <b>2005</b> , 61, 1510-5	166
635	Connectivity-based local adaptive thresholding for carotid artery segmentation using MRA images. <b>2005</b> , 23, 1277-1287	25
634	Modelling of electromagnetic wave interactions with the human body. <b>2005</b> , 6, 585-594	10
633	A publicly accessible Monte Carlo database for validation purposes in emission tomography. <b>2005</b> , 32, 1234-9	16

632	A Monte Carlo-based knee phantom for in vivo measurements of $^{241}\text{Am}$ in bone. <b>2005</b> , 538, 731-737	5
631	Novel scatter correction for three-dimensional positron emission tomography by use of a beam stopper device. <b>2005</b> , 551, 540-552	7
630	Contactless bio-impedance monitoring technique for brain cryosurgery in a 3D head model. <b>2005</b> , 33, 616-25	4
629	Radiation risk estimates after radiotherapy: application of the organ equivalent dose concept to plateau dose-response relationships. <b>2005</b> , 44, 235-9	64
628	Resistor mesh model of a spherical head: part 2: a review of applications to cortical mapping. <b>2005</b> , 43, 703-11	1
627	The VIP-Man Model $\bar{\Delta}$ A Digital Human Testbed for Radiation Simulations. <b>2005</b> ,	
626	Utilisation des fantômes numériques voxelisés pour l'amélioration des étalonnages en anthroporadiométrie pulmonaire. <b>2005</b> , 40, 307-326	6
625	Unified description and validation of Monte Carlo simulators in PET. <b>2005</b> , 50, 329-46	27
624	CT dosimetry: getting the best from the adult Cristy phantom. <b>2005</b> , 114, 321-5	16
623	Effects of CT based Voxel Phantoms on Dose Distribution Calculated with Monte Carlo Method. <b>2005</b> , 7, 2777-2780	2
622	Application of the MAX/EGS4 exposure model to the dosimetry of the Yanango radiation accident. <b>2005</b> , 50, 3681-95	7
621	Scatter correction for 3D PET using beam stoppers combined with dual-energy window acquisition: a feasibility study. <b>2005</b> , 50, 4593-607	5
620	Comparison between effective doses for voxel-based and stylized exposure models from photon and electron irradiation. <b>2005</b> , 50, 5105-26	23
619	Brain SPECT with short focal-length cone-beam collimation. <i>Medical Physics</i> , <b>2005</b> , 32, 2236-44	4.4 24
618	Patient radiation doses for electron beam CT. <i>Medical Physics</i> , <b>2005</b> , 32, 2517-27	4.4 5
617	Computed tomography simulation with superquadrics. <i>Medical Physics</i> , <b>2005</b> , 32, 3136-43	4.4 13
616	The UF series of tomographic computational phantoms of pediatric patients. <i>Medical Physics</i> , <b>2005</b> , 32, 3537-48	4.4 77
615	A parallel variable-mesh FDTD algorithm for the solution of large electromagnetic problems.	

614	Effect of reconstruction and filtering on kinetic parameter estimation bias and reliability for dynamic SPECT: a simulation study. <b>2005</b> , 52, 69-78	8
613	Medical Image Segmentation: Methods and Applications in Functional Imaging. <b>2005</b> , 111-182	19
612	TEMPORAL AND SPATIAL COMPRESSION OF DYNAMIC POSITRON EMISSION TOMOGRAPHY IN SINOGRAM DOMAIN. <b>2005</b> , 05, 839-858	1
611	Estimation of the dose to the nursing infant due to direct irradiation from activity present in maternal organs and tissues. <b>2005</b> , 113, 290-9	2
610	Current developments at IRSN on computational tools dedicated to assessing doses for both internal and external exposure. <b>2005</b> , 115, 522-9	10
609	Evaluation of sinogram consistency conditions identifying artifactual PET attenuation images.	1
608	Scatter estimation and motion correction in PET.	5
607	[Influence of photon scattering on the quantification of relative changes in longitudinal brain PET studies with 18F-FDG]. <b>2005</b> , 24, 404-9	
606	OEDIPE: a personalized dosimetric tool associating voxel-based models with MCNPX. <b>2005</b> , 20, 325-32	35
605	Distributions of scatter-to-primary and signal-to-noise ratios per pixel in digital chest imaging. <b>2005</b> , 114, 355-8	8
604	Atlas-guided non-uniform attenuation correction in cerebral 3D PET imaging. <b>2005</b> , 25, 278-86	67
603	From anatomic standardization analysis of perfusion SPECT data to perfusion pattern modeling: evidence of functional networks in healthy subjects and temporal lobe epilepsy patients. <b>2005</b> , 12, 554-65	8
602	PET-SORTEO: validation and development of database of Simulated PET volumes. <b>2005</b> , 52, 1321-1328	62
601	Diffusion regularization for iterative reconstruction in emission tomography. <b>2005</b> , 52, 669-675	2
600	Graph-based Mumford-Shah segmentation of dynamic PET with application to input function estimation. <b>2005</b> , 52, 79-89	26
599	Lesion detectability and quantification in PET/CT oncological studies by Monte Carlo simulations. <b>2005</b> , 52, 136-142	7
598	An improved MCNP version of the NORMAN voxel phantom for dosimetry studies. <b>2005</b> , 50, 4299-316	42
597	Neutron-fluence-to-dose conversion coefficients in an anthropomorphic phantom. <b>2005</b> , 115, 606-11	11

596	A dual modality approach to quantitative quality control in emission tomography. <b>2005</b> , 50, N187-94	12
595	On the Applicability of Simplified Spherical Human Heads for Implanted Antennas in Biomedical Communications. <b>2005</b> , 25, 491-511	2
594	Partial volume effect compensation for quantitative brain SPECT imaging. <b>2005</b> , 24, 969-76	88
593	Dosimetric comparison of Monte Carlo codes (EGS4, MCNP, MCNPX) considering external and internal exposures of the Zubal phantom to electron and photon sources. <b>2005</b> , 116, 631-5	10
592	The influence of patient thickness and imaging system on patient dose and physical image quality in digital chest imaging. <b>2005</b> , 114, 294-7	5
591	Nodule detection in digital chest radiography: effect of nodule location. <b>2005</b> , 114, 92-6	22
590	Development of the female voxel phantom, NAOMI, and its application to calculations of induced current densities and electric fields from applied low frequency magnetic and electric fields. <b>2005</b> , 50, 1047-70	187
589	Monte Carlo simulation and scatter correction of the GE advance PET scanner with SimSET and Geant4. <b>2005</b> , 50, 4823-40	41
588	Estimation of patient dose from radiopharmaceuticals using voxel models. <b>2005</b> , 20, 103-9	11
587	MAX06 and FAX06: update of two adult human phantoms for radiation protection dosimetry. <b>2006</b> , 51, 3331-46	79
586	3-D Monte Carlo-Based Scatter Compensation in Quantitative I-131 SPECT Reconstruction. <b>2006</b> , 53, 181	48
585	Automatic Extraction of Caudate and Putamen in [ $^{11}\text{C}$ ] Raclopride PET Using Deformable Surface Models and Normalized Cuts. <b>2006</b> , 53, 220-227	14
584	Reducing Artifacts in Pelvic Bone SPECT: An Assessment of Lesion Detectability Using Numerical and Human Observers. <b>2006</b> , 53, 2808-2813	
583	Development of the two Korean adult tomographic computational phantoms for organ dosimetry. <i>Medical Physics</i> , <b>2006</b> , 33, 380-90	4-4 59
582	Numerical and Analytical Formulations of the Extended Mie Theory for Solving the Sphere Scattering Problem. <b>2006</b> , 20, 967-983	19
581	Implanted Antennas in Medical Wireless Communications. <b>2006</b> , 1, 1-82	20
580	Quantitative Imaging-Based Dosimetry and Treatment Planning in Radionuclide Therapy. <b>2006</b> , 537-562	
579	Nuclear medicine dosimetry. <b>2006</b> , 51, R187-202	57

578	Implementation of Japanese Male and Female Tomographic Phantoms to Multi-particle Monte Carlo Code for Ionizing Radiation Dosimetry. <b>2006</b> , 43, 937-945	8
577	Validation of a personalized dosimetric evaluation tool (Oedipe) for targeted radiotherapy based on the Monte Carlo MCNPX code. <b>2006</b> , 51, 601-16	51
576	GATE simulations for small animal SPECT/PET using voxelized phantoms and rotating-head detectors. <b>2006</b> ,	7
575	Development of Korean Male Body Model for Computational Dosimetry. <b>2006</b> , 28, 107-110	27
574	Electrical Impedance Technique for Cryosurgery Monitoring. <b>2006</b> ,	
573	Brain PET Partial-Volume Compensation Using Blurred Anatomical Labels. <b>2006</b> ,	3
572	Scatter Correction Requirements for Likelihood-Based Attenuation Artifact Correction in PET. <b>2006</b>	2
571	Chapter 7. <b>2006</b> , 36, 95-111	
570	Automatic navigation path generation based on two-phase adaptive region-growing algorithm for virtual angioscopy. <b>2006</b> , 28, 339-47	17
569	Model-based compensation for quantitative <sup>123</sup> I brain SPECT imaging. <b>2006</b> , 51, 1269-82	57
568	Monte Carlo simulations in emission tomography and GATE: An overview. <b>2006</b> , 569, 323-329	59
567	Annex F. <b>2006</b> , 36, 291-327	
566	A new way for multidimensional medical data management: volume of interest (VOI)-based retrieval of medical images with visual and functional features. <b>2006</b> , 10, 598-607	26
565	Segmentation of VOI from multidimensional dynamic PET images by integrating spatial and temporal features. <b>2006</b> , 10, 637-46	24
564	3D implementation of Scatter Estimation in 3D PET. <b>2006</b> ,	18
563	Monte Carlo database production for human brain PET imaging using GATE. <b>2006</b> ,	
562	Correction for Partial Volume Effects in Emission Tomography. <b>2006</b> , 236-271	10
561	Attenuation Correction Strategies in Emission Tomography. <b>2006</b> , 167-204	8



560	Quantification in simultaneous (99m)Tc/(123)I brain SPECT using generalized spectral factor analysis: a Monte Carlo study. <b>2006</b> , 51, 6157-71		17
559	The effect of phantom type, beam quality, field size and field position on X-ray scattering simulated using Monte Carlo techniques. <b>2006</b> , 79, 130-41		3
558	Rapid calculations of susceptibility-induced magnetostatic field perturbations for in vivo magnetic resonance. <b>2006</b> , 51, 6381-402		93
557	A method for automatic extraction of striatal structures for dose-finding studies in PET. <b>2006</b> ,		
556	Differentiation of sCJD and vCJD forms by automated analysis of basal ganglia intensity distribution in multisequence MRI of the brain--definition and evaluation of new MRI-based ratios. <b>2006</b> , 25, 1052-67		10
555	Comparison of clinical and physical measures of image quality in chest and pelvis computed radiography at different tube voltages. <i>Medical Physics</i> , <b>2006</b> , 33, 4169-75	4-4	40
554	Spatially Adaptive Temporal Smoothing for Reconstruction of Dynamic Image Sequences. <b>2006</b> , 53, 2769-2777	4	
553	Discrete Radon transform has an exact, fast inverse and generalizes to operations other than sums along lines. <b>2006</b> , 103, 19249-54		33
552	Monte Carlo Modeling in Nuclear Medicine Imaging. <b>2006</b> , 358-390		1
551	Towards optimization in digital chest radiography using Monte Carlo modelling. <b>2006</b> , 51, 2729-43		23
550	Treating voxel geometries in radiation protection dosimetry with a patched version of the Monte Carlo codes MCNP and MCNPX. <b>2007</b> , 123, 345-53		1
549	Comparison of two 3D implementations of TOF scatter estimation in 3D PET. <b>2007</b> ,		4
548	Analysis of organ uniformity in low count density penalized likelihood PET images. <b>2007</b> ,		8
547	Model-based crosstalk compensation for simultaneous 99mTc/123I dual-isotope brain SPECT imaging. <i>Medical Physics</i> , <b>2007</b> , 34, 3530-43	4-4	25
546	Fluence to organ dose conversion coefficients calculated with the voxel model NORMAN-05 and the MCNPX Monte Carlo code for external monoenergetic photons from 20 keV to 100 MeV. <b>2007</b> , 123, 295-317		3
545	Influence of movement on FP-CIT SPECT quantification: a Monte Carlo based simulation. <b>2007</b> , 28, 603-14		7
544	La simulation Monte Carlo en médecine nucléaire. <b>2007</b> , 31, 160-164		1
543	Strategies for attenuation compensation in neurological PET studies. <b>2007</b> , 34, 518-41		34

542	Computational anthropomorphic models of the human anatomy: the path to realistic Monte Carlo modeling in radiological sciences. <b>2007</b> , 9, 471-500	160
541	Convergence properties of algorithms for direct parametric estimation of linear models in dynamic PET. <b>2007</b> ,	8
540	Method for Fast CT/SPECT-Based 3D Monte Carlo Absorbed Dose Computations in Internal Emitter Therapy. <b>2007</b> , 54, 146-151	27
539	Organ dose conversion coefficients for voxel models of the reference male and female from idealized photon exposures. <b>2007</b> , 52, 2123-45	82
538	Fast and reliable estimation of multiple parametric images using an integrated method for dynamic SPECT. <b>2007</b> , 26, 179-89	9
537	Use of anatomical priors in the segmentation of PET lung tumor images. <b>2007</b> ,	11
536	Brain PET Partial-Volume Compensation Using Blurred Anatomical Labels. <b>2007</b> , 54, 1606-1615	10
535	Simulation of 4D spectral-spatial EPR images. <b>2007</b> , 187, 1-9	18
534	Objective analysis of whole lung and lobar ventilation/perfusion relationships in pulmonary embolism. <b>2008</b> , 28, 14-26	15
533	Real-time volume rendering visualization of dual-modality PET/CT images with interactive fuzzy thresholding segmentation. <b>2007</b> , 11, 161-9	24
532	Influence of Thermophysiological Parameters on the Calculations of Temperature Rise in the Head of Mobile Phone Users. <b>2007</b> , 49, 936-939	21
531	Voxel or MIRD-type model: a sensitivity study relevant to nuclear medicine. <b>2007</b> , 2061-2064	6
530	Voxel-based NK1 receptor occupancy measurements with [(18)F]SPA-RQ and positron emission tomography: a procedure for assessing errors from image reconstruction and physiological modeling. <b>2007</b> , 9, 284-94	5
529	SAR EVALUATION IN THE 0.25 MM HUMAN EYE MODEL EXPOSED TO 30 GHz MILLIMETER WAVE. <b>2007</b> , 27, 293-300	
528	Current status and new horizons in Monte Carlo simulation of X-ray CT scanners. <b>2007</b> , 45, 809-17	36
527	NORMAN-05 conversion coefficients for monoenergetic neutrons below 20MeV. <b>2008</b> , 43, 1515-1524	3
526	Three-dimensional SPECT reconstruction with transmission-dependent scatter correction. <b>2008</b> , 22, 549-56	8
525	Cancer risk estimates from the combined Japanese A-bomb and Hodgkin cohorts for doses relevant to radiotherapy. <b>2008</b> , 47, 253-63	66

524	Performance characterization in computer vision: A guide to best practices. <b>2008</b> , 109, 305-334	41
523	Effect of radiotherapy volume and dose on secondary cancer risk in stage I testicular seminoma. <b>2008</b> , 70, 853-8	46
522	Compressed voxels for high-resolution phantom simulations in GATE. <b>2008</b> , 10, 40-7	13
521	Assessment of SPM in perfusion brain SPECT studies. A numerical simulation study using bootstrap resampling methods. <b>2008</b> , 55, 1849-53	9
520	. <b>2008</b> , 50, 837-848	15
519	Segmentation of rodent whole-body dynamic PET images: an unsupervised method based on voxel dynamics. <b>2008</b> , 27, 342-54	48
518	Dynamic PET reconstruction using wavelet regularization with adapted basis functions. <b>2008</b> , 27, 943-59	46
517	Radiotherapy in the presence of contrast agents: a general figure of merit and its application to gold nanoparticles. <b>2008</b> , 53, 5635-51	159
516	The effect of finite-difference time-domain resolution and power-loss computation method on SAR values in plane-wave exposure of Zubal phantom. <b>2008</b> , 53, 445-52	7
515	Calculation of organ doses in x-ray examinations of premature babies. <i>Medical Physics</i> , <b>2008</b> , 35, 556-68 4.4	20
514	Stroke volume estimation in heart failure patients using bioimpedance: a realistic simulation of the forward problem. <b>2008</b> , 29, S139-49	6
513	Analysis of RF exposure in the head tissues of children and adults. <b>2008</b> , 53, 3681-95	195
512	3D discrete ridgelet transform for emission tomography denoising. <b>2008</b> ,	1
511	Development of a database of realistic simulated whole body [18F]FDG PET images for lymphoma. <b>2008</b> ,	2
510	Segmentation of dual modality brain PET/CT images using the MAP-MRF model. <b>2008</b> ,	8
509	Study of direct and indirect parametric estimation methods of linear models in dynamic positron emission tomography. <i>Medical Physics</i> , <b>2008</b> , 35, 1299-309 4.4	77
508	Realistic CT simulation using the 4D XCAT phantom. <i>Medical Physics</i> , <b>2008</b> , 35, 3800-8 4.4	243
507	Content-Based Medical Image Retrieval. <b>2008</b> , 83-113	21

506	HDRK-Man: a whole-body voxel model based on high-resolution color slice images of a Korean adult male cadaver. <b>2008</b> , 53, 4093-106		66
505	Windowed image reconstruction for time-of-flight positron emission tomography. <b>2008</b> , 53, 3431-45		12
504	Joint penalized-likelihood reconstruction of time-activity curves and regions-of-interest from projection data in brain PET. <b>2008</b> , 53, 2877-96		4
503	Diversification of existing reference phantoms in nuclear medicine: Calculation of specific absorbed fractions for 21 mathematical phantoms and validation through dose estimates resulting from the administration of (18)F-FDG. <b>2008</b> , 23, 767-82		2
502	Evaluation of different multi-pinhole imaging geometries for SPECT imaging of Parkinsonian disorders. <b>2008</b> ,		1
501	An evaluation of iterative reconstruction strategies based on mediastinal lesion detection using hybrid Ga-67 SPECT images. <i>Medical Physics</i> , <b>2008</b> , 35, 4808-15	4-4	5
500	Segmentation of brain structures using PET-CT images. <b>2008</b> ,		
499	The development and testing of a digital PET phantom for the evaluation of tumor volume segmentation techniques. <i>Medical Physics</i> , <b>2008</b> , 35, 3331-42	4-4	29
498	Development and validation of the random walk algorithm: application to the classification of diffuse heterogeneity in brain SPECT perfusion images. <b>2008</b> , 32, 651-9		4
497	Measured and computed induced body currents in front of an experimental RF dielectric heater. <b>2008</b> , 94, 161-9		
496	Evaluation of the automatic three-dimensional delineation of caudate and putamen for PET receptor occupancy studies. <b>2008</b> , 29, 53-65		5
495	. <b>2009</b> ,		1
494	Organ dose conversion coefficients on an ICRP-based Chinese adult male voxel model from idealized external photons exposures. <b>2009</b> , 54, 6645-73		20
493	Organ dose conversion coefficients for external photon irradiation using the Chinese voxel phantom (CVP). <b>2009</b> , 135, 33-42		8
492	On the use of advanced numerical models for the evaluation of dosimetric parameters and the verification of exposure limits at workplaces. <b>2009</b> , 137, 218-22		
491	Validation of a Monte Carlo efficiency calibration procedure for a partial body counter system with a voxel model of the LLNL torso phantom. <b>2009</b> , 133, 158-64		7
490	Comparison of 3 methods of automated internal carotid segmentation in human brain PET studies: application to the estimation of arterial input function. <b>2009</b> , 50, 461-7		26
489	Atlas-based improved prediction of magnetic field inhomogeneity for distortion correction of EPI data. <b>2009</b> , 12, 951-9		7

488	Dose conversion coefficients based on the Chinese mathematical phantom and MCNP code for external photon irradiation. <b>2009</b> , 134, 3-12	7
487	Constructing reliable parametric images using enhanced GLLS for dynamic SPECT. <b>2009</b> , 56, 1117-26	5
486	. <b>2009</b> , 97, 2076-2085	25
485	Incorporating Patient-Specific Variability in the Simulation of Realistic Whole-Body $^{18}\text{F}$ -FDG Distributions for Oncology Applications. <b>2009</b> , 97, 2026-2038	40
484	3-D Rat Brain Phantom for High-Resolution Molecular Imaging. <b>2009</b> , 97, 1997-2005	17
483	Visible Human Utilization to Render Induced Electric Field and Current Density Images Inside the Human. <b>2009</b> , 97, 2053-2059	1
482	. <b>2009</b> , 97, 1938-1953	40
481	FDG-PET parametric imaging by total variation minimization. <b>2009</b> , 33, 295-303	17
480	Effect of respiratory motion on quantitative myocardial gated SPECT: a simulation study. <b>2009</b> , 23, 587-93	7
479	Reconstruction and simplification of high-quality multiple-region models from planar sections. <b>2009</b> , 25, 221-235	6
478	Comparison of eight methods for the estimation of the image-derived input function in dynamic $^{18}\text{F}$ -FDG PET human brain studies. <b>2009</b> , 29, 1825-35	61
477	Multiple-phase segmentation approach for blood vessel extraction on cervical MRA image sequence. <b>2009</b> , 27, 256-63	6
476	A method for the generation of uniform point densities in samples that have an axis of symmetry and the Monte Carlo integration of functions whose domains have an axis of symmetry. <b>2009</b> , 603, 532-540	0
475	Chapters 1-8. <b>2009</b> , 39, 21-45	8
474	Evaluation of quantitative planar $^{90}\text{Y}$ bremsstrahlung whole-body imaging. <b>2009</b> , 54, 5873-83	44
473	Internal carotid artery stenosis measurements from 3D reconstructed multi-directional views using phantom data set on MRA image sequence. <b>2009</b> , 72, 65-74	1
472	Astronaut's organ doses inferred from measurements in a human phantom outside the international space station. <b>2009</b> , 171, 225-35	94
471	Contrast-enhanced radiotherapy: feasibility and characteristics of the physical absorbed dose distribution for deep-seated tumors. <b>2009</b> , 54, 5411-25	37

470	Functional and structural synergy for resolution recovery and partial volume correction in brain PET. <b>2009</b> , 44, 340-8		70
469	Motion correction of multi-frame PET data in neuroreceptor mapping: simulation based validation. <b>2009</b> , 47, 1496-505		61
468	MCAT to XCAT: The Evolution of 4-D Computerized Phantoms for Imaging Research: Computer models that take account of body movements promise to provide evaluation and improvement of medical imaging devices and technology. <b>2009</b> , 97, 1954-1968		106
467	Study of the influence of radionuclide biokinetics on the efficiency of in vivo counting using Monte Carlo simulation. <b>2009</b> , 96, 558-67		13
466	The effect of angular and longitudinal tube current modulations on the estimation of organ and effective doses in x-ray computed tomography. <i>Medical Physics</i> , <b>2009</b> , 36, 4881-9	4-4	54
465	Quantitative evaluation of simultaneous reconstruction with model-based crosstalk compensation for 99mTc/123I dual-isotope simultaneous acquisition brain SPECT. <i>Medical Physics</i> , <b>2009</b> , 36, 2021-33	4-4	23
464	Monte Carlo Calculations of Neutron Dose Conversion Coefficients for Reference Korean Male. <b>2009</b> , 168, 345-348		
463	Creation and use of adjustable 3D phantoms: application for the lung monitoring of female workers. <b>2010</b> , 99, 649-61		13
462	Anthropomorphic Phantoms and Models of Biological Systems. <b>2010</b> , 479-517		
461	Low-dose x-ray phase-contrast and absorption CT using equally sloped tomography. <b>2010</b> , 55, 5383-400		36
460	Brain perfusion heterogeneity measurement based on Random Walk algorithm: choice and influence of inner parameters. <b>2010</b> , 34, 289-97		1
459	Skeletal contribution in lung measurements for the in vivo assessment of 241Am. <b>2010</b> , 45, 136-138		1
458	Hybrid computational phantoms for medical dose reconstruction. <b>2010</b> , 49, 155-68		50
457	Comment on "Hybrid computational phantoms for medical dose reconstruction" by Bolch et al. <b>2010</b> , 49, 499-500; author reply 501-2		1
456	Distortion of the electric field distribution induced in the brain during transcranial magnetic stimulation. <b>2010</b> , 4, 12-20		2
455	Dose-response relationship for lung cancer induction at radiotherapy dose. <b>2010</b> , 20, 206-14		21
454	3D dose distribution calculation in a voxelized human phantom by means of Monte Carlo method. <b>2010</b> , 68, 709-13		4
453	Monte Carlo methods and techniques status and prospects for future evolution. <b>2010</b> , 68, 536-41		2

452	Partial volume correction in SPECT using anatomical information and iterative FBP. <b>2010</b> , 15, 50-55	5
451	Adult Male and Female Reference Computational Phantoms (ICRP Publication 110). <b>2010</b> , 45, 357-369	6
450	Development of an integrated couple of anthropomorphic models for dosimetric studies. <b>2010</b> , 142, 191-200	4
449	A monte carlo comparison of three different media for contrast enhanced radiotherapy of the prostate. <b>2010</b> , 9, 271-8	11
448	Imaging hemorrhagic stroke with magnetic induction tomography: realistic simulation and evaluation. <b>2010</b> , 31, 809-27	20
447	Quantifying the effect of anode surface roughness on diagnostic x-ray spectra using Monte Carlo simulation. <i>Medical Physics</i> , <b>2010</b> , 37, 742-52	4-4 7
446	Parallel algorithm and hybrid regularization for dynamic PET reconstruction. <b>2010</b> ,	6
445	. <b>2010</b> ,	1
444	Estimation of absorbed doses from paediatric cone-beam CT scans: MOSFET measurements and Monte Carlo simulations. <b>2010</b> , 138, 257-63	11
443	Statistical construction of a Japanese male liver phantom for internal radionuclide dosimetry. <b>2010</b> , 141, 140-8	16
442	Variance reduction of Monte-Carlo radiation transport via scalar flux continuity [A practical radiation treatment planning approach. <b>2010</b> ,	
441	Augmented Lagrangian methods for penalized likelihood reconstruction in emission tomography. <b>2010</b> ,	1
440	An accelerated ordered subsets reconstruction algorithm using an accelerating power factor for emission tomography. <b>2010</b> , 55, 599-614	12
439	The potential for mixed multiplexed and non-multiplexed data to improve the reconstruction quality of a multi-slit-slat collimator SPECT system. <b>2010</b> , 55, 2247-68	30
438	Development of modified voxel phantoms for the numerical dosimetric reconstruction of radiological accidents involving external sources: implementation in SESAME tool. <b>2010</b> , 55, N231-41	6
437	Dose conversion coefficients for CT examinations of adults with automatic tube current modulation. <b>2010</b> , 55, 6243-61	28
436	Statistical analysis of whole-body absorption depending on anatomical human characteristics at a frequency of 2.1 GHz. <b>2010</b> , 55, 1875-87	26
435	Monte Carlo estimation of patient effective dose in diagnostics procedures using <sup>131</sup> I. <b>2010</b> , 238, 012054	

434	Transcranial direct current stimulation (tDCS) in a realistic head model. <b>2010</b> , 51, 1310-8	203
433	Detection performance analysis for time-of-flight PET. <b>2010</b> , 55, 6931-50	9
432	Fine-resolution voxel S values for constructing absorbed dose distributions at variable voxel size. <b>2010</b> , 51, 1600-7	46
431	Dosimetric effectiveness of targeted radionuclide therapy based on a pharmacokinetic landscape. <b>2010</b> , 25, 417-26	8
430	Practical Electromagnetic Modeling Methods. <b>2010</b> ,	
429	Monte Carlo simulation of microbeam radiation therapy with an interlaced irradiation geometry and an Au contrast agent in a realistic head phantom. <b>2010</b> , 55, 7469-87	21
428	FASH and MASH: female and male adult human phantoms based on polygon mesh surfaces: I. Development of the anatomy. <b>2010</b> , 55, 133-62	126
427	Development and optimization of regularized tomographic reconstruction algorithms utilizing equally-sloped tomography. <b>2010</b> , 19, 1259-68	35
426	Computation of the temperature-rise in the human head due to different mobile phone models. <b>2010</b> ,	
425	OncoPET_DB: A Freely Distributed Database of Realistic Simulated Whole Body 18F-FDG PET Images for Oncology. <b>2010</b> , 57, 246-255	20
424	Positively Constrained Multiplicative Iterative Algorithm for Maximum Penalized Likelihood Tomographic Reconstruction. <b>2010</b> , 57, 181-192	13
423	Evaluation of a 3D local multiresolution algorithm for the correction of partial volume effects in positron emission tomography. <i>Medical Physics</i> , <b>2011</b> , 38, 4920-3	4-4 34
422	Assessing possible use of CZT technology for application to brain SPECT. <b>2011</b> ,	1
421	Fast generation of 4D PET-MR data from real dynamic MR acquisitions. <b>2011</b> , 56, 6597-613	65
420	Continuous space-time reconstruction in 4D PET. <b>2011</b> ,	3
419	Monte Carlo modeling and optimization of contrast-enhanced radiotherapy of brain tumors. <b>2011</b> , 56, 4059-72	15
418	A comparison between GATE4 results and MCNP4B published data for internal radiation dosimetry. <b>2011</b> , 50, 122-33	8
417	Organ-specific external dose coefficients and protective apron transmission factors for historical dose reconstruction for medical personnel. <b>2011</b> , 101, 13-27	24



416	A comparative investigation of scatter correction in 3D PET. <b>2011</b> , 317, 012022		2
415	Dose assessment for chest X-ray examination based on a voxelised human model. <b>2011</b> , 46, 2077-2080		
414	Coupling biomechanics to a cellular level model: an approach to patient-specific image driven multi-scale and multi-physics tumor simulation. <b>2011</b> , 107, 193-9		20
413	Numerical dosimetry dedicated to children RF exposure. <b>2011</b> , 107, 421-7		21
412	An efficient 3-D eddy-current solver using an independent impedance method for transcranial magnetic stimulation. <b>2011</b> , 58, 310-20		26
411	Activity concentrations and dose rates from decorative granite countertops. <b>2011</b> , 102, 620-9		18
410	Comparative evaluation of scatter correction in 3D PET using different scatter-level approximations. <b>2011</b> , 25, 643-9		29
409	Application of texture analysis to ventilation SPECT/CT data. <b>2011</b> , 35, 438-50		6
408	Paired organs-should they be treated jointly or separately in internal dosimetry?. <i>Medical Physics</i> , <b>2011</b> , 38, 5509-21	4.4	6
407	Treatment planning considerations in contrast-enhanced radiotherapy: energy and beam aperture optimization. <b>2011</b> , 56, 341-55		17
406	Attenuation correction methods suitable for brain imaging with a PET/MRI scanner: a comparison of tissue atlas and template attenuation map approaches. <b>2011</b> , 52, 1142-9		70
405	Visualization of light propagation in visible Chinese human head for functional near-infrared spectroscopy. <b>2011</b> , 16, 045001		50
404	Spatio-temporal diffusion of dynamic PET images. <b>2011</b> , 56, 6583-96		10
403	Variability of radioiodine measurements in the thyroid. <b>2011</b> , 144, 326-9		6
402	A method to produce and validate a digitally reconstructed radiograph-based computer simulation for optimisation of chest radiographs acquired with a computed radiography imaging system. <b>2011</b> , 84, 890-902		27
401	Feasibility of imaging myelin lesions in multiple sclerosis. <b>2011</b> , 2011, 953806		2
400	Establishing a framework to implement 4D XCAT phantom for 4D radiotherapy research. <b>2012</b> , 8, 565-70		24
399	Fast Monte Carlo simulation for patient-specific CT/CBCT imaging dose calculation. <b>2012</b> , 57, 577-90		48

398	Use of a digitally reconstructed radiograph-based computer simulation for the optimisation of chest radiographic techniques for computed radiography imaging systems. <b>2012</b> , 85, e630-9		16
397	Fast polyenergetic forward projection for image formation using OpenCL on a heterogeneous parallel computing platform. <i>Medical Physics</i> , <b>2012</b> , 39, 6745-56	4-4	6
396	Reducing scanning time to 50% for <sup>111</sup> In pentetreotide SPECT when using model-based compensation. <b>2012</b> ,		0
395	Optimised second-order Debye parameters for head tissues at microwave frequencies. <b>2012</b> ,		5
394	Specific absorbed fractions in thyroid diagnostics and treatment: Monte Carlo calculation with PENELOPE. <b>2012</b> , 150, 41-9		5
393	Impact of the accuracy of automatic tumour functional volume delineation on radiotherapy treatment planning. <b>2012</b> , 57, 5381-97		17
392	Organ dose conversion coefficients for external neutron irradiation based on the Chinese mathematical phantom (CMP). <b>2012</b> , 49, 263-271		2
391	The HML's new voxel phantoms: two human males, one human female, and two male canines. <b>2012</b> , 103, 802-7		7
390	Voxel2MCNP: software for handling voxel models for Monte Carlo radiation transport calculations. <b>2012</b> , 102, 221-9		3
389	Image-derived input function in PET brain studies: blood-based methods are resistant to motion artifacts. <b>2012</b> , 33, 982-9		10
388	An optimization transfer algorithm for nonlinear parametric image reconstruction from dynamic PET data. <b>2012</b> , 31, 1977-88		53
387	What is the best way to contour lung tumors on PET scans? Multiobserver validation of a gradient-based method using a NSCLC digital PET phantom. <b>2012</b> , 82, 1164-71		153
386	Wireless power transfer to a cardiac implant. <b>2012</b> , 101, 073701		92
385	[Metabolically active volumes automatic delineation methodologies in PET imaging: review and perspectives]. <b>2012</b> , 16, 70-81; quiz 82, 84		12
384	Adaptation and applications of a realistic digital phantom based on patient lung tumor trajectories. <b>2012</b> , 57, 3597-608		22
383	. <b>2012</b> ,		1
382	A wireless magnetoresistive sensing system for an intraoral tongue-computer interface. <b>2012</b> , 6, 571-85		51
381	Observable analysis for proton computed tomography. <b>2012</b> ,		

380	A voxel-dose algorithm of heterogeneous activity distribution for Monte-Carlo simulation of radionuclide therapy dosimetry. <b>2012</b> , 27, 344-52	3
379	Comparison of heterogeneity quantification algorithms for brain SPECT perfusion images. <b>2012</b> , 2, 40	7
378	Improved kinetic analysis of dynamic PET data with optimized HYPR-LR. <i>Medical Physics</i> , <b>2012</b> , 39, 3319-344	29
377	3D calculation of absorbed dose for 131I-targeted radiotherapy: a Monte Carlo study. <b>2012</b> , 150, 298-305	12
376	Combining the LKB NTCP model with radiosensitivity parameters to characterize toxicity of radionuclides based on a multiclonogen kidney model: a theoretical assessment. <b>2012</b> , 35, 165-76	1
375	Wavelet-Based De-noising of Positron Emission Tomography Scans. <b>2012</b> , 50, 665-677	10
374	Midfield Wireless Powering for Implantable Systems. <b>2013</b> , 101, 1369-1378	133
373	A Majorize-Minimize Subspace Approach for $\ell_2$ - $\ell_0$ Image Regularization. <b>2013</b> , 6, 563-591	75
372	Monte Carlo modeling of converging small-field contrast-enhanced radiotherapy of prostate. <b>2013</b> , 29, 493-9	9
371	Denosing of PET images by combining wavelets and curvelets for improved preservation of resolution and quantitation. <b>2013</b> , 17, 877-91	47
370	Optimized spectral clustering for segmentation of dynamic PET images. <b>2013</b> ,	
369	Vector-based active surfaces for segmentation of dynamic PET images. <b>2013</b> ,	1
368	. <b>2013</b> , 60, 3410-3416	
367	New technique for effective dose estimation using Monte Carlo simulation for the patients undergoing radioiodine therapy. <b>2013</b> , 46, 795-802	4
366	Nonlinear formulation of the magnetic field to source relationship for robust quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , <b>2013</b> , 69, 467-76	4.4 229
365	Modeling Human Head at Microwave Frequencies Using Optimized Debye Models and FDTD Method. <b>2013</b> , 61, 2352-2355	48
364	Introduction of a combination vector to optimise the interpolation of numerical phantoms. <b>2013</b> , 40, 492-499	5
363	Use of beam stoppers to correct random and scatter coincidence in PET: A Monte Carlo simulation. <b>2013</b> , 711, 27-37	0

362	TOPEM: A PET-TOF endorectal probe, compatible with MRI for diagnosis and follow up of prostate cancer. <b>2013</b> , 702, 13-15		6
361	Generation of realistic HMPAO SPECT images using a subresolution sandwich phantom. <b>2013</b> , 81, 8-14		4
360	Modeling and Simulation of 4D PET-CT and PET-MR Images. <b>2013</b> , 8, 95-110		7
359	MRI for attenuation correction in PET: methods and challenges. <b>2013</b> , 26, 99-113		167
358	Noise Effects in Various Quantitative Susceptibility Mapping Methods. <b>2013</b> , 60, 3441-8		39
357	Effective dose to staff members in a positron emission tomography/CT facility using zirconium-89. <b>2013</b> , 86, 20130318		5
356	Focusing Time-Harmonic Scalar Fields in Complex Scenarios: A Comparison. <b>2013</b> , 12, 1029-1032		13
355	Adaptive Compressed Tomography Sensing. <b>2013</b> ,		5
354	Focusing time harmonic scalar fields in non-homogenous lossy media: Inverse filter vs. constrained power focusing optimization. <b>2013</b> , 103, 093702		6
353	Monte Carlo modeling for dose assessment in cone beam CT for oral and maxillofacial applications. <i>Medical Physics</i> , <b>2013</b> , 40, 072103	4.4	28
352	Microwave imaging for brain stroke detection using Born iterative method. <b>2013</b> , 7, 909-915		81
351	3D-OSEM and FP-CIT SPECT quantification: benefit for studies with a high radius of rotation?. <b>2013</b> , 34, 971-7		2
350	Monte Carlo simulation of stereotactic microbeam radiation therapy: evaluation of the usage of a linear accelerator as the x-ray source. <b>2013</b> , 58, 4621-42		3
349	Nonlinear spatio-temporal filtering of dynamic PET data using a four-dimensional Gaussian filter and expectation-maximization deconvolution. <b>2013</b> , 58, 1151-68		3
348	Influence of the partial volume correction method on (18)F-fluorodeoxyglucose brain kinetic modelling from dynamic PET images reconstructed with resolution model based OSEM. <b>2013</b> , 58, 7081-106		19
347	Segmentation of dynamic PET images with kinetic spectral clustering. <b>2013</b> , 58, 6931-44		12
346	Modeling of In-Body Propagation Characterization for 2.5/3.5 GHz Implantable Devices Applications. <b>2013</b> , 273, 583-587		
345	Bowtie filtration for dedicated cone beam CT of the head and neck: a simulation study. <b>2013</b> , 86, 20130002		13

344	Region-Based Partial Volume Correction Techniques for PET Imaging: Sinogram Implementation and Robustness. <b>2013</b> , 2013, 435959			3
343	Anomaly Detection and Artifact Recovery in PET Attenuation-Correction Images Using the Likelihood Function. <b>2013</b> , 7,			3
342	. <b>2013</b> , 49, 2290-2299			11
341	A continuous-coordinate image reconstruction method for list-mode time-of-flight position emission tomography. <b>2013</b> ,			
340	Optimal contrast as a function of noise for Butterworth filtering of <sup>111</sup> In-pentetreotide SPECT when using model-based compensation. <b>2013</b> ,			
339	Feasibility of kilovoltage x-ray energy modulation by gaseous media and its application in contrast-enhanced radiotherapy. <i>Medical Physics</i> , <b>2013</b> , 40, 091711	4-4		1
338	Realistic numerical head model with tissues modeled using fourth-order Debye to test microwave systems for head imaging. <b>2013</b> ,			2
337	MRI guided PET image filtering and partial volume correction. <b>2013</b> ,			1
336	Proton computed tomography from multiple physics processes. <b>2013</b> , 58, 7261-76			10
335	EQUIVOX: AN EXAMPLE OF ADAPTATION USING AN ARTIFICIAL NEURAL NETWORK ON A CASE-BASED REASONING PLATFORM. <b>2013</b> , 25, 1350027			3
334	Investigation of realistic PET simulations incorporating tumor patient's specificity using anthropomorphic models: creation of an oncology database. <i>Medical Physics</i> , <b>2013</b> , 40, 112506	4-4		23
333	Conceptual design and simulation study of an ROI-focused panel-PET scanner. <b>2013</b> , 8, e72109			4
332	Computer-aided tissue engineering for modeling and fabrication of three-dimensional tissue scaffolds. 215-244			
331	Differential Microwave Imaging for Brain Stroke Followup. <b>2014</b> , 2014, 1-11			40
330	Evaluation of the scattered radiation components produced in a gamma camera using Monte Carlo method. <b>2014</b> , 30, 179-188			1
329	Multi-scale hybrid models for radiopharmaceutical dosimetry with Geant4. <b>2014</b> , 59, 7625-41			2
328	FVTD-based analysis of brain stroke response in microwave imaging systems. <b>2014</b> ,			1
327	Frequency domain method for early stage detection of congestive heart failure. <b>2014</b> ,			5

326	OntoVIP: an ontology for the annotation of object models used for medical image simulation. <b>2014</b> , 52, 279-92		11
325	A novel adaptive discrete cosine transform-domain filter for gap-inpainting of high resolution PET scanners. <i>Medical Physics</i> , <b>2014</b> , 41, 082501	4-4	3
324	Exploitation of realistic computational anthropomorphic phantoms for the optimization of nuclear imaging acquisition and processing protocols. <b>2014</b> , 2014, 1921-4		1
323	An exponential growth of computational phantom research in radiation protection, imaging, and radiotherapy: a review of the fifty-year history. <b>2014</b> , 59, R233-302		152
322	NUNDO: a numerical model of a human torso phantom and its application to effective dose equivalent calculations for astronauts at the ISS. <b>2014</b> , 53, 719-27		10
321	Computational Phantoms for Organ Dose Calculations in Radiation Protection and Imaging. <b>2014</b> , 225-262		
320	Highly cited papers in Medical Physics. <i>Medical Physics</i> , <b>2014</b> , 41, 080401	4-4	5
319	Development of a new generation of high-resolution anatomical models for medical device evaluation: the Virtual Population 3.0. <b>2014</b> , 59, 5287-303		221
318	A methodology to develop computational phantoms with adjustable posture for WBC calibration. <b>2014</b> , 59, 6811-25		8
317	A simple algorithm for subregional striatal uptake analysis with partial volume correction in dopaminergic PET imaging. <b>2014</b> , 28, 33-41		2
316	Variable Metric ForwardBackward Algorithm for Minimizing the Sum of a Differentiable Function and a Convex Function. <b>2014</b> , 162, 107-132		103
315	Radius dependence of FP-CIT quantification: a Monte Carlo-based simulation study. <b>2014</b> , 28, 103-11		13
314	Simulation of dosimetric consequences of 4D-CT-based motion margin estimation for proton radiotherapy using patient tumor motion data. <b>2014</b> , 59, 853-67		20
313	Cardiac changes due to electronic control devices? A computer-based analysis of electrical effects at the human heart caused by an ECD pulse applied to the body's exterior. <b>2014</b> , 59, 659-64		5
312	Modeling Human Head Tissues Using Fourth-Order Debye Model in Convolution-Based Three-Dimensional Finite-Difference Time-Domain. <b>2014</b> , 62, 1354-1361		37
311	Minibeam radiation therapy for the management of osteosarcomas: a Monte Carlo study. <i>Medical Physics</i> , <b>2014</b> , 41, 061706	4-4	6
310	A 5D computational phantom for pharmacokinetic simulation studies in dynamic emission tomography. <b>2014</b> , 38, 764-73		2
309	An Explicit and Unconditionally Stable FDTD Method for Electromagnetic Analysis. <b>2014</b> , 62, 2538-2550		40

308	A review of the use and potential of the GATE Monte Carlo simulation code for radiation therapy and dosimetry applications. <i>Medical Physics</i> , <b>2014</b> , 41, 064301	4.4	219
307	Computer-assisted segmentation of CT images by statistical region merging for the production of voxel models of anatomy for CT dosimetry. <b>2014</b> , 37, 393-403		8
306	Numerical and Experimental Techniques for Body Area Electromagnetics. <b>2014</b> , 131-173		1
305	Influence of the electron energy and number of beams on the absorbed dose distributions in radiotherapy of deep seated targets. <b>2014</b> , 94, 101-108		
304	Basic principles in the radiation dosimetry of nuclear medicine. <b>2014</b> , 44, 162-71		17
303	Comparison of conversion coefficients for equivalent dose in terms of air kerma for photons using a male adult voxel simulator in sitting and standing posture with geometry of irradiation antero-posterior. <b>2014</b> , 95, 233-235		9
302	Spatio-temporal pharmacokinetic model based registration of 4D PET neuroimaging data. <b>2014</b> , 84, 225-35		10
301	Photon fluence-to-effective dose conversion coefficients calculated from a Saudi population-based phantom. <b>2014</b> , 95, 128-130		1
300	Preliminary investigation on algorithm-enabled PET-configuration design. <b>2014</b> ,		
299	Reconstruction of head-to-knee voxel model for Syrian adult male of average height and weight. <b>2015</b> , 46, 491-497		2
298	Technical note: Implementation of biological washout processes within GATE/GEANT4--a Monte Carlo study in the case of carbon therapy treatments. <i>Medical Physics</i> , <b>2015</b> , 42, 1773-8	4.4	6
297	Analytical simulations of dynamic PET scans with realistic count rates properties. <b>2015</b> ,		3
296	High-resolution microwave stroke detection system based on signal similarity algorithm. <b>2015</b> ,		1
295	MIDA: A Multimodal Imaging-Based Detailed Anatomical Model of the Human Head and Neck. <b>2015</b> , 10, e0124126		127
294	Reconstruction for 3D PET Based on Total Variation Constrained Direct Fourier Method. <b>2015</b> , 10, e0138483		0
293	Adaptive Autoregressive Model for Reduction of Noise in SPECT. <b>2015</b> , 2015, 494691		4
292	Monte Carlo calculation of specific absorbed fractions: variance reduction techniques. <b>2015</b> , 60, 2625-44		10
291	Task-based measures of image quality and their relation to radiation dose and patient risk. <b>2015</b> , 60, R1-75		99

- 290 PET image reconstruction: mean, variance, and optimal minimax criterion. **2015**, 48, 155401
- 289 A Monte Carlo study on the effect of the orbital bone to the radiation dose delivered to the eye lens. **2015**,
- 288 Radar-based time-domain head imaging using database of effective dielectric constant. **2015**, 51, 1574-1576 10
- 287 MONTE CARLO STUDY OF THE CARDIAC ABSORBED DOSE DURING X-RAY EXAMINATION OF AN ADULT PATIENT. **2016**, 171, 431-437 3
- 286 Hybrid Clutter Rejection Technique for Improved Microwave Head Imaging. **2015**, 63, 4921-4931 14
- 285 Fluence-to-effective dose conversion coefficients from a Saudi population based phantom for monoenergetic photon beams from 10 keV to 20 MeV. **2015**, 35, 75-86 1
- 284 Acceleration of MAP-EM algorithm via over-relaxation. **2015**, 40, 100-7 2
- 283 Effect of head model on Monte Carlo modeling of spatial sensitivity distribution for functional near-infrared spectroscopy. **2015**, 08, 1550024 20
- 282 MRI-guided brain PET image filtering and partial volume correction. **2015**, 60, 961-76 41
- 281 A regularized relaxed ordered subset list-mode reconstruction algorithm and its preliminary application to undersampling PET imaging. **2015**, 60, 49-66 3
- 280 Direct Parametric Image Reconstruction in Reduced Parameter Space for Rapid Multi-Tracer PET Imaging. **2015**, 34, 1498-1512 20
- 279 Effective Anatomical Priors for Emission Tomographic Reconstruction. **2015**, 35, 52-61 3
- 278 Midfield Wireless Power Transfer for Bioelectronics. **2015**, 15, 54-60 33
- 277 Monte Carlo and experimental internal radionuclide dosimetry in RANDO head phantom. **2015**, 38, 465-72 6
- 276 Unsupervised Spectral Clustering for Segmentation of Dynamic PET Images. **2015**, 62, 840-850 9
- 275 Investigation of noise effect on image quality in microwave head imaging systems. **2015**, 9, 200-205 6
- 274 Quantitative proton imaging from multiple physics processes: a proof of concept. **2015**, 60, 5325-41 5
- 273 Specific absorbed fractions of electrons and photons for Rad-HUMAN phantom using Monte Carlo method. **2015**, 39, 078203 5



272	Collimator Design for a Brain SPECT/MRI Insert. <b>2015</b> , 62, 1716-1724	13
271	An Explicit and Unconditionally Stable FDTD Method for the Analysis of General 3-D Lossy Problems. <b>2015</b> , 63, 4003-4015	11
270	Microwave Imaging of Nonsparse Domains Using Born Iterative Method With Wavelet Transform and Block Sparse Bayesian Learning. <b>2015</b> , 63, 4877-4888	27
269	Bibliography. <b>2016</b> , 159-177	
268	Personalized Dosimetry for Radionuclide Therapy Using Molecular Imaging Tools. <b>2016</b> , 4,	12
267	ANALYSIS OF MICROWAVE SCATTERING FROM A REALISTIC HUMAN HEAD MODEL FOR BRAIN STROKE DETECTION USING ELECTROMAGNETIC IMPEDANCE TOMOGRAPHY. <b>2016</b> , 52, 45-56	9
266	Construction of Chinese adult male phantom library and its application in the virtual calibration of in vivo measurement. <b>2016</b> , 61, 2124-44	11
265	Electric field induced in the human body by uniform 50 Hz electric or magnetic fields: bibliography analysis and method for conservatively deriving measurable limits. <b>2016</b> , 36, 419-436	7
264	Evaluating the Application of Tissue-Specific Dose Kernels Instead of Water Dose Kernels in Internal Dosimetry: A Monte Carlo Study. <b>2016</b> , 31, 367-379	14
263	Feasibility of brain stroke imaging with microwaves. <b>2016</b> ,	4
262	A Dirichlet process mixture model for automatic (18)F-FDG PET image segmentation: Validation study on phantoms and on lung and esophageal lesions. <i>Medical Physics</i> , <b>2016</b> , 43, 2491	4-4 2
261	COMPARISON OF ORGAN DOSES IN HUMAN PHANTOMS: VARIATIONS DUE TO BODY SIZE AND POSTURE. <b>2017</b> , 174, 21-34	1
260	Development and validation of a segmentation-free polyenergetic algorithm for dynamic perfusion computed tomography. <b>2016</b> , 3, 033503	1
259	A New High-Resolution Electromagnetic Human Head Model: A useful resource for a new specific-absorption-rate assessment model.. <b>2016</b> , 58, 32-42	6
258	Using the Monte Carlo method for assessing the tissue and organ doses of patients in dental radiography. <b>2016</b> , 13, 406-415	4
257	Wavelet-Based Image Deconvolution and Reconstruction. <b>2016</b> , 1-34	22
256	Currents flowing through the human body: The numerical viewpoint. <b>2016</b> ,	1
255	A MONTE CARLO STUDY OF SIMULATED MEASUREMENTS OF RADIONUCLIDES IN BONE. <b>2016</b> , 171, 73-7	

254	Transmission imaging for integrated PET-MR systems. <b>2016</b> , 61, 5547-68		13
253	Brain stroke detection by microwave imaging systems: Preliminary two-dimensional numerical simulations. <b>2016</b> ,		2
252	Improved microwave medical imaging using virtual antenna array. <b>2016</b> ,		0
251	Thoracic fluid detection and monitoring system using metamaterial loaded Yagi-antenna array. <b>2016</b> ,		1
250	STUDY OF DOSES TO HIPPOCAMPUS OF INTERVENTIONAL CARDIOLOGISTS AND THEIR IMPLICATION FOR DOSIMETRIC MONITORING. <b>2016</b> , 170, 382-6		1
249	Lens of the eye dose calculation for neuro-interventional procedures and CBCT scans of the head. <b>2016</b> , 9783,		7
248	Practical Nuclear Medicine and Utility of Phantoms for Internal Dosimetry: XCAT Compared with Zubal. <b>2017</b> , 174, 191-197		3
247	Compressive sensing techniques for brain stroke monitoring. <b>2016</b> ,		2
246	NUMERICAL ASSESSMENT OF <sup>131</sup> I DEPOSITED IN THYROID FOR NON-STANDARD SITUATIONS. <b>2016</b> , 170, 364-8		7
245	Numerical assessment of a criterion for the optimal choice of the operative conditions in magnetic nanoparticle hyperthermia on a realistic model of the human head. <b>2016</b> , 32, 688-703		21
244	Monte-Carlo simulations and image reconstruction for novel imaging scenarios in emission tomography. <b>2016</b> , 809, 76-88		13
243	Loop-Dipole Composite Antenna for Wideband Microwave-Based Medical Diagnostic Systems With Verification on Pulmonary Edema Detection. <b>2016</b> , 15, 838-841		18
242	Multistatic Biomedical Microwave Imaging Using Spatial Interpolator for Extended Virtual Antenna Array. <b>2017</b> , 65, 1121-1130		6
241	Direct Parametric Reconstruction With Joint Motion Estimation/Correction for Dynamic Brain PET Data. <b>2017</b> , 36, 203-213		17
240	Feasibility of robotic stereotactic body radiotherapy of lung tumors with kilovoltage x-ray beams. <i>Medical Physics</i> , <b>2017</b> , 44, 1224-1233	4.4	5
239	Classification and evaluation strategies of auto-segmentation approaches for PET: Report of AAPM task group No. 211. <i>Medical Physics</i> , <b>2017</b> , 44, e1-e42	4.4	122
238	Dosimetry applications in GATE Monte Carlo toolkit. <b>2017</b> , 41, 136-140		23
237	Internal dosimetry with the Monte Carlo code GATE: validation using the ICRP/ICRU female reference computational model. <b>2017</b> , 62, 1885-1904		13

236	The importance of BMI in dosimetry of Sm-EDTMP bone pain palliation therapy: A Monte Carlo study. <b>2017</b> , 124, 1-6	
235	Fast Explicit and Unconditionally Stable FDTD Method for Electromagnetic Analysis. <b>2017</b> , 65, 2698-2710	22
234	Quantitative imaging: Correlating image features with the segmentation accuracy of PET based tumor contours in the lung. <b>2017</b> , 123, 257-262	12
233	Optimization of grid-less scattering compensation in X-ray imaging: Simulation study. <b>2017</b> ,	4
232	Continuous monitoring of hemorrhagic brain strokes via contrast source inversion. <b>2017</b> ,	4
231	Joint reconstruction of dynamic PET activity and kinetic parametric images using total variation constrained dictionary sparse coding. <b>2017</b> , 33, 055011	5
230	Image reconstruction in EIT with unreliable electrode data using random sample consensus method. <b>2017</b> , 28, 055403	2
229	Feasibility of the use of a pixelated transmission chamber to measure scattered-radiation in projection radiography: I. Monte Carlo analysis of x-ray scatter propagation and detector modeling. <b>2017</b> , 122, 193-201	
228	Organ and effective dose reduction for region-of-interest (ROI) CBCT and fluoroscopy. <b>2017</b> , 10132,	1
227	Combination of visual and symbolic knowledge: A survey in anatomy. <b>2017</b> , 80, 148-157	1
226	Impact of Region-of-Interest Delineation Methods, Reconstruction Algorithms, and Intra- and Inter-Operator Variability on Internal Dosimetry Estimates Using PET. <b>2017</b> , 19, 305-314	
225	Converting computed tomography images into photon interaction coefficients by using stoichiometric calibration and parametric fit models. <i>Medical Physics</i> , <b>2017</b> , 44, 510-521	4-4 5
224	Improved scatter correction with factor analysis for planar and SPECT imaging. <b>2017</b> , 88, 094303	5
223	Subject-specific bone attenuation correction for brain PET/MR: can ZTE-MRI substitute CT scan accurately?. <b>2017</b> , 62, 7814-7832	25
222	The Development of Skull Prosthesis Through Active Contour Model. <b>2017</b> , 41, 164	4
221	Realistic human head voxel model for brain microwave imaging. <b>2017</b> ,	9
220	Design Aspects of Body-Worn UWB Antenna for Body-Centric Communication: A Review. <b>2017</b> , 97, 5865-5895	6
219	A Mathematical Model for Adaptive Computed Tomography Sensing. <b>2017</b> , 3, 551-565	3

218	A novel TOF-PET MRI detector for diagnosis and follow up of the prostate cancer. <b>2017</b> , 132, 1	3
217	Brain stroke monitoring using compressive sensing and higher order basis functions. <b>2017</b> ,	2
216	Feasibility assessment of a Banach-space inversion procedure for biomedical applications. <b>2017</b> ,	
215	Application of EMFs at microwave frequencies for brain stroke detection: Preliminary results. <b>2017</b> ,	
214	Currents Passing Through the Human Body: The Numerical Viewpoint. <b>2017</b> , 53, 826-832	5
213	Electromagnetic biomedical imaging in Banach spaces: A numerical case study. <b>2017</b> ,	0
212	Brain stroke detection by means of complex dielectric permittivity reconstruction at microwaves. <b>2017</b> ,	2
211	Mobile Smart Helmet for Brain Stroke Early Detection through Neural Network-Based Signals Analysis. <b>2017</b> ,	4
210	Electromagnetic Modeling of Human Body Using High Performance Computing. <b>2017</b> , 90, 107-114	1
209	Spatio-spectral deconvolution of vector valued images using total nuclear variation. <b>2017</b> ,	
208	Differential microwave imaging of the stroke-affected brain via diffraction tomography. <b>2017</b> ,	2
207	Microwave data inversion in hemorrhagic brain stroke imaging: A Newton-conjugate-gradient based approach in $L_p$ Banach spaces (Invited paper). <b>2017</b> ,	
206	Levels of detail analysis of microwave scattering from human head models for brain stroke detection. <b>2017</b> , 5, e4061	4
205	Microwave cancer diagnosis. <b>2017</b> , 103-149	1
204	Combining Acceleration Techniques for Low-Dose X-Ray Cone Beam Computed Tomography Image Reconstruction. <b>2017</b> , 2017, 6753831	
203	Geant4/GATE Monte Carlo Code for Internal Dosimetry Using Voxelized Phantom. <b>2017</b> , 72, 658-662	2
202	A nonlinear iterative inverse scattering procedure in $L_p$ Banach spaces for microwave biomedical imaging. <b>2017</b> ,	
201	A Solution for Scaling Problem in Joint Estimation of Activity and Attenuation. <b>2017</b> ,	2

200	Directional scatter imaging for the stereoscopic tracking of fiducial markers in a single kV exposure. <i>Medical Physics</i> , <b>2018</b> , 45, 703-713	4.4	3
199	Development of Chinese Female Computational Phantom Rad-Human and Its Application in Radiation Dosimetry Assessment. <b>2018</b> , 201, 155-164		3
198	Whole-Body Voxel-Based Personalized Dosimetry: The Multiple Voxel S-Value Approach for Heterogeneous Media with Nonuniform Activity Distributions. <b>2018</b> , 59, 1133-1139		18
197	Investigation of the XCAT phantom as a validation tool in cardiac MRI tracking algorithms. <b>2018</b> , 45, 44-51		9
196	Development and Validation of RAPID: A Patient-Specific Monte Carlo Three-Dimensional Internal Dosimetry Platform. <b>2018</b> , 33, 155-165		28
195	Stroke localization and classification using microwave tomography with k-means clustering and support vector machine. <b>2018</b> , 39, 312-324		9
194	Magnetic Nanoparticle Hyperthermia. <b>2018</b> , 129-191		6
193	The ICVSIE: A General Purpose Integral Equation Method for Bio-Electromagnetic Analysis. <b>2018</b> , 65, 565-574		15
192	A numerical study concerning brain stroke detection by microwave imaging systems. <b>2018</b> , 77, 9341-9363		14
191	Monitoring vital signs over multiplexed radio by near-field coherent sensing. <b>2018</b> , 1, 74-78		58
190	Permittivity and Conductivity Estimation for Hyperthermia Treatment Planning. <b>2018</b> ,		
189	Total Variation Iterative Linear Expansion of Thresholds with Applications in CT. <b>2018</b> ,		1
188	A Compressive Sensing Application on Microwave Diffraction Tomography for the Microwave Imaging of a Stroke Affected Human Brain*. <b>2018</b> ,		1
187	Direct Parametric Maps Estimation from Dynamic PET Data: An Iterated Conditional Modes Approach. <b>2018</b> , 2018, 5942873		4
186	Dose area product in estimation of effective dose of the patients undergoing dental cone beam computed tomography examinations. <b>2018</b> , 38, 1412-1427		5
185	Quantitative radiomics: Validating image textural features for oncological PET in lung cancer. <b>2018</b> , 129, 209-217		14
184	New in-Vivo Mapping of Human Tissues via Inverse Scattering. <b>2018</b> ,		
183	Wavelet-Matched Filters at Microwave Frequencies for Stroke Diagnosis. <b>2018</b> , 66, 6273-6282		3

182	Determination of the dose rate constant through Monte Carlo simulations with voxel phantoms. <i>Medical Physics</i> , <b>2018</b> , 45, 5283-5292	4.4	1
181	Finite-element analysis of microwave scattering from a three-dimensional human head model for brain stroke detection. <b>2018</b> , 5, 180319		7
180	An Unsymmetric FDTD Subgridding Algorithm With Unconditional Stability. <b>2018</b> , 66, 4137-4150		12
179	Finding sensitive parameters in internal dose calculations for radiopharmaceuticals commonly used in clinical nuclear medicine. <b>2018</b> , 57, 277-284		4
178	Accurate Extraction of Heartbeat Intervals with Near-Field Coherent Sensing. <b>2018</b> ,		3
177	Brain Stroke Microwave Imaging by Means of a Newton-Conjugate-Gradient Method in $L^p$ Banach Spaces. <b>2018</b> , 66, 3668-3682		31
176	Mitigation of body movement interference in near-field coherent sensing for heartrate monitoring. <b>2018</b> ,		3
175	Investigation of SPECT/CT cardiac imaging using Geant4. <b>2018</b> , 29, 1		4
174	Organ and detriment-weighted dose rate coefficients for exposure to radionuclide-contaminated soil considering body morphometries that differ from reference conditions: adults and children. <b>2019</b> , 58, 477-492		4
173	. <b>2019</b> , 7, 141900-141909		7
172	Use of a computer simulator to investigate optimized tube voltage for chest imaging of average patients with a digital radiography (DR) imaging system. <b>2019</b> , 92, 20190470		1
171	Assessment of self- and cross-absorbed SAF values for HDRK-man using Geant4 code: internal photon and electron emitters. <b>2019</b> , 30, 1		1
170	Magnetic Nanoparticle-Guided Blind Focusing in Microwave Hyperthermia of Neck Tumors. <b>2019</b> , 7, 64063-64076		6
169	Comparison of gradient echo and gradient echo sampling of spin echo sequence for the quantification of the oxygen extraction fraction from a combined quantitative susceptibility mapping and quantitative BOLD (QSM+qBOLD) approach. <i>Magnetic Resonance in Medicine</i> , <b>2019</b> , 82, 1491-1503	4.4	4
168	A METHOD FOR EFFECTIVE PERMITTIVITY AND CONDUCTIVITY MAPPING OF BIOLOGICAL SCENARIOS VIA SEGMENTED CONTRAST SOURCE INVERSION. <b>2019</b> , 164, 1-15		22
167	S-values of cortical and subcortical structures calculated from a voxelized head phantom. <b>2019</b> ,		1
166	Factor Analysis of Dynamic PET Images: Beyond Gaussian Noise. <b>2019</b> , 38, 2231-2241		2
165	Obtaining an X-Ray of the Zubal Phantom by Monte Carlo Simulation. <b>2019</b> , 129-139		

164	Quantitative imaging: Erring patterns in manual delineation of PET-imaged lung lesions. <b>2019</b> , 141, 78-85	3
163	Development of Targeted Alpha Particle Therapy for Solid Tumors. <b>2019</b> , 24,	37
162	Radiation Dosimetry of Inhaled Radioactive Aerosols: CFPD and MCNP Transport Simulations of Radionuclides in the Lung. <b>2019</b> , 9, 17450	12
161	Reducing Acoustic Inhomogeneity Based on Speed of Sound Autofocus in Microwave Induced Thermoacoustic Tomography. <b>2020</b> , 67, 2206-2214	9
160	Finite-Difference Time-Domain Modeling for Electromagnetic Wave Analysis of Human Voxel Model at Millimeter-Wave Frequencies. <b>2019</b> , 7, 3635-3643	8
159	Innovations in Computer Technologies Have Impacted Radiation Dosimetry Through Anatomically Realistic Phantoms and Fast Monte Carlo Simulations. <b>2019</b> , 116, 263-275	
158	Numerical Calculation of 2-D Inhomogeneous Media Green's Function and Some Applications in Electromagnetic Scattering Problems. <b>2019</b> , 67, 369-377	1
157	Performance Simulation of an Ultra-High Resolution Brain PET Scanner Using 1.2-mm Pixel Detectors. <b>2019</b> , 3, 334-342	9
156	A method for quantitative imaging of electrical properties of human tissues from only amplitude electromagnetic data. <b>2019</b> , 35, 025006	23
155	Calculation of S-values for head and brain structures from a constructed voxelized phantom for positron-emitting radionuclides. <b>2020</b> , 166, 108427	
154	Automated adaptive preconditioner for quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , <b>2020</b> , 83, 271-285	4-4 5
153	Technical Note: A digital reference object representing Hoffman's 3D brain phantom for PET scanner simulations. <i>Medical Physics</i> , <b>2020</b> , 47, 1174-1180	4-4 1
152	Data for erring patterns in manual delineation of PET-imaged lung lesions. <b>2020</b> , 28, 104846	0
151	Optimized sampling for high resolution multi-pinhole brain SPECT with stationary detectors. <b>2020</b> , 65, 015002	5
150	Optimized Estimation of Scattered Radiation for X-ray Image Improvement: Realistic Simulation. <b>2020</b> , 63, 387-397	2
149	Review on biophysical modelling and simulation studies for transcranial magnetic stimulation. <b>2020</b> , 65, 24TR03	4
148	Impact of the phantom geometry on the evaluation of the minimum detectable activity following a radionuclide intake: From physical to numerical phantoms. <b>2020</b> , 139, 106485	0
147	Technical Note: Patient-weight dependence of the effective dose conversion coefficients for diagnostic x-ray imaging procedures. <i>Medical Physics</i> , <b>2020</b> , 47, 5366-5372	4-4 1

146	Normal Dual Isotope V/Q SPECT Model for Monte-Carlo Studies. <b>2020</b> , 7, 461	1
145	Assessment of Eye Lens Dose Reduction When Using Lateral Lead Shields on the Patient's Head during Neurointerventional Fluoroscopic Procedures and Cone-beam Computed Tomography (CBCT) Scans. <b>2020</b> , 119, 289-296	0
144	Simple variance reduction in Monte Carlo calculations of specific absorbed fractions: Russian roulette and splitting at the source organ. <b>2020</b> , 6, 035015	1
143	A LIST-MODE OSEM-BASED ATTENUATION AND SCATTER COMPENSATION METHOD FOR SPECT. <b>2020</b> , 2020, 646-650	4
142	Standardization of patient modeling in hyperthermia simulation studies: introducing the. <b>2020</b> , 37, 608-616	9
141	COMPARISON OF EXPERIMENTAL AND NUMERICAL METHODS OF PATIENT DOSE ESTIMATIONS IN CT USING ANTHROPOMORPHIC MODELS. <b>2020</b> , 190, 71-83	2
140	Immersive Radiation Experience for Interventional Radiology with Virtual Reality Radiation Dose Visualization Using Fast Monte Carlo Dose Estimation. <b>2020</b> , 5, 58-66	1
139	Radiation protection of operators and patients in a hybrid Angio-MR suite. <b>2020</b> , 74, 143-154	3
138	Novel coated differentially fed dual-band fractal antenna for implantable medical devices. <b>2020</b> , 14, 199-208	6
137	Impact of contouring variability on oncological PET radiomics features in the lung. <b>2020</b> , 10, 369	20
136	Exposure of Live-Line Workers to Magnetic Fields: A Dosimetric Analysis. <b>2020</b> , 17,	2
135	A geometric approach to separate the effects of magnetic susceptibility and chemical shift/exchange in a phantom with isotropic magnetic susceptibility. <i>Magnetic Resonance in Medicine</i> , <b>2021</b> , 85, 281-289	4.4 0
134	EMISTA-Based Quantitative PET Reconstruction. <b>2021</b> , 691-703	
133	. <b>2021</b> , 1-1	2
132	Effect of coil positioning and orientation of the quadruple butterfly coil during transcranial magnetic stimulation. <b>2021</b> , 11, 015212	1
131	A Learned Reconstruction Network for SPECT Imaging. <b>2021</b> , 5, 26-34	9
130	Robust compartmental model fitting in direct emission tomography reconstruction. 1	0
129	Edge-preserving adaptive autoregressive model for Poisson noise reduction. <b>2021</b> , 42, 707-710	1



128	SimPET-An open online platform for the Monte Carlo simulation of realistic brain PET data. Validation for F-FDG scans. <i>Medical Physics</i> , <b>2021</b> , 48, 2482-2493	4.4	3
127	. <b>2021</b> , 5, 46-53		8
126	Evaluation of a variable-aperture full-ring SPECT system using large-area pixelated CZT modules: A simulation study for brain SPECT applications. <i>Medical Physics</i> , <b>2021</b> , 48, 2301-2314	4.4	0
125	Patient Size-Dependent Dosimetry Methodology Applied to F-FDG Using New ICRP Mesh Phantoms. <b>2021</b> ,		2
124	Multiecho complex total field inversion method (mcTFI) for improved signal modeling in quantitative susceptibility mapping. <i>Magnetic Resonance in Medicine</i> , <b>2021</b> , 86, 2165-2178	4.4	2
123	Artificial intelligence in single photon emission computed tomography (SPECT) imaging: a narrative review. <b>2021</b> , 9, 820		2
122	SPECTnet: a deep learning neural network for SPECT image reconstruction. <b>2021</b> , 9, 819		3
121	Improved low-dose positron emission tomography image reconstruction using deep learned prior. <b>2021</b> , 66,		3
120	Comparing the Accuracy and Precision of Multi-echo Combination Methods for Quantitative Susceptibility Mapping Using Laplacian-Based Methods at 3 T.		
119	Dynamic PET image reconstruction incorporating a median nonlocal means kernel method. <b>2021</b> , 139, 104713		1
118	Automatic delineation and quantification of pulmonary vascular obstruction index in patients with pulmonary embolism using Perfusion SPECT-CT: a simulation study. <b>2021</b> , 8, 49		0
117	Investigation of F and Zr Isotopes Self-Absorption and Dose Rate Parameters for PET Imaging. <b>2021</b> , 19, 15593258211028467		
116	. <b>2021</b> , 5, 231-237		4
115	Inner-ear augmented metal artifact reduction with simulation-based 3D generative adversarial networks. <b>2021</b> , 93, 101990		0
114	Use of dynamic reconstruction for parametric Patlak imaging in dynamic whole body PET. <b>2021</b> , 66,		0
113	A SIMPLE AND NOVEL APPROACH TO STUDY KINETICS AND ESTIMATE RADIATION DOSES FROM INTERNALLY ADMINISTERED RADIOPHARMACEUTICALS USING AN EXTERNAL DOSE MEASUREMENT SYSTEM. <b>2021</b> , 196, 141-152		
112	Brain Injury Localization in Electromagnetic Imaging using Symmetric Crossing Lines Method.		0
111	InterDosi simulations of photon and alpha specific absorbed fractions in zupal voxelized phantom. <b>2021</b> , 176, 109838		1

110	Evaluation of Wavelet Kernel-based PET Image Reconstruction. <b>2021</b> , 1-1	2
109	Realistic simulated MRI and SPECT databases. Application to SPECT/MRI registration evaluation. <b>2006</b> , 9, 330-7	2
108	Segmentation of Dynamic Emission Tomography Data in Projection Space. <b>2006</b> , 108-119	1
107	A Methodology to Validate MRI/SPECT Registration Methods Using Realistic Simulated SPECT Data. <b>2001</b> , 275-282	12
106	Steps in Dose Calculations. <b>2008</b> , 76-118	3
105	Wireless Powering for Miniature Implantable Systems. <b>2014</b> , 313-333	3
104	Partial Volume Correction in PET Imaging. <b>2017</b> , 355-378	1
103	Construction of a high-definition Reference Korean voxel phantom for organ and tissue radiation dose calculation. <b>2007</b> , 4204-4207	2
102	Voxel Phantoms for Internal Dosimetry. <b>2011</b> , 257-279	1
101	A generalised spatio-temporal registration framework for dynamic PET data: application to neuroreceptor imaging. <b>2013</b> , 16, 211-8	2
100	A Mathematical Model for Extremely Low Dose Adaptive Computed Tomography Acquisition. <b>2014</b> , 13-33	1
99	Efficiently Rendering Large Volume Data Using Texture Mapping Hardware. <b>1999</b> , 121-132	5
98	Fisher information analysis of list-mode SPECT emission data for joint estimation of activity and attenuation distribution. <b>2020</b> , 36,	10
97	Person-specific calibration of a partial body counter used for individualised Amiskull measurements. <b>2020</b> ,	0
96	FBP-Net for direct reconstruction of dynamic PET images. <b>2020</b> , 65,	12
95	Conversion coefficients based on the VIP-Man anatomical model for photons. <b>2002</b> , 82, 254-6	3
94	Assessment of organ and effective dose when using region-of-interest attenuators in cone-beam CT and interventional fluoroscopy. <b>2017</b> , 4, 031210	2
93	Investigation of organ dose variation with adult head size and pediatric age for neuro-interventional projections. <b>2018</b> , 10573,	1

92	The SimSET Program. <b>2012</b> , 87-110	1
91	The SIMIND Monte Carlo Program. <b>2012</b> , 111-128	13
90	Image-derived input function for human brain using high resolution PET imaging with [C](R)-rolipram and [C]PBR28. <b>2011</b> , 6, e17056	35
89	Quasi-Static FDTD Method for Dosimetry in Human due to Contact Current. <b>2010</b> , E93-C, 60-65	9
88	Cardiac and Respiratory Motion-induced Artifact in Myocardial Perfusion SPECT. <b>2017</b> , 3, 88-93	6
87	De Gruyter. <b>2008</b> , 14,	21
86	Specific Absorbed Fractions of Internal Photon and Electron Emitters in a Human Voxel-based Phantom: A Monte Carlo Study. <b>2017</b> , 16, 114-121	5
85	3D volume extraction of cerebrovascular structure on brain magnetic resonance angiography data sets. <i>Journal of Biomedical Science and Engineering</i> , <b>2012</b> , 05, 574-579	0.7 3
84	An Integrated Simulation System Based on Digital Human Phantom for 4D Radiation Therapy of Lung Cancer. <b>2014</b> , 05, 749-758	2
83	Effect of protective devices on the radiation dose received by the brains of interventional cardiologists. <b>2018</b> , 13, e1778-e1784	6
82	Microwave imaging for liver thermal ablation monitoring: developing an experimental set-up. <b>2021</b> ,	
81	Assessment of Human Exposure to Electromagnetic Fields: Review and Future Directions. <b>2021</b> , 63, 1619-1630	17
80	Visual Monte Carlo and Its Application to Internal and External Dosimetry. <b>2001</b> , 345-350	1
79	Validation of MRI/SPECT similarity-based registration methods using realistic simulations of normal and pathological SPECT data. <b>2002</b> , 450-455	0
78	Evaluation of Registration of Ictal SPECT/MRI Data Using Statistical Similarity Methods. <b>2004</b> , 687-695	2
77	New ratios for the detection and classification of CJD in multisequence MRI of the brain. <b>2005</b> , 8, 492-9	1
76	Dosimetry and Temperature Aspects of Mobile-Phone Exposures. <b>2009</b> , 221-276	
75	Determination of Activity In Vivo. <b>2010</b> , 107-128	

- 74 [Development of Japanese voxel phantoms and dose evaluation]. **2011**, 67, 266-75
- 73 Development of a FDTD Simulator for the Calculation of Temperature Rise in Human Heads from Mobile Phones Operation. **2012**, 403-407
- 72 Image Processing Techniques in Emission Tomography. **2012**, 119-156 1
- 71 Anthropomorphic Phantoms. **2012**, 31-44
- 70 Towards a Patient-Specific Model of Lung Volume Using Absolute Electrical Impedance Tomography (aEIT). **2013**, 191-204
- 69 Applications of Computational Phantoms. **2014**, 263-284
- 68 An Investigation of Two Approximation Methods for Improving the Speed of 3-D Iterative Reconstruction-Based Scatter Compensation. **1996**, 177-193 1
- 67 Estimation of Photon and Electron Specific Absorbed Fractions for Selected Organs of a Human Voxelizedphantom Using GATE Monte Carlo Package. **2016**, 1,
- 66 Current Anthropomorphic Models for Dosimetry (Phantoms). **2016**, 21-38
- 65 Non-convex Shannon entropy for photon-limited imaging. **2017**,
- 64 [10. Simulation of Nuclear Medicine Experiments Using ImageJ]. **2019**, 75, 1205-1210
- 63 Determination of 3D scattered radiation distributions from the Zubal Phantom as a function of LAO/RAO and CRA/CAU gantry angulation. **2019**,
- 62 Computational Human Models in Cardiovascular Imaging: From Design to Generations. **2020**, 65-99
- 61 Performance analysis of anti-noise interference of hemorrhagic cerebral stroke image reconstruction in chirp-pulse microwave CT (CP-MCT). **2019**,
- 60 Anthropomorphic left ventricular mesh phantom: a framework to investigate the accuracy of SQUEEZ using Coherent Point Drift for the detection of regional wall motion abnormalities.
- 59 Anthropomorphic left ventricular mesh phantom: a framework to investigate the accuracy of SQUEEZ using Coherent Point Drift for the detection of regional wall motion abnormalities. **2019**, 6, 045001 0
- 58 Preliminary Study on the Feasibility of Reconstructing Anatomically Complex Numerical Brain Phantoms with Limited Prior Information. **2020**,
- 57  **2020**, 63, 463-475

56	Feasibility of Distorted Born Iterative Method for Detecting Early Stage of Heart Failure. <b>2020,</b>	0
55	Attenuation correction in single-photon emission computed tomography for NURBS-based cardiac-torso phantom using dual-energy acquisition. <b>2020,</b> 19, 211-219	
54	Brain Stroke Detection Based on Microwave Imaging. <b>2020,</b> 31, 85-103	
53	6 External dosimetry. 143-186	
52	Accurate dosimetry in <sup>131</sup> I radionuclide therapy using patient-specific, 3-dimensional methods for SPECT reconstruction and absorbed dose calculation. <b>2005,</b> 46, 840-9	96
51	Accuracy of <sup>131</sup> I tumor quantification in radioimmunotherapy using SPECT imaging with an ultra-high-energy collimator: Monte Carlo study. <b>2000,</b> 41, 1760-7	24
50	Influence of brain atrophy using semiquantitative analysis in [ <sup>18</sup> F]FP-CIT single-photon emission computed tomography by a Monte Carlo simulation study.. <b>2022,</b> 12, 168	
49	Flexible FDTD Simulation for the Wireless Earphone Exposure Evaluation. <b>2020,</b>	0
48	Building Blocks for Deep Learning-Based Motion Correction in PET. <b>2020,</b>	
47	Multiple Reconstructions with Different Data Quality for a Single Scan using Kernel Method in Digital PET. <b>2020,</b>	
46	Monitoring regional hyperthermia via microwave imaging: a feasibility study. <b>2020,</b>	1
45	Experimental Validation of the DBIM-TwIST Algorithm for Brain Stroke Detection and Differentiation Using a Multi-Layered Anatomically Complex Head Phantom. <b>2022,</b> 1-1	2
44	Estimation of electron-specific absorbed fractions with the InterDosi code using ICRP adult female voxel-based phantom.. <b>2022,</b> 182, 110145	
43	Next-Generation Healthcare: Enabling Technologies for Emerging Bioelectromagnetics Applications. <b>2022,</b> 3, 363-390	5
42	Incorporating the image formation process into deep learning improves network performance in deconvolution applications.	0
41	Three-Dimensional Microwave Head Imaging with GPU-Based FDTD and the DBIM Method.. <b>2022,</b> 22,	1
40	Investigating the effect of ventricle size on brain deformation using computational models. <b>2022,</b>	
39	High resolution and high sensitivity PET for quantitative molecular imaging of the monoaminergic nuclei: A GATE simulation study.. <i>Medical Physics,</i> <b>2022,</b>	4.4 0

- 38 Evaluation of prior information in microwave tomography experiments for brain stroke detection. **2021,**
- 37 A Review of Doses for Dental Imaging in 2010-2020 and Development of a Web Dose Calculator.. **2021,** 2021, 6924314
- 36 Data\_Sheet\_1.PDF. **2020,**
- 35 Safety Enhancement by Optimizing Frequency of Implantable Cardiac Pacemaker Wireless Charging System.. **2022,** PP, 0
- 34 Internal dosimetry studies of <sup>177</sup>Lu-BBN-GABA-DOTA, as a cancer therapy agent, in human tissues based on animal data. **2022,** 110273 0
- 33 Application of Field Intensity Shaping Paradigm in a Biological Scenario for MRI Shimming. **2022,**
- 32 Application of Supervised Descent Method to MRI Electrical Properties Tomography. **2022,**
- 31 EMF Antenna Exposure on a Multilayer Human Head Simulation for Alzheimer Disease Treatments. *Journal of Biomedical Science and Engineering,* **2022,** 15, 129-139 0.7 0
- 30 An update on computational anthropomorphic anatomical models. *Digital Health,* **2022,** 8, 205520762214119 0
- 29 Multi-echo quantitative susceptibility mapping: how to combine echoes for accuracy and precision at 3 Tesla. *Magnetic Resonance in Medicine,* 4.4
- 28 An automatic method to generate voxel-based absorbed doses from radioactivity distributions for nuclear medicine using generative adversarial networks: a feasibility study. *Physical and Engineering Sciences in Medicine,* 7 0
- 27 Advances in MRI based Electrical Properties Tomography: a Comparison between Physics-supported Learning Approaches. **2022,** 1
- 26 Spatiotemporal Attention Constrained Deep Learning Framework for Dual-Tracer PET Imaging. **2022,** 87-100 0
- 25 A Simple Auxiliary Model for Field Amplitude Shaping in Complex Environments, and Application to MRI Shimming. **2022,** 3, 917-931 1
- 24 Simulation and assessment of <sup>99m</sup>Tc absorbed dose into internal organs from cardiac perfusion scan. **2022,** 0
- 23 Frequency responses for induced neural transmembrane potential by electromagnetic waves (1 kHz to 1 GHz). **2022,** 0
- 22 A Review of Computational Phantoms for Quality Assurance in Radiology and Radiotherapy in the Deep-Learning Era. 1
- 21 Post-Reconstruction PET Resolution Modelling by Synthesised Image Reconstruction. **2021,** 0

20	Incorporating the image formation process into deep learning improves network performance.	2
19	A scale space theory based motion correction approach for dynamic PET brain imaging studies. 10,	0
18	Intercomparison of S-Factor values calculated in Zubal voxelized phantom for eleven radionuclides commonly used in targeted prostate cancer therapy.	0
17	A Bregman Majorization-Minimization Framework for Pet Image Reconstruction. 2022,	0
16	Calculation of absorbed dose in paediatric phantoms using Monte Carlo techniques for 18F-FDG and 99mTc-DMSA and the new TIAC. 2022, 110526	0
15	Direct dynamic tomographic reconstruction without explicit blood input function. 2023, 80, 104313	0
14	Compartment model-based nonlinear unmixing for kinetic analysis of dynamic PET images. 2023, 84, 102689	0
13	FDTD-based SAR calculation of a wearable antenna for wireless body area network devices. 1-7	1
12	Full waveform autofocus inversion based microwave induced transcranial thermoacoustic tomography with a human skull validated. 2022, 121, 243702	0
11	An Effective Framework for Deep-Learning-Enhanced Quantitative Microwave Imaging and Its Potential for Medical Applications. 2023, 23, 643	2
10	Development of a voxel S-value database for patient internal radiation dosimetry. 2023, 106, 102519	0
9	Direct reconstruction for simultaneous dual-tracer PET imaging based on multi-task learning. 2023, 13,	0
8	Monte Carlo calculation of whole body counter efficiency factors for different computational phantoms. 2023, 194, 110685	0
7	Effectiveness of staff radiation protection devices for interventional cardiology procedures. 2023, 107, 102543	0
6	Synthesised Image Reconstruction for Post-Reconstruction Resolution Recovery. 2023, 1-1	0
5	A Prototype Software System for Intra-procedural Staff Dose Monitoring and Virtual Reality Training for Fluoroscopically Guided Interventional Procedures.	0
4	Development of anthropomorphic computational phantoms at the UFPE. 2023, 11, 01-16	0
3	Whole Body Distribution of Labile Coenzymes and Antioxidants in a Mouse Model as Visualized Using 1H NMR Spectroscopy. 2023, 95, 6029-6037	0

- 2 MRXCAT2.0: Synthesis of realistic numerical phantoms by combining left-ventricular shape learning, biophysical simulations and tissue texture generation. **2023**, 25, ○
- 1 Comprehensive study on uncertainties in 131I activity measurements in the thyroid gland. **2023**, 106946 ○