

CITATION REPORT

List of articles citing

On the convergence of interior-reflective Newton methods for nonlinear minimization subject to bounds

DOI: 10.1007/bf01582221

Mathematical Programming, 1994, 67, 189-224.

Source: <https://exaly.com/paper-pdf/24963659/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
959	Impacts of Gas Impurities from Pipeline Natural Gas on Methane Storage in MetalOrganic Frameworks during Long-Term Cycling.		
958	Parallel structural optimization applied to bone remodeling on distributed memory machines. 1995 , 4, 375-392		1
957	An Interior Trust Region Approach for Nonlinear Minimization Subject to Bounds. 1996 , 6, 418-445		2177
956	A Reflective Newton Method for Minimizing a Quadratic Function Subject to Bounds on Some of the Variables. 1996 , 6, 1040-1058		403
955	Playing Billiards in Version Space. 1997 , 9, 99-122		24
954	A Newton Acceleration of the Weiszfeld Algorithm for Minimizing the Sum of Euclidean Distances. 1998 , 10, 219-242		13
953	Trust-Region Interior-Point SQP Algorithms for a Class of Nonlinear Programming Problems. 1998 , 36, 1750-1794		66
952	On interior-point Newton algorithms for discretized optimal control problems with state constraints *. 1998 , 8, 249-275		9
951	A Trust Region Method for Nonlinear Programming Based on Primal Interior-Point Techniques. 1998 , 20, 282-305		12
950	Global Convergence of Trust-region Interior-point Algorithms for Infinite-dimensional Nonconvex Minimization Subject to Pointwise Bounds. 1999 , 37, 731-764		41
949	An Interior Point Algorithm for Large-Scale Nonlinear Programming. 1999 , 9, 877-900		942
948	A Subspace, Interior, and Conjugate Gradient Method for Large-Scale Bound-Constrained Minimization Problems. 1999 , 21, 1-23		452
947	Superlinear Convergence of Affine-Scaling Interior-Point Newton Methods for Infinite-Dimensional Nonlinear Problems with Pointwise Bounds. 2000 , 38, 1938-1984		30
946	Application of iterative methods for the evaluation of harmonic currents produced by multiple static converters.		0
945	Error surface topology in the data analysis of laser-induced thermal acoustics signals. 2001 , 12, 2160-2171		
944	Neural Aircraft Autopilot Gain Adjuster. 2001 , 34, 404-409		
943	A Nonmonotone Trust Region Method for Nonlinear Programming with Simple Bound Constraints. 2001 , 43, 63-85		11

942	Solution of a General Linear Complementarity Problem Using Smooth Optimization and Its Application to Bilinear Programming and LCP. 2001 , 43, 1-19	17
941	Part-Based Segmentation and Modeling of Range Data by Moving Target. 2001 , 11,	3
940	Effects of dynamical information in identification problems in electromagnetics. 2001 , 37, 3613-3617	
939	Analysis of Ni-Zn batteries performance for hybrid light-vehicles applications. 2002 ,	1
938	Analysis of piecewise linear aeroelastic systems using numerical continuation. 2002 , 216, 1-11	13
937	The importance of scaling in data mining for toxicity prediction. 2002 , 42, 1250-5	35
936	Reconciling seismic and geodetic models of the 1989 Kilauea south flank earthquake. 2002 , 29, 19-1-19-4	13
935	Wind speed measurement using forward scattered GPS signals. 2002 , 40, 50-65	215
934	A structured modeling approach for dynamic hybrid fuzzy-first principles models. 2002 , 12, 605-615	24
933	Modeling the length dependence of isometric force in human quadriceps muscles. 2002 , 35, 919-30	18
932	Comparison of Two Sets of First-Order Conditions as Bases of Interior-Point Newton Methods for Optimization with Simple Bounds. 2002 , 113, 21-40	1
931	A numerical algorithm for stable 2D autoregressive filter design. 2003 , 83, 1299-1308	6
930	A flexible approach for overcurrent relay characteristics simulation. 2003 , 66, 233-239	19
929	An efficient training algorithm for dynamic synapse neural networks using trust region methods. 2003 , 16, 585-91	1
928	An affine scaling trust-region approach to bound-constrained nonlinear systems. 2003 , 44, 257-280	78
927	Spartan Gibbs Random Field Models for Geostatistical Applications. 2003 , 24, 2125-2162	59
926	Trust region nonlinear optimization learning method for dynamic synapse neural networks.	
925	Dynamic camera calibration of roadside traffic management cameras for vehicle speed estimation. 2003 , 4, 90-98	169

924	Spatially heterogeneous dynamics investigated via a time-dependent four-point density correlation function. 2003 , 119, 7372-7387	349
923	System observability and nonlinear parameter identification of nonylphenol biodegradation kinetics.	
922	How does airway inflammation modulate asthmatic airway constriction? An antigen challenge study. 2003 , 95, 873-82; discussion 863	16
921	Table of contents. 2004 , 15, c1-c1	
920	Mammographic image restoration using maximum entropy deconvolution. 2004 , 49, 4997-5010	9
919	Tracking moving devices with the cricket location system. 2004 ,	210
918	Object-Based Inversion of Crosswell Radar Tomography Data to Monitor Vegetable Oil Injection Experiments. 2004 , 9, 63-77	21
917	Local Convergence of the Interior-Point Newton Method for General Nonlinear Programming. 2004 , 120, 487-502	5
916	Matching of dental X-ray images for human identification. 2004 , 37, 1519-1532	219
915	Embedding security constraints into the stabilizers coordination problem. 2004 , 26, 751-759	4
914	Measurement and modeling of axial distribution of adsorbent particles in expanded bed: taking into account the particle density difference. 2004 , 59, 5873-5881	13
913	Electrical impedance tomography using a 3-D boundary element inverse solution.	2
912	Variation of the Axial Dispersion along the Bed Height for Adsorbents with a Density Difference and a Log-Normal Size Distribution in an Expanded Bed. 2004 , 43, 8066-8073	13
911	Dynamic study of nonlinear magnetic circuit.	
910	WIDGET-TEMP: A Novel Web-Based Approach for Thermo-economic Analysis and Optimization of Conventional and Innovative Cycles. 2004 , 623	21
909	An interior-point method for solving box-constrained underdetermined nonlinear systems. 2005 , 177, 67-88	12
908	Variation of the local effective axial dispersion coefficient with bed height in expanded beds. 2005 , 109, 123-131	17
907	Accurate and rapid estimation of adsorption isotherms in liquid chromatography using the inverse method on plateaus. 2005 , 1099, 167-74	43

906	Stochastic modelling of individual cell growth using flow chamber microscopy images. 2005 , 105, 177-90	40
905	Numerical design of synchronous generators. 2005 , 41, 2391-2397	3
904	An image warping approach to spatio-temporal modelling. 2005 , 16, 833-848	11
903	Mechanisms of tissue-iron relaxivity: nuclear magnetic resonance studies of human liver biopsy specimens. 2005 , 54, 1185-93	71
902	Flow in near-critical fluids induced by shock and expansion waves. 2005 , 14, 93-101	3
901	Primate memory saccade amplitude after intervened motion depends on target distance. 2005 , 94, 722-33	17
900	An improved multiple-frequency method for measuring in situ target strengths. 2005 , 62, 1636-1646	16
899	Evaluation strategies for image understanding and retrieval. 2005 ,	2
898	Electric field and potential calculation for a bioelectric current dipole in an ellipsoid. 2005 , 38, 8123-8138	17
897	Simultaneous optimization of sequential IMRT plans. <i>Medical Physics</i> , 2005 , 32, 3257-66	4.4 8
896	HOPE: a homotopy optimization method for protein structure prediction. 2005 , 12, 1275-88	18
895	A Nonlinear Viscoelastic Model of a Hydraulic Bushing for Multi-Body Vehicle Models. 2005 , 2367	1
894	. 2005 , 33, 1170-1176	
893	The temporal series of the New Guinea 29 April 1996 aftershock sequence. 2005 , 153, 175-180	4
892	Combining singular value decomposition and a non-negative constraint in a hybrid method for photothermal depth profiling. 2005 , 76, 024301	6
891	The role of topography on catchment-scale water residence time. 2005 , 41,	495
890	CuO thin films thermal conductivity and interfacial thermal resistance estimation. 2006 , 35, 17-27	7
889	Accelerating the Multilayer Perceptron Learning with the Davidon Fletcher Powell Algorithm. 2006 ,	1

888	Vibration Reduction and Performance Enhancement in Rotorcraft Using Active Flaps at High Advance Ratios. 2006,	1
887	Snapshot: A Self-Calibration Protocol for Camera Sensor Networks. 2006,	6
886	Recent Advances in Bound Constrained Optimization. 2005, 67-82	3
885	Transient performance and loss analysis in solid wound rotor pulsed power generators. 2006, 42, 335-340	3
884	A New Active Set Algorithm for Box Constrained Optimization. 2006, 17, 526-557	162
883	A Diffusion-Model-Based Supply-Side Offer Agent. 2006, 21, 1729-1735	1
882	Hard modeling methods for the curve resolution of data from liquid chromatography with a diode array detector and on-flow liquid chromatography with nuclear magnetic resonance spectroscopy. 2006, 46, 1143-53	8
881	Model and Parameter Uncertainty in Distributed Systems. 2006, 45, 7832-7840	12
880	Stream solute transport incorporating hyporheic zone processes. 2006, 329, 26-38	24
879	Accelerating the Multilayer Perceptron Learning with the Davidon Fletcher Powell Algorithm.	
878	Constrained triple-component T2 quantification in vivo. 2006,	
877	Empirical Mode Reduction in a Model of Extratropical Low-Frequency Variability. 2006, 63, 1859-1877	37
876	Nonhyperbolic moveout analysis in VTI media using rational interpolation. 2006, 71, D59-D71	15
875	Dynamic system identification and model-based fault diagnosis of an industrial gas turbine prototype. 2006, 16, 341-363	49
874	On Affine-Scaling Interior-Point Newton Methods for Nonlinear Minimization with Bound Constraints. 2006, 35, 177-197	38
873	Photothermal radiometric characterization of a thin deposit using a linear swept-frequency heat flux waveform. 2006, 45, 1035-1044	17
872	Finite-SNR Diversity Multiplexing Tradeoff for Correlated Rayleigh and Rician MIMO Channels. 2006, 52, 3965-3979	149
871	A sensitivity-driven parametric electromagnetic design environment. 2006, 42, 1199-1202	0

870	Magnetic Shielding of a Cylindrical Shield in Nonlinear Hysteretic Material. 2006 , 42, 3189-3191		9
869	Thermodynamic modeling of activity coefficient and prediction of solubility: Part 1. Predictive models. 2006 , 95, 790-7		10
868	Thermodynamic modeling of activity coefficient and prediction of solubility: Part 2. Semipredictive or semiempirical models. 2006 , 95, 798-809		31
867	Kinetics of liquid-phase hydrogenation of isooctenes on a Pd/Alumina catalyst. 2006 , 52, 1142-1156		10
866	System Modeling and Optimization. 2006 ,		1
865	Estimation in generalised linear mixed models with binary outcomes by simulated maximum likelihood. 2006 , 6, 23-42		41
864	Marangoni effect and heat pipe dry-out. 2006 , 18, 118103		50
863	A correlation-based approach to calculate rotation and translation of moving cells. 2006 , 15, 1939-51		48
862	Inferences on Kernel Density Estimates by Solving Nonlinear Systems.		
861	An iterative three-dimensional electron density imaging algorithm using uncollimated compton scattered x rays from a polyenergetic primary pencil beam. <i>Medical Physics</i> , 2007 , 34, 256-65	4.4	11
860	Gyrokinetic linear theory of the entropy mode in a Z pinch. <i>Physics of Plasmas</i> , 2006 , 13, 062102	2.1	32
859	Repetitive Controller Design for Track Following of Hard Disk Drive Servo System. 2006 ,		
858	. 2006 ,		5
857	Efficient estimation of semiparametric transformation models for counting processes. 2006 , 93, 627-640		150
856	Modeling of Call Dropping in Well-Established Cellular Networks. 2007 , 2007, 1		7
855	Calibration of Sun RadiometerBased Atmospheric Water Vapor Retrievals Using GPS Meteorology. 2007 , 24, 964-979		19
854	Calibration of a nonlinear feedback option pricing model. 2007 , 7, 95-110		4
853	Design and demonstration of a new instrumented spatial linkage for use in a dynamic environment: application to measurement of ankle rotations during snowboarding. 2007 , 129, 231-9		7

852	Electrical transport in the copper germanide-n-GaN system: Experiment and numerical model. 2007 , 101, 113702	3
851	A self-commissioning method for permanent magnet dc-motor drives. 2007 ,	1
850	Calibration Using Generalized Error Matrices of a Long Reach Articulated Carrier. 2007 ,	1
849	Identification of complex networks by the method of stages. 2007 ,	
848	Assuming exponential decay by incorporating viscous damping improves the prediction of the coefficient of friction in pendulum tests of whole articular joints. 2007 , 221, 325-33	21
847	Half-space born approximation modeling and inversion for cross-well radar sensing of contaminants in soil. 2007 ,	
846	Long Reach Articulated Carrier: Geometric and Elastic Error Calibration of the Flexible Model Followed by Nonlinear Generalized Error Calibration With Ordinary Polynomials. 2007 , 887	
845	Guided ultrasonic propagation in the tri-layer structures. Application to the reconstruction of their material properties from dispersion curves. 2007 , 37, 223-228	
844	Trust-Region Approach To Find Constants of Bourgoyne and Young Penetration Rate Model in Khangiran Iranian Gas Field. 2007 ,	11
843	Modified Debye model parameters of metals applicable for broadband calculations. 2007 , 46, 2229-33	94
842	Flexible Modeling of a Long Reach Articulated Carrier: Geometric and Elastic Error Calibration. 2007 ,	0
841	Automated parameter optimization in modeling absorption spectra and resonance Raman excitation profiles. 2007 , 9, 4785-92	8
840	Solving non convex Min-Max predictive controller. 2007 ,	1
839	The method of solid-liquid contact angle measurement using the images of sessile drops with shadows on substratum. 2007 ,	6
838	A comparative study in the semi-active control of isolated structures. 2007 , 16, 1433-1446	39
837	Retrieval of phytoplankton biomass from simultaneous inversion of reflectance, the diffuse attenuation coefficient, and Sun-induced fluorescence in coastal waters. 2007 , 112,	31
836	Modeling the effects of varying data quality on trend detection in environmental monitoring. 2007 , 2, 167-176	15
835	Radial basis function meshless method for the steady incompressible Navier-Stokes equations. 2007 , 84, 1509-1521	38

834	Parametric point spread function modeling and reduction of stray light effects in digital still cameras. 2007,	8
833	Selective hydrogenation of 1,3-butadiene in mixture with isobutene on a Pd/Alumina catalyst in a semi-batch reactor. 2007, 62, 4544-4557	32
832	Maximum likelihood estimation in semiparametric regression models with censored data. 2007, 69, 507-564	193
831	Scale Model Experimental Validation and Calibration of the Half-Space Green's Function Born Approximation Model Applied to Cross-Well Radar Sensing. 2007, 45, 2423-2428	6
830	Seismic anomalies in the aftershock sequence of November 16, 2000, in Papua New Guinea. 2007, 43, 662-668	3
829	Computational Methods for Fundamental Studies Of Plasma Processes. 2007,	5
828	Nash Equilibria in Noncooperative Predator-Prey Games. 2007, 56, 211-241	13
827	Crystallization kinetics of amorphous griseofulvin by pattern fitting procedure using X-ray diffraction data. 2007, 24, 880-7	13
826	Thermophysical Characterization of a CuO Thin Deposit. 2007, 28, 1563-1577	6
825	A new minimization protocol for solving nonlinear Poisson-Boltzmann mortar finite element equation. 2007, 47, 853-871	51
824	An interior-point affine-scaling trust-region method for semismooth equations with box constraints. 2007, 37, 329-353	24
823	Real-time substructuring technique for the shaking table test of upper substructures. 2007, 29, 2219-2232	43
822	Relaxation effects in the quantification of fat using gradient echo imaging. 2008, 26, 347-59	316
821	Finite element model updating: Multiple alternatives. 2008, 30, 3724-3730	89
820	Stable and controllable noise. 2008, 70, 105-115	4
819	Local analysis of the feasible primal-dual interior-point method. 2008, 40, 41-57	1
818	Klebsiella pneumoniae flocculation dynamics. 2008, 70, 745-68	15
817	Trust-region based instantaneous optimal semi-active control of long-span spatially extended structures with MRF-04K damper. 2008, 7, 447-464	5

816	A local convergence property of primal-dual methods for nonlinear programming. <i>Mathematical Programming</i> , 2008 , 115, 199-222	2.1	9
815	Reliability estimation based on operational data of manufacturing systems. 2008 , 24, 843-854		22
814	Construction of probability distributions in high dimension using the maximum entropy principle: Applications to stochastic processes, random fields and random matrices. 2008 , 76, 1583-1611		79
813	Feedforward adaptive control of the Bispectral Index of the EEG using the intravenous anaesthetic drug propofol. 2008 , 23, n/a-n/a		5
812	Probabilistic model identification of uncertainties in computational models for dynamical systems and experimental validation. 2008 , 198, 150-163		61
811	Computer vision techniques for forest fire perception. 2008 , 26, 550-562		93
810	Experimental analysis of pressurised humidification tower for humid air gas turbine cycles. Part B: Correlation of experimental data. 2008 , 28, 1623-1629		6
809	ECG denoising and compression using a modified extended Kalman filter structure. 2008 , 55, 2240-8		141
808	Identification of non-linear microbial inactivation kinetics under dynamic conditions. 2008 , 128, 146-52		35
807	Noninvasive methods for determining pulmonary vascular function in children with pulmonary arterial hypertension: application of a mechanical oscillator model. 2008 , 3, 106-16		6
806	Fast training of neural trees by adaptive splitting based on cubature. 2008 , 71, 3387-3408		4
805	Design and Optimization of Three Dimensional Finocyl Grain for Solid Rocket Motor. 2008 ,		3
804	Desirability-based methods of multiobjective optimization and ranking for global QSAR studies. Filtering safe and potent drug candidates from combinatorial libraries. 2008 , 10, 897-913		40
803	Nonlinear and Linear Longitudinal and Lateral-Directional Dynamical Model of Air-Breathing Hypersonic Vehicle. 2008 ,		9
802	A Hybrid Approach for Design Optimization of Wagon Wheel Grain for SRM. 2008 ,		2
801	Semi-active control of floor isolation system using MR-damper. 2008 ,		4
800	A revisited and stable Fourier transform method for affine jump diffusion models. 2008 , 32, 2064-2075		5
799	Full Vectorial 3-D Sensitivity Analysis and Design Optimization Using BPM. 2008 , 26, 528-536		10

798	Parallel Minimum p-Norm Solution of the Neuromagnetic Inverse Problem for Realistic Signals Using Exact Hessian-Vector Products. 2008 , 30, 2905-2921	8
797	Potential shift correction in multivariate curve resolution of voltammetric data. General formulation and application to some experimental systems. 2008 , 133, 112-25	36
796	Adaptive Optimization of an Iterative Multiuser Detector for Turbo-Coded CDMA. 2008 , 7, 4284-4293	4
795	. 2008 ,	1
794	The derivation of structural usage profiles for vehicles from failure statistics. 2008 , 47, 269	
793	Parameterization and prediction of community interaction models using stable-state assumptions and computational techniques: an example from the high rocky intertidal. 2008 , 215, 155-63	1
792	Rotor Performance Enhancement and Vibration Reduction in Presence of Dynamic Stall Using Actively Controlled Flaps. 2008 , 53, 338	18
791	Determination of Mechanical Material Properties of Joining Materials, in particular Microelectronic Solders. 2008 ,	
790	Generation of energy efficient trajectories for NIMS3D, a three-dimensional cabled robot. 2008 ,	8
789	Synthesis and in vivo evaluation of novel PET radioligands for imaging the endothelin-A receptor. 2008 , 49, 1529-36	8
788	An Energy-Saving QoS-Based Resource Allocation for Multiuser TDMA Systems with Causal CSI. 2008 ,	1
787	Low complexity distributed reliability for Wireless Sensor Networks. 2008 ,	3
786	Optimal control of first order linear systems with fixed proportional-integral structure controller. 2008 ,	0
785	Constrained rock physics modelling. 2008 ,	
784	Acoustic Sensor With PVDF Micro-Pillars and Patterned Electrodes. 2008 ,	
783	Development of linear models of Static Var Compensators suitable for enhancing performance of power systems including wind farms. 2008 , 6, 277	1
782	Complex unconstrained three-dimensional hand movement and constant equi-affine speed. 2009 , 101, 1002-15	31
781	Determining the Optical Properties of Two-Layer Turbid Materials Based on Spatially Resolved Diffuse Reflectance. 2009 ,	

780	Optimization Constrained of the Lifetime of the CBN 7050 during the Machining of Steel 100Cr6. 2009 , 4, 55-59	
779	Adaptive Noise Waveform Design for Radar. 2009 ,	
778	A Packet Based 2x-Site Test Solution for GSM Transceivers with Limited Tester Resources. 2009 ,	5
777	Throughput analysis of IEEE 802.11 WLANs with Automatic Rate Fallback in a lossy channel. 2009 , 8, 689-693	10
776	Nonlinear Ten-Degree-of-Freedom Dynamics Model of a Generic Hypersonic Vehicle. 2009 , 46, 800-813	26
775	Throughput Enhancement in Multi-Carrier Systems Employing Overlapping Weyl-Heisenberg Frames. 2009 ,	0
774	PRINCIPAL COMPONENT ANALYSIS OF SEA SURFACE TEMPERATURE IN THE NORTH ATLANTIC OCEAN. 2009 , 20, 1789-1802	5
773	Characterization of 1H NMR spectroscopic data and the generation of synthetic validation sets. 2009 , 25, 2992-3000	8
772	Predicting Customer Wallet Without Survey Data. 2009 , 11, 219-231	12
771	Numerical solvers and cryptanalysis. 2009 , 3,	5
770	Efficient coding correlates with spatial frequency tuning in a model of V1 receptive field organization. 2009 , 26, 21-34	13
769	Design and evaluation of a new general-purpose device for calibrating instrumented spatial linkages. 2009 , 131, 034505	2
768	Receptance Coupling for End Mill Using 2-Section Step Beam Vibration Model. 2009 ,	1
767	A one-dimensional heat-transport model for conduit flow in karst aquifers. 2009 , 378, 230-239	9
766	Young's modulus reconstruction for radio-frequency ablation electrode-induced displacement fields: a feasibility study. 2009 , 28, 1325-34	36
765	A new method to simultaneously estimate the radius of a cylindrical object and the wave propagation velocity from GPR data. 2009 , 35, 1620-1630	65
764	Effect of metal-support interface on hydrogen permeation through palladium membranes. 2009 , 55, 630-639	28
763	Performance of Markov models for frame-level errors in IEEE 802.11 wireless LANs. 2009 , 22, 695-718	8

762	Testing of dynamically substructured, base-isolated systems using adaptive control techniques. 2009 , 39, n/a-n/a		5
761	A model for the analysis of competitive relaxation effects of manganese and iron in vivo. 2009 , 22, 391-404		25
760	Characterizing pulmonary blood flow distribution measured using arterial spin labeling. 2009 , 22, 1025-35		40
759	An affine-scaling interior-point CBB method for box-constrained optimization. <i>Mathematical Programming</i> , 2009 , 119, 1-32	2.1	34
758	How to extract continuum materials properties for (lead-free) solders from tensile tests and nanoindentation experiments. 2009 , 15, 45-55		11
757	Interior point method for long-term generation scheduling of large-scale hydrothermal systems. 2009 , 169, 55-80		14
756	Improvement of source and wind field input of atmospheric dispersion model by assimilation of concentration measurements: Method and applications in idealized settings. 2009 , 33, 3511-3521		16
755	Optimal low-thrust trajectories to asteroids through an algorithm based on differential dynamic programming. 2009 , 105, 75-112		26
754	Hybrid spectral gradient method for the unconstrained minimization problem. 2009 , 44, 193-212		8
753	An exact approach to sparse principal component analysis. 2009 , 24, 583-604		13
752	Robust fitting for neuroreceptor mapping. 2009 , 28, 1004-16		1
751	Spectral deconvolution of NMR cross polarization data sets. 2009 , 35, 208-13		5
750	Electroreduction of cupric(II) ions at the ultramicroelectrodes from concentrated electrolytes □ Comparison of industrial and laboratory prepared aqueous solutions of copper(II) ions in sulfuric acid electrolytes. 2009 , 633, 92-98		7
749	Efficient and accurate estimation of relative order tensors from lambda-maps. <i>Journal of Magnetic Resonance</i> , 2009 , 198, 236-47	3	14
748	Reliability analysis for wind turbines with incomplete failure data collected from after the date of initial installation. 2009 , 94, 1057-1063		99
747	The global convergence of augmented Lagrangian methods based on NCP function in constrained nonconvex optimization. 2009 , 207, 124-134		3
746	Architectural optimization for microelectronic packaging. 2009 , 29, 2391-2395		27
745	A Receding Horizon Control algorithm for adaptive management of soil moisture and chemical levels during irrigation. 2009 , 24, 1112-1121		25

744	A Newton-type method for constrained least-squares data-fitting with easy-to-control rational curves. 2009 , 223, 672-692	1
743	Experimental Study of Damage Detection by Data-Driven Subspace Identification and Finite-Element Model Updating. 2009 , 135, 1533-1544	41
742	Three-dimensional arm movements at constant equi-affine speed. 2009 , 45, 325-39	31
741	Quantification of the optical properties of two-layer turbid materials using a hyperspectral imaging-based spatially-resolved technique. 2009 , 48, 5612-23	29
740	Methods for kinetic modeling of temporally resolved hyperspectral confocal fluorescence images. 2009 , 63, 153-63	2
739	Design Optimization of Compact Wideband Optical Switch Exploiting Staircase Index MMI. 2009 , 27, 80-87	6
738	Global antifungal profile optimization of chlorophenyl derivatives against <i>Botrytis cinerea</i> and <i>Colletotrichum gloeosporioides</i> . 2009 , 57, 4838-43	7
737	Application of a Pendulum Support Test Rig for Aircraft Stability Derivative Estimation. 2009 , 46, 927-934	12
736	Optimization of Synthesis Oversampled Complex Filter Banks. 2009 , 57, 3827-3843	12
735	Photogrammetric reconstruction of high-resolution surface topographies and deformable wing kinematics of tethered locusts and free-flying hoverflies. 2009 , 6, 351-66	87
734	A QSS approach for particle source identification in Tore Supra tokamak. 2009 ,	
733	Design and Implementation of NIMS3D, a 3-D Cabled Robot for Actuated Sensing Applications. 2009 , 25, 325-339	39
732	Lactic Acid Recovery in Electro-Enhanced Dialysis: Modelling and Validation. 2009 , 26, 773-778	2
731	The relationship between electrical stimulus and viscoelastic parameters of the denervated anterior thigh muscles. 2009 ,	
730	Exploiting Sparsity in SDP Relaxation for Sensor Network Localization. 2009 , 20, 192-215	43
729	Indentation analysis of fractional viscoelastic solids. 2009 , 4, 523-550	22
728	Faster solution of nonlinear equations using logical effort method and curve fitting in low power design. 2009 , 6, 889-896	0
727	Tool for Optimizing the Design and Operation of Reverse Electro-Enhanced Dialysis of Monoprotic Carboxylic Acids. 2009 , 663-668	1

726	Finite element-based damage identification of RC frames. 2009,	
725	Parameter Uncertainty Modeling Using the Multidimensional Principal Curves. 2010, 132,	3
724	Flattenable Mesh Processing by Controllable Laplacian Evolution. 2010,	
723	Dispersion equations in the stability problem for transonic flows and some of their properties. 2010, 50, 157-179	1
722	Analysis of solute transport in rivers with transient storage and lateral inflow: An analytical study. 2010, 58, 1094-1114	7
721	Optimal allocation and sizing of capacitors to minimize the transmission line loss and to improve the voltage profile. 2010, 60, 1003-1013	29
720	Solving polynomial least squares problems via semidefinite programming relaxations. 2010, 46, 1-23	5
719	Context-Dependent Multisensor Fusion and Its Application to Land Mine Detection. 2010, 48, 2528-2543	38
718	Continuous-time modeling of cell fate determination in Arabidopsis flowers. 2010, 4, 101	17
717	Modelling biochemical networks with intrinsic time delays: a hybrid semi-parametric approach. 2010, 4, 131	14
716	Prioritizing Hits with Appropriate Trade-Offs Between HIV-1 Reverse Transcriptase Inhibitory Efficacy and MT4 Blood Cells Toxicity Through Desirability-Based Multiobjective Optimization and Ranking. 2010, 29, 303-21	12
715	Quantitative analysis of crystalline pharmaceuticals in tablets by pattern-fitting procedure using X-ray diffraction pattern. 2010, 398, 33-8	8
714	Modeling Donnan dialysis separation for carboxylic anion recovery. 2010, 34, 1567-1579	14
713	Robust fitting of [11C]-WAY-100635 PET data. 2010, 30, 1366-72	
712	Information Theory for Generation of Accelerograms Associated with Shock Response Spectra. 2010, 25, 334-347	6
711	Semiparametric marginal regression analysis for dependent competing risks under an assumed copula. 2010, 72, 235-251	48
710	Numerical Generation of Minimum Functions via the Parametric Approach. 2010, 317-371	
709	Evaluating segmentation algorithms for diffusion-weighted MR images: a task-based approach. 2010, 7627,	7

708	Experimental Setup for the Determination of Mechanical Solder Materials Properties at Elevated Temperatures. 2010 , 638-642, 3793-3798	
707	Thermodynamics of Supercritical Fluid Extraction of Some Dyes and Pharmaceutical Compounds Using the Weighting Matrix Approach. 2010 , 5,	0
706	Scheduling for MIMO Networks with Rate-Constrained Connectivity Requirements. 2010 ,	1
705	Unit Density Axially Localized Pulse (UDALOP) for Multi-Carrier Communication Systems. 2010 ,	
704	An attitude estimation system for Pan&Tilt system. 2010 ,	1
703	Identification of Electro-mechanical Actuators within Limited Stroke. 2010 , 16, 1737-1761	3
702	EXPERIMENTAL INVESTIGATION OF VELOCITY AUTOCORRELATION FUNCTIONS IN TURBULENT PLANAR MIXING LAYER. 2010 , 24, 1361-1364	
701	Nonlinear least-squares modeling of 3D interaction position in a monolithic scintillator block. 2010 , 55, 6515-32	76
700	Detailed Characterization of Transceiver Parameters Through Loop-Back-Based BiST. 2010 , 18, 901-911	33
699	The Influence of the Fullerene on the Optical Constants of the Photoactive Blend Film of a Polymer Solar Cell. 2010 , 74, 164-169	5
698	An evaluation of the conductivity profile in the somatosensory barrel cortex of Wistar rats. 2010 , 104, 3388-412	67
697	Modelling of a Lean NO _x -Trap system with NO/NO ₂ differentiation and sulfur poisoning. 2010 , 3, 414-424	10
696	Studying kinesin motors by optical 3D-nanometry in gliding motility assays. 2010 , 95, 247-71	40
695	Monitoring early stages of silver particle formation in a polymer solution by in situ and time resolved small angle X-ray scattering. 2010 , 2, 2447-55	21
694	Empirical Bayesian estimation in graphical analysis: a voxel-based approach for the determination of the volume of distribution in PET studies. 2010 , 37, 443-51	12
693	Parameter and State Model Reduction for Large-Scale Statistical Inverse Problems. 2010 , 32, 2523-2542	137
692	Integrated Model-Based and Data-Driven Diagnosis of Automotive Antilock Braking Systems. 2010 , 40, 321-336	41
691	Design of robust optimal proportionalIntegralDerivative controller based on new interval polynomial stability criterion and Lyapunov theorem in the multiple parameters' perturbations circumstance. 2010 , 4, 2427-2440	11

690	ADC estimation of lesions in diffusion-weighted MR images: A maximum-likelihood approach. 2010,	1
689	Estimating a uniform distribution when data are measured with a normal additive error with unknown variance. 2010, 44, 235-246	3
688	SIS wide-band model extraction methodology for SOI on-chip inductor. 2010,	0
687	A Two-Dimensional Sub-Pixel Edge Detection Algorithm Based on Hyperbolic Tangent. 2010,	1
686	Optimization of inverse algorithm for estimating the optical properties of biological materials using spatially-resolved diffuse reflectance. 2010, 18, 853-872	22
685	Automatic test stimulus generation for accurate diagnosis of RF systems using transient response signatures. 2011,	5
684	Control of silver-polymer aggregation mechanism by primary particle spatial correlations in dynamic fractal-like geometry. 2011, 3, 3774-9	10
683	Empirical model for soil salinity mapping from SAR data. 2011,	5
682	Leaf conductance and carbon gain under salt-stressed conditions. 2011, 116,	24
681	Spatial extrapolation of light use efficiency model parameters to predict gross primary production. 2011, 3,	8
680	Tracking single particles and elongated filaments with nanometer precision. 2011, 100, 2820-8	186
679	Time-varying phase diversity turbulence compensation. 2011,	1
678	Combined multifrequency EPR and DFT study of dangling bonds in a-Si:H. 2011, 84,	27
677	Parameter Estimation from Laser Flash Experiment Data. 2011, 205-220	3
676	Rietveld refinement of energy-dispersive synchrotron measurements. 2011, 226, 934-943	23
675	Force feedback algorithms for master slave surgical systems. 2011,	2
674	Computational Optimization and Applications in Engineering and Industry. 2011,	17
673	Optimized Multitone Test Stimulus Driven Diagnosis of RF Transceivers Using Model Parameter Estimation. 2011,	13

672	Hyperspectral image reconstruction for diffuse optical tomography. 2011 , 2, 946-65		16
671	System Identification and Estimation Framework for Pivotal Automotive Battery Management System Characteristics. 2011 , 41, 869-884		168
670	A Multi-Site Test Solution for Quadrature Modulation RF Transceivers. 2011 , 30, 1421-1425		1
669	Identification of a general light use efficiency model for gross primary production. 2011 , 8, 999-1021		27
668	Reducing Epistemic Uncertainty Using a Model Updating Cognitive System. 2011 , 14, 55-65		11
667	Optimal control of a multi-energy district boiler: a case study. 2011 , 44, 8271-8276		2
666	Companding technique for high dynamic range measurements using Gafchromic films. <i>Medical Physics</i> , 2011 , 38, 6443-8	4-4	6
665	Solvent additives for tuning the photovoltaic properties of polymerfullerene solar cells. 2011 , 95, 3536-3542		34
664	Second order gradient ascent pulse engineering. <i>Journal of Magnetic Resonance</i> , 2011 , 212, 412-7	3	156
663	In-situ characterization of the effective elasticity of a fault zone, and its relationship to fracture spacing. 2011 , 33, 1541-1553		19
662	Separation of heavy gases from light gases using synthesized PDMS nano-composite membranes: Experimental and neural network modeling. 2011 , 81, 400-410		22
661	Development and numerical investigation of new non-linear Kalman filter variants. 2011 , 5, 1155-1166		13
660	Segmentation of textured cell images based on frequency analysis. 2011 , 5, 148		2
659	Adaptive Bubble Pulse Cancellation From Underwater Explosive Charge Acoustic Signals. 2011 , 36, 447-453		1
658	Outage Performance Analysis and Code Design for Three-Stage MMSE Turbo Equalization in Frequency-Selective Rayleigh Fading Channels. 2011 , 60, 473-484		4
657	Nonlinear dynamic modeling of synaptically driven single hippocampal neuron intracellular activity. 2011 , 58, 1303-13		13
656	Automated Inspection System for Rolling Stock Brake Shoes. 2011 , 60, 2835-2847		32
655	A new variational method for erythrocyte velocity estimation in wide-field imaging in vivo. 2011 , 30, 1527-45		7

654	Autoregressive neural network for model predictive control of multivariable cracking catalyst calcinator. 2011 , 20, 216-223	4
653	Dynamic templating role of polynaphtalene sulphonate in the formation of silver nanocrystals in aqueous solution. 2011 , 13, 3107-3112	3
652	An accurate active set newton algorithm for large scale bound constrained optimization. 2011 , 56, 297-314	19
651	Modular approach for modeling a multi-energy district boiler. 2011 , 35, 3926-3957	4
650	Visible upconversion emission and non-radiative direct Yb ³⁺ to Er ³⁺ energy transfer processes in nanocrystalline ZrO ₂ :Yb ³⁺ ,Er ³⁺ . 2011 , 49, 703-708	17
649	Optimal time scheduling for carrying out minor maintenance on a steam turbine. 2011 , 2, 241-252	4
648	A computational framework for gene regulatory network inference that combines multiple methods and datasets. 2011 , 5, 52	26
647	Reliability-based design optimization of computation-intensive models making use of response surface models. 2011 , 27, 555-568	15
646	Identification of mechanical properties of heterogeneous soft bodies using gravity loading. 2011 , 27, 391-407	28
645	Zonal rate model for stacked membrane chromatography. I: characterizing solute dispersion under flow-through conditions. 2011 , 1218, 5071-8	18
644	The effect of soiling on energy production for large-scale photovoltaic plants. 2011 , 85, 1128-1136	139
643	Yeast two-hybrid junk sequences contain selected linear motifs. 2011 , 39, e128	9
642	Integration of control design and variable geometry suspension construction for vehicle stability enhancement. 2011 ,	6
641	Rebalance strategies for humanoids walking by foot positioning compensator based on adaptive heteroscedastic SpGPs. 2011 ,	3
640	A Man-Portable Vector Sensor for Identification of Unexploded Ordnance. 2011 , 11, 2542-2555	31
639	Two-dimensional toxic dose and multivariate logistic regression, with application to decompression sickness. 2011 , 12, 143-55	16
638	Orbital Dynamics of "Smart-Dust" Devices with Solar Radiation Pressure and Drag. 2011 , 34, 1613-1631	29
637	Novel bioinspired control approaches to increase the stiffness variability in multi-muscle driven joints. 2011 , 6, 045003	3

636	Convergence of Affine-Scaling Interior-Point Methods with Line Search for Box Constrained Optimization. 2011 , 32, 155-176	2
635	Modeling Ear-Canal Acoustics, Incorporating Visco-Thermal Effects and the Influence of the Middle Ear. 2011 ,	
634	NS2 protein of hepatitis C virus interacts with structural and non-structural proteins towards virus assembly. 2011 , 7, e1001278	126
633	Functional mathematical model of dual pathway AV nodal conduction. 2011 , 300, H1393-401	21
632	Study on the Method of the Damage Identification for Frame Structure. 2012 , 204-208, 2824-2831	
631	Modeling and Optimization of Cement Raw Materials Blending Process. 2012 , 2012, 1-30	6
630	Reconstruction of the turbulence radial profile from reflectometry phase root mean square measurements. 2012 , 54, 045008	12
629	Evaluation of Acousto-Optic Effect on Size Distribution Measurement of Oscillating Cavitation Bubbles Using Optical Spectrometer. 2012 , 51, 07GD04	2
628	Grooved surfaces for laminar drag reduction. 2012 ,	
627	Determination of wavefront structure for a Hartmann wavefront sensor using a phase-retrieval method. 2012 , 20, 7822-32	19
626	Stockpile modelling using mobile laser scanner for quality grade control in stockpile management. 2012 ,	3
625	Data-driven techniques to estimate parameters in the homogenized energy model for shape memory alloys. 2012 , 23, 1897-1920	13
624	Modified Wilson Plots for Enhanced Heat Transfer Experiments: Current Status and Future Perspectives. 2012 , 33, 342-355	16
623	Nonlinear parameter estimation for capacity fade in Lithium-ion cells based on a reduced-order electrochemical model. 2012 ,	7
622	A Maximum-Likelihood Approach for ADC Estimation of Lesions in Visceral Organs. 2012 , 2012, 21-24	3
621	Regression Models for Outlier Identification (Hurricanes and Typhoons) in Wave Hindcast Databases. 2012 , 29, 267-285	23
620	Task-based evaluation of segmentation algorithms for diffusion-weighted MRI without using a gold standard. 2012 , 57, 4425-46	14
619	Comparative control strategies of exterior and interior blind systems. 2012 , 44, 291-308	19

618	Joint derivation method for determining optical properties based on steady-state spatially resolved diffuse reflectance measurement at small source-detector separations and large reduced albedo range: theory and simulation. 2012 , 17, 067004	0
617	Analysis and Optimization of Automotive Structure's Bending Stiffness Using Beam Elements. 2012 , ,	
616	Modelling the Heat During the Injection Stretch Blowing Moulding: Infrared Heating and Blowing Modelling. 2012 ,	3
615	Sampling-Based RBDO Using Probabilistic Sensitivity Analysis and Virtual Support Vector Machine. 2012 ,	1
614	Experimental Characterization of Transient Tone Deviation in Print Jobs for Color Electrophotography. 2012 , 56, 1-11	
613	Automatic Parameter Identification of Discrete Mesoscale Models with Application to the Coarse-Grained Simulation of Reinforced Concrete Structures. 2012 ,	8
612	A new multi-gas constrained model of trace gas non-homogeneous transport in fire: evaluation and behaviour at eleven polar sites. 2012 , 12, 11465-11483	36
611	New program for computation of the thermodynamic, spectral, and NMR relaxation parameters of coordination compounds in complex systems. 2012 , 394, 012031	4
610	Model-based blood flow quantification from DSA: quantitative evaluation on patient data and comparison with TCCD. 2012 ,	0
609	Optimized robust plasma sampling for glomerular filtration rate studies. 2012 , 33, 995-1001	2
608	High-resolution electron diffraction: accounting for radially and angularly invariant distortions. 2012 , 18, 638-44	5
607	Hierarchic self-assembling of silver nanoparticles in solution. 2012 , 1, 57-78	2
606	A general class of semiparametric transformation frailty models for nonproportional hazards survival data. 2012 , 68, 1126-35	7
605	Stochastic Lagrangian trajectory model for drifting objects in the ocean. 2012 , 26, 1081-1093	13
604	Evaluating bound-constrained minimization software. 2012 , 53, 347-373	15
603	Direct and closed form analytical model for the prediction of reaction kinetic of EPDM accelerated sulphur vulcanization. 2012 , 50, 2577-2605	10
602	Option Price Estimations and Speculative Trading in Knowledge Society. 2012 , 3, 432-437	2
601	On the Earth-Space Site Diversity Modeling: A Novel Physical-Mathematical Outage Prediction Model. 2012 , 60, 4391-4397	28

600	A dynamic battery model for simulation of battery-to-grid applications. 2012,	7
599	Sequence dependence of isothermal DNA amplification via EXPAR. 2012, 40, e87	70
598	Model-Based Subspace Projection Beamforming for Deep Interference Nulling. 2012, 60, 1215-1228	22
597	Polynomial chaos based method for state and parameter estimation. 2012,	3
596	Estimating air surface temperature in Portugal using MODIS LST data. 2012, 124, 108-121	266
595	Orbital dynamics of high area-to-mass ratio spacecraft with J2 and solar radiation pressure for novel Earth observation and communication services. 2012, 81, 137-150	38
594	Rapid regolith formation over volcanic bedrock and implications for landscape evolution. 2012, 337-338, 47-55	72
593	A lumped parameter model of cerebral blood flow control combining cerebral autoregulation and neurovascular coupling. 2012, 303, H1143-53	32
592	Rupture directivity of the 2011, Mw 5.2 Lorca earthquake (Spain). 2012, 39, n/a-n/a	57
591	Remotely sensed green area index for winter wheat crop monitoring: 10-Year assessment at regional scale over a fragmented landscape. 2012, 166-167, 156-168	36
590	A processing work-flow for measuring erythrocytes velocity in extended vascular networks from wide field high-resolution optical imaging data. 2012, 59, 2569-88	11
589	Parametric imaging with Bayesian priors: a validation study with (11)C-Altropane PET. 2012, 61, 131-8	6
588	Quantification of non-isothermal, multi-phase crystallization of isotactic polypropylene: The influence of cooling rate and pressure. 2012, 53, 4758-4769	106
587	Dangling bonds in amorphous silicon investigated by multifrequency EPR. 2012, 358, 2067-2070	3
586	Instantaneous frequency based newborn EEG seizure characterisation. 2012, 2012,	11
585	Modeling the Kinetics of Microbial and Quality Attributes of Fluid Food During Novel Thermal and Non-Thermal Processes. 2012, 433-471	7
584	Continuous evolution of statistical estimators for optimal decision-making. 2012, 7, e37547	2
583	Evaluation of bio-optical inversion of spectral irradiance measured from an autonomous underwater vehicle. 2012, 117, n/a-n/a	6

582	Line shapes of near-infrared DFB and VCSEL diode lasers under the influence of system back reflections. 2012 , 109, 441-452	3
581	Directional asymmetries and age effects in human self-motion perception. 2012 , 13, 381-401	68
580	Normalized trivariate B-splines on Worsley-Piper split and quasi-interpolants. 2012 , 52, 221-249	15
579	Orbit design for future SpaceChip swarm missions in a planetary atmosphere. 2012 , 75, 25-41	15
578	Model identification of crystal facet growth kinetics in morphological population balance modeling of l-glutamic acid crystallization and experimental validation. 2012 , 70, 22-30	70
577	Parameter estimation of in-situ thermal response tests for borehole ground heat exchangers. 2012 , 55, 2615-2624	56
576	Optimization of extrusion production lines for EPDM rubber vulcanized with sulphur: A two-phase model based on Finite Elements and kinetic second order differential equation. 2012 , 43, 173-190	11
575	Translational photometric alignment of single-view image sequences. 2012 , 116, 765-776	
574	A cyclic twin bridge shear test for the identification of kinematic hardening parameters. 2012 , 59, 31-43	47
573	Performance of some distributions to describe rock fragmentation data. 2012 , 53, 18-31	17
572	Investigation of OCP-triggered dissipation of excitation energy in PSI/PSII-less Synechocystis sp. PCC 6803 mutant using non-linear laser fluorimetry. 2012 , 1817, 1012-21	28
571	Nanoscale quantitative phase imaging using XOR-based X-ray differential interference contrast microscopy. 2012 , 113, 139-144	3
570	A novel quantitative measure of breast curvature based on catenary. 2012 , 59, 1115-24	10
569	Manipulation of cortical gray matter oxygenation by hyperoxic respiratory challenge: field dependence of R(2) * and MR signal response. 2012 , 25, 1007-14	5
568	Quantitative BOLD response of the renal medulla to hyperoxic challenge at 1.5 T and 3.0 T. 2012 , 25, 1133-8	14
567	Simple kinetic numerical model based on rheometer data for ethylene-propylene diene monomer accelerated sulfur crosslinking. 2012 , 124, 311-324	24
566	Zonal rate model for stacked membrane chromatography part II: characterizing ion-exchange membrane chromatography under protein retention conditions. 2012 , 109, 615-29	15
565	Augmented Lagrangian method with nonmonotone penalty parameters for constrained optimization. 2012 , 51, 941-965	34

564	Maximum likelihood analysis of semicompeting risks data with semiparametric regression models. 2012 , 18, 36-57	28
563	Polynomial approximation of the small-signal stability region boundaries and its credible region in high-dimensional parameter space. 2013 , 23, 784-801	7
562	A moving pseudo-boundary method of fundamental solutions for void detection. 2013 , 29, 935-960	22
561	Kinetic finite element model to optimize sulfur vulcanization: Application to extruded epdm weather-strips. 2013 , 53, 353-369	11
560	Parametric Modeling for Damped Sinusoids From Multiple Channels. 2013 , 61, 3895-3907	12
559	Adaptive virtual support vector machine for reliability analysis of high-dimensional problems. 2013 , 47, 479-491	63
558	A new ROI based image retrieval system using an auxiliary Gaussian weighting scheme. 2013 , 67, 549-569	3
557	Simulation of a real-time process adaptation in the manufacture of high-density fibreboards using multivariate regression analysis and feedforward control. 2013 , 47, 1243-1259	14
556	A trust region method based on a new affine scaling technique for simple bounded optimization. 2013 , 28, 871-888	12
555	Stable local volatility function calibration using spline kernel. 2013 , 55, 675-702	4
554	Arbitrage-free implied volatility surfaces for options on single stock futures. 2013 , 26, 380-399	10
553	Soft Computing Models in Industrial and Environmental Applications. 2013 ,	1
552	Thermal identification of building multilayer walls using reflective Newton algorithm applied to quadrupole modelling. 2013 , 60, 139-145	11
551	Estimating the parameters of a fatigue model using Benders' decomposition. 2013 , 210, 309-331	2
550	Modeling the evolution dynamics of exon-intron structure with a general random fragmentation process. 2013 , 13, 57	4
549	Comparison of a hyperbolic failure criterion with established failure criteria for cohesive-frictional materials. 2013 , 63, 12-26	10
548	Analysis of Parameter Estimation Possibilities of the Thermal Contact Resistance Using the Laser Flash Method with Two-Layer Specimens. 2013 , 34, 1993-2008	7
547	Advancements in OCV Measurement and Analysis for Lithium-Ion Batteries. 2013 , 28, 675-681	103

546	Short timescale intensity fluctuations of PSR B1133+16 and PSR B1237+25 due to interstellar scintillation at 1.54 GHz. 2013 , 347, 327-335	0
545	Calibration of multi-camera systems with refractive interfaces. 2013 , 54, 1	24
544	Algae (<i>Microcystis</i> and <i>Scenedesmus</i>) absorption spectra and its application on Chlorophyll a retrieval. 2013 , 7, 522-530	5
543	Identification of Thermal Characteristics of a Building. 2013 , 42, 280-288	5
542	A model for educational simulation of the effect of oxytocin on uterine contractions. 2013 , 35, 524-31	3
541	Polynomial-Chaos-Based Bayesian Approach for State and Parameter Estimations. 2013 , 36, 1058-1074	42
540	Industrial Xylene/Ethylbenzene Isomerization Unit Using a Radial-Flow Reactor and EUO-Type Zeolite. 2013 , 36, 1658-1664	9
539	3D range scan enhancement using image-based methods. 2013 , 84, 69-84	6
538	Efficient estimation of reflectance parameters from imaging spectroscopy. 2013 , 22, 3648-63	15
537	Modeling diffusion of multi-generational LCD TVs while considering generation-specific price effects and consumer behaviors. 2013 , 33, 345-354	19
536	Inverse modelling and seismic data constraints on overpressure generation by disequilibrium compaction and aquathermal pressuring: application to the Eastern Black Sea Basin. 2013 , 194, 814-833	8
535	Global convergence of modified augmented Lagrangian methods for nonlinear semidefinite programming. 2013 , 56, 531-558	16
534	Parameters Identification and Gas Behavior Characterization of DBD Systems. 2013 , 41, 2335-2342	10
533	Image resection and heat transfer measurements by IR thermography in hypersonic flows. 2013 , 10, 188-206	12
532	Flows in annuli with longitudinal grooves. 2013 , 716, 280-315	27
531	Augmenting forest inventory attributes with geometric optical modelling in support of regional susceptibility assessments to bark beetle infestations. 2013 , 21, 444-452	4
530	Semiparametric inference on the penetrances of rare genetic mutations based on a case-family design. 2013 , 143, 368-377	
529	Diffuse reflectance spectroscopy as a tool to measure the absorption coefficient in skin: system calibration. 2013 , 28, 437-44	6

528	Effective GA approach for a direct evaluation of reaction kinetic within EPDM accelerated sulphur crosslinking. 2013 , 51, 465-491	5
527	Reference command tracking control for an air-breathing hypersonic vehicle with parametric uncertainties. 2013 , 350, 1155-1188	38
526	Local vs. integrated control strategies for double-skin systems. 2013 , 30, 50-56	9
525	Comprehensive concrete fracture tests: Size effects of Types 1 & 2, crack length effect and postpeak. 2013 , 110, 281-289	71
524	Towards a viscoelastic model for the unfused midpalatal suture: development and validation using the midsagittal suture in New Zealand white rabbits. 2013 , 46, 1618-25	6
523	Maximization of heat transfer across micro-channels. 2013 , 66, 517-530	16
522	A measurement-integrated solution for particle image velocimetry and volume fraction measurements in a fluidized bed. 2013 , 56, 72-80	4
521	Discontinuous parameter estimates with least squares estimators. 2013 , 219, 5210-5223	6
520	Parameter identification of nonlinear time-dependent rubber bushings models towards their integration in multibody simulations of a vehicle chassis. 2013 , 36, 354-369	12
519	Mutual diffusion in the ternary mixture of water + methanol + ethanol and its binary subsystems. 2013 , 15, 3985-4001	60
518	Offshore wind farm layout optimization using mathematical programming techniques. 2013 , 53, 389-399	95
517	Locating the Crack Tip Using Displacement Field Data: A Comparative Study. 2013 , 49, 102-115	37
516	Coarsening dynamics in one dimension: the phase diffusion equation and its numerical implementation. 2013 , 87, 063302	8
515	A Simulation-Based Optimization Framework for Urban Transportation Problems. 2013 , 61, 1333-1345	91
514	An analysis of the acoustic input impedance of the ear. 2013 , 14, 611-22	11
513	Estimation of Mueller matrices using non-local means filtering. 2013 , 21, 4424-38	5
512	Diffusive hydrogen inter-cage migration in hydrogen and hydrogen-tetrahydrofuran clathrate hydrates. 2013 , 138, 094507	41
511	A multi-objective evolutionary approach for fuzzy optimization in production planning. 2013 , 25, 441-455	24

510	Design of Optimal PID Controller with Routh Stability for Different Processes. 2013 , 2013, 1-22	2
509	Algorithm of Marriage in Honey Bees Optimization Cooperate with Linear Method. 2013 , 871, 330-337	
508	Blood oxygen level-dependent magnetic resonance imaging of the kidneys: influence of spatial resolution on the apparent R2* transverse relaxation rate of renal tissue. 2013 , 48, 671-7	11
507	Comparison Between the Theoretical and Experimental Performance of a Differential Mobility Analyzer with Three Monodisperse-Particle Outlets. 2013 , 47, 406-416	4
506	Measurement of Diffraction Pattern Using Two-Dimensional Image Sensor for Obtaining Instantaneous Diameter Distribution of Acoustic Cavitation Bubbles. 2013 , 52, 07HE15	2
505	Development of an optimization method for minimizing vibrations of a hydraulic damper. 2013 , 89, 1073-1086	5
504	Recovery of inclusions in 2D and 3D domains for Poisson's equation. 2013 , 29, 075005	5
503	Optimization techniques applied in a tuning process of a feedwater heater's first-principle data-driven model. 2013 , 89, 1087-1098	
502	Synchronized Submanifold Embedding for Robust and Real-Time Capable Head Pose Detection Based on Range Images. 2013 ,	2
501	Quantitative magnetization transfer MRI of desmoplasia in pancreatic ductal adenocarcinoma xenografts. 2013 , 26, 1688-95	12
500	Optimizing pTILT perfusion imaging in the presence of off-resonance frequency. 2013 , 38, 210-6	1
499	Measurement of the effect of plasmon gas oscillation on the dielectric properties of p- and n-doped Al _x Ga _{1-x} N films using infrared spectroscopy. 2013 , 114, 053505	7
498	Groove optimization for drag reduction. 2013 , 25, 113601	38
497	Finite-SNR Diversity-Multiplexing Tradeoff for spectrum-aggregated transmission. 2013 ,	
496	A novel active bouncer system for klystron modulators with constant AC power consumption. 2013 ,	1
495	. 2013 ,	5
494	Optimization of Vehicle Structure Considering Torsion Stiffness Using Simple Structural Beam Frame-Approach. 2013 , 10, 413-426	3
493	Robustness analysis of non-linear phase retrieval from single intensity measurement. 2013 ,	

492	Robust design strategy applied to a vehicle suspension system with high camber angle tyres. 2013 , 62, 42	3
491	Joint AVO Inversion of PP and PS waves using exact Zoeppritz equation. 2013 ,	10
490	Optimization algorithms intended for self-tuning feedwater heater model. 2013 , 46, 012016	
489	Robust stabilization control based on guardian maps theory for a longitudinal model of hypersonic vehicle. 2014 , 2014, 270172	2
488	Modeling the shape hierarchy for visually guided grasping. 2014 , 8, 132	0
487	An improved CryoSat-2 sea ice freeboard retrieval algorithm through the use of waveform fitting. 2014 , 8, 1217-1237	114
486	Identification of Agricultural Tyres' Handling Characteristics from Full Vehicle Experimental Tests. 2014 ,	
485	Modeling of First-Order Statistics of the MIMO Dual Polarized Channel at 2 GHz for Land Mobile Satellite Systems Under Tree Shadowing. 2014 , 62, 5410-5415	18
484	Effects of longitudinal grooves on the Couette-Poiseuille flow. 2014 , 28, 549-572	10
483	An introduction to tunable equivalence fuzzy associative memories. 2014 ,	
482	A statistical method for model extraction and model selection applied to the temperature scaling of the LBI transition. 2014 , 56, 114001	13
481	Inverse analysis and regularisation in conditional source-term estimation modelling. 2014 , 18, 474-499	20
480	Design, calibration and validation of a novel 3D printed instrumented spatial linkage that measures changes in the rotational axes of the tibiofemoral joint. 2014 , 136, 011003	2
479	Aeroservoelastic Optimization of Varying Wing Sweep Angle Platform. 2014 ,	
478	Universal Size-Shape Effect Law Based on Comprehensive Concrete Fracture Tests. 2014 , 140, 473-479	69
477	Throughput maximization in wireless powered communication networks with energy saving. 2014 ,	9
476	Using Simple Structural Beam Model to Optimize for Bending Stiffness and Vibration in Automotive Structures. 2014 ,	
475	Using the Simple Structural Beam (SSB) Model to Optimize and Analyze Automotive Structures for Bending Stiffness and Natural Frequency. 2014 ,	1

474	Applying automatic kernel parameter selection method to the full bandwidth RBF kernel function for hyperspectral image classification. 2014,	
473	Stereo vision-based driver head pose estimation. 2014,	4
472	Solvent grain boundary diffusion in binary solid solutions: a new approach to evaluate solute grain boundary segregation. 2014, 94, 4066-4079	10
471	Nonlinear Dynamics, Volume 2. 2014,	0
470	Size distribution functions for rock fragments. 2014, 71, 381-394	28
469	Efficiency measurements of multiband and circularly polarized magneto-dielectric antennas by the equivalent-circuit wheeler cap. 2014,	4
468	Robust estimation of cerebral hemodynamics in neonates using multilayered diffusion model for normal and oblique incidences. 2014, 19, 71406	2
467	Transition of flow regime along a marine-terminating outlet glacier in East Antarctica. 2014, 8, 867-875	20
466	Optimization of experimental designs and model parameters exemplified by sedimentation in salt marshes. 2014,	
465	Development of Optimized Preliminary Vehicle Structural Model Using Simple Structural Beams-Frames (SSB) and Sub-Structural Analysis. 2014, 11, 544-551	1
464	On the calibration strategies of the Johnson-Cook strength model: Discussion and applications to experimental data. 2014, 610, 370-413	27
463	Automatic measurements of arterial input and venous output functions on cerebral computed tomography perfusion images: a preliminary study. 2014, 51, 51-60	5
462	Development of discharge-stage curves affected by hysteresis using time varying models, model trees and neural networks. 2014, 55, 107-119	30
461	Analytical solution and analysis for solute transport in streams with diffusive transfer in the hyporheic zone. 2014, 8, 62-73	4
460	General Polarimetric Model-Based Decomposition for Coherency Matrix. 2014, 52, 1843-1855	112
459	Nonlinear separation approach for the augmented Lagrangian in nonlinear semidefinite programming. 2014, 59, 695-727	8
458	A class of semiparametric transformation models for survival data with a cured proportion. 2014, 20, 369-86	7
457	Observer-based fault-tolerant control for an air-breathing hypersonic vehicle model. 2014, 76, 409-430	36

456	Game-theoretic solutions through intelligent optimization for efficient resource management in wireless visual sensor networks. 2014 , 29, 472-493		7
455	A real-time model predictive control for building heating and cooling systems based on the occupancy behavior pattern detection and local weather forecasting. 2014 , 7, 89-106		137
454	Optimization of the optical properties of cuprous oxide and silicon-germanium alloy using the Lorentz and Debye models. 2014 , 10, 267-269		4
453	Spectroscopic investigations of meteorites. 2014 , 146, 391-401		1
452	Systematic approach for modeling methanol mass transport on the anode side of direct methanol fuel cells. 2014 , 39, 8009-8025		8
451	Luminescence concentration quenching mechanism in Gd ₂ O ₃ :Eu ³⁺ . 2014 , 118, 1390-6		82
450	Luminescence and energy transfer properties of Eu ³⁺ and Gd ³⁺ in ZrO ₂ . <i>Journal of Luminescence</i> , 2014 , 146, 398-403	3.8	30
449	Deriving Vegetation Phenological Time and Trajectory Information Over Africa Using SEVIRI Daily LAI. 2014 , 52, 1113-1130		35
448	A Macroscopic Model Including Membrane Exchange for Diffusion MRI. 2014 , 74, 516-546		15
447	Regularized collocation Trefftz method for void detection in two-dimensional steady-state heat conduction problems. 2014 , 22, 395-418		10
446	Critical assessment of models for transport of engineered nanoparticles in saturated porous media. 2014 , 48, 12732-41		56
445	Maximum likelihood estimation of linear SISO models subject to missing output data and missing input data. 2014 , 1-11		6
444	On the Prediction of Joint Rain Attenuation Statistics in Earth-Space Diversity Systems Using Copulas. 2014 , 62, 2250-2257		12
443	Exponential Growth Model: From Horizontal to Linear Asymptote. 2014 , 43, 2186-2204		1
442	Selective Oligomerization of Isobutene on Lewis Acid Catalyst: Kinetic Modeling. 2014 , 53, 18982-18992		11
441	Decomposing damped incident and reflected waves using correlation and quasi-linearization methods. 2014 , 91, 181-190		2
440	New solution decomposition and minimization schemes for Poisson-Boltzmann equation in calculation of biomolecular electrostatics. 2014 , 275, 294-309		34
439	Hard/soft hybrid modeling of temperature-induced unfolding processes involving G-quadruplex and i-motif nucleic acid structures. 2014 , 466, 4-15		13

438	Socially guided intrinsic motivation for robot learning of motor skills. 2014 , 36, 273-294	28
437	Cohesive crack, size effect, crack band and work-of-fracture models compared to comprehensive concrete fracture tests. 2014 , 187, 133-143	69
436	Quantification of parameter and model uncertainty for shape memory alloy bending actuators. 2014 , 25, 229-245	7
435	A Kernel-Based Feature Selection Method for SVM With RBF Kernel for Hyperspectral Image Classification. 2014 , 7, 317-326	195
434	Visual and Contextual Modeling for the Detection of Repeated Mild Traumatic Brain Injury. 2014 , 33, 11-22	6
433	Matrix effects in laser ablation molecular isotopic spectrometry. 2014 , 101, 204-212	11
432	Development of a variable selection method for soft sensor using artificial neural network and nonnegative garrote. 2014 , 24, 1068-1075	28
431	Estimation of effective parameters for microperforated panel absorbers and applications. 2014 , 75, 86-93	23
430	Automatic compensation of phase aberrations in digital holographic microscopy for living cells investigation by using spectral energy analysis. 2014 , 57, 169-174	20
429	Marine guided-waves: Applications and filtering using physical modeling data. 2014 ,	
428	Quantitative measurement of cancer metabolism using stimulated echo hyperpolarized carbon-13 MRS. 2014 , 71, 1-11	25
427	On Identifying Envelop Type Nonlinear Output Error Takagi-Sugeno Fuzzy Models for Dynamic Systems with Uncertainties. 2014 , 47, 3226-3231	1
426	Accounting for earnings announcements in the pricing of equity options. 2014 , 01, 1450031	1
425	Least squares fitting of the stage discharge relationship using smooth models with curvilinear asymptotes. 2015 , 60, 1797-1812	2
424	Randomize-Then-Optimize for Sampling and Uncertainty Quantification in Electrical Impedance Tomography. 2015 , 3, 1136-1158	8
423	Determination of Section Aerodynamic Operating Condition on Wings and Rotor Blades From Leading-Edge Pressure Measurements. 2015 ,	
422	Parameter identification of two-time-scale nonlinear transient models. 2015 , 2,	2
421	Two-time-scale inverse problems: formulation and solution. 2015 , 657, 012005	

420	Semiparametric transformation models for multiple continuous biomarkers in ROC analysis. 2015 , 57, 808-33	6
419	Accounting for Earnings Announcements in the Pricing of Equity Options. 2015 ,	
418	A Comparative Goodness-of-Fit Analysis of Distributions of Some LLvy Processes and Heston Model to Stock Index Returns. 2015 ,	
417	Airflow Sensing With Arrays of Hydrogel Supported Artificial Hair Cells. 2015 ,	
416	Z-Spectrum analysis provides proton environment data (ZAPPED): a new two-pool technique for human gray and white matter. 2015 , 10, e0119915	2
415	FE-analysis and in situ visualization of pressure-, slip-rate-, and temperature-dependent coefficients of friction for advanced sheet metal forming: development of a novel coupled user subroutine for shell and continuum discretization. 2015 , 81, 397-410	18
414	Optimization of model parameters and experimental designs with the Optimal Experimental Design Toolbox (v1.0) exemplified by sedimentation in salt marshes. 2015 , 8, 791-804	1
413	Robust estimation of thermodynamic parameters (H , S and ΔG_p) for prediction of retention time in gas chromatography - Part II (Application). 2015 , 1425, 258-64	2
412	FAemb: A function approximation-based embedding method for image retrieval. 2015 ,	3
411	Weight optimal Proportional-Integral-Plus control of a gasoline engine model. 2015 ,	
410	Simple mechanical parameters identification of induction machine using voltage sensor only. 2015 , 92, 60-66	9
409	Lunar orbit insertion targeting from the two-segment lunar free-return trajectories. 2015 , 55, 1051-1060	
408	A Computationally Efficient Simulation-Based Optimization Algorithm for Large-Scale Urban Transportation Problems. 2015 , 49, 623-636	63
407	A Markov Model for Characterizing IEEE 802.15.4 MAC Layer in Noisy Environments. 2015 , 62, 5133-5142	17
406	Model predictive control for improving waste heat recovery in coke dry quenching processes. 2015 , 80, 275-283	27
405	Development of a new semi-analytical model for cross-borehole flow experiments in fractured media. 2015 , 76, 97-108	8
404	On affine-scaling inexact dogleg methods for bound-constrained nonlinear systems. 2015 , 30, 276-300	6
403	Analysis and calibration techniques for superconducting resonators. 2015 , 86, 013103	9

402	The use of rotational invariants for the interpretation of marine CSEM data with a case study from the North Alex mud volcano, West Nile Delta. 2015 , 201, 224-245		16
401	Nonlinear Dynamic Modelling of Platelet Aggregation via Microfluidic Devices. 2015 , 62, 1718-27		8
400	Identification of the time-dependent conductivity of an inhomogeneous diffusive material. 2015 , 269, 35-58		2
399	Experimental chemo-mechanics of early-age fracture properties of cement paste. 2015 , 75, 42-52		35
398	Head kinematics during shaking associated with abusive head trauma. 2015 , 48, 3123-7		5
397	Hierarchical Formation Mechanism of CoFe ₂ O ₄ Mesoporous Assemblies. 2015 , 9, 7277-86		28
396	Optical constants of synthetic potassium, sodium, and hydronium jarosite. 2015 , 100, 1110-1122		12
395	Semiparametric transformation models with random effects for clustered doubly censored data. 2015 , 85, 1554-1566		
394	An augmented Lagrangian affine scaling method for nonlinear programming. 2015 , 30, 934-964		1
393	A low-computational-cost inverse heat transfer technique for convective heat transfer measurements in hypersonic flows. 2015 , 56, 1		9
392	Recent advances in trust region algorithms. <i>Mathematical Programming</i> , 2015 , 151, 249-281	2.1	123
391	Non-invasive evaluation of therapeutic response in keloid scar using diffuse reflectance spectroscopy. 2015 , 6, 390-404		24
390	Validation and selection of ODE based systems biology models: how to arrive at more reliable decisions. 2015 , 9, 32		11
389	Process simulation and optimisation of H ₂ production from ethanol steam reforming and its use in fuel cells. 1. Thermodynamic and kinetic analysis. 2015 , 281, 1024-1035		41
388	A projection method for convex constrained monotone nonlinear equations with applications. 2015 , 70, 2442-2453		56
387	A Framework for Compressive Sensing of Asymmetric Signals Using Normal and Skew-Normal Mixture Prior. 2015 , 63, 5062-5072		3
386	Superresolved imaging based on wavelength multiplexing of projected unknown speckle patterns. 2015 , 54, D51		12
385	Response Surface Modeling of Lead and Copper Removal from Oil Field Brine by Potential Sorption Method. 2015 , 33, 290-300		

384	Reconstruction of the photon diffusion coefficient in optical tomography. 2015 , 30, 197-215		
383	HONPAS: A linear scaling open-source solution for large system simulations. 2015 , 115, 647-655		27
382	Efficient numerical solution of the time fractional diffusion equation by mapping from its Brownian counterpart. 2015 , 282, 334-344		10
381	Simplified method based on an intelligent model to obtain the extinction angle of the current for a single-phase half wave controlled rectifier with resistive and inductive load. 2015 , 13, 37-47		26
380	A New Software Reliability Growth Model: Multigeneration Faults and a Power-Law Testing-Effort Function. 2016 , 2016, 1-13		4
379	A Study on Water Pollution Source Localization in Sensor Networks. 2016 , 2016, 1-11		3
378	Quantitative Analysis of Polarimetric Model-Based Decomposition Methods. <i>Remote Sensing</i> , 2016 , 8, 977	5	19
377	Temporally stable surface mass balance asymmetry across an ice rise derived from radar internal reflection horizons through inverse modeling. 2016 , 62, 525-534		8
376	Productivity Progression with Tool Wear in Titanium Milling. 2016 , 5, 427-441		1
375	SMAP soil moisture drying more rapid than observed in situ following rainfall events. 2016 , 43, 8068-8075		63
374	Optical properties of chalcogenide glass microstructured optical fiber: An analytical field model. 2016 ,		
373	Milling Force Modeling: A Comparison of Two Approaches. 2016 , 5, 90-105		29
372	Microscale liquid-liquid displacement dynamics: Molecular kinetic or hydrodynamic control. 2016 , 497, 336-343		16
371	Scalable posterior approximations for large-scale Bayesian inverse problems via likelihood-informed parameter and state reduction. 2016 , 315, 363-387		23
370	Peritherapeutic Hemodynamic Changes of Carotid Stenting Evaluated with Quantitative DSA in Patients with Carotid Stenosis. 2016 , 37, 1883-1888		16
369	Wearable Barometric Pressure Sensor to Improve Postural Transition Recognition of Mobility-Impaired Stroke Patients. 2016 , 24, 1210-1217		22
368	Options on Leveraged ETFs. 2016 , 51-88		
367	Mechanistic force model coefficients: A comparison of linear regression and nonlinear optimization. 2016 , 45, 311-321		32

366	Simulation and optimization of steam operated double effect water-LiBr absorption heat pump. 2016 , 109, 454-465	18
365	Controllability and stability analysis of large transcriptomic dynamic systems for host response to influenza infection in human. 2016 , 1, 52-70	7
364	Resolution of rupture directivity in weak events: 1-D versus 2-D source parameterizations for the 2011, Mw 4.6 and 5.2 Lorca earthquakes, Spain. 2016 , 121, 6608-6626	11
363	Antenna array optimization strategies for robust direction finding. 2016 ,	
362	Target-oriented linear least squares and nonlinear, trust-region Newton inversions of plane waves using AVA and PVA data for elastic model parameters. 2016 , 81, R325-R338	6
361	Reverberation robust TDOA estimation using convex region prior. 2016 ,	
360	Parameters Recovery via Calibration in the Heston Model: A Comprehensive Review. 2016 , 2016, 60-81	4
359	Pseudocontact shifts from mobile spin labels. 2016 , 18, 26412-26422	35
358	Ultra-high sensitivity moment magnetometry of geological samples using magnetic microscopy. 2016 , 17, 3754-3774	21
357	A Novel Insulin/Glucose Model after a Mixed-Meal Test in Patients with Type 1 Diabetes on Insulin Pump Therapy. 2016 , 6, 36029	8
356	Modification of the TSI 3081 differential mobility analyzer to include three monodisperse outlets: Comparison between experimental and theoretical performance. 2016 , 50, 1342-1351	4
355	Kinetic locus design for longitudinal stretch forming of aircraft skin components. 2016 , 86, 3571-3582	13
354	Using Residence Time Distributions (RTDs) to Address the Traceability of Raw Materials in Continuous Pharmaceutical Manufacturing. 2016 , 11, 64-81	106
353	Global parameter estimation of the Cochlocladium polykrikoides model using bioassay data. 2016 , 35, 39-45	2
352	Physical ageing and lifetime prediction of polymer membranes for gas separation processes. 2016 , 516, 33-46	16
351	Inverse heat transfer applied to a hydrogeological and thermal response test for geothermal applications. 2016 , 109, 70-80	10
350	Elucidating a Unified Mechanistic Scheme for the DBU-Catalyzed Ring-Opening Polymerization of Lactide to Poly(lactic acid). 2016 , 49, 4699-4713	42
349	An active set algorithm for nonlinear optimization with polyhedral constraints. 2016 , 59, 1525-1542	6

348	DUSTER: dynamic contrast enhance up-sampled temporal resolution analysis method. 2016 , 34, 442-50	6
347	Flow field sensing with bio-inspired artificial hair cell arrays. 2016 , 236, 805-814	8
346	On dimension reduction in Gaussian filters. 2016 , 32, 045003	12
345	Elasticity of plagioclase feldspars. 2016 , 121, 663-675	52
344	Super-resolution reconstruction of diffusion parameters from diffusion-weighted images with different slice orientations. 2016 , 75, 181-95	29
343	A modified probability collectives optimization algorithm based on trust region method and a new temperature annealing schedule. 2016 , 20, 1581-1600	1
342	Semi-physical piecewise affine representation for governors in hydropower system generation. 2016 , 136, 181-188	4
341	Host immunity shapes the impact of climate changes on the dynamics of parasite infections. 2016 , 113, 2970-5	18
340	The method of fundamental solutions for three-dimensional inverse geometric elasticity problems. 2016 , 166, 51-59	23
339	A Comprehensive Methodology for Development, Parameter Estimation, and Uncertainty Analysis of Group Contribution Based Property Models—An Application to the Heat of Combustion. 2016 , 61, 602-613	44
338	A comparative goodness-of-fit analysis of distributions of some Lévy processes and Heston model to stock index returns. 2016 , 36, 69-83	9
337	Backward Step Control for Global Newton-Type Methods. 2016 , 54, 361-387	9
336	Leveraged Exchange-Traded Funds. 2016 ,	7
335	Active balance of humanoids with foot positioning compensation and non-parametric adaptation. 2016 , 75, 297-309	5
334	An enhanced Johnson-Cook strength model for splitting strain rate and temperature effects on lower yield stress and plastic flow. 2016 , 113, 231-265	38
333	Tunable equivalence fuzzy associative memories. 2016 , 292, 242-260	13
332	A simplified method for predicting rainfall-induced mobility of active landslides. 2017 , 14, 35-45	51
331	Analytical and Scalable Analysis of Transient Tandem Markovian Finite Capacity Queueing Networks. 2017 , 51, 823-840	5

330	Inverse Design of Horizontal Axis Wind Turbine Blades. 2017,	
329	Prediction of the surface tension of binary liquid mixtures of associating compounds using the Cubic Plus Association (CPA) equation of state. 2017, 231, 451-461	10
328	Orbit propagation using semi-analytical theory and its applications in space debris field. 2017, 362, 1	5
327	Estimating Leakages in Water Distribution Networks Based Only on Inlet Flow Data. 2017, 143, 04017014	14
326	Effect of up-scaling on the quality of ashes obtained from hyperaccumulator biomass to recover Ni by agromining. 2017, 120, 26-33	15
325	Modeling angiogenesis: A discrete to continuum description. 2017, 95, 012410	14
324	Predicting the competitive relationships of industrial production between Taiwan and China using Lotka-Volterra model. 2017, 49, 2428-2442	7
323	The euphotic zone under Arctic Ocean sea ice: Vertical extents and seasonal trends. 2017, 62, 1910-1934	13
322	NOE TS fuzzy modelling of nonlinear dynamic systems with uncertainties using symbolic interval-valued data. 2017, 57, 353-362	6
321	Crystal-chemistry control of the mechanical properties of 2:1 clay minerals. 2017, 143, 387-398	26
320	Tracking of streaking targets in video frames. 2017,	2
319	Kinetics of the liquid phase dehydration of 1-octanol to di-n-octyl ether on Amberlyst 70. 2017, 63, 3966-3978	5
318	RECONSTRUCTION ALGORITHMS OF AN INVERSE COEFFICIENT IDENTIFICATION PROBLEM FOR THE SCHRÖDINGER EQUATION. 2017, 22, 352-372	
317	Un Nuevo Método de Identificación Basado en la Respuesta Escalón en Lazo Abierto de Sistemas Sobre-amortiguados. 2017, 14, 31-43	4
316	A simplified method to calculate trim and resistance of a two-stepped planing hull. 2017, 12, S317-S329	17
315	Universal Filtered Multi-Carrier Transmission With Adaptive Active Interference Cancellation. 2017, 65, 2554-2567	15
314	Design and analysis of compressive antenna arrays for direction of arrival estimation. 2017, 138, 35-47	17
313	Robust scaling laws for energy confinement time, including radiated fraction, in Tokamaks. 2017, 57, 126017	8

312	A finite volume method for nonlocal competition-mutation equations with a gradient flow structure. 2017 , 51, 1223-1243	3
311	Dynamic effects of root system architecture improve root water uptake in 1-D process-based soil-root hydrodynamics. 2017 , 110, 319-334	10
310	Effects of variability in ambient vibration data on model updating and damage identification of a 10-story building. 2017 , 151, 540-553	25
309	Differential mast cell outcomes are sensitive to Fc β I-Syk binding kinetics. 2017 , 28, 3397-3414	13
308	An analysis of edge dislocation pileups against a circular inhomogeneity or a bimetallic interface. 2017 , 129, 146-155	10
307	Kinetic Analysis of the Multivalent Ligand Binding Interaction between Protein A/G and IgG: A Standard System Setting. 2017 , 121, 8919-8925	3
306	Reconstruction of space-dependent potential and/or damping coefficients in the wave equation. 2017 , 74, 1435-1454	10
305	Formulation optimization of reverse microemulsions using design of experiments for nanoparticles synthesis. 2017 , 125, 367-384	16
304	Mixing and the fractal geometry of piecewise isometries. 2017 , 95, 042208	7
303	On the Importance of Choosing the Best Minimization Algorithm for the Determination of Ternary Diffusion Coefficients by the Taylor Dispersion Method. 2017 , 2, 2945-2952	6
302	MRI Study of Liesegang Patterns: Mass Transport and Banded Inorganic Phase Formation in Gel. 2017 , 48, 545-557	1
301	Estimating age-related incidence of HBsAg seroclearance in chronic hepatitis B virus infections of China by using a dynamic compartmental model. 2017 , 7, 2912	8
300	Adsorption Kinetics in Liquid Phase: Modeling for Discontinuous and Continuous Systems. 2017 , 53-76	11
299	Coal-fired utility boiler modelling for advanced economical low-NOx combustion controller design. 2017 , 58, 127-141	14
298	5 Design of Wideband RF and Microwave Amplifiers Employing Real Frequency Techniques. 2017 , 219-488	
297	Super-resolution T estimation: Quantitative high resolution T mapping from a set of low resolution T-weighted images with different slice orientations. 2017 , 77, 1818-1830	9
296	Dynamic skin deformation simulation using musculoskeletal model and soft tissue dynamics. 2017 , 3, 49-60	8
295	On over-exposed region detection with regularized logistic regression. 2017 ,	

294	Actuarial Risk Matrices: The Nearest Positive Semidefinite Matrix Problem. 2017 , 21, 552-564		1
293	Greedy phase retrieval with reference points and bounded sparsity. 2017 ,		
292	. 2017 , 65, 5511-5522		4
291	High-performance indoor positioning and pose estimation with time-of-flight 3D imaging. 2017 ,		3
290	Thermal Characteristics of Polymer-Infused Microstructured Optical Fiber Using an Analytical Field Model. 2017 ,		
289	Experimental and numerical evaluation of viscoelastic sandwich beams. 2017 , 70, 281-287		1
288	Bathymetry of the Coral Reefs of Weizhou Island Based on Multispectral Satellite Images. <i>Remote Sensing</i> , 2017 , 9, 750	5	15
287	Profiling aerosol optical, microphysical and hygroscopic properties in ambient conditions by combining in situ and remote sensing. 2017 , 10, 83-107		7
286	An Integrated Model for Performance Optimization of Aerospace Bearings Considering High-Speed Rotations and Temperature Variations. 2017 ,		1
285	Uncertainty in simulating regional gross primary productivity from satellite-based models over northern China grassland. 2018 , 88, 134-143		16
284	The impact of exclusion processes on angiogenesis models. 2018 , 77, 1721-1759		5
283	Near-wall dispersion, deposition and transformation of particles in automotive exhaust gas aftertreatment systems. 2018 , 70, 171-180		1
282	Probing the microscopic environment of Na ions in brain tissue by MRI: On the accuracy of different sampling schemes for the determination of rapid, biexponential T2* decay at low signal-to-noise ratio. 2018 , 80, 571-584		8
281	Preliminary Design of Transfer Trajectories for Asteroid Exploration Missions. 2018 ,		
280	Silver Nanoparticles in the Water Environment in Malaysia: Inspection, characterization, removal, modeling, and future perspective. 2018 , 8, 986		82
279	Inverse Design of Single- and Multi-Rotor Horizontal Axis Wind Turbine Blades Using Computational Fluid Dynamics. 2018 , 140,		7
278	The Cox-Aalen model for left-truncated and right-censored data. 2018 , 47, 5357-5368		4
277	Numerical and experimental identification of simplified building walls using the reflective Newton method. 2018 , 41, 321-338		2

276	Estimating sowing dates from satellite data over the U.S. Midwest: A comparison of multiple sensors and metrics. 2018 , 211, 400-412	19
275	Heat Transfer Coefficient at Cast-Mold Interface During Centrifugal Casting: Calculation of Air Gap. 2018 , 49, 1421-1433	11
274	A novel reduced order model for vortex induced vibrations of long flexible cylinders. 2018 , 156, 191-207	9
273	Time-Dependent Effect of Corrosion on the Mechanical Characteristics of Stay Cable. 2018 , 23, 04018019	8
272	A multivariate stochastic volatility model with applications in the foreign exchange market. 2018 , 21, 1-43	6
271	Adaptive grid semidefinite programming for finding optimal designs. 2018 , 28, 441-460	7
270	Investigation on three-roller cylindrical bending of 2060-T8 Al-Li alloy plate for aircraft fuselage skin components. 2018 , 11, 269-278	8
269	An affine scaling interior trust-region method combining with line search filter technique for optimization subject to bounds on variables. 2018 , 77, 1159-1182	5
268	An algorithm based on semidefinite programming for finding minimax optimal designs. 2018 , 119, 99-117	3
267	Stratigraphy and paleohydrology of delta channel deposits, Jezero crater, Mars. 2018 , 301, 58-75	64
266	Bounding the difference between RankRC and RankSVM and application to multi-level rare class kernel ranking. 2018 , 32, 417-452	2
265	A pileup of edge dislocations against an inclined bimetallic interface. 2018 , 117, 32-40	8
264	Performance evaluation of the cost-effective and lightweight Alphasense optical particle counter for use onboard unmanned aerial vehicles. 2018 , 52, 385-392	16
263	2-D Inverse Dynamics Knee Model: Aligning Anatomical Knee Model With Knee Extension Kinematic Data Using Ligament Forces. 2018 ,	1
262	Optimal parameters for anomalous-diffusion-exponent estimation from noisy data. 2018 , 98,	19
261	A Multispectral Bayesian Classification Method for Increased Acoustic Discrimination of Seabed Sediments Using Multi-Frequency Multibeam Backscatter Data. 2018 , 8, 455	31
260	Assessment of Double Modulation Pyrometry as a diagnostic tool for use in concentrated solar facilities. 2018 , 174, 660-668	1
259	Carbon fluxes from a temperate rainforest site in southern South America reveal a very sensitive sink. 2018 , 9, e02193	8

258	Structure of the Crust and Mantle Down to 700 km Depth beneath the Longmenshan From P Receiver Functions. 2018 , 37, 1688-1708	7
257	Bore Cylindricity in Finish Cylinder Boring. 2018 , 140,	1
256	Robust Optimal Design of Quantum Electronic Devices. 2018 , 2018, 1-10	0
255	Optimization of a multiblaze grating in reflection using a free-form profile. 2018 , 57, 5048-5056	7
254	. 2018 , 26, 1976-1990	19
253	Individual-Based Modelling of Invasion in Bioaugmented Sand Filter Communities. 2018 , 6, 2	3
252	Analysis of 1D, 2D and 3D Systems Using the Method of Moments. 2018 , 51-100	
251	Analytical approach to network inference: Investigating degree distribution. 2018 , 98, 022311	3
250	Homogenization coarse graining (HCG) of the lattice discrete particle model (LDPM) for the analysis of reinforced concrete structures. 2018 , 197, 259-277	17
249	Propulsion System Modeling for Small Fixed-Wing UAVs. 2019 ,	3
248	Novel Approach for Modeling Non-Premixed Rotating Detonation Engine Using a 2-D CFD Analysis. 2019 ,	1
247	Numerical comparisons of sandwich viscoelastic beam models1. 2019 , 86, 28-36	
246	A Jump-Distance-Based Parameter Inference Scheme for Particulate Trajectories. 2019 , 117, 143-156	5
245	A Piecewise Model for Two-phase Growth Phenomena. 2019 , 1-17	
244	Mathematical modeling and performance analysis of an integrated solar heating and cooling system driven by parabolic trough collector and double-effect absorption chiller. 2019 , 202, 109400	17
243	. 2019 ,	
242	Reconstruction algorithms of an inverse geometric problem for the modified Helmholtz equation. 2019 , 38, 1	
241	Impulse noise removal by an adaptive trust-region method. 2019 , 23, 11901-11923	1

240	A Holistic Model for Performance Prediction and Optimization on NUMA-based Virtualized Systems. 2019 ,	1
239	New insights into the indentation size effect in silicate glasses. 2019 , 521, 119494	21
238	Experimental modal analysis of disk-like rotor-stator system coupled by viscous liquid. 2019 , 88, 198-215	6
237	. <i>IEEE Access</i> , 2019 , 7, 70919-70932	3.5 26
236	OGLE-2018-BLG-0022: A Nearby M-dwarf Binary. 2019 , 157, 215	3
235	Performance analysis of the distribution for Global Positioning System (GPS) L1 frequency-related ionospheric fading channels. 2019 , 9, A15	4
234	The effects of Co/Cu Co-doped ZnO thin films: An optical study. 2019 , 797, 253-261	5
233	A practical ansatz for evaluating the electronic friction tensor accurately, efficiently, and in a nearly black-box format. 2019 , 150, 164105	5
232	Calibration of Off-the-Shelf Anisotropic Magnetoresistance Magnetometers. 2019 , 19,	7
231	Removal of Silver Nanoparticles from Water Environment: Experimental, Mathematical Formulation, and Cost Analysis. 2019 , 230, 1	12
230	Framework for DNA Quantification and Outlier Detection Using Multidimensional Standard Curves. 2019 , 91, 7426-7434	10
229	X-ray radiographs reconstruction based on nonlinear least squares with deconvolution. 2019 , 929, 134-141	
228	A New Single Ended Fault Location Method for Transmission Line Based on Positive Sequence Superimposed Network During Auto-Reclosing. 2019 , 1-1	11
227	Simulation-Based Travel Time Reliable Signal Control. 2019 , 53, 523-544	6
226	Characterization of the passive mechanical properties of spine muscles across species. 2019 , 88, 173-179	8
225	A Survey on Pollution Monitoring Using Sensor Networks in Environment Protection. 2019 , 2019, 1-11	15
224	Workplace Exposure to Nanoparticles during Thermal Spraying of Ceramic Coatings. 2019 , 63, 91-106	11
223	Homography-based traffic sign localisation and pose estimation from image sequence. 2019 , 13, 2829-2839	3

222	Global Sensitivity Analysis of the SCOPE Model in Sentinel-3 Bands: Thermal Domain Focus. <i>Remote Sensing</i> , 2019 , 11, 2424	5	12
221	Rainfall Erosivity and Its Estimation: Conventional and Machine Learning Methods. 2019 ,		6
220	Optimal Design and Dynamic Analysis of a Hybrid Manipulator for Intra-ocular Surgeries. 2019 ,		
219	Comparison between fmincon and NOMAD optimization codes to design wound rotor synchronous machines. 2019 , 60, S87-S100		2
218	Crowdsensed Performance Benchmarking of Mobile Networks. <i>IEEE Access</i> , 2019 , 7, 154899-154911	3.5	8
217	Multi-Level Deceleration Planning Based on Reinforcement Learning Algorithm for Autonomous Regenerative Braking of EV. 2019 , 10, 57		0
216	Guiding Mineralization Co-Culture Discovery Using Bayesian Optimization. 2019 , 53, 14459-14469		0
215	An Inexact Affine Scaling Levenberg-Marquardt Method Under Local Error Bound Conditions. 2019 , 35, 830-844		0
214	ASL-MRICloud: An online tool for the processing of ASL MRI data. 2019 , 32, e4051		17
213	Machining Dynamics. 2019 ,		15
212	Exploring nonlinear functional responses of zooplankton grazers in dilution experiments via optimization techniques. 2019 , 64, 774-784		4
211	Proposal of Feedback Control Systems for Thermal Driven High Power Density Actuator. 2019 ,		1
210	Convergence of the EDIIS Algorithm for Nonlinear Equations. 2019 , 41, A365-A379		6
209	Numerical Investigation of Rotating Detonation Combustor (RDC): Performance analysis of non-premixed RDC in a 2-D domain. 2019 ,		
208	Simultaneous Single-Channel Multiplexing and Quantification of Carbapenem-Resistant Genes Using Multidimensional Standard Curves. 2019 , 91, 2013-2020		10
207	A numerical scheme for the thermodynamic analysis of gas turbines. 2019 , 147, 521-536		8
206	Functional data analysis by matrix completion. 2019 , 47,		6
205	A robust computational method based on the thermodynamic approach for determining monomer partitioning in emulsion polymerization systems. 2019 , 97, 1694-1707		

204	Comparative study on optimization algorithms for online identification of an instantaneous force model in milling. 2019 , 101, 2249-2257	11
203	Time-local discretization of fractional and related diffusive operators using Gaussian quadrature with applications. 2020 , 155, 73-92	
202	The static parallel distribution algorithms for hybrid density-functional calculations in HONPAS package. 2020 , 34, 159-168	2
201	An I-frame Methodology for Approximating Nonlinear Least Squares. 2020 , 50, 1362-1371	1
200	Reconstruction algorithms of an inverse source problem for the Helmholtz equation. 2020 , 84, 909-933	4
199	Novel Fast User-Placement Ushering Algorithms and Performance Analysis for LTE Femtocell Networks. 2020 , 6, 381-393	
198	Buffer effect on identifying transient streambed hydraulic conductivity with inversion of flood wave responses. 2020 , 580, 124261	3
197	CFLab: A MATLAB GUI program for decomposing sediment grain size distribution using Weibull functions. 2020 , 398, 105590	7
196	Comparison of particle size distributions and volatile organic compounds exhaled by e-cigarette and cigarette users. 2020 , 141, 105487	13
195	Proposal of a Feedback Control System for a Thermally Driven High-Power-Density Actuator. 2020 , 57, 99-108	1
194	The impact of aggregation interval on current harmonic simulation of aggregated electric vehicle loads. 2020 ,	1
193	Optimality analysis of bulk-reacting liners based on mode-merging design method. 2020 , 485, 115581	1
192	Multi-fidelity Gaussian process based empirical potential development for Si:H nanowires. 2020 , 10, 195-201	0
191	A flexible model for edge representation in digital imagery. 2020 , 177, 107723	
190	Spatio-temporal soil drying in southeastern South America: the importance of effective sampling frequency and observational errors on drydown time scale estimates. 2020 , 41, 7958-7992	4
189	Reconstruction algorithms of an inverse conductive scattering problem for the Helmholtz equation. 2020 , 1-17	
188	BEER analysis of Kepler and CoRoT light curves IV. eBEER: extension of the algorithm to eccentric binaries. 2020 , 497, 4884-4895	2
187	Hessian-based optimization of constrained quantum control. 2020 , 102,	2

186	Untangling the diffusion signal using the phasor transform. 2020 , 33, e4372	3
185	Measurement-Based Current-Harmonics Modeling of Aggregated Electric-Vehicle Loads Using Power-Exponential Functions. 2020 , 11, 51	5
184	A Positivity Preserving Iterative Method for Finding the Ground States of Saturable Nonlinear Schrödinger Equations. 2020 , 84, 1	2
183	Long-term ground multi-level deformation fusion and analysis based on a combination of deformation prior fusion model and OTD-InSAR for longwall mining activity. 2020 , 161, 107911	8
182	Tuneable quantum spin Hall states in confined 1T' transition metal dichalcogenides. 2020 , 10, 6670	5
181	Source Regions of Infragravity Waves Recorded at the Bottom of the Equatorial Atlantic Ocean, Using OBS of the PI-LAB Experiment. 2020 , 125, e2019JC015430	4
180	Scalable Optimization-Based Sampling on Function Space. 2020 , 42, A1317-A1347	4
179	Novel Approach for Computational Modeling of a Non-Premixed Rotating Detonation Engine. 2020 , 36, 617-631	10
178	Particle size distributions and hygroscopic restructuring of ultrafine particles emitted during thermal spraying. 2020 , 54, 1359-1372	3
177	Deriving a Proxy for Iron Limitation From Chlorophyll Fluorescence on Buoyancy Gliders. 2020 , 7,	5
176	Parameter Estimation of the Stochastic Primary Nucleation Kinetics by Stochastic Integrals Using Focused-Beam Reflectance Measurements. 2020 , 10, 380	4
175	Diffusion mechanisms and effect of adsorbent geometry on heavy metal adsorption. 2020 , 157, 182-194	13
174	Numerical and Observational Analysis of the Hydro-Dynamical Variability in a Small Lake: The Case of Lake Zirahuñ, México. 2020 , 12, 1658	3
173	On some factors determining the pressure drop across tracheal tubes during high-frequency percussive ventilation: a flow-independent model. 2021 , 35, 885-890	
172	MR spectroscopy using static higher order shimming with dynamic linear terms (HOS-DLT) for improved water suppression, interleaved MRS-fMRI, and navigator-based motion correction at 7T. 2020 , 84, 1101-1112	6
171	Evolution of Neuroaesthetic Variables in Portrait Paintings throughout the Renaissance. 2020 , 22,	4
170	Mode-Merging Design Method for Nonlocally Reacting Liners with Porous Materials. 2020 , 58, 2533-2545	3
169	Numerical investigation of the effects of compressibility on the flutter of a three-dimensional, cantilevered plate in an inviscid, subsonic, open flow. 2020 , 477, 115342	1

168	Measuring segregation characteristics of industrially relevant granular mixtures: Part I \square continuum model approach. 2020 , 368, 190-201		1
167	Comparative study of curve determination methods for incremental capacity analysis and state of health estimation of lithium-ion battery. 2020 , 29, 101400		16
166	Improving Bayesian inference efficiency for sensory anomaly detection and recovery in mobile robots. 2021 , 163, 113755		5
165	Right ventricular myocardial mechanics: Multi-modal deformation, microstructure, modeling, and comparison to the left ventricle. 2021 , 123, 154-166		9
164	Optimal Design of Experiments for Implicit Models. 2021 , 1-14		1
163	Modeling multifrequency GPS multipath fading in land vehicle environments. 2021 , 25, 1		2
162	A Contraction Theory-based Tracking Control Design With Friction Identification and Compensation. 2021 , 1-1		2
161	A Satellite Incipient Fault Detection Method Based on Local Optimum Projection Vector and Kullback-Leibler Divergence. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 797	2.6	1
160	A Single-terminal Fault Location Method for Transmission Lines Integrated by Inverter-type Source. 2021 , 1-1		1
159	Collision-Free Deployments of Compact Stacks with Spring-Loaded Hinges. 2021 ,		
158	Computational Methods for Proteome Analysis. 2021 , 195-282		1
157	Improving Radar Rainfall Estimation by Accounting for Microphysical Processes Using a Micro Rain Radar in West Africa. 2021 , 11, 658-688		
156	Estimation of Parameters of Five-Phase Induction Motors Using Step Voltage at Standstill. 2021 , 1-1		0
155	Improved model simulation of soil carbon cycling by representing the microbially derived organic carbon pool. 2021 , 15, 2248-2263		7
154	Approximate solution of system of equations arising in interior-point methods for bound-constrained optimization. 2021 , 79, 155-191		1
153	A Comparative Analysis of Aerosol Optical Coefficients and Their Associated Errors Retrieved from Pure-Rotational and Vibro-Rotational Raman Lidar Signals. 2021 , 21,		1
152	The Overlap Factor Model of Spin-Polarised Coupled Lasers. 2021 , 8, 83		1
151	On the use of transpiration patterns for reduction of pressure losses. 2021 , 915,		0

- 150 A new High-Throughput-Screening-assay for Photoantimicrobials Based on EUCAST Revealed Photoantimicrobials in Cortinariaceae.
- 149 Accumulation of Brain Hypointense Foci on Susceptibility-Weighted Imaging in Childhood Ataxia Telangiectasia. **2021**, 42, 1144-1150 2
- 148 Time-variant self-excited force model based on 2D rational function approximation. **2021**, 211, 104523 3
- 147 Entropy estimation within in vitro neural-astrocyte networks as a measure of development instability. **2021**, 103, 042412
- 146 Track-to-object association algorithm based on TLE filtering. **2021**, 67, 2304-2318 0
- 145 Fides: Reliable Trust-Region Optimization for Parameter Estimation of Ordinary Differential Equation Models. 2
- 144 Stochastic 3D microstructure modeling of anodes in lithium-ion batteries with a particular focus on local heterogeneity. **2021**, 192, 110354 3
- 143 Electronic structure and reactivity of tirapazamine as a radiosensitizer. **2021**, 27, 177 1
- 142 Social distancing enhanced automated optimal design of physical spaces in the wake of the COVID-19 pandemic. **2021**, 68, 102791 15
- 141 Optimal experimental design for linear time invariant state-space models. **2021**, 31, 1 0
- 140 Integrating molecular, histopathological, neuroimaging and clinical neuroscience data with NeuroPM-box. **2021**, 4, 614 4
- 139 A new variable selection algorithm for LSTM neural network. **2021**,
- 138 Uncertainty quantification of in-situ horizontal stress with pressuremeter using a statistical inverse analysis method.
- 137 Postseismic Deformation and Afterslip Evolution of the 2015 Gorkha Earthquake Constrained by InSAR and GPS Observations. **2021**, 126, e2020JB020230 5
- 136 MICRU: an effective cloud fraction algorithm designed for UV μ is satellite instruments with large viewing angles. **2021**, 14, 3989-4031 0
- 135 Mirrored mixture PDF models for scientific image modelling. 1
- 134 High latitude Southern Ocean phytoplankton have distinctive bio-optical properties. **2021**, 29, 21084-21112 3
- 133 Determination of Optimal Diffusion Coefficients in Lake Zirahu \ddot{u} through a Local Inverse Problem. **2021**, 9, 1695 0

132	Phytoplankton Photophysiology Utilities: A Python Toolbox for the Standardization of Processing Active Chlorophyll-a Fluorescence Data. 2021 , 8,	1
131	Optimization of a type of elastic metamaterial for broadband wave suppression. 2021 , 477, 20210337	3
130	Explicit pseudo-transient continuation and the trust-region updating strategy for unconstrained optimization. 2021 , 165, 290-302	2
129	Dynamic condensation approach for response-based finite element model updating of large-scale structures. 2021 , 506, 116176	1
128	A New High-Throughput-Screening-Assay for Photoantimicrobials Based on EUCAST Revealed Unknown Photoantimicrobials in Cortinariaceae. 2021 , 12, 703544	3
127	In Situ Measurement of Elastic and Frictional Properties Using Atomic Force Microscopy. 1-10	0
126	PNKH-B: A Projected Newton--Krylov Method for Large-Scale Bound-Constrained Optimization. S704-S726	0
125	Tempered stable processes with time-varying exponential tails. 1-21	2
124	Ranking non-pharmaceutical interventions against Covid-19 global pandemic using global sensitivity analysis-Effect on number of deaths. 2021 , 152, 111458	0
123	Modeling the pyrolysis of preceramic polymers: A kinetic study of the polycarbosilane SMP-10. 2021 , 41, 6356-6365	1
122	Evaluation of thermo photovoltaic performance through aluminum-fueled combustor with partially porous medium and different geometric cross-sections. 2021 , 247, 114765	3
121	Auto-Tuning of Identified Highly Sensitive Parameters for ANAMMOX System: Advanced Modeling Approach. <i>IEEE Transactions on Industrial Informatics</i> , 2021 , 17, 7238-7245	11.9 2
120	Solving the discrete Euler-Arnold equations for the generalized rigid body motion. 2022 , 402, 113814	
119	A new method to determine the causes of deviation in cylinder pressure curves of motored reciprocating piston engines. 146808742098407	
118	Use of transpiration for reduction of resistance to relative movement of parallel plates. 2021 , 6,	1
117	A Regularized Affine-Scaling Trust-Region Method for Parametric Imaging of Dynamic PET Data. 2021 , 14, 418-439	1
116	Dynamic UAV Deployment for Differentiated Services: A Multi-Agent Imitation Learning Based Approach. 2021 , 1-1	17
115	Phase and Amplitude Calibrations of Rotating Equispaced Circular Array for Geostationary Microwave Interferometric Radiometers--Theory and Methods. 2021 , 1-15	1

114	Qualification of the Alphasense optical particle counter for inline air quality monitoring. 2021 , 55, 361-370	0
113	Development of Smart AnAmmOx System and Its Agile Operation and Decision Support for Pilot-Scale WWTP. 2021 , 423-454	
112	High-Resolution Wide-Field Optical Imaging of Microvascular Characteristics: From the Neocortex to the Eye. 2014 , 123-159	2
111	Fluorescence imaging of single Kinesin motors on immobilized microtubules. 2011 , 783, 121-37	21
110	Grid-Based Topology Optimization of Rigid Body Mechanisms. 2009 , 303-315	1
109	Human 3D Motion Computation from a Varying Number of Cameras. 2011 , 24-35	2
108	Bootstrapping Parameter Estimation in Dynamic Systems. 2011 , 194-208	4
107	Intelligent Model to Obtain Current Extinction Angle for a Single Phase Half Wave Controlled Rectifier with Resistive and Inductive Load. 2013 , 249-256	2
106	Nonuniform Lattice Regression for Modeling the Camera Imaging Pipeline. 2012 , 556-568	6
105	Numerical modeling of water uptake in white rice (<i>Oryza sativa</i> L.) using variable diffusivity approach. 2020 , 191, 116-128	5
104	Measuring segregation characteristics of industrially relevant granular mixtures: Part II □ Experimental application and validation. 2020 , 368, 278-285	2
103	Electrical transient modeling for appliance characterization. 2019 , 2019,	2
102	Estimating vertical and horizontal resistivity of the overburden and the reservoir for the Alvheim □ Boa field. 2013 ,	1
101	Significant relaxation of SARS-CoV-2-targeted non-pharmaceutical interventions may result in profound mortality: A New York state modelling study. 2020 , 15, e0239647	2
100	Seasonal coupling of canopy structure and function in African tropical forests and its environmental controls. 2013 , 4, art35	32
99	Carbon oxidation and bioirrigation in sediments along a Skagerrak-Kattegat-Belt Sea depth transect. 2018 , 604, 33-50	8
98	Determining Bourgoyne and Young Model Coefficients Using Genetic Algorithm to Predict Drilling Rate. 2008 , 8, 3050-3054	16
97	The Effectiveness of the ECB Announcement Channel. 2014 , 05, 1029-1045	1

96	A new multi-gas constrained model of trace gas non-homogeneous transport in firn: evaluation and behavior at eleven polar sites.	14
95	Prediction, time variance, and classification of hydraulic response to recharge in two karst aquifers. 2013 , 17, 281-294	19
94	An improved CryoSat-2 sea ice freeboard and thickness retrieval algorithm through the use of waveform fitting.	6
93	Parallel Dislocation Model Implementation for Earthquake Source Parameter Estimation on Multi-Threaded GPU. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 9434	2.6 0
92	Two nondimensional parameters for characterizing the nuclear morphology. 2021 , 120, 4698-4709	
91	Design of an Adaptive Nonnegative Garrote Algorithm for Multi-Layer Perceptron- Based Soft Sensor. 2021 , 21, 21808-21816	0
90	Simultaneous reconstruction of time-dependent coefficients in the parabolic equation from over-specification conditions. 2021 , 12, 100197	1
89	A Fuzzy Approach for Overcurrent Relays Simulation. 2003 , 90-99	
88	Two-Dimensional Fitting of Brightness Profiles in Galaxy Images with a Hybrid Algorithm. 2005 , 179-185	
87	Experimental Analysis for the Lennard-Jones Problem Solution. 2007 , 239-246	
86	Development of Universal Intelligent Positioning System Techniques in Universal Mobile Telecommunications System Networks. 2008 , 8, 2412-2419	2
85	Optimization Constrained of the Lifetime of the CBN 7020 During the Machining of Steel 100 Cr6. 2009 , 395-403	
84	Random Sampling Nonlinear Optimization for Camera Self-calibration with Modeling of Intrinsic Parameter Space. 2010 , 189-198	
83	Design of an Active Seat Suspension for Agricultural Vehicles. 2011 , 1365-1374	3
82	Evaluation of Acousto-Optic Effect on Size Distribution Measurement of Oscillating Cavitation Bubbles Using Optical Spectrometer. 2012 , 51, 07GD04	
81	Predictability, stationarity, and classification of hydraulic responses to recharge in two karst aquifers.	
80	Fast 1D inversion of towed streamer electromagnetic data to estimate vertical and horizontal resistivity. 2013 ,	
79	Propagation of uncertainty associated with towed streamer EM system data acquired 2012 into a 3D-inversion model. 2013 ,	

- 78 Dynamic Thermal Model of a Lighting System and its Thermal Influence within a Low Energy Building. **2014**, 28, 9-15
- 77 A Procedure to Identify the Handling Characteristics of Agricultural Tyre Through Full-Scale Experimental Tests. **2014**, 191-201
- 76 Optimal Positioning of Small UAVs for Communication Relay. **2014**, 42, 461-467
- 75 Analysis of Electricity Usage for Domestic Heating Based on an Air-to-Water Heat Pump in a Real World Context. **2015**, 587-596
- 74 Simple Bound Constraints Optimization. **2017**, 147-184
- 73 Differential Mast Cell Outcomes Are Sensitive to Fc β I-Syk Binding Kinetics. 1
- 72 Optimization of high-inclination orbits using planetary flybys for a zodiacal light-imaging mission. **2017**,
- 71 A Class of Continuous Separable Nonlinear Multidimensional Knapsack Problems. **2018**, 08, 266-280
- 70 Milling Dynamics. **2019**, 129-212 0
- 69 Current source reconstructing and magnetic imaging of cardiac electrical activity during P-wave. **2019**, 68, 138701
- 68 Computational approaches for parametric imaging of dynamic PET data. 1
- 67 Significant Relaxation of SARS-CoV-2-Targeted Non-Pharmaceutical Interventions Will Result in Profound Mortality: A New York State Modelling Study. **2020**,
- 66 Comparing epidemiological models with the help of visualization dashboards. **2020**, 12, 260-282
- 65 Taking the Guess Work Out of the Initial Guess: A Solution Interval Method for Least-Squares Parameter Estimation in Nonlinear Models. *Journal of Computing and Information Science in Engineering*, **2021**, 21, 2.4 1
- 64 KIX-ray Emission Spectroscopy as a Probe of Cu(I) Sites: Application to the Cu(I) Site in Preprocessed Galactose Oxidase. **2020**, 59, 16567-16581 2
- 63 Model-Based Optimization of a Serial Resonant DC-DC Power Converter. **2021**,
- 62 Optimization of Bathymetry for Long Waves with Small Amplitude. **2021**, 59, 4429-4456 2
- 61 A Methodology for Consistent Georegistration in Underwater Hyperspectral Imaging. **2021**, 1-19 2

60	Control oriented modeling of a twin thruster autonomous surface vehicle. 2022 , 243, 110260		0
59	A Compact Model for Datacom VCSEL Towards 25Gbaud and Beyond. 2020 ,		0
58	Analysis of Seismic Deformation from Global Three-Decade GNSS Displacements: Implications for a Three-Dimensional Earth GNSS Velocity Field. <i>Remote Sensing</i> , 2021 , 13, 3369	5	1
57	Extension of the flux fit method for estimating power deposition profiles. <i>Physics of Plasmas</i> , 2022 , 29, 010703	2.1	0
56	Water-Only Look-Locker Inversion recovery (WOLLI) T1 mapping.		
55	Folding and deploying identical thick panels with spring-loaded hinges. <i>Extreme Mechanics Letters</i> , 2022 , 52, 101637	3.9	0
54	A reconstruction approach for proton computed tomography by modeling the integral depth dose of the scanning proton pencil beam.. <i>Medical Physics</i> , 2022 ,	4.4	
53	Large-Scale Statistical Learning for Mass Transport Prediction in Porous Materials Using 90,000 Artificially Generated Microstructures. <i>Frontiers in Materials</i> , 2021 , 8,	4	1
52	Intelligent Human Machine Interface: An Agile Operation and Decision Support for ANAMMOX SBR System at a Pilot-Scale Wastewater Treatment Plant. <i>IEEE Transactions on Industrial Informatics</i> , 2022 , 1-1	11.9	1
51	Six-Dimensional Localization of a Robotic Capsule Endoscope Using Magnetoquasistatic Field. <i>IEEE Access</i> , 2022 , 10, 22865-22874	3.5	1
50	Global seasonal Sentinel-1 interferometric coherence and backscatter data set.. <i>Scientific Data</i> , 2022 , 9, 73	8.2	2
49	Model-based signal tracking in the quantitative analysis of time series of NMR spectra.. <i>Journal of Magnetic Resonance</i> , 2022 , 339, 107212	3	
48	Investigation of the generation of Xe 3680 nm ASE by Kr- Xe energy transfer. <i>Journal of Luminescence</i> , 2022 , 247, 118839	3.8	
47	Nonlinear Least Squares-based Identification of a Continuous Friction Model. 2021 ,		
46	Updated lunar cratering chronology model with the radiometric age of Chang-5 samples. <i>Nature Astronomy</i> ,	12.1	2
45	Table_1.DOCX. 2020 ,		
44	The GNSS NavAer INCT Project Overview and Main Results. <i>Journal of Aerospace Technology and Management</i> , 14,	0.7	0
43	Discovering plasticity models without stress data. <i>Npj Computational Materials</i> , 2022 , 8,	10.9	0

42	Reducing the Search Space for Global Minimum: A Focused Regions Identification Method for Least Squares Parameter Estimation in Nonlinear Models. <i>Journal of Computing and Information Science in Engineering</i> , 1-64	2.4	
41	Determining the Primary Sources of Uncertainty in Retrieval of Marine Remote Sensing Reflectance From Satellite Ocean Color Sensors. <i>Frontiers in Remote Sensing</i> , 2022 , 3,	1	2
40	Synthetic Data Generation for the Development of 2D Gel Electrophoresis Protein Spot Models. <i>Applied Sciences (Switzerland)</i> , 2022 , 12, 4393	2.6	0
39	Model-based super-resolution reconstruction with joint motion estimation for improved quantitative MRI parameter mapping. <i>Computerized Medical Imaging and Graphics</i> , 2022 , 102071	7.6	0
38	Identification of the thermal conductivity tensor for transversely isotropic materials. <i>GAMM Mitteilungen</i> ,	1.8	1
37	KSSOLV 2.0: An efficient MATLAB toolbox for solving the Kohn-Sham equations with plane-wave basis set. <i>Computer Physics Communications</i> , 2022 , 108424	4.2	2
36	Performance Evaluation of a 3D-Printed Sharp-Cut Cyclone. <i>Environmental Sciences: Processes and Impacts</i> ,	4.3	
35	Fides: Reliable trust-region optimization for parameter estimation of ordinary differential equation models. <i>PLoS Computational Biology</i> , 2022 , 18, e1010322	5	2
34	Enhancing fibre-optic distributed acoustic sensing capabilities with blind near-field array signal processing. <i>Nature Communications</i> , 2022 , 13,	17.4	0
33	Surface deformation simulation for InSAR detection using a machine learning approach on the hantangang river volcanic field: A case study on the orisan mountain. 10,		0
32	Simple Kinematic Calibration Approach for Eye-In-Hand Depth-Camera. 2022 , 777-786		0
31	Model-based optimization of resonant inverters with electro-technological applications. 2022 ,		0
30	Robust and Accurate Superquadric Recovery: a Probabilistic Approach. 2022 ,		1
29	ADEPT: Accurate Diffusion Echo-Planar imaging with multi-contrast shoTs.		0
28	Managing bed capacity and timing of interventions: a COVID-19 model considering behavior and underreporting. 2022 , 8, 2201-2225		0
27	Simple Bound Constrained Optimization. 2022 , 411-437		0
26	Evaluating intraocular lens power formula constant robustness using bootstrap algorithms.		0
25	Fast algorithm for time decay estimation with applications to electrostatic ion beam traps. 2023 , 34, 025701		0

- 24 A convolutional neural network-based framework for analysis and assessment of non-linguistic sound classification and enhancement for normal hearing and cochlear implant listeners. **2022**, 152, 2720-2734^o
- 23 Control-oriented hybrid model of a small-scale refrigerated truck chamber. **2023**, 220, 119719 ^o
- 22 An efficient moving pseudo-boundary MFS for void detection. **2023**, 147, 90-111 ^o
- 21 Experimental investigation on entrainment in two-phase free jets. **2023**, 335, 126912 ^o
- 20 An ex-vivo validation of the modulus-length framework to characterize passive elastic properties of skeletal muscle. **2023**, 129, 106904 ^o
- 19 BILATERAL CONTROL OF a 2-DOF TELEOPERATED MANIPULATOR USING UDP SCHEME. **2022**, 102065 ^o
- 18 Luminescence Properties and Energy Transfer of Eu³⁺, Bi³⁺ Co-Doped LuVO₄ Films Modified with Pluronic F-127 Obtained by Sol-Gel. **2023**, 16, 146 ^o
- 17 Non-linear space-time elasticity. ^o
- 16 Assessing post-traumatic changes in cartilage using T1 dispersion parameters. **2023**, 97, 91-101 ^o
- 15 Monitoring tar spot disease in corn at different canopy and temporal levels using aerial multispectral imaging and machine learning. 13, ^o
- 14 Parameter Recovery Study of Honeybee Colony Failure Due to Nutritional Deficiency. **2023**, 211-221 ^o
- 13 Determining the primary sources of uncertainty in the retrieval of marine remote sensing reflectance from satellite ocean color sensors II. Sentinel 3 OLCI sensors. 4, ^o
- 12 A coupled model for the multibody dynamics and lubricated joints of internal combustion engines. **2023**, 45, ^o
- 11 A Parametric Model for the Analysis of the Impedance Spectra of Dielectric Sensors in Curing Epoxy Resins. **2023**, 23, 1825 ^o
- 10 Geometric Reconstruction of a Biological Structure by Explicit Modal Methods. A Case-Study in Human Corneal Surface. **2023**, 531-538 ^o
- 9 Proposal of Period Modulation Control of Wearable Cyborg HAL Trunk-Unit for Parkinson's Disease/Parkinsonism Utilizing Motor Intention and Dynamics. **2023**, ^o
- 8 Multidecadal trend of increasing iron stress in Southern Ocean phytoplankton. **2023**, 379, 834-840 ^o
- 7 Optimum Over Current Relays Coordination for Radial Distribution Networks Using Soft Computing Techniques. **2022**, 13-24 ^o

- 6 Impedance eduction experiments covering higher frequencies based on the multimodal straightforward method. **2023**, 206, 109327 ○
- 5 Dynamics of an oscillating microbubble in a blood-like Carreau fluid. **2023**, 153, 1836-1845 ○
- 4 Particle swarm optimisation strategies for IOL formula constant optimisation. ○
- 3 Dual-Tracer PET Image Separation by Deep Learning: A Simulation Study. **2023**, 13, 4089 ○
- 2 Spatial extreme model for rainfall depth: application to the estimation of IDF curves in the Basque country. ○
- 1 A thermal radiation directionality correction method for the surface upward longwave radiation of geostationary satellite based on a time-evolving kernel-driven model. **2023**, 294, 113599 ○