

Separation of bacteriochlorophyll homologues from green bacteria by reversed-phase HPLC

Photosynthesis Research

41, 157-164

DOI: [10.1007/bf02184156](https://doi.org/10.1007/bf02184156)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Rearrangement of light harvesting bacteriochlorophyll homologues as a response of green sulfur bacteria to low light intensities. <i>Photosynthesis Research</i> , 1995, 45, 21-30.	1.6	87
2	Aggregation of 8,12-diethyl farnesyl bacteriochlorophyll c at low temperature. <i>Photosynthesis Research</i> , 1995, 46, 427-433.	1.6	23
3	Incorporation of exogenous long-chain alcohols into bacteriochlorophyll c homologs by <i>Chloroflexus aurantiacus</i> . <i>Archives of Microbiology</i> , 1995, 163, 119-123.	1.0	41
4	Manipulation of the bacteriochlorophyll c homolog distribution in the green sulfur bacterium <i>Chlorobium tepidum</i> . <i>Photosynthesis Research</i> , 1996, 48, 385-393.	1.6	42
5	Spectrochromatography of photosynthetic pigments as a fingerprinting technique for microbial phototrophs. <i>FEMS Microbiology Ecology</i> , 1996, 20, 69-77.	1.3	85
6	Quinones in chlorosomes of green sulfur bacteria and their role in the redox-dependent fluorescence studied in chlorosome-like bacteriochlorophyll c aggregates. <i>Archives of Microbiology</i> , 1997, 167, 343-349.	1.0	123
7	Effects of gilvin on the composition and dynamics of metalimnetic communities of phototrophic bacteria in freshwater North-American lakes. <i>Journal of Applied Microbiology</i> , 1998, 85, 138S-150S.	1.4	13
8	Vertical models of phototrophic bacterial distribution in the metalimnetic microbial communities of several freshwater North-American kettle lakes. <i>FEMS Microbiology Ecology</i> , 1998, 25, 287-299.	1.3	47
9	Occurrence of new bacteriochlorophyll d forms in natural populations of green photosynthetic sulfur bacteria. <i>FEMS Microbiology Ecology</i> , 1998, 26, 257-267.	1.3	30
10	Two new motile phototrophic consortia: "Chlorochromatium lunatum" and "Pelochromatium selenoides". <i>Archives of Microbiology</i> , 1998, 169, 452-459.	1.0	14
11	Title is missing!. <i>Photosynthesis Research</i> , 1999, 59, 231-241.	1.6	17
12	Title is missing!. <i>Photosynthesis Research</i> , 1999, 59, 159-166.	1.6	80
13	Title is missing!. <i>Photosynthesis Research</i> , 1999, 60, 257-264.	1.6	62
14	Growth-rate-dependent bacteriochlorophyll c / d ratio in the antenna of <i>Chlorobium limicola</i> strain UdG6040. <i>Archives of Microbiology</i> , 1999, 171, 350-354.	1.0	15
15	A novel approach for sensitivity enhancement in atmospheric pressure chemical ionisation liquid chromatography/mass spectrometry of chlorophylls. , 2000, 14, 125-128.		45
16	Pigment signatures associated with an anoxic coastal zone: Bahia Concepcion, Gulf of California. <i>Journal of Experimental Marine Biology and Ecology</i> , 2000, 249, 77-88.	0.7	13
17	Effect of Carotenoid Biosynthesis Inhibition on the Chlorosome Organization in <i>Chlorobium phaeobacteroides</i> Strain CL1401. <i>Photochemistry and Photobiology</i> , 2000, 71, 715-723.	1.3	39
18	Spatio-temporal distribution and growth dynamics of phototrophic sulfur bacteria populations in the sulfide-rich Lake Arcas. <i>Aquatic Sciences</i> , 2000, 62, 334-349.	0.6	23

#	ARTICLE	IF	CITATIONS
19	Evaluation of soluble phosphate as a factor determining the density of sulfur photosynthetic bacteria in Lake SisÅ³. Verhandlungen Der Internationalen Vereinigung Fur Theoretische Und Angewandte Limnologie International Association of Theoretical and Applied Limnology, 2000, 27, 850-853.	0.1	2
20	Ecology of Cryptomonas at the chemocline of a karstic sulfate-rich lake. Marine and Freshwater Research, 2001, 52, 805.	0.7	18
21	Previously unknown and phylogenetically diverse members of the green nonsulfur bacteria are indigenous to freshwater lakes. Archives of Microbiology, 2001, 177, 1-10.	1.0	131
22	Effect of carotenoid deficiency on cells and chlorosomes of Chlorobium phaeobacteroides. Archives of Microbiology, 2001, 175, 226-233.	1.0	20
23	Light responses in the green sulfur bacterium Prosthecochloris aestuarii : changes in prosthecae length, ultrastructure, and antenna pigment composition. Archives of Microbiology, 2001, 176, 278-284.	1.0	17
24	Development and application of a high resolution liquid chromatographic method for the analysis of complex pigment distributions. Journal of Chromatography A, 2001, 917, 167-177.	1.8	138
25	Identification of the bacteriochlorophyll homologues of Chlorobium phaeobacteroides strain UdG6053 grown at low light intensity. Photosynthesis Research, 2001, 70, 221-230.	1.6	32
26	Title is missing!. Hydrobiologia, 2001, 452, 15-30.	1.0	25
27	Microbial microstratification, inorganic carbon photoassimilation and dark carbon fixation at the chemocline of the meromictic Lake Cadagno (Switzerland) and its relevance to the food web. Aquatic Sciences, 2001, 63, 91-106.	0.6	98
28	Variability of the photosynthetic antenna of a Pelodictyon clathratiforme population from a freshwater holomictic pond. FEMS Microbiology Ecology, 2001, 37, 11-19.	1.3	7
29	Evaluation of Laser In Situ Scattering Instrument for Measuring Concentration of Phytoplankton, Purple Sulfur Bacteria, and Suspended Inorganic Sediments in Lakes. Journal of Environmental Engineering, ASCE, 2001, 127, 1023-1030.	0.7	47
30	Impact of late glacial climate variations on stratification and trophic state of the meromictic lake L'Angsee (Austria): validation of a conceptual model by multi proxy studies. Journal of Limnology, 2002, 61, 49.	0.3	32
31	Novel bacteriochlorophyll e structures and species-specific variability of pigment composition in green sulfur bacteria. Archives of Microbiology, 2002, 177, 475-485.	1.0	39
32	Atmospheric pressure chemical ionisation liquid chromatography/mass spectrometry of bacteriochlorophylls from Chlorobiaceae: characteristic fragmentations. Rapid Communications in Mass Spectrometry, 2002, 16, 453-461.	0.7	40
33	Green sulfur bacteria from hypersaline Chiprana Lake (Monegros, Spain): habitat description and phylogenetic relationship of isolated strains. Photosynthesis Research, 2002, 71, 165-172.	1.6	28
34	Effect of light quality on sulfide photo-oxidation and growth in an artificial biofilm of the green sulfur bacterium Prosthecochloris aestuarii. Photosynthesis Research, 2002, 71, 173-183.	1.6	1
35	Title is missing!. Journal of Paleolimnology, 2003, 29, 403-422.	0.8	33
36	Characterization of the chlorosome antenna of the filamentous anoxygenic phototrophic bacterium Chloronema sp. strain UdG9001. Archives of Microbiology, 2003, 180, 417-426.	1.0	22

#	ARTICLE	IF	CITATIONS
37	Sedimentary photosynthetic pigments of algae and phototrophic bacteria in Lake Hamana, Japan: temporal changes of anoxia in its five basins. <i>Limnology</i> , 2003, 4, 139-148.	0.8	9
38	Synthesis of homologously pure bacteriochlorophyll-e and f analogues from BChls-c/d via transformation of the 7-methyl to formyl group and self-aggregation of synthetic zinc methyl bacteriopheophorbides-c/d/e/f in non-polar organic solvent. <i>Tetrahedron</i> , 2003, 59, 4337-4350.	1.0	79
39	Structural and functional analysis of a microbial mat ecosystem from a unique permanent hypersaline inland lake: <i>La Salada de Chiprana</i> ™ (NE Spain). <i>FEMS Microbiology Ecology</i> , 2003, 44, 175-189.	1.3	105
40	Spatio-temporal heterogeneity in a planktonic <i>Thiocystis</i> minor population, studied by laser in situ particle analysis. <i>Freshwater Biology</i> , 2003, 48, 698-708.	1.2	3
41	Atmospheric pressure chemical ionisation liquid chromatography/multi-stage mass spectrometry of isobaric bacteriopheophorbided methyl esters. <i>Rapid Communications in Mass Spectrometry</i> , 2003, 17, 2455-2458.	0.7	9
42	A high resolution study of the chlorophyll and bacteriochlorophyll pigment distributions in a calcite/gypsum microbial mat. <i>Organic Geochemistry</i> , 2003, 34, 539-551.	0.9	34
43	Characterization and In Situ Carbon Metabolism of Phototrophic Consortia. <i>Applied and Environmental Microbiology</i> , 2003, 69, 3739-3750.	1.4	43
44	The impact of different intensities of green light on the bacteriochlorophyll homologue composition of the chlorobiaceae <i>Prosthecochloris aestuarii</i> and <i>Chlorobium phaeobacteroides</i> . <i>Microbiology (United Kingdom)</i> , 2004, 150, 2555-2564.	0.7	9
45	Self-aggregates of bacteriochlorophylls-c, d and e in a light-harvesting antenna system of green photosynthetic bacteria: Effect of stereochemistry at the chiral 3-(1-hydroxyethyl) group on the supramolecular arrangement of chlorophyllous pigments. <i>Journal of Photochemistry and Photobiology C: Photochemistry Reviews</i> , 2005, 6, 89-107.	5.6	112
46	Signature pigments of green sulfur bacteria in lower Pleistocene deposits from the Banyoles lacustrine area (Spain). <i>Journal of Paleolimnology</i> , 2005, 34, 271-280.	0.8	21
47	Atmospheric pressure chemical ionisation liquid chromatography/multistage mass spectrometry for assignment of sedimentary bacteriochlorophyll derivatives. <i>Rapid Communications in Mass Spectrometry</i> , 2005, 19, 38-46.	0.7	11
48	Variability of benthic assemblages in relation to the hydrological pattern in Mediterranean salt marshes (Emporda wetlands, NE Iberian Peninsula). <i>Archiv für Hydrobiologie</i> , 2005, 163, 163-181.	1.1	47
49	Nematode assemblages and their responses to disturbances: a case study from the Empordà wetlands (northeastern Iberian Peninsula). <i>Journal of the North American Benthological Society</i> , 2006, 25, 643-655.	3.0	5
50	The Family Chlorobiaceae. , 2006, , 359-378.		36
51	Internal Structure of Chlorosomes from Brown-Colored <i>Chlorobium</i> Species and the Role of Carotenoids in Their Assembly. <i>Biophysical Journal</i> , 2006, 91, 1433-1440.	0.2	68
52	Chlorophyll Analysis by New High Performance Liquid Chromatography Methods. , 2006, , 109-121.		14
53	Organic carbon and nutrient (P, N) concentrations of water and sediment in several aquatic environment types of a Mediterranean coastal wetland (Empordà Wetlands, NE Iberian Peninsula). <i>Annales De Limnologie</i> , 2006, 42, 221-231.	0.6	7
54	Comparison of cultivation-dependent and molecular methods for studying the diversity of anoxygenic purple phototrophs in sediments of an eutrophic brackish lagoon. <i>Environmental Microbiology</i> , 2006, 8, 1590-1599.	1.8	28

#	ARTICLE	IF	CITATIONS
55	Distribution of bacteriochlorophyll homologs in natural populations of brown-colored phototrophic sulfur bacteria. <i>FEMS Microbiology Ecology</i> , 2006, 24, 301-309.	1.3	39
56	Chlorosomes: Antenna Organelles in Photosynthetic Green Bacteria. <i>Microbiology Monographs</i> , 2006, , 79-114.	0.3	94
57	Pigment Analysis of <i>Candidatus Chlorothrix halophila</i> , a Green Filamentous Anoxygenic Phototrophic Bacterium. <i>Journal of Bacteriology</i> , 2007, 189, 4187-4195.	1.0	16
58	Flow cytometric identification and enumeration of photosynthetic sulfur bacteria and potential for ecophysiological studies at the single-cell level. <i>Environmental Microbiology</i> , 2007, 9, 1969-1985.	1.8	38
59	Accumulation of sedimentary photosynthetic pigments characterized by pyropheophorbide a and steryl chlorin esters (SCEs) in a shallow eutrophic coastal lake (Lake Hamana, Japan). <i>Estuarine, Coastal and Shelf Science</i> , 2007, 71, 287-300.	0.9	8
60	Nanosecond Laser Photolysis Studies of Chlorosomes and Artificial Aggregates Containing Bacteriochlorophyll e: Evidence for the Proximity of Carotenoids and Bacteriochlorophyll a in Chlorosomes from <i>Chlorobium phaeobacteroides</i> strain CL1401A \dagger . <i>Photochemistry and Photobiology</i> , 2007, 72, 669-675.	1.3	3
61	Mutational analysis of three bchH paralogs in (bacterio-)chlorophyll biosynthesis in <i>Chlorobaculum tepidum</i> . <i>Photosynthesis Research</i> , 2009, 101, 21-34.	1.6	10
62	A multi-tracers analysis of sources and transfers of particulate organic matter in a tropical reservoir (Petit Saut, French Guiana). <i>River Research and Applications</i> , 2009, 25, 253-271.	0.7	21
63	Predation impact of ciliated and flagellated protozoa during a summer bloom of brown sulfur bacteria in a meromictic coastal lake. <i>FEMS Microbiology Ecology</i> , 2009, 70, 42-53.	1.3	29
64	Quantification of the Effect of Nonphotochemical Quenching on the Determination of <i>In Vivo</i> Chl <i>a</i> from Phytoplankton Along the Water Column of a Freshwater Reservoir. <i>Photochemistry and Photobiology</i> , 2009, 85, 321-331.	1.3	20
65	Photosynthetic pigments in sediment core HDP-04 from Lake Hovsgol, Mongolia, and their implication for changes in algal productivity and lake environment for the last 1Ma. <i>Quaternary International</i> , 2009, 205, 74-83.	0.7	27
66	Bacterial dominance of phototrophic communities in a High Arctic lake and its implications for paleoclimate analysis. <i>Polar Science</i> , 2009, 3, 147-161.	0.5	20
67	Effects of loss of perennial lake ice on mixing and phytoplankton dynamics: insights from High Arctic Canada. <i>Annals of Glaciology</i> , 2010, 51, 56-70.	2.8	33
68	Novel green sulfur bacteria phylotypes detected in saline environments: ecophysiological characters versus phylogenetic taxonomy. <i>Antonie Van Leeuwenhoek</i> , 2010, 97, 419-431.	0.7	3
69	Holocene paleolimnological changes in Lake Skallen Oike in the Syowa Station area of Antarctica inferred from organic components in a sediment core (Sk4C-02). <i>Journal of Paleolimnology</i> , 2010, 44, 677-693.	0.8	14
70	Self-aggregates of natural chlorophylls and their synthetic analogues in aqueous media for making light-harvesting systems. <i>Coordination Chemistry Reviews</i> , 2010, 254, 2593-2602.	9.5	122
71	New HPLC separation techniques. , 0, , 165-194.		10
72	Liquid chromatography-mass spectrometry for pigment analysis. , 2011, , 314-342.		7

#	ARTICLE	IF	CITATIONS
73	Insights into chemotaxonomic composition and carbon cycling of phototrophic communities in an artesian sulfur-rich spring (Zodletone, Oklahoma, USA), a possible analog for ancient microbial mat systems. <i>Geobiology</i> , 2011, 9, 166-179.	1.1	33
74	Sol-gel entrapped light harvesting antennas: immobilization and stabilization of chlorosomes for energy harvesting. <i>Journal of Materials Chemistry</i> , 2012, 22, 22582.	6.7	11
75	Seasonal occurrence of anoxygenic photosynthesis in Tillari and Selaulim reservoirs, Western India. <i>Biogeosciences</i> , 2012, 9, 2485-2495.	1.3	32
76	Localized algal blooms induced by river inflows in a canyon type reservoir. <i>Aquatic Sciences</i> , 2012, 74, 315-327.	0.6	17
77	A variety of glycolipids in green photosynthetic bacteria. <i>Photosynthesis Research</i> , 2013, 114, 179-188.	1.6	11
78	Identification of an 8-vinyl reductase involved in bacteriochlorophyll biosynthesis in <i>Rhodobacter sphaeroides</i> and evidence for the existence of a third distinct class of the enzyme. <i>Biochemical Journal</i> , 2013, 450, 397-405.	1.7	30
79	The Discovery of Stromatolites Developing at 3570 m above Sea Level in a High-Altitude Volcanic Lake Socompa, Argentinean Andes. <i>PLoS ONE</i> , 2013, 8, e53497.	1.1	118
80	Characterization of bacterial diversity associated with microbial mats, gypsum evaporites and carbonate microbialites in thalassic wetlands: Tebenquiche and La Brava, Salar de Atacama, Chile. <i>Extremophiles</i> , 2014, 18, 311-329.	0.9	119
81	Marked seasonality of aerobic anoxygenic phototrophic bacteria in the coastal NW Mediterranean Sea as revealed by cell abundance, pigment concentration and pyrosequencing of <i>pufM</i> gene. <i>Environmental Microbiology</i> , 2014, 16, 2953-2965.	1.8	56
82	Microbial Characterization of Microbial Ecosystems Associated to Evaporites Domes of Gypsum in Salar de Llamara in Atacama Desert. <i>Microbial Ecology</i> , 2014, 68, 483-494.	1.4	68
83	Holocene paleolimnological changes of Lake Oyako-ike in the Soya Kaigan of East Antarctica. <i>Inland Waters</i> , 2014, 4, 105-112.	1.1	5
85	Pelagic photoferrotrophy and iron cycling in a modern ferruginous basin. <i>Scientific Reports</i> , 2015, 5, 13803.	1.6	80
86	Patterns in Abundance, Cell Size and Pigment Content of Aerobic Anoxygenic Phototrophic Bacteria along Environmental Gradients in Northern Lakes. <i>PLoS ONE</i> , 2015, 10, e0124035.	1.1	45
87	BciD Is a Radical S-Adenosyl-L-methionine (SAM) Enzyme That Completes Bacteriochlorophyllide e Biosynthesis by Oxidizing a Methyl Group into a Formyl Group at C-7. <i>Journal of Biological Chemistry</i> , 2017, 292, 1361-1373.	1.6	22
88	Bacteriochlorophyll Fluorescence of Green Sulfur Bacteria in Anaerobic Zone of Two Natural Water Bodies. <i>Moscow University Physics Bulletin (English Translation of Vestnik Moskovskogo) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 177 Td</i>		
89	Low-Light Anoxygenic Photosynthesis and Fe-S-Biogeochemistry in a Microbial Mat. <i>Frontiers in Microbiology</i> , 2018, 9, 858.	1.5	19
90	Microphytobenthic response to organic matter enrichment: Does the same stressor lead to identical communities?. <i>Regional Studies in Marine Science</i> , 2019, 29, 100682.	0.4	2
91	Response of Microphytobenthos and Benthic Bacteria Viability to Eutrophication in a Benthic-Pelagic Coupling Mesocosm Experiment. <i>Frontiers in Marine Science</i> , 2020, 7, .	1.2	5

#	ARTICLE	IF	CITATIONS
92	Nanosecond Laser Photolysis Studies of Chlorosomes and Artificial Aggregates Containing Bacteriochlorophyll e: Evidence for the Proximity of Carotenoids and Bacteriochlorophyll a in Chlorosomes from Chlorobium phaeobacteroides strain CL1401. Photochemistry and Photobiology, 2000, 72, 669.	1.3	24
93	Spectroradiometric identification of phototrophic microorganisms in planktonic aquatic environments. Aquatic Microbial Ecology, 1999, 20, 225-230.	0.9	2
94	PIGMENTS OF RHODOPSEUDOMONAS YAVOROVII IMV B-7620. Mikrobiologia I Biotehnologija, 2018, .	0.0	1
95	Aerobic anoxygenic photosynthesis bacteria (AAPB) associated with aquatic ecosystems. Hupo Kexue/Journal of Lake Sciences, 2020, 32, 1585-1598.	0.3	0
98	Electronic Structure of Chlorophyll Monomers and Oligomers. , 0, , .		1
99	Community Vertical Composition of the Laguna Negra Hypersaline Microbial Mat, Puna Region (Argentinean Andes). Biology, 2022, 11, 831.	1.3	6