Phylogenetic analysis of organellar DNA sequences in the

Theoretical and Applied Genetics 88, 933-944 DOI: 10.1007/bf00220799

Citation Report

#	Article	IF	CITATIONS
1	Chromosome assortment in Saccharum. Theoretical and Applied Genetics, 1994, 89-89, 959-963.	3.6	29
2	Genetic analysis of agronomic traits in a cross between sugarcane (Saccharum officinarum L.) and its presumed progenitor (S. robustum Brandes & Jesw. ex Grassl). Molecular Breeding, 1995, 1, 355-363.	2.1	38
3	Ribosomal DNA variations in Erianthus, a wild sugarcane relative (Andropogoneae-Saccharinae). Theoretical and Applied Genetics, 1996, 92, 733-743.	3.6	37
4	Comparative mapping of Andropogoneae: Saccharum L. (sugarcane) and its relation to sorghum and maize. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 14261-14266.	7.1	119
5	Genetic diversity of North American and Old World Saccharum assessed by RAPD analysis. Genetic Resources and Crop Evolution, 1997, 44, 235-240.	1.6	18
6	Title is missing!. Euphytica, 1997, 93, 283-292.	1.2	52
7	Isolation and characterisation of repeated DNA sequences from Erianthus spp. (Saccharinae:) Tj ETQq0 0 0 rgBT	/Overlock 2.0	10 ₉ Tf 50 502
8	cpDNA and mtDNA Primers in Plants. , 1998, , 256-261.		12
9	Isolation and characterization of a satellite DNA family in the Saccharum complex. Genome, 1998, 41, 854-864.	2.0	57
10	Genetics, phylogenetics, and comparative genetics of Saccharum L., a polysomic polyploid Poales: Andropogoneae. Biotechnology Annual Review, 1998, 4, 285-319.	2.1	0
11	Analysis of genetic diversity and phylogeny in Saccharum and related genera using RAPD markers. Genetic Resources and Crop Evolution, 1999, 46, 73-79.	1.6	95
12	Detection of episomal banana streak badnavirus by IC-PCR. Journal of Virological Methods, 1999, 79, 1-8.	2.1	72
13	Molecular Characterization of the Sugarcane Variability for Genetic Improvement. Developments in Plant Genetics and Breeding, 2000, 5, 49-61.	0.6	0
14	Distribution and sequence analysis of the centromereâ€associated repetitive element CEN38 of <i>Sorghum bicolor</i> (Poaceae). American Journal of Botany, 2000, 87, 1757-1764.	1.7	35
15	Comparative Genomics of Plant Chromosomes. Plant Cell, 2000, 12, 1523.	6.6	1
16	Comparative Genomics of Plant Chromosomes. Plant Cell, 2000, 12, 1523-1539.	6.6	301
18	Genomics and plant breeding. Biotechnology Annual Review, 2001, 7, 195-238.	2.1	7
19	A search for markers of sugarcane evolution. Genetics and Molecular Biology. 2001. 24. 169-174.	1.3 —	5 —

ATION RED

#	Article	IF	CITATIONS
20	The use of ribosomal ITS to determine phylogenetic relationships within Sorghum. Plant Systematics and Evolution, 2001, 230, 97-110.	0.9	19
21	Construction of a <i>Saccharum</i> Consensus Genetic Map from Two Interspecific Crosses. Crop Science, 2002, 42, 570-583.	1.8	40
22	Phylogenetics of Miscanthus , Saccharum and related genera (Saccharinae, Andropogoneae, Poaceae) based on DNA sequences from ITS nuclear ribosomal DNA and plastid trnL intron and trnL-F intergenic spacers. Journal of Plant Research, 2002, 115, 381-392.	2.4	246
23	Genetic diversity among wild sugarcane germplasm from Laos revealed with markers. Euphytica, 2002, 123, 121-130.	1.2	14
24	Oligoclonal interspecific origin of 'North Indian' and 'Chinese' sugarcanes. Chromosome Research, 2002, 10, 253-262.	2.2	101
25	Title is missing!. Euphytica, 2002, 127, 219-225.	1.2	52
26	Regeneration of citrus sinensis (+) clausena lansium intergeneric triploid and tetraploid somatic hybrids and their identification by molecular markers. In Vitro Cellular and Developmental Biology - Plant, 2003, 39, 360-364.	2.1	23
27	Molecular characterization of cytoplasmic and nuclear genomes in phenotypically abnormal Valencia orange (Citrus sinensis) + Meiwa kumquat (Fortunella crassifolia) intergeneric somatic hybrids. Plant Cell Reports, 2003, 21, 445-451.	5.6	53
28	Evaluation of maize microsatellite markers for genetic diversity analysis and fingerprinting in sugarcane. Genome, 2003, 46, 394-403.	2.0	73
29	Sugarcane microsatellites for the assessment of genetic diversity in sugarcane germplasm. Plant Science, 2003, 165, 181-189.	3.6	133
30	Amplified fragment length polymorphism for variety identification and genetic diversity assessment in oleander (Nerium oleander L.). Euphytica, 2004, 136, 125-137.	1.2	11
31	Sorghum laxiflorum and S. macrospermum, the Australian native species most closely related to the cultivated S. bicolor based on ITS1 and ndhF sequence analysis of 25 Sorghum species. Plant Systematics and Evolution, 2004, 249, 233-246.	0.9	41
32	Targeted cybridization in citrus: transfer of Satsuma cytoplasm to seedy cultivars for potential seedlessness. Plant Cell Reports, 2004, 22, 752-758.	5.6	89
33	An EST survey of the sugarcane transcriptome. Theoretical and Applied Genetics, 2004, 108, 851-863.	3.6	67
34	Structural features and transcript-editing analysis of sugarcane (Saccharum officinarum L.) chloroplast genome. Current Genetics, 2004, 46, 366-373.	1.7	76
35	Species-specific accumulation of interspersed sequences in genus Saccharum. Genes and Genetic Systems, 2004, 79, 361-365.	0.7	4
36	Issues of Ferality or Potential for Ferality in Oats, Olives, the Vigna Group, Ryegrass Species, Safflower, and Sugarcane. , 2005, , 231-255.		8
37	Very close relationship of the chloroplast genomes among Saccharum species. Theoretical and Applied Genetics, 2005, 110, 1523-1529.	3.6	29

#	Article	IF	CITATIONS
38	Molecular diversity amongSaccharum, Erianthus, Sorghum, Zea and their hybrids. Sugar Tech, 2005, 7, 55-59.	1.8	19
39	Morphological and molecular analysis of common millet (P. miliaceum) cultivars compared to an aDNA sample from the 15th century (Hungary). Euphytica, 2005, 146, 77-85.	1.2	34
40	Target Region Amplification Polymorphism (TRAP) for Assessing Genetic Diversity in Sugarcane Germplasm Collections. Crop Science, 2006, 46, 448-455.	1.8	97
42	AFLP Analysis of the Phenetic Organization and Genetic Diversity in the Sugarcane Complex, Saccharum and Erianthus. Genetic Resources and Crop Evolution, 2006, 53, 831-842.	1.6	64
43	Analysis of Genetic Diversity Among Saccharum spontaneum L. From Four Geographical Regions of India, Using Molecular Markers. Genetic Resources and Crop Evolution, 2006, 53, 1221-1231.	1.6	39
44	GFP expression as an indicator of somatic hybrids between transgenic Satsuma mandarin and calamondin at embryoid stage. Plant Cell, Tissue and Organ Culture, 2006, 87, 245-253.	2.3	11
45	Microsatellite DNA marker-assisted selection ofSaccharum spontaneum cytoplasm-derived germplasm. Sugar Tech, 2006, 8, 23-29.	1.8	25
46	Seed remains of common millet from the 4th (Mongolia) and 15th (Hungary) centuries: AFLP, SSR and mtDNA sequence recoveries. Seed Science Research, 2006, 16, 179-191.	1.7	14
47	Domestication to Crop Improvement: Genetic Resources for Sorghum and Saccharum (Andropogoneae). Annals of Botany, 2007, 100, 975-989.	2.9	227
48	Plant somatic hybrid cytoplasmic DNA characterization by single-strand conformation polymorphism. Tree Physiology, 2007, 27, 785-792.	3.1	6
49	Sugarcane. , 2007, , 175-203.		2
50	Identification of QTL for sugar-related traits in a sweetÂ×Âgrain sorghum (Sorghum bicolor L. Moench) recombinant inbred population. Molecular Breeding, 2008, 22, 367-384.	2.1	138
51	Comparative analysis of organelle DNAs in acid citrus grown in Japan using PCR-RFLP method. Genetic Resources and Crop Evolution, 2008, 55, 487-492.	1.6	13
52	The Fruits of Tropical Plant Genomics. Tropical Plant Biology, 2008, 1, 3-19.	1.9	10
53	Evolution of the Genes Encoding Seed Storage Proteins in Sugarcane and Maize. Tropical Plant Biology, 2008, 1, 108-119.	1.9	3
55	Comparative Genomics of Grasses Promises a Bountiful Harvest. Plant Physiology, 2009, 149, 125-131.	4.8	42
56	Cybrid/hybrid plants regenerated from somatic fusions between male sterile Satsuma mandarin and seedy tangelos. Scientia Horticulturae, 2009, 122, 323-327.	3.6	15
57	Molecular Breeding of Forage and Turf. , 2009, , .		5

#	Article	IF	CITATIONS
58	The ecology and agronomy of <i>Miscanthus sinensis</i> , a species important to bioenergy crop development, in its native range in Japan: a review. GCB Bioenergy, 2009, 1, 126-153.	5.6	158
59	Genetic mapping of QTLs for sugar-related traits in a RIL population of Sorghum bicolor L. Moench. Theoretical and Applied Genetics, 2010, 121, 323-336.	3.6	118
60	Phylogenetic relationships among Saccharum clones in Pakistan revealed by RAPD markers. Genetics and Molecular Research, 2010, 9, 1673-1682.	0.2	6
61	Elimination of a Reproductive Barrier Facilitates Intergeneric Hybridization of Sorghum bicolor and Saccharum. Crop Science, 2010, 50, 1188-1195.	1.8	23
64	Erianthus. , 2011, , 97-107.		32
65	Regeneration and molecular characterization of interspecific somatic hybrids between Satsuma mandarin and two seedy sweet oranges for scion improvement. Plant Breeding, 2011, 130, 287-290.	1.9	14
66	High homologous gene conservation despite extreme autopolyploid redundancy in sugarcane. New Phytologist, 2011, 189, 629-642.	7.3	69
67	Single-Strand Conformational Polymorphism of EST-SSRs: A Potential Tool for Diversity Analysis and Varietal Identification in Sugarcane. Plant Molecular Biology Reporter, 2011, 29, 505-513.	1.8	35
68	Effect of ploidy increase on transgene expression: example from Citrus diploid cybrid and allotetraploid somatic hybrid expressing the EGFP gene. Protoplasma, 2011, 248, 531-540.	2.1	2
69	Sugarcane (Saccharum X officinarum): A Reference Study for the Regulation of Genetically Modified Cultivars in Brazil. Tropical Plant Biology, 2011, 4, 62-89.	1.9	239
70	The Sugarcane Genome Challenge: Strategies for Sequencing a Highly Complex Genome. Tropical Plant Biology, 2011, 4, 145-156.	1.9	91
71	A review of the genetic study of the energy crop Miscanthus. Biomass and Bioenergy, 2011, 35, 2445-2454.	5.7	42
72	Inter-MITE polymorphisms of a newly identified MITE show relationships among sugarcane (Saccharum) species. Genetic Resources and Crop Evolution, 2012, 59, 1389-1396.	1.6	5
73	Dairyland populations of bur cucumber (<i><scp>S</scp>icyos angulatus</i>) as a possible seed source for riverbank populations along the Abukuma River, <scp>J</scp> apan. Weed Biology and Management, 2012, 12, 147-155.	1.4	13
74	Molecular Marker Applications for Improving Sugar Content in Sugarcane. SpringerBriefs in Plant Science, 2012, , 1-49.	0.3	4
75	Assessment of Genetic Diversity in Sugarcane Germplasm Using ISSR and SSR Markers. Sugar Tech, 2012, 14, 334-344.	1.8	32
76	Management Flowering Ability to Increase Efficiency in the Sugarcane Breeding Program. Sugar Tech, 2012, 14, 47-52.	1.8	0
77	Independent target region amplification polymorphism and singleâ€nucleotide polymorphism marker utility in genetic evaluation of sugarcane genotypes. Plant Breeding, 2013, 132, 736-747.	1.9	13

#	Article	IF	CITATIONS
78	Phylogenetic Relationships of Saccharinae and Sorghinae. , 2013, , 3-21.		12
79	RAPD-PCR and real-time Pcr Hrm based genetic variation evaluations of <i>Urtica dioica</i> parts, ecotypes and evaluations of morphotypes in Turkey. Tropical Journal of Obstetrics and Gynaecology, 2013, 10, 232-45.	0.3	3
80	The Discovery of Natural <i>Miscanthus</i> Accessions Related to <i>Miscanthus</i> × <i>giganteus</i> Using Chloroplast DNA. Crop Science, 2014, 54, 1645-1655.	1.8	5
81	Allelic divergence and cultivar-specific SSR alleles revealed by capillary electrophoresis using fluorescence-labeled SSR markers in sugarcane. Genome, 2014, 57, 363-372.	2.0	18
82	Effect of humidity on intergeneric pollinations of iap (Inhibition of Alien Pollen) sorghum [Sorghum bicolor (L) Moench]. Euphytica, 2014, 198, 381-387.	1.2	4
83	Exploring origins, invasion history and genetic diversity of <i>Imperata cylindrica</i> (L.) P. Beauv. (Cogongrass) in the United States using genotyping by sequencing. Molecular Ecology, 2015, 24, 2177-2193.	3.9	40
84	Natural Allelic Variations in Highly Polyploidy Saccharum Complex. Frontiers in Plant Science, 2016, 7, 804.	3.6	40
85	Single nucleotide polymorphism discovery via genotyping by sequencing to assess population genetic structure and recurrent polyploidization in <i>Andropogon gerardii</i> . American Journal of Botany, 2016, 103, 1314-1325.	1.7	20
86	Analysis of Genetic Diversity of Saccharum Complex Using Chloroplast Microsatellite Markers. Sugar Tech, 2016, 18, 141-148.	1.8	7
87	Genetic Improvement of Sugarcane Through Conventional and Molecular Approaches. Sustainable Development and Biodiversity, 2016, , 325-342.	1.7	3
88	Analysis of three sugarcane homo/homeologous regions suggests independent polyploidization events of <i>Saccharum officinarum</i> and <i>Saccharum spontaneum</i> . Genome Biology and Evolution, 2017, 9, evw293.	2.5	42
89	Evaluation of variations in plastid DNA non-coding regions in selected species of the genus Solanum. Czech Journal of Genetics and Plant Breeding, 2017, 53, 127-131.	0.8	0
90	Complete Chloroplast Genomes of Erianthus arundinaceus and Miscanthus sinensis: Comparative Genomics and Evolution of the Saccharum Complex. PLoS ONE, 2017, 12, e0169992.	2.5	33
91	The Challenge of Analyzing the Sugarcane Genome. Frontiers in Plant Science, 2018, 9, 616.	3.6	80
92	Characterization of allotetraploids derived from protoplast fusion between navel orange and kumquat. In Vitro Cellular and Developmental Biology - Plant, 2020, 56, 634-643.	2.1	3
93	Genome Mapping in Cool-Season Forage Grasses. , 2009, , 173-184.		8
94	Genetics of Polyploids. , 1996, , 3-37.		12
95	Application of the Polymerase Chain Reaction to the Detection of Plant Pathogens. , 1996. , 187-201.		5

ARTICLE IF CITATIONS Molecular Systematics: 1994–1995. , 1997, , 470-499. 5 96 Comparative mapping of plant chromosomes. Advances in Cellular and Molecular Biology of Plants, 0.2 2001, , 101-114. Ribosomal DNA variations in Erianthus, a wild sugarcane relative (Andropogoneae-Saccharinae). 98 9 3.6 Theoretical and Applied Genetics, 1996, 92, 733-743. New Saccharum hybrids in S. spontaneum cytoplasm developed through a combination of conventional and molecular breeding approaches. Plant Genetic Resources: Characterisation and 99 Utilisation, 2004, 2, 131-139. RFLP Mapping in Cultivated Sugarcane (<i>Saccharum</i> spp.): Genome Organization in a Highly 100 2.9 187 Polyploid and Aneuploid Interspecific Hybrid. Genetics, 1996, 142, 987-1000. Detailed Alignment of Saccharum and Sorghum Chromosomes: Comparative Organization of Closely Related Diploid and Polyploid Genomes. Genetics, 1998, 150, 1663-1682. Isolation and characterization of a satellite DNA family in the <i>Saccharum</i> complex. 102 2.0 34 Genome, 1998, 41, 854-864. Comprehensive Selection of Reference Genes for Gene Expression Normalization in Sugarcane by Real 2.5 121 Time Quantitative RT-PCR. PLoS ONE, 2014, 9, e97469. Genetic maps of Saccharum officinarum L. and Saccharum robustum Brandes & Jew. ex grassl. Genetics 104 1.3 31 and Molecular Biology, 1999, 22, 125-132. Organellar Genome Diversity in <i>Saccharum</i> and <i>Erianthus</i> spp. revealed by PCR-RFLP. Molecular Plant Breeding, 0, , . Sugarcane Diseases, Ecology and Control., 2002,,. 106 0 Issues of Ferality or Potential for Ferality in Oats, Olives, the Vigna Group, Ryegrass Species, Safflower, and Śugarcane., 2005, , 253-278. Compreensão da estrutura genética e genÃímica da cana-de-açúcar e seu impacto no melhoramento da 108 0 espécie., 2016, , 253-274. Wide Hybridization and Utilization of Wild Relatives of Sorghum., 2020, , 65-99. 109 Chromosomeâ€specific painting unveils chromosomal fusions and distinct allopolyploid species in the 110 7.3 19 <i>Saccharum</i> complex. New Phytologist, 2022, 233, 1953-1965. The genetic diversity and nutritional quality of proso millet (Panicum miliaceum) and its Philippine ecotype, the ancient grain "kabog millet†A review. Journal of Agriculture and Food Research, 2023, 11, 2.5 100499