

# CITATION REPORT

List of articles citing

## Development of the kidney disease quality of life (KDQOL) instrument

DOI: 10.1007/bf00451725  
Quality of Life Research, 1994, 3, 329-38.

**Source:** <https://exaly.com/paper-pdf/24990987/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
849	A review of health-related quality-of-life measures used in end-stage renal disease. <b>1996</b> , 18, 887-938		100
848	Rehabilitation of the elderly patient on dialysis. <b>1996</b> , 6, 81-88		7
847	Interpersonal expectations, social support, and adjustment to chronic illness.. <b>1997</b> , 73, 560-573		55
846	The relationship between quality of care and financial performance in dialysis: "doing well by doing good". <b>1997</b> , 4, 350-8		4
845	NKF-DOQI clinical practice guidelines for peritoneal dialysis adequacy. National Kidney Foundation. <b>1997</b> , 30, S67-136		169
844	Quality of life in patients on chronic dialysis: self-assessment 3 months after the start of treatment. The Necosad Study Group. <b>1997</b> , 29, 584-92		258
843	Assessing health and quality of life outcomes in dialysis: a report on an Institute of Medicine workshop. <b>1997</b> , 30, 140-55		67
842	Assessing the Effects of Peritoneal Dialysis on the Health-Related Quality of Life of the Adult Patient. <b>1997</b> , 17, 32-34		4
841	Renal rehabilitation: Effecting improvement through the team approach. <b>1997</b> , 3, 221-229		
840	The impact of Gaucher disease and its treatment on quality of life. <i>Quality of Life Research</i> , <b>1998</b> , 7, 521-34		26
839	Patients' perceptions of their experiences with ESRD and hemodialysis treatment. <b>1998</b> , 8, 764-83		54
838	The SF36 as an outcome measure of services for end stage renal failure. <b>1998</b> , 7, 209-21		99
837	Two hospice quality of life surveys: a comparison. <b>1998</b> , 15, 143-8		15
836	Health promotion for end-stage renal disease patients. <b>1998</b> , 5, 275-85		7
835	Quality of Life and End Stage Renal Disease Therapeutic Programs. <b>1998</b> , 21, 741-747		13
834	The effect of patients' preferences on racial differences in access to renal transplantation. <b>1999</b> , 341, 1661-9		484
833	Use of focus groups to identify concerns about dialysis. Choice Study. <b>1999</b> , 19, 287-95		48

832	Improving adjustment to chronic illness through strategic self-presentation: An experimental study on a renal dialysis unit.. <b>1999</b> , 18, 54-62	47
831	Cycler adequacy and prescription data in a national cohort sample: the 1997 core indicators report. Health Care Financing Administration Peritoneal Dialysis Core Indicators Study Group. <b>1999</b> , 55, 2030-9	9
830	Quality of life over time in dialysis: the Netherlands Cooperative Study on the Adequacy of Dialysis. NECOSAD Study Group. <b>1999</b> , 56, 720-8	124
829	Excessive Daytime Sleepiness and Functioning in Dialysis Patients. <b>1999</b> , 12, 311-316	6
828	Quality of life implications of inadequate protein nutrition among hemodialysis patients. <b>1999</b> , 9, 9-13	19
827	Evidence of life quality inCAPD patients and implications for nursing care: a systematic review. <b>1999</b> , 3, 112-123	7
826	Development of the Smoking Cessation Quality of Life questionnaire. <b>1999</b> , 21, 2113-30	41
825	Reported pica behavior in a sample of incident dialysis patients. <b>1999</b> , 9, 14-20	17
824	Physical functioning: definitions, measurement, and expectations. <b>1999</b> , 6, 110-23	88
823	Self-reported functional status: an important predictor of health outcomes among end-stage renal disease patients. <b>1999</b> , 6, 133-40	30
822	Quality of life in end-stage renal disease patients after successful kidney transplantation: development of the ESRD symptom checklist - transplantation module. <b>1999</b> , 83, 31-9	72
821	Individual application of the kidney disease quality of life (KDQOL) instrument to monitor the health status of dialysis patients. <b>2000</b> , 86, 391-2	5
820	The Dialysis Outcomes and Practice Patterns Study (DOPPS): An international hemodialysis study. <b>2000</b> , 57, S74-S81	269
819	Just whose quality of life is it anyway? Controversies and consistencies in measurements of quality of life. <b>2000</b> , 57, S113-S120	52
818	Fatigue in persons with renal failure who require maintenance haemodialysis. <b>2000</b> , 32, 1132-42	93
817	Design and statistical issues of the hemodialysis (HEMO) study. <b>2000</b> , 21, 502-25	120
816	Health-related quality of life among people with HIV disease: results from the Multicenter AIDS Cohort Study. <i>Quality of Life Research</i> , <b>2000</b> , 9, 55-63	3.7 118
815	Assessment of quality of life in a single centre dialysis population using the KDQOL-SF questionnaire. <i>Quality of Life Research</i> , <b>2000</b> , 9, 195-205	3.7 80

814	Prediction of quality of life in patients with end-stage renal disease. <b>2000</b> , 5, 41-55	43
813	Development and evaluation of the Liver Disease Quality of Life instrument in persons with advanced, chronic liver disease--the LDQOL 1.0. <b>2000</b> , 95, 3552-65	126
812	Development of a health-related quality of life measure for peripheral neuropathy. <b>2000</b> , 14, 93-104	23
811	Racial disparities in access to renal transplantation--clinically appropriate or due to underuse or overuse?. <b>2000</b> , 343, 1537-44, 2 p preceding 1537	451
810	Health-related quality of life in patients with human immunodeficiency virus infection in the United States: results from the HIV Cost and Services Utilization Study. <b>2000</b> , 108, 714-22	269
809	Development of subscales from the symptoms/problems and effects of kidney disease scales of the kidney disease quality of life instrument. <b>2000</b> , 22, 1099-111	32
808	Renal rehabilitation: obstacles, progress, and prospects for the future. <b>2000</b> , 35, S141-7	11
807	Predictors of poor outcome in chronic dialysis patients: The Netherlands Cooperative Study on the Adequacy of Dialysis. The NECOSAD Study Group. <b>2000</b> , 35, 69-79	128
806	Quality-of-life evaluation using Short Form 36: comparison in hemodialysis and peritoneal dialysis patients. <b>2000</b> , 35, 293-300	176
805	Functional impairment, depression, and life satisfaction among older hemodialysis patients and age-matched controls: a prospective study. <b>2000</b> , 81, 453-9	37
804	The life readiness program: a physical rehabilitation program for patients on hemodialysis. <b>2000</b> , 36, 581-91	62
803	Formal literature review of quality-of-life instruments used in end-stage renal disease. <b>2000</b> , 36, 327-36	50
802	A comparative review of generic quality-of-life instruments. <b>2000</b> , 17, 13-35	511
801	The impact of irritable bowel syndrome on health-related quality of life. <b>2000</b> , 119, 654-60	531
800	Development and evaluation of the liver disease quality of life instrument in persons with advanced, chronic liver disease--the LDQOL 1.0. <b>2000</b> , 95, 3552-3565	89
799	Does dialysis adequacy impact on the quality of life of end-stage renal disease patients?. <b>2001</b> , 5, 57-65	
798	Responsiveness of the Smoking Cessation Quality of Life (SCQoL) questionnaire. <b>2001</b> , 23, 957-69	17
797	II. NKF-K/DOQI Clinical Practice Guidelines for Peritoneal Dialysis Adequacy: update 2000. <b>2001</b> , 37, S65-S136	172

796	The case for daily dialysis: its impact on costs and quality of life. <b>2001</b> , 37, 777-89	114
795	Health-related quality of life among dialysis patients in Seattle and Aichi. <b>2001</b> , 37, 987-96	11
794	Developing a health-related quality-of-life measure for end-stage renal disease: The CHOICE Health Experience Questionnaire. <b>2001</b> , 37, 11-21	83
793	Twelve weeks of exercise training increases muscle function and walking capacity in elderly predialysis patients and healthy subjects. <b>2001</b> , 88, 48-56	74
792	A Comparative Study of Blood Pressure Control with Short In-Center versus Long Home Hemodialysis. <b>2001</b> , 19, 293-300	53
791	Translation, cultural adaptation, and initial reliability and multitrait testing of the Kidney Disease Quality of Life instrument for use in Japan. <i>Quality of Life Research</i> , <b>2001</b> , 10, 93-100	3-7 57
790	Quality of life in end-stage renal disease patients. <b>2001</b> , 38, 443-64	357
789	Health-related quality of life assessment in end-stage renal failure. <b>2001</b> , 6, 658-670	3
788	Does ethnicity influence perceived quality of life of patients on dialysis and following renal transplant?. <b>2001</b> , 16, 1395-401	59
787	Race and restless sleep complaint in older chronic dialysis patients and nondialysis community controls. <b>2001</b> , 56, P170-5	27
786	Health-related quality of life in functional GI disorders: focus on constipation and resource utilization. <b>2002</b> , 97, 1986-93	210
785	Psychosocial predictors of non-compliance in haemodialysis and peritoneal dialysis patients. <b>2002</b> , 17, 93-9	97
784	Dialysis adequacy and health related quality of life in hemodialysis patients. <b>2002</b> , 48, 565-9	44
783	Use of the SF-36 and other health-related quality of life measures to assess persons with disabilities. <b>2002</b> , 83, S4-9	100
782	Association of nutritional markers with physical and mental health status in prevalent hemodialysis patients from the HEMO study. <b>2002</b> , 12, 160-9	34
781	Clinical outcomes and Quality of Life in Elderly Patients on Peritoneal Dialysis versus Hemodialysis. <b>2002</b> , 22, 463-470	121
780	Evaluation of DOQI guidelines: early start of dialysis treatment is not associated with better health-related quality of life. <b>2002</b> , 39, 108-15	48
779	Health-related quality of life, depressive symptoms, anemia, and malnutrition at hemodialysis initiation. <b>2002</b> , 40, 1185-94	133

778	Quality of life in peritoneal dialysis patients: decline over time and association with clinical outcomes. <b>2002</b> , 61, 239-48	103
777	Early quality of life benefits of icodextrin in peritoneal dialysis. <b>2002</b> , S72-9	23
776	Quality end-of-life care in dialysis units. <b>2002</b> , 15, 41-4	13
775	The Study of Treatment for Renal Insufficiency: Data and Evaluation (STRIDE), a national registry of chronic kidney disease. <b>2002</b> , 15, 366-9	11
774	New trends on health related quality of life assessment in end-stage renal disease patients. <b>2002</b> , 33, 195-202	16
773	Validation of the KDQOL-SF: a dialysis-targeted health measure. <i>Quality of Life Research</i> , <b>2002</b> , 11, 437-47	127
772	Impact of socioeconomic status on the quality of life of ESRD patients. <b>2003</b> , 41, 186-95	56
771	Health-related quality of life and associated outcomes among hemodialysis patients of different ethnicities in the United States: the Dialysis Outcomes and Practice Patterns Study (DOPPS). <b>2003</b> , 41, 605-15	156
770	The relative importance of residual renal function compared with peritoneal clearance for patient survival and quality of life: an analysis of the Netherlands Cooperative Study on the Adequacy of Dialysis (NECOSAD )-2. <b>2003</b> , 41, 1293-302	233
769	ESRD patient quality of life: symptoms, spiritual beliefs, psychosocial factors, and ethnicity. <b>2003</b> , 42, 713-21	224
768	Association of decreased quality of life and erectile dysfunction in hemodialysis patients. <b>2003</b> , 64, 232-8	55
767	Health-related quality of life as a predictor of mortality and hospitalization: the Dialysis Outcomes and Practice Patterns Study (DOPPS). <b>2003</b> , 64, 339-49	541
766	Health-related quality of life among dialysis patients on three continents: the Dialysis Outcomes and Practice Patterns Study. <b>2003</b> , 64, 1903-10	202
765	Disablement and rehabilitation in end-stage renal disease. <b>2003</b> , 16, 447-52	28
764	Spanish validation of the "kidney transplant questionnaire": a useful instrument for assessing health related quality of life in kidney transplant patients. <b>2003</b> , 1, 56	22
763	Nocturnal sleep, daytime sleepiness, and quality of life in stable patients on hemodialysis. <b>2003</b> , 1, 68	55
762	Sleep disturbances in dialysis patients. <b>2003</b> , 7, 131-43	167
761	Bias in assessment of health-related quality of life in a hemodialysis population: a comparison of self-administered and interviewer-administered surveys in the HEMO study. <b>2003</b> , 14, 2132-41	43

760	Haemoglobin and haematocrit targets for the anaemia of chronic renal disease. <b>2003</b> , CD003967	15
759	PARADIGM TENSION IN MANAGEMENT OF CHRONIC DISEASE. 107-123	
758	25 Lebensqualität bei Dialysepatienten. <b>2004</b> ,	
757	The Relationship of Quality of Life with the Severity of Disease and Non-Expression of Emotions in Peritoneal Dialysis. <b>2004</b> , 24, 77-79	5
756	Five months of physical exercise in hemodialysis patients: effects on aerobic capacity, physical function and self-rated health. <b>2004</b> , 96, c76-81	52
755	Linking race and well-being within a biopsychosocial framework: variation in subjective sleep quality in two racially diverse older adult samples. <b>2004</b> , 45, 99-113	17
754	Quality of life. <b>2004</b> , 145, 99-105	4
753	Daily hemofiltration for end-stage renal disease: a feasibility and efficacy trial. <b>2004</b> , 22, 481-9	19
752	Hemoglobin targets for the anemia of chronic kidney disease: a meta-analysis of randomized, controlled trials. <b>2004</b> , 15, 3154-65	125
751	Refining a health-related quality of life assessment strategy for solid organ transplant patients. <b>2004</b> , 18 Suppl 12, 39-45	16
750	Racial differences in health-related quality of life among hemodialysis patients. <b>2004</b> , 65, 1482-91	77
749	Effects of hemodialysis dose and membrane flux on health-related quality of life in the HEMO Study. <b>2004</b> , 66, 355-66	129
748	Validation of the Kidney Disease Quality of Life (KDQOL) cognitive function subscale. <b>2004</b> , 66, 2361-7	49
747	Kidney disease quality of life of Japanese dialysis patients who desire administration of sildenafil and the treatment of erectile dysfunction using sildenafil. <b>2004</b> , 8, 340-6	10
746	Quality of life and daily hemodialysis. <b>2004</b> , 17, 92-8	22
745	Development of a symptom assessment instrument for chronic hemodialysis patients: the Dialysis Symptom Index. <b>2004</b> , 27, 226-40	171
744	A clinical and cost evaluation of hemodialysis in renal satellite units in England and Wales. <b>2004</b> , 44, 121-31	19
743	Health-related quality of life in the Dialysis Outcomes and Practice Patterns Study (DOPPS). <b>2004</b> , 44, 54-60	65

742	Evaluation of functional and mental state and quality of life in chronic haemodialysis patients. <b>2004</b> , 36, 263-7		14
741	Differences in health-related quality of life and treatment preferences among black and white patients with end-stage renal disease. <i>Quality of Life Research</i> , <b>2004</b> , 13, 1129-37	3-7	38
740	A measure of success in kidney transplantations. <b>2004</b> , 8, 104-5		7
739	Self-rated health and employment status in chronic haemodialysis patients. <b>2004</b> , 38, 174-8		26
738	Health-related quality of life in the Dialysis Outcomes and Practice Patterns Study (DOPPS). <b>2004</b> , 44, 54-60		120
737	Health-related quality of life outcomes after kidney transplantation. <b>2004</b> , 2, 2		106
736	Relationships of race and ethnicity to progression of kidney dysfunction and clinical outcomes in patients with chronic kidney failure. <b>2004</b> , 11, 14-23		23
735	Do health causal attributions and coping strategies act as moderators of quality of life in peritoneal dialysis patients?. <b>2004</b> , 56, 317-22		46
734	Racial differences in the impact of irritable bowel syndrome on health-related quality of life. <b>2004</b> , 38, 782-9		31
733	Health-related quality of life and estimates of utility in chronic kidney disease. <b>2005</b> , 68, 2801-8		188
732	The Renal Treatment Satisfaction Questionnaire (RTSQ): a measure of satisfaction with treatment for chronic kidney failure. <b>2005</b> , 45, 572-9		46
731	Association of physical activity with mortality in the US dialysis population. <b>2005</b> , 45, 690-701		163
730	Association of patient autonomy with increased transplantation and survival among new dialysis patients in the United States. <b>2005</b> , 45, 730-42		40
729	Quality of life in chronic kidney disease (CKD): a cross-sectional analysis in the Renal Research Institute-CKD study. <b>2005</b> , 45, 658-66		272
728	Health related quality of life in patients with chronic kidney disease. <b>2005</b> , 37, 367-78		79
727	Self-assessed sleep quality in chronic kidney disease. <b>2005</b> , 37, 159-65		33
726	Psychosocial factors and health-related quality of life in hemodialysis patients. <i>Quality of Life Research</i> , <b>2005</b> , 14, 179-90	3-7	62
725	Determining the basic psychometric properties of the Greek KDQOL-SF. <i>Quality of Life Research</i> , <b>2005</b> , 14, 1967-75	3-7	15



724	Effect of increased convective clearance by on-line hemodiafiltration on all cause and cardiovascular mortality in chronic hemodialysis patients - the Dutch CONvective TRANsport Study (CONTRAST): rationale and design of a randomised controlled trial [ISRCTN38365125]. <b>2005</b> , 6, 8	62
723	Cultural adaptation and validation of the "Kidney Disease and Quality of Life--Short Form (KDQOL-SF 1.3)" in Brazil. <b>2005</b> , 38, 261-70	49
722	Reliability testing of the Danish version of the Kidney Disease Quality of Life Short Form. <b>2005</b> , 39, 498-502	20
721	The quality of life of older and younger people who receive renal replacement therapy. <b>2005</b> , 25, 903-923	9
720	Race, gender, and incident dialysis patients' reported health status and quality of life. <b>2005</b> , 16, 1440-8	36
719	Defining higher order dimensions of self-reported health: further evidence for a two-dimensional structure. <b>2005</b> , 28, 122-41	15
718	Double-blind comparison of full and partial anemia correction in incident hemodialysis patients without symptomatic heart disease. <b>2005</b> , 16, 2180-9	289
717	Characterisation and comparison of health-related quality of life for patients with renal failure. <b>2005</b> , 21, 1777-83	83
716	Restless legs syndrome, insomnia and quality of life in patients on maintenance dialysis. <b>2005</b> , 20, 571-7	166
715	[Effects of anxiety and depression on haemodialysis adequacy]. <b>2005</b> , 1, 31-7	8
714	The relevance of health related quality of life in paced patients. <b>2005</b> , 102, 377-82	6
713	Quality of life in patients with chronic kidney disease: focus on end-stage renal disease treated with hemodialysis. <b>2006</b> , 26, 68-79	139
712	Assessment of health-related quality of life in chronic dialysis patients with the COOP/WONCA charts. <b>2006</b> , 104, c7-14	7
711	Correction of anemia with epoetin alfa in chronic kidney disease. <b>2006</b> , 355, 2085-98	2017
710	Exercise training during hemodialysis improves dialysis efficacy and physical performance. <b>2006</b> , 87, 680-7	142
709	Validation of the Kidney Disease Quality of Life-Short Form questionnaire in kidney transplant patients. <b>2006</b> , 60, 495-504	67
708	Impact of First Dialysis Modality on Outcome of Patients Contraindicated for Kidney Transplant. <b>2006</b> , 26, 231-239	29
707	Association of body size with health status in patients beginning dialysis. <b>2006</b> , 83, 543-9	42

706	A crossover study of short daily haemodialysis. <b>2006</b> , 21, 166-75		41
705	Psychometric testing of the social support survey on a Taiwanese sample. <b>2006</b> , 55, 411-7		45
704	Reliability and validity of the ESRD Symptom Checklist--Transplantation Module in Norwegian kidney transplant recipients. <i>BMC Nephrology</i> , <b>2006</b> , 7, 17	2.7	11
703	Characteristics of depression in hemodialysis patients: symptoms, quality of life and mortality risk. <b>2006</b> , 28, 306-12		148
702	Improving albumin levels among hemodialysis patients: a community-based randomized controlled trial. <b>2006</b> , 48, 28-36		65
701	Sleep quality and its correlates in the first year of dialysis. <b>2006</b> , 1, 802-10		85
700	Daily hemodialysis: a systematic review. <b>2006</b> , 1, 33-42		139
699	Religious beliefs and quality of life in an American inner-city haemodialysis population. <b>2007</b> , 22, 2985-90		28
698	Disturbed mineral metabolism is associated with muscle and skin complaints in a prospective cohort of dialysis patients. <b>2007</b> , 22, 2944-9		30
697	Lack of appetite in haemodialysis patients--associations with patient characteristics, indicators of nutritional status and outcomes in the international DOPPS. <b>2007</b> , 22, 3538-46		82
696	Significance of frailty among dialysis patients. <b>2007</b> , 18, 2960-7		430
695	Early intervention improves mortality and hospitalization rates in incident hemodialysis patients: RightStart program. <b>2007</b> , 2, 1170-5		54
694	Assessment and clinical aspects of health-related quality of life in dialysis patients and patients with chronic kidney disease. <b>2007</b> , 106, c24-33		54
693	Evaluation of reliability and validity of Spanish version of the end-stage renal disease symptom checklist-transplantation module. <b>2007</b> , 84, 1428-35		9
692	Translation, cultural adaptation, initial reliability, and validation of the Kidney Disease and Quality of Life-Short Form (KDQOL-SF 1.3) in Turkey. <b>2007</b> , 39, 51-4		15
691	Renal Rehabilitation: Where are the Data? A Progress Report. <b>2007</b> , 9, 387-389		3
690	Restless legs syndrome, insomnia, and quality of life after renal transplantation. <b>2007</b> , 63, 591-7		51
689	[Measuring quality of life in end-stage renal disease. Transcultural adaptation and validation of the specific Kidney Disease Quality of Life questionnaire]. <b>2007</b> , 3, 372-83		17

688	Assessment of health-related quality of life among patients with chronic kidney disease. <b>2007</b> , 14, 345-52	33
687	Measuring patient-reported outcomes in solid organ transplant recipients: an overview of instruments developed to date. <b>2007</b> , 25, 269-86	46
686	Association of anemia correction with health related quality of life in patients not on dialysis. <b>2007</b> , 23, 2997-3008	49
685	Chronic kidney disease mineral bone disorder and health-related quality of life among incident end-stage renal-disease patients. <b>2007</b> , 17, 305-13	15
684	Symptoms and their correlates in chronic kidney disease. <b>2007</b> , 14, 319-27	24
683	Quality of life research: a valuable tool for nephrology nurses. <b>2007</b> , 33, 25-9	4
682	[Comparisons of quality of life measures between women and men on hemodialysis]. <b>2007</b> , 53, 506-9	7
681	Health Related Quality of Life, an appropriate indicator to assess the impact of morbidity management and disability prevention activities towards elimination of lymphatic filariasis. <b>2007</b> , 6, 8	10
680	Quality of life assessment in renal transplant: review and future directions. <b>2008</b> , 22, 292-303	36
679	Cognitive function in chronic kidney disease. <b>2008</b> , 21, 29-37	144
678	Quality of life assessed with the Medical Outcomes Study Short Form 36-Item Health Survey of patients on renal replacement therapy: a systematic review and meta-analysis. <b>2007</b> , 10, 390-7	146
677	Quality of life of end-stage renal disease patients and study on the implementation of nocturnal home hemodialysis in Greece. <b>2007</b> , 11, 204-9	6
676	Sleep apnea and dialysis therapies: things that go bump in the night?. <b>2007</b> , 11, 369-78	26
675	Quality of life after solid organ transplantation. <b>2007</b> , 21, 155-170	7
674	Diabetic patients treated with dialysis: complications and quality of life. <b>2007</b> , 50, 2254-62	35
673	Factors associated with health-related quality of life among hemodialysis patients in the DOPPS. <i>Quality of Life Research</i> , <b>2007</b> , 16, 545-57	3-7 89
672	Patients with Complex Chronic Diseases: perspectives on supporting self-management. <b>2007</b> , 22 Suppl 3, 438-44	98
671	Changes in health-related quality of life in patients of self-care vs. in-center dialysis during the first year. <i>Quality of Life Research</i> , <b>2008</b> , 17, 1-9	3-7 12

670	Comparison of health-related quality of life measures for chronic renal failure: quality of well-being scale, short-form-6D, and the kidney disease quality of life instrument. <i>Quality of Life Research</i> , <b>2008</b> , 17, 1103-15	3-7	14
669	Promoting functioning and well-being in older CKD patients: review of recent evidence. <b>2008</b> , 40, 1151-8		22
668	Promoting access to renal transplantation: the role of social support networks in completing pre-transplant evaluations. <b>2008</b> , 23, 1187-93		40
667	Does hope predict adjustment to end-stage renal failure and consequent dialysis?. <b>2008</b> , 13, 683-99		34
666	Health-related quality of life in the era of erythropoietin. <b>2008</b> , 12, 6-15		30
665	Preference-based quality of life of patients on renal replacement therapy: a systematic review and meta-analysis. <b>2008</b> , 11, 733-41		139
664	Health-related quality of life in nephrology research and clinical practice. <b>2005</b> , 18, 82-90		81
663	The influence of age on changes in health-related quality of life over three years in a cohort undergoing hemodialysis. <b>2008</b> , 56, 1608-17		52
662	The impact of nutrition intervention on quality of life in pre-dialysis chronic kidney disease patients. <b>2008</b> , 27, 537-44		67
661	Staff burnout and patient satisfaction with the quality of dialysis care. <b>2008</b> , 51, 80-92		75
660	The effect of increasing dialysis dose in overweight hemodialysis patients on quality of life: a 6-week randomized crossover trial. <b>2008</b> , 51, 796-803		8
659	Subjective and objective sleep quality in patients on conventional thrice-weekly hemodialysis: comparison with matched controls from the sleep heart health study. <b>2008</b> , 52, 305-13		64
658	Sleep and Quality of Life in Clinical Medicine. <b>2008</b> ,		22
657	[Haemodialysis and its impact on the quality of life]. <b>2008</b> , 4, 21-7		2
656	Disease management in chronic kidney disease. <b>2008</b> , 15, 19-28		31
655	The association of darbepoetin alfa with hemoglobin and health-related quality of life in patients with chronic kidney disease not receiving dialysis. <b>2008</b> , 24, 1091-100		12
654	Biomarkers and health-related quality of life in end-stage renal disease: a systematic review. <b>2008</b> , 3, 1759-68		91
653	Measurement and Modeling of Health-Related Quality of Life. <b>2008</b> , 241-252		28

652	Adultos e idosos em hemodiálise: avaliação da qualidade de vida relacionada à saúde. <b>2008</b> , 21, 152-159	19
651	[Assessment instruments for a Health-Related Quality of Life in diabetes mellitus]. <b>2008</b> , 52, 931-9	31
650	. <b>2009</b> ,	10
649	A review of the reliability and validity of the Edmonton Symptom Assessment System. <b>2009</b> , 16, 55	165
648	[Assesment or the basic psychometric properties for the Portuguese version of the KDQOL-SF]. <b>2009</b> , 55, 22-8	5
647	Evaluación de la calidad de vida en pacientes en hemodiálisis crónica mediante el cuestionario "Kidney Disease Quality of Life (KDQOL-36)". <b>2009</b> , 137,	6
646	Circadian blood pressure classification scheme and the health of patients with chronic kidney disease. <b>2009</b> , 30, 536-46	13
645	Nocturnal hemodialysis does not improve overall measures of quality of life compared to conventional hemodialysis. <b>2009</b> , 75, 542-9	62
644	Relationship between conditions addressed by hemodialysis guidelines and non-ESRD-specific conditions affecting quality of life. <b>2009</b> , 4, 572-8	44
643	Aspectos psicosociales y calidad de vida en diálisis peritoneal. <b>2009</b> , 603-616	
642	Dry-weight reduction in hypertensive hemodialysis patients (DRIP): a randomized, controlled trial. <b>2009</b> , 53, 500-7	249
641	Pill burden, adherence, hyperphosphatemia, and quality of life in maintenance dialysis patients. <b>2009</b> , 4, 1089-96	363
640	The comprehensive dialysis study (CDS): a USRDS special study. <b>2009</b> , 4, 645-50	41
639	Health-related quality of life in CKD Patients: correlates and evolution over time. <b>2009</b> , 4, 1293-301	166
638	Erythropoietin therapy, hemoglobin targets, and quality of life in healthy hemodialysis patients: a randomized trial. <b>2009</b> , 4, 726-33	50
637	Predialysis chronic kidney disease: evaluation of quality of life in clinic patients receiving comprehensive anemia care. <b>2009</b> , 5, 143-53	10
636	Sleep disorders and quality of life in renal transplant recipients. <b>2009</b> , 41, 373-82	40
635	Review article: Patient-level outcomes: the missing link. <b>2009</b> , 14, 443-51	10

634	Comparing the Health Utilities Index Mark 3 (HUI3) with the Short Form-36 preference-based SF-6D in chronic kidney disease. <b>2009</b> , 12, 340-5	25
633	Illness and treatment cognitions and health related quality of life in end stage renal disease. <b>2009</b> , 14, 17-34	56
632	Effects of peridialytic oral supplements on nutritional status and quality of life in chronic hemodialysis patients. <b>2009</b> , 19, 145-52	33
631	[Monitoring the quality of life of end-stage renal disease patients. Quality of life report - REIN - Dialysis 2005]. <b>2009</b> , 5 Suppl 3, S177-237	10
630	[Anxiety and depression in hemodialysis: validation of the Hospital Anxiety and Depression Scale (HADS)]. <b>2009</b> , 5, 193-200	48
629	Restorative physical and occupational therapy: a critical need for patients with chronic kidney and end-stage renal disease. <b>2009</b> , 16, 529-35	4
628	Long-Term Complications of Diabetes. 205-259	
627	Underlying dimensions of the five health-related quality-of-life measures used in utility assessment: evidence from the National Health Measurement Study. <b>2010</b> , 48, 718-25	26
626	Exercise program to enhance physical performance and quality of life of older hemodialysis patients: a feasibility study. <b>2010</b> , 42, 1125-30	31
625	Impact of pain and symptom burden on the health-related quality of life of hemodialysis patients. <b>2010</b> , 39, 477-85	180
624	Evaluation of a nurse-led disease management programme for chronic kidney disease: a randomized controlled trial. <b>2010</b> , 47, 268-78	58
623	Health-related quality of life and depression among participants in the DOPPS: predictors and associations with clinical outcomes. <b>2010</b> , 23, 14-6	13
622	Quality of life and alternate nightly nocturnal home hemodialysis. <b>2010</b> , 14, 29-38	33
621	Health-related quality of life in patients undergoing peritoneal dialysis: effects of a nurse-led case management programme. <b>2010</b> , 66, 1780-92	53
620	Investigating the health profile of patients with end-stage renal failure receiving peritoneal dialysis: a cluster analysis. <b>2010</b> , 19, 649-57	9
619	[Relationship between quality of life and chronic illnesses in community-dwelling elderly people]. <b>2010</b> , 47, 308-14	4
618	Sleep quality, mood, alertness and their variability in CKD and ESRD. <b>2010</b> , 114, c277-87	21
617	Developing a self-administered CKD symptom assessment instrument. <b>2010</b> , 25, 160-6	21

616	Physical exercise among participants in the Dialysis Outcomes and Practice Patterns Study (DOPPS): correlates and associated outcomes. <b>2010</b> , 25, 3050-62	198
615	Health-related quality of life and depression in dialysis patients: associations with current smoking. <b>2010</b> , 44, 46-55	29
614	Effect of hemodiafiltration on mortality, inflammation and quality of life. <b>2011</b> , 168, 39-52	4
613	Existential and religious dimensions of spirituality and their relationship with health-related quality of life in chronic kidney disease. <b>2010</b> , 5, 1969-76	39
612	Outcomes predicted by phosphorous in chronic kidney disease: a retrospective CKD-inception cohort study. <b>2010</b> , 25, 166-74	8
611	Adaptation and validation of the Kidney Disease Quality of Life-Short Form questionnaire in the Greek language. <b>2010</b> , 31, 9-14	7
610	Trastornos de sueño en los pacientes en diálisis. <b>2010</b> , 39, 588-600	4
609	Health-related quality of life in Hispanics with chronic kidney disease. <b>2010</b> , 155, 157-63	9
608	Measurement invariance of the kidney disease and quality of life instrument (KDQOL-SF) across veterans and non-veterans. <b>2010</b> , 8, 120	17
607	Improving psychosocial health in hemodialysis patients after a disaster. <b>2010</b> , 49, 513-25	6
606	Nutrition and Quality of Life in Hemodialysis [The Impact of Nutritional Status and Quality of Life on Morbidity and Mortality in Hemodialysis Patients. <b>2010</b> , 3171-3187	
605	Understanding and assessing the impact of end-stage renal disease on quality of life: a systematic review of the content validity of self-administered instruments used to assess health-related quality of life in end-stage renal disease. <b>2011</b> , 4, 19-30	20
604	Health-related quality of life and clinical outcomes in kidney transplant recipients. <b>2011</b> , 58, 444-52	59
603	Protein-energy nutritional status and kidney disease-specific quality of life in hemodialysis patients. <b>2011</b> , 21, 376-386.e1	19
602	Trastornos del sueño en pacientes en hemodiálisis. <b>2011</b> , 40, 433-445	4
601	[The role of psychological interventions in dialysis: an exploratory study]. <b>2011</b> , 7, 211-8	4
600	Sleep in Chronic Kidney Disease. <b>2011</b> , 1462-1472	1
599	Subjective Well-Being Measures of Hemodialysis Patients. <b>2011</b> ,	

598	Factores Psicosociales Relacionados con la Calidad de Vida en Salud en Pacientes Hemodializados. <b>2011</b> , 29, 135-140		8
597	Factors associated with health-related quality of life in elderly patients on hemodialysis. <b>2011</b> , 45, 1127-36		30
596	Do Parental Expectations Play a Role in Children's Sleep and Mothers' Distress? An Exploration of the Goodness of Fit Concept in 54 Mother-Child Dyads. <b>2011</b> , 2011, 104832		5
595	A study of quality of life and its determinants among hemodialysis patients using the KDQOL-SF instrument in one center in Saudi Arabia. <b>2011</b> , 4, 125-30		24
594	Translation, cultural adaptation assessment, and both validity and reliability testing of the Kidney Disease Quality of Life--Short Form version 1.3 for use with Iranian patients. <b>2011</b> , 16, 106-12		13
593	Heart failure severity scoring system and medical- and health-related quality-of-life outcomes: the HEMO study. <b>2011</b> , 58, 84-92		6
592	Measuring the health status burden in hemodialysis patients using the SF-36 <sup>®</sup> health survey. <i>Quality of Life Research</i> , <b>2011</b> , 20, 383-9	3-7	22
591	Predialysis therapeutic care and health-related quality of life at dialysis onset (The pharmacoepidemiologic AVENIR study). <b>2011</b> , 9, 7		7
590	Quality of life in automated and continuous ambulatory peritoneal dialysis. <b>2011</b> , 31, 138-47		23
589	Naturally occurring higher hemoglobin concentration does not increase mortality among hemodialysis patients. <b>2011</b> , 22, 358-65		45
588	Impact of sleep quality on cardiovascular outcomes in hemodialysis patients: results from the frequent hemodialysis network study. <b>2011</b> , 33, 398-406		23
587	Outcomes of patients with delayed dialysis initiation: Results from the AVENIR study. <b>2011</b> , 33, 76-83		4
586	Sleep disorders, depressive symptoms and health-related quality of life--a cross-sectional comparison between kidney transplant recipients and waitlisted patients on maintenance dialysis. <b>2011</b> , 26, 1058-65		69
585	Peripheral vascular disease severity impacts health outcomes and health-related quality of life in maintenance hemodialysis patients in the HEMO Study. <b>2012</b> , 27, 2929-36		15
584	Predictors of quality of life of hemodialysis patients in India. <b>2012</b> , 22, 18-25		12
583	Reduced survival and quality of life following return to dialysis after transplant failure: the Dialysis Outcomes and Practice Patterns Study. <b>2012</b> , 27, 4464-72		59
582	The association of mental health over time with cardiac outcomes in HEMO study patients. <b>2012</b> , 7, 957-64		12
581	Frailty, dialysis initiation, and mortality in end-stage renal disease. <b>2012</b> , 172, 1071-7		210



580	Clinical performance targets and quality of life in hemodialysis patients. <b>2012</b> , 33, 73-9		12
579	Sleep and pain management are key components of patient care in ESRD. <b>2012</b> , 27, 2618-20		5
578	Comparing VA and private sector healthcare costs for end-stage renal disease. <b>2012</b> , 50, 161-70		24
577	Quality of life and protein-energy wasting in kidney transplant recipients. <b>2012</b> , 44, 1257-68		16
576	Measurement properties of the Chinese Version of the Kidney Disease Quality of Life-Short Form (KDQOL-SF) in end-stage renal disease patients with poor prognosis in Singapore. <b>2012</b> , 44, 923-32		16
575	Is nutritional status associated with self-reported sleep quality in the HEMO study cohort?. <b>2012</b> , 22, 461-71		10
574	The kidney disease quality of life cognitive function subscale and cognitive performance in maintenance hemodialysis patients. <b>2012</b> , 60, 417-26		35
573	Measurement of health-related quality of life in the care of patients with ESRD: isn't this the metric that matters?. <b>2012</b> , 25, 439-44		20
572	Health-related quality of life in different stages of renal failure. <b>2012</b> , 36, 581-9		56
571	Relationships between appetite and quality of life in hemodialysis patients. <b>2012</b> , 59, 194-9		11
570	Main and interactive effects of emotion dysregulation and breath-holding duration in relation to panic-relevant fear and expectancies about anxiety-related sensations among adult daily smokers. <b>2012</b> , 26, 173-81		19
569	Cultural adaptation and validation of the "Kidney Disease and Quality of Life--Short Form (KDQOL-SF) version 1.3" questionnaire in Egypt. <i>BMC Nephrology</i> , <b>2012</b> , 13, 170	2.7	24
568	Health-related quality of life and all-cause mortality in patients with diabetes on dialysis. <i>BMC Nephrology</i> , <b>2012</b> , 13, 78	2.7	29
567	The effect of depression and health-related quality of life on the outcome of hemodialysis patients. <b>2012</b> , 31, 54-61		6
566	Health utility measured with EQ-5D in Thai patients undergoing peritoneal dialysis. <b>2012</b> , 15, S79-84		26
565	Relationship Between Chewing and Swallowing Functions and Health-Related Quality of Life. <b>2012</b> ,		1
564	Measuring quality of life in anaemia management. <b>2012</b> , 4, 26-27		
563	Trabalho e qualidade de vida relacionada à saúde de pacientes em diálise peritoneal. <b>2012</b> , 25, 352-357		4

562	Lower residual renal function is a risk factor for depression and impaired health-related quality of life in Korean peritoneal dialysis patients. <b>2012</b> , 27, 64-71		17
561	Quality of life in people with chronic hemodialysis: association with sociodemographic, medical-clinical and laboratory variables. <b>2012</b> , 20, 838-46		14
560	Assessment of the psychological burden associated with pruritus in hemodialysis patients using the kidney disease quality of life short form. <i>Quality of Life Research</i> , <b>2012</b> , 21, 603-12	3.7	35
559	The psychosocial correlates of quality of life in the dialysis population: a systematic review and meta-regression analysis. <i>Quality of Life Research</i> , <b>2012</b> , 21, 563-80	3.7	21
558	Changes in serum prolactin, sex hormones and thyroid function with alternate nightly nocturnal home haemodialysis. <b>2012</b> , 17, 42-7		34
557	Renal transplant acceptance status, health-related quality of life and depression in dialysis patients. <b>2012</b> , 38, 98-106		6
556	Self-reported symptoms in patients on hemodialysis with moderate to severe secondary hyperparathyroidism receiving combined therapy with cinacalcet and low-dose vitamin D sterols. <b>2012</b> , 16, 188-97		21
555	Effects of modality change on health-related quality of life. <b>2012</b> , 16, 377-86		21
554	The impact of treatment transitions between dialysis and transplantation on illness cognitions and quality of life - a prospective study. <b>2012</b> , 17, 812-27		24
553	Differences in quality of life of hemodialysis patients between dialysis centers. <i>Quality of Life Research</i> , <b>2012</b> , 21, 299-307	3.7	12
552	Using the bootstrap to establish statistical significance for relative validity comparisons among patient-reported outcome measures. <b>2013</b> , 11, 89		27
551	Rationale and design of the Sodium Lowering In Dialysate (SoLID) trial: a randomised controlled trial of low versus standard dialysate sodium concentration during hemodialysis for regression of left ventricular mass. <i>BMC Nephrology</i> , <b>2013</b> , 14, 149	2.7	20
550	Psychosocial factors in adults with chronic kidney disease: characteristics of pilot participants in the Tasmanian Chronic Kidney Disease study. <i>BMC Nephrology</i> , <b>2013</b> , 14, 83	2.7	20
549	Exercise Training for Individuals with Advanced Chronic Kidney Disease. <b>2013</b> , 739-773		
548	Long-term quality of life of liver transplant recipients beyond 60 years of age. <b>2013</b> , 35, 2485-92		7
547	Dialysis outcomes in those aged $\geq$ 85 years. <i>BMC Nephrology</i> , <b>2013</b> , 14, 175	2.7	9
546	Foods with added fiber improve stool frequency in individuals with chronic kidney disease with no impact on appetite or overall quality of life. <b>2013</b> , 6, 510		22
545	Validation of the English version of the Kidney Disease Quality of Life questionnaire (KDQOL-36) in haemodialysis patients in Singapore. <b>2013</b> , 6, 135-41		17

544	The chronic kidney disease Water Intake Trial (WIT): results from the pilot randomised controlled trial. <b>2013</b> , 3, e003666	24
543	Rationale and design of the Chronic Kidney Disease Antidepressant Sertraline Trial (CAST). <b>2013</b> , 34, 136-44	22
542	Quality of life of young adults and adolescents with chronic kidney disease. <b>2013</b> , 163, 1179-85.e5	50
541	A more cautious stance on nutritional supplementation for hypoalbuminemia is justified. <b>2013</b> , 61, 349	1
540	Intradialytic oral nutritional supplements improve quality of life. <b>2013</b> , 61, 349	8
539	Physical performance and frailty in chronic kidney disease. <b>2013</b> , 38, 307-15	106
538	Quality of life after organ transplantation in children. <b>2013</b> , 18, 563-8	6
537	Effect of hemodiafiltration on quality of life over time. <b>2013</b> , 8, 82-9	36
536	Short-term changes after a weight reduction intervention in advanced diabetic nephropathy. <b>2013</b> , 8, 1892-8	50
535	Can we improve quality of life of patients on dialysis?. <b>2013</b> , 8, 1-4	40
534	Study on the clinical significance and related factors of thirst and xerostomia in maintenance hemodialysis patients. <b>2013</b> , 37, 464-74	16
533	Health-related quality of life of patients awaiting kidney and simultaneous pancreas-kidney transplants. <b>2013</b> , 18, 827-32	5
532	A multicentre study to implement nutritional risk screening and evaluate clinical outcome and quality of life in patients with cancer. <b>2013</b> , 67, 732-7	6
531	Clinical characteristics and outcomes of end-stage renal disease patients with self-reported pruritus symptoms. <b>2013</b> , 7, 1-12	21
530	Ageism vs. the technical imperative, applying the GRADE framework to the evidence on hemodialysis in very elderly patients. <b>2013</b> , 8, 797-807	17
529	Physiotherapy in the Patients on Hemodialysis. <b>2013</b> ,	
528	Factors associated with the quality of life of adults subjected to hemodialysis in a city in northeast Brazil. <b>2013</b> , 35, 79-86	15
527	Burden and management of chronic kidney disease in Japan: systematic review of the literature. <b>2013</b> , 6, 1-13	19

526	Hemodialysis Patients Needs Priorities According to MaslowsHierarchy and Quality of Life. <b>2013</b> , 02,		0
525	Factors associated with quality of life among hemodialysis patients in Malaysia. <b>2013</b> , 8, e84152		45
524	Quality of Life: Definition and Measurement. <b>2013</b> , 9, 150-162		110
523	Health Related Quality of Life in Chronic Kidney Disease Patients. <b>2013</b> , 01,		
522	Managing End-Stage Renal Disease in Older Patients: A Single Centre Experience with Renal Transplantation in the Elderly. <b>2014</b> , 2014, 1-8		
521	From dialysis to transplantation: a 5-year longitudinal study on self-reported quality of life. <i>BMC Nephrology</i> , <b>2014</b> , 15, 191	2.7	45
520	The Steroids In the Maintenance of remission of Proliferative Lupus nephritis (SIMPL) pilot trial. <b>2014</b> , 1, 30		20
519	The Role of Anxiety Sensitivity in the Relationship Between Emotional Non-Acceptance and Panic, Social Anxiety, and Depressive Symptoms Among Treatment-Seeking Daily Smokers. <b>2014</b> , 7, 175-191		7
518	Use of auricular acupressure to improve the quality of life in diabetic patients with chronic kidney diseases: a prospective randomized controlled trial. <b>2014</b> , 2014, 343608		11
517	Qualitative interviews on chronic pruritus in haemodialysis patients. <b>2014</b> , 94, 713-4		7
516	Quality-of-life of patients with Parkinson's disease. <b>2014</b> , 28, 1342-52		13
515	Self-perceived quality of sleep and mortality in Norwegian dialysis patients. <b>2014</b> , 18, 87-94		29
514	The changes in quality of life during the first year after the renal transplantation: The influence of physical activity and nutrition. <b>2014</b> , 16, e249-e255		0
513	Symptom clusters in patients on dialysis and their association with quality-of-life outcomes. <b>2014</b> , 40, 23-33		31
512	Validity of a checklist for hemodialysis patients based on the International Classification Of Functioning, Disability and Health. <b>2014</b> , 18, 473-80		8
511	Is the kidney disease quality of life-36 (KDQOL-36) a valid instrument for Chinese dialysis patients?. <i>BMC Nephrology</i> , <b>2014</b> , 15, 199	2.7	25
510	Cardiac biomarkers and health-related quality of life in new hemodialysis patients without symptomatic cardiac disease. <b>2014</b> , 1, 16		7
509	Effect of individualized exercise during maintenance haemodialysis on exercise capacity and health-related quality of life in patients with uraemia. <b>2014</b> , 42, 718-27		34

508	Two-times weekly hemodialysis in China: frequency, associated patient and treatment characteristics and Quality of Life in the China Dialysis Outcomes and Practice Patterns study. <b>2014</b> , 29, 1770-7		59
507	Performance assessment of patient on dialysis. <b>2014</b> , 39, 176-9		1
506	Home hemodialysis and conventional in-center hemodialysis in Japan: a comparison of health-related quality of life. <b>2014</b> , 18 Suppl 1, S32-8		10
505	Quality of life and emotional distress between patients on peritoneal dialysis versus community-based hemodialysis. <i>Quality of Life Research</i> , <b>2014</b> , 23, 57-66	3.7	44
504	Ecological momentary assessment of fatigue, sleepiness, and exhaustion in ESKD. <i>BMC Nephrology</i> , <b>2014</b> , 15, 29	2.7	29
503	Randomized pilot trial between prostaglandin I2 analog and anti-platelet drugs on peripheral arterial disease in hemodialysis patients. <b>2014</b> , 18, 1-8		8
502	Associations of self-reported physical activity types and levels with quality of life, depression symptoms, and mortality in hemodialysis patients: the DOPPS. <b>2014</b> , 9, 1702-12		83
501	Determining the validity and reliability of the Chinese version of the Kidney Disease Quality of Life Questionnaire (KDQOL-36) <i>BMC Nephrology</i> , <b>2014</b> , 15, 115	2.7	35
500	Brief communication: patient satisfaction with the use of tablet computers: a pilot study in two outpatient home dialysis clinics. <b>2014</b> , 1, 22		21
499	Health related quality of life in patients in dialysis after renal graft loss and effect of gender. <b>2014</b> , 14, 34		6
498	Cohort profile: Greifswald approach to individualized medicine (GANI_MED). <b>2014</b> , 12, 144		37
497	Effects of post-discharge nurse-led telephone supportive care for patients with chronic kidney disease undergoing peritoneal dialysis in China: a randomized controlled trial. <b>2014</b> , 34, 278-88		28
496	Coping with fluid restriction and the quality of life in hemodialysis patients with very low or no daily urine output. <b>2014</b> , 37, 427-35		7
495	A study of sertraline in dialysis (ASSertID): a protocol for a pilot randomised controlled trial of drug treatment for depression in patients undergoing haemodialysis. <i>BMC Nephrology</i> , <b>2015</b> , 16, 172	2.7	13
494	Does oral sodium bicarbonate therapy improve function and quality of life in older patients with chronic kidney disease and low-grade acidosis (the BiCARB trial)? Study protocol for a randomized controlled trial. <b>2015</b> , 16, 326		14
493	Effectiveness of management models for facilitating self-management and patient outcomes in adults with diabetes and chronic kidney disease. <b>2015</b> , 4, 81		8
492	Patient perspectives of a young adult renal clinic: a mixed-methods evaluation. <b>2015</b> , 20, 352-9		14
491	Valoración física, condición física y calidad de vida en pacientes con diferentes tratamientos renales sustitutivos. <b>2015</b> , 18, 81-88		3

490	Development of a learning-oriented computer assisted instruction designed to improve skills in the clinical assessment of the nutritional status: a pilot evaluation. <b>2015</b> , 10, e0126345		2
489	Prioritizing patient-centered care implementation and research for patients with kidney disease. <b>2015</b> , 28, 131-40		16
488	Quality of life in renal transplant recipient and donor. <b>2015</b> , 47, 1128-30		6
487	Predictors of health-related quality of life perceived by end-stage renal disease patients under online hemodiafiltration. <i>Quality of Life Research</i> , <b>2015</b> , 24, 1327-35	3.7	16
486	The relationship of health care transition readiness to disease-related characteristics, psychosocial factors, and health care outcomes: preliminary findings in adolescents with chronic kidney disease. <b>2015</b> , 8, 13-22		29
485	Effect of Aging in the Perception of Health-Related Quality of Life in End-Stage Renal Disease Patients under Online-Hemodiafiltration. <b>2015</b> , 6, 17-26		4
484	Study of depression and quality of life among hemodialysis patients: an Egyptian experience. <b>2015</b> , 47, 1855-62		4
483	Quality of Life in Dialysis Patients: A Retrospective Cohort Study. <b>2015</b> , 130, 105-12		20
482	[Comparison of two national quality of life surveys for patients with end stage renal disease between 2005-2007 and 2011: indicators slightly decreased]. <b>2015</b> , 11, 88-96		7
481	Rationale and design of a patient-centered medical home intervention for patients with end-stage renal disease on hemodialysis. <b>2015</b> , 42, 1-8		11
480	Defining novel health-related quality of life domains in lung transplantation: a qualitative analysis. <i>Quality of Life Research</i> , <b>2015</b> , 24, 1521-33	3.7	18
479	Development and validation of a short-version checklist for patients undergoing hemodialysis based on the International Classification of Functioning, Disability and Health. <b>2015</b> , 19, 953-60		3
478	Feasibility and Safety of Intradialysis Yoga and Education in Maintenance Hemodialysis Patients. <b>2015</b> , 25, 445-53		11
477	A randomized trial of intravenous and oral iron in chronic kidney disease. <b>2015</b> , 88, 905-14		121
476	Pharmacologic Treatment of Common Symptoms in Dialysis Patients: A Narrative Review. <b>2015</b> , 28, 377-83		19
475	Telephone-adapted mindfulness-based stress reduction (tMBSR) for patients awaiting kidney transplantation: Trial design, rationale and feasibility. <b>2015</b> , 42, 169-84		17
474	Factores asociados a mala calidad de sueño en pacientes con insuficiencia renal crónica en hemodiálisis. <b>2015</b> , 36, 20-26		2
473	Disease burden and risk profile in referred patients with moderate chronic kidney disease: composition of the German Chronic Kidney Disease (GCKD) cohort. <b>2015</b> , 30, 441-51		93

472	Health-related quality of life of Asian patients with end-stage renal disease (ESRD) in Singapore. <i>Quality of Life Research</i> , <b>2015</b> , 24, 2163-71	3.7	52
471	Using the Knowledge Base of Health Services Research to Redefine Health Care Systems. <b>2015</b> , 30, 1547-56		6
470	Strategies to use tablet computers for collection of electronic patient-reported outcomes. <b>2015</b> , 13, 2		49
469	A pharmacist based intervention to improve the care of patients with CKD: a pragmatic, randomized, controlled trial. <i>BMC Nephrology</i> , <b>2015</b> , 16, 56	2.7	38
468	Pancreas and islet transplantation: psychological themes pre- and posttransplant. <b>2015</b> , 20, 211-5		
467	PAlliative Care in chronic Kidney diSease: the PACKS study--quality of life, decision making, costs and impact on carers in people managed without dialysis. <i>BMC Nephrology</i> , <b>2015</b> , 16, 104	2.7	12
466	Changes in symptom burden and physical performance with initiation of dialysis in patients with chronic kidney disease. <b>2015</b> , 19, 147-50		7
465	A Randomized Trial on Health-Related Patient Satisfaction Level with High-Efficiency Online Hemodiafiltration versus High-Flux Dialysis. <b>2015</b> , 40, 84-91		15
464	Psychometric properties of the Patient's Perception of Life on Hemodialysis Scale. <b>2015</b> , 23, 72-81		1
463	Patient-Reported Outcome Instruments for Physical Symptoms Among Patients Receiving Maintenance Dialysis: A Systematic Review. <b>2015</b> , 66, 1033-46		47
462	Correlation between nutritional markers and appetite self-assessments in hemodialysis patients. <b>2015</b> , 25, 301-7		11
461	Symptom clusters predict mortality among dialysis patients in Norway: a prospective observational cohort study. <b>2015</b> , 49, 27-35		29
460	Randomized Placebo-Controlled EPPIC Trials of AST-120 in CKD. <b>2015</b> , 26, 1732-46		176
459	Patient-reported cognitive functioning and daily functioning in chronic dialysis patients. <b>2015</b> , 19, 90-9		15
458	Psychosocial Issues in Chronic Kidney Disease Patients. <b>2015</b> , 229-236		2
457	Influence on quality of life from an early cinacalcet prescription for secondary hyperparathyroidism in dialysis. <b>2015</b> , 24, 187-96		4
456	Quality of Life on Online Hemodiafiltration (HDF). <b>2016</b> ,		0
455	Health-related quality of life as a predictor of mortality in patients on peritoneal dialysis. <b>2016</b> , 24, e2687		2

454	Health-Related Quality of Life Impacts Mortality but Not Progression to End-Stage Renal Disease in Pre-Dialysis Chronic Kidney Disease: A Prospective Observational Study. <b>2016</b> , 11, e0165675		26
453	Intradialytic Massage for Leg Cramps Among Hemodialysis Patients: a Pilot Randomized Controlled Trial. <b>2016</b> , 9, 3-8		7
452	Depressive Symptoms, Patient Satisfaction, and Quality of Life Over Time in Automated and Continuous Ambulatory Peritoneal Dialysis Patients: A Prospective Multicenter Propensity-Matched Study. <b>2016</b> , 95, e3795		12
451	In Quality We Trust; but Quality of Life or Quality of Care?. <b>2016</b> , 29, 103-10		5
450	How Can We Improve the Quality of Life of Dialysis Patients?. <b>2016</b> , 29, 93-102		14
449	Randomised factorial mixed method pilot study of aerobic and resistance exercise in haemodialysis patients: DIALY-SIZE!. <b>2016</b> , 6, e012085		19
448	Cross-sectional survey in CKD patients across Europe describing the association between quality of life and anaemia. <i>BMC Nephrology</i> , <b>2016</b> , 17, 97	2.7	44
447	Association between quality of life and anxiety, depression, physical activity and physical performance in maintenance hemodialysis patients. <b>2016</b> , 2, 110-119		30
446	The CKD Outcomes and Practice Patterns Study (CKDopps): Rationale and Methods. <b>2016</b> , 68, 402-13		35
445	Risk factors for mortality in end-stage kidney disease patients under online-hemodiafiltration: three-year follow-up study. <b>2016</b> , 21, 544-50		3
444	Health related quality of life in 2002 and 2015 in patients undergoing hemodialysis: a single center study. <b>2016</b> , 38, 1234-9		7
443	The effects of a simulated laughter programme on mood, cortisol levels, and health-related quality of life among haemodialysis patients. <b>2016</b> , 25, 1-7		10
442	Protocol of a mixed method, randomized controlled study to assess the efficacy of a psychosocial intervention to reduce fatigue in patients with End-Stage Renal Disease (ESRD). <i>BMC Nephrology</i> , <b>2016</b> , 17, 73	2.7	8
441	Comparison of outcomes between the incremental and thrice-weekly initiation of hemodialysis: a propensity-matched study of a prospective cohort in Korea. <b>2017</b> , 32, 355-363		19
440	Multifaceted Assessment of Health Literacy in People Receiving Dialysis: Associations With Psychological Stress and Quality of Life. <b>2016</b> , 21, 91-98		28
439	Lebensqualität an der Dialyse. <b>2016</b> , 11, 328-333		2
438	Consequences of CKD on Functioning. <b>2016</b> , 36, 305-18		30
437	Psychometric Validation of a General Health Quality of Life Tool for Cats Used to Compare Healthy Cats and Cats with Chronic Kidney Disease. <b>2016</b> , 30, 183-91		24



436	Examining internet-delivered cognitive behaviour therapy for patients with chronic kidney disease on haemodialysis: A feasibility open trial. <b>2016</b> , 89, 78-84		23
435	The effects of resistance exercise and oral nutritional supplementation during hemodialysis on indicators of nutritional status and quality of life. <b>2016</b> , 31, 1712-20		41
434	Measuring health-related quality of life in patients with conservatively managed stage 5 chronic kidney disease: limitations of the Medical Outcomes Study Short Form 36: SF-36. <i>Quality of Life Research</i> , <b>2016</b> , 25, 2799-2809	3.7	28
433	Quality of life and correlation with musculoskeletal problems, hand disability and depression in patients with hemodialysis. <b>2016</b> , 19, 159-66		14
432	Influence of Staff Encouragement on Perceived Burden of Dietary Restriction Among Patients Living Alone. <b>2016</b> , 20, 623-631		2
431	Is HRQOL in dialysis associated with patient survival or graft function after kidney transplantation?. <i>BMC Nephrology</i> , <b>2016</b> , 17, 94	2.7	11
430	Association of anemia and mineral and bone disorder with health-related quality of life in Asian pre-dialysis patients. <b>2016</b> , 14, 94		19
429	Predictors and Outcomes of Health-Related Quality of Life in Adults with CKD. <b>2016</b> , 11, 1154-62		67
428	Association between changes in quality of life and mortality in hemodialysis patients: results from the DOPPS. <b>2017</b> , 32, 521-527		28
427	Standardizing disease-specific quality of life measures across multiple chronic conditions: development and initial evaluation of the QOL Disease Impact Scale (QDIS <sup>®</sup> ). <b>2016</b> , 14, 84		35
426	Health-Related Quality of Life of Kidney Transplantation Patients: Results from the KoreaN Cohort Study for Outcome in Patients With Kidney Transplantation (KNOW-KT) Study. <b>2016</b> , 48, 844-7		14
425	Psychometric Properties of the Kidney Disease Quality of Life-36 Questionnaire (KDQOL-36 <sup>®</sup> ) <b>2016</b> , 38, 1067-82		17
424	Objective and subjective sleep disorders in automated peritoneal dialysis. <b>2016</b> , 3, 6		16
423	Comparative Effectiveness of Iron and Erythropoiesis-Stimulating Agent Dosing on Health-Related Quality of Life in Patients Receiving Hemodialysis. <b>2016</b> , 67, 271-82		11
422	Symptom Clusters From Dialysis to Renal Transplantation: A Five-Year Longitudinal Study. <b>2016</b> , 51, 512-9		16
421	Quality of Life After Kidney Transplantation: A Prospective Study. <b>2016</b> , 48, 50-4		64
420	Patient and Caregiver Priorities for Outcomes in Hemodialysis: An International Nominal Group Technique Study. <b>2016</b> , 68, 444-54		148
419	Functional Dependence and Mortality in the International Dialysis Outcomes and Practice Patterns Study (DOPPS). <b>2016</b> , 67, 283-92		78

418	Validation of the Personal Wellbeing Index for People with End Stage Kidney Disease. <b>2016</b> , 11, 1227-1240	3
417	Comparing Tests Assessing Protein-Energy Wasting: Relation With Quality of Life. <b>2016</b> , 26, 111-7	9
416	Increased psychosocial risk, depression and reduced quality of life living with autosomal dominant polycystic kidney disease. <b>2016</b> , 31, 1130-40	26
415	A comparison of self-reported quality of life for an Australian haemodialysis and haemodiafiltration cohort. <b>2017</b> , 22, 624-630	4
414	Efficacy of beta-hydroxy-beta-methylbutyrate supplementation in maintenance hemodialysis patients. <b>2017</b> , 21, 107-116	15
413	Development and validation of a new quality of life scale for patients receiving home-based medical care: The Observational Study of Nagoya Elderly with Home Medical Care. <b>2017</b> , 17, 440-448	6
412	Symptom Management of the Patient with CKD: The Role of Dialysis. <b>2017</b> , 12, 687-693	33
411	Exercise in Patients on Dialysis: A Multicenter, Randomized Clinical Trial. <b>2017</b> , 28, 1259-1268	179
410	Mortality, Hospitalization, and Quality of Life among Patients with Hepatitis C Infection on Hemodialysis. <b>2017</b> , 12, 287-297	86
409	Using Patient-Reported Measures in Dialysis Clinics. <b>2017</b> , 12, 1889-1891	22
408	A closer look at the trajectory of physical functioning in chronic hemodialysis. <b>2017</b> , 46, 594-599	6
407	Towards a symptom cluster model in chronic kidney disease: A structural equation approach. <b>2017</b> , 73, 2450-2461	31
406	Dialysate temperature reduction for intradialytic hypotension for people with chronic kidney disease requiring haemodialysis. <b>2017</b> ,	3
405	Treatment tolerance and patient-reported outcomes favor online hemodiafiltration compared to high-flux hemodialysis in the elderly. <b>2017</b> , 91, 1495-1509	69
404	Development of a multidimensional assessment tool for uraemic pruritus: Uraemic Pruritus in Dialysis Patients (UP-Dial). <b>2017</b> , 176, 1516-1524	8
403	Effects of a 12-week program of Tai Chi exercise on the kidney disease quality of life and physical functioning of patients with end-stage renal disease on hemodialysis. <b>2017</b> , 30, 79-83	18
402	Symptoms among patients receiving in-center hemodialysis: A qualitative study. <b>2017</b> , 21, 524-533	30
401	Effect of Sertraline on Depressive Symptoms in Patients With Chronic Kidney Disease Without Dialysis Dependence: The CAST Randomized Clinical Trial. <b>2017</b> , 318, 1876-1890	61

400	A patient-centred approach to measuring quality in kidney care: patient-reported outcome measures and patient-reported experience measures. <b>2017</b> , 26, 442-449		27
399	The Chronic Kidney Disease Water Intake Trial: Protocol of a Randomized Controlled Trial. <b>2017</b> , 4, 20543581174725106		
398	Health related quality of life in renal transplantation: 2 years of longitudinal follow-up. <b>2017</b> , 149, 114-118		10
397	Health related quality of life in renal transplantation: 2 years of longitudinal follow-up. <b>2017</b> , 149, 114-118		3
396	Evaluation of real-time use of electronic patient-reported outcome data by nurses with patients in home dialysis clinics. <b>2017</b> , 17, 439		15
395	Hemodialysis practice patterns in the Russia Dialysis Outcomes and Practice Patterns Study (DOPPS), with international comparisons. <b>2017</b> , 21, 393-408		14
394	Quality of life development during initial hemodialysis therapy and association with loss of residual renal function. <b>2017</b> , 21, 409-421		7
393	Evaluating a novel health system intervention for chronic kidney disease care using the RE-AIM framework: Insights after two years. <b>2017</b> , 52, 20-26		10
392	Transcultural adaptation and validation of the Mexican version of the kidney disease questionnaire KDQOL-SF36 version 1.3. <i>Quality of Life Research</i> , <b>2017</b> , 26, 193-198	3.7	9
391	gamAID: Greedy CP tensor decomposition for supervised EHR-based disease trajectory differentiation. <b>2017</b> , 2017, 3644-3647		1
390	Chronic kidney disease-associated pruritus: impact on quality of life and current management challenges. <b>2017</b> , 10, 11-26		40
389	Measurement properties of patient-reported outcome measures (PROMs) used in adult patients with chronic kidney disease: A systematic review. <b>2017</b> , 12, e0179733		55
388	Quality of life as indicator of poor outcome in hemodialysis: relation with mortality in different age groups. <i>BMC Nephrology</i> , <b>2017</b> , 18, 217	2.7	27
387	Lifestyle intervention to improve quality of life and prevent weight gain after renal transplantation: Design of the Active Care after Transplantation (ACT) randomized controlled trial. <i>BMC Nephrology</i> , <b>2017</b> , 18, 296	2.7	32
386	Methodological considerations in using patient reported measures in dialysis clinics. <b>2017</b> , 1, 11		10
385	Measurement and Modeling of Health-Related Quality of Life. <b>2017</b> , 570-578		3
384	Chinese observational prospective study of ageing population with chronic kidney disease (C-OPTION): a study protocol. <b>2018</b> , 8, e019457		7
383	[Initiation of first dialysis and three months quality of life of patients with end stage renal disease in the French territories of Guadeloupe and Guyane]. <b>2018</b> , 14, 467-473		2

382	Health-Related Quality of Life and Its Factors of Hemodialysis Patients in Suzhou, China. <b>2018</b> , 45, 327-333	11
381	Collection and determinants of patient reported outcome measures in haemodialysis patients in Scotland. <b>2018</b> , 111, 15-21	7
380	Is there an association between severity of illness and psychiatric symptoms in patients with chronic renal failure?. <b>2018</b> , 23, 970-979	4
379	The effect of the interdialytic interval on cognitive function in patients on haemodialysis. <b>2018</b> , 44, 44-51	3
378	Sleep Duration and Health-Related Quality of Life in Predialysis CKD. <b>2018</b> , 13, 858-865	13
377	Mood Status and Quality of Life in Kidney Recipients After Transplantation. <b>2018</b> , 50, 2521-2525	15
376	A Timely Evaluation of the Psychometric Properties of the KDQOL-36. <b>2018</b> , 71, 449-451	3
375	Burden of multimorbidity and outcome in ambulatory geriatric hemodialysis patients : Report from the QiN registry in Germany. <b>2018</b> , 51, 60-66	2
374	Factors influencing the quality of life of haemodialysis patients according to symptom cluster. <b>2018</b> , 27, 2132-2141	9
373	Changes in health-related quality of life in older candidates waiting for kidney transplantation. <b>2018</b> , 23, 948-956	10
372	Using Problem-solving Therapy to Improve Problem-solving Orientation, Problem-solving Skills and Quality of Life in Older Hemodialysis Patients. <b>2018</b> , 41, 424-437	4
371	Frailty and Postkidney Transplant Health-Related Quality of Life. <b>2018</b> , 102, 291-299	66
370	Frailty and the Quality of Life in Hemodialysis Patients: The Importance of Waist Circumference. <b>2018</b> , 28, 101-109	6
369	Psychometric Properties of the Kidney Disease Quality of Life 36-Item Short-Form Survey (KDQOL-36) in the United States. <b>2018</b> , 71, 461-468	54
368	Development of the Autosomal Dominant Polycystic Kidney Disease Impact Scale: A New Health-Related Quality-of-Life Instrument. <b>2018</b> , 71, 225-235	19
367	Health-Related Quality of Life in Patients Treated with Continuous Ambulatory Peritoneal Dialysis and Automated Peritoneal Dialysis in Singapore. <b>2018</b> , 2, 203-208	11
366	Improved Health-Related Quality of Life in Older Kidney Recipients 1 Year After Transplantation. <b>2018</b> , 4, e351	18
365	Home-Based Kidney Care, Patient Activation, and Risk Factors for CKD Progression in Zuni Indians: A Randomized, Controlled Clinical Trial. <b>2018</b> , 13, 1801-1809	14

364	Patient reported barriers are associated with low physical and mental well-being in patients with co-morbid diabetes and chronic kidney disease. <b>2018</b> , 16, 215		1
363	Effect of a home based, low intensity, physical exercise program in older adults dialysis patients: a secondary analysis of the EXCITE trial. <b>2018</b> , 18, 248		32
362	Feasibility of an Internet-based positive psychological intervention for hemodialysis patients with symptoms of depression. <b>2018</b> , 57, 864-879		12
361	QUALITY OF LIFE OF PATIENTS UNDERGOING HEMODIALYSIS. <b>2018</b> , 11, 219		4
360	The betaboost package-a software tool for modelling bounded outcome variables in potentially high-dimensional epidemiological data. <b>2018</b> , 47, 1383-1388		4
359	Patient Experience with Primary Care Physician and Risk for Hospitalization in Hispanics with CKD. <b>2018</b> , 13, 1659-1667		6
358	Socio-economic factors affecting quality of life of Hemodialysis patients and its effects on mortality. <b>2018</b> , 34, 811-816		8
357	Intradialytic Activities and Health-Related Quality of Life Among Hemodialysis Patients. <b>2018</b> , 48, 181-189		8
356	Frequent patient retraining at home reduces the risks of peritoneal dialysis-related infections: A randomised study. <b>2018</b> , 8, 12919		10
355	Facilitating primary care provider use in a patient-centered medical home intervention study for chronic hemodialysis patients. <b>2018</b> , 8, 341-350		8
354	Negligible impact of differential item functioning between Black and White dialysis patients on the Kidney Disease Quality of Life 36-item short form survey (KDQOL-36). <i>Quality of Life Research</i> , <b>2018</b> , 27, 2699-2707	3.7	6
353	Validation of the IPOS-Renal Symptom Survey in Advanced Kidney Disease: A Cross-sectional Study. <b>2018</b> , 56, 281-287		24
352	Twelve-Month Outcomes After Transplant of Hepatitis C-Infected Kidneys Into Uninfected Recipients: A Single-Group Trial. <b>2018</b> , 169, 273-281		139
351	Effect of Combined Peritoneal Dialysis and Hemodialysis on Health-Related Quality of Life. <b>2018</b> , 196, 135-140		4
350	Burden of Anemia in Chronic Kidney Disease Patients in Japan: A Literature Review. <b>2018</b> , 22, 444-456		29
349	Effect of Coaching to Increase Water Intake on Kidney Function Decline in Adults With Chronic Kidney Disease: The CKD WIT Randomized Clinical Trial. <b>2018</b> , 319, 1870-1879		49
348	Association of Kidney Disease Quality of Life (KDQOL-36) with mortality and hospitalization in older adults receiving hemodialysis. <i>BMC Nephrology</i> , <b>2018</b> , 19, 11	2.7	30
347	Development and psychometric validation of the Nausea/Vomiting Symptom Assessment patient-reported outcome (PRO) instrument for adults with secondary hyperparathyroidism. <b>2017</b> , 2, 6		0

346	Value-based evaluation of dialysis versus conservative care in older patients with advanced chronic kidney disease: a cohort study. <i>BMC Nephrology</i> , <b>2018</b> , 19, 205	2.7	26
345	Bioelectrical Impedance Analysis Measures and Clinical Outcomes in CKD. <b>2018</b> , 72, 662-672		23
344	Achievement of Low-Density Lipoprotein Cholesterol Targets in CKD. <b>2019</b> , 4, 1546-1554		5
343	Physical functioning and mortality in very old patients on dialysis. <b>2019</b> , 85, 103918		2
342	Better Quality of Life of Peritoneal Dialysis compared to Hemodialysis over a Two-year Period after Dialysis Initiation. <b>2019</b> , 9, 10266		24
341	Integrating a Medical Home in an Outpatient Dialysis Setting: Effects on Health-Related Quality of Life. <b>2019</b> , 34, 2130-2140		5
340	Effectiveness of using STOPP/START criteria to identify potentially inappropriate medication in people aged ≥65 years with chronic kidney disease: a randomized clinical trial. <b>2019</b> , 75, 1503-1511		2
339	Mapping the kidney disease quality of life 36-item short form survey (KDQOL-36) to the EQ-5D-3L and the EQ-5D-5L in patients undergoing dialysis. <b>2019</b> , 20, 1195-1206		10
338	Intradialytic Resistance Training Improves Functional Capacity and Lean Mass Gain in Individuals on Hemodialysis: A Randomized Pilot Trial. <b>2019</b> , 100, 2151-2158		14
337	Rituximab or Cyclosporine in the Treatment of Membranous Nephropathy. <b>2019</b> , 381, 36-46		169
336	The Symptoms and Impact of Recurrent Focal Segmental Glomerulosclerosis in Kidney Transplant Recipients: A Conceptual Model of the Patient Experience. <b>2019</b> , 36, 3390-3408		1
335	Use of Electronic Patient Reported Outcomes in Clinical Nephrology Practice: A Qualitative Pilot Study. <b>2019</b> , 6, 2054358119879451		6
334	Patient-reported outcome measures: selection of a valid questionnaire for routine symptom assessment in patients with advanced chronic kidney disease - a four-phase mixed methods study. <i>BMC Nephrology</i> , <b>2019</b> , 20, 344	2.7	23
333	Evaluation of the effects of aerobic training during hemodialysis on autonomic heart rate modulation in patients with chronic renal disease. <b>2019</b> , 98, e15976		4
332	Patient-Reported Outcome Measures for Adults With Kidney Disease: Current Measures, Ongoing Initiatives, and Future Opportunities for Incorporation Into Patient-Centered Kidney Care. <b>2019</b> , 74, 791-802		13
331	Population-Based Pragmatic Trial of Advance Care Planning in Primary Care in the University of California Health System. <b>2019</b> , 22, 72-81		12
330	Patient-reported outcome measures for life participation in kidney transplantation: A systematic review. <b>2019</b> , 19, 2306-2317		10
329	Obesity phenotype and patient-reported outcomes in moderate and severe chronic kidney disease: a cross-sectional study from the CKD-REIN cohort study. <i>Quality of Life Research</i> , <b>2019</b> , 28, 1873-1883	3.7	5

328	The prevalence of depression and the association between depression and kidney function and health-related quality of life in elderly patients with chronic kidney disease: a multicenter cross-sectional study. <b>2019</b> , 14, 905-913		15
327	Factors associated with quality-of-life among Kuwaiti patients on maintenance hemodialysis. <b>2019</b> , 24, 1005-1014		6
326	Canadian-Australasian Randomised trial of screening kidney transplant candidates for coronary artery disease-A trial protocol for the CARSK study. <b>2019</b> , 214, 175-183		23
325	Aerobic exercise effects in renal function and quality of life of patients with advanced chronic kidney disease. <b>2019</b> , 65, 657-662		5
324	Kidney transplantation: an attractive and cost-effective alternative for older patients? A cost-utility study. <i>CKJ: Clinical Kidney Journal</i> , <b>2019</b> , 12, 888-894	4.5	6
323	Assessment of physical functioning in the clinical care of the patient with advanced kidney disease. <b>2019</b> , 32, 351-360		5
322	Patient-reported advantages and disadvantages of peritoneal dialysis: results from the PDOPPS. <i>BMC Nephrology</i> , <b>2019</b> , 20, 116	2.7	15
321	Recruitment and participant baseline characteristics in the dialysis outcomes in those aged 65 years or older study. <i>BMC Nephrology</i> , <b>2019</b> , 20, 137	2.7	3
320	A randomized pilot study comparing graft-first to fistula-first strategies in older patients with incident end-stage kidney disease: Clinical rationale and study design. <b>2019</b> , 14, 100357		7
319	Associated factors for depressive disorder in patients with end-stage renal disease treated with continuous ambulatory peritoneal dialysis. <b>2019</b> , 15, 541-548		4
318	Improving CKD-Specific Patient-Reported Measures of Health-Related Quality of Life. <b>2019</b> , 30, 664-677		12
317	Kidney Disease Quality of Life 36-Item Short Form Survey (KDQOL-36) Normative Values for the United States Dialysis Population and New Single Summary Score. <b>2019</b> , 30, 654-663		23
316	Patient-Reported Outcomes: Toward Better Measurement of Patient-Centered Care in CKD. <b>2019</b> , 30, 523-525		4
315	Expanding the Patient's Voice in Nephrology with Patient-Reported Outcomes. <b>2019</b> , 30, 530-532		8
314	Peer Navigator Intervention for Latinos on Hemodialysis: A Single-Arm Clinical Trial. <b>2019</b> , 22, 838-843		11
313	Use of the KDQOL-36 for assessment of health-related quality of life among dialysis patients in the United States. <i>BMC Nephrology</i> , <b>2019</b> , 20, 112	2.7	22
312	Pruritus and Patient Reported Outcomes in Non-Dialysis CKD. <b>2019</b> , 14, 673-681		29
311	Effect of CPAP therapy on kidney function in patients with obstructive sleep apnoea and chronic kidney disease: a protocol for a randomised controlled clinical trial. <b>2019</b> , 9, e024632		8

310	Relationship between Serum Vitamin D Levels and Health-Related Quality of Life in Maintenance Hemodialysis Patients. <b>2019</b> , 48, 67-75		3
309	Shared patient and provider values in end-stage renal disease decision making: Identifying the tensions. <b>2019</b> , 102, 1280-1287		5
308	Physical Activity In Renal Disease (PAIRED) and the effect on hypertension: study protocol for a randomized controlled trial. <b>2019</b> , 20, 109		2
307	Assessment of dialysis initiation by a fuzzy mathematics equation (ADIFE): a study protocol for a randomised controlled trial. <b>2019</b> , 9, e023162		0
306	Reanalysis of the physical and mental health summary scores of dialysis versus conservative care in older patients with advanced chronic kidney disease: a critical appraisal. <b>2019</b> , 12, 722		1
305	The effects of intradialytic resistance training on muscle strength, psychological well-being, clinical outcomes and circulatory micro-ribonucleic acid profiles in haemodialysis patients: Protocol for a quasi-experimental study. <b>2019</b> , 98, e15570		6
304	Delivery of a patient-friendly functioning report to improve patient-centeredness of dialysis care: a pilot study. <b>2019</b> , 19, 891		0
303	Dialysate temperature reduction for intradialytic hypotension for people with chronic kidney disease requiring haemodialysis. <b>2019</b> , 7, CD012598		10
302	Comparative Effectiveness of Local Application of Chlorhexidine Gluconate, Mupirocin Ointment, and Normal Saline for the Prevention of Peritoneal Dialysis-related Infections (COSMO-PD Trial): a multicenter randomized, double-blind, controlled protocol. <b>2019</b> , 20, 754		5
301	Problems with analyses and interpretation of data in "use of the KDQOL-36 For assessment of health-related quality of life among dialysis patients in the United States". <i>BMC Nephrology</i> , <b>2019</b> , 20, 447	2.7	3
300	Health-related quality of life in peritoneal dialysis patients: A narrative review. <b>2019</b> , 32, 452-462		12
299	Health-related quality of life following kidney and simultaneous pancreas kidney transplantation. <b>2019</b> , 24, 975-982		8
298	Quality of Life and Nutritional Status in diabetic patients on hemodialysis. <b>2019</b> , 13, 576-580		6
297	Validation of the Patient-Reported Outcomes Measurement Information System (PROMIS)-57 and -29 item short forms among kidney transplant recipients. <i>Quality of Life Research</i> , <b>2019</b> , 28, 815-827	3.7	29
296	The combined diabetes and renal control trial (C-DIRECT) - a feasibility randomised controlled trial to evaluate outcomes in multi-morbid patients with diabetes and on dialysis using a mixed methods approach. <i>BMC Nephrology</i> , <b>2019</b> , 20, 2	2.7	3
295	[Sexual disorders in the renal patient]. <b>2019</b> , 45, 63-72		1
294	Prevalence of Symptoms and Symptom Clusters of Patients on Dialysis in Uruguay. <b>2019</b> , 20, 28-35		6
293	Longitudinal patterns of health-related quality of life and dialysis modality: a national cohort study. <i>BMC Nephrology</i> , <b>2019</b> , 20, 7	2.7	16



292	Symptom Cluster Science in Chronic Kidney Disease: A Literature Review. <b>2019</b> , 41, 1056-1091		9
291	A Scoping Review of Key Health Items in Self-Report Instruments Used Among Solid Organ Transplant Recipients. <b>2019</b> , 12, 171-181		8
290	Development and Preliminary Validation of the Lung Transplant Quality of Life (LT-QOL) Survey. <b>2019</b> , 199, 1008-1019		13
289	Mediating effects of fatigue on the relationships among sociodemographic characteristics, depression, and quality of life in patients receiving hemodialysis. <b>2019</b> , 21, 231-238		4
288	Benefit finding in renal transplantation and its association with psychological and clinical correlates: A prospective study. <b>2019</b> , 24, 175-191		3
287	Development and content validity of a hemodialysis symptom patient-reported outcome measure. <i>Quality of Life Research</i> , <b>2019</b> , 28, 253-265	3-7	6
286	Risk profile, quality of life and care of patients with moderate and advanced CKD: The French CKD-REIN Cohort Study. <b>2019</b> , 34, 277-286		26
285	The relationship between health literacy and quality of life among hemodialysis patients: An integrative review. <b>2020</b> , 28, 75-81		2
284	Symptoms of Secondary Hyperparathyroidism in Patients Receiving Maintenance Hemodialysis: A Prospective Cohort Study. <b>2020</b> , 75, 373-383		6
283	Psychosocial Issues in Chronic Kidney Disease Patients. <b>2020</b> , 413-423		1
282	Natural language processing of electronic health records is superior to billing codes to identify symptom burden in hemodialysis patients. <b>2020</b> , 97, 383-392		9
281	Quality of life in older adults receiving hemodialysis: a qualitative study. <i>Quality of Life Research</i> , <b>2020</b> , 29, 655-663	3-7	8
280	A Walking Intervention to Increase Weekly Steps in Dialysis Patients: A Pilot Randomized Controlled Trial. <b>2020</b> , 75, 488-496		23
279	Patient-Centred Outcomes in Anaemia and Renal Disease: A Systematic Review. <b>2020</b> , 6, 74-84		1
278	Prevalence and correlates of sleep apnea among US Veterans with chronic kidney disease. <b>2020</b> , 29, e12981		2
277	The relationship between liver cyst volume and QOL in Japanese ADPKD patients. <b>2020</b> , 24, 314-322		2
276	Physical Symptom Cluster Subgroups in Chronic Kidney Disease. <b>2020</b> , 69, 100-108		2
275	Efficacy and safety of glecaprevir/pibrentasvir in renally impaired patients with chronic HCV infection. <b>2020</b> , 40, 1032-1041		23

274	Educational supportive group therapy and the quality of life of hemodialysis patients. <b>2020</b> , 14, 27		0
273	Functional dependence and the mental dimension of quality of life in Hemodialysis patients: the PROHEMO study. <b>2020</b> , 18, 234		4
272	Influence of unstable psychological condition on the quality of life of hemodialysis patients. <b>2020</b> , 6,		
271	Clinical target achievement is associated with better quality of life among dialysis patients: results from a continuous quality improvement program in a Portuguese healthcare network. <i>Quality of Life Research</i> , <b>2020</b> , 29, 2705-2714	3.7	1
270	Evidence supporting the use of a subjective staff evaluation to assess the benefit of rehabilitation in hemodialysis patients undergoing inpatient rehabilitation. <i>BMC Nephrology</i> , <b>2020</b> , 21, 466	2.7	1
269	A conceptual framework of quality of life in chronic kidney disease in Turkey: A patient-focused approach. <b>2020</b> , 35, 1335-1350		1
268	Duchenne Smile is Associated with Quality of Life and Survival in Hemodialysis Patients. <b>2020</b> , 44, 313-325		2
267	Association between diabetes mellitus and health-related quality of life among patients with chronic kidney disease: results from the Chinese Cohort Study of Chronic Kidney Disease (C-STRIDE). <b>2020</b> , 18, 266		0
266	Cross-cultural Adaptation and Validation of Kidney Disease Quality of Life (KDQOLB6) - Malayalam Version. <b>2020</b> , 2, 933-941		1
265	Quality of life in advanced renal disease managed either by haemodialysis or conservative care in older patients. <b>2020</b> ,		1
264	Health-Related Quality of Life, Depressive Symptoms, and Kidney Transplant Access in Advanced CKD: Findings From the Chronic Renal Insufficiency Cohort (CRIC) Study. <i>Kidney Medicine</i> , <b>2020</b> , 2, 600-609.e1	2.8	1
263	Associations of Socio-Demographic, Clinical and Biochemical Parameters with Healthcare Cost, Health- and Renal-Related Quality of Life in Hemodialysis Patients: A Clinical Observational Study. <b>2020</b> , 17,		5
262	Interventions Made to Preserve Cognitive Function Trial (IMPCT) study protocol: a multi-dialysis center 2x2 factorial randomized controlled trial of intradialytic cognitive and exercise training to preserve cognitive function. <i>BMC Nephrology</i> , <b>2020</b> , 21, 383	2.7	3
261	Clinical events and patient-reported outcome measures during CKD progression: findings from the Chronic Renal Insufficiency Cohort Study. <b>2021</b> , 36, 1685-1693		2
260	Physical Function in Kidney Transplantation: Current Knowledge and Future Directions. <b>2020</b> , 7, 46-55		1
259	Randomized controlled trial of medium cut-off versus high-flux dialyzers on quality of life outcomes in maintenance hemodialysis patients. <b>2020</b> , 10, 7780		25
258	GeNeDis 2018. <b>2020</b> ,		
257	Uremic Sarcopenia: Clinical Evidence and Basic Experimental Approach. <b>2020</b> , 12,		15

256	Advance Care Planning Among Older Adults With Advanced Non-Dialysis-Dependent CKD and Their Care Partners: Perceptions Versus Reality?. <i>Kidney Medicine</i> , <b>2020</b> , 2, 116-124	2.8	6
255	Prevalence and Persistence of Uremic Symptoms in Incident Dialysis Patients. <b>2020</b> , 1, 86-92		9
254	Quality of Life and Social Support of People on Peritoneal Dialysis: Mixed Methods Research. <b>2020</b> , 17,		4
253	Quality of Life in Autosomal Dominant Polycystic Kidney Disease Patients Treated With Tolvaptan. <i>Kidney Medicine</i> , <b>2020</b> , 2, 162-171	2.8	4
252	Comparison of intradialytic versus home-based exercise programs on physical functioning, physical activity level, adherence, and health-related quality of life: pilot study. <b>2020</b> , 10, 8302		6
251	Comparisons of quality of life between patients underwent peritoneal dialysis and hemodialysis: a systematic review and meta-analysis. <b>2020</b> , 18, 191		30
250	Quality of Life and Symptom Burden among Chronic Kidney Disease of Uncertain Etiology (CKDu) Patients in Girandurukotte, Sri Lanka. <b>2020</b> , 17,		4
249	Impact of chronic kidney disease and anemia on health-related quality of life and work productivity: analysis of multinational real-world data. <i>BMC Nephrology</i> , <b>2020</b> , 21, 88	2.7	11
248	Dietary Patterns and Health Outcomes among African American Maintenance Hemodialysis Patients. <b>2020</b> , 12,		3
247	A randomized pilot study to evaluate graft versus fistula vascular access strategy in older patients with advanced kidney disease: results of a feasibility study. <b>2020</b> , 6, 86		6
246	Intradialytic Symptoms and Recovery Time: Thinking 'Outside the Box' to Improve Patients' Dialysis Experience. <i>Kidney Medicine</i> , <b>2020</b> , 2, 98-101	2.8	
245	CKD-Associated Pruritus: New Insights Into Diagnosis, Pathogenesis, and Management. <b>2020</b> , 5, 1387-1402		21
244	Protocolized exercise improves frailty parameters and lower extremity impairment: A promising prehabilitation strategy for kidney transplant candidates. <b>2020</b> , 34, e14017		5
243	Physical health-related quality of life at higher achieved hemoglobin levels among chronic kidney disease patients: a systematic review and meta-analysis. <i>BMC Nephrology</i> , <b>2020</b> , 21, 259	2.7	1
242	Perceived Health and Quality of Life in Patients With CKD, Including Those With Kidney Failure: Findings From National Surveys in France. <b>2020</b> , 75, 868-878		15
241	Predictive model of variables associated with health-related quality of life in patients with advanced chronic kidney disease receiving hemodialysis. <i>Quality of Life Research</i> , <b>2020</b> , 29, 1817-1827	3.7	6
240	Dyspnoea Assessment In Adults With End-Stage Kidney Disease: A Systematic Review. <b>2020</b> , 46, 137-150		1
239	A new assessment scale for post-dialysis fatigue in hemodialysis patients. <b>2020</b> , 6,		9

238	Vascular access-specific health-related quality of life impacts among hemodialysis patients: qualitative development of the hemodialysis access-related quality of life (HARQ) instrument. <i>BMC Nephrology</i> , <b>2020</b> , 21, 16	2.7	6
237	Evaluating symptom burden in kidney transplant recipients: validation of the revised Edmonton Symptom Assessment System for kidney transplant recipients - a single-center, cross-sectional study. <b>2020</b> , 33, 423-436		5
236	Incorporating patient-reported outcomes (PROs) into dialysis policy: Current initiatives, challenges, and opportunities. <b>2020</b> , 33, 18-25		1
235	Impact of superimposed nephrological care to guidelines-directed management by primary care physicians of patients with stable chronic kidney disease: a randomized controlled trial. <i>BMC Nephrology</i> , <b>2020</b> , 21, 128	2.7	2
234	Trends and predictors of multidimensional health-related quality of life after living donor kidney transplantation. <i>Quality of Life Research</i> , <b>2020</b> , 29, 2355-2374	3.7	4
233	Impact of Renal Transplantation and Immunosuppressive Therapy on Muscle Strength, Functional Capacity, and Quality of Life: A Longitudinal Study. <b>2020</b> , 52, 1279-1283		2
232	Clinical and cost-effectiveness of oral sodium bicarbonate therapy for older patients with chronic kidney disease and low-grade acidosis (BiCARB): a pragmatic randomised, double-blind, placebo-controlled trial. <b>2020</b> , 18, 91		20
231	Effect of Low-Sodium versus Conventional Sodium Dialysate on Left Ventricular Mass in Home and Self-Care Satellite Facility Hemodialysis Patients: A Randomized Clinical Trial. <b>2020</b> , 31, 1078-1091		13
230	Toward Patient-Centered Innovation: A Conceptual Framework for Patient-Reported Outcome Measures for Transformative Kidney Replacement Devices. <b>2020</b> , 15, 1522-1530		1
229	Screening Performance of Edmonton Symptom Assessment System in Kidney Transplant Recipients. <b>2020</b> , 9,		2
228	The effect of acupuncture on upper extremity pain and quality of life in patients hemodialysis treatment: A Randomized Controlled Trial. <b>2020</b> , 39, 101128		2
227	Toward telemedicine-compatible physical functioning assessments in kidney transplant candidates. <b>2021</b> , 35, e14173		6
226	Evaluation of the Quality of Life and Health-Related Quality of Life of Patients With End-Stage Kidney Disease Resulting From Kidney Transplantation Using the Kidney Disease Quality of Life-Short Form and EuroQOL-5 Dimension-5 Level Questionnaires. <b>2021</b> , 53, 881-884		2
225	Patient-reported outcomes and experiences in the transition of undocumented patients from emergency to scheduled hemodialysis. <b>2021</b> , 99, 198-207		8
224	Patient-reported outcome measures ( PROMs): making sense of individual PROM scores and changes in PROM scores over time. <b>2021</b> , 26, 391-399		9
223	Long-term psychosocial outcomes of adults transplanted in childhood: A social work perspective. <b>2021</b> , 25, e13859		3
222	Health-related quality of life in patients with chronic kidney disease. <b>2021</b> , 21, 43-54		4
221	Self-reported Pruritus and Clinical, Dialysis-Related, and Patient-Reported Outcomes in Hemodialysis Patients. <i>Kidney Medicine</i> , <b>2021</b> , 3, 42-53.e1	2.8	10

220	Rapid Electronic Capturing of Patient-Reported Outcome Measures in Older Adults With End-Stage Renal Disease: A Feasibility Study. <b>2021</b> , 38, 432-440	4
219	Major adverse renal events (MARE): a proposal to unify renal endpoints. <b>2021</b> , 36, 491-497	9
218	A Physical Activity Intervention Feasibility Study for Kidney Inpatients: A Basic Research Protocol. <b>2021</b> , 8, 2054358120987052	3
217	Initiation and termination of dialysis in older patients with advanced cancer: providing guidance in a complicated situation. <b>2021</b> , 2, e42-e52	1
216	The Potential of Telemedicine in the Rural Eastern Mediterranean Region for Noncommunicable Diseases: Case Study from Jordan. <b>2021</b> , 1587-1601	
215	Challenges in psychosocial research in renal populations. <b>2021</b> , 515-526	
214	Encyclopedia of Quality of Life and Well-Being Research. <b>2021</b> , 1-3	
213	Randomised controlled trial of a smartphone application-based dietary self-management program on haemodialysis patients. <b>2021</b> , 30, 840-848	0
212	Perceived Stress in Relation to Quality of Life and Resilience in Patients with Advanced Chronic Kidney Disease Undergoing Hemodialysis. <b>2021</b> , 18,	3
211	Outcomes after kidney transplantation, let's focus on the patients' perspectives. <i>CKJ: Clinical Kidney Journal</i> , <b>2021</b> , 14, 1504-1513	4.5 2
210	THE EFFECTS OF A BRIEF SUPPORTIVE PSYCHOTHERAPEUTIC INTERVENTION AMONG HEMODIALYZED PATIENTS: A QUASI-EXPERIMENTAL STUDY. 30,	
209	A psychosocial intervention for individuals with advanced chronic kidney disease: A feasibility randomized controlled trial. <b>2021</b> , 26, 442-453	2
208	Serum biomarkers of iron stores are associated with worse physical health-related quality of life in nondialysis-dependent chronic kidney disease patients with or without anemia. <b>2021</b> , 36, 1694-1703	4
207	Anemia among Chinese patients with chronic kidney disease and its association with quality of life - results from the Chinese cohort study of chronic kidney disease (C-STRIDE). <i>BMC Nephrology</i> , <b>2021</b> , 22, 64	2.7 1
206	Effect of Peer Mentoring on Quality of Life among CKD Patients: Randomized Controlled Trial. <b>2021</b> , 7, 323-333	2
205	Associations between frailty, physical performance, and renal biomarkers in older people with advanced chronic kidney disease. <b>2021</b> , 12, 943-952	2
204	The effect of sleep hygiene training applied to hemodialysis patients on sleep quality and quality of life: randomized controlled trial. <b>2021</b> , 19, 227-236	
203	A Proposed Theory of Symptom Cluster Management.	1

202	Kidney Disease-Specific Quality of Life among Patients on Hemodialysis. <b>2021</b> , 2021, 8876559		4
201	Bridging the gap from research to practice for enhanced health-related quality of life in people with chronic kidney disease. <i>CKJ: Clinical Kidney Journal</i> , <b>2021</b> , 14, ii34-ii42	4.5	1
200	Analisis Faktor Klinik terhadap Kualitas Hidup Pasien Hemodialisis di RSUD dr. Loekmono Hadi Kudus. <b>2021</b> , 8, 29		
199	Health-Related Quality of Life Profiles in Dialyzed Patients With Varying Health Literacy. A Cross-Sectional Study on Slovak Haemodialyzed Population. <b>2021</b> , 66, 585801		0
198	VITADIAL "Does correction of 25 OH-VITamin D with cholecalciferol supplementation increase muscle strength in hemoDIALysis patients?": study protocol for a randomized controlled trial. <b>2021</b> , 22, 364		
197	Patient-reported outcomes in hemodialysis vascular access: A call to action. <b>2021</b> , 11297298211018295		2
196	Low serum adiponectin level is associated with better physical health-related quality of life in chronic kidney disease. <b>2021</b> , 11, 10928		2
195	Association of Cognitive Function Screening Results with Adherence and Performance in a Pedometer-Based Intervention. <b>2021</b> , 52, 420-428		0
194	Health-related quality of life and lifestyle changes in patients with chronic kidney disease and hyperkalaemia: Real-world data from the US, five European countries and China. <b>2021</b> , 75, e14326		0
193	Impact d'une prise en charge par hypnose sur le vécu et l'observance des recommandations hydriques en hmodialyse : résultats d'un protocole à cas unique chez deux patients. <b>2021</b> , 28, 1-1		
192	Development of a preliminary conceptual model of the patient experience of chronic kidney disease: a targeted literature review and analysis. <i>BMC Nephrology</i> , <b>2021</b> , 22, 233	2.7	0
191	Association of Self-Rated Health With Functional Limitations in Patients With CKD. <i>Kidney Medicine</i> , <b>2021</b> , 3, 745-752.e1	2.8	2
190	A mixed-method feasibility study of a novel transitional regime of incremental haemodialysis: study design and protocol. <b>2021</b> , 25, 1131-1141		1
189	Retrospective observational analysis of ferric pyrophosphate citrate (triferic <sup>®</sup> ) administered via dialysate. Experience at a single facility over 2 years. <b>2021</b> , 044-049		0
188	Kidney Disease Symptoms before and after Kidney Transplantation. <b>2021</b> , 16, 1083-1093		3
187	Severity of protein-energy wasting and obesity are independently related with poor quality of life in peritoneal dialysis patients. <b>2021</b> ,		0
186	Exercise programme to improve quality of life for patients with end-stage kidney disease receiving haemodialysis: the PEDAL RCT. <b>2021</b> , 25, 1-52		4
185	Secondary hyperparathyroidism, weight loss, and longer term mortality in haemodialysis patients: results from the DOPPS. <b>2021</b> , 12, 855-865		3

184	Social Support in Older Adults With CKD: A Report From the CRIC (Chronic Renal Insufficiency Cohort) Study. <i>Kidney Medicine</i> , <b>2021</b> , 3, 776-784.e1	2.8	
183	Mapping the Edmonton Symptom Assessment System-Revised: Renal to the EQ-5D-5L in patients with chronic kidney disease. <i>Quality of Life Research</i> , <b>2021</b> , 1	3.7	0
182	Health-Related Quality of Life in Older Kidney Transplant Recipients: A National Cohort Study of Short- and Longer-Term Outcomes.. <i>Kidney Medicine</i> , <b>2021</b> , 3, 974-983.e1	2.8	3
181	How to assess quality of life in persons with chronic kidney disease. <b>2021</b> , 30, 547-554		0
180	Randomized Trial-PrEscription of intraDialytic exercise to improve quALity of Life in Patients Receiving Hemodialysis. <b>2021</b> , 6, 2159-2170		4
179	Using patient-reported outcome measures during the management of patients with end-stage kidney disease requiring treatment with haemodialysis (PROM-HD): a qualitative study. <b>2021</b> , 11, e052629		1
178	Measuring quality of life in trials including patients on dialysis: how are transplants and mortality incorporated into the analysis? A systematic review protocol. <b>2021</b> , 11, e048179		0
177	A Protocol of Intradialytic Exercise for Improvements in Inflammatory Status, Body Composition, and Functional Capacity. <b>2022</b> , 2343, 149-158		
176	Personalized Chronic Disease Follow-Up Appointments: Risk-Stratified Care Through Big Data.		
175	Psychometric properties of the Kidney Disease Quality of Life-36 instrument: A systematic review using COSMIN methodology. <b>2021</b> , 23, 792-806		0
174	The relationship between the perception of chronic disease care and health-related quality of life in adults with chronic kidney disease. <b>2021</b> , 17423953211039792		
173	Shared decision-making in hemodialysis vascular access practice. <b>2021</b> , 100, 799-808		2
172	Assessment of treatment burden and its impact on quality of life in dialysis-dependent and pre-dialysis chronic kidney disease patients. <b>2021</b> , 17, 1937-1944		1
171	Assessment of health-related quality of life of hemodialysis patients in Benha City, Qalyubia Governorate. <b>2021</b> , 34, 401		
170	Do you feel itchy? A guide towards diagnosis and measurement of chronic kidney disease-associated pruritus in dialysis patients.. <i>CKJ: Clinical Kidney Journal</i> , <b>2021</b> , 14, i8-i15	4.5	2
169	Quality of Life in Patients on Peritoneal Dialysis. <b>2009</b> , 523-541		1
168	Disease-Specific Versus Generic Measurement of Health-Related Quality of Life in Cross-Sectional and Longitudinal Studies: an Inpatient Investigation of the SF-36 and Four Disease-Specific Instruments. <b>2002</b> , 87-99		6
167	Sleep Disorders and Quality of Life in Patients After Kidney Transplantation. <b>2008</b> , 401-409		3

166	Sleeping Disorders and Health-Related Quality of Life in Hemodialysis Patients with Chronic Renal Disease in Greece. <b>2020</b> , 1196, 73-83	2
165	Quality of life after peritoneal dialysis. <b>2000</b> , 709-735	4
164	A nationwide prospective cohort study of patients with advanced chronic kidney disease in Japan: The Reach-J CKD cohort study. <b>2018</b> , 22, 309-317	4
163	Measures to Improve Quality of Life in End-Stage Renal Disease Patients. <b>2008</b> , 818-827	1
162	Symptom burden and health-related quality of life in hemodialysis patients. <b>2020</b> , 30, 117-120	0
161	A prospective investigation of the synergistic effect of change in anxiety sensitivity and dysphoria on tobacco withdrawal. <b>2018</b> , 86, 69-80	13
160	Associations of Hemoglobin Levels With Health-Related Quality of Life, Physical Activity, and Clinical Outcomes in Persons With Stage 3-5 Nondialysis CKD. <b>2020</b> , 30, 404-414	14
159	The use of patient-based instruments to measure, manage, and improve quality of care in dialysis facilities. <b>2001</b> , 8, 125-30	9
158	A Personalized Multi-Component Lifestyle Intervention Program Leads to Improved Quality of Life in Persons with Chronic Kidney Disease.	1
157	A comparison of treatment options for management of End Stage Kidney Disease in elderly patients: A systematic review protocol. <b>2013</b> , 11, 197-208	2
156	Effect of tolerance versus chronic immunosuppression protocols on the quality of life of kidney transplant recipients. <b>2016</b> , 1,	17
155	Symptoms and impacts in anemia of chronic kidney disease. <b>2020</b> , 4, 64	1
154	Development of an electronic patient-reported outcome measure (ePROM) system to aid the management of patients with advanced chronic kidney disease. <b>2020</b> , 4, 55	7
153	A Thematic Analysis of Speech Self-Awareness in the Community-Dwelling Elderly. <b>2020</b> , 25, 156-168	2
152	Should we still focus that much on cardiovascular mortality in end stage renal disease patients? The CONvective TRANsport STudy. <b>2013</b> , 8, e61155	11
151	Auricular acupressure on specific points for hemodialysis patients with insomnia: a pilot randomized controlled trial. <b>2015</b> , 10, e0122724	24
150	Validation of the Disease-Specific Components of the Kidney Disease Quality of Life-36 (KDQOL-36) in Chinese Patients Undergoing Maintenance Dialysis. <b>2016</b> , 11, e0155188	19
149	Association between vitamin D deficiency and health-related quality of life in patients with chronic kidney disease from the KNOW-CKD study. <b>2017</b> , 12, e0174282	8



148	Association of coping strategies with mortality and health-related quality of life in hemodialysis patients: The Japan Dialysis Outcomes and Practice Patterns Study. <b>2017</b> , 12, e0180498	14
147	Shorter dialysis session length was not associated with lower mental health and physical functioning in elderly hemodialysis patients: Results from the Japan Dialysis Outcome and Practice Patterns Study (J-DOPPS). <b>2017</b> , 12, e0184019	2
146	Depressed mood and poor quality of life in male patients with chronic renal failure undergoing hemodialysis. <b>2010</b> , 32, 369-74	15
145	Association among SF36 quality of life measures and nutrition, hospitalization, and mortality in hemodialysis. <b>2001</b> , 12, 2797-2806	313
144	Quality of Life in Patients with Chronic Renal Failure and Some Affecting Factors. 012-019	0
143	Testing the Feasibility and Usability of a Novel Smartphone-Based Self-Management Support System for Dialysis Patients: A Pilot Study. <b>2017</b> , 6, e63	21
142	The Effects of Peer Support Groups on Mental Health of Hemodialysis Patients. <b>2015</b> , 28, 40-49	2
141	Sodium bicarbonate to improve physical function in patients over 60 years with advanced chronic kidney disease: the BiCARB RCT. <b>2020</b> , 24, 1-90	6
140	Health Related Quality of Life among Egyptian Patients on Hemodialysis. <b>2006</b> , 6, 314-320	7
139	The effects of an interventional program based on self-care model on health-related quality of life outcomes in hemodialysis patients. <b>2014</b> , 3, 110	8
138	Quality of Life of patients with chronic kidney disease in Iran: Systematic Review and Meta-analysis. <b>2018</b> , 24, 104-111	8
137	Quality of Life of Chronic Haemodialytic Patients at Cotonou Teaching Hospital (BENIN). <b>2014</b> , 04, 131-141	1
136	A Novel Application of a Biopsychosocial Theory in the Understanding of Disturbed Sleep before and after Kidney Transplantation. <b>2016</b> , 12, 247-56	6
135	SF36 Quality of Life and Mortality across Different Levels of Serum Albumin in Patients with Hemodialysis. <b>2017</b> , 9,	1
134	The Validity of Disease-specific Quality of Life Attributions Among Adults with Multiple Chronic Conditions. <b>2016</b> , 5, 17-40	9
133	The impact of the SARS-CoV-2 pandemic on the mental health of hemodialysis patients in Lebanon. <b>2021</b> , 14, 523-530	0
132	Better health-related quality of life in kidney transplant patients compared to chronic kidney disease patients with similar renal function. <b>2021</b> , 16, e0257981	2
131	Validation of a vascular access specific quality of life measure (VASQoL). <b>2021</b> , 11297298211046746	2

130	Patient-reported outcome measures for clinical decision-making in outpatient follow-up: validity and reliability of a renal disease questionnaire. <b>2021</b> , 5, 107		0
129	Is health-related quality of life associated with adequacy of hemodialysis in chronic kidney disease patients?. <i>BMC Nephrology</i> , <b>2021</b> , 22, 334	2.7	0
128	Strategy and Methodology for Choice of Items in Psychometric Measurement: Designing a Quality of Life Instrument for Hip and Knee Osteoarthritis. <b>2002</b> , 51-61		0
127	Palliative and Supportive Care. <b>2008</b> , 828-835		1
126	Sleep Disorders in Chronic Kidney Disease. <b>2010</b> , 198-207		
125	Health Economics of Type 2 Diabetes. <b>2010</b> , 11, 51-56		
124	The Impact of Dietary Restrictions on Quality of Life in Kidney Disease. <b>2011</b> , 3187-3197		
123	Quality Measures for Pay for Performance. 99-138		
122	Outcomes Research. <b>2012</b> , 140-156.e8		
121	Social activities and health-related QOL of diabetic nephropathy dialysis patients. <b>2015</b> , 48, 179-186		1
120	Quality of Life of Patients on Peritoneal Dialysis in Dakar: A Senegalese Single Centre Experience. <b>2016</b> , 06, 37-42		2
119	Dynamic Programming Optimization Model of End-Stage Renal Disease. <b>2017</b> , 677-687		
118	Health-related Quality of Life and Potential Barriers to Adequate Nutrition among Japanese Hemodialysis Patients. <b>2017</b> , 67, 291-298		
117	Relationship between self-transcendence and physically-healthy patients under hemodialysis in participating in peer-support group; a randomized clinical trial. <b>2017</b> , 6, 253-258		1
116	Effects of Citrate Acid Concentrate on Hemodialysis Adequacy, Reuse, and Quality of Life: A Prospective Randomized Crossover Trial. <b>2018</b> , 28, 287-290		
115	Pilotna raziskava psihometričnih lastnosti vprašalnikov SF-36v2 in ESRD-SCL-TM za merjenje z zdravjem povezane kakovosti življenja bolnikov po presaditvi ledvice. 1-11		
114	The Impact of Physical, Psychological, Social Factors on Illness Burden of Long-term Hemodialysis Patients in South Korea. <b>2018</b> , 43, 159-166		3
113	EVALUATION OF QUALITY OF LIFE IN HEMODIALYSIS PATIENTS USING THE KDQOL-SFTM QUESTIONNAIRE. <b>2018</b> , 22, 58-63		

- 112 Comparison of Approaches to the identification of Symptom Burden in Hemodialysis Patients Utilizing Electronic Health Records.
- 111 Development and validation of the Kidney Transplantation and Quality of Life, a Korean questionnaire to assess the general quality of life and other health issues associated with medication change in kidney transplant recipients. **2019**, 33, 135
- 110 General Approach to Evaluating Beneficial and Adverse Effects of CAM Use in Kidney Diseases. **2019**, 397-424
- 109 SYMPTOMS OF ANXIETY AND DEPRESSION AMONG PATIENTS ON HAEMODIALYSIS AND THEIR CORRELATION WITH PERCEIVED QUALITY OF LIFE- A CROSS SECTIONAL STUDY. **2019**, 6, 2443-2447 0
- 108 Impact of superimposed nephrological care to guidelines-directed management by primary care physicians of patients with stable chronic kidney disease: a randomized controlled trial.
- 107 Validation of Kidney Disease Quality of Life Short Form 36 (KDQOL-SF) in Malayalam among Patients Undergoing Haemodialysis in South Kerala. **2020**, 30, 316-320 0
- 106 The Effect of Telephone Follow-Up on Quality of Life in Hemodialysis Patients. **2020**, 12, 0
- 105 The Potential of Telemedicine in the Rural Eastern Mediterranean Region for Noncommunicable Diseases: Case Study from Jordan. **2020**, 1-15
- 104 Mobile Health App With Social Media to Support Self-Management for Patients With Chronic Kidney Disease: Prospective Randomized Controlled Study. **2020**, 22, e19452 10
- 103 Exercise training for individuals with advanced chronic kidney disease. **2022**, 937-970
- 102 [Development and Effects of Smartphone App-Based Exercise Program for Hemodialysis Patients]. **2020**, 50, 52-65 3
- 101 Impact of superimposed nephrological care to guidelines-directed management by primary care physicians of patients with stable chronic kidney disease: a randomized controlled trial.
- 100 Impact of superimposed nephrological care to guidelines-directed management by primary care physicians of patients with stable chronic kidney disease: a randomized controlled trial.
- 99 ROBOCOP II (ROBOTic assisted versus conventional open partial nephrectomy) randomised, controlled feasibility trial: clinical trial protocol. **2021**, 11, e052087
- 98 Effects of intradialytic exercise on health-related quality of life in patients undergoing maintenance haemodialysis: a systematic review and meta-analysis. *Quality of Life Research*, **2021**, 1 3.7 1
- 97 Is malnutrition a determining factor of health-related quality of life in hemodialysis patients? A cross-sectional design examining relationships with a comprehensive assessment of nutritional status. *Quality of Life Research*, **2021**, 1 3.7 0
- 96 General Approach to Evaluating Beneficial and Adverse Effects of CAM Use in Kidney Diseases. 60-99
- 95 Quality of Life and Survival on Dialysis and after Renal Transplantation. **2004**, 13-33

94	Quality of Life in Elderly Patients with Renal Failure. <b>2008</b> , 495-509	
93	Assigning severity indices to outcomes. <b>1999</b> , 55-60	
92	Patient-reported outcomes in chronic kidney disease. <b>2020</b> , 24, 9-18	
91	Visual impairment, visual functioning, and quality of life assessments in patients with glaucoma. <b>1996</b> , 94, 919-1028	42
90	Quality of life in patients with Graves ophthalmopathy. <b>2005</b> , 103, 368-411	40
89	Validation of the Kidney Disease Quality of Life Short Form 36 (KDQOL-36) US Spanish and English versions in a cohort of Hispanics with chronic kidney disease. <b>2013</b> , 23, 202-9	47
88	Quality of sleep and its relationship to quality of life in hemodialysis patients. <b>2013</b> , 2, 295-304	20
87	Health-related quality of life and its related factors in HIV(+) patients referred to Shiraz Behavioral Counseling Center, Iran in 2012. <b>2014</b> , 28, 13	5
86	Measuring and improving the health status of end stage renal disease patients. <b>1997</b> , 18, 77-82	8
85	Predictors of functional health status of end stage renal disease patients. <b>1997</b> , 18, 37-49	13
84	Health-related quality of life predictors of survival and hospital utilization. <b>2000</b> , 21, 171-84	13
83	Quality of life and patient satisfaction: ESRD managed care demonstration. <b>2003</b> , 24, 45-58	2
82	Comparison of mental health, quality of sleep and life among patients with different stages of chronic kidney disease and undergoing different renal replacement therapies. <b>2020</b> , 24, 51-58	1
81	Estudio de intervenci3n para comprobar el efecto de la m3sica cl3nica en directo durante hemodi3lisis sobre la calidad de vida de pacientes con enfermedad renal cr3nica. <b>2021</b> ,	0
80	A.L.L. Y.O.U. N.E.E.D. I.S. L.O.V.E. Manual on health self-management and patient-reported outcomes among low-income young adult Mexicans on chronic dialysis: Feasibility study. <b>2021</b> ,	0
79	Evaluating the feasibility and effectiveness of a mindfulness-based intervention on stress and anxiety of family caregivers managing peritoneal dialysis. 201010582110549	
78	Effects of Baduanjin Exercise on Physical Function and Health-Related Quality of Life in Peritoneal Dialysis Patients: A Randomized Trial.. <b>2021</b> , 8, 789521	2
77	Intradialytic nutrition and quality of life in Chilean older patients in hemodialysis with protein-energy wasting. <b>2021</b> , 1	

76	Quality of Life of Chronic Kidney Disease Patients in the Republic of the Congo. <b>2021</b> , 11, 495-505		
75	Health Literacy and Change in Health-Related Quality of Life in Dialysed Patients.. <b>2022</b> , 19,		
74	Barriers to conservative care from patients' and nephrologists' perspectives: The CKD-REIN Study.. <b>2022</b> ,		0
73	Validation of the functional assessment of anorexia/cachexia therapy instrument to assess quality of life in maintenance hemodialysis patients with cachexia.. <b>2022</b> ,		0
72	Validation of the PROMIS sleep disturbance item bank computer adaptive test (CAT) in patients on renal replacement therapy.. <b>2022</b> , 90, 36-43		0
71	Peritoneal Dialysis for Potential Kidney Transplant Recipients: Pride or Prejudice?. <b>2022</b> , 58,		1
70	Effect of Nigella sativa supplementation on kidney function, glycemic control, oxidative stress, inflammation, quality of life, and depression in diabetic hemodialysis patients: study protocol for a double-blind, randomized controlled trial.. <b>2022</b> , 23, 111		
69	Psychometric properties of the kidney disease quality of life-36 (KDQOL-36) in Ethiopian patients undergoing hemodialysis.. <b>2022</b> , 20, 24		0
68	The Canadian Glomerulonephritis Registry (CGNR) and Translational Research Initiative: Rationale and Clinical Research Protocol.. <b>2022</b> , 9, 20543581221089094		
67	Results From a Physical Activity Intervention Feasibility Study With Kidney Inpatients.. <b>2022</b> , 9, 20543581221079958		
66	Cardiac Biomarkers and Risk of Atherosclerotic Cardiovascular Disease in Patients with Chronic Kidney Disease. 10.34067/KID.0006222021		1
65	A randomized controlled trial to evaluate and assess the effect of comprehensive pre-end stage kidney disease education on home dialysis use in veterans, rationale and design.. <i>BMC Nephrology</i> , <b>2022</b> , 23, 121	2.7	0
64	Trajectories of Uremic Symptom Severity and Kidney Function in Patients with Chronic Kidney Disease.. <b>2022</b> ,		0
63	Protein Energy Wasting in a Cohort of Maintenance Hemodialysis Patients in Dhaka, Bangladesh.. <b>2022</b> , 14,		0
62	Video Images about Decisions for Ethical Outcomes in Kidney Disease (VIDEO-KD): the study protocol for a multi-centre randomised controlled trial.. <b>2022</b> , 12, e059313		1
61	Burden of kidney disease among patients with peritoneal dialysis versus conventional in-centre haemodialysis: A randomised, non-inferiority trial.. <b>2022</b> , 8968608221088638		1
60	Disparities in Mental Health and Well-Being Among Black and Latinx Patients With Kidney Disease.. <b>2021</b> , 41, 563-573		0
59	Equity or Equality? Which Approach Brings More Satisfaction in a Kidney-Exchange Chain?. <b>2021</b> , 11,		

- 58 The Influence of an Unexpected Switch of Hemodialysis Facilities on the Quality of Life (QOL) in Hemodialysis Patients.. **2022**, 15, 151-160
- 57 Physical Activity in Renal Disease (PAIRED) and the effect on hypertension: a randomized controlled trial.. **2022**, ○
- 56 OUP accepted manuscript.
- 55 Reliability and Validity of Japanese Version of Orthognathic Quality of Life Questionnaire. **2022**, 32, 15-22
- 54 Utility of a Single Itch-Related Question and the Skindex-10 Questionnaire for Assessing Pruritus and Predicting Health-Related Quality of Life in Hemodialysis Patients. *Kidney Medicine*, **2022**, 100476 2.8 ○
- 53 Long-Term In-Center Nocturnal Hemodialysis Improves Renal Anemia and Malnutrition and Life Quality of Older Patients with Chronic Renal Failure. Volume 17, 915-923
- 52 Understanding the patient experience of chronic kidney disease stages 2Bb: a qualitative interview study with Kidney Disease Quality of Life (KDQOL-36) debrief. *BMC Nephrology*, **2022**, 23, 2.7 ○
- 51 Severity of protein-energy wasting and obesity are independently related with poor quality of life in peritoneal dialysis patients. *Nefrologia*, **2022**, 42, 186-195 0.4
- 50 Flank pain has a significant adverse impact on quality of life in ADPKD: the CYSTic-QoL study. *CKJ: Clinical Kidney Journal*, 4.5 ○
- 49 The role of clinical pharmacist in enhancing hemodialysis patients adherence and clinical outcomes: a randomized-controlled study. *International Journal of Clinical Pharmacy*, 2.3
- 48 Physical Function in Adults with Metabolic Acidosis and Advanced CKD: Patient Reported Versus Assessed Physical Function. *Kidney Medicine*, **2022**, 100518 2.8
- 47 Natriuretic peptides, extracellular volume, and subclinical cardiovascular changes in chronic kidney disease stages 1B: a pilot study. *Journal of Investigative Medicine*, jim-2022-002467 2.9
- 46 Can residual kidney function affect quality of life and cognitive function in hemodialysis patients?. **2022**, 23, ○
- 45 Pruritus in Chronic Kidney Disease: An Update. **2022**, 2, 87-105 2
- 44 Comorbid Depression and Diabetes Are Associated with Impaired Health-Related Quality of Life in Chronic Kidney Disease Patients. **2022**, 11, 4671 ○
- 43 Assessing the efficacy and safety of Juan Bi Tang for dialysis-related myofascial pain in the fistula arm: Study protocol for a randomized cross-over trial. 10,
- 42 Development and Validation of a Kidney-Transplant Specific Measure of Treatment Burden. **2022**, 23, ○
- 41 How Are Albertans Adjusting to and Coping With Dialysis? A Cross-Sectional Survey. **2022**, 9, 205435812211184

- 40 Relaci3n entre calidad de vida, adherencia al tratamiento y nivel de conocimiento del paciente en hemodi3lisis. **2022**, 25, 140-148 ○
- 39 Psychometric properties of kidney disease quality of life-36 (KDQOL-36) in dialysis patients in Indonesia. ○
- 38 Translation, cultural adaptation, and validation of the Integrated Palliative Outcome Scale-renal (IPOS-r) to Czech. **2022**, 21, ○
- 37 Pain Interference in End Stage Kidney Disease is Associated with Changes in Gut Microbiome Features Before and After Kidney Transplantation. **2022**, ○
- 36 Subjective cognitive complaints in end-stage renal disease: a systematic review and meta-analysis. 1-147 ○
- 35 Poor Physical Function Trajectory Predicts Impaired Patient Survival in Older Recipients of Deceased Donor Kidneys: A Prospective Cohort Study. **2022**, 8, e1374 ○
- 34 Five-Year Symptom Trajectories in Nondialysis-Dependent CKD Patients. CJN.06140522 ○
- 33 Sustained employment, work disability and work functioning in CKD patients: a cross-sectional survey study. ○
- 32 Low Health Literacy Is Associated with Poorer Physical and Mental Health-Related Quality of Life in Dialysed Patients. **2022**, 19, 13265 ○
- 31 Interventions for improving adherence to dietary salt and fluid restrictions in people with chronic kidney disease (stage 4 and 5). **2022**, 2022, ○
- 30 It's about what I'm able to do—Using the capabilities approach to understand the relationship between quality of life and vascular access in patients with end-stage kidney failure. **2022**, 2, 100187 ○
- 29 Assessment of the Nutritional Status and Quality of Life in Chronic Kidney Disease and Kidney Transplant Patients: A Comparative Analysis. **2022**, 14, 4814 ○
- 28 The role of subjective cognitive complaints in self-management among haemodialysis patients: a cross-sectional study. **2022**, 23, ○
- 27 Associations among body composition parameters and quality of life in peritoneal dialysis patients. **2022**, 12, ○
- 26 Effect of exercise interventions for sleep quality in patients with chronic kidney disease: a systematic review and meta-analysis. ○
- 25 Naturalizing digital and quality of life in chronic diseases: Systematic review to research perspective into technological advancing and personalized medicine. **2022**, 8, 205520762211448 ○
- 24 Quality of Life of Hemodialysis Patients in Greece: Associations with Socio-Economic, Anthropometric and Nutritional Factors. **2022**, 19, 15389 1
- 23 Gout Prevalence, Practice Patterns, and Associations with Outcomes in North American Dialysis Patients. 10.34067/KID.0005392022 ○

- 22 Obstacles to Early Diagnosis and Treatment of Pruritus in Patients with Chronic Kidney Disease: Current Perspectives. Volume 15, 335-352 ○
- 21 Association between anorexia and hypoalbuminemia in the patients undergoing maintenance hemodialysis. ○
- 20 Effects of Dapagliflozin on Echocardiographic Measures of Cardiac Structure and Function in Patients with CKD. 10.34067/KID.0006982022 ○
- 19 Effect of residual kidney function and dialysis adequacy on chronic pruritus in dialysis patients. ○
- 18 Incidence and Risk Factors for Pruritus in Patients with Nondialysis CKD. CJN.09480822 ○
- 17 EQ-5D in dialysis units: a PROM with a view. **2022**, 5, 33-41 ○
- 16 HEMODİYALİZE GİREN HASTALARDA YAĞM KALTESİNİN SAPTANMASI VE RİSK FAKTÖRLERİNİN DEĞERLENDİRİLMESİ ○
- 15 Prevalence and trajectories of subjective cognitive complaints and implications for patient outcomes: A prospective study of haemodialysis patients. ○
- 14 Frailty as a dynamic process in a diverse cohort of older persons with dialysis-dependent CKD. 3, ○
- 13 Exploring biopsychosocial correlates of pregnancy risk and pregnancy intention in women with chronic kidney disease. ○
- 12 Intervention study to verify the effect of live classic music during hemodialysis on the quality of life of patients with chronic kidney disease. **2022**, 42, 559-567 ○
- 11 Cost Effectiveness of Difelikefalin Compared to Standard Care for Treating Chronic Kidney Disease Associated Pruritus (CKD-aP) in People with Kidney Failure Receiving Haemodialysis. **2023**, 41, 457-466 ○
- 10 Enhancing the Cardiovascular Safety of Hemodialysis Care Using Multimodal Provider Education and Patient Activation Interventions: Protocol for a Cluster Randomized Controlled Trial (Preprint). ○
- 9 Enhancing the Cardiovascular Safety of Hemodialysis Care Using Multimodal Provider Education and Patient Activation Interventions: Protocol for a Cluster Randomized Controlled Trial. 12, e46187 ○
- 8 Association Between Depressive Symptom Trajectory and CKD Progression: Findings from the Chronic Renal Insufficiency Cohort (CRIC) Study. **2023**, Publish Ahead of Print, ○
- 7 A multicentric, randomized, controlled trial of yoga and fenugreek in prevention of type 2 diabetes mellitus: methodological details—the Indian Prevention of Diabetes Study (IPDS). ○
- 6 Editorial: Dialysis and the age-friendly health system initiative. 3, ○
- 5 Difelikefalin for the treatment of moderate-to-severe pruritus associated with chronic kidney disease on hemodialysis. 1-14 ○



- 4 Positive Psychological Intervention Delivered using Virtual Reality in Hemodialysis Patients with Comorbid Depression: Protocol and Design of the Joviality Randomized Controlled Trial (Preprint). ○
- 3 Lebensqualität bei chronischer Niereninsuffizienz in Abhängigkeit von der Dialysemethode. **2023**, 27, 122-127 ○
- 2 Healthcare utilization, quality of life, and work productivity associated with primary hyperoxaluria: a cross-sectional web-based US survey. **2023**, 51, ○
- 1 Health-related quality of life among patients with end-stage renal disease undergoing hemodialysis in Ethiopia: a cross-sectional survey. **2023**, 21, ○