

# CITATION REPORT

List of articles citing

## <sup>13</sup>C NMR Spectra of pentacyclic triterpenoidsa compilation and some salient features

DOI: 10.1016/s0031-9422(00)89569-2  
Phytochemistry, 1994, 37, 1517-1575.

**Source:** <https://exaly.com/paper-pdf/25001657/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1089	Structure elucidation of three triterpene glycosides from the trunk of <i>Argania spinosa</i> . <b>1996</b> , 59, 193-5		21
1088	Proton and carbon-13 NMR studies of steroids and triterpenes. <b>1996</b> , 405, 281-97		1
1087	Pentacyclic triterpenes from <i>Combretum nigricans</i> . <i>Phytochemistry</i> , <b>1996</b> , 41, 591-594	4	46
1086	Triterpenoid saponins from <i>Gymnema sylvestre</i> . <i>Phytochemistry</i> , <b>1996</b> , 41, 1181-5	4	62
1085	Triterpenoids from <i>Melilotus messanensis</i> ; soyasapogenol G, the first natural carbonate derivative. <i>Phytochemistry</i> , <b>1996</b> , 41, 1573-1577	4	8
1084	Triterpenes and 1-(hydroxygeranyl)glycerols from <i>Pentaclethra eetveldeana</i> root bark. <i>Phytochemistry</i> , <b>1996</b> , 42, 501-504	4	12
1083	Triterpenes and triterpene glycosides from <i>Paradrymonia macrophylla</i> . <i>Phytochemistry</i> , <b>1996</b> , 42, 495-499	4	33
1082	Eudesmane derivatives from <i>Pluchea quitoc</i> . <i>Phytochemistry</i> , <b>1996</b> , 43, 417-421	4	19
1081	Triterpenes and sterols from <i>Ruscus aculeatus</i> . <i>Planta Medica</i> , <b>1996</b> , 62, 189-90	3.1	16
1080	Antispasmodic and spasmogenic effects of <i>Scolymus hispanicus</i> and taraxasteryl acetate on isolated ileum preparation. <i>Planta Medica</i> , <b>1997</b> , 63, 556-8	3.1	11
1079	Hypoglycemic effect of trans-dehydrocrotonin, a nor-clerodane diterpene from <i>Croton cajucara</i> . <i>Planta Medica</i> , <b>1997</b> , 63, 558-60	3.1	31
1078	Iridoid glucosides from <i>Viburnum lantana</i> var. <i>discolor</i> . <i>Planta Medica</i> , <b>1997</b> , 63, 485-6	3.1	11
1077	Triterpenoids from <i>Leptadenia hastata</i> latex. <i>Planta Medica</i> , <b>1997</b> , 63, 486	3.1	6
1076	<sup>13</sup> C NMR spectroscopy of sterols. <b>1997</b> , 235-255		1
1075	Triterpenoids from the Leaves of <i>Eucalyptus camaldulensis</i> var. <i>obtusa</i> . <b>1997</b> , 60, 20-23		22
1074	24-norhopene derivatives from <i>Diatenopteryx sorbifolia</i> . <b>1997</b> , 60, 909-11		6
1073	Triterpene Esters from Australian <i>Acacia</i> . <b>1997</b> , 60, 1150-1151		11

1072	Saponins from <i>Ilex dumosa</i> , an Erva-mat ( <i>Ilex paraguariensis</i> ) Adulterating Plant. <b>1997</b> , 45, 1027-1031		23
1071	Cytotoxic constituents of <i>Pilea mongolica</i> . <b>1997</b> , 20, 180-3		15
1070	Mixture of closely related isomeric triterpenoid derivatives: Separation and purification by reversed-phase high-performance liquid chromatography. <b>1997</b> , 46, 251-255		7
1069	Hopane-type saponins from <i>Polycarpon succulentum</i> growing in Egypt. <i>Phytochemistry</i> , <b>1997</b> , 44, 925-929		9
1068	Terpenoids and other constituents of <i>Eucalyptus globulus</i> . <i>Phytochemistry</i> , <b>1997</b> , 44, 1309-1312	4	22
1067	Triterpenoids from <i>Shorea robusta</i> resin. <i>Phytochemistry</i> , <b>1997</b> , 45, 575-578	4	13
1066	Modified abietane diterpenoids and a methoxylupane derivative from <i>Salvia palaestina</i> . <i>Phytochemistry</i> , <b>1997</b> , 45, 1663-1668	4	16
1065	Pentacyclic triterpenoid glycosyl esters from <i>Rubus pileatus</i> . <i>Phytochemistry</i> , <b>1997</b> , 46, 559-563	4	9
1064	<sup>13</sup> C NMR analysis of monodesmosidic saponins from <i>Gomphrena macrocephala</i> . <i>Phytochemistry</i> , <b>1997</b> , 46, 1267-1270	4	2
1063	Biological activities and metabolites from <i>Trevoa trinervis</i> Miers. <b>1997</b> , 11, 504-507		4
1062	Three triterpenoids and one flavonoid from the liverwort <i>Asterella blumeana</i> grown in vitro. <b>1998</b> , 12, S21-S24		13
1061	Alkyl chromone and other compounds from <i>Clusia nemorosa</i> . <i>Phytochemistry</i> , <b>1998</b> , 47, 1431-1433	4	23
1060	A triterpenoid saponin from <i>Cyclamen coum</i> . <i>Phytochemistry</i> , <b>1998</b> , 48, 881-4	4	12
1059	3β,4-dihydroxy-urs-12-en-28-oic acid from <i>verbena officinalis</i> fn1fn1RRL communication No. 2251.. <i>Phytochemistry</i> , <b>1998</b> , 49, 269-271	4	21
1058	A-ring contracted triterpenoid from <i>Rosa multiflora</i> . <i>Phytochemistry</i> , <b>1998</b> , 48, 1399-1401	4	27
1057	Triterpenes and triterpene glycosyl ester from <i>rubus pungens</i> camb. Var <i>oldhamii</i> . <i>Phytochemistry</i> , <b>1998</b> , 49, 185-188	4	9
1056	A pterocarpan from <i>Ulex parviflorus</i> . <i>Phytochemistry</i> , <b>1998</b> , 48, 359-362	4	31
1055	Chamaedrydiol, an ursane triterpene from <i>Marsypianthes chamaedrys</i> . <i>Phytochemistry</i> , <b>1998</b> , 48, 323-325		26

1054	Saikosaponins from <i>Taverniera aegyptiaca</i> . <i>Phytochemistry</i> , <b>1998</b> , 48, 693-697	4	3
1053	Phytotoxic compounds from <i>Esenbeckia yaxhoob</i> fn2 fn2Taken in part from the MS theses of M. MacĒs and S. Rojas. fn3 fn3Dedicated to Professor Neil Towers on the occasion of his 75th birthday.. <i>Phytochemistry</i> , <b>1998</b> , 49, 441-449	4	42
1052	Hopane-type saponins from <i>Polycarpon succulentum</i> II. <i>Phytochemistry</i> , <b>1998</b> , 48, 1415-1421	4	6
1051	Harpuloside a triterpenoid saponin from <i>Harpullia ramiflora</i> . <i>Phytochemistry</i> , <b>1998</b> , 48, 1229-1232	4	11
1050	A saponin from the roots of <i>Gypsophila bermejoi</i> . <i>Phytochemistry</i> , <b>1998</b> , 49, 2077-9	4	11
1049	Triterpenoid saponins from <i>Spergularia ramosa</i> . <b>1998</b> , 61, 323-7		38
1048	A New Norlupene from the Leaves of <i>Melaleuca leucadendron</i> . <b>1998</b> , 61, 375-6		41
1047	Triterpenoid saponins from <i>Vaccaria segetalis</i> . <i>Journal of Asian Natural Products Research</i> , <b>1999</b> , 1, 199-205		16
1046	Triterpenoids and a diterpene from <i>Euphorbia iberica</i> . <i>Planta Medica</i> , <b>1999</b> , 65, 475-7	3.1	11
1045	Trypanosomicidal kaurane diterpenes from <i>Wedelia paludosa</i> . <i>Planta Medica</i> , <b>1999</b> , 65, 283-4	3.1	40
1044	A bis-labdenic diterpene from <i>Moldenhawera nutans</i> . <i>Phytochemistry</i> , <b>1999</b> , 50, 443-447	4	10
1043	A triterpenoid saponin isolated from <i>Lafoensia glyptocarpa</i> . <i>Phytochemistry</i> , <b>1999</b> , 52, 1617-1619	4	8
1042	Flavonoids from the root-bark of <i>Dioclea grandiflora</i> . <i>Phytochemistry</i> , <b>1999</b> , 52, 723-730	4	23
1041	Uncarinic acids: phospholipase Cgamma1 inhibitors from hooks of <i>Uncaria rhynchophylla</i> . <b>1999</b> , 9, 1429-32		22
1040	Biotransformation of lantadene A (22 beta-angeloyloxy-3-oxoolean-12-en-28-oic acid), the pentacyclic triterpenoid, by <i>Alcaligenes faecalis</i> . <b>1999</b> , 10, 373-81		10
1039	Antinociceptive activity of <i>Lavoisiera pulcherrima</i> . <b>1999</b> , 70, 178-180		1
1038	Constituents of the root and stem barks of <i>Diospyros villosiuscula</i> . <b>1999</b> , 70, 209-211		2
1037	Aripuanin, a megastigmene skeleton from <i>Ficus aripuanensis</i> . <b>1999</b> , 70, 628-629		3

1036	Triterpenoids in lipophilic leaf and stem coatings. <i>Biochemical Systematics and Ecology</i> , <b>1999</b> , 27, 103-105.	4	16
1035	Antitubercular activity of pentacyclic triterpenoids from plants of Argentina and Chile. <b>1999</b> , 6, 341-5		45
1034	Structure determination and detailed <sup>1</sup> H, <sup>13</sup> C NMR assignments of triterpenes from <i>Mimusops elengi</i> . <b>1999</b> , 37, 152-156		3
1033	Molluscicidal constituents of <i>Marsypianthes chamaedrys</i> . <b>1999</b> , 13, 433-5		2
1032	Saponins in alfalfa ( <i>Medicago sativa</i> L.) root and their structural elucidation. <b>1999</b> , 47, 3185-92		64
1031	Novel isoflavone, cinnamic acid, and triterpenoid glycosides in soybean molasses. <b>1999</b> , 62, 853-8		38
1030	A new gypsogenin saponin from <i>arenaria filicaulis</i> . <b>1999</b> , 62, 885-8		11
1029	Remangilones A-C, new cytotoxic triterpenes from <i>Physena madagascariensis</i> . <b>1999</b> , 62, 471-6		16
1028	Four new triterpenes from the heartwood of <i>melaleuca leucadendron</i> . <b>1999</b> , 62, 1003-5		8
1027	Triterpenoid saponins from <i>Ilex kudincha</i> . <b>1999</b> , 62, 1128-33		47
1026	Activity-guided isolation of triterpenoid acyl CoA cholesteryl acyl transferase (ACAT) inhibitors from <i>Ilex kudincha</i> . <b>1999</b> , 62, 1061-4		51
1025	Terpenoids of <i>Syzygium formosanum</i> . <b>1999</b> , 62, 327-8		39
1024	Six triterpenoid saponins from <i>Mmaesa laxiflora</i> . <b>1999</b> , 62, 873-6		16
1023	Direct Qualitative and Quantitative Analysis of Triterpenes Using <sup>13</sup> C NMR Spectroscopy Exemplified by Dichloromethanic Extracts of Cork. <b>1999</b> , 53, 344-350		17
1022	Antiinflammatory activity and chemical composition of extracts of <i>Verbena officinalis</i> . <b>2000</b> , 14, 463-5		100
1021	Segetoside F a new triterpenoid saponin with inhibition of luteal cell from the seeds of <i>Vaccaria segetalis</i> . <b>2000</b> , 41, 9205-9207		32
1020	Sesquiterpene lactone and friedelane derivative from <i>drypetes molunduana</i> . <i>Phytochemistry</i> , <b>2000</b> , 54, 811-5	4	30
1019	Normethyl pentacyclic and lanostane-type triterpenes from <i>Adiantum venustum</i> . <i>Phytochemistry</i> , <b>2000</b> , 54, 215-20	4	12

1018	Triterpenoids, essential oil and photo-oxidative 28 --> 13-lactonization of oleanolic acid from <i>Lantana camara</i> . <i>Phytochemistry</i> , <b>2000</b> , 54, 969-74	4	39
1017	Triterpene saponins and iridoid glucosides from <i>galium rivale</i> . <i>Phytochemistry</i> , <b>2000</b> , 54, 751-6	4	27
1016	Triterpenoid saponins from <i>Ardisia mamillata</i> . <i>Phytochemistry</i> , <b>2000</b> , 54, 817-22	4	26
1015	nor-Lignans from the leaves of <i>Styrax ferrugineus</i> (Styracaceae) with antibacterial and antifungal activity. <i>Phytochemistry</i> , <b>2000</b> , 55, 597-601	4	86
1014	Biosynthesis of friedelane and quinonemethide triterpenoids is compartmentalized in <i>Maytenus aquifolium</i> and <i>Salacia campestris</i> . <i>Phytochemistry</i> , <b>2000</b> , 55, 741-8	4	56
1013	Dichromenoxanthenes from <i>Tovomita brasiliensis</i> . <i>Phytochemistry</i> , <b>2000</b> , 55, 815-8	4	18
1012	(Rel)-1beta,2alpha-di-(2,4-dihydroxy-6-methoxybenzoyl)-3beta,4alpha-di-(4-methoxyphenyl)-cyclobutane and other flavonoids from the aerial parts of <i>Goniothalamus gardneri</i> and <i>Goniothalamus thwaitesii</i> . <i>Phytochemistry</i> , <b>2000</b> , 55, 439-46	4	72
1011	Constituents of <i>Caesalpinia pyramidalis</i> . <b>2000</b> , 71, 205-7		25
1010	Vitexin, paprazine and terpenoids from <i>Trema micrantha</i> . <i>Biochemical Systematics and Ecology</i> , <b>2000</b> , 28, 495-496	1.4	2
1009	Phytochemical study and anti-inflammatory properties of <i>Lampaya hieronymi</i> Schum. ex Moldenke. <b>2000</b> , 55, 502-5		26
1008	Three new triterpenoid saponins from the seeds of <i>Vaccaria segetalis</i> . <i>Journal of Asian Natural Products Research</i> , <b>2000</b> , 2, 187-93	1.5	15
1007	Evaluation of the antiulcerogenic activity of friedelan-3beta-ol and friedelin isolated from <i>Maytenus ilicifolia</i> (Celastraceae). <i>Journal of Ethnopharmacology</i> , <b>2000</b> , 72, 465-8	5	74
1006	Natural Triterpenoids as Anti-Inflammatory Agents. <b>2000</b> , 22, 93-143		28
1005	New oleanene triterpenoid saponins from <i>Madhuca longifolia</i> . <b>2000</b> , 63, 1679-81		26
1004	Four new triterpenoid saponins from the roots of <i>Bupleurum rigidum</i> . <b>2000</b> , 63, 1479-82		17
1003	Nematicidal constituents of the aerial parts of <i>Lantana camara</i> . <b>2000</b> , 63, 765-7		55
1002	Quadransides I-V, new triterpene glucosides from the seeds of <i>Combretum quadrangulare</i> . <b>2000</b> , 63, 496-500		50
1001	Identification and biological activities of triterpenoid saponins from <i>Chenopodium quinoa</i> . <b>2001</b> , 49, 2327-32		141

1000	Three new triterpenes from the seeds of <i>Combretum quadrangulare</i> and their hepatoprotective activity. <b>2001</b> , 64, 360-3		42
999	In vivo anti-inflammatory activity of saponins from <i>Bupleurum rotundifolium</i> . <b>2001</b> , 68, 1199-206		51
998	Characterization of the triterpene saponins of the roots and rhizomes of blue cohosh ( <i>Caulophyllum thalictroides</i> ). <b>2001</b> , 49, 5969-74		37
997	Chemical constituents from <i>Drypetes littoralis</i> . <b>2001</b> , 64, 707-9		11
996	Five novel neuroprotective triterpene esters of <i>Ulmus davidiana</i> var. <i>japonica</i> . <b>2001</b> , 64, 328-31		33
995	Three new dihydroisocoumarins from the Greek endemic species <i>Scorzonera cretica</i> . <b>2001</b> , 64, 1585-7		59
994	Prenylated benzophenone derivatives from <i>Clusia havetiodes</i> var. <i>stenocarpa</i> . <b>2001</b> , 64, 23-5		29
993	Antisweet saponins from <i>Gymnema sylvestre</i> . <b>2001</b> , 64, 232-5		45
992	Latifoliosides I and J, two new triterpenoid saponins from the bark of <i>Ilex latifolia</i> . <b>2001</b> , 49, 239-41		16
991	Fargosides A-E, triterpenoid saponins from <i>Holboellia fargesii</i> . <b>2001</b> , 49, 999-1002		15
990	Taraxastane-type triterpenoids from <i>Saussurea petrovii</i> . <i>Phytochemistry</i> , <b>2001</b> , 58, 1107-11	4	29
989	Triterpene and flavanone glycoside from <i>Rhododendron simsii</i> . <i>Phytochemistry</i> , <b>2001</b> , 56, 875-9	4	51
988	Two novel cytotoxic and antimicrobial triterpenoids from <i>Pseudolarix kaempferi</i> . <b>2001</b> , 11, 3119-22		30
987	Proposed active constituents of <i>Dipladenia martiana</i> . <b>2001</b> , 15, 715-7		5
986	Identification and structure determination of four triterpene saponins from some Middle-East plants. <b>2001</b> , 39, 567-576		8
985	<sup>13</sup> C cross-polarization MAS NMR study of some steroidal saponins. <b>2001</b> , 20, 35-45		10
984	New results on the chemistry of lichen substances. <b>2001</b> , 81, 1-276		28
983	Anthelmintic activity of the stem bark extracts of <i>Berlina grandiflora</i> and one of its active principles, Betulinic acid. <b>2001</b> , 8, 112-4		42

982	Triterpenes from <i>Licania licaniaeflora</i> . <b>2001</b> , 72, 585-7		15
981	Triterpenes and anthraquinones from <i>Picramnia sellowii</i> Planchon in Hook (Simaroubaceae). <i>Biochemical Systematics and Ecology</i> , <b>2001</b> , 29, 331-333	1.4	12
980	Constituents of three Icelandic <i>Alchemilla</i> species. <i>Biochemical Systematics and Ecology</i> , <b>2001</b> , 29, 959-962	2.4	14
979	Phenolic derivatives and terpenes from <i>Acosmium bijugum</i> . <i>Biochemical Systematics and Ecology</i> , <b>2001</b> , 29, 1189-1192	1.4	4
978	Triterpenoid saponin from <i>Primula elatior</i> subsp. <i>meyeri</i> . <i>Journal of Asian Natural Products Research</i> , <b>2001</b> , 3, 347-52	1.5	3
977	Xanthones and Other Constituents of <i>Trema orientalis</i> . <b>2001</b> , 39, 202-205		11
976	Anti-inflammatory triterpenes from <i>Pistacia terebinthus</i> galls. <i>Planta Medica</i> , <b>2002</b> , 68, 311-5	3.1	50
975	Fatty acid esters of triterpenoids and steroid glycosides from <i>Gambeya africana</i> . <i>Planta Medica</i> , <b>2002</b> , 68, 822-6	3.1	19
974	Chemical Components from <i>Leontopodium Nanum</i> . <b>2002</b> , 49, 259-261		7
973	Chemical Constituents of the Aerial Part of <i>Celastrus Hypoleucus</i> . <b>2002</b> , 49, 433-436		11
972	Isolation and structure elucidation of an isoflavone and a sesterterpenoic acid from <i>Henriettella fascicularis</i> . <b>2002</b> , 65, 1749-53		15
971	Two new triterpene esters from the twigs of <i>Brachylaena ramiflora</i> from the Madagascar rainforest. <b>2002</b> , 65, 1222-4		28
970	Structure and spasmolytic activity of eucalyptanoic acid from <i>Eucalyptus camaldulensis</i> var. <i>obtusata</i> and synthesis of its active derivative from oleanolic acid. <b>2002</b> , 65, 1939-41		24
969	Constituents in evening primrose oil with radical scavenging, cyclooxygenase, and neutrophil elastase inhibitory activities. <b>2002</b> , 50, 5533-8		27
968	Triterpene saponins from debittered quinoa ( <i>Chenopodium quinoa</i> ) seeds. <b>2002</b> , 50, 865-7		44
967	Natural products inhibiting <i>Candida albicans</i> secreted aspartic proteases from <i>Lycopodium cernuum</i> . <b>2002</b> , 65, 979-85		50
966	A new triterpenoid saponin with inhibition of luteal cell from the seeds of <i>Vaccaria segetalis</i> . <i>Journal of Asian Natural Products Research</i> , <b>2002</b> , 4, 297-301	1.5	15
965	Studies on the constituents of a Brazilian folk infusion. Isolation and structure elucidation of new triterpene saponins from <i>Ilex amara</i> leaves. <b>2002</b> , 50, 255-61		15



964	Topical anti-inflammatory activity of Bauhinia tarapotensis leaves. <b>2002</b> , 9, 646-53		14
963	Phytochemical study of Lychnophora markgravii (Asteraceae). <i>Biochemical Systematics and Ecology</i> , <b>2002</b> , 30, 609-612	1.4	9
962	Coumarins, coumarinolignoids and terpenes from Protium heptaphyllum. <i>Biochemical Systematics and Ecology</i> , <b>2002</b> , 30, 685-687	1.4	8
961	Chemical constituents of Eremanthus veadeiroensis (Asteraceae). <i>Biochemical Systematics and Ecology</i> , <b>2002</b> , 30, 897-900	1.4	8
960	Molecular structures and antiviral activities of naturally occurring and modified cassane furanoditerpenoids and friedelane triterpenoids from Caesalpinia minax. <b>2002</b> , 10, 2161-70		47
959	Determination of the triterpenoid, betulinic acid, in Doliocarpus schottianus by HPLC. <b>2002</b> , 13, 95-8		33
958	Biflavonoids and a glucopyranoside derivative from Ouratea semiserrata. <b>2002</b> , 13, 283-92		26
957	nor-Oleanene type triterpene glycosides from the leaves of Acanthopanax japonicus. <i>Phytochemistry</i> , <b>2002</b> , 59, 379-84	4	10
956	Triterpenoid saponins and acylated prosapogenins from Harpullia austro-caledonica. <i>Phytochemistry</i> , <b>2002</b> , 59, 825-32	4	19
955	6-Methylcryptoacetalide, 6-methyl-epicryptoacetalide and 6-methylcryptotanshinone from Salvia aegyptiaca. <i>Phytochemistry</i> , <b>2002</b> , 61, 361-5	4	14
954	Antifeedant activity of some pentacyclic triterpene acids and their fatty acid ester analogues. <b>2003</b> , 51, 1952-5		45
953	Cerebrosides and terpene glycosides from the root of Aster scaber. <b>2003</b> , 26, 132-7		5
952	A new sesquiterpene hydroperoxide from the aerial parts of Aster oharai. <b>2003</b> , 26, 521-5		29
951	A new acylglycosyl sterol from Quisqualis Fructus. <b>2003</b> , 26, 275-8		18
950	Constituents from the non-polar fraction of Artemisia apiacea. <b>2003</b> , 26, 902-5		16
949	Triterpenoid saponins from the roots of Silene cucubalus. <b>2003</b> , 74, 237-41		20
948	Preparative purification of the major anti-inflammatory triterpenoid esters from Marigold (Calendula officinalis). <b>2003</b> , 74, 328-38		85
947	Triterpenes of Croton betulaster (Euphorbiaceae). <i>Biochemical Systematics and Ecology</i> , <b>2003</b> , 31, 307-308		19

946	Evaluation of the analgesic activity of extracts of <i>Miconia rubiginosa</i> (Melastomataceae). <b>2003</b> , 10, 606-9		27
945	A new cytotoxic limonoid from <i>Odontadenia macrantha</i> from the Suriname rainforest. <b>2003</b> , 41, 139-142		5
944	2-Hydroxyflavanones from <i>Leptospermum polygalifolium</i> subsp. <i>polygalifolium</i> Equilibrating sets of hemiacetal isomers. <i>Phytochemistry</i> , <b>2003</b> , 64, 1285-93	4	15
943	Pentacyclic triterpenoids from <i>Embelia schimperi</i> . <i>Phytochemistry</i> , <b>2003</b> , 62, 573-7	4	26
942	Further saponins from <i>Taverniera aegyptiaca</i> . <i>Phytochemistry</i> , <b>2003</b> , 62, 1201-5	4	6
941	Phenolic constituents from <i>Drypetes armoracia</i> . <i>Phytochemistry</i> , <b>2003</b> , 63, 453-6	4	15
940	Eudesmane derivatives and other constituents from <i>Saussurea parviflora</i> . <i>Phytochemistry</i> , <b>2003</b> , 62, 1195-9	4	17
939	Oleanolic glycosides from <i>Pometia ridleyi</i> . <i>Phytochemistry</i> , <b>2003</b> , 64, 781-9	4	26
938	Two lignan dimers from bamboo stems ( <i>Phyllostachys edulis</i> ). <i>Phytochemistry</i> , <b>2003</b> , 64, 991-6	4	19
937	Pentacyclic triterpenoid and saponins from <i>Gambeya boukokoensis</i> . <i>Phytochemistry</i> , <b>2003</b> , 64, 845-9	4	34
936	Evaluation of the Biological Activities of Crude Extracts from Patagonian <i>Prosopis</i> Seeds and Some of Their Active Principles. <b>2003</b> , 3, 31-37		6
935	Alkylresorcinol derivatives and sesquiterpene lactones from <i>Cichorium spinosum</i> . <b>2003</b> , 51, 1289-92		18
934	Acinospesigenin-A, -B, and -C: three new triterpenoids from <i>Phytolacca acinosa</i> . <b>2003</b> , 66, 1121-3		4
933	Labdane and kaurane diterpenoids from <i>Plectranthus fruticosus</i> . <b>2003</b> , 66, 491-6		14
932	Terminoside A, a new triterpene glycoside from the bark of <i>Terminalia arjuna</i> inhibits nitric oxide production in murine macrophages. <i>Journal of Asian Natural Products Research</i> , <b>2003</b> , 5, 137-42	1.5	27
931	Saponins from <i>Cussonia bancoensis</i> and their inhibitory effects on nitric oxide production. <b>2003</b> , 66, 1266-9		45
930	A new acylated oleanane triterpenoid from <i>Couepia polyandra</i> that inhibits the lyase activity of DNA polymerase beta. <b>2003</b> , 66, 1463-5		25
929	Triterpenoid saponins from the fruits of <i>Ternstroemia japonica</i> . <b>2003</b> , 66, 1351-5		22

928	Serratene-type triterpenoids from <i>Huperzia serrata</i> . <b>2003</b> , 66, 1328-32		24
927	New triterpene glycosides from the stems of <i>Anomospermum grandifolium</i> . <b>2003</b> , 66, 1606-10		19
926	Absolute stereostructures of new arborinane-type triterpenoids and inhibitors of nitric oxide production from <i>Rubia yunnanensis</i> . <b>2003</b> , 66, 638-45		40
925	New cytotoxic lupane triterpenoids from the twigs of <i>Coussarea paniculata</i> . <b>2003</b> , 66, 419-22		25
924	Anti-inflammatory and Analgesic Effects of Drypemelundein A, a Sesquiterpene Lactone from <i>Drypetes molunduana</i> . <b>2003</b> , 41, 26-30		13
923	Constituents of <i>Salvia trijuga</i> . <b>2003</b> , 41, 375-378		13
922	A new triterpene from <i>Leandra chaetodon</i> . <i>Planta Medica</i> , <b>2003</b> , 69, 582-4	3.1	13
921	Immunomodulatory triterpenoids from the oleogum resin of <i>Boswellia carterii</i> Birdwood. <b>2003</b> , 58, 505-16		64
920	New Triterpenoid Fatty Acid Esters from the Small Twigs of <i>Viburnum Odoratissimum</i> . <b>2003</b> , 50, 297-302		10
919	Lupane-triterpene carboxylic acids from the leaves of <i>Acanthopanax trifoliatum</i> . <b>2003</b> , 51, 1432-5		20
918	New triterpenoid saponins from <i>Stelmatocrypton khasianum</i> . <b>2003</b> , 51, 574-8		5
917	New triterpene isolated from <i>Eschweilera longipes</i> (Lecythidaceae). <b>2003</b> , 75, 21-5		9
916	Chemical constituents from <i>Vellozia graminifolia</i> . <b>2004</b> , 76, 505-18		12
915	Platelet anti-aggregating triterpenoids from the leaves of <i>Acanthopanax senticosus</i> and the fruits of <i>A. sessiliflorus</i> . <i>Planta Medica</i> , <b>2004</b> , 70, 564-6	3.1	29
914	Gastroprotective effect of the mixture of alpha- and beta-amyrin from <i>Protium heptaphyllum</i> : role of capsaicin-sensitive primary afferent neurons. <i>Planta Medica</i> , <b>2004</b> , 70, 780-2	3.1	50
913	Antileishmanial activity of isolated triterpenoids from <i>Pourouma guianensis</i> . <b>2004</b> , 11, 114-20		80
912	Phytochemical and antiinflammatory studies on <i>Terminalia catappa</i> . <b>2004</b> , 75, 253-60		87
911	Terpenoids from <i>Conceveiba guianensis</i> Aublet. <i>Biochemical Systematics and Ecology</i> , <b>2004</b> , 32, 931-935	1.4	3

910	Phytochemical constituents of the aerial parts from <i>Solidago virga-aurea</i> var. <i>gigantea</i> . <b>2004</b> , 27, 164-8	46
909	Phenolic compounds obtained from stems of <i>Couepia ulei</i> with the potential to induce quinone reductase. <b>2004</b> , 27, 169-72	6
908	Isolation of epi-oleanolic acid from Korean mistletoe and its apoptosis-inducing activity in tumor cells. <b>2004</b> , 27, 840-4	24
907	Pentacyclic triterpenes from <i>Sarcostemma clausum</i> . <b>2004</b> , 40, 565-568	1
906	Pentacyclic triterpene 5-phenylpenta-2,4-dienoyl esters from <i>Peltastes peltatus</i> (Vell.) Woodson. <b>2004</b> , 15, 339-44	6
905	Chemistry, biological activity, and chemotherapeutic potential of betulinic acid for the prevention and treatment of cancer and HIV infection. <b>2004</b> , 24, 90-114	393
904	Astersedifolioside A-C, three new oleanane-type saponins with antiproliferative activity. <b>2004</b> , 12, 4909-15	12
903	New lupane triterpenoids from <i>Solidago canadensis</i> that inhibit the lyase activity of DNA polymerase beta. <b>2004</b> , 12, 6271-5	33
902	Tirucallane-type triterpenes from <i>Juliania adstringens</i> . <i>Phytochemistry</i> , <b>2004</b> , 65, 891-6	4 33
901	Cytotoxic lupane-type triterpenoids from <i>Acacia mellifera</i> . <i>Phytochemistry</i> , <b>2004</b> , 65, 1159-64	4 64
900	Chemical constituents of leaves and stem bark of <i>Plumeria obtusa</i> . <i>Phytochemistry</i> , <b>2004</b> , 65, 2077-84	4 22
899	Antioxidant Phenylpropanoid Esters of Triterpenes from <i>Dioclea lasiophylla</i> . <b>2004</b> , 42, 36-38	33
898	Chemical Constituents and Preliminary Antimalarial Activity of <i>Humiria balsamifera</i> . <b>2004</b> , 42, 94-97	18
897	Preparation of Ursane Triterpenoids from <i>Centella asiatica</i> Using High Speed Countercurrent Chromatography with Step-Gradient Elution. <b>2004</b> , 27, 2201-2215	29
896	Cytotoxic triterpenoids from <i>Acridocarpus vivy</i> from the Madagascar rain forest. <b>2004</b> , 67, 986-9	25
895	Pentacyclic triterpenoid esters from the fruits of <i>Bruguiera cylindrica</i> . <b>2004</b> , 67, 886-8	20
894	Triterpenes from <i>Maesopsis eminii</i> . <b>2004</b> , 67, 2124-6	5
893	New cytotoxic terpenoids from the wood of <i>Vepris punctata</i> from the Madagascar Rainforest. <b>2004</b> , 67, 895-8	25

892	DNA polymerase beta lyase inhibitors from <i>Maytenus putterlickoides</i> . <b>2004</b> , 67, 1744-7		17
891	Triterpenoid Constituents of <i>Borreria Articularis</i> . <b>2004</b> , 51, 229-231		2
890	New sesquiterpenoid and triterpenoids from the fruits of <i>Rhizophora mucronata</i> . <b>2004</b> , 52, 883-5		22
889	Triterpenoid Esters from <i>Bruguiera cylindrica</i> . <b>2005</b> , 58, 556		5
888	ISOLATION OF PENTACYCLIC TRITERPENOID COMPOUNDS FROM LITHOCARPUS ELEGANS (BL.) HATUS. EX SOEP. BY ELECTROCOAGULATION. <b>2005</b> , 19-25		
887	Anti-inflammatory and antitumor-promoting effects of the triterpene acids from the leaves of <i>Eriobotrya japonica</i> . <b>2005</b> , 28, 1995-9		106
886	PHYTOCHEMICAL STUDY OF HYMENOCARDIA WALLICHII TUL.. <b>2005</b> , 127-129		2
885	Terpenoids from the Flower of <i>Cacalia Tangutica</i> . <b>2005</b> , 52, 369-374		19
884	New oleanene glycosides from the leaves of <i>Acanthopanax japonicus</i> . <b>2005</b> , 53, 1147-51		6
883	Evaluation of <i>Strychnos pseudoquina</i> ST. HIL. leaves extract on gastrointestinal activity in mice. <b>2005</b> , 53, 881-5		16
882	Cytotoxic triterpenes from the aerial roots of <i>Ficus microcarpa</i> . <i>Phytochemistry</i> , <b>2005</b> , 66, 495-501	4	102
881	Unusual naphthoquinones, catechin and triterpene from <i>Byrsonima microphylla</i> . <i>Phytochemistry</i> , <b>2005</b> , 66, 2388-92	4	24
880	<sup>13</sup> C NMR study of spirostanes and furostanes in solution and solid state. <b>2005</b> , 744-747, 447-455		5
879	Analysis of Bioactive Triterpenes from <i>Rubus chingii</i> by Cyclodextrin-Modified Capillary Electrophoresis. <b>2005</b> , 62, 145-150		17
878	Flavonoids and triterpenes from leaves of <i>Erythroxylum nummularia</i> . <i>Biochemical Systematics and Ecology</i> , <b>2005</b> , 33, 537-540	1.4	7
877	Constituents of <i>Zanthoxylum heitzii</i> (Rutaceae). <i>Biochemical Systematics and Ecology</i> , <b>2005</b> , 33, 845-847	1.4	9
876	Chemical constituents from <i>Senefelderopsis chiribiquetensis</i> . <i>Biochemical Systematics and Ecology</i> , <b>2005</b> , 33, 1303-1306	1.4	3
875	Trypanocidal activity of extracts and fractions of <i>Bertholletia excelsa</i> . <b>2005</b> , 76, 26-9		12

874	Licanolide, a new triterpene lactone from <i>Licania tomentosa</i> . <b>2005</b> , 76, 562-6		5
873	Extracts and constituents of <i>Lavandula multifida</i> with topical anti-inflammatory activity. <b>2005</b> , 12, 271-7		68
872	Two Novel Olean Triterpenoids from <i>Celastrus hypoleucus</i> . <b>2005</b> , 88, 990-995		27
871	The Chemical Constituents from the Callus Culture of <i>Trewia nudiflora</i> . <b>2005</b> , 88, 2424-2429		7
870	Characterization of two minor saponins from <i>Cordia piauhiensis</i> by <sup>1</sup> H and <sup>13</sup> C NMR spectroscopy. <b>2005</b> , 43, 494-6		6
869	Antibacterial constituents from fruit bodies of ascomyces <i>Bulgaria inquinans</i> . <b>2005</b> , 28, 889-91		7
868	Chemical composition of the epicuticular wax from the fruits of <i>Eucalyptus globulus</i> . <b>2005</b> , 16, 364-9		36
867	Constituintes qunicos e avalia preliminar in vivo da atividade antimalica de <i>Ouratea nitida</i> Aubl (Ochnaceae). <b>2005</b> , 15, 195-198		4
866	Antiproliferative hopane and oleanane glycosides from the roots of <i>Glinus lotoides</i> . <i>Planta Medica</i> , <b>2005</b> , 71, 554-60	3.1	16
865	Lupane-triterpenes from <i>Bupleurum flavum</i> . <i>Natural Product Research</i> , <b>2005</b> , 19, 783-8	2.3	16
864	Triterpenoids from the stems of <i>Myricaria paniculata</i> . <i>Journal of Asian Natural Products Research</i> , <b>2005</b> , 7, 253-7	1.5	11
863	Triterpenes from <i>Campanula lactiflora</i> . <i>Journal of Asian Natural Products Research</i> , <b>2005</b> , 7, 771-5	1.5	3
862	New Ursane-Type Triterpenes from <i>Zizyphus vulgaris</i> . Roots. <b>2005</b> , 43, 392-395		8
861	Two new triterpenoid saponins from <i>Sarcandra glabra</i> . <i>Journal of Asian Natural Products Research</i> , <b>2005</b> , 7, 829-34	1.5	10
860	Bioactive constituents of the leaves of <i>Phyllanthus polyphyllus</i> var. <i>siamensis</i> . <b>2005</b> , 68, 1006-9		18
859	Chemical constituents from the roots of <i>Biondia chinensis</i> . <i>Journal of Asian Natural Products Research</i> , <b>2005</b> , 7, 747-53	1.5	3
858	Hopane-type saponins from the seeds of <i>Glinus lotoides</i> . <b>2005</b> , 68, 443-6		9
857	Triterpene saponins from barrel medic ( <i>Medicago truncatula</i> ) aerial parts. <b>2005</b> , 53, 2164-70		46

856	Acutangulosides A-F, monodesmosidic saponins from the bark of <i>Barringtonia acutangula</i> . <b>2005</b> , 68, 311-8		21
855	Three new triterpenes from <i>Nerium oleander</i> and biological activity of the isolated compounds. <b>2005</b> , 68, 198-206		97
854	Antibacterial triterpenes from <i>Syzygium guineense</i> (Myrtaceae). <i>Journal of Ethnopharmacology</i> , <b>2005</b> , 101, 283-6	5	109
853	Diterpenoids from the aerial parts of <i>Plectranthus ornatus</i> . <b>2005</b> , 68, 588-91		8
852	Dammarane triterpenes from the hypocotyls and fruits of <i>Cerriops tagal</i> . <b>2005</b> , 68, 1787-9		39
851	An efficient chemical method for separation of corsolic acid from its isomeric maslinic acid. <i>Natural Product Research</i> , <b>2006</b> , 20, 946-52	2.3	4
850	Triterpenoids from the resin of <i>Styrax tonkinensis</i> and their antiproliferative and differentiation effects in human leukemia HL-60 cells. <b>2006</b> , 69, 807-10		71
849	Triterpenoids from <i>Drypetes chevalieri</i> Beille (euphorbiaceae). <i>Natural Product Research</i> , <b>2006</b> , 20, 586-92	3	12
848	In vivo wound-healing activity of oleanolic acid derived from the acid hydrolysis of <i>Anredera diffusa</i> . <b>2006</b> , 69, 978-9		33
847	Triterpenoid saponins from <i>Campsiandra guayanensis</i> . <b>2006</b> , 69, 240-6		9
846	Assessment of DNA damage by extracts and fractions of <i>Strychnos pseudoquina</i> , a Brazilian medicinal plant with antiulcerogenic activity. <b>2006</b> , 44, 1585-9		59
845	alpha-Amylase inhibitory activity of some Malaysian plants used to treat diabetes; with particular reference to <i>Phyllanthus amarus</i> . <i>Journal of Ethnopharmacology</i> , <b>2006</b> , 107, 449-55	5	459
844	Smooth Muscle Relaxant Triterpenoid Glycosides from <i>Rubus idaeus</i> (Raspberry) Leaves. <i>Natural Product Communications</i> , <b>2006</b> , 1, 1934578X0600100	0.9	
843	Triterpenes from <i>Maytenus macrocarpa</i> and Evaluation of Their Anti-HIV Activity. <i>Natural Product Communications</i> , <b>2006</b> , 1, 1934578X0600101	0.9	3
842	Terpenides e avaliaçã do potencial antimalárico, larvicida, anti-radicalar e anticolinesteráico de <i>Pouteria venosa</i> (Sapotaceae). <b>2006</b> , 16, 611-617		17
841	Triterpenoids, Including One with Smooth Muscle Relaxant Activity, from <i>Rubus idaeus</i> (Raspberry) Leaves. <i>Natural Product Communications</i> , <b>2006</b> , 1, 1934578X0600100	0.9	
840	Two new monodesmosidic triterpene saponins from <i>Gypsophila oldhamiana</i> . <b>2006</b> , 54, 1200-2		17
839	Alpha-glucosidase inhibitory and antioxidant acridone alkaloids from the stem bark of <i>Oriciopsis glaberrima</i> ENGL. (Rutaceae). <b>2006</b> , 54, 292-6		25

838	Chemical and biological evaluation on scopadulane-type diterpenoids from <i>Scoparia dulcis</i> of Vietnamese origin. <b>2006</b> , 54, 546-9		17
837	New triterpenoids isolated from the root bark of <i>Ulmus pumila</i> L. <b>2006</b> , 54, 775-8		30
836	Pentacyclic triterpenoids from leaves of <i>Excoecaria agallocha</i> . <b>2006</b> , 54, 920-1		32
835	A study of the trypanocidal activity of triterpene acids isolated from <i>Miconia</i> species. <b>2006</b> , 20, 474-8		35
834	Novel skeleton terpenes from <i>Celastrus hypoleucus</i> with anti-tumor activities. <b>2006</b> , 16, 2274-7		28
833	2D Raman spectroscopy as an alternative technique for distinguishing oleanoic acid and ursolic acid. <b>2006</b> , 799, 141-145		7
832	Triterpenoids and ellagic acid derivatives from in vitro cultures of <i>Camptotheca acuminata</i> Decaisne. <b>2006</b> , 44, 220-5		22
831	Trypanocidal constituents of <i>Dracocephalum komarovi</i> . <b>2006</b> , 62, 4355-4359		23
830	Novel 24-nor-, 24-nor-2,3-seco-, and 3,24-dinor-2,4-seco-ursane triterpenes from <i>Diospyros decandra</i> : evidences for ring A biosynthetic transformations. <b>2006</b> , 62, 5519-5526		21
829	Triterpenoids from plants of the genus <i>Tamarix</i> . <b>2006</b> , 42, 332-335		7
828	Anti-plasmodial and antioxidant activities of constituents of the seed shells of <i>Symphonia globulifera</i> Linn f. <i>Phytochemistry</i> , <b>2006</b> , 67, 302-6	4	63
827	Clerodanes and other constituents of <i>Cleidion spiciflorum</i> . <i>Phytochemistry</i> , <b>2006</b> , 67, 1029-33	4	8
826	Cytotoxic terpenes and lignans from the roots of <i>Ainsliaea acerifolia</i> . <b>2006</b> , 29, 203-8		41
825	Alkaloids from <i>Cephalanthus glabratus</i> (Rubiaceae). <i>Biochemical Systematics and Ecology</i> , <b>2006</b> , 34, 436-437		4
824	Chemical composition of <i>Aloysia gratissima</i> (Gill. et Hook) Tronc. (Verbenaceae). <i>Biochemical Systematics and Ecology</i> , <b>2006</b> , 34, 593-595	1.4	15
823	Chemical constituents isolated from roots of <i>Maytenus acanthophylla</i> Reissek (Celastraceae). <i>Biochemical Systematics and Ecology</i> , <b>2006</b> , 34, 661-665	1.4	16
822	A possible mechanism for anxiolytic and antidepressant effects of alpha- and beta-amyrin from <i>Protium heptaphyllum</i> (Aubl.) March. <b>2006</b> , 85, 827-34		70
821	Uncommon Sesquiterpenoids and New Triterpenoids from <i>Jatropha neopauciflora</i> (Euphorbiaceae). <b>2006</b> , 89, 16-29		16



820	Three New 24-Noroleanane Triterpenoids from <i>Quercus aliena</i> var. <i>acuteserrata</i> . <b>2006</b> , 89, 1971-1977		11
819	Structural determination of 3beta-stearoxy-urs-12-ene from <i>Maytenus salicifolia</i> by 1D and 2D NMR and quantitative <sup>13</sup> C NMR spectroscopy. <b>2006</b> , 44, 127-31		22
818	New polyhydroxylated triterpenes and anti-inflammatory activity of <i>Salvia hierosolymitana</i> . <i>Planta Medica</i> , <b>2006</b> , 72, 643-9	3.1	24
817	Alkaloids from <i>Bocconia frutescens</i> . and Biological Activity of their Extracts. <b>2006</b> , 44, 540-543		2
816	Lipid constituents of <i>Trifolium resupinatum</i> var. <i>microcephalum</i> . <i>Natural Product Research</i> , <b>2007</b> , 21, 828-33	2.3	9
815	Production of triterpene acids by cell suspension cultures of <i>Olea europaea</i> . <b>2007</b> , 55, 784-8		70
814	Pancreatic lipase-inhibiting triterpenoid saponins from fruits of <i>Acanthopanax senticosus</i> . <b>2007</b> , 55, 1087-9		65
813	<i>Chenopodium album</i> seed extract: a potent sperm-immobilizing agent both in vitro and in vivo. <b>2007</b> , 75, 71-8		29
812	Antimicrobial activity of the methanolic extract, fractions and compounds from the stem bark of <i>Irvingia gabonensis</i> (Ixonanthaceae). <i>Journal of Ethnopharmacology</i> , <b>2007</b> , 114, 54-60	5	65
811	Chemical constituents of the leaves of <i>Diospyros kaki</i> and their cytotoxic effects. <i>Journal of Asian Natural Products Research</i> , <b>2007</b> , 9, 347-53	1.5	21
810	Triterpenoids from swallow roots--a convenient HPLC method for separation. <b>2007</b> , 45, 189-94		6
809	A novel alkaloid from <i>Gaultheria nummularioides</i> . <i>Journal of Asian Natural Products Research</i> , <b>2007</b> , 9, 183-6	1.5	5
808	A new fatty acid ester of triterpenoid from <i>Celastrus rosthornianus</i> with anti-tumor activities. <i>Natural Product Research</i> , <b>2007</b> , 21, 669-74	2.3	20
807	Sulfated triterpene derivatives from <i>Fagonia arabica</i> . <b>2007</b> , 70, 584-8		25
806	Immunosuppressive terpenes from <i>Prinsepia utilis</i> . <i>Journal of Asian Natural Products Research</i> , <b>2007</b> , 9, 637-42	1.5	11
805	Antiplatelet Activity of $\beta$ and $\beta$ Amyrin, Isomeric Mixture from <i>Protium heptaphyllum</i> .. <b>2007</b> , 45, 343-349		15
804	A new aporphine alkaloid from <i>Sabia yunnanensis</i> . <i>Natural Product Research</i> , <b>2007</b> , 21, 28-32	2.3	2
803	A new ethylene glycol triterpenoid from the leaves of <i>Psidium guajava</i> . <i>Natural Product Research</i> , <b>2007</b> , 21, 742-8	2.3	12

802	Antimalarial and antituberculous poly-O-acylated jatrophone diterpenoids from <i>Pedilanthus tithymaloides</i> . <b>2007</b> , 70, 1434-8		27
801	Fibrarecisin, a novel triterpenoid from <i>Fibraurea recisa</i> with antitumor activity. <i>Natural Product Research</i> , <b>2007</b> , 21, 351-3	2.3	4
800	In vitro evaluation of the cytotoxic and trypanocidal activities of <i>Ampelozizyphus amazonicus</i> (Rhamnaceae). <b>2007</b> , 40, 663-70		33
799	Obtençã de derivados da mistura triterpenoídica alfa- e beta-amirina. <b>2007</b> , 17, 204-208		18
798	Three Oleanolic Acid Glycosides from the Seeds of <i>Achyranthes aspera</i> . <i>Natural Product Communications</i> , <b>2007</b> , 2, 1934578X0700200	0.9	0
797	Isolation and Structure Determination of Compounds from <i>Stachys yemenensis</i> Hedge. <i>Natural Product Communications</i> , <b>2007</b> , 2, 1934578X0700201	0.9	2
796	Triterpenoids from the Leaves of <i>Ilex hainanensis</i> . <b>2007</b> , 90, 121-127		18
795	Novel Triterpenoids from <i>Microtropis triflora</i> with Antitumor Activities. <b>2007</b> , 90, 277-281		16
794	Triterpene Esters Isolated from Leaves of <i>Maytenus salicifolia</i> Reissek. <b>2007</b> , 90, 652-658		9
793	Chemical Constituents from <i>Cynoglossum gansuense</i> . <b>2007</b> , 90, 776-782		10
792	Diterpenoid and Phenolic Compounds from <i>Juncus effusus</i> L.. <b>2007</b> , 90, 1289-1295		10
791	Chemical Constituents from <i>Craibiodendron yunnanense</i> . <b>2007</b> , 90, 1477-1481		6
790	A New ent-Kaurane Diterpene from Stems of <i>Alibertia macrophylla</i> K. Schum. (Rubiaceae). <b>2007</b> , 90, 1781-1785		10
789	Complete assignments of <sup>1</sup> H and <sup>13</sup> C NMR spectroscopic data for two new triterpenoid saponins from <i>Ilex hainanensis</i> . <b>2007</b> , 45, 179-81		15
788	<sup>1</sup> H and <sup>13</sup> C NMR spectral data of new saponins from <i>Cordia piauhiensis</i> . <b>2007</b> , 45, 692-4		7
787	3-Oxo-12alpha-hydroxyfriedelane from <i>Maytenus gonoclada</i> : structure elucidation by ( <sup>1</sup> H and ( <sup>13</sup> C chemical shift assignments and 2D-NMR spectroscopy. <b>2007</b> , 45, 895-8		11
786	A flavanone and other constituents of the Brazilian endemic species <i>Trembleya laniflora</i> (D. Don) Cogn. (Melastomataceae). <i>Biochemical Systematics and Ecology</i> , <b>2007</b> , 35, 40-41	1.4	1
785	Glutarimide alkaloids and terpenoids from <i>Croton pullei</i> var. <i>glabrior</i> Lanj.. <i>Biochemical Systematics and Ecology</i> , <b>2007</b> , 35, 887-890	1.4	11

784	Antibacterial and antimycobacterial activities of South African <i>Salvia</i> species and isolated compounds from <i>S. chamelaeagnea</i> . <i>South African Journal of Botany</i> , <b>2007</b> , 73, 552-557	2.9	41
783	Biological activities of the chemical constituents of <i>Erythrina stricta</i> and <i>Erythrina subumbrans</i> . <b>2007</b> , 30, 1398-403		28
782	Isolation of constituents and anti-complement activity from <i>Acer okamotoanum</i> . <b>2007</b> , 30, 172-6		8
781	Seed germination and triterpenoid content of <i>Anemopaegma arvense</i> (Vell.) Stellfeld varieties. <b>2007</b> , 54, 849-854		5
780	Microvascular protective activity in rabbits of triterpenes from <i>Hylocereus undatus</i> . <b>2007</b> , 61, 296-301		9
779	DPPH radical-scavenging effect on some constituents from the aerial parts of <i>Lippia triphylla</i> . <b>2008</b> , 62, 101-6		39
778	New bioactive triterpenoid from <i>Oldenlandia cantonensis</i> How. <b>2007</b> , 2, 307-310		
777	Secoiridoid components from <i>Jasminum grandiflorum</i> . <i>Phytochemistry</i> , <b>2007</b> , 68, 1718-21	4	22
776	Antimicrobial constituents of Thompson seedless raisins ( <i>Vitis vinifera</i> ) against selected oral pathogens. <i>Phytochemistry Letters</i> , <b>2008</b> , 1, 151-154	1.9	47
775	A new triterpene from the leaves of <i>Craibiodendron yunnanense</i> . <b>2008</b> , 44, 44-47		5
774	Triterpenoids and steroids from <i>Ixeridium gracile</i> . <b>2008</b> , 44, 399-401		4
773	Chemical constituents from the Paraguayan medicinal plant, <i>Eupatorium macrocephalum</i> Less. <b>2008</b> , 62, 122-3		11
772	Chemical constituents from leaves of <i>Palicourea coriacea</i> (Rubiaceae). <b>2008</b> , 62, 356-7		16
771	Triterpenes acids and saponins isolated from <i>Licania arianaeae</i> Prance (Chrysobalanaceae). <b>2008</b> , 62, 360-1		4
770	Melanogenesis inhibitory compounds from <i>Saussureae Radix</i> . <b>2008</b> , 31, 294-9		29
769	Secondary metabolites from <i>Paronychia argentea</i> . <b>2008</b> , 46, 88-93		17
768	Two New Polyoxygenated Triterpenoids from <i>Actinidia valvata</i> . <b>2008</b> , 91, 575-580		18
767	New Components Including Cyclopeptides from Barks of <i>Christiana africana</i> DC. (Tiliaceae). <b>2008</b> , 91, 1106-1117		8

766	New Antifungal Terpenoid Glycosides from <i>Alibertia edulis</i> (Rubiaceae). <b>2008</b> , 91, 1355-1362		10
765	Two Novel Triterpenoids from <i>Portulaca oleracea</i> L.. <b>2008</b> , 91, 2075-2080		41
764	Terpenoids and sterols from <i>Saussurea cauloptera</i> . <b>2008</b> , 5, 279-89		16
763	Cytotoxic triterpenoids from the root bark of <i>Helicteres angustifolia</i> . <b>2008</b> , 5, 565-74		22
762	New pentacyclic triterpenes from <i>Gypsophila oldhamiana</i> and their biological evaluation as glycogen phosphorylase inhibitors. <b>2008</b> , 5, 751-7		16
761	Triterpene saponins from <i>Silphium radula</i> . <i>Phytochemistry</i> , <b>2008</b> , 69, 961-72	4	14
760	Polyhydroxyoleanane-type triterpenoids from <i>Combretum molle</i> and their anti-inflammatory activity. <i>Phytochemistry Letters</i> , <b>2008</b> , 1, 183-187	1.9	28
759	Pharmacomodulation on the 3-acetylursolic acid skeleton: Design, synthesis, and biological evaluation of novel N-{3-[4-(3-aminopropyl)piperazinyl]propyl}-3-O-acetylursolamide derivatives as antimalarial agents. <b>2008</b> , 16, 771-82		34
758	<sup>13</sup> C nuclear magnetic resonance spectroscopy for determining the different components of epicuticular waxes of olive fruit ( <i>Olea europaea</i> ) Dritta cultivar. <b>2008</b> , 624, 184-94		23
757	The absolute stereostructures of three rare D:B-friedobaccharane skeleton triterpenes from the leaves of <i>Salacia chinensis</i> . <b>2008</b> , 64, 7347-7352		13
756	Chemical constituents from <i>Triplaris americana</i> L. (Polygonaceae). <i>Biochemical Systematics and Ecology</i> , <b>2008</b> , 36, 134-137	1.4	10
755	Chemical constituents from <i>Kielmeyera rugosa</i> Choisy (Clusiaceae). <i>Biochemical Systematics and Ecology</i> , <b>2008</b> , 36, 921-924	1.4	6
754	Anti-inflammatory and antioxidant activities and constituents of <i>Platostoma africanum</i> P. Beauv. <i>Natural Product Research</i> , <b>2008</b> , 22, 1067-73	2.3	29
753	Analgesic and Anti-Inflammatory Activities of the Isomeric Mixture of Alpha- and Beta-Amyrin from <i>Protium heptaphyllum</i> (Aubl.) March. <b>2008</b> , 7, 31-47		35
752	alpha-Glucosidase inhibitory activity of triterpenoids from <i>Cichorium intybus</i> . <b>2008</b> , 71, 910-3		59
751	Antiproliferative triterpenes from <i>Melaleuca ericifolia</i> . <b>2008</b> , 71, 1787-90		27
750	Lupane-type triterpenoids from <i>Microtropis fokienensis</i> and <i>Perrottetia arisanensis</i> and the apoptotic effect of 28-hydroxy-3-oxo-lup-20(29)-en-30-al. <b>2008</b> , 71, 1352-7		27
749	Phytochemicals of apple peels: isolation, structure elucidation, and their antiproliferative and antioxidant activities. <b>2008</b> , 56, 9905-10		119

748	Anti-mycobacterial activity of five plant species used as traditional medicines in the Western Cape Province (South Africa). <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 117, 385-90	5	32
747	Evaluation of gastroprotective activity of <i>Plinia edulis</i> (Vell.) Sobral (Myrtaceae) leaves in rats. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 118, 527-9	5	33
746	Four pentacyclic triterpenoids with antifungal and antibacterial activity from <i>Curtisia dentata</i> (Burm.f) C.A. Sm. leaves. <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 119, 238-44	5	93
745	Antimicrobial activity of the crude extracts and compounds from <i>Ficus chlamydocarpa</i> and <i>Ficus cordata</i> (Moraceae). <i>Journal of Ethnopharmacology</i> , <b>2008</b> , 120, 17-24	5	134
744	Triterpenoids from <i>Saussurea ussuriensis</i> . <b>2008</b> , 86, 281-284		13
743	Chemical-constituent diversity of <i>Tridax procumbens</i> . <b>2008</b> , 86, 892-898		19
742	Two new bioactive oleanane triterpene glycosides from <i>Terminalia arjuna</i> . <i>Natural Product Research</i> , <b>2008</b> , 22, 1279-88	2.3	15
741	Allelochemicals and activities in a replanted Chinese fir ( <i>Cunninghamia lanceolata</i> (Lamb.) Hook) tree ecosystem. <b>2008</b> , 56, 11734-9		34
740	Erythrina alkaloids and a pterocarpan from the bark of <i>Erythrina subumbrans</i> . <b>2008</b> , 71, 156-8		38
739	Chemical investigation of <i>Finlaysonia obovata</i> : part I--a rare triterpene acid showing antibacterial activity against fish pathogens. <i>Natural Product Research</i> , <b>2008</b> , 22, 801-7	2.3	5
738	Bioactivities and chemical constituents of a Vietnamese medicinal plant Che Vang, <i>Jasminum subtriplinerve</i> Blume (Oleaceae). <i>Natural Product Research</i> , <b>2008</b> , 22, 942-9	2.3	11
737	Spathoside, a cerebroside and other antibacterial constituents of the stem bark of <i>Spathodea campanulata</i> . <i>Natural Product Research</i> , <b>2008</b> , 22, 296-304	2.3	21
736	Cytotoxic lupane-, secolupane-, and oleanane-type triterpenes from <i>Viburnum awabuki</i> . <i>Natural Product Research</i> , <b>2008</b> , 22, 191-7	2.3	19
735	Modulatory effect of <i>Byrsonima basiloba</i> extracts on the mutagenicity of certain direct and indirect-acting mutagens in <i>Salmonella typhimurium</i> assays. <b>2008</b> , 11, 111-9		30
734	Chemical constituents of <i>Nouelia insignis</i> Franch. <i>Journal of Asian Natural Products Research</i> , <b>2008</b> , 10, 125-31	1.5	6
733	Anti-inflammatory activity of a new triterpenoid saponin from <i>carthamus tinctorius</i> linn. <b>2008</b> , 23, 543-8		9
732	Two new triterpenoid saponins from <i>Glochidion puberum</i> . <i>Journal of Asian Natural Products Research</i> , <b>2008</b> , 10, 1029-34	1.5	5
731	Steroids, alkaloids, and coumarins from <i>Gelsemium sempervirens</i> . <i>Planta Medica</i> , <b>2008</b> , 74, 1818-22	3.1	19

730	Anti-infective and cytotoxic compounds present in <i>Blepharodon nitidum</i> . <i>Planta Medica</i> , <b>2008</b> , 74, 407-10.	10.1	13
729	Tyrosinase inhibitors and sesquiterpene diglycosides from <i>Guioa villosa</i> . <i>Planta Medica</i> , <b>2008</b> , 74, 55-60	3.1	17
728	Anti-inflammatory and apoptotic activities of pomolic acid isolated from <i>Cecropia pachystachya</i> . <i>Planta Medica</i> , <b>2008</b> , 74, 215-20	3.1	41
727	Antimicrobial activity of the extract and isolated compounds from <i>Baccharis dracunculifolia</i> D. C. (Asteraceae). <b>2008</b> , 63, 40-6		41
726	New triterpenoids from the stem barks of <i>Drypetes tessmanniana</i> . <b>2008</b> , 56, 1321-3		6
725	Anti-plasmodial and cholinesterase inhibiting activities of some constituents of <i>Psorospermum glaberrimum</i> . <b>2008</b> , 56, 222-6		30
724	Endodesmiadiol, a friedelane triterpenoid, and other antiplasmodial compounds from <i>Endodesmia calophylloides</i> . <b>2008</b> , 56, 374-7		32
723	Enzymatic inhibitory activity and trypanocidal effects of extracts and compounds from <i>Siphoneugena densiflora</i> O. Berg and <i>Vitex polygama</i> Cham. <b>2008</b> , 63, 371-82		11
722	The antiplasmodial agents of the stem bark of <i>Entandrophragma angolense</i> (Meliaceae).. <b>2008</b> , 4,		2
721	Optimization and validation of an HPLC-UV method for analysis of corosolic, oleanolic, and ursolic acids in plant material: Application to <i>Prunus serotina</i> Ehrh. <b>2008</b> , 20, 643-659		10
720	Anacardic acid derivatives from Brazilian propolis and their antibacterial activity. <b>2008</b> , 33, 53-58		17
719	Chemical Constituents of <i>Ximenia Americana</i> . <i>Natural Product Communications</i> , <b>2008</b> , 3, 1934578X0800300		1
718	Inhibition of PGHS-1 and PGHS-2 by Triterpenoid Acids from <i>Chaenomelis Fructus</i> . <i>Natural Product Communications</i> , <b>2008</b> , 3, 1934578X0800301	0.9	
717	Triterpenoids from <i>Anthocleista grandiflora</i> (Gentianaceae). <i>Natural Product Communications</i> , <b>2008</b> , 3, 1934578X0800300	0.9	0
716	Secondary metabolites isolated from <i>Richardia brasiliensis</i> Gomes (Rubiaceae). <b>2008</b> , 18, 367-372		2
715	Sigmoiside F and Propyloxyamyryn, Two New Triterpenoid Derivatives from <i>Erythrina sigmoidea</i> (Fabaceae). <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , <b>2008</b> , 63, 101-104	1	3
714	Triterpenos de <i>Guettarda grazielae</i> M: R.V. Barbosa (Rubiaceae). <b>2009</b> , 19, 284-289		8
713	Outros constituintes isolados de <i>Licania arianae</i> (Chrysobalanaceae). <b>2009</b> , 19, 290-293		4

712	Topical antiinflammatory activity and chemical composition of the epicuticular wax from the leaves of <i>Eugenia beaurepaireana</i> (Myrtaceae). <b>2009</b> , 45, 171-176		7
711	Phytochemical Analyses and Gastroprotective Effects of <i>Eugenia Umbelliflora</i> (Myrtaceae) on Experimental Gastric Ulcers. <i>Natural Product Communications</i> , <b>2009</b> , 4, 1934578X0900400	0.9	4
710	Stereochemistry of 16a-hydroxyfriedelin and 3-Oxo-16-methylfriedel-16-ene established by 2D NMR spectroscopy. <i>Molecules</i> , <b>2009</b> , 14, 598-607	4.8	4
709	In vitro Anti-Leishmanial and Anti-Tumour Activities of a Pentacyclic Triterpenoid Compound Isolated from the Fruits of <i>Dregea volubilis</i> Benth Asclepiadaceae. <b>2009</b> , 8,		6
708	Biflavones and triterpenoids isolated from <i>Ouratea castaneifolia</i> (DC.) Engl., Ochnaceae. <b>2009</b> , 19, 823-827		4
707	Secondary Metabolites from the Liverwort <i>Ptilidium pulcherrimum</i> . <i>Natural Product Communications</i> , <b>2009</b> , 4, 1934578X0900401	0.9	1
706	Renal effects of plant-derived oleanolic acid in streptozotocin-induced diabetic rats. <b>2009</b> , 31, 481-91		38
705	Flavonoid glucosides from the hairy roots of <i>Catharanthus roseus</i> . <b>2009</b> , 72, 613-20		17
704	Grape products and oral health. <b>2009</b> , 139, 1818S-23S		76
703	New cytotoxic lupane triterpenes from <i>Perrottetia arisanensis</i> . <i>Planta Medica</i> , <b>2009</b> , 75, 848-55	3.1	8
702	Evaluation of <i>Antiaris africana</i> methanol extract and compounds for antioxidant and antitumor activities. <b>2009</b> , 47, 1042-1049		13
701	A new lipid and other constituents from the rhizomes of <i>Nelumbo nucifera</i> . <i>Journal of Asian Natural Products Research</i> , <b>2009</b> , 11, 583-7	1.5	13
700	Secondary metabolites of <i>Hypericum monogynum</i> from Pakistan. <b>2009</b> , 74, 129-132		1
699	Hepatoprotective triterpenes from hairy root cultures of <i>Ocimum basilicum</i> L. <b>2009</b> , 64, 201-9		30
698	In vitro antileishmanial, antiplasmodial and cytotoxic activities of phenolics and triterpenoids from <i>Baccharis dracunculifolia</i> D. C. (Asteraceae). <b>2009</b> , 80, 478-82		89
697	Chemical constituents from the fruits of <i>Sonneratia caseolaris</i> and <i>Sonneratia ovata</i> (Sonneratiaceae). <i>Biochemical Systematics and Ecology</i> , <b>2009</b> , 37, 1-5	1.4	26
696	Chemical constituents of <i>Duabanga grandiflora</i> (Lythraceae). <i>Biochemical Systematics and Ecology</i> , <b>2009</b> , 37, 535-537	1.4	4
695	Triterpenes and flavonoids from <i>Ilex hainanensis</i> Merr. (Aquifoliaceae). <i>Biochemical Systematics and Ecology</i> , <b>2009</b> , 37, 678-682	1.4	11

694	Triumfettosterol Id and Triumfettosaponin, a New (Fatty Acyl)-Substituted Steroid and a Triterpenoid Dimer[Bis(ED-glucopyranosyl) Ester from the Leaves of Wild Triumfetta cordifolia A. Rich. (Tiliaceae). <b>2009</b> , 92, 1748-1759		9
693	Bidesmosidic Oleanane Saponins from Xerospermum noronhianum. <b>2009</b> , 92, 1973-1982		4
692	Unusual p-Coumarates from the Stems of Vaccinium myrtillus. <b>2009</b> , 92, 2795-2801		4
691	Anti-diabetic effect of standardized extract of Potentilla discolor Bunge and identification of its active components. <b>2009</b> , 71, n/a-n/a		2
690	Lobarialides A-C, antifungal triterpenoids from the lichen Lobaria kurokawae. <b>2009</b> , 6, 746-53		12
689	Cassane diterpenes from Caesalpinia bonduc. <i>Phytochemistry</i> , <b>2009</b> , 70, 256-61	4	53
688	Anti-oxidative and anti-inflammatory activities of some isolated constituents from the stem bark of Allanblackia monticola Staner L.C (Guttiferae). <b>2009</b> , 17, 37-41		67
687	Isoprenoids of Euphorbia sororia. I. Triterpenoids. <b>2009</b> , 45, 921-924		8
686	A new lignan glucoside from the stems of Callicarpa japonica Thunb. var. luxurians Rehd. <b>2009</b> , 63, 86-90		16
685	Antinociceptive properties of the hydroalcoholic extract, fractions and compounds obtained from the aerial parts of Baccharis illinita DC in mice. <b>2009</b> , 104, 285-92		14
684	Triterpenoids with antimicrobial activity from Drypetes inaequalis. <i>Phytochemistry</i> , <b>2009</b> , 70, 419-23	4	36
683	Cytotoxic triterpenoid saponins from Ardisia pusilla. <b>2009</b> , 20, 193-196		8
682	New triterpenic saponins from the aerial parts of Medicago arabica (L.) huds. <b>2009</b> , 57, 2826-35		36
681	Bioactive constituents of the stem bark of Beilschmiedia zenkeri. <b>2009</b> , 72, 2130-4		43
680	24-Hydroxyoleanane-type triterpenes from the aerial parts and roots of Oxytropis falcata. <b>2009</b> , 72, 1410-3		16
679	Antioxidative action of methanolic extract and buthanolic fraction of Vochysia tucanorum Mart. in the gastroprotection. <i>Journal of Ethnopharmacology</i> , <b>2009</b> , 121, 466-71	5	17
678	A new oleanene triterpene from Gladiolus segetum Ker-Gawl. <i>Natural Product Research</i> , <b>2009</b> , 23, 613-6	2.3	6
677	Leishmanicidal activity of Yucatecan medicinal plants on Leishmania species responsible for cutaneous leishmaniasis. <b>2009</b> , 95, 456-60		15



676	Oleanane-type triterpenoids from <i>Aceriphyllum rossii</i> and their cytotoxic activity. <b>2009</b> , 72, 1419-23		32
675	A New Triterpenoid Saponin from <i>Psammosilene tunicoides</i> . <i>Chinese Journal of Natural Medicines</i> , <b>2009</b> , 7, 101-104	2.8	1
674	Triterpenoid saponins from <i>Rubus ellipticus</i> var. <i>obcordatus</i> . <b>2009</b> , 72, 1755-60		57
673	Arboreasides A-E, triterpene saponins from the bark of <i>Cussonia arborea</i> . <b>2009</b> , 72, 1081-6		10
672	Bioactive 5,6-dihydro-alpha-pyrone derivatives from <i>Hyptis brevipes</i> . <b>2009</b> , 72, 1165-9		45
671	Screening of plant extracts from the Brazilian Cerrado for their in vitro trypanocidal activity. <b>2009</b> , 47, 744-749		6
670	Triterpenes of <i>Commiphora holtziana</i> oleo-gum resin. <b>2009</b> , 87, 1173-1179		8
669	Antifibrotic activity of triterpenoids from the aerial parts of <i>Euscaphis japonica</i> on hepatic stellate cells. <b>2009</b> , 24, 1276-9		18
668	A new triterpenoid from the leaves of <i>Ficus benjamina</i> (var. <i>comosa</i> ). <i>Natural Product Research</i> , <b>2009</b> , 23, 729-36	2.3	13
667	New triterpene saponins from <i>Duranta repens</i> Linn. and their cytotoxic activity. <i>Molecules</i> , <b>2009</b> , 14, 1952-65	4.8	20
666	New friedelane triterpenoids with antimicrobial activity from the stems of <i>Drypetes paxii</i> . <b>2009</b> , 57, 1119-22		20
665	Triterpenoid glycosides from the leaves of <i>Ilex pernyi</i> . <b>2009</b> , 57, 520-4		11
664	Three minor novel triterpenoids from the leaves of <i>Diospyros kaki</i> . <b>2009</b> , 57, 532-5		19
663	Acetylenic fatty acids, triglyceride and triterpenes from the leaves of <i>Hymenodictyon excelsum</i> . <b>2009</b> , 57, 860-2		8
662	Triterpenoid derivatives from <i>Cylicodiscus gabunensis</i> . <b>2010</b> , 58, 1100-2		5
661	Triterpenoids from <i>Camellia japonica</i> and their cytotoxic activity. <b>2010</b> , 58, 121-4		29
660	Triterpenoid saponins from <i>Gypsophila altissima</i> L. <b>2010</b> , 58, 412-4		16
659	Structural implication in cytotoxic effects of sterols from <i>Sellaginella tamariscina</i> . <b>2010</b> , 33, 1347-53		13

658	Amides, triterpene and flavonoids from the leaves of <i>Melastoma malabathricum</i> L. <b>2010</b> , 64, 492-5		20
657	New Nortriterpenoid and Ceramides From Stems and Leaves of Cultivated <i>Triumfetta cordifolia</i> A Rich (Tiliaceae). <b>2010</b> , 87, 1167-1177		12
656	Antimicrobial activity of the methanolic extract and compounds from the stem bark of <i>Drypetes tessmanniana</i> . <b>2010</b> , 16, 337-43		11
655	Malloapeltic acid, a new benzopyran derivative from <i>Mallotus apelta</i> . <b>2010</b> , 46, 7-9		4
654	Sesquiterpenes and triterpenes from <i>Aeschynanthus mengxingensis</i> . <b>2010</b> , 46, 661-663		4
653	Constituents of fruit pulp of <i>Maytenus salicifolia</i> and complete 1D/2D NMR data of 3Hydroxy-D:B-friedo-olean-5-ene. <b>2010</b> , 46, 686-691		7
652	Antiprotozoal activity of betulinic acid derivatives. <b>2010</b> , 17, 379-82		68
651	Antimalarial compounds from <i>Schefflera umbellifera</i> . <i>South African Journal of Botany</i> , <b>2010</b> , 76, 82-85	2.9	10
650	Flavonoids and triterpenes from the leaves of <i>Lindackeria paraensis</i> . <i>Biochemical Systematics and Ecology</i> , <b>2010</b> , 38, 447-449	1.4	2
649	Oleanolic acid, a natural triterpenoid improves blood glucose tolerance in normal mice and ameliorates visceral obesity in mice fed a high-fat diet. <b>2010</b> , 185, 59-65		92
648	Verbascoside isolated from <i>Tectona grandis</i> mediates gastric protection in rats via inhibiting proton pump activity. <b>2010</b> , 81, 755-61		38
647	Two new triterpenoids from the roots of <i>Actinidia chinensis</i> . <b>2010</b> , 81, 920-4		30
646	Glycosides from the Leaves of <i>Ilex latifolia</i> . <b>2010</b> , 19, 885-892		8
645	New Triterpenoid Saponins from the Roots of <i>Gypsophila paniculata</i> L.. <b>2010</b> , 93, 361-374		16
644	Secondary metabolites of plants from the genus <i>Saussurea</i> : chemistry and biological activity. <b>2010</b> , 7, 2623-59		32
643	Bioactive microbial metabolites from glycyrrhetic acid. <i>Phytochemistry</i> , <b>2010</b> , 71, 262-70	4	33
642	Triterpene glycosides from <i>Agrostemma gracilis</i> . <i>Phytochemistry</i> , <b>2010</b> , 71, 663-8	4	14
641	Dimeric antioxidant and cytotoxic triterpenoid saponins from <i>Terminalia ivorensis</i> A. Chev. <i>Phytochemistry</i> , <b>2010</b> , 71, 2108-15	4	54

640	A C-glucoside benzoic acid derivative from the leaves of <i>Peltophorum dubium</i> . <i>Phytochemistry Letters</i> , <b>2010</b> , 3, 168-170	1.9	3
639	Advances in correlation between experimental and DFT/GIAO computed <sup>13</sup> C NMR chemical shifts: A theoretical study on pentacyclic terpenoids (fernenes). <b>2010</b> , 953, 83-90		11
638	New antimalarials with a triterpenic scaffold from <i>Momordica balsamina</i> . <b>2010</b> , 18, 5254-60		42
637	Evaluation of Brazilian plants on cancer chemoprevention targets in vitro. <b>2010</b> , 24, 928-33		31
636	New 2-(2-Phenylethyl)chromone Derivatives from the Seeds of <i>Cucumis melo</i> L var. <i>reticulatus</i> . <i>Natural Product Communications</i> , <b>2010</b> , 5, 1934578X1000500	0.9	3
635	Antihepatotoxic and Antioxidant Activities of Methanol Extract and Isolated Compounds from <i>Ficus Chlamydocarpa</i> . <i>Natural Product Communications</i> , <b>2010</b> , 5, 1934578X1000501	0.9	0
634	Composição química volátil e não-volátil de <i>Eupatorium ballotifolium</i> Kunth, Asteraceae. <b>2010</b> , 20, 615-620		5
633	Anti-leishmanial and Anti-cancer Activities of a Pentacyclic Triterpenoid Isolated from the Leaves of <i>Terminalia arjuna</i> Combretaceae. <b>2010</b> , 9,		16
632	A new triterpenoid saponin from <i>Pulsatilla cernua</i> . <i>Molecules</i> , <b>2010</b> , 15, 1891-7	4.8	9
631	Evaluation of antimicrobial, antioxidant and phototoxic activities of extracts and isolated compounds from <i>Stachytarpheta cayennensis</i> (Rich.) Vahl, Verbenaceae. <b>2010</b> , 20, 922-928		7
630	Antinociceptive effect on mice of the hydroalcoholic fraction and (-) epicatechin obtained from <i>Combretum leprosum</i> Mart & Eich. <b>2010</b> , 43, 1184-92		17
629	Fenóis totais, atividade antioxidante e constituintes químicos de extratos de <i>Anacardium occidentale</i> L., Anacardiaceae. <b>2010</b> , 20, 106-112		25
628	Chemical constituents from the stem of <i>Brosimum potabile</i> (Moraceae). <i>Acta Amazonica</i> , <b>2010</b> , 40, 711-718		7
627	Constituintes químicos, fenóis totais e atividade antioxidante de <i>Sterculia striata</i> St. Hil. et Naudin. <i>Acta Amazonica</i> , <b>2010</b> , 40, 207-212	0.8	19
626	Chemical constituents of <i>Piptadenia gonoacantha</i> J.F. Macbr. <b>2010</b> , 82, 561-7		10
625	Production of Triterpene Acids by Cell-suspension Cultures of <i>Olea europaea</i> . <b>2010</b> , 341-347		5
624	Anti-HIV-1 and anti-inflammatory lupanes from the leaves, twigs, and resin of <i>Garcinia hanburyi</i> . <i>Planta Medica</i> , <b>2010</b> , 76, 368-71	3.1	20
623	Antiarol cinnamate and africanoside, a cinnamoyl triterpene and a hydroperoxy-cardenolide from the stem bark of <i>Antiaris africana</i> . <i>Planta Medica</i> , <b>2010</b> , 76, 1717-23	3.1	9

622	Antiprotozoal activities of some constituents of <i>Markhamia tomentosa</i> (Bignoniaceae). <b>2010</b> , 104, 391-8		26
621	Triterpenoids with acetylcholinesterase inhibition from <i>Chuquiraga erinacea</i> D. Don. subsp. <i>erinacea</i> (Asteraceae). <i>Planta Medica</i> , <b>2010</b> , 76, 607-10	3.1	25
620	Triterpenoids from Brazilian ginseng, <i>Pfaffia paniculata</i> . <i>Planta Medica</i> , <b>2010</b> , 76, 635-9	3.1	9
619	A novel lupene-type triterpenic glucoside from the leaves of <i>Clerodendrum inerme</i> . <i>Natural Product Research</i> , <b>2010</b> , 24, 167-76	2.3	12
618	Duboscic acid: a potent $\beta$ -glucosidase inhibitor with an unprecedented triterpenoidal carbon skeleton from <i>Duboscia macrocarpa</i> . <b>2010</b> , 12, 5760-3		9
617	Two new triterpenoid saponins from <i>Dianthus superbus</i> L. <i>Journal of Asian Natural Products Research</i> , <b>2010</b> , 12, 458-63	1.5	12
616	In vitro antimicrobial activity of extracts and compounds of some selected medicinal plants from Cameroon. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 128, 476-81	5	46
615	Antinociceptive effect of <i>Zanthoxylum rhoifolium</i> Lam. (Rutaceae) in models of acute pain in rodents. <i>Journal of Ethnopharmacology</i> , <b>2010</b> , 129, 227-31	5	32
614	Two new triterpenoids from <i>Lycopodium obscurum</i> L. <i>Journal of Asian Natural Products Research</i> , <b>2010</b> , 12, 666-71	1.5	12
613	Synergistic antihyperglycemic effects between plant-derived oleanolic acid and insulin in streptozotocin-induced diabetic rats. <b>2010</b> , 32, 832-9		40
612	Isolation and structure determination of acetylated triterpenoid saponins from the seeds of <i>Centrathium anthelminticum</i> . <i>Natural Product Research</i> , <b>2010</b> , 24, 120-30	2.3	4
611	Phytochemical investigation of the fruit peels of <i>Citrus reticulata</i> Blanco. <i>Natural Product Research</i> , <b>2010</b> , 24, 610-20	2.3	17
610	Three new lupane-type triterpenes from <i>Cerriops tagal</i> . <i>Journal of Asian Natural Products Research</i> , <b>2010</b> , 12, 576-81	1.5	13
609	Naphthalene derivatives from <i>Diospyros wallichii</i> . <b>2010</b> , 88, 922-927		10
608	New phenolic compounds from <i>Liatris elegans</i> . <i>Natural Product Research</i> , <b>2010</b> , 24, 1079-85	2.3	6
607	Triterpenes and xanthenes from the stem bark of <i>Garcinia tetralata</i> . <i>Journal of Asian Natural Products Research</i> , <b>2011</b> , 13, 440-3	1.5	4
606	A new ursane-type triterpenoid from <i>Schefflera heptaphylla</i> (L.) Frodin. <i>Journal of Asian Natural Products Research</i> , <b>2011</b> , 13, 434-9	1.5	6
605	Antimicrobial Compounds from <i>Terminalia brownii</i> against Sweet Potato Pathogens. <b>2011</b> , 1, 116-120		7

604	Phenol esters and other constituents from the stem barks of <i>Stereospermum acuminatissimum</i> . <i>Journal of Asian Natural Products Research</i> , <b>2011</b> , 13, 1128-34	1.5	9
603	Antiplasmodial constituents from the fruit pericarp of <i>Pentadesma butyracea</i> . <i>Planta Medica</i> , <b>2011</b> , 77, 377-9	3.1	12
602	Antiproliferative constituents of the roots of <i>Conyza canadensis</i> . <i>Planta Medica</i> , <b>2011</b> , 77, 1183-8	3.1	39
601	Triterpenoid saponins from <i>Symplocos lancifolia</i> . <b>2011</b> , 74, 163-8		53
600	Triterpenoids isolated from <i>Zizyphus jujuba</i> inhibit foam cell formation in macrophages. <b>2011</b> , 59, 4544-52		47
599	Phytochemical and biological studies of <i>Adiantum capillus-veneris</i> L. <b>2011</b> , 19, 65-74		46
598	Pentacyclic triterpenoids and ceramide mediate the vasorelaxant activity of <i>Vitex cienkowskii</i> via involvement of NO/cGMP pathway in isolated rat aortic rings. <i>Journal of Ethnopharmacology</i> , <b>2011</b> , 133, 204-12	5	17
597	N-(2-{3-[3,5-bis(trifluoromethyl)phenyl]ureido}ethyl)-glycyrrhetinamide (6b): a novel anticancer glycyrrhetic acid derivative that targets the proteasome and displays anti-kinase activity. <b>2011</b> , 54, 6501-13		34
596	Ursolic acid, a pentacyclic triterpene from <i>Sambucus australis</i> , prevents abdominal adiposity in mice fed a high-fat diet. <b>2011</b> , 14, 1375-82		61
595	Isolation of Friedelin from Black Condensate of Cork. <i>Natural Product Communications</i> , <b>2011</b> , 6, 1934578-81	100	401
594	Biological potential of <i>Stillingia oppositifolia</i> . <b>2011</b> , 21, 70-77		7
593	<i>Maytenus salicifolia</i> Reissek, Celastraceae: triterpenes isolated from stems and antioxidant property of extracts from aerial parts. <b>2011</b> , 21, 415-419		12
592	Triterpenes from the flowers of <i>Gochnatia polymorpha</i> subsp. <i>floccosa</i> . <b>2011</b> , 21, 556-559		8
591	Phytochemical profile and analgesic evaluation of <i>Vitex cymosa</i> leaf extracts. <b>2011</b> , 21, 874-883		7
590	Antioxidant activity and total phenols from the methanolic extract of <i>Miconia albicans</i> (Sw.) Triana leaves. <i>Molecules</i> , <b>2011</b> , 16, 9439-50	4.8	27
589	Dialiumoside, an Olean-18-ene Triterpenoid from <i>Dialium excelsum</i> . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , <b>2011</b> , 66, 624-628	1	14
588	Three new triterpenoid saponins from <i>Dianthus superbus</i> . <b>2011</b> , 59, 518-21		16
587	New triterpenes from <i>Barringtonia asiatica</i> . <b>2011</b> , 59, 778-82		19

586	Simultaneous quantification of two bioactive lupane triterpenoids from <i>Diospyros melanoxylon</i> stem bark. <b>2011</b> , 24, 376-380		6
585	Salacetal, an Oleanane-type Triterpene from <i>Salacia longipes</i> var. <i>camerunensis</i> . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , <b>2011</b> , 66, 1270-1274	1	0
584	Evaluation of the bactericidal and trypanocidal activities of triterpenes isolated from the leaves, stems, and flowers of <i>Lychnophora pinaster</i> . <b>2011</b> , 21, 615-621		20
583	Minor alkaloids from <i>Heliopsis longipes</i> S.F. Blake (Asteraceae) fresh roots. <i>Phytochemistry Letters</i> , <b>2011</b> , 4, 275-279	1.9	15
582	Triterpenes and steroids from the roots of <i>Scorzonera austriaca</i> . <b>2011</b> , 82, 493-6		20
581	A new biphenyl and antimicrobial activity of extracts and compounds from <i>Clusia burlemarxii</i> . <b>2011</b> , 82, 1237-40		25
580	Fuscoside E: a strong anti-inflammatory diterpene from Caribbean octocoral <i>Eunicea fusca</i> . <b>2011</b> , 21, 5888-91		18
579	Cytotoxic and antioxidant triterpene saponins from <i>Butyrospermum parkii</i> (Sapotaceae). <i>Carbohydrate Research</i> , <b>2011</b> , 346, 2699-704	2.9	34
578	Chemical constituents from <i>Ligularia nanchuanica</i> . <b>2011</b> , 46, 997-1000		6
577	A new acylated triterpene with antimicrobial activity from the leaves of <i>Rauvolfia vomitoria</i> . <b>2011</b> , 47, 404-407		8
576	Phytochemical study and antimicrobial activity of <i>Chrysobalanus icaco</i> . <b>2011</b> , 47, 436-437		9
575	Biotransformation using <i>Mucor rouxii</i> for the production of oleanolic acid derivatives and their antimicrobial activity against oral pathogens. <b>2011</b> , 38, 1493-8		21
574	α-Glucosidase inhibitory and antioxidant properties and antidiabetic activity of <i>Hypericum ascyron</i> L.. <b>2011</b> , 20, 809-816		50
573	Triterpenoid saponins from the seeds of <i>Caragana microphylla</i> . <b>2011</b> , 34, 869-73		12
572	Constituents of the root of <i>Anemone tomentosa</i> . <b>2011</b> , 34, 1097-105		20
571	Triterpenoids from the Flowers of <i>Salvia miltiorrhiza</i> . <b>2011</b> , 94, 136-141		6
570	Two Glycosides and Other Constituents from <i>Anemone tomentosa</i> Roots. <b>2011</b> , 94, 711-718		2
569	Novel 3-oxo- and 3,24-dinor-2,4-secooleanane-type triterpenes from <i>Terminalia ivorensis</i> A. Chev. <b>2011</b> , 8, 1301-9		27

568	Analysis of the anti-inflammatory properties of <i>Rosmarinus officinalis</i> L. in mice. <b>2011</b> , 124, 468-475		54
567	A new friedelane triterpenoid and saponin with moderate antimicrobial activity from the stems of <i>Drypetes laciniata</i> . <b>2011</b> , 22, 171-174		9
566	Friedolanostane, friedocycloartane and benzophenone constituents of the bark and leaves of <i>Garcinia benthami</i> . <i>Phytochemistry</i> , <b>2011</b> , 72, 290-5	4	20
565	Triterpenoid saponins from <i>Cylicodiscus gabunensis</i> . <i>Phytochemistry Letters</i> , <b>2011</b> , 4, 89-92	1.9	13
564	Antibacterial compounds from <i>Siraitia grosvenorii</i> leaves. <i>Natural Product Research</i> , <b>2011</b> , 25, 890-7	2.3	21
563	A new nortriterpenoid saponin from the roots of <i>Symplocos caudata</i> Wall. <i>Journal of Asian Natural Products Research</i> , <b>2011</b> , 13, 276-80	1.5	2
562	A New Friedelane Triterpenoid from the Branches of <i>Maytenus Gonoclada</i> (Celastraceae). <b>2011</b> , 35, 555-557		5
561	Chemical constituents from <i>Piptadenia rigida</i> Benth., Fabaceae, "angico". <b>2011</b> , 21, 397-401		6
560	Two new triterpenoids from the resin of <i>Boswellia carterii</i> . <i>Journal of Asian Natural Products Research</i> , <b>2011</b> , 13, 193-7	1.5	28
559	<i>Byrsonima fagifolia</i> Niedenzu Apolar Compounds with Antitubercular Activity. <b>2011</b> , 2011, 128349		8
558	Antimicrobial Constituents of <i>Artemisia afra</i> Jacq. ex Willd. against Periodontal Pathogens. <b>2012</b> , 2012, 252758		21
557	Structural Determination of 3 $\beta$ ,11 $\beta$ -Dihydroxyfriedelane from <i>Maytenus Robusta</i> (Celastraceae) by 1D and 2D NMR. <b>2012</b> , 36, 203-205		5
556	Phytochemical Analysis and Antimicrobial, Antinociceptive, and Anti-Inflammatory Activities of Two Chemotypes of <i>Pimenta pseudocaryophyllus</i> (Myrtaceae). <b>2012</b> , 2012, 420715		17
555	Cytotoxic triterpenoids from <i>Berberis koreana</i> . <i>Planta Medica</i> , <b>2012</b> , 78, 86-9	3.1	16
554	New triterpenoids with cytotoxic activity from <i>actinidia valvata</i> . <b>2012</b> , 13, 14865-70		6
553	In vitro schistosomicidal activity of some brazilian cerrado species and their isolated compounds. <b>2012</b> , 2012, 173614		13
552	New ursane-type triterpene with NO production suppressing activity from <i>Nauclea officinalis</i> . <i>Journal of Asian Natural Products Research</i> , <b>2012</b> , 14, 97-104	1.5	16
551	Anti- <i>Helicobacter pylori</i> Activity of the Methanolic Extract of <i>Geum iranicum</i> and its Main Compounds. <b>2012</b> , 67, 172-180		11

550	Chemical and biological study of Manilkara zapota (L.) Van Royen leaves (Sapotaceae) cultivated in Egypt. <i>Pharmacognosy Research (discontinued)</i> , <b>2012</b> , 4, 85-91	0.7	28
549	A New Triterpene from <i>Atalantia retusa</i> Merr.. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , <b>2012</b> , 67, 426-432	1	5
548	Genus <i>Lantana</i> : chemical aspects and biological activities. <b>2012</b> , 22, 1115-1180		13
547	Bioactive oleanane, lupane and ursane triterpene acid derivatives. <i>Molecules</i> , <b>2012</b> , 17, 12197-205	4.8	30
546	A new sphingolipid and furanocoumarins with antimicrobial activity from <i>Ficus exasperata</i> . <b>2012</b> , 60, 1072-5		21
545	Naucleactonin D, an Indole Alkaloid and other Chemical Constituents from Roots and Fruits of <i>Mitragyna inermis</i> . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , <b>2012</b> , 67, 1159-1165	9	
544	Lignans and triterpenes from the root of <i>Pseuderanthemum carruthersii</i> var. <i>atropurpureum</i> . <b>2012</b> , 60, 1125-33		22
543	Flavonoids and other compounds from <i>Ouratea ferruginea</i> (Ochnaceae) as anticancer and chemopreventive agents. <i>Molecules</i> , <b>2012</b> , 17, 7989-8000	4.8	10
542	Antidepressant-like effect of ursolic acid isolated from <i>Rosmarinus officinalis</i> L. in mice: evidence for the involvement of the dopaminergic system. <b>2012</b> , 103, 204-11		65
541	Two oleananes from <i>Ammannia auriculata</i> Willd. <i>Natural Product Research</i> , <b>2012</b> , 26, 1328-33	2.3	6
540	Chemical constituents of the roots of <i>Inula helenium</i> . <b>2012</b> , 48, 522-524		10
539	A new triterpenoid with antimicrobial activity from <i>Anemone rivularis</i> . <b>2012</b> , 48, 803-805		6
538	Oleanane-type triterpenoid saponins from <i>Xanthoceras sorbifolia</i> Bunge. <b>2012</b> , 83, 1636-42		13
537	The effects of <i>Syzygium aromaticum</i> -derived oleanolic acid on kidney function of male Sprague-Dawley rats and on kidney and liver cell lines. <b>2012</b> , 34, 767-76		15
536	Chemical and biological study of the seeds of <i>Eragrostis tef</i> (Zucc.) Trotter. <i>Natural Product Research</i> , <b>2012</b> , 26, 619-29	2.3	37
535	Phytoceramides and acylated phytosterol glucosides from <i>Pterospermum acerifolium</i> Willd. seed coat and their osteogenic activity. <i>Phytochemistry</i> , <b>2012</b> , 81, 117-25	4	14
534	Effects of <i>Lecythis pisonis</i> Camb. (Lecythidaceae) in a mouse model of pruritus. <i>Journal of Ethnopharmacology</i> , <b>2012</b> , 139, 90-7	5	9
533	Substrate specificity for the 2-hydroxylation of ursolic acid by <i>Alternaria alternata</i> and the antitumor activities of those metabolites. <b>2012</b> , 83, 51-56		11



532	Lantana macrophylla Schauer (Verbenaceae) ethanolic extract induces activation of ERK1/2 and p38 MAPKs pathway and Ca <sup>2+</sup> imbalance in human trophoblasts derived cell lines. <b>2012</b> , 50, 1001-12		4
531	Chemical and antifungal investigations of six Lippia species (Verbenaceae) from Brazil. <b>2012</b> , 135, 2086-94		30
530	Chemical constituents of Saniculiphyllum guangxiense. <b>2012</b> , 9, 1508-16		11
529	Terpenes From the Root of Salvia hypoleuca Benth. <b>2012</b> , 20, 66		9
528	A new fatty aldol ester from the aerial part of Mimosa invisa (Mimosaceae). <i>Natural Product Research</i> , <b>2012</b> , 26, 1831-6	2.3	7
527	Bioguided isolation of pentacyclic triterpenes from the leaves of Alstonia scholaris (Linn.) R. Br. growing in Egypt. <i>Natural Product Research</i> , <b>2012</b> , 26, 1755-8	2.3	15
526	Isolation and Characterization of Lup-20(29)-ene-3, 28- diol (Betulin) from the Stem-Bark of Adenium obesum (Apocynaceae). <b>2012</b> , 11,		28
525	A new triterpene from Barringtonia asiatica. <i>Natural Product Research</i> , <b>2012</b> , 26, 1869-75	2.3	13
524	Anti-inflammatory effects and acute toxicity of hydroethanolic extract of Jacaranda decurrens roots in adult male rats. <i>Journal of Ethnopharmacology</i> , <b>2012</b> , 144, 802-5	5	26
523	Ceramide, cerebroside and triterpenoid saponin from the bark of aerial roots of Ficus elastica (Moraceae). <i>Phytochemistry</i> , <b>2012</b> , 83, 95-103	4	18
522	New ursane-type triterpenes from the root bark of Calotropis procera. <i>Phytochemistry Letters</i> , <b>2012</b> , 5, 490-495	1.9	41
521	Xanthones from the bark of Garcinia pedunculata. <i>Phytochemistry Letters</i> , <b>2012</b> , 5, 766-769	1.9	6
520	Saponins with neuroprotective effects from the roots of Pulsatilla cernua. <i>Molecules</i> , <b>2012</b> , 17, 5520-31	4.8	14
519	Quinolizidine Alkaloids from Sophora velutina subsp. zimbabweensis (Fabaceae: Sophoreae). <i>Natural Product Communications</i> , <b>2012</b> , 7, 1934578X1200700	0.9	1
518	Chemical constituents of Lecythis pisonis and cytotoxic activity. <b>2012</b> , 22, 1140-1144		6
517	Constituintes qunicos do caule de Protium hebetatuml (Burseraceae). <i>Acta Amazonica</i> , <b>2012</b> , 42, 557-560.8		2
516	Chemical constituents of Rourea doniana. <b>2012</b> , 22, 451-454		6
515	A new 18,19-secoursane triterpene from the leaves of Diospyros kaki. <b>2012</b> , 47, 918-920		6

514	Isolation of a lupane triterpene fatty acid ester with antibacterial activity from the leaves of <i>Finlaysonia obovata</i> . <b>2012</b> , 48, 161-163		1
513	Chemical constituents from <i>Saussurea oligantha</i> . <b>2012</b> , 48, 344-345		1
512	Structural analysis of aristolochic acids and aristolactams by correlations between calculated and experimental <sup>13</sup> C NMR chemical shifts. <b>2012</b> , 23, 703-710		7
511	Chemical constituents of <i>Euphorbia kansui</i> . <i>Biochemical Systematics and Ecology</i> , <b>2012</b> , 43, 64-66	1.4	8
510	A new triterpenoid and other constituents from the stem bark of <i>Juglans mandshurica</i> . <i>Biochemical Systematics and Ecology</i> , <b>2012</b> , 44, 136-140	1.4	20
509	Chemical constituents from <i>Spermacoce verticillata</i> (Rubiaceae). <i>Biochemical Systematics and Ecology</i> , <b>2012</b> , 44, 208-211	1.4	7
508	New antioxidant and antiglycation active triterpenoid saponins from the root bark of <i>Aralia taibaiensis</i> . <b>2012</b> , 83, 234-40		39
507	New flavonol glycosides from <i>Barbeya oleoides</i> Schweinfurth. <b>2012</b> , 132, 2081-2088		5
506	Nutritional and nutraceutical comparison of Jamaican <i>Psidium cattleianum</i> (strawberry guava) and <i>Psidium guajava</i> (common guava) fruits. <b>2012</b> , 134, 1069-73		41
505	Electrospray tandem mass spectrometric analysis of duboscic acid, exploring the structural features of a new class of triterpenoids, dubosane. <b>2012</b> , 310, 77-80		7
504	Paviosides A-H, eight new oleanane type saponins from <i>Aesculus pavia</i> with cytotoxic activity. <b>2012</b> , 20, 3280-6		13
503	Four isoflavanones from the stem bark of <i>Platyclaphium voßse</i> . <i>Phytochemistry Letters</i> , <b>2012</b> , 5, 150-154	1.9	7
502	Triterpenes involved in the anti-inflammatory effect of ethanolic extract of <i>Pterodon emarginatus</i> Vogel stem bark. <b>2012</b> , 66, 202-7		20
501	Primary constituents of blue cohosh: quantification in dietary supplements and potential for toxicity. <b>2013</b> , 405, 4409-17		8
500	Hypoglycemic Potential of Triterpenes from <i>Alstonia scholaris</i> . <b>2013</b> , 47, 54-57		4
499	A new triterpenic diester from the aerial parts of <i>Chrysanthemum macrocarpum</i> . <i>Phytochemistry Letters</i> , <b>2013</b> , 6, 519-525	1.9	9
498	A new cytotoxic triterpene saponin from <i>Lysimachia nummularia</i> L. <i>Carbohydrate Research</i> , <b>2013</b> , 375, 16-20	2.9	10
497	A new pentacyclic triterpene with potent antibacterial activity from <i>Limnophila indica</i> Linn. (Druce). <b>2013</b> , 90, 104-11		15

496	Triterpene saponins of <i>Genista ulicina</i> Spach. <i>Phytochemistry</i> , <b>2013</b> , 93, 176-81	4	12
495	New derivatives from the aerial parts of <i>Boerhaavia diffusa</i> L. (Nyctaginaceae). <i>Phytochemistry Letters</i> , <b>2013</b> , 6, 544-551	1.9	5
494	Bioactivity guided isolation of antiinflammatory, analgesic, and antipyretic constituents from the leaves of <i>Pedilanthus tithymaloides</i> (L.). <b>2013</b> , 22, 4347-4359		16
493	Terpenoids from <i>Ardisia squamulosa</i> . <b>2013</b> , 49, 388-389		5
492	Chemical constituents and allelopathic and antioxidant activities of <i>Alchorneopsis floribunda</i> Mill. Arg. (Euphorbiaceae). <i>Natural Product Research</i> , <b>2013</b> , 27, 1-8	2.3	12
491	Triterpenes and Steroids from the Medicinal Plants of Africa. <b>2013</b> , 135-202		12
490	New inhibitors of $\beta$ -glucosidase in <i>Salacia hainanensis</i> Chun et How. <b>2013</b> , 67, 844-9		9
489	Gastroprotective activity of the ethanolic extract and hexane phase of <i>Combretum duarceanum</i> Cambess. (Combretaceae). <b>2013</b> , 67, 492-502		7
488	Triterpenes from <i>Maytenus gonoclada</i> and their attractive effects on <i>Tenebrio molitor</i> . <b>2013</b> , 49, 571-574		5
487	11-Ethoxy-boswellic acid and nizwanone, a new boswellic acid derivative and a new triterpene, respectively, from <i>Boswellia sacra</i> . <b>2013</b> , 10, 1501-6		10
486	Chemical constituents of <i>Swertia yunnanensis</i> and their anti-hepatitis B virus activity. <b>2013</b> , 89, 175-82		19
485	Chemical constituents of <i>Cinnamomum cebuense</i> . <i>Chinese Journal of Natural Medicines</i> , <b>2013</b> , 11, 264-8	2.8	15
484	Cytotoxic triterpenoids from <i>Lysimachia parvifolia</i> . <i>European Journal of Medicinal Chemistry</i> , <b>2013</b> , 67, 390-7	6.8	6
483	Triterpenes from <i>Euphorbia hirta</i> and their cytotoxicity. <i>Chinese Journal of Natural Medicines</i> , <b>2013</b> , 11, 528-33	2.8	19
482	Triterpene saponins from the aerial parts of <i>Trifolium medium</i> L. var. <i>sarosiense</i> . <b>2013</b> , 61, 9789-96		9
481	Angio-suppressive triterpenoids from <i>Ardisia</i> cf. <i>elliptica</i> (subgenus <i>Tinus</i> ) on duck ( <i>Anas platyrhynchos</i> L.) chorioallantoic membrane. <i>Chinese Journal of Natural Medicines</i> , <b>2013</b> , 11, 128-38	2.8	3
480	Triterpenoids and phenolic compounds from <i>Croton macrostachyus</i> . <i>Biochemical Systematics and Ecology</i> , <b>2013</b> , 51, 138-141	1.4	13
479	Chemical constituents from <i>Saussurea licentiana</i> Hand.-Mazz. <i>Biochemical Systematics and Ecology</i> , <b>2013</b> , 51, 1-3	1.4	3

478	Artocarpus nigrifolius: Cytotoxic and antibacterial constituents. <b>2013</b> , 56, 667-672		3
477	New cytotoxic triterpenoid saponins from the whole plant of Clematis lasiantha Maxim. <b>2013</b> , 90, 233-9		21
476	Monoterpenes with antibacterial activities from a Cameroonian medicinal plant Canthium Multiflorum (Rubiaceae). <b>2013</b> , 91, 199-204		10
475	Swertia pseudochinensis, a New Plant Source of Andrographolide. <b>2013</b> , 49, 119-120		7
474	Chemical constituents of Cinnamomum griffithii. <b>2013</b> , 49, 127-128		8
473	Triumfettamide B, a New Ceramide from the Twigs of Triumfetta rhomboidea. <b>2013</b> , 49, 811-814		4
472	Protective effect of Echinops galalensis against CCl <sub>4</sub> -induced injury on the human hepatoma cell line (Huh7). <i>Phytochemistry Letters</i> , <b>2013</b> , 6, 73-78	1.9	13
471	Carandinol: First isohopane triterpene from the leaves of Carissa carandas L. and its cytotoxicity against cancer cell lines. <i>Phytochemistry Letters</i> , <b>2013</b> , 6, 91-95	1.9	31
470	One new pyrroline compound from Callistemon viminalis (Sol. Ex Gaertner) G. Don Ex Loudon. <i>Natural Product Research</i> , <b>2013</b> , 27, 1179-85	2.3	11
469	Flavonoid glycosides and triterpenoids from Atractylis flava. <i>Phytochemistry Letters</i> , <b>2013</b> , 6, 9-13	1.9	11
468	Anticandidiasis agents from a Tanzanian plant, Combretum zeyheri. <b>2013</b> , 22, 1258-1262		11
467	Triterpenoid saponins from the root of Anemone tomentosa. <b>2013</b> , 67, 70-7		18
466	Influence of the intraperitoneal administration of antitumor Abarema auriculata extract on mice behavior. <b>2013</b> , 23, 903-912		4
465	Antinociceptive effect of Lecythis pisonis Camb. (Lecythidaceae) in models of acute pain in mice. <i>Journal of Ethnopharmacology</i> , <b>2013</b> , 146, 180-6	5	15
464	Chemical constituents of Prunella vulgaris. <b>2013</b> , 25 Suppl 1, S161-3		10
463	Cytotoxic compounds from invasive giant salvinia (Salvinia molesta) against human tumor cells. <b>2013</b> , 23, 6682-7		26
462	Secondary metabolites from the mistletoes Struthanthus marginatus and Struthanthus concinnus (Loranthaceae). <i>Biochemical Systematics and Ecology</i> , <b>2013</b> , 48, 215-218	1.4	9
461	Pentacyclic triterpenes from Manilkara bidentata resin. Isolation, identification and biological properties. <b>2013</b> , 88, 101-8		14

460	Ricine and other constituents of <i>Aparisthmium cordatum</i> (Euphorbiaceae). <i>Natural Product Research</i> , <b>2013</b> , 27, 364-70	2,3	2
459	A new caryolane sesquiterpene from <i>Heteropappus altaicus</i> (Willd.) Novopokr. <i>Natural Product Research</i> , <b>2013</b> , 27, 350-5	2,3	2
458	Low sclareol by-product of clary sage concrete: chemical analysis of a waste product of the perfume industry. <b>2013</b> , 28, 93-101		1
457	New triterpenoids from <i>Morus alba</i> L. stem bark. <i>Natural Product Research</i> , <b>2013</b> , 27, 524-31	2,3	10
456	Triterpenoid saponins from the roots of <i>Gypsophila trichotoma</i> Wender. <i>Phytochemistry</i> , <b>2013</b> , 90, 114-27		48
455	Antidepressant-like effects of fractions, essential oil, carnosol and betulinic acid isolated from <i>Rosmarinus officinalis</i> L. <b>2013</b> , 136, 999-1005		80
454	A prenylated xanthone and antiproliferative compounds from leaves of <i>Pentadesma butyracea</i> . <i>Phytochemistry Letters</i> , <b>2013</b> , 6, 326-330	1,9	12
453	Triterpenoids and flavonoids from <i>Miq.</i> (Urticaceae). <i>Biochemical Systematics and Ecology</i> , <b>2013</b> , 48, 96-99	4	5
452	Antiedematogenic and antinociceptive effects of leaves extracts from <i>Protium spruceanum</i> Benth. (Engler). <b>2013</b> , 5, 6-12		7
451	A new lupane triterpene from <i>Tetracera scandens</i> L., xanthine oxidase inhibitor. <i>Natural Product Research</i> , <b>2013</b> , 27, 61-7	2,3	21
450	Chemical constituents from <i>Glyphaea brevis</i> and <i>Monodora myristica</i> : chemotaxonomic significance. <b>2013</b> , 10, 224-32		5
449	Clerodendrumic Acid, a New Triterpenoid from <i>Clerodendrum glabrum</i> (Verbenaceae), and Antimicrobial Activities of Fractions and Constituents. <b>2013</b> , 96, 1693-1703		10
448	Ilexpublesnins C-M, eleven new triterpene saponins from the roots of <i>Ilex pubescens</i> . <i>Planta Medica</i> , <b>2013</b> , 79, 70-7	3,1	22
447	Triterpenoid saponins from the stem barks of <i>Schefflera heptaphylla</i> . <i>Planta Medica</i> , <b>2013</b> , 79, 1348-55	3,1	10
446	Triterpenoids from the roots of <i>Raphiolepis indica</i> var. <i>tashiroi</i> and their anti-inflammatory activity. <b>2013</b> , 14, 8890-8		8
445	Antiproliferative Effect and the Isolated Compounds of <i>Pouzolzia indica</i> . <b>2013</b> , 2013, 342352		4
444	Three Novel Friedelane Triterpenes with Antimicrobial Activity from the Stems of <i>Celastrus Monospermus</i> . <b>2013</b> , 37, 14-18		3
443	Cytotoxic triterpenoid saponins from the stems of <i>Gordonia longicarpa</i> . <i>Planta Medica</i> , <b>2013</b> , 79, 353-60	3,1	2

442	Triterpene saponins from <i>Clematis mandshurica</i> and their antiproliferative activity. <i>Planta Medica</i> , <b>2013</b> , 79, 987-94	3.1	12
441	A new pentacyclic triterpenoid from the leaves of <i>Lantana montevidensis</i> (Spreng.) Briq. <i>Natural Product Research</i> , <b>2013</b> , 27, 2046-52	2.3	14
440	Chemical Constituents and Cytotoxic Effect of the Main Compounds of <i>Lythrum salicaria</i> L.. <b>2013</b> , 68, 367-375		12
439	Natural friedelanes. <b>2013</b> , 10, 1392-434		20
438	Three new ursane-type triterpenoids from the aerial parts of <i>Isodon excisoides</i> . <i>Journal of Asian Natural Products Research</i> , <b>2013</b> , 15, 962-8	1.5	3
437	A new cycloartane nortriterpenoid from stem and leaf of <i>Quercus variabilis</i> . <i>Journal of Asian Natural Products Research</i> , <b>2013</b> , 15, 1050-4	1.5	4
436	Effects of <i>Syzygium aromaticum</i> -derived oleanolic acid on glucose transport and glycogen synthesis in the rat small intestine. <b>2013</b> , 5, 80-7		14
435	A new triterpenoid saponin from <i>Ardisia gigantifolia</i> . <i>Journal of Asian Natural Products Research</i> , <b>2013</b> , 15, 1123-9	1.5	8
434	Chemical constituents of <i>Distictella elongata</i> (Vahl) Urb. (Bignoniaceae). <b>2013</b> , 85, 873-9		6
433	Inhibitory effect of betulinic acid and 3-acetoxybetulinic acid on rat platelet aggregation. <b>2013</b> , 7, 2881-2886		3
432	Analysis of the Presence of the Betulinic Acid in the Leaves of <i>Eugenia florida</i> by Using the Technique GC/MS, GC/FID and HPLC/DAD: A Seasonal and Quantitative Study. <b>2013</b> ,		0
431	Six New Phenolic Glycosides and a New Ceramide from the Flowers of <i>Wedelia biflora</i> and Their Cytotoxicity Against Some Cancer Cell Lines. <i>Natural Product Communications</i> , <b>2013</b> , 8, 1934578X1300800	0.9	1
430	New Cycloartane-type Triterpenes from <i>Marctia Latifolia</i> (Melastomataceae) and In Silico Studies on <i>Candida Parapsilosis</i> Protease. <i>Natural Product Communications</i> , <b>2013</b> , 8, 1934578X1300800	0.9	
429	Minor Triterpene Saponins from Underground Parts of <i>Lysimachia thyriflora</i> : Structure elucidation, LC-ESI-MS/MS Quantification, and Biological Activity. <i>Natural Product Communications</i> , <b>2013</b> , 8, 1934578X1300801	0.9	1
428	An unusual 2,3-secotaraxerene and other cytotoxic triterpenoids from <i>Pleiocarpa pycnantha</i> (Apocynaceae) leaves collected from Nigeria. <i>Molecules</i> , <b>2014</b> , 19, 3389-400	4.8	8
427	Antibacterial and antibiofilm activities of tryptoquivalines and meroditerpenes isolated from the marine-derived fungi <i>Neosartorya paulistensis</i> , <i>N. laciniosa</i> , <i>N. tsunodae</i> , and the soil fungi <i>N. fischeri</i> and <i>N. siamensis</i> . <b>2014</b> , 12, 822-39		67
426	Constituintes quínicos isolados dos galhos e cascas de amapazeiro ( <i>Parahancornia amapa</i> , Apocynaceae). <i>Acta Amazonica</i> , <b>2014</b> , 44, 533-538	0.8	2
425	Ferulaldehyde and Lupeol as Direct and Indirect Antimicrobial Compounds from <i>Cordia gillettii</i> (Boraginaceae) Root Barks. <i>Natural Product Communications</i> , <b>2014</b> , 9, 1934578X1400900	0.9	4

424	Chemical Constituents from Leaves of <i>Luehea paniculata</i> . <b>2014</b> , 50, 770-771		
423	Antimicrobial steroidal saponin and oleanane-type triterpenoid saponins from <i>Paullinia pinnata</i> . <b>2014</b> , 14, 369		23
422	Antimicrobial effect of the triterpene 3 $\beta$ ,16 $\beta$ -trihydroxylup-20(29)-ene on planktonic cells and biofilms from Gram positive and Gram negative bacteria. <b>2014</b> , 2014, 729358		11
421	Chemical and pharmacological investigation of the stem bark of <i>Synadenium grantii</i> . <i>Planta Medica</i> , <b>2014</b> , 80, 458-64	3.1	18
420	Hepatoprotective triterpenoids and saponins of <i>Schefflera kwangsiensis</i> . <i>Planta Medica</i> , <b>2014</b> , 80, 215-223.1		17
419	Bafouoside C, a new triterpenoid saponin from the roots of <i>Cussonia bancoensis</i> Aubrev. & Pellegr.. <i>Phytochemistry Letters</i> , <b>2014</b> , 10, 255-259	1.9	7
418	Leptocarposide: a new triterpenoid glycoside from <i>Ludwigia leptocarpa</i> (Onagraceae). <b>2014</b> , 52, 32-6		7
417	Triterpenes from the Leaves of <i>Syzygium polycephalum</i> , <i>S. cumini</i> , and <i>S. samarangense</i> . <b>2014</b> , 50, 942-944		2
416	<i>Tephrosia purpurea</i> : A Source of Larvicidal Compounds Against <i>Aedes Aegypti</i> . <b>2014</b> , 50, 1125-1127		4
415	Antibacterial and antioxidant activities of ursolic acid and derivatives. <i>Molecules</i> , <b>2014</b> , 19, 1317-27	4.8	122
414	Anti-staphylococcal, anti-HIV and cytotoxicity studies of four South African medicinal plants and isolation of bioactive compounds from <i>Cassine transvaalensis</i> (Burt. Davy) codd. <b>2014</b> , 14, 512		15
413	Antibacterial and anti-biofilm activity of flavonoids and triterpenes isolated from the extracts of <i>Ficus sansibarica</i> Warb. subsp. <i>sansibarica</i> (Moraceae) extracts. <b>2014</b> , 11, 124-31		36
412	Angio-suppressive triterpenoids from <i>Ardisia cf. elliptica</i> (subgenus <i>Tinus</i> ) on duck ( <i>Anas platyrhynchos</i> L.) chorioallantoic membrane. <i>Chinese Journal of Natural Medicines</i> , <b>2014</b> , 11, 128-138	2.8	
411	Cytotoxic oleanane-type triterpenoid saponins from the Rhizomes of <i>Anemone rivularis</i> var. <i>flore-minore</i> . <i>Molecules</i> , <b>2014</b> , 19, 2121-34	4.8	14
410	Excelsoside: a new benzylic diglycoside from the leaves of <i>Milicia excelsa</i> . <b>2014</b> , 69, 271-5		5
409	New ursane-type triterpenoid saponins from the stem bark of <i>Schefflera heptaphylla</i> . <b>2014</b> , 92, 127-32		6
408	Triterpenoids from <i>Salvia argentea</i> var. <i>aurasiaca</i> (Pomel) Batt. & Trab. and their chemotaxonomic significance. <i>Phytochemistry</i> , <b>2014</b> , 102, 145-51	4	19
407	Analysis of constituents of the eastern Nigeria mistletoe, <i>Loranthus micranthus</i> linn revealed presence of new classes of osteogenic compounds. <i>Journal of Ethnopharmacology</i> , <b>2014</b> , 151, 643-51	5	13



406	Antimicrobial prenylated benzoylphloroglucinol derivatives and xanthenes from the leaves of <i>Garcinia goudotiana</i> . <i>Phytochemistry</i> , <b>2014</b> , 102, 162-8	4	21
405	New 19 $\beta$ -hydroxyursane-type triterpenes from the leaves of <i>Meyna spinosa</i> (= <i>Vangueria spinosa</i> ), Rubiaceae. <i>Phytochemistry Letters</i> , <b>2014</b> , 9, 7-10	1.9	6
404	Phytochemical and chemotaxonomic study on <i>Microtropis triflora</i> . <i>Biochemical Systematics and Ecology</i> , <b>2014</b> , 52, 1-3	1.4	1
403	Preparative mass-spectrometry profiling of bioactive metabolites in Saudi-Arabian propolis fractionated by high-speed countercurrent chromatography and off-line atmospheric pressure chemical ionization mass-spectrometry injection. <b>2014</b> , 1347, 17-29		23
402	Chemical Constituents of the Roots of <i>Erythrina subumbrans</i> . <b>2014</b> , 49, 1127-1128		4
401	Saponins with highly hydroxylated oleanane-type aglycones from <i>Silphium asteriscus</i> L. <i>Phytochemistry</i> , <b>2014</b> , 97, 70-80	4	16
400	New cytotoxic spirostane saponin and biflavonoid glycoside from the leaves of <i>Acacia saligna</i> (Labill.) H.L. Wendl. <i>Natural Product Research</i> , <b>2014</b> , 28, 324-9	2.3	18
399	Further cycloartane and friedelane triterpenoids from the leaves of <i>Caloncoba glauca</i> . <i>Phytochemistry Letters</i> , <b>2014</b> , 7, 52-56	1.9	14
398	Chemical Constituents of <i>Euonymus bockii</i> . <b>2014</b> , 50, 948-949		9
397	Three new compounds from the stem bark of <i>Juglans mandshurica</i> . <i>Journal of Asian Natural Products Research</i> , <b>2014</b> , 16, 819-24	1.5	7
396	Structure and antioxidant activity of phenolic compounds isolated from the edible fruits and stem bark of <i>Harpephyllum caffrum</i> . <b>2014</b> , 49, 938-44		8
395	A new antioxidant stilbene and other constituents from the stem bark of <i>Morus nigra</i> L. <i>Natural Product Research</i> , <b>2014</b> , 28, 952-9	2.3	38
394	Identification of antihyperlipidemic constituents from the roots of <i>Rubia yunnanensis</i> Diels. <i>Journal of Ethnopharmacology</i> , <b>2014</b> , 155, 1315-21	5	6
393	Triterpene glycosides from red ginseng marc and their anti-inflammatory activities. <b>2014</b> , 24, 4203-8		13
392	Alnuheptanoid A: a new diarylheptanoid derivative from <i>Alnus japonica</i> . <i>Natural Product Research</i> , <b>2014</b> , 28, 1765-71	2.3	12
391	Antityphoid and radical scavenging properties of the methanol extracts and compounds from the aerial part of <i>Paullinia pinnata</i> . <b>2014</b> , 3, 302		24
390	A New Friedelane Triterpenoid Possessing Cytotoxicity from the Leaves and Stems OF <i>Drypetes hainanensis</i> . <b>2014</b> , 50, 93-96		6
389	Chemical Constituents of <i>Ficus linearifolia</i> and <i>Ficus triangularis</i> . <b>2014</b> , 50, 172-174		7



388	New anti-inflammatory triterpene from the root of <i>Ricinus communis</i> . <i>Natural Product Research</i> , <b>2014</b> , 28, 306-11	2.3	18
387	Potential targets by pentacyclic triterpenoids from <i>Callicarpa farinosa</i> against methicillin-resistant and sensitive <i>Staphylococcus aureus</i> . <b>2014</b> , 94, 48-54		32
386	Cytotoxicity and inhibition of P-glycoprotein by selected medicinal plants from Thailand. <i>Journal of Ethnopharmacology</i> , <b>2014</b> , 155, 633-41	5	19
385	Antitubercular activity of <i>Arctium lappa</i> and <i>Tussilago farfara</i> extracts and constituents. <i>Journal of Ethnopharmacology</i> , <b>2014</b> , 155, 796-800	5	45
384	Klodorone A and klodorol A: new triterpenes from <i>Kleinia odora</i> . <i>Natural Product Research</i> , <b>2014</b> , 28, 1142-6	2.3	6
383	New cytotoxic cycloartane triterpene from <i>Cassia italica</i> aerial parts. <i>Natural Product Research</i> , <b>2014</b> , 28, 976-83	2.3	26
382	Characterisation of triterpenes and new phenolic lipids in Cameroonian propolis. <i>Phytochemistry</i> , <b>2014</b> , 106, 156-163	4	38
381	Constituents of <i>Vigna angularis</i> and their in vitro anti-inflammatory activity. <i>Phytochemistry</i> , <b>2014</b> , 107, 111-8	4	13
380	Identification of archaeological triterpenic resins by the non-separative techniques FTIR and <sup>13</sup> C NMR: the case of <i>Pistacia</i> resin (mastic) in comparison with frankincense. <b>2014</b> , 121, 613-22		27
379	Unusual fernane and gammacerane glycosides from the aerial parts of <i>Spergula fallax</i> . <b>2014</b> , 77, 657-62		4
378	Oleanane type glycosides from <i>Paronychia anatolica</i> subsp. <i>balansae</i> . <b>2014</b> , 92, 274-9		10
377	Triterpenes as uncompetitive inhibitors of $\beta$ -glucosidase from flowers of <i>Punica granatum</i> L. <i>Natural Product Research</i> , <b>2014</b> , 28, 2191-4	2.3	16
376	Triterpene saponins from the roots of <i>Ilex pubescens</i> . <b>2014</b> , 97, 98-104		19
375	Hepatoprotective triterpenoid saponins from <i>Callicarpa nudiflora</i> . <b>2014</b> , 62, 695-9		17
374	Anti-sickling Activity of Ursolic Acid Isolated from the Leaves of <i>Ocimum gratissimum</i> L. (Lamiaceae). <b>2015</b> , 5, 215-21		13
373	Two 2,6-Dioxabicyclo[3.3.1]nonan-3-ones from <i>Phragmanthera capitata</i> (Spreng.) Balle (Loranthaceae). <b>2015</b> , 98, 945-952		4
372	Anticandida Agents from a Tanzanian Plant <i>Albizia anthelmintica</i> . <b>2015</b> , 62, 669-674		
371	Three New 29 Carbon Skeletons Pentacyclic Triterpenoids and S-equal from Biogas Slurry. <i>Bulletin of the Korean Chemical Society</i> , <b>2015</b> , 36, 2862-2868	1.2	3

370	A New Naphthoquinone from <i>Sinningia leucotricha</i> (Gesneriaceae). <i>Natural Product Communications</i> , <b>2015</b> , 10, 1934578X1501000	0.9	1
369	Changes in Renal Function and Oxidative Status Associated with the Hypotensive Effects of Oleanolic Acid and Related Synthetic Derivatives in Experimental Animals. <i>PLoS ONE</i> , <b>2015</b> , 10, e0128192	3.7	24
368	Genicunolide A, B and C: three new triterpenoids from <i>Euphorbia geniculata</i> . <b>2015</b> , 11, 2707-12		5
367	Assessing chemical constituents of <i>Mimosa caesalpiniiifolia</i> stem bark: possible bioactive components accountable for the cytotoxic effect of <i>M. caesalpiniiifolia</i> on human tumour cell lines. <i>Molecules</i> , <b>2015</b> , 20, 4204-24	4.8	21
366	Chemical Constituents of <i>Lecythis pisonis</i> (Lecythidaceae) [A New Saponin and Complete 1H and 13C Chemical Shift Assignments. <i>Natural Product Communications</i> , <b>2015</b> , 10, 1934578X1501000	0.9	
365	Triterpenoid Saponins from <i>Clematis graveolens</i> and Evaluation of their Insecticidal Activities. <i>Natural Product Communications</i> , <b>2015</b> , 10, 1934578X1501000	0.9	1
364	Two new triterpenoid saponins from the aerial parts of <i>Anemone taipaiensis</i> . <i>Journal of Asian Natural Products Research</i> , <b>2015</b> , 17, 576-85	1.5	3
363	Chemical Constituents of the Leaves, Stems, and Fruits of <i>Synsepalum dulcificum</i> . <b>2015</b> , 51, 588-589		3
362	Hypoglycemic Potential of Triterpenes from <i>Alstonia scholaris</i> . <b>2015</b> , 49, 30-33		1
361	Terpenoids from the stem bark of <i>Neoboutonia macrocalyx</i> (Euphorbiaceae). <i>Phytochemistry Letters</i> , <b>2015</b> , 12, 328-331	1.9	5
360	Involvement of monoaminergic systems in the antidepressant-like properties of <i>Lafoensia pacari</i> A. St. Hil. <i>Journal of Ethnopharmacology</i> , <b>2015</b> , 170, 218-25	5	5
359	Cadinane-Type Sesquiterpenoids from <i>Heterotheca inuloides</i> : Absolute Configuration and Anti-inflammatory Activity. <b>2015</b> , 78, 2634-41		12
358	Chemical constituents of <i>Swertia mussotii</i> and their anti-hepatitis B virus activity. <b>2015</b> , 102, 15-22		19
357	New flavonoids from the fruits of <i>Cornus mas</i> , Cornaceae. <i>Phytochemistry Letters</i> , <b>2015</b> , 11, 292-295	1.9	15
356	Phytochemical analyses and effects of <i>Alchemilla mollis</i> (Buser) Rothm. and <i>Alchemilla persica</i> Rothm. in rat endometriosis model. <b>2015</b> , 292, 619-28		21
355	Anti-mycobacterial triterpenes from the Canadian medicinal plant <i>Alnus incana</i> . <i>Journal of Ethnopharmacology</i> , <b>2015</b> , 165, 148-51	5	21
354	Allelopathic, cytotoxic and antifungal activities of new dihydrophenanthrenes and other constituents of leaves and roots extracts of <i>Banisteriopsis anisandra</i> (Malpighiaceae). <i>Phytochemistry Letters</i> , <b>2015</b> , 12, 9-16	1.9	16
353	Structure Identification of Triterpene from the Mushroom <i>Pleurotus eryngii</i> with Inhibitory Effects Against Breast Cancer. <b>2015</b> , 70, 291-6		15

352	Correlations among experimental and theoretical NMR data to determine the absolute stereochemistry of darcyribeirine, a pentacyclic indole alkaloid isolated from <i>Rauvolfia grandiflora</i> . <b>2015</b> , 1098, 76-83			2
351	Chemical Constituents of <i>Drypetes congestiflora</i> . <b>2015</b> , 51, 797-799			4
350	Triterpenoids and triterpenoid saponins from the aerial parts of <i>Fagonia indica</i> Burm. <i>Phytochemistry Letters</i> , <b>2015</b> , 13, 256-261	1.9		11
349	Chemical constituents of <i>Allophylus africanus</i> . <i>Chinese Journal of Natural Medicines</i> , <b>2015</b> , 13, 133-41	2.8		9
348	Chemical Constituents of <i>Palaquium luzoniense</i> . <b>2015</b> , 51, 181-182			0
347	Hainanenone A: a New Friedelane Triterpenoid from the Leaves and Stems of <i>Drypetes hainanensis</i> . <b>2015</b> , 51, 273-275			2
346	Antinociceptive and anti-inflammatory activity of the siaresinolic acid, a triterpene isolated from the leaves of <i>Sabicea grisea</i> Cham. & Schltdl. var. <i>grisea</i> . <b>2015</b> , 69, 232-40			10
345	Antimicrobial and cytotoxic constituents from native Cameroonian medicinal plant <i>Hypericum riparium</i> . <b>2015</b> , 102, 149-55			9
344	Secondary metabolites from <i>Ganoderma</i> . <i>Phytochemistry</i> , <b>2015</b> , 114, 66-101	4		189
343	Structural Elucidation of Saponins: A Combined Approach Based on High-Resolution Spectroscopic Techniques. <b>2015</b> , 45, 85-120			2
342	Alterations in brain amino acid metabolism and inhibitory effects on PKC are possibly correlated with anticonvulsant effects of the isomeric mixture of $\beta$ - and $\gamma$ -myrins from <i>Protium heptaphyllum</i> . <b>2015</b> , 53, 407-13			7
341	A new 3,4-seco-cycloartane from the leaves of <i>Hopea odorata</i> Roxb. <i>Natural Product Research</i> , <b>2015</b> , 29, 1820-7	2.3		7
340	Triterpenoid profile and bioactivity study of <i>Oenothera maritima</i> . <i>Phytochemistry Letters</i> , <b>2015</b> , 13, 324-329			4
339	Ceanothane and oleanane-type triterpenes from <i>Talguenea quinquenervia</i> have insecticidal activity against <i>Cydia pomonella</i> , <i>Tenebrio molitor</i> and <i>Drosophila melanogaster</i> . <b>2015</b> , 74, 759-766			12
338	Cytotoxic and antibacterial activities of two new triterpenoids from the peels of local Egyptian <i>Malus domestica</i> L.. <b>2015</b> , 24, 4016-4022			3
337	Two new triterpenoids from the resin of <i>Styrax tonkinensis</i> . <i>Journal of Asian Natural Products Research</i> , <b>2015</b> , 17, 823-7	1.5		6
336	Inhibitory effects of <i>Ligustrum robustum</i> (Roxb.) Blume extract on $\alpha$ -amylase and $\alpha$ -glucosidase. <b>2015</b> , 19, 204-213			18
335	Cytotoxic 24-nor-ursane-type triterpenoids from the twigs of <i>Mostuea hirsuta</i> . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , <b>2015</b> , 70, 837-842	1		4

334	Dibenz[b,f]oxepin and Antimycobacterial Chalcone Constituents of <i>Empetrum nigrum</i> . <b>2015</b> , 78, 2837-40		14
333	New Bioactive Lupane Triterpene Coumaroyl Esters Isolated from <i>Buxus cochinchinensis</i> . <i>Planta Medica</i> , <b>2015</b> , 81, 1133-40	3.1	6
332	Lemairones A and B: Two new antibacterial tetraflavonoids from the leaves of <i>Zanthoxylum lemairei</i> (Rutaceae). <i>Phytochemistry Letters</i> , <b>2015</b> , 14, 1-7	1.9	19
331	Antimicrobial triterpenes from the stem bark of <i>Crossopteryx febrifuga</i> . <b>2015</b> , 70, 169-73		8
330	New oleanane-type saponins: Leptocarposide B-D, from <i>Ludwigia leptocarpa</i> (Onagraceae). <i>Phytochemistry Letters</i> , <b>2015</b> , 14, 159-164	1.9	6
329	Esters of new oleanane-type triterpenoid saponins from <i>Schefflera kwangsiensis</i> . <i>Phytochemistry Letters</i> , <b>2015</b> , 11, 95-101	1.9	14
328	In vitro inhibitory effects of terpenoids from <i>Chloranthus multistachys</i> on epithelial-mesenchymal transition via down-regulation of Runx2 activation in human breast cancer. <b>2015</b> , 22, 165-72		20
327	Ethnopharmacology of <i>Souroubea sympetala</i> and <i>Souroubea gilgii</i> (Marcgraviaceae) and identification of betulinic acid as an anxiolytic principle. <i>Phytochemistry</i> , <b>2015</b> , 113, 73-8	4	13
326	A new naphthalenone isolated from the green walnut husks of <i>Juglans mandshurica</i> Maxim. <i>Natural Product Research</i> , <b>2015</b> , 29, 174-9	2.3	29
325	Discovery, optimization, and pharmacophore modeling of oleanolic acid and analogues as breast cancer cell migration and invasion inhibitors through targeting Brk/Paxillin/Rac1 axis. <b>2015</b> , 85, 231-43		22
324	The mechanism of action of ursolic acid as insulin secretagogue and insulinomimetic is mediated by cross-talk between calcium and kinases to regulate glucose balance. <b>2015</b> , 1850, 51-61		49
323	Constituents from Zhuyeqing Liquor with hepatoprotective effect on alcohol-induced HepaG 2 toxicity. <b>2015</b> , 38, 683-90		1
322	Terpenoids from <i>Phaulopsis imbricata</i> (Acanthaceae). <b>2016</b> , 10, 122-129		4
321	Anti-platelet aggregation of mixtures of betulinic oleanolic and maslinic acids and derivatives from medicinal plants. <b>2016</b> , 15, 1613		2
320	PHYTOCHEMISTRY, CYTOTOXICITY AND APOPTOSIS STUDIES OF B-SITOSTEROL-3--GLUCOSIDE AND BAMYRIN FROM. <b>2016</b> , 13, 105-112		22
319	BIOLOGICAL AND PHYTOCHEMICAL INVESTIGATIONS OF EXTRACTS FROM POIR (FABACEAE) ROOT BARKS. <b>2017</b> , 14, 187-195		5
318	Triterpenes of leaves from <i>Piranhea trifoliata</i> (Picrodendraceae). <i>Acta Amazonica</i> , <b>2016</b> , 46, 189-194	0.8	0
317	A New Ursane-type Triterpenoid and Other Constituents from the Leaves of <i>Crataegus azarolus</i> var. <i>aronia</i> . <i>Natural Product Communications</i> , <b>2016</b> , 11, 1934578X1601101	0.9	4

316	Chemical Constituents of <i>Trichilia hirta</i> (Meliaceae). <i>Natural Product Communications</i> , <b>2016</b> , 11, 19345788-1601100		
315	THE EFFECTS OF TRITERPENES ON GASTROINTESTINAL GHRELIN EXPRESSION IN STREPTOZOTOCIN-INDUCED DIABETIC RATS. <b>2016</b> , 13, 8-14		10
314	Protective Effect of the Plant Extracts of <i>Erythroxylum</i> sp. against Toxic Effects Induced by the Venom of <i>Lachesis muta</i> Snake. <i>Molecules</i> , <b>2016</b> , 21,	4.8	8
313	Clerodendrumol, A New Triterpenoid from <i>Clerodendrum yaundense</i> G. Ke (Lamiaceae). <b>2016</b> , 99, 161-164		3
312	Biological Activities of Oleanolic Acid Derivatives from <i>Calendula officinalis</i> Seeds. <b>2016</b> , 30, 835-41		7
311	Two New Retigerane-Type Sesterterpenoids from the Lichen <i>Leprocaulon microscopicum</i> . <b>2016</b> , 99, 169-173		7
310	Taraxerol 4-Methoxybenzoate, an in vitro Inhibitor of Photosynthesis Isolated from <i>Pavonia multiflora</i> A. St-Hil. (Malvaceae). <b>2016</b> , 13, 284-292		3
309	The components from aerial parts of <i>Sarcosperma affinis</i> Gagnep. and their antibacterial activities. <b>2016</b> , 2, 1254421		3
308	Friedelin Synthase from <i>Maytenus ilicifolia</i> : Leucine 482 Plays an Essential Role in the Production of the Most Rearranged Pentacyclic Triterpene. <i>Scientific Reports</i> , <b>2016</b> , 6, 36858	4.9	15
307	New triterpene and new flavone glucoside from <i>Rhynchospora corymbosa</i> (Cyperaceae) with their antimicrobial, tyrosinase and butyrylcholinesterase inhibitory activities. <i>Phytochemistry Letters</i> , <b>2016</b> , 16, 121-128	1.9	16
306	Cucumol A: a cytotoxic triterpenoid from <i>Cucumis melo</i> seeds. <b>2016</b> , 26, 701-704		11
305	Ursane and tirucallane-type triterpenes of <i>Boswellia rivae</i> oleo-gum resin. <i>Journal of Asian Natural Products Research</i> , <b>2016</b> , 18, 854-64	1.5	4
304	Oleanene-Type Triterpenes from <i>Euonymus carnosus</i> . <b>2016</b> , 52, 542-544		6
303	Secondary Metabolites, Evaluation of the DPPH Free-Radical Scavenging Effect by Electron Spin Resonance and Antibacterial Activity of the Endemic Species <i>Stachys circinata</i> . <b>2016</b> , 52, 552-554		
302	A tirucallane and two pairs of tetranortriterpene 23-epimers from the Thai mangrove <i>Xylocarpus moluccensis</i> . <i>Journal of Asian Natural Products Research</i> , <b>2016</b> , 18, 36-40	1.5	5
301	The effect of ethyl acetate extract from persimmon leaves on Alzheimer's disease and its underlying mechanism. <b>2016</b> , 23, 694-704		20
300	Anti-Candida and anti-Cryptococcus evaluation of 15 non-alkaloidal compounds from <i>Pterogyne nitens</i> . <b>2016</b> , 6, 841-845		6
299	New lupan-type triterpenoids. <b>2016</b> , 71, 381-386		4

298	Hexane Extract of <i>Echinops spinosissimus</i> Turra subsp. <i>spinosus</i> from Tunisia: A Potential Source of Acetylated Sterols - Investigation of its Biological Activities. <b>2016</b> , 13, 1674-1684		6
297	Cellular structure and chemical composition of cork from <i>Plathymenia reticulata</i> occurring in the Brazilian Cerrado. <b>2016</b> , 90, 65-75		21
296	Chemical structures, production and enzymatic transformations of sapogenins and saponins from <i>Centella asiatica</i> (L.) Urban. <b>2016</b> , 114, 168-187		35
295	Three New Derivatives and Others Constituents from the Roots and Twigs of <i>Trilepisium madagascariense</i> DC. <b>2016</b> , 99, 642-649		1
294	<i>Rubus imperialis</i> (Rosaceae) extract and pure compound niga-ichigoside F1: wound healing and anti-inflammatory effects. <b>2016</b> , 389, 1235-1244		9
293	Antibacterial constituents of <i>Fructus Chebulae Immaturus</i> and their mechanisms of action. <b>2016</b> , 16, 183		8
292	Constituents from the Roots of <i>Actinidia chinensis</i> and Their Cytochrome P450 Enzyme Inhibitory Activities. <b>2016</b> , 13, 1454-1459		11
291	Phytochemical Investigation of <i>Rhus parviflora</i> Fruit from Nepal. <b>2016</b> , 52, 715-718		1
290	Zebiriosides A-L, oleanane saponins from the roots of <i>Dendrobangia boliviana</i> . <i>Phytochemistry</i> , <b>2016</b> , 130, 262-72	4	3
289	New ursane triterpenoids from <i>Ficus pandurata</i> and their binding affinity for human cannabinoid and opioid receptors. <b>2016</b> , 39, 897-911		22
288	Establishment and analysis of in vitro biomass from <i>Salvia corrugata</i> Vahl. and evaluation of antimicrobial activity. <i>Phytochemistry</i> , <b>2016</b> , 122, 276-285	4	13
287	Clinoposides AB: meroterpenoids with protective effects on H9c2 cardiomyocyte from <i>Clinopodium chinense</i> . <i>RSC Advances</i> , <b>2016</b> , 6, 7260-7266	3-7	3
286	Chemical constituents of <i>Eugenia catharinae</i> and their antioxidant activity. <i>Natural Product Research</i> , <b>2016</b> , 30, 2624-2628	2-3	6
285	Three new oleanane-type triterpene saponins from <i>Atractylis flava</i> . <i>Phytochemistry Letters</i> , <b>2016</b> , 15, 88-93	1-9	7
284	One-step separation of terpenoids from leaves extracts of <i>Solanum cernuum</i> by high-performance countercurrent chromatography. <b>2016</b> , 39, 8-12		1
283	Caatinga plants: Natural and semi-synthetic compounds potentially active against <i>Trichomonas vaginalis</i> . <b>2016</b> , 26, 2229-36		12
282	Cytotoxic activity and chemical constituents of <i>Anthemis mirheydari</i> . <b>2016</b> , 54, 2044-9		18
281	Sesquiterpenoids and tirucallane triterpenoids from the roots of <i>Scorzonera divaricata</i> . <i>Phytochemistry</i> , <b>2016</b> , 124, 86-98	4	30

280	Antibacterial and cytotoxic triterpenoids from the roots of <i>Combretum racemosum</i> . <b>2016</b> , 110, 89-95		22
279	Chemical composition of medicinal plant <i>Atractylis serratuloides</i> . <b>2016</b> , 88, 91-95		7
278	Acute toxicity, antiedematogenic activity, and chemical constituents of <i>Palicourea rigida</i> Kunth. <b>2016</b> , 71, 39-43		2
277	Polyhydroxytriterpenoids and Phenolic Constituents from <i>Forsythia suspensa</i> (Thunb.) Vahl Leaves. <b>2016</b> , 64, 125-31		22
276	Antibacterial effects of <i>Alchornea cordifolia</i> (Schumach. and Thonn.) Mll. Arg extracts and compounds on gastrointestinal, skin, respiratory and urinary tract pathogens. <i>Journal of Ethnopharmacology</i> , <b>2016</b> , 179, 76-82	5	26
275	Cytotoxic diterpenoids from <i>Rabdosia lophanthoides</i> var. <i>gerardianus</i> . <b>2016</b> , 109, 14-9		6
274	A new pregnane glycoside from <i>Gomphocarpus fruticosus</i> growing in Egypt. <i>Natural Product Research</i> , <b>2016</b> , 30, 1060-7	2-3	4
273	A new triterpenoid glycoside from the leaves and stems of <i>Duranta repens</i> . <i>Natural Product Research</i> , <b>2016</b> , 30, 246-50	2-3	4
272	Terpenoid composition and the anticancer activity of <i>Acanthopanax trifoliatum</i> . <b>2016</b> , 39, 51-8		13
271	Antiprotozoal activity of major constituents from the bioactive fraction of <i>Verbesina encelioides</i> . <i>Natural Product Research</i> , <b>2017</b> , 31, 676-680	2-3	8
270	New constituents triterpene ester and sugar derivatives from Meyer and their evaluation of antioxidant activities. <b>2017</b> , 25, 801-812		6
269	Antibacterial activities of chemical constituents from the aerial parts of <i>Hedyotis pilulifera</i> . <b>2017</b> , 55, 787-791		15
268	Artefact formation during acid hydrolysis of saponins from <i>Medicago</i> spp. <i>Phytochemistry</i> , <b>2017</b> , 138, 116-127	4	18
267	New Sweet-Tasting Oleanane-Type Triterpenoid Saponins from "Tugancao" ( <i>Derris eriocarpa</i> How). <b>2017</b> , 65, 2357-2363		5
266	Inhibition of key enzymes linked to type 2 diabetes by compounds isolated from <i>Aframomum melegueta</i> fruit. <b>2017</b> , 55, 1010-1016		26
265	Cytotoxic Triterpenoids from the Stalks of <i>Microtropis triflora</i> . <b>2017</b> , 14, e1700066		0
264	<i>Maytenus distichophylla</i> and <i>Salacia crassifolia</i> : source of products with potential acetylcholinesterase inhibition. <b>2017</b> , 27, 471-474		6
263	Inhibition of proinflammatory mediators by coumaroyl lupendioic acid, a new lupane-type triterpene from <i>Careya arborea</i> , on inflammation-induced animal model. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 206, 376-392	5	4



262	Baueranol, a triterpenoid from Indian Suregada angustifolia: Induces reactive oxygen species-mediated P38MAPK activation and apoptosis in human hepatocellular carcinoma (HepG2) cells. <b>2017</b> , 39, 1010428317698387		8
261	Chemical Constituents of Pedicularis kansuensis. <b>2017</b> , 53, 586-588		2
260	Antibacterial neolignans from the leaves of Melaleuca bracteata. <b>2017</b> , 120, 171-176		9
259	Bioactive composition of Reevesia formosana root and stem with cytotoxic activity potential. <i>RSC Advances</i> , <b>2017</b> , 7, 27040-27047	3.7	4
258	Furan derivatives from Lannea kerstingii. <i>Phytochemistry Letters</i> , <b>2017</b> , 20, 282-284	1.9	2
257	Anti-inflammatory 12,20-Epoxypregnane and 11,12-seco-Pregnane Glycosides from the Stems of Hoya kerrii. <b>2017</b> , 80, 1714-1724		9
256	Anti-inflammatory, antimicrobial and acetylcholinesterase inhibitory activities of friedelanones from Maytenus robusta branches and isolation of further triterpenoids. <i>Phytochemistry Letters</i> , <b>2017</b> , 21, 61-65 <sup>1-9</sup>		4
255	Anti-inflammatory, antimycobacterial and genotoxic evaluation of Doliocarpus dentatus. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 204, 18-25	5	6
254	In vitro cytotoxicity of compounds isolated from Desbordesia glaucescens against human carcinoma cell lines. <i>South African Journal of Botany</i> , <b>2017</b> , 111, 37-43	2.9	8
253	Phytochemical Analysis of a Cytotoxic Fraction of Quassia silvestris using LC-HR-ESI-MS. <b>2017</b> , 28, 210-216		1
252	Constituents from stem barks of Luehea ochrophylla Mart and evaluation of their antiparasitic, antimicrobial, and antioxidant activities. <i>Natural Product Research</i> , <b>2017</b> , 31, 1948-1953	2.3	5
251	Cytotoxic Cardiac Glycoside Constituents of Vallaris glabra Leaves. <b>2017</b> , 80, 2987-2996		10
250	Oleanane triterpenes with protein tyrosine phosphatase 1B inhibitory activity from aerial parts of Lantana camara collected in Indonesia and Japan. <i>Phytochemistry</i> , <b>2017</b> , 144, 106-112	4	14
249	Bioactivity-guided isolation of neuritogenic triterpenoids from the leaves of Ilex latifolia Thunb. <b>2017</b> , 8, 3688-3695		3
248	Triterpenoids from Microtropis fokienensis. <b>2017</b> , 53, 784-786		3
247	Exploration of Phytoconstituents from Mussaenda roxburghii and Studies of Their Antibiofilm Effect. <b>2017</b> , 14, e1700165		7
246	Antiangiogenic activity of PLGA-Lupeol implants for potential intravitreal applications. <b>2017</b> , 92, 394-402		15
245	Terpenoids from the Oleo-Gum-Resin of Boswellia serrata and Their Antiplasmodial Effects In Vitro. <i>Planta Medica</i> , <b>2017</b> , 83, 1214-1226	3.1	21



244	The triterpenoid alpha, beta-amyrin prevents the impaired aortic vascular reactivity in high-fat diet-induced obese mice. <b>2017</b> , 390, 1029-1039		2
243	Anti-tuberculosis lupane-type isoprenoids from <i>Syzygium guineense</i> Wild DC. (Myrtaceae) stem bark. <b>2017</b> , 3, 148-152		8
242	Bioactive Triterpenes from the Root of <i>Salvia miltiorrhiza</i> Bunge. <b>2017</b> , 31, 1457-1460		19
241	Plectraterpene, a new ursane-type triterpene ester and other steroids from the aerial parts of <i>Plectranthus montanus</i> . <b>2017</b> , 27, 698-701		1
240	Unusual 28, 29-nor-9, 19 cycloartane triterpenoids from Chinese medical plant <i>Streptocaulon griffithii</i> Hook. <i>Phytochemistry Letters</i> , <b>2017</b> , 22, 185-188	1.9	4
239	Immunomodulatory activities of isolated compounds from the root-bark of <i>Cussonia arborea</i> . <b>2017</b> , 55, 2240-2247		5
238	Involvement of opioid receptors in antinociceptive activity of semi purified fraction and ßamyrin isolated from <i>Ricinus communis</i> Linn. leaves in mice. <b>2017</b> , 17, 355-364		2
237	Anti-allergic triterpenes isolated from olive milled waste. <b>2017</b> , 69, 307-315		15
236	Antioxidant Capacity of Fractionated Extract and Structural Elucidation of Isolated Compounds from Leaf Extract of <i>Hydrocotyl bonariensis</i> Comm. Exlam. <b>2017</b> , 7, 166-177		1
235	Triterpenoids from seeds of <i>Tapinanthus bangwensis</i> . <i>Phytochemistry Letters</i> , <b>2017</b> , 19, 23-29	1.9	6
234	New polyhydroxytriterpenoid derivatives from fruits of <i>Terminalia chebula</i> Retz. and their ßglucosidase and ßamylase inhibitory activity. <b>2017</b> , 27, 34-39		14
233	Secondary metabolites from <i>Tetracera potatoria</i> stem bark with anti-mycobacterial activity. <i>Journal of Ethnopharmacology</i> , <b>2017</b> , 195, 238-245	5	14
232	Amyrins from <i>Protium heptaphyllum</i> Reduce High-Fat Diet-Induced Obesity in Mice via Modulation of Enzymatic, Hormonal And Inflammatory Responses. <i>Planta Medica</i> , <b>2017</b> , 83, 285-291	3.1	13
231	Antimycobacterial, docking and molecular dynamic studies of pentacyclic triterpenes from <i>Buddleja saligna</i> leaves. <i>Journal of Biomolecular Structure and Dynamics</i> , <b>2017</b> , 35, 2654-2664	3.6	15
230	Two new triterpenoid saponins from the leaves of <i>Impatiens parviflora</i> DC. and their cytotoxic activity. <b>2017</b> , 96, 71-79		13
229	Cytotoxic and Antileishmanial Components from the Bark Extract of <i>Ruyschia phylladenia</i> from Monteverde, Costa Rica. <i>Natural Product Communications</i> , <b>2017</b> , 12, 1934578X1701200	0.9	2
228	Cytotoxic and Antiviral Triterpenoids from the Mangrove Plant <i>Sonneratia paracaseolaris</i> . <i>Molecules</i> , <b>2017</b> , 22,	4.8	15
227	Antidiarrheal activity of extracts from <i>Maytenus gonoclada</i> and inhibition of Dengue virus by lupeol. <b>2017</b> , 89, 1555-1564		7

226	New Cytotoxic Seco-Type Triterpene and Labdane-Type Diterpenes from <i>Nuxia oppositifolia</i> . <i>Molecules</i> , <b>2017</b> , 22,	4.8	5
225	Terpenoids from <i>Platostoma rotundifolium</i> (Briq.) A. J. Paton Alter the Expression of Quorum Sensing-Related Virulence Factors and the Formation of Biofilm in <i>Pseudomonas aeruginosa</i> PAO1. <b>2017</b> , 18,		15
224	Mart., a Brazilian Amazonian Plant: The Stem Barks Extract and Its Main Constituent Lupeol Exert Antileishmanial Effects Involving Macrophages Activation. <b>2017</b> , 2017, 3126458		9
223	Antiproliferative and Antibacterial Activities of from Tunisia. <b>2017</b> , 2017, 7247016		8
222	Terpene Esters from Natural Products: Synthesis and Evaluation of Cytotoxic Activity. <b>2017</b> , 89, 1369-1379		2
221	Cytotoxic Triterpenoids from Roots of <i>Actinidia chinensis</i> . <b>2018</b> , 15, e1700454		8
220	Oleanane triterpenoids from the Algerian <i>Salvia phlomoides</i> . <i>Phytochemistry Letters</i> , <b>2018</b> , 24, 136-139	1.9	
219	Salvisertin A, a New Hexacyclic Triterpenoid, and Other Bioactive Terpenes from <i>Salvia deserta</i> Root. <b>2018</b> , 15, e1800019		7
218	A Novel Normethylfriedelane-Type Isoprenoid from <i>Syzygium guineense</i> Stem Bark. <b>2018</b> , 54, 112-116		
217	Triterpenes from leaves of <i>Cheiloclinium cognatum</i> and their in vivo antiangiogenic activity. <b>2018</b> , 56, 360-366		1
216	Cytotoxic activity of the bioactive principles from <i>Ficus burtt-davyi</i> . <b>2018</b> , 53, 261-275		3
215	Pobeguinine: a monoterpene indole alkaloid and other bioactive constituents from the stem bark of <i>Nauclea pobeguini</i> . <b>2018</b> , 73, 335-344		7
214	Bioactive chemical constituents of <i>Duboscia macrocarpa</i> Bocq., and X-ray diffraction study of 11β-12Epoxyfriedours-14-en-3Eol. <b>2018</b> , 125, 65-71		1
213	Biological evaluation of phytoconstituents from <i>Markhamia tomentosa</i> ethanolic leaf extract. <i>South African Journal of Botany</i> , <b>2018</b> , 115, 31-36	2.9	1
212	Triterpenoid saponins from <i>Scabiosa stellata</i> collected in North-eastern Algeria. <i>Phytochemistry</i> , <b>2018</b> , 150, 40-49	4	14
211	Antibacterial, antioxidant and cytotoxic activities of triterpenes and flavonoids from the aerial parts of <i>Salvia barrelieri</i> Etl. <i>Natural Product Research</i> , <b>2018</b> , 32, 2683-2691	2.3	11
210	Chemical Constituents of the Leaves of <i>Caloncoba welwitschii</i> Gilg.. <i>Phytochemistry Letters</i> , <b>2018</b> , 23, 5-8	1.9	9
209	Tricalycoside, a New Cerebroside from <i>Tricalysia coriacea</i> (Rubiaceae). <b>2018</b> , 15, e1700472		7

208	Triterpenoidal saponins from the fruits of <i>Gleditsia caspica</i> with proapoptotic properties. <i>Phytochemistry</i> , <b>2018</b> , 145, 168-178	4	18
207	Dioclins A and B, new antioxidant flavonoids from <i>Dioclea reflexa</i> . <i>Natural Product Research</i> , <b>2018</b> , 32, 2017-2024	2.3	5
206	Monoaminergic Involvement in Decreased Locomotor Activity of Mice Treated with $\beta$ -Erythrin from <i>Protium heptaphyllum</i> . <i>Natural Product Communications</i> , <b>2018</b> , 13, 1934578X1801300	0.9	
205	Chemical Constituents of <i>Symplocos setchuensis</i> . <b>2018</b> , 54, 1012-1014		2
204	New diterpenes from <i>Salvia pseudorosmarinus</i> and their activity as inhibitors of monoacylglycerol lipase (MAGL). <b>2018</b> , 130, 251-258		10
203	Triterpene saponins of the root bark of <i>Olax obtusifolia</i> De Wild. <i>Phytochemistry Letters</i> , <b>2018</b> , 28, 174-178		2
202	Nuclear Factor Erythroid 2-Related Factor 2 Activating Triterpenoid Saponins from <i>Camellia japonica</i> Roots. <b>2018</b> , 81, 2399-2409		5
201	Coumarinolignoids and Taraxerane Triterpenoids from <i>Sapium discolor</i> and Their Inhibitory Potential on Microglial Nitric Oxide Production. <b>2018</b> , 81, 2251-2258		17
200	<i>Lantana camara</i> L. and <i>Lantana montevidensis</i> (Spreng.) Briq.. <b>2018</b> , 275-288		
199	Phytochemical and chemotaxonomic study of <i>Syringa pinnatifolia</i> Hemsl. (Oleaceae). <i>Biochemical Systematics and Ecology</i> , <b>2018</b> , 81, 58-61	1.4	8
198	Lupeol and its esters: NMR, powder XRD data and in vitro evaluation of cancer cell growth. <b>2018</b> , 53,		7
197	Two new triterpenoids from the roots of <i>Phyllanthus emblica</i> . <b>2018</b> , 130, 140-144		11
196	Arylated gymnemic acids from <i>Gymnema sylvestre</i> R.Br. as potential $\beta$ -glucosidase inhibitors. <i>Phytochemistry Letters</i> , <b>2018</b> , 25, 196-202	1.9	15
195	Isolation and Identification of Compounds from Bioactive Extracts of <i>Weber ex F. H. Wigg.</i> (Dandelion) as a Potential Source of Antibacterial Agents. <b>2018</b> , 2018, 2706417		26
194	Chemical Constituents of <i>Viburnum odoratissimum</i> and Their Cytotoxic Activities. <b>2018</b> , 54, 600-602		9
193	Triterpenoid Saponins from <i>Anemone rivularis</i> var. <i>Flore-Minore</i> and Their Anti-Proliferative Activity on HSC-T6 Cells. <i>Molecules</i> , <b>2018</b> , 23,	4.8	1
192	Two new oleanane-type saponins from <i>Elaeocarpus hainanensis</i> Oliv. growing in Vietnam. <i>Phytochemistry Letters</i> , <b>2018</b> , 27, 174-177	1.9	3
191	Bauerenol Acetate, the Pentacyclic Triterpenoid from <i>Tabernaemontana longipes</i> , is an Antitrypanosomal Agent. <i>Molecules</i> , <b>2018</b> , 23,	4.8	5

190	Phytochemical Study of the Ecuadorian Species (Benth.) Epling and High Antifungal Activity of Carnosol against. <b>2018</b> , 11,		21
189	Melantheraside AB, five original triterpenes with natural chloride or oxime group from the aerial parts of <i>Melanthera elliptica</i> O. Hoffm.. <i>Phytochemistry Letters</i> , <b>2018</b> , 26, 38-43	1.9	1
188	Phytochemical investigation of <i>Crepis incana</i> Sm. (Asteraceae) endemic to southern Greece. <i>Biochemical Systematics and Ecology</i> , <b>2018</b> , 80, 59-62	1.4	2
187	Two new indolic and quinolinic alkaloids and other secondary metabolites from <i>Mostuea thomsonii</i> (Loganiaceae). <i>Phytochemistry Letters</i> , <b>2018</b> , 26, 154-158	1.9	
186	Three new pentacyclic triterpenoids from twigs of <i>Manniophyton fulvum</i> (Euphorbiaceae). <i>Phytochemistry Letters</i> , <b>2018</b> , 27, 1-8	1.9	3
185	Isolation and structure determination of new saponins from <i>Pulsatilla cernua</i> based on an NMR-guided method and their anti-proliferative activities. <i>Phytochemistry Letters</i> , <b>2018</b> , 27, 9-14	1.9	3
184	Welwitschiilactone A, B and C, three new 30-norfriedelane triterpenes from the roots of <i>Caloncoba welwitschii</i> (Oliv.) Gilg (Achariaceae). <i>Phytochemistry Letters</i> , <b>2018</b> , 27, 15-19	1.9	5
183	Prevalence, management and ethnobotanical investigation of hypertension in two Guinean urban districts. <i>Journal of Ethnopharmacology</i> , <b>2019</b> , 231, 73-79	5	9
182	Formation of Oleanan-12-One Triterpenoid from Taraxerol Via Wagner-Meerwein/Pinacol Rearrangement. <b>2019</b> , 55, 762-764		0
181	A New Totarane Diterpenoid from the Rhizomes of <i>Isodon lophanthoides</i> . <b>2019</b> , 55, 685-688		
180	New antimicrobial triterpene glycosides from lemon balm ( <i>Melissa officinalis</i> ). <i>South African Journal of Botany</i> , <b>2019</b> , 125, 161-167	2.9	1
179	Cytotoxicity of Crude Extract and Isolated Constituents of the Bark towards Multifactorial Drug-Resistant Cancer Cells. <b>2019</b> , 2019, 8450158		8
178	Chemical Constituents of and Their Antiausterity Activity against the PANC-1 Human Pancreatic Cancer Cell Line. <b>2019</b> , 82, 3133-3139		23
177	Antibacterial and Antimycobacterial Activity of Crude Extracts, Fractions, and Isolated Compounds From Leaves of Sneezewood, <i>Ptaeroxylon obliquum</i> (Rutaceae). <i>Natural Product Communications</i> , <b>2019</b> , 14, 1934578X1987292	0.9	4
176	Seeing the Unseen of the Combination of Two Natural Resins, Frankincense and Myrrh: Changes in Chemical Constituents and Pharmacological Activities. <i>Molecules</i> , <b>2019</b> , 24,	4.8	28
175	14-Noreudesmanes and a phenylpropane heterodimer from sea buckthorn berry inhibit Herpes simplex type 2 virus replication. <b>2019</b> , 75, 1364-1370		5
174	Cytotoxicity of the crude extract and constituents of the bark of <i>Fagara tessmannii</i> towards multi-factorial drug resistant cancer cells. <i>Journal of Ethnopharmacology</i> , <b>2019</b> , 235, 28-37	5	18
173	Curcinomaroide, a Novel Limonoid From <i>Trichilia hirta</i> (Meliaceae) Complete 1H and 13C Chemical Shift Assignments. <i>Natural Product Communications</i> , <b>2019</b> , 14, 1934578X1984361	0.9	1

172	Antibacterial saponins from the leaves of <i>Polyscias fulva</i> (Araliaceae). <b>2019</b> , 18, 390-398		
171	New olean-15-ene type gymnemic acids from <i>Gymnema sylvestri</i> (Retz.) R.Br. and their antihyperglycemic activity through $\alpha$ -glucosidase inhibition. <i>Phytochemistry Letters</i> , <b>2019</b> , 32, 83-89	1.9	6
170	Antibacterial activities of triterpenoidal compounds isolated from <i>Calothamnus quadrifidus</i> leaves. <b>2019</b> , 19, 102		6
169	Nuclear magnetic resonance assignment strategy for pentacyclic triterpenes, using lup-20(29)-ene from <i>Pilotrichella flexilis</i> as model system, combining spectrally filtered proton-to-carbon schemes and DFT GIAO approach. <b>2019</b> , 62,		1
168	Chemical Constituents of <i>Artabotrys petelotii</i> . <b>2019</b> , 55, 376-378		1
167	Isolation and structure elucidation of secondary metabolites of two Greek endemic <i>Inula</i> species. Biological activities. <i>Phytochemistry Letters</i> , <b>2019</b> , 31, 155-160	1.9	4
166	Camaridin, a New Triterpenoid from Roots of <i>Lantana camara</i> . <b>2019</b> , 55, 296-299		1
165	Antibacterial and Antibiotic Modifying Potential of Crude Extracts, Fractions, and Compounds from <i>Willd.</i> against MDR Gram-Negative Bacteria. <b>2019</b> , 2019, 7507549		11
164	Chemical Constituents of the Flowers of <i>Wedelia trilobata</i> . <b>2019</b> , 55, 160-163		3
163	Two new prenylated isoflavones from <i>Deguelia costata</i> . <i>Phytochemistry Letters</i> , <b>2019</b> , 30, 181-185	1.9	3
162	In vitro and in vivo antiplasmodial activity of extracts and isolated constituents of <i>Alstonia congensis</i> root bark. <i>Journal of Ethnopharmacology</i> , <b>2019</b> , 242, 111736	5	6
161	Phytochemical Investigation of <i>Calophyllum inophyllum</i> L.. <b>2019</b> , 18, 179-182		
160	Cytotoxic Stilbenes and Canthinone Alkaloids from (Simaroubaceae). <i>Molecules</i> , <b>2019</b> , 24,	4.8	5
159	Cytotoxic and antibacterial triterpenoids from the roots of <i>Morinda officinalis</i> var. <i>officinalis</i> . <b>2019</b> , 133, 56-61		16
158	$\beta$ -Amyrin, a pentacyclic triterpenoid from <i>Protium heptaphyllum</i> suppresses adipocyte differentiation accompanied by down regulation of PPAR $\alpha$ and C/EBP $\alpha$ in 3T3-L1 cells. <b>2019</b> , 109, 1860-1866		18
157	Bioactive sterols and triterpenoids from the fruits of giant crepe-myrtle. <b>2019</b> , 130, 363-370		6
156	Phloroglucinols from the Roots of <i>Garcinia dauphinensis</i> and Their Antiproliferative and Antiplasmodial Activities. <b>2019</b> , 82, 431-439		9
155	Chemical characterisation of the constituents of <i>Eugenia protenta</i> McVaugh and leishmanicidal activity of dimethylxanthoxylin. <i>Natural Product Research</i> , <b>2019</b> , 33, 879-883	2.3	

154	Chemical and Biological insights of (A. St.-Hil.) Baill.: a source of bioactive compounds with multifunctional properties. <i>Natural Product Research</i> , <b>2019</b> , 33, 1500-1503	2.3	15
153	Antioxidant activity of and -amyrin isolated from leaves. <i>Natural Product Research</i> , <b>2020</b> , 34, 1777-1781	2.3	11
152	A new triterpenoid saponin from predicted by NMR-based mosaic method. <i>Natural Product Research</i> , <b>2020</b> , 34, 909-914	2.3	0
151	Chemical constituents from leaves and trunk bark of (Violaceae). <i>Natural Product Research</i> , <b>2020</b> , 34, 2014-2021	2.3	3
150	Chemical constituents from common vetch (L.) and their antioxidant and cytotoxic activities. <i>Natural Product Research</i> , <b>2020</b> , 34, 3205-3211	2.3	1
149	Two new steroidal saponins from. <i>Journal of Asian Natural Products Research</i> , <b>2020</b> , 22, 1006-1010	1.5	
148	Three new triterpenoids with their bioactives from the roots of. <i>Natural Product Research</i> , <b>2020</b> , 34, 2931-2937	2.3	2
147	Cerebroprotective Potential of Hesperidin Nanoparticles Against Bilateral Common Carotid Artery Occlusion Reperfusion Injury in Rats and In silico Approaches. <b>2020</b> , 37, 264-274		9
146	The anti-biofilm potential of triterpenoids isolated from <i>Sarcochlamys pulcherrima</i> (Roxb.) Gaud. <b>2020</b> , 139, 103901		3
145	Cytotoxic Constituents of the Bark of towards Multidrug-Resistant Cancer Cells. <b>2020</b> , 2020, 4314807		2
144	Semipapposides A-M, triterpenoid bidesmosides saponins from the roots of <i>Scabiosa semipapposa</i> . <i>Phytochemistry</i> , <b>2020</b> , 180, 112526	4	2
143	Sustainable Management of Invasive Pests in Africa. <i>Sustainability in Plant and Crop Protection</i> , <b>2020</b> ,	0.4	1
142	Roeperone A, a new tetraoxygenated xanthone and other compounds from the leaves of Schimp. (Hypericaceae). <i>Natural Product Research</i> , <b>2020</b> , 1-7	2.3	7
141	Identification of the anti-breast cancer targets of triterpenoids in <i>Liquidambaris Fructus</i> and the hints for its traditional applications. <i>BMC Complementary Medicine and Therapies</i> , <b>2020</b> , 20, 369	2.9	2
140	Bioguided chemical study of Hutch. (Burseraceae) for antibacterial agents and a new glucopyranoxylmethoxybenzyle. <i>Natural Product Research</i> , <b>2021</b> , 35, 5199-5208	2.3	1
139	Cytotoxic sesquiterpene lactones from <i>Campuloclinium macrocephalum</i> (=Eupatorium macrocephalum). <i>Phytochemistry</i> , <b>2020</b> , 179, 112469	4	1
138	Ursolic Acid Potentializes Conventional Therapy in Experimental Leishmaniasis. <b>2020</b> , 9,		3
137	Cytotoxic Activity of Triterpenoids from <i>Cheiloclinium cognatum</i> Branches against Chronic and Acute Leukemia Cell Lines. <b>2020</b> , 17, e2000773		5

136	Rothmanniamide and other constituents from the leaves of <i>Rothmannia hispida</i> (K.Schum.) fagerl. (Rubiaceae) and their chemophenetic significance. <i>Biochemical Systematics and Ecology</i> , <b>2020</b> , 93, 104137-4	1.4	2
135	Postprandial Hyperglycemia Lowering Effect of the Isolated Compounds from Olive Mill Wastes - An Inhibitory Activity and Kinetics Studies on $\beta$ Glucosidase and $\beta$ Amylase Enzymes. <i>ACS Omega</i> , <b>2020</b> , 5, 20070-20079	3.9	12
134	Phytochemical, metabolic profiling and antiparasitic potential from leaves (Fabaceae). <i>Natural Product Research</i> , <b>2020</b> , 1-6	2.3	2
133	Chemical constituents of the fruits of <i>Gambeya lacourtiana</i> (Sapotaceae). <i>Phytochemistry Letters</i> , <b>2020</b> , 38, 84-89	1.9	2
132	Compound isolation and biological activities of <i>Piptadeniastrum africanum</i> (hook.f.) Brennan roots. <i>Journal of Ethnopharmacology</i> , <b>2020</b> , 255, 112716	5	
131	Effect of Terpenoids and Flavonoids Isolated from Kunth on TPA-Induced Ear Edema in Mice. <i>Molecules</i> , <b>2020</b> , 25,	4.8	2
130	Dereplication of terpenes and phenolic compounds from extracts using HPLC-SPE-TT, RP-HPLC-PDA and NMR spectroscopy. <i>Natural Product Research</i> , <b>2020</b> , 1-5	2.3	1
129	Ceramides and other bioactive compounds from <i>Celtis tessmannii</i> Rendle. <b>2020</b> , 28, 100483		2
128	A new ceramide from the leaves of (Hochst. ex A.Rich.) Engl. <i>Natural Product Research</i> , <b>2020</b> , 1-8	2.3	4
127	A-type doubly linked proanthocyanidin trimer and other metabolites from <i>Canthium venosum</i> fruits, and their biological activities. <i>Phytochemistry Letters</i> , <b>2020</b> , 36, 134-138	1.9	1
126	Cytotoxic Triterpenes from <i>Streptocaulon griffithii</i> . <b>2020</b> , 56, 161-163		2
125	Chemical constituents from <i>Senefelderopsis croizatii</i> Steyerm. <i>Biochemical Systematics and Ecology</i> , <b>2020</b> , 90, 104016	1.4	2
124	Chemical Constituents of <i>Sonchus brachyotus</i> . <b>2020</b> , 56, 370-372		1
123	Triterpenoids and Steroids from <i>Premna fulva</i> . <b>2020</b> , 56, 373-375		2
122	Antioxidant Activity of some Secondary metabolites from <i>Tapinanthus bangwensis</i> (Engl., and K. Krause) [Loranthaceae] Grown in Nigeria. <b>2020</b> , 8, e00348		0
121	Oleanolic acid as a potential antidiabetic component of (Dunal) A. Rich. (Annonaceae) fruit: bioassay guided isolation and molecular docking studies. <i>Natural Product Research</i> , <b>2021</b> , 35, 788-791	2.3	5
120	Bioassay-guided isolation of antiplasmodial and antimicrobial constituents from the roots of <i>Terminalia albida</i> . <i>Journal of Ethnopharmacology</i> , <b>2021</b> , 267, 113624	5	6
119	Bioguided identification of pentacyclic triterpenoids as anti-inflammatory bioactive constituents of <i>Ocimum gratissimum</i> extract. <i>Journal of Ethnopharmacology</i> , <b>2021</b> , 268, 113637	5	7



118	Chemical constituents and cytotoxic activity of <i>Miconia burchellii</i> Triana (Melastomataceae) leaves. <i>South African Journal of Botany</i> , <b>2021</b> , 137, 345-350	2.9	1
117	Activity of <i>Ligustrum robustum</i> (Roxb.) Blume extract against the biofilm formation and exopolysaccharide synthesis of <i>Streptococcus mutans</i> . <b>2021</b> , 36, 67-79		3
116	Terminaliamide, a new ceramide and other phytoconstituents from the roots of <i>H. Perrier</i> and their biological activities. <i>Natural Product Research</i> , <b>2021</b> , 35, 1313-1322	2.3	3
115	Antiproliferative activity and chemical constituents of (Fabaceae). <i>Natural Product Research</i> , <b>2021</b> , 35, 2056-2059	2.3	3
114	Flavonoids, antioxidant potential and antimicrobial activity of mcvaugh leaves (myrtaceae). <i>Natural Product Research</i> , <b>2021</b> , 35, 1717-1721	2.3	3
113	Chemical Constituents and Biological Activities of the Aerial Parts of <i>Cyperus rotundus</i> (Cypereaceae). <b>2021</b> , 33, 1935-1940		
112	Sterols and Triterpenes from Growing in Saudi Arabia and Their Cytotoxic Activity. <b>2021</b> , 10,		2
111	Chemical composition, antimycobacterial and anti-inflammatory activities of iridoids and triterpene from <i>Psychotria suterella</i> (Rubiaceae). <i>Pharmacognosy Magazine</i> , <b>2021</b> , 17, 355	0.8	
110	β-Amyrin prevents steatosis and insulin resistance in a high-fat diet-induced mouse model of NAFLD via the AMPK-mTORC1-SREBP1 signaling mechanism. <b>2021</b> , 54, e11391		3
109	A new tropane alkaloid and other metabolites from <i>Erythroxyllum macrocalyx</i> (Erythroxyllaceae) and their antiproliferative activities. <i>Phytochemistry Letters</i> , <b>2021</b> , 41, 168-174	1.9	1
108	Preparation of a functional yogurt with <i>Ligustrum robustum</i> (Roxb.) Blume and its action mechanism. <b>2021</b> , 86, 1114-1123		1
107	Incorporating Benchtop NMR Spectrometers in the Undergraduate Lab: Understanding Resolution and Circumventing Second-Order Effects. <b>2021</b> , 98, 1227-1232		1
106	Related Pentacyclic Triterpenes Have Immunomodulatory Activity in Chronic Experimental Visceral Leishmaniasis. <b>2021</b> , 2021, 6671287		3
105	Chemical constituents and their biological activities from the mushroom <i>Pyropolyporus fomentarius</i> . <i>Phytochemistry</i> , <b>2021</b> , 183, 112625	4	3
104	Manniosides B-F, five new triterpenoid saponins from the leaves of <i>Schefflera mannii</i> (Hook.f.) Harms. <i>Carbohydrate Research</i> , <b>2021</b> , 502, 108279	2.9	0
103	Antiophidic activity of the secondary metabolite lupeol isolated from <i>Zanthoxylum monogynum</i> . <b>2021</b> , 193, 38-47		4
102	Two new friedelane lactones from the roots of <i>Caloncoba glauca</i> (Flacourtiaceae) and evaluation of their cardiotoxic activity on isolated frog heart. <i>Phytochemistry Letters</i> , <b>2021</b> , 42, 27-35	1.9	
101	Two new triterpenoid saponins: telephiifoliosides A and B from the roots of subsp. (Pourr.) Briq. <i>Natural Product Research</i> , <b>2021</b> , 1-8	2.3	



100	Bioactivity of fractions and constituents of Piper capense fruits towards a broad panel of cancer cells. <i>Journal of Ethnopharmacology</i> , <b>2021</b> , 271, 113884	5	4
99	An Efflux Pumps Inhibitor Significantly Improved the Antibacterial Activity of Botanicals from towards MDR Phenotypes. <b>2021</b> , 2021, 5597524		5
98	A new oleanane-skeleton triterpene isolated from. <i>Natural Product Research</i> , <b>2021</b> , 1-7	2.3	2
97	Antiplasmodial and antileishmanial inhibitory activity of triterpenes and steroidal alkaloid from the leaves of Funtumia elastica (Preuss) Stapf (Apocynaceae). <b>2021</b> , 151, 104869		2
96	Antibacterial activity of some chemical constituents from Trichilia prieuriana (Meliaceae). <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , <b>2021</b> , 76, 439-446	1	
95	Anthelmintic flavonoids and other compounds from Combretum glutinosum Perr. ex DC (Combretaceae) leaves. <b>2021</b> , 77, 505-512		4
94	Prenylated Acylphloroglucinols from Hypericum jovis with Anti-inflammatory Potential. <i>Planta Medica</i> , <b>2021</b> , 87, 1184-1191	3.1	0
93	Antibacterial constituents from the roots, stem bark and leaves of Manilkara obovata (Sabine & G. Don) J. H. Hemsl. (Sapotaceae). <i>Phytochemistry Letters</i> , <b>2021</b> , 44, 55-61	1.9	1
92	Antiproliferative activity on (Y strain) of the triterpene 3β,16β-Erihidroxilup-20 (29)-ene isolated from. <i>Journal of Biomolecular Structure and Dynamics</i> , <b>2021</b> , 1-14	3.6	0
91	Biological Insights and NMR Metabolic Profiling of Different Extracts of Spermacoce verticillata (L.) G. Mey. <b>2021</b> , 18, e2100371		0
90	Fruits of sweet: toxicity profile, anti-inflammatory and antioxidant activities, and quantification of one of its bioactive constituents oleanolic acid. <b>2021</b> , 7, e07910		2
89	and evaluation of efflux pumps inhibition of Phomyrin. <i>Journal of Biomolecular Structure and Dynamics</i> , <b>2021</b> , 1-15	3.6	0
88	The chemistry of (Less.) H. Rob. flowers and its antimicrobial activities. <i>Natural Product Research</i> , <b>2021</b> , 1-6	2.3	1
87	Three new 30-norfriedelane and a new friedelane triterpenes from the trunk bark of (Oliv.) Gilg (Achariaceae). <i>Natural Product Research</i> , <b>2021</b> , 1-10	2.3	0
86	An in-depth look into a well-known herbal drug: Fingerprinting, isolation, identification, and content estimation of saponins in different Strophanthus seeds. <i>Planta Medica</i> , <b>2021</b> ,	3.1	
85	An Eosphoradiol Glycoside from the Root Wood of Erythrina senegalensis DC. (Fabaceae) with EAmylase and EGlucosidase Inhibitory Potential. <i>Natural Product Communications</i> , <b>2021</b> , 16, 1934578X2110445	0.9	0
84	Chemical constituents of Mussaenda erythrophylla Schumach. & Thonn. (Rubiaceae) and their chemophenetic significance. <i>Biochemical Systematics and Ecology</i> , <b>2021</b> , 98, 104329	1.4	2
83	Antibacterial and antitumoral properties of 1,2,3-triazolo fused triterpenes and their mechanism of inhibiting the proliferation of HL-60 cells. <i>European Journal of Medicinal Chemistry</i> , <b>2021</b> , 224, 113727	6.8	2

82	Extraction, isolation and structural characterization of two triterpenoid glycosides from the fruits of <i>Ficus bengalensis</i> . <i>Carbohydrate Research</i> , <b>2021</b> , 510, 108444	2.9	1
81	Fruits of <i>Vitex Doniana</i> Sweet: Toxicity Profile, Anti-Inflammatory and Antioxidant Activities, and Quantification of One of its Bioactive Constituents Oleanolic Acid. <i>SSRN Electronic Journal</i> ,	1	
80	extract down-regulates protein tyrosine phosphatase 1B expression in a rat model of type 2 diabetes mellitus: a new insight into its antidiabetic mechanism. <i>Journal of Nutritional Science</i> , <b>2020</b> , 9, e2	2.7	10
79	Anticancer and antimicrobial activities of some antioxidant-rich cameronian medicinal plants. <i>PLoS ONE</i> , <b>2013</b> , 8, e55880	3.7	41
78	Triterpenos das folhas de <i>Minquartia guianensis</i> Aubl. (Olacaceae). <i>Acta Amazonica</i> , <b>2009</b> , 39, 181-185	0.8	7
77	A New Triterpenoid Saponin from <i>Psammosilene tuni-coides</i> . <i>Chinese Journal of Natural Medicines</i> , <b>2009</b> , 7, 101-104	2.8	5
76	Undulaterpene A: A new triterpene fatty acid ester from <i>pulicaria undulata</i> . <i>Pharmacognosy Magazine</i> , <b>2019</b> , 15, 671	0.8	6
75	Novel phytocompounds from <i>vernonia amygdalina</i> with antimalarial potentials. <i>Pharmacognosy Research (discontinued)</i> , <b>2020</b> , 12, 53	0.7	4
74	&lt;i>Ximenia americana&/i>: Chemical and Spectral Studies of Extracts of Seeds. Analysis of Trimethylsilyl Derivatives by Gas Chromatography and Mass Spectrometry. <i>American Journal of Analytical Chemistry</i> , <b>2016</b> , 07, 192-202	0.7	3
73	The Components of <i>Cacalia tangutica</i> . <i>Bulletin of the Korean Chemical Society</i> , <b>2004</b> , 25, 1078-1080	1.2	14
72	A New Chemical Constituent from the Hairy Root Cultures of <i>Catharanthus roseus</i> . <i>Bulletin of the Korean Chemical Society</i> , <b>2007</b> , 28, 229-234	1.2	12
71	Triterpenoid Saponins from <i>Elsholtzia bodinieri</i> . <i>Bulletin of the Korean Chemical Society</i> , <b>2007</b> , 28, 1519-1522		8
70	Effect of C-3 Modification of Oleanolic Acid on <i>Candida</i> spp., <i>Trichophyton tonsurans</i> and <i>Microsporum canis</i> Inhibition. <i>Pharmacologia</i> , <b>2012</b> , 3, 313-324		1
69	Antinociceptive Pentacyclic Triterpenoids from the Cameroonian Brown Propolis. <i>Pharmacologia</i> , <b>2013</b> , 4, 218-227		5
68	Antioxidant Activities and Chemical Constituents of Extracts from <i>Cordyline fruticosa</i> (L.) A. Chev. (Agavaceae) and <i>Eriobotrya japonica</i> (Thunb) Lindl, (Rosaceae). <i>Pharmacologia</i> , <b>2016</b> , 7, 103-113		7
67	One new constituent from the stem bark of <i>De Wild.</i> (sapotaceae). <i>Natural Product Research</i> , <b>2021</b> , 1-7	2.3	1
66	Antibacterial and antioxidant activities of compounds isolated from the leaves of <i>Symphonia globulifera</i> (Clusiaceae) and their chemophenetic significance. <i>Biochemical Systematics and Ecology</i> , <b>2021</b> , 99, 104345	1.4	2
65	Inhibitory Effects of Leaves of <i>Guava</i> ( <i>Psidium guajava</i> ) on TPAInduced Inflammation and Tumor Promotion in Two-Stage Carcinogenesis in Mouse Skin. <i>Journal of Pharmacy and Nutrition Sciences (discontinued)</i> , <b>2016</b> , 5, 216-221	0.3	1

64	New triterpenic compounds from <i>Swertia chirata</i> . <i>Ancient Science of Life: Journal of International Institute of Ayurveda</i> , <b>2017</b> , 37, 273	0	0
63	The Cytotoxicity of Mimosops Caffra-Derived Ursolic Acid and Its Three Triterpenoid Semi-synthesized Derivatives on HEK293 and HepG2 Cells. <b>2019</b> , 97-110		
62	Triterpene glycosides from <i>Silene odontopetala</i> . <i>Phytochemistry</i> , <b>2020</b> , 176, 112404	4	0
61	PHYTOCHEMICAL INVESTIGATIONS OF THE LEAVES AND FLOWERS OF HIBISCUS ROSA-SINENSIS L.. <i>Indian Drugs</i> , <b>2017</b> , 54, 30-37	0.2	2
60	Bioassay-Guided Isolation of Active Phytochemicals Against <i>Tuta absoluta</i> (Meyrick) from <i>Turraea floribunda</i> and <i>Caesalpinia welwitschiana</i> . <i>Sustainability in Plant and Crop Protection</i> , <b>2020</b> , 11-29	0.4	
59	A pentacyclic triterpene from <i>Lippia organoides</i> H.B.K and its cytotoxic activity. <i>Pharmacognosy Magazine</i> , <b>2020</b> , 16, 513	0.8	
58	Antileishmanial, antibacterial and cytotoxicity activity of the extracts, fractions, and compounds from the fruits and stem bark extracts of <i>Pentadesma butyracea</i> Sabine. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , <b>2021</b> ,	1	1
57	A new antimicrobial nor-friedelane-type triterpenoid and other constituents from <i>Hook. f.</i> (Lamiaceae). <i>Natural Product Research</i> , <b>2021</b> , 1-10	2.3	2
56	Chemical Constituents of <i>Salvia frigida</i> Boiss. <b>2009</b> , 347-352		
55	3-O-Acyl Triterpenoids and Antileishmanial Effect of the Ethanolic Extract from <i>Mimosa caesalpiniiifolia</i> Inflorescences. <i>Current Bioactive Compounds</i> , <b>2020</b> , 16, 1225-1230	0.9	
54	Furanocoumarins from the twigs of <i>Ficus chlamydocarpa</i> (Moraceae). <i>Phytochemistry Letters</i> , <b>2022</b> , 47, 38-41	1.9	0
53	Æmyrin and Æmyrin Isolated from Leaves and Their Antioxidant, Anti-Xanthine Oxidase, and Anti-Tyrosinase Potentials. <i>Molecules</i> , <b>2021</b> , 26,	4.8	0
52	Mimonoside D: a new triterpenoid saponin from <i>Sauvalle</i> (Fabaceae). <i>Natural Product Research</i> , <b>2021</b> , 1-9	2.3	
51	New Polyesterified Ursane Derivatives from Leaves of and Their Cytotoxic Activity. <i>Molecules</i> , <b>2021</b> , 26,	4.8	0
50	Three new D:A Friedo-oleanane triterpenes from the stem bark of <i>Anacolosa poilanei</i> and their cytotoxic activities. <i>Phytochemistry Letters</i> , <b>2022</b> , 47, 125-129	1.9	0
49	Pentacyclic Triterpenoids Isolated from Celastraceae: A Focus in the C-NMR Data.. <i>Molecules</i> , <b>2022</b> , 27,	4.8	
48	Phytochemical investigation of <i>Euphorbia trigona</i> . <i>Journal of the Indian Chemical Society</i> , <b>2022</b> , 99, 100253		
47	Selective tumor cell growth inhibition by lignans and a -triterpenoid from .. <i>Natural Product Research</i> , <b>2022</b> , 1-8	2.3	

46	Minor terpenoids from the stems and twigs of .. <i>Journal of Asian Natural Products Research</i> , <b>2022</b> , 1-12	1.5	
45	Pharmacological potential of the triterpene 3 $\beta$ ,16 $\beta$ -trihydroxilup-20 (29)-ene isolated from <i>Combretum leprosum</i> : A literature review.. <i>Fundamental and Clinical Pharmacology</i> , <b>2022</b> ,	3.1	1
44	Phytochemical analysis of the stems of <i>Angylocalyx oligophyllus</i> (Baker) Baker f. (Fabaceae). <i>Biochemical Systematics and Ecology</i> , <b>2022</b> , 101, 104382	1.4	0
43	Anti-Toxoplasma gondii effect of lupane-type triterpenes from the bark of black alder ( <i>Alnus glutinosa</i> ) and identification of a potential target by reverse docking.. <i>Parasite</i> , <b>2022</b> , 29, 7	3	0
42	Recurvataside, a new saponin from aerial parts of .. <i>Natural Product Research</i> , <b>2022</b> , 1-8	2.3	2
41	Abubidentin A, New Oleanane-type Triterpene Ester from and its antioxidant, cholinesterase and antimicrobial activities.. <i>PeerJ</i> , <b>2022</b> , 10, e13040	3.1	
40	Pentacyclic Triterpenoids from Dunn and Their -Glycosidase Inhibitory Activities.. <i>Molecules</i> , <b>2022</b> , 27,	4.8	
39	Antioxidant activity of the bioactive compounds from the edible fruits and leaves of <i>Ficus sur</i> Forssk. (Moraceae). <i>South African Journal of Science</i> , <b>2022</b> , 118,	1.3	0
38	Two new saponins from <i>Paronychia capitata</i> . <i>Phytochemistry Letters</i> , <b>2022</b> , 49, 152-156	1.9	
37	Validation of the potential anti-inflammatory activity of <i>Plumbago auriculata</i> Lam. <i>South African Journal of Botany</i> , <b>2022</b> , 147, 467-471	2.9	
36	Two new triterpenes from ( <i>A. Rich.</i> ) Standl. aerial parts exudate.. <i>Natural Product Research</i> , <b>2022</b> , 1-9	2.3	1
35	Bioprospection for new larvicides against <i>Aedes aegypti</i> based on ethnoknowledge from the Amazonian Sã Sebastião de Marina riverside community.. <i>Journal of Ethnopharmacology</i> , <b>2022</b> , 293, 115284	5	0
34	Antibacterial effects of a new triterpenoid saponin from roots of <i>Gardenia ternifolia</i> Schumach. & Thonn (Rubiaceae). <i>Results in Chemistry</i> , <b>2022</b> , 100366	2.1	
33	A Network Pharmacology Analysis of Cytotoxic Triterpenes Isolated from <i>Euphorbia abyssinica</i> Latex Supported by Drug-likeness and ADMET Studies. <i>ACS Omega</i> ,	3.9	0
32	Naturally occurring dimeric triterpenoids: Occurrence, chemistry and bioactivities. <i>Phytochemistry</i> , <b>2022</b> , 113242	4	2
31	Ent-abietane diterpenoid lactone glycosides and a phenolic glycoside from <i>Phlogacanthus pulcherrimus</i> T. Anderson with cytotoxic and cancer chemopreventive activities. <i>Phytochemistry</i> , <b>2022</b> , 201, 113261	4	
30	In vitro and in silico studies of SARS-CoV-2 main protease Mpro inhibitors isolated from <i>Helichrysum bracteatum</i> . <i>RSC Advances</i> , <b>2022</b> , 12, 18412-18424	3.7	0
29	Isolation, characterization and biological activities of betulin from <i>Acacia nilotica</i> bark. <i>Scientific Reports</i> , <b>2022</b> , 12,	4.9	1

28	Safety evaluation and bioassay-guided isolation of antimycobacterial compounds from <i>Morella salicifolia</i> root ethanolic extract. <i>Journal of Ethnopharmacology</i> , <b>2022</b> , 296, 115501	5	0
27	<i>Cecropia pachystachya</i> Trñul: identification, isolation of secondary metabolites, in silico study of toxicological evaluation and interaction with the enzymes 5-LOX and H1-antitrypsin. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 1-23	3.2	1
26	Constituents of <i>Desmodium salicifolium</i> (Poir.) DC (Fabaceae) with antifungal activity. <i>Phytochemistry Letters</i> , <b>2022</b> , 50, 100-105	1.9	1
25	Antibacterial and antibiotic-potential activity of the constituents from aerial part of <i>Donella welwitshii</i> (Sapotaceae) against multidrug resistant phenotypes. <i>BMC Complementary Medicine and Therapies</i> , <b>2022</b> , 22,	2.9	0
24	Antiplasmodial and cytotoxic activity of lanostane type triterpenoids isolated from <i>Leplaea mayombensis</i> . <i>Phytochemistry Letters</i> , <b>2022</b> , 51, 50-56	1.9	
23	Ursane and 24-Noroleanane-Type Triterpenoids with Anti-HIV Activity from the Twigs and Leaves of <i>Antirhea chinensis</i> .		0
22	New triterpenoid saponins from <i>Clematis lasiandra</i> and their mode of action against pea aphids <i>Acyrtosiphon pisum</i> . <b>2022</b> , 187, 115517		0
21	Chemical constituents and cytotoxic activity of <i>Ocimum gratissimum</i> L.. <b>2022</b> , 150, 330-333		0
20	Chemical constituents of <i>Impatiens parvisepala</i> and their Hglucosidase inhibition activity. 1-6		0
19	A new flavonol derivative and other compounds from the leaves of <i>Bauhinia thonningii</i> Schum with activity against multidrug-resistant bacteria. 1-9		0
18	Phytochemical, Antiplasmodial, and Cytotoxic Investigation of <i>Euclea natalensis</i> A.DC. subsp. <i>natalensis</i> Leaves.		0
17	Echinocystic Acid Bidesmoside Saponins from <i>Microglossa afzelii</i> O. Hoffm and Their Cytotoxic Activity against the CAL-27 Oral Squamous Carcinoma Cell Line. <b>2022</b> , 12, 1018		0
16	A novel pentacyclic triterpene acid from the stem barks of <i>Combretum fragrans</i> F. Hoffm (Combretaceae). 1-8		0
15	Secondary metabolites of the leaves of <i>Tricalysia atherura</i> N. Hall (Rubiaceae) and their potential antiplasmodial activity. 1-11		0
14	Phytochemical study and immunomodulatory activity of <i>Fraxinus excelsior</i> L..		0
13	A new oleanane-type triterpenoid saponin with Hglucosidase inhibitory activity from <i>Camellia nitidissima</i> . 1-9		1
12	In-vitro cell migration enhancing and pro-angiogenic active secondary metabolites from <i>Jeffreyia zeylanica</i> (L.) H. Rob., S.C. Keeley & Skvarla (Asteraceae). 1-5		1
11	Phytochemical Investigation, Antiulcer, Cyclooxygenase-2, and 15-Lipoxygenase Inhibitory Activities of <i>Echinops erinaceus</i> Kit Tan. <b>2023</b> , 10, 76		0

- 10 Chemical Profile of Essential Oil, Extracts and Fractions of *Eugenia pyriformis* Cambess. and its Antioxidant, Cytotoxic and Allelopathic Activities. 66, ○
- 9 Antifungal and antiparasitic activity of *Wunderlichia azulensis* (Asteraceae) roots. 1-12 ○
- 8 Antiplasmodial compounds from *Urera gravenreuthii* (Urticaceae), their structure-activity relationship and chemotaxonomic significance. **2023**, 157, 201-208 ○
- 7 Three new pentacyclic triterpenes isolated from *Strychnos henningsii* Gilg. and their cytotoxic evaluation. 1-9 ○
- 6 Constituents of the Stem Bark of *Trichilia monadelpha* (Thonn.) J. J. De Wilde (Meliaceae) and Their Antibacterial and Antiplasmodial Activities. **2023**, 13, 298 ○
- 5 Bioguided Fractionation and Isolation of an Antiplasmodial Saponin from the Roots of *Nauclea xanthoxylon* (A.Chev.) Aubr. (Rubiaceae). ○
- 4 Reassignment of NMR spectroscopic data of oleana-9(11),12-diene-3βl isolated from *Jeffreyia zeylanica* and its wound healing potential in terms of cell migration and proangiogenic activity. 1-8 ○
- 3 Triterpenoids of antibacterial extracts from the leaves of *Bersama abyssinica* Fresen (Francoaceae). **2023**, ○
- 2 Cadabatone, a New Sesquiterpene Lactone from *Cadaba fruticosa*. ○
- 1 A New Unsaturated Aliphatic Anhydride from *Aspergillus candidus* T1219W1, an Endophytic Fungus, from *Pittosporum mannii* Hook f.. **2023**, 2023, 1-8 ○