

CITATION REPORT

List of articles citing

Generation of microcellular polymeric foams using supercritical carbon dioxide. I: Effect of pressure and temperature on nucleation

DOI: 10.1002/pen.760341407

Polymer Engineering and Science, 1994, 34, 1137-1147.

Source: <https://exaly.com/paper-pdf/25004761/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
444	Novel Method of Fabricating Free-Standing and Nitrogen-Doped 3D Hierarchically Porous Carbon Monoliths as Anodes for High-Performance Sodium-Ion Batteries by Supercritical CO ₂ Foaming.		
443	Effect of Surfactants on the Interfacial Tension between Supercritical Carbon Dioxide and Polyethylene Glycol. 1996 , 12, 2637-2644		74
442	Characterization of Microcellular Foamed PVC/Cellulosic-Fibre Composites. 1996 , 32, 449-469		71
441	Partition Coefficients and Polymer-Solute Interaction Parameters by Inverse Supercritical Fluid Chromatography. 1996 , 35, 1115-1123		51
440	Chemically induced phase separation: a new technique for the synthesis of macroporous epoxy networks. <i>Polymer</i> , 1996 , 37, 5715-5725	3.9	57
439	Generation of microcellular polyurethane foams via polymerization in carbon dioxide. II: Foam formation and characterization. <i>Polymer Engineering and Science</i> , 1996 , 36, 2417-2431	2.3	42
438	Effect of the crystallinity and morphology on the microcellular foam structure of semicrystalline polymers. <i>Polymer Engineering and Science</i> , 1996 , 36, 2645-2662	2.3	228
437	Processing and cell morphology relationships for microcellular foamed PVC/wood-fiber composites. <i>Polymer Engineering and Science</i> , 1997 , 37, 1137-1147	2.3	166
436	Kinetics of pressure-induced phase separation (PIPS) from polymer solutions by time-resolved light scattering. Polyethylene + n-pentane. <i>Polymer</i> , 1998 , 39, 2903-2915	3.9	21
435	Compressive behavior of microcellular polystyrene foams processed in supercritical carbon dioxide. <i>Polymer Engineering and Science</i> , 1998 , 38, 2055-2062	2.3	76
434	Ab Initio Calculations on CO ₂ Binding to Carbonyl Groups. 1998 , 102, 7860-7863		132
433	Preparation and Characterization of Microcellular Polystyrene Foams Processed in Supercritical Carbon Dioxide. 1998 , 31, 4614-4620		314
432	Thermodynamic Aspects of Supercritical Fluids Processing: Applications of Polymers and Wastes Treatment. 1998 , 53, 71-98		27
431	Macroporous Thermosets by Chemically Induced Phase Separation. 1999 , 161-247		25
430	Some thermodynamic and kinetic properties of the system PETG-CO ₂ , and morphological characteristics of the CO ₂ -blown PETG foams. <i>Polymer Engineering and Science</i> , 1999 , 39, 55-61	2.3	34
429	The Gelation of CO ₂ : A Sustainable Route to the Creation of Microcellular Materials. 1999 , 286, 1540-1543		186
428	Synthesis, Characterization, and Expansion of Poly(tetrafluoroethylene-co-hexafluoropropylene)/Polystyrene Blends Processed in Supercritical Carbon Dioxide. 1999 , 32, 2562-2568		53

427	Structural properties of protein-stabilized starch-based supercritical fluid extrudates. 1999 , 32, 107-118		77
426	Carbon Dioxide-Induced Swelling of Poly(dimethylsiloxane). 1999 , 32, 8965-8973		95
425	Expansion of Polystyrene Using Supercritical Carbon Dioxide: Effects of Molecular Weight, Polydispersity, and Low Molecular Weight Components. 1999 , 32, 7610-7616		128
424	Preparation and morphology characterization of microcellular styrene-co-acrylonitrile (SAN) foam processed in supercritical CO ₂ . 2000 , 49, 712-718		17
423	A new technique for measuring retrograde vitrification in polymer-gas systems and for making ultramicrocellular foams from the retrograde phase. 2000 , 38, 716-725		91
422	Morphologies of blends of isotactic polypropylene and ethylene copolymer by rapid expansion of supercritical solution and isobaric crystallization from supercritical solution. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 1478-1487	2.9	10
421	Production of polystyrene microcellular foam plastics and a comparison of late- and quick-heating. <i>Journal of Applied Polymer Science</i> , 2000 , 77, 2383-2395	2.9	25
420	Microencapsulation of proteins by rapid expansion of supercritical solution with a nonsolvent. 2000 , 46, 857-865		143
419	On the growth of a non-ideal gas bubble in a solvent-polymer solution. <i>Polymer Engineering and Science</i> , 2000 , 40, 1350-1359	2.3	7
418	Polystyrene microcellular plastic generation by quick-heating process at high temperature. <i>Polymer Engineering and Science</i> , 2000 , 40, 1510-1521	2.3	19
417	Microcellular Polymeric Foams (MPFs) Generated Continuously in Supercritical Carbon Dioxide. 2000 , 629, 1		3
416	Production of Engineering Plastics Foams by Supercritical CO ₂ . 2000 , 39, 4622-4626		50
415	CO ₂ -Induced Stereocomplex Formation of Stereoregular Poly(methyl methacrylate) and Microcellular Foams. 2000 , 33, 6757-6763		49
414	Microcellular Foaming of Amorphous High-Tg Polymers Using Carbon Dioxide. 2001 , 34, 874-884		165
413	Solubilities of Azobenzene, p-Hydroxyazobenzene, and p-Dimethylaminoazobenzene in Supercritical Carbon Dioxide. 2001 , 46, 647-650		35
412	Environmentally benign formation of polymeric microspheres by rapid expansion of supercritical carbon dioxide solution with a nonsolvent. 2001 , 35, 4149-55		42
411	Bicontinuous Nanoporous Polymers by Carbon Dioxide Foaming. 2001 , 34, 8792-8801		147
410	Generation of microcellular poly(methyl methacrylate) by compressed gases. 2001 , 20, 467-475		3

409	Processing of Polyamide 11 with Supercritical Carbon Dioxide. 2001 , 40, 5570-5577		24
408	Novel open-cellular polysulfone morphologies produced with trace concentrations of solvents as pore opener. 2001 , 187, 181-192		49
407	Formation of porous flat membrane by phase separation with supercritical CO ₂ . 2001 , 194, 157-163		89
406	Simultaneous measurement of the solubility of nitrogen and carbon dioxide in polystyrene and of the associated polymer swelling. 2001 , 39, 2063-2070		70
405	Dyeing Cellulose Fibers with Reactive Disperse Dyes in Supercritical Carbon Dioxide. 2002 , 72, 240-244		21
404	Reduction of Residual Monomer in Latex Products by Enhanced Polymerization and Extraction in Supercritical Carbon Dioxide. 2002 , 41, 2617-2622		11
403	Composites Prepared by the Polymerization of Styrene within Supercritical CO ₂ -Swollen Polypropylene. 2002 , 14, 4619-4623		34
402	Chemical reaction in binary mixtures near the critical region: thermal decomposition of 2,2'-azobis(isobutyronitrile) in CO ₂ /ethanol. 2002 , 8, 5593-600		21
401	Preparation, characterization, and mechanical properties of some microcellular polysulfone foams. <i>Journal of Applied Polymer Science</i> , 2002 , 86, 1692-1701	2.9	73
400	Drug-releasing scaffolds fabricated from drug-loaded microspheres. 2002 , 59, 349-56		65
399	Effect of organic solvents on membrane formation by phase separation with supercritical CO ₂ . 2002 , 204, 81-87		64
398	Measurement and correlation of solubilities of azo dyes and anthraquinone in supercritical carbon dioxide. 2002 , 194-197, 895-904		43
397	Continuous microcellular polystyrene foam extrusion with supercritical CO ₂ . <i>Polymer Engineering and Science</i> , 2002 , 42, 2094-2106	2.3	102
396	The relationship between gas absorption and the glass transition temperature in a batch microcellular foaming process. 2002 , 21, 269-275		33
395	Effect of supercritical CO ₂ on phase structure of PEO/PVAc blends evaluated from SAXS absolute intensity measurement. <i>Polymer</i> , 2002 , 43, 3691-3698	3.9	26
394	Microcellular foams from polyethersulfone and polyphenylsulfone. 2002 , 38, 2373-2381		87
393	Controllable delivery of non-viral DNA from porous scaffolds. 2003 , 86, 157-68		132
392	Formation of microcapsules of medicines by the rapid expansion of a supercritical solution with a nonsolvent. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 742-752	2.9	59

391	Preparation and characterization of microcellular polystyrene/polystyrene ionomer blends with supercritical carbon dioxide. 2003 , 41, 368-377		24
390	Raman spectroscopic investigation of the phase behavior and phase transitions in a poly(methyl methacrylate)-carbon dioxide system. 2003 , 41, 2214-2217		5
389	Effect of process conditions on the weld-line strength and microstructure of microcellular injection molded parts. <i>Polymer Engineering and Science</i> , 2003 , 43, 157-168	2.3	42
388	Effect of die temperature on the morphology of microcellular foams. <i>Polymer Engineering and Science</i> , 2003 , 43, 1206-1220	2.3	54
387	Extrusion of polystyrene nanocomposite foams with supercritical CO ₂ . <i>Polymer Engineering and Science</i> , 2003 , 43, 1261-1275	2.3	196
386	Visual Observations of Batch and Continuous Foaming Processes. 2003 , 39, 155-169		73
385	A Review of CO ₂ Applications in the Processing of Polymers. 2003 , 42, 6431-6456		567
384	Quantifying Plasticization and Melting Behavior of Poly(vinylidene fluoride) in Supercritical CO ₂ Utilizing a Linear Variable Differential Transformer. 2003 , 36, 3380-3385		38
383	Microcellular Foaming with Supercritical CO ₂ in Injection Moulding. 2004 , 23, 25-38		4
382	Porous Polystyrene Foam Produced at Supercritical Conditions. 2004 , 40, 421-429		5
381	Processing of microcellular nanocomposite foams by using a supercritical fluid. 2004 , 5, 160-169		23
380	Effect of supercritical CO ₂ on morphology of compatible crystalline/amorphous PEO/PMMA blends. 2004 , 28, 101-112		28
379	Bubble nucleation and growth in polymer solutions. <i>Polymer Engineering and Science</i> , 2004 , 44, 1890-1899	3	34
378	Rheological properties of injection molded LDPE and mPE foams. <i>Polymer Engineering and Science</i> , 2004 , 44, 2158-2164	2.3	19
377	Conformational changes of poly(ethylene oxide) in poly(ethylene oxide)/poly(methyl methacrylate) blends by supercritical carbon dioxide. 2004 , 42, 2479-2489		19
376	Investigation on the cell nucleation and cell growth in microcellular foaming by means of temperature quenching. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 163-171	2.9	22
375	Microcellular thin PET sheet foam preparation by compression molding. <i>Journal of Applied Polymer Science</i> , 2004 , 93, 1698-1704	2.9	17
374	Generation of microcellular biodegradable polycaprolactone foams in supercritical carbon dioxide. <i>Journal of Applied Polymer Science</i> , 2004 , 94, 593-597	2.9	69

373	Application of supercritical carbon dioxide in the preparation of biodegradable polylactide membranes. <i>Journal of Applied Polymer Science</i> , 2004 , 94, 2158-2163	2.9	28
372	Tunable Microcellular Morphologies from Poly(ferrocenylsilane) Ceramic Precursors Foamed in Supercritical CO ₂ . 2004 , 205, 2398-2408		10
371	Foam processing of poly(ethylene-co-vinyl acetate) rubber using supercritical carbon dioxide. <i>Polymer</i> , 2004 , 45, 7539-7547	3.9	71
370	Formation of dispersed nanostructures from poly(ferrocenyldimethylsilane-b-dimethylsiloxane) nanotubes upon exposure to supercritical carbon dioxide. 2004 , 20, 9304-14		25
369	In-Situ Investigation of Liquid-Liquid Phase Separation in Polycarbonate/Carbon Dioxide System. 2004 , 37, 7358-7363		17
368	A Study of Strain-Induced Nucleation in Thermoplastic Foam Extrusion. 2004 , 40, 27-44		22
367	One-Bath Dyeing of Polyester/Cotton Blends with Reactive Disperse Dyes in Supercritical Carbon Dioxide. 2004 , 74, 989-994		24
366	Supercritical CO ₂ Processed Polystyrene Nanocomposite Foams. 2004 , 40, 229-241		49
365	Supercritical fluid technologies and tissue engineering scaffolds. 2004 , 8, 313-321		173
364	Phase separation kinetics in compressible polymer solutions: computer simulation of the early stages. 2004 , 6, 7-7		23
363	Microcellular foams from some high-performance composites. <i>Polymer</i> , 2005 , 46, 6623-6632	3.9	23
362	Morphological changes of polycaprolactone with high-pressure CO ₂ treatment. 2005 , 33, 183-192		64
361	Effect of different experimental conditions on biodegradable polylactide membranes prepared with supercritical CO ₂ as nonsolvent. <i>Journal of Applied Polymer Science</i> , 2005 , 98, 831-837	2.9	31
360	Supercritical CO ₂ -assisted synthesis of poly(acrylic acid)/Antheraea pernyi SF blend. <i>Journal of Applied Polymer Science</i> , 2005 , 98, 864-868	2.9	7
359	High damping property of microcellular polymer prepared by friendly environmental approach. 2005 , 33, 259-267		37
358	Nucleation of Gas Bubbles in Extrusion Foaming of High-Pressure Polyethylene. 2005 , 39, 643-652		6
357	Modeling nanoporosity development in polymer films for low-k applications. <i>Polymer Engineering and Science</i> , 2005 , 45, 640-651	2.3	3
356	Effects of nano- and micro-fillers and processing parameters on injection-molded microcellular composites. <i>Polymer Engineering and Science</i> , 2005 , 45, 773-788	2.3	62

355	Correlation of Decompression Time and Foaming Temperature on the Cell Density of Foamed Polystyrene. 2005 , 24, 15-27	10
354	The Effect of Clay Content on PMMA-Clay Nanocomposite Foams. 2005 , 24, 49-70	14
353	New developments in the synthesis of aliphatic polyesters by ring-opening polymerisation. 2005 , 77-106	6
352	Generation of biodegradable polycaprolactone foams in supercritical carbon dioxide. 2005 , 474-493	3
351	Heterogeneous Nucleation in Foams as Assessed by In-line Ultrasonic Measurements. 2005 , 41, 57-72	5
350	Nanocellular Structures in Block Copolymers with CO ₂ -philic Blocks Using CO ₂ as a Blowing Agent: Crossover from Micro- to Nanocellular Structures with Depressurization Temperature. 2005 , 38, 10516-10522	102
349	Characterization of Microcellular Biodegradable Polymeric Foams Produced from Supercritical Carbon Dioxide Solutions. 2005 , 44, 1795-1803	47
348	Use of non-invasive X-ray microtomography for characterizing microstructure of extruded biopolymer foams. 2005 , 38, 709-719	97
347	Layered open pore poly(L-lactic acid) nanomorphology. 2006 , 7, 2937-41	51
346	Experiments on Solid-state Cell Nucleation in Polystyrene and Polycarbonate as a Function of Foaming Temperature and Foaming Time. 2006 , 25, 127-142	8
345	Characterisation of microcellular foams produced from semi-crystalline PCL using supercritical carbon dioxide. 2006 , 42, 3145-3151	107
344	Foam processing and cellular structure of polylactide-based nanocomposites. <i>Polymer</i> , 2006 , 47, 5350-5359	174
343	Post treatments of plasma-enhanced chemical vapor deposited hydrogenated amorphous silicon carbide for low dielectric constant films. 2006 , 497, 109-114	5
342	Porous methacrylate tissue engineering scaffolds: using carbon dioxide to control porosity and interconnectivity. 2006 , 41, 4197	35
341	Porous structure of crystalline polymers by exclusion effect of carbon dioxide. <i>Polymer</i> , 2006 , 47, 7564-7571	38
340	Study of different effect on foaming process of biodegradable bionolle in supercritical carbon dioxide. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 2901-2906	2,9 8
339	Foam Processing and Cellular Structure of Polycarbonate-Based Nanocomposites. 2006 , 291, 773-783	44
338	Crystallization effects on autoclave foaming of polycarbonate using supercritical carbon dioxide. 2006 , 25, 225-235	28

337	Polymer/Layered Silicate Nano-composites. 2006 , 21, 487-496	11
336	Chapter 10 When is waste not a waste?. 2006 , 1, 201-221	2
335	Solid-state Processing of Polymer in the Presence of Supercritical Carbon Dioxide. 2006 , 42, 517-527	12
334	Effect of Low Density Polyethylene on Polystyrene Foam. 2006 , 42, 153-163	9
333	Supercritical carbon dioxide: putting the fizz into biomaterials. 2006 , 364, 249-61	67
332	Introduction to polymeric scaffolds for tissue engineering. 2007 , 1-32	2
331	Putting the fizz into chemistry: applications of supercritical carbon dioxide in tissue engineering, drug delivery and synthesis of novel block copolymers. 2007 , 35, 516-21	54
330	Sorption and Diffusion of Sub/Supercritical Carbon Dioxide in Poly(methyl methacrylate). 2007 , 46, 275-284	16
329	Effect of temperature and pressure on surface tension of polystyrene in supercritical carbon dioxide. 2007 , 111, 3859-68	54
328	Generation of microcellular polyurethane with supercritical carbon dioxide. <i>Journal of Applied Polymer Science</i> , 2007 , 106, 3581-3586	2.9 53
327	Temperature-induced morphology control in the polymer-foaming process. 2007 , 53, 2651-2658	6
326	Microcellular Foamed Wood-Plastic Composites by Different Processes: a Review. 2007 , 292, 113-127	87
325	Production of controlled polymeric foams by supercritical CO ₂ . 2007 , 40, 144-152	125
324	Porous scaffolds prepared by phase inversion using supercritical CO ₂ as antisolvent. 2007 , 40, 317-322	63
323	Preparation of open cellular PMMA microspheres by supercritical carbon dioxide foaming. 2007 , 40, 323-329	31
322	Foaming of polypropylene with supercritical carbon dioxide. 2007 , 41, 299-310	229
321	Biodegradable polymer foams prepared with supercritical CO ₂ /ethanol mixtures as blowing agents. 2007 , 42, 265-272	91
320	Foaming behaviour and cellular structure of LDPE/hectorite nanocomposites. <i>Polymer</i> , 2007 , 48, 2098-2108	48

319	A parametric study into the morphology of polystyrene-co-methyl methacrylate foams using supercritical carbon dioxide as a blowing agent. <i>Polymer</i> , 2007 , 48, 3771-3780	3.9	27
318	Porous poly(l-lactic acid) nanocomposite scaffolds prepared by phase inversion using supercritical CO ₂ as antisolvent. <i>Polymer</i> , 2007 , 48, 6311-6318	3.9	46
317	Cell structure and dynamic properties of injection molded polypropylene foams. <i>Polymer Engineering and Science</i> , 2007 , 47, 1070-1081	2.3	44
316	Foaming of polymers with supercritical CO ₂ : An experimental and theoretical study. <i>Polymer</i> , 2007 , 48, 5928-5939	3.9	183
315	Preparation and characterization of polypropylene/waste ground rubber tire powder microcellular composites by supercritical carbon dioxide. 2008 , 16, 404-410		8
314	Raman spectroscopic study of CO ₂ sorption process in poly methyl methacrylate. 2008 , 46, 831-842		10
313	Porous Cellulose Acetate Butyrate Foams with a Tunable Bimodality in Foam Morphology Produced with Supercritical Carbon Dioxide. 2008 , 293, 298-302		12
312	Effect of solvent plasticization on polypropylene microcellular foaming process and foam characteristics. <i>Journal of Applied Polymer Science</i> , 2008 , 107, 63-70	2.9	17
311	Study of different effects on foaming process of biodegradable PLA/starch composites in supercritical/compressed carbon dioxide. <i>Journal of Applied Polymer Science</i> , 2008 , 109, 2679-2686	2.9	39
310	Phase equilibrium characteristics of supercritical CO ₂ /poly(ethylene terephthalate) binary system. <i>Journal of Applied Polymer Science</i> , 2008 , 109, 2836-2841	2.9	9
309	Thermodynamics and Kinetic Processes of Polymer Blends and Block Copolymers in the Presence of Pressurized Carbon Dioxide. 2008 , 20, 879-898		33
308	Preparation of skinless polymer foam with supercritical carbon dioxide and its application to a photoinduced hydrogen evolution system. <i>Polymer</i> , 2008 , 49, 1611-1619	3.9	15
307	A supercritical CO ₂ injection system for the production of polymer/mammalian cell composites. 2008 , 43, 535-541		24
306	Preparation of microcellular cross-linked polyethylene foams by a radiation and supercritical carbon dioxide approach. 2008 , 47, 281-289		44
305	Are pharmaceuticals really going supercritical?. 2008 , 364, 176-87		129
304	Growth and Disappearance of Nanobubbles during the Foaming of Polycarbonate. 2008 , 40, 339-342		2
303	Applications of supercritical CO ₂ in the fabrication of polymer systems for drug delivery and tissue engineering. 2008 , 60, 373-87		234
302	Biodegradable particle formation for drug and gene delivery using supercritical fluid and dense gas. 2008 , 60, 411-32		154

301	Microcellular foams of thermoplastic vulcanizates (TPVs) based on waste ground rubber tire powder. 2008 , 62, 4396-4399		20
300	Processing of Iron Oxide Nanoparticles by Supercritical Fluids. 2008 , 47, 599-614		93
299	Sustainable polymer foaming using high pressure carbon dioxide: a review on fundamentals, processes and applications. 2008 , 10, 731		177
298	Process-structure Relationships in PCL Foaming. 2008 , 44, 37-52		17
297	Design and manufacture of microporous polymeric materials with hierarchal complex structure for biomedical application. 2008 , 24, 1111-1117		42
296	Generation of Microcellular Foams by Supercritical Carbon Dioxide in a PMMA Compound. 2008 , 23, 8-16		3
295	Spinodal decomposition of polymer solutions: a parallelized molecular dynamics simulation. 2008 , 78, 031801		17
294	Studies on Polypropylene/Carbon Fiber Composite Foams by Nozzle-Based Microcellular Injection Molding System. 2009 , 24, 533-540		12
293	Well-Controlled Microcellular Biodegradable PLA/Silk Composite Foams Using Supercritical CO ₂ . 2009 , 294, 620-624		29
292	Time-lapsed imaging for in-process evaluation of supercritical fluid processing of tissue engineering scaffolds. 2009 , 25, 1176-83		2
291	Generation of low-density high-performance poly(arylene ether sulfone) foams using a benign processing technique. <i>Polymer Engineering and Science</i> , 2009 , 49, 44-51	2.3	10
290	Thermal behaviors of polystyrene plasticized with compressed carbon dioxide in a sealed system. <i>Polymer Engineering and Science</i> , 2009 , 49, 1800-1805	2.3	10
289	Study of the cellular structure heterogeneity and anisotropy of polypropylene and polypropylene nanocomposite foams. <i>Polymer Engineering and Science</i> , 2009 , 49, 2400-2413	2.3	25
288	Foaming of thin films of a fluorinated ethylene propylene copolymer using supercritical carbon dioxide. 2009 , 49, 103-110		31
287	Paclitaxel release from micro-porous PLGA disks. 2009 , 64, 4341-4349		30
286	Optimization of the Polymer Foam Process by the Residence Time Distribution Approach. 2009 , 48, 4884-4891	6	
285	Classical Nucleation Theory Applied to Homogeneous Bubble Nucleation in the Continuous Microcellular Foaming of the Polystyrene-CO ₂ System. 2009 , 48, 7603-7615		16
284	Preparation of Chitosan Based Scaffolds Using Supercritical Carbon Dioxide. 2009 , 277, 36-42		23

283	Optimization of Microcellular Injection Molding Parameters. 2009 , 24, 399-405		16
282	Heat Transfer in Polyolefin Foams. 2010 , 131-161		3
281	Microcellular foaming of polymethylmethacrylate in a batch supercritical CO ₂ process: Effect of microstructure on compression behavior. <i>Journal of Applied Polymer Science</i> , 2010 , 118, 320-331	2.9	38
280	Rheological control in foaming polymeric materials: I. Amorphous polymers. <i>Polymer</i> , 2010 , 51, 568-580	3.9	49
279	Synthesis and processing of PMMA carbon nanotube nanocomposite foams. <i>Polymer</i> , 2010 , 51, 655-664	3.9	121
278	Studies on the interactions of CO ₂ with biodegradable poly(dl-lactic acid) and poly(lactic acid-co-glycolic acid) copolymers using high pressure ATR-IR and high pressure rheology. <i>Polymer</i> , 2010 , 51, 1425-1431	3.9	40
277	The influence of carbon nanotube aspect ratio on the foam morphology of MWNT/PMMA nanocomposite foams. <i>Polymer</i> , 2010 , 51, 2368-2375	3.9	145
276	Batch foaming of SAN/clay nanocomposites with scCO ₂ : A very tunable way of controlling the cellular morphology. <i>Polymer</i> , 2010 , 51, 3520-3531	3.9	64
275	A new self designed apparatus for foaming. 2010 , 29, 1014-1020		2
274	Polyethylene ionomer-based nano-composite foams prepared by a batch process and MuCell [®] injection molding. 2010 , 30, 62-70		15
273	Foaming strategies for bioabsorbable polymers in supercritical fluid mixtures. Part II. Foaming of poly(e-caprolactone-co-lactide) in carbon dioxide and carbon dioxide + acetone fluid mixtures and formation of tubular foams via solution extrusion. 2010 , 54, 308-319		29
272	Preparation in supercritical CO ₂ of porous poly(methyl methacrylate)/poly(l-lactic acid) (PMMABLA) scaffolds incorporating ibuprofen. 2010 , 54, 335-341		40
271	Scaffold for tissue engineering fabricated by non-isothermal supercritical carbon dioxide foaming of a highly crystalline polyester. 2010 , 6, 130-6		55
270	Carbon dioxide-induced crystallization in poly(L-lactic acid) and its effect on foam morphologies. 2010 , 59, 1709-1718		63
269	Investigation of a strategy for well controlled inducement of microcellular and nanocellular morphologies in polymers. <i>Polymer Engineering and Science</i> , 2010 , 50, 1558-1570	2.3	30
268	Polymeric foam materials for insulation in buildings. 2010 , 257-273		3
267	Effect of gas saturation conditions on the expansion ratio of microcellular poly(lactic acid)/wood-flour composites. 2010 , 4, 621-631		49
266	Flammability in WPC Composites. 2010 , 129-147		3

265	Foaming of an Immiscible Blend System Using Organic Liquids as Blowing Agents. 2010 , 46, 239-258	10
264	Chitosan Based Scaffolds by Lyophilization and sc.CO2 Assisted Methods for Tissue Engineering Applications. 2010 , 47, 429-434	30
263	Sorption and Diffusion of Supercritical Carbon Dioxide in a Biodegradable Polymer. 2010 , 49, 286-300	11
262	Origins of the failure of classical nucleation theory for nanocellular polymer foams. 2011 , 7, 7351	39
261	Introduction. 2011 , 1-30	
260	Results and Discussion. 2011 , 43-118	
259	Recent Advances in the Processing of Wood-Plastic Composites. 2011 ,	28
258	Fluorine-Containing Block Copolymers: Synthesis and Application as a Template for Nanocellular and Porous Structures Using Supercritical Carbon Dioxide. 2011 , 717-737	
257	New challenges in polymer foaming: A review of extrusion processes assisted by supercritical carbon dioxide. 2011 , 36, 749-766	277
256	Enhancing cell penetration and proliferation in chitosan hydrogels for tissue engineering applications. 2011 , 32, 9719-29	119
255	Fabrication of Fine-celled PP/Ground Tire Rubber Powder Composites Using Supercritical Carbon Dioxide. 2011 , 30, 111-136	2
254	Biomedical Devices. 2011 , 323-357	3
253	Porogen Incorporation and Phase Inversion. 2011 , 79-117	3
252	Preparation of porous PLGA/HA/collagen scaffolds with supercritical CO2 and application in osteoblast cell culture. 2011 , 58, 398-406	37
251	Supercritical impregnation of intraocular lenses. 2011 , 60, 98-105	52
250	Towards maximal cell density predictions for polymeric foams. <i>Polymer</i> , 2011 , 52, 5622-5629	3,9 22
249	Porous poly(D,L-lactic acid) foams with tunable structure and mechanical anisotropy prepared by supercritical carbon dioxide. 2011 , 99, 338-49	16
248	Preparation of mesophase pitch-based carbon foams with supercritical toluene. <i>Journal of Applied Polymer Science</i> , 2011 , 121, 336-341	2,9 5

247	A novel method for improving the surface quality of microcellular injection molded parts. <i>Polymer</i> , 2011 , 52, 1436-1446	3.9	71
246	A direct method for evaluating polymer foamability. 2011 , 30, 118-123		6
245	A two-step depressurization batch process for the formation of bi-modal cell structure polystyrene foams using scCO ₂ . 2011 , 55, 1104-1114		70
244	The effect of surface chemistry and nanoclay loading on the microcellular structure of porous poly(d,l lactic acid) nanocomposites. 2011 , 57, 278-287		41
243	Micro and nano cellular amorphous polymers (PMMA, PS) in supercritical CO ₂ assisted by nanostructured CO ₂ -philic block copolymers [One step foaming process. 2011 , 58, 168-176		71
242	Using Supercritical Carbon Dioxide for Physical Foaming of Advanced Polymer Materials. 2011 , 26, 437-443		5
241	Development of a Multilayered Optical Diffusion Sheet Using Microcellular Foaming Technology. 2011 , 50, 102-111		11
240	Thermal Processing of Tissue Engineering Scaffolds. 2011 , 133,		15
239	A semi-empirical model for density gradient in microcellular thermoplastic foams. 2011 , 47, 413-428		5
238	Preparation of Porous Biodegradable Polymer and Its Nanocomposites by Supercritical CO ₂ Foaming for Tissue Engineering. 2012 , 2012, 1-12		29
237	Low-pressure foaming: a novel method for the fabrication of porous scaffolds for tissue engineering. 2012 , 18, 113-21		22
236	Supercritical fluids in 3-D tissue engineering. 2012 , 69, 97-107		68
235	Poly(lactide)/Clay Nano-Biocomposites. 2012 , 77-118		2
234	Viscoelastic phase separation in soft matter and foods. 2012 , 158, 371-406; discussion 493-522		44
233	Density-Functional Theory for Polymer/Carbon Dioxide Mixtures. 2012 , 51, 3832-3840		11
232	Foamed Cores. 2012 , 1		
231	Plasticization of [C12MIM][PF6] Ionic Liquid on Foaming Performance of Poly(methyl methacrylate) in Supercritical CO ₂ . 2012 , 51, 12329-12336		9
230	Effects of multi-walled carbon nanotube functionalization on the morphological and mechanical properties of nanocomposite foams based on poly(vinyl chloride)/(wood flour)/ (multi-walled carbon nanotubes). 2012 , 18, 161-167		23

229	CO ₂ bubble nucleation in polystyrene: Experimental and modeling studies. <i>Journal of Applied Polymer Science</i> , 2012 , 125, 2170-2186	2.9	13
228	Fabrication of biomimetic poly(propylene carbonate) scaffolds by using carbon dioxide as a solvent, monomer and foaming agent. 2012 , 14, 2523		35
227	The effect of processing variables on morphological and mechanical properties of supercritical CO ₂ foamed scaffolds for tissue engineering. 2012 , 8, 61-71		88
226	Fabrication of poly-DL-lactide/polyethylene glycol scaffolds using the gas foaming technique. 2012 , 8, 570-8		85
225	Effect of flame retardants on mechanical properties, flammability and foamability of PP/wood fiber composites. 2012 , 43, 150-158		147
224	Controlling bubble density in MWNT/polymer nanocomposite foams by MWNT surface modification. 2012 , 72, 190-196		38
223	Formation and size distribution of pores in poly(ϵ -caprolactone) foams prepared by pressure quenching using supercritical CO ₂ . 2012 , 61, 175-190		54
222	Supercritical carbon dioxide assisted dispersion and distribution of silica nanoparticles in polymers. 2012 , 67, 108-113		17
221	Solubility, mutual diffusivity, specific volume and interfacial tension of molten PCL/CO ₂ solutions by a fully experimental procedure: effect of pressure and temperature. 2012 , 67, 131-138		34
220	Porous poly(lactic acid) and PLA-nanocomposite structures. <i>Journal of Applied Polymer Science</i> , 2012 , 124, 585-594	2.9	20
219	Synthesis of nanostructured materials using supercritical CO ₂ : Part I. Physical transformations. 2012 , 47, 2995-3025		93
218	The future of carbon dioxide for polymer processing in tissue engineering. 2013 , 19, 221-32		46
217	Synthesis of polyurethane particles in supercritical carbon dioxide using organocatalysts or organocatalytic surfactants. 2013 , 15, 2769		5
216	Microcellular foaming of plasticized thin PC sheet I. Effects of processing conditions. 2013 , 28, 235-242		1
215	Development of a strategy for the foaming of polystyrene dissolutions in scCO ₂ . 2013 , 76, 126-134		20
214	Novel electric conductive polylactide/carbon nanotubes foams prepared by supercritical CO ₂ . 2013 , 23, 395-401		18
213	Foaming of PCL/clay nanocomposites with supercritical CO ₂ mixtures: The effect of nanocomposite fabrication route on the clay dispersion and the final porous structure. 2013 , 81, 86-91		13
212	Foam Processing. 2013 , 351-367		

211	Hierarchical polymerized high internal phase emulsions synthesized from surfactant-stabilized emulsion templates. 2013 , 29, 5952-61		55
210	Synthetic biopolymer nanocomposites for tissue engineering scaffolds. 2013 , 38, 1487-1503		340
209	A New Promising Nucleating Agent for Polymer Foaming: Applications of Ordered Mesoporous Silica Particles in Polymethyl Methacrylate Supercritical Carbon Dioxide Microcellular Foaming. 2013 , 52, 14169-14178		23
208	Synthetic biopolymer/layered silicate nanocomposites for tissue engineering scaffolds. 2013 , 548-581		3
207	Unleashing the potential of supercritical fluids for polymer processing in tissue engineering and regenerative medicine. 2013 , 79, 177-185		41
206	New Materials for Ecological Building Products. 2013 , 203-215		0
205	Preparation of short carbon fiber/polypropylene fine-celled foams in supercritical CO ₂ . 2013 , 49, 65-82		26
204	Designing Issues in Polymer Foaming with Supercritical Fluids. 2013 , 331-332, 109-114		9
203	The effect of polymer hardness, pore size, and porosity on the performance of thermoplastic polyurethane-based chemical mechanical polishing pads. 2013 , 28, 2380-2393		21
202	Processing of environmentally friendly polymer nanocomposite foams for packaging and other applications. 2013 , 208-221		
201	Foaming of polypropylene with supercritical carbon dioxide: An experimental and theoretical study on a new process. <i>Journal of Applied Polymer Science</i> , 2013 , 130, 2877-2885	2.9	9
200	Nanotoughening and Microtoughening of Polymer Syntactic Foams. 2013 , 47-72		
199	Cell structure and impact properties of foamed polystyrene in constrained conditions using supercritical carbon dioxide. 2014 , 23, 775-781		6
198	Foaming behaviour of microcellular foam short carbon fibres/polypropylene/nano-CaCO ₃ composites. 2014 , 43, 130-137		11
197	CO ₂ -blown nanocellular foams. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	119
196	The Effects of Porous Structure on the Burning Characteristics of Foamed NC-Based Gun Propellants. 2014 , 39, 852-858		3
195	Bubble nucleation in nonpressurized polymer foaming systems. <i>Polymer Engineering and Science</i> , 2014 , 54, 1201-1210	2.3	8
194	Processing and structures of solids foams. 2014 , 15, 662-673		14

193	A Novel Strategy for Achieving High Melt Strength Polypropylene and an Investigation of Its Foamability. 2014 , 53, 1695-1714		7
192	Foaming Process from Polystyrene/p-Cymene Solutions Using CO ₂ . 2014 , 37, 1845-1853		5
191	Development and characterization of flexible epoxy foam with reactive liquid rubber and starch. 2014 , 49, 3125-3134		12
190	Poly(lactic acid (PLA) biomedical foams for tissue engineering. 2014 , 313-334		27
189	Input of supercritical carbon dioxide to polymer synthesis: An overview. 2014 , 61, 45-63		75
188	Swelling measurement of polymers in high pressure carbon dioxide using a spectroscopic reflectometer. 2014 , 95, 553-559		15
187	Melt crystallization/dewetting of ultrathin PEO films via carbon dioxide annealing: the effects of polymer adsorbed layers. 2014 , 10, 6392-403		39
186	Unique interfacial and confined porous morphology of PLA/PS blends in supercritical carbon dioxide. 2014 , 4, 45109-45117		45
185	Kinetics of pressure induced structural changes in super- or near-critical CO ₂ -microemulsions. 2014 , 16, 18092-7		12
184	Fabrication, Thermoanalysis, and Performance Evaluation Studies on RDX-based Microcellular Combustible Objects. 2014 , 39, 568-573		8
183	Experimental and numerical studies on bubble dynamics in nonpressurized foaming systems. <i>Polymer Engineering and Science</i> , 2014 , 54, 1947-1959	2.3	10
182	Preparation and Characteristics of Foamed NC-Based Propellants. 2014 , 39, 677-683		9
181	Preparation of Monolithic Capillary Chromatographic Columns Using Supercritical Fluid as a Porogen Solvent. 2014 , 77, 1009-1017		7
180	Controlling foam morphology of polystyrene via surface chemistry, size and concentration of nanosilica particles. 2014 , 49, 6225-6239		20
179	Probing structure-heterogeneous nucleation efficiency relationship of mesoporous particles in polylactic acid microcellular foaming by supercritical carbon dioxide. 2014 , 95, 228-235		18
178	The synergy of supercritical CO ₂ and supercritical N ₂ in foaming of polystyrene for cell nucleation. 2014 , 90, 35-43		56
177	Effect of interfacial tension on the cell structure of poly(methyl methacrylate)/bisphenol A polycarbonate blends foamed with CO ₂ . <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	8
176	Development of Layered Multiscale Porous Thin Films by Tuning Deposition Time and Molecular Weight of Polyelectrolytes. 2015 , 36, 1669-74		9

175	Preparation of poly(propylene carbonate)/nano calcium carbonate composites and their supercritical carbon dioxide foaming behavior. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	7
174	Physical properties of microcellular polymeric foams with supercritical CO ₂ . 2015 , 19, S5-250-S5-256		2
173	Response surface optimization for producing microcellular polymethyl methacrylate foam using supercritical CO ₂ . 2015 , 51, 471-487		6
172	The effects of viscoelastic properties on the cellular morphology of silicone rubber foams generated by supercritical carbon dioxide. 2015 , 5, 106981-106988		42
171	How Do Intermolecular Interactions Affect Swelling of Polyketones with a Differing Number of Carbonyl Groups? An In Situ ATR-FTIR Spectroscopic Study of CO ₂ Sorption in Polymers. 2015 , 119, 431-440		20
170	Melt foamability of reactive extrusion-modified poly(ethylene terephthalate) with pyromellitic dianhydride using supercritical carbon dioxide as blowing agent. <i>Polymer Engineering and Science</i> , 2015 , 55, 1528-1535	2.3	23
169	Glass Transition Temperature in Microcellular Foaming Process with Supercritical Carbon Dioxide: A Review. 2015 , 54, 119-127		6
168	Preparation of Nanostructural Carbon Nanofibers and Their Electrochemical Performance for Supercapacitors. 2015 , 183, 85-93		59
167	Study of microstructure and flexural properties of microcellular acrylonitrile-butadiene-styrene nanocomposite foams: experimental results. 2015 , 36, 487-498		1
166	Electrospun porous carbon nanofibers as lithium ion battery anodes. 2015 , 19, 3401-3410		48
165	Pressure drop threshold in the foaming of low-density polyethylene, polystyrene, and polypropylene using CO ₂ and N ₂ as foaming agents. 2015 , 103, 38-47		21
164	Solid-state poly(methyl methacrylate) (PMMA) nanofoams. Part II: Low-temperature solid-state process space using CO ₂ and the resulting morphologies. <i>Polymer</i> , 2015 , 70, 231-241	3.9	51
163	Supercritical carbon dioxide-assisted process in synthesis of polymer/clay melt. 2015 , 23, 403-417		3
162	Interplay between the composition of LLDPE/PS blends and their compatibilization with polyethylene-graft-polystyrene in the foaming behaviour. 2015 , 5, 27181-27189		22
161	Preparation of microcellular low-density PMMA nanocomposite foams: Influence of different fillers on the mechanical, rheological and cell morphological properties. 2015 , 118, 108-116		39
160	Preparation of biodegradable poly(butylene succinate)/halloysite nanotube nanocomposite foams using supercritical CO ₂ as blowing agent. 2015 , 22, 1		17
159	Microcellular to nanocellular polymer foams: Progress (2004-2015) and future directions [A review]. 2015 , 73, 500-519		167
158	Mechanism of bubble nucleation in poly(ϵ -caprolactone) foaming at low temperature. <i>Polymer</i> , 2015 , 79, 47-55	3.9	6

157	CO ₂ nano-foaming of nanostructured PMMA. <i>Polymer</i> , 2015 , 58, 76-87	3.9	39
156	Preparation and foamability of high melt strength polypropylene based on grafting vinyl polydimethylsiloxane and styrene. <i>Polymer Engineering and Science</i> , 2015 , 55, 251-259	2.3	26
155	Numerical Selection of the Parameters in Producing Microcellular Polymethyl Methacrylate with Supercritical CO ₂ . 2016 , 35, 309-328		1
154	A Green and Structure-Controlled Approach to the Generation of Silicone Rubber Foams by Means of Carbon Dioxide. 2016 , 35, 19-32		13
153	Foamed Plastics. 2016 , 1-54		2
152	Research on Perfusion Explosives from SF-3 Double-Base Propellants Using Supercritical CO ₂ . 2016 , 41, 740-745		3
151	Poly(methyl methacrylate) nanocomposites based on graphene oxide: a comparative investigation of the effects of surface chemistry on properties and foaming behavior. 2016 , 65, 1195-1203		16
150	Evaluation of Nanoparticle Effect on Bubble Nucleation in Polymer Foaming. 2016 , 120, 26841-26851		16
149	Porous inverse vulcanised polymers for mercury capture. 2016 , 52, 5383-6		91
148	Pore formation of poly(ϵ -caprolactone) scaffolds with melting point reduction in supercritical CO ₂ foaming. 2016 , 117, 279-288		30
147	Raman Line Imaging of Poly(ϵ -caprolactone)/Carbon Dioxide Solutions at High Pressures: A Combined Experimental and Computational Study for Interpreting Intermolecular Interactions and Free-Volume Effects. 2016 , 120, 9115-31		6
146	Microcellular Plastics. 2016 , 1-57		11
145	Nanocellular Foams. 2016 , 205-249		
144	From micro/nano structured isotactic polypropylene to a multifunctional low-density nanoporous medium. 2016 , 6, 108056-108066		12
143	Drug loading of foldable commercial intraocular lenses using supercritical impregnation. 2016 , 500, 85-99		33
142	Graphene production via supercritical fluids. 2016 , 6, 10132-10143		32
141	Foaming of polymers with supercritical fluids: A thermodynamic investigation. 2016 , 110, 240-250		48
140	The relationship between electromagnetic absorption properties and cell structure of poly(methyl methacrylate)/multi-walled carbon nanotube composite foams. 2016 , 100, 73-83		43

139	Nanoporous polymeric materials: A new class of materials with enhanced properties. 2016 , 78-79, 93-139	111
138	New insights into the mechanism of interaction between CO ₂ and polymers from thermodynamic parameters obtained by in situ ATR-FTIR spectroscopy. 2016 , 18, 6465-75	33
137	Effect of Unexpected CO ₂ Phase Transition on the High-Pressure Differential Scanning Calorimetry Performance of Various Polymers. 2016 , 4, 1810-1818	52
136	Validated modeling of bubble growth, impingement and retraction to predict cell-opening in thermoplastic foaming. 2016 , 287, 492-502	23
135	Experimental research on swelling and glass transition behavior of poly(methyl methacrylate) in supercritical carbon dioxide. 2016 , 110, 110-116	27
134	Experimental and simulation study of the physical foaming process using high-pressure CO ₂ . 2016 , 107, 733-745	18
133	Formation of porous HPCL/LPCL/HA scaffolds with supercritical CO gas foaming method. 2017 , 69, 115-127	49
132	Preparation of solid-state micro- and nanocellular acrylonitrile-butadiene-styrene (ABS) foams using sub- and supercritical CO ₂ as blowing agents. 2017 , 124, 30-37	11
131	Bio-inspired, large scale, highly-scattering films for nanoparticle-alternative white surfaces. 2017 , 7, 46637	35
130	Synthesis of Chlorinated Poly(vinyl chloride) with Uniform Distribution of Chlorine Assisted by Supercritical Carbon Dioxide and a Cosolvent. 2017 , 56, 6562-6571	4
129	Vitrification conditions and porosity prediction of CO ₂ blown polystyrene foams. 2017 , 127, 1-8	6
128	A novel method to prepare microcellular poly(vinyl alcohol) foam based on thermal processing and supercritical fluid. 2017 , 28, 285-292	16
127	Silica-Assisted Nucleation of Polymer Foam Cells with Nanoscopic Dimensions: Impact of Particle Size, Line Tension, and Surface Functionality. 2017 , 9, 37929-37940	32
126	Research on Preparation of Perfusion Explosive Using Foamed SF-3 Double-Base Propellant. 2017 , 42, 1179-1184	3
125	Microcellular nanocomposites based on millable polyurethane and nano-silica by two-step curing and solid-state supercritical CO ₂ foaming: Preparation, high-pressure viscoelasticity and mechanical properties. 2017 , 130, 198-209	27
124	Flame Spread Studies on Additive Manufactured Porous Propellant Grains. 2017 ,	
123	Nanoporous polymer foams from nanostructured polymer blends: Preparation, characterization, and properties. 2017 , 237-288	1
122	Preparation and structural characterisation of model cellular vitreous carbon foams. 2017 , 112, 208-218	27

121	Preparation of porous poly(L-lactic acid)-co-(trimethylene-carbonate) structures using supercritical CO ₂ as antisolvent and as foaming agent. <i>Polymer Engineering and Science</i> , 2017 , 57, 1005-1015	2.3	2
120	Additives for Plastics. 2017 , 127-168		13
119	Porous scaffolds. 2017 , 27-59		3
118	Low water-consumption technologies for textile production. 2017 , 243-265		5
117	CO ₂ Induced Foaming Behavior of Polystyrene near the Glass Transition. 2017 , 2017, 1-15		
116	Bio-inspired micro-to-nanoporous polymers with tunable stiffness. 2017 , 8, 906-914		5
115	Investigation of the effect of foaming process parameters on expanded thermoplastic polyurethane bead foams properties using response surface methodology. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46327	2.9	17
114	Soft and Flexible Bilayer Thermoplastic Polyurethane Foam for Development of Bioinspired Artificial Skin. 2018 , 10, 14008-14016		28
113	Regulation of pore cell structures of coal-based carbon foams based on the nucleation mechanism of microcellular polymer. 2018 , 44, 11077-11087		6
112	Microcellular Crosslinked Silicone Rubber Foams: Influence of Nucleation Agent (Polyhedral Oligomeric Silsesquioxane) on the Rheological, Vulcanizing, Cell Morphological Properties. 2018 , 57, 1623-1633		5
111	Size-Dependent Submerging of Nanoparticles in Polymer Melts: Effect of Line Tension. 2018 , 51, 2411-2417		14
110	Physicomechanical, friction, and abrasion properties of EVA/PU blend foams foamed by supercritical nitrogen. <i>Polymer Engineering and Science</i> , 2018 , 58, 673-682	2.3	15
109	Microcellular foaming by using subcritical CO ₂ of crosslinked and non-crosslinked LDPE/clay nanocomposites. 2018 , 54, 257-282		8
108	Phase behavior of Carbon dioxide/Tetramethyl orthosilicate/polymer ternary systems. 2018 , 457, 1-10		6
107	Features of supercritical CO ₂ in the delicate world of the nanopores. 2018 , 134, 204-213		12
106	Compressive response of PMMA microcellular foams at low and high strain rates. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 46044	2.9	3
105	Synergy of supercritical CO ₂ and superheated H ₂ O for enhanced processability of polyethersulfone towards open cell foams. <i>Polymer Engineering and Science</i> , 2018 , 58, 1108-1114	2.3	4
104	Combining Breath Figures and Supercritical Fluids To Obtain Porous Polymer Scaffolds. 2018 , 3, 12593-12599		13

103	Multi-Stage Recycling Induced Morphological Transformations in Solid-State Microcellular Foaming of Polystyrene. 2018 , 37, 121-149		11
102	Polymeric membrane gas separation performance improvements through supercritical CO2 treatment. 2018 , 566, 239-248		10
101	Microcellular foaming of polysulfones in supercritical CO2 and the effect of co-blowing agent. 2018 , 140, 21-31		26
100	Subcritical carbon dioxide foaming of polycaprolactone for bone tissue regeneration. 2018 , 140, 1-10		19
99	Foaming and thermal characteristics of bio-based polylactic acid/thermoplastic polyurethane blends. 2018 , 54, 931-955		7
98	Morphological study on the pore growth profile of poly(ϵ -caprolactone) bi-modal porous foams using a modified supercritical CO2 foaming process. 2019 , 143, 72-81		22
97	Microcellular silicone rubber foams: The influence of reinforcing agent on cellular morphology and nucleation. <i>Polymer Engineering and Science</i> , 2019 , 59, 5-14	2.3	18
96	Creating orientated cellular structure in thermoplastic polyurethane through strong interfacial shear interaction and supercritical carbon dioxide foaming for largely improving the foam compression performance. 2019 , 153, 104577		19
95	Preparation and characterization of SEBS-g-MAH-filled flexible polyurethane foam composites with gradient-changing structure. 2019 , 183, 108150		20
94	Foaming of Polycaprolactone and Its Impregnation with Quercetin Using Supercritical CO. <i>Polymers</i> , 2019 , 11,	4.5	6
93	Fabrication of three-dimensional polyetherimide bead foams supercritical CO/ethanol co-foaming technology.. 2019 , 9, 4072-4081		24
92	Near Net Shape Manufacturing Processes. 2019 ,		3
91	Advances in Near Net Shape Polymer Manufacturing Through Microcellular Injection Moulding. 2019 , 177-189		2
90	Morphology and properties of thin-walled microcellular polycarbonate/acrylonitrile/Butadiene/tyrene blend foam. 2019 , 55, 421-432		2
89	Nanocellular Polymers: The Challenge of Creating Cells in the Nanoscale. 2019 , 12,		16
88	Development of a rapid decompression system for nanocellular foaming at 100 MPa. 2019 , 149, 26-33		10
87	Phase Behavior of a Carbon Dioxide/Methyl Trimethoxy Silane/Polystyrene Ternary System. <i>Polymers</i> , 2019 , 11,	4.5	2
86	Microcellular natural rubber using supercritical CO2 technology. 2019 , 149, 70-78		15

85	Studying vapor-liquid transition using a generalized ensemble. 2019 , 151, 134108	2
84	Role of nano-SiO ₂ on the performance of microporous foamed polystyrene polymer. 2019 , 14, 129-140	1
83	Fabrication of highly interconnected porous poly(ϵ -caprolactone) scaffolds with supercritical CO ₂ foaming and polymer leaching. 2019 , 54, 5112-5126	24
82	Foaming Behavior and Microcellular Morphologies of Incompatible SAN/CPE Blends with Supercritical Carbon Dioxide as a Physical Blowing Agent. <i>Polymers</i> , 2019 , 11,	4-5 8
81	Synthesis and compressive behaviors of PMMA microporous foam with multi-layer cell structure. 2019 , 165, 272-278	28
80	Nanocellular Polymers with a Gradient Cellular Structure Based on Poly(methyl methacrylate)/Thermoplastic Polyurethane Blends Produced by Gas Dissolution Foaming. 2020 , 305, 1900428	6
79	Micro/nanocellular polypropylene/trans-1,4-polyisoprene (PP/TPI) blend foams by using supercritical nitrogen as blowing agent. <i>Polymer Engineering and Science</i> , 2020 , 60, 211-217	2-3 3
78	Depressurization induced morphology control in solid-state microcellular batch foaming process. 2020 , 57, 409-420	3
77	New insights in the morphological characterization and modelling of poly(ϵ -caprolactone) bone scaffolds obtained by supercritical CO ₂ foaming. 2020 , 166, 105012	7
76	New Insight into a Step-by-Step Modeling of Supercritical CO ₂ Foaming to Fabricate Poly(ϵ -caprolactone) Scaffold. 2020 , 59, 20033-20044	3
75	Fabrication of high porosity Nanocellular polymer foams based on PMMA/PVDF blends. 2020 , 195, 109002	9
74	Foaming of PLA Composites by Supercritical Fluid-Assisted Processes: A Review. 2020 , 25,	10
73	Advanced Nanotechnology and Application of Supercritical Fluids. 2020 ,	1
72	Compostable, fully biobased foams using PLA and micro cellulose for zero energy buildings. 2020 , 10, 17771	8
71	Simultaneous Wrinkle-Patterning and In Situ Foaming in Polymer Films Using Supercritical Carbon Dioxide. 2020 , 12, 45657-45664	2
70	Foamability and Special Applications of Microcellular Thermoplastic Polymers: A Review on Recent Advances and Future Direction. 2020 , 305, 2000366	22
69	Polyetheresterurethane Based Porous Scaffolds with Tailorable Architectures by Supercritical CO ₂ Foaming. 2020 , 5, 2317-2330	2
68	Recent Progress in Processing Functionally Graded Polymer Foams. 2020 , 13,	18

67	Anisotropic cellular structures from semi-crystalline polymer templates. 2020 , 58, 3311-3321		0
66	Fabrication of 3D-Printed Biodegradable Porous Scaffolds Combining Multi-Material Fused Deposition Modeling and Supercritical CO Techniques. 2020 , 10,		13
65	Towards a predictive thermodynamic description of sorption processes in polymers: The synergy between theoretical EoS models and vibrational spectroscopy. 2020 , 140, 100525		17
64	Advances in microcellular injection moulding. 2020 , 56, 646-674		11
63	Cellular structure design by controlling rheological property of silicone rubber in supercritical CO ₂ . 2020 , 164, 104913		11
62	Foaming and Impregnation One-Step Process Using Supercritical CO ₂ . 2020 ,		
61	Recent advancements in manufacturing technologies of microcellular polymers: a review. 2020 , 27, 1		12
60	Correlation Between the Structure and Compressive Property of PMMA Microcellular Foams Fabricated by Supercritical CO Foaming Method. <i>Polymers</i> , 2020 , 12,	4.5	6
59	Effect of nanoparticles orientation on morphology of polymeric nanocomposite foams: preparation of foamed nanocomposite fibers by supercritical carbon dioxide. 2020 , 59, 1407-1416		1
58	Fabrication of poly (lactic acid) foams using supercritical nitrogen. 2020 , 39, 172-182		1
57	Batch foaming of ultra-high molecular weight polyethylene with supercritical carbon dioxide: Influence of temperature and pressure. 2021 , 93, 106974		12
56	Evaluating melt foamability of LLDPE/LDPE blends with high LLDPE content by bubble coalescence mechanism. <i>Polymer</i> , 2021 , 213, 123209	3.9	6
55	Simulation study of engineered Integral-Layer with Solid-Skin structure in Microcellular Polystyrene Foam using Superheat-Induced-Foaming method. 2021 , 1053, 012011		
54	Effect of bubble nucleating agents derived from biochar on the foaming mechanism of poly lactic acid foams. 2021 , 3, 100059		1
53	Controlling the foam morphology of supercritical CO ₂ -processed poly(methyl methacrylate) with CO ₂ -philic hybrid nanoparticles. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50814	2.9	1
52	Determining the Optimal Conditions for the Production by Supercritical CO of Biodegradable PLGA Foams for the Controlled Release of Rutin as a Medical Treatment. <i>Polymers</i> , 2021 , 13,	4.5	3
51	Poly(methyl methacrylate)-octatrimethylsiloxy polyhedral oligomeric silsesquioxane composite syntactic foams with bimodal pores. 2021 , 28, 1		0
50	Influence of the dispersion of Nanoclays on the cellular structure of foams based on polystyrene. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 51373	2.9	0

49	A Review on Microcellular Injection Moulding. 2021 , 14,		5
48	Fabrication of Lightweight Polyphenylene Oxide/High-Impact Polystyrene Composite Bead Foam Parts via In-Mold Foaming and Molding Technology. 2101100		1
47	POLYSTYRENE/SEPIOLITES NANOCOMPOSITE FOAMS. RELATIONSHIP BETWEEN COMPOSITION, PARTICLE DISPERSION, EXTENSIONAL RHEOLOGY, AND CELLULAR STRUCTURE. 2021 , 29, 102850		0
46	Dexamethasone delivery of porous PEG-PCL-PEG scaffolds with supercritical carbon dioxide gas foaming. 2021 , 66, 102547		3
45	Foamability of thermoplastics. 2022 , 79-175		
44	Modification of Polymers in Supercritical Carbon Dioxide. 2003 , 197-207		1
43	Supercritical fluids in chemistry. <i>Russian Chemical Reviews</i> , 2020 , 89, 1337-1427	6.8	19
42	Wound Care: Skin Tissue Regeneration. 8258-8279		1
41	Formation of Ordered Structure in Liquid Phase and Its Use for Materials Design. Microencapsulation of Proteins with Polymer-Blend by Rapid Expansion of Supercritical Carbon Dioxide.. <i>Kagaku Kogaku Ronbunshu</i> , 2001 , 27, 707-713	0.4	6
40	Tailoring the morphology of poly(high internal phase emulsions) synthesized by using deep eutectic solvents. <i>E-Polymers</i> , 2020 , 20, 185-193	2.7	3
39	INVESTIGATION OF PP/BAMBOO FIBER BLEND FOAMS USING SUPERCRITICAL CO ₂ . <i>Acta Polymerica Sinica</i> , 2011 , 011, 1419-1424		2
38	Plasticization and Processing of Polymeric Materials with High-Pressure Fluids. <i>Review of High Pressure Science and Technology/Koatsuryoku No Kagaku To Gijutsu</i> , 2003 , 13, 111-118	0	1
37	Foam Control based on Correlation of Decompression Rate and Foaming Temperature. <i>Seikei-Kakou</i> , 2004 , 16, 660-665	0	5
36	Foaming of Poly(butylene succinate) with Supercritical Carbon Dioxide. <i>Porrime</i> , 2012 , 36, 34-40	1	5
35	Characterization of Poly(lactic acid) Foams Prepared with Supercritical Carbon Dioxide. <i>Porrime</i> , 2013 , 37, 685-693	1	2
34	Gas-Containing Melts and Foams. 2000 , 322-333		
33	Processing Polymers in Supercritical CO ₂ . 2002 , 1-8		
32	Generation of Microcellular Foams in Viscoelastic Polymer Solutions. <i>Transactions of the Korean Society of Mechanical Engineers, B</i> , 2004 , 28, 726-733	0.5	

31	The Relationship between Morphology and Mechanical Properties in Thermoplastic Foams. 2004 ,		
30	Equivalency of Foaming Temperature and Time on Cell Size and Density of Foamed Plastics. <i>Seikei-Kakou</i> , 2005 , 17, 773-778	0	3
29	Polystyrene Foam and Its Improvement in Vacuum Insulated Panel Insulation. 2008 , 255-290		
28	Nanostructure Development and Foam Processing in Polymer/ Layered Silicate Nanocomposites. 2008 , 175-218		
27	Polymer/Layered Filler Nanocomposites: An Overview from Science to Technology. 2071-2134		2
26	Release Performance in Vitro of nHA/PLGA Scaffolds Contained with Protein Sustained-Release PLLA Microspheres Prepared by Means of Supercritical Fluid Foaming Technology. <i>Material Sciences</i> , 2013 , 03, 110-115	0.1	
25	CO ₂ -Blown PETG Foams. 1999 , 165-171		
24	Equation-of-State Approach in Polymer Solution and Polymer Foaming Thermodynamics. 2015 , 61-95		
23	Bubbles: Homogeneous Nucleation. 750-772		
22	Wound Care: Skin Tissue Regeneration. 2017 , 1620-1641		
21	Foams and their applications. <i>Supercritical Fluid Science and Technology</i> , 2021 , 9, 1-20		2
20	The improved foaming behavior of PLA caused by the enhanced rheology properties and crystallization behavior via synergistic effect of carbon nanotubes and graphene. <i>Journal of Applied Polymer Science</i> , 51874	2.9	1
19	Contributions of supercritical fluid technology for advancing decellularization and postprocessing of viable biological materials.. <i>Materials Horizons</i> , 2021 ,	14.4	2
18	Fabrication and characterization of low-density nanocellular foam based on PMMA/TPU blends. <i>Polymer</i> , 2022 , 240, 124493	3.9	0
17	A Microscopic Study of Bubble Nucleation and Growth Inethylene-Vinyl Acetate Foaming by Supercritical CO ₂ . <i>SSRN Electronic Journal</i> ,	1	
16	Tuning High and Low Temperature Foaming Behavior of Linear and Long-Chain Branched Polypropylene via Partial and Complete Melting.. <i>Polymers</i> , 2021 , 14,	4.5	2
15	Reactive extrusion as a sustainable alternative for the processing and valorization of biomass components. <i>Journal of Cleaner Production</i> , 2022 , 355, 131840	10.3	2
14	Measured and Calculated Expansion of Polystyrene Beads Comprising Four Blowing Agents in Hot Silicone Bath and in Water Vapor as well as in Extrusion for Boards. <i>Current Applied Polymer Science</i> , 2022 , 05,	0.2	

13	Properties of epoxy/LNR foam using sodium bicarbonate as a gas generator. <i>AIP Conference Proceedings</i> , 2022 ,	0	
12	Analysis of nanocellular foaming with nucleating agents based on coarse-grained molecular dynamics simulations. <i>Polymer</i> , 2022 , 254, 125059	3.9	0
11	Supercritical impregnation of chitosan sponges with 17 β -estradiol. <i>Journal of CO2 Utilization</i> , 2022 , 62, 102106	7.6	1
10	Influence of pressure-induced temperature drop on the foaming behavior of amorphous polylactide (PLA) during autoclave foaming with supercritical CO ₂ . 2022 , 190, 105734		0
9	Enhancement of Valsartan Dissolution Rate by the Increased Porosity of Pellets Using Supercritical CO ₂ : Optimization via Central Composite Design.		0
8	Significantly Enhanced Porosity of Silicone Rubber Nanocomposite Foams via Cross-Linking Structure Regulation and Heterogeneous Nucleation by CNTs for Promising Ultralow-k Dielectrics. 2022 , 61, 14251-14259		0
7	Hot-Melt Extrusion Coupled with Pressurized Carbon Dioxide for Enhanced Processability of Pharmaceutical Polymers and Drug Delivery Applications [An Integrated Review]. 2022 , 122291		1
6	Supercritical CO ₂ -assisted extrusion foaming: A suitable process to produce very lightweight acrylic polymer micro foams.		0
5	Nucleation and growth of nano-sized bubble on hydrophobic surfaces.		0
4	Assessing the Impact and Suitability of Dense Carbon Dioxide as a Green Solvent for the Treatment of PMMA of Historical Value. 2023 , 15, 566		0
3	A review of the state-of-the-art on thermal insulation performance of polymeric foams. 2023 , 41, 101808		0
2	Porous polymeric microparticles foamed with supercritical CO ₂ as scattering white pigments. 2023 , 18, 026011		0
1	Inactivation of <i>Lactobacillus brevis</i> cells and <i>Bacillus cereus</i> spores as influenced by pressure, shear, thermal, and valve geometry. 2023 , 26, 628-646		0