

CITATION REPORT

List of articles citing

Modeling studies of the change in conformation
required for cleavage of limited proteolytic sites

DOI: 10.1002/pro.5560030505
Protein Science, 1994, 3, 757-68.

Source: <https://exaly.com/paper-pdf/25009884/citation-report.pdf>

Version: 2024-04-10

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
177	The isomorphous structures of prethrombin2, hirugen-, and PPACK-thrombin: changes accompanying activation and exosite binding to thrombin. <i>Protein Science</i> , 1994 , 3, 2254-71	6.3	154
176	Activity of the MAP kinase ERK2 is controlled by a flexible surface loop. 1995 , 3, 299-307		105
175	Structural basis for serpin inhibitor activity. <i>Proteins: Structure, Function and Bioinformatics</i> , 1995 , 22, 210-25	4.2	147
174	Probing the solution structure of the DNA-binding protein Max by a combination of proteolysis and mass spectrometry. <i>Protein Science</i> , 1995 , 4, 1088-99	6.3	139
173	Limited proteolysis of native proteins: the interaction between avidin and proteinase K. <i>Protein Science</i> , 1995 , 4, 1337-45	6.3	49
172	Structural determinants of the stability of thermolysin-like proteinases. 1995 , 2, 374-9		76
171	Methotrexate inhibits proteolysis of dihydrofolate reductase by the N-end rule pathway. <i>Journal of Biological Chemistry</i> , 1995 , 270, 8172-8	5.4	99
170	Protein structure prediction: recognition of primary, secondary, and tertiary structural features from amino acid sequence. 1995 , 30, 1-94		113
169	Probing Protein/Protein Interactions with Mass Spectrometry and Isotopic Labeling: Analysis of the p21/Cdk2 Complex. <i>Journal of the American Chemical Society</i> , 1996 , 118, 5320-5321	16.4	55
168	Distinct mechanisms contribute to stringent substrate specificity of tissue-type plasminogen activator. <i>Journal of Biological Chemistry</i> , 1996 , 271, 4461-7	5.4	38
167	The conformation of Alzheimer's beta peptide determines the rate of amyloid formation and its resistance to proteolysis. 1996 , 314 (Pt 2), 701-7		110
166	Thermal unfolding and proteolytic susceptibility of ribonuclease A. 1996 , 237, 862-9		58
165	Domain elucidation by mass spectrometry. 1996 , 4, 1013-6		34
164	Polypeptide folding with off-lattice Monte Carlo dynamics: the method. 1996 , 24, 387-403		41
163	Probing the tertiary structure of proteins by limited proteolysis and mass spectrometry: the case of Minibody. <i>Protein Science</i> , 1996 , 5, 802-13	6.3	60
162	Limited proteolysis of rat phosphatidylinositol transfer protein by trypsin cleaves the C terminus, enhances binding to lipid vesicles, and reduces phospholipid transfer activity. <i>Journal of Biological Chemistry</i> , 1996 , 271, 21075-80	5.4	25
161	Avoidance of proteolysis in extracts. <i>Methods in Molecular Biology</i> , 1996 , 59, 81-93	1.4	3

160	Inhibitory mechanism of serpins. Mobility of the C-terminal region of the reactive-site loop. <i>Journal of Biological Chemistry</i> , 1997 , 272, 3905-9	5.4	23
159	Protease digestion studies of an equilibrium intermediate in the unfolding of creatine kinase. 1997 , 321 (Pt 1), 83-8		34
158	Limited in vivo proteolysis of aggregated proteins. 1997 , 237, 325-30		34
157	Probing the conformational state of apomyoglobin by limited proteolysis. <i>Journal of Molecular Biology</i> , 1997 , 266, 223-30	6.5	177
156	Crystal structure of an oligomer of proteolytic zymogens: detailed conformational analysis of the bovine ternary complex and implications for their activation. <i>Journal of Molecular Biology</i> , 1997 , 269, 861-80	6.5	24
155	Probing the partly folded states of proteins by limited proteolysis. 1997 , 2, R17-26		249
154	Type-1 plasminogen-activator inhibitor -- conformational differences between latent, active, reactive-centre-cleaved and plasminogen-activator-complexed forms, as probed by proteolytic susceptibility. 1997 , 248, 775-85		35
153	Reversible activation of a cryptic cleavage site within E. coli beta-galactosidase in beta-galactosidase fusion proteins. 1997 , 1343, 221-6		8
152	Computational methods for the prediction of protein folds. 1997 , 1343, 1-15		6
151	Limited proteolysis of ribonuclease A with thermolysin in trifluoroethanol. <i>Protein Science</i> , 1997 , 6, 860-72	6.3	26
150	Probing protein structure using biochemical and biophysical methods. Proteolysis, matrix-assisted laser desorption/ionization mass spectrometry, high-performance liquid chromatography and size-exclusion chromatography of p21Waf1/Cip1/Sdi1. 1997 , 777, 23-30		52
149	The structural aspects of limited proteolysis of native proteins. 1998 , 1382, 191-206		322
148	Proteolytic selection for protein folding using filamentous bacteriophages. 1998 , 3, 321-8		217
147	Molecular wear and tear leads to terminal marking and the unstable isoforms of aging. 1998 , 282, 18-27		28
146	Proteolysis as a probe of thermal unfolding of cytochrome C. 1998 , 30, 435-441		22
145	Aromatic L-amino acid decarboxylase: conformational change in the flexible region around Arg334 is required during the transaldimination process. <i>Protein Science</i> , 1998 , 7, 1802-10	6.3	27
144	Exploring the folding pathways of annexin I, a multidomain protein. II. Hierarchy in domain folding propensities may govern the folding process. <i>Journal of Molecular Biology</i> , 1998 , 279, 1177-85	6.5	17
143	Exploring the folding pathways of annexin I, a multidomain protein. I. non-native structures stabilize the partially folded state of the isolated domain 2 of annexin I. <i>Journal of Molecular Biology</i> , 1998 , 279, 1163-75	6.5	18

142	Insight into the conformation of protein folding intermediate(s) trapped by GroEL. <i>Journal of Biological Chemistry</i> , 1998 , 273, 3915-25	5.4	11
141	Conformation of aspartate aminotransferase isozymes folding under different conditions probed by limited proteolysis. <i>Journal of Biological Chemistry</i> , 1998 , 273, 23191-202	5.4	9
140	Aminotransferase variants as probes for the role of the N-terminal region of a mature protein in mitochondrial precursor import and processing. <i>Journal of Biological Chemistry</i> , 1998 , 273, 4406-15	5.4	9
139	Directing sequence-specific proteolysis to new targets. The influence of loop size and target sequence on selective proteolysis by tissue-type plasminogen activator and urokinase-type plasminogen activator. <i>Journal of Biological Chemistry</i> , 1998 , 273, 4323-8	5.4	24
138	TFII-I regulates Vbeta promoter activity through an initiator element. 1998 , 18, 4444-54		58
137	ATP and the core "alpha-Crystallin" domain of the small heat-shock protein alphaB-crystallin. <i>Journal of Biological Chemistry</i> , 1999 , 274, 30190-5	5.4	54
136	Engineering of conformations of plasminogen activator inhibitor-1. A crucial role of beta-strand 5A residues in the transition of active form to latent and substrate forms. 1999 , 263, 577-86		11
135	Probing the modelled structure of Wheatwin1 by controlled proteolysis and sequence analysis of unfractionated digestion mixtures. 1999 , 36, 192-204		11
134	Hereditary pancreatitis: new insights into acute and chronic pancreatitis. 1999 , 45, 317-22		213
133	Hereditary pancreatitis. Gene defects and their implications. 1999 , 79, 711-22, vii-viii		13
132	The spectrum of complications of hereditary pancreatitis. Is this a model for future gene therapy?. 1999 , 28, 525-41		11
131	A theoretical approach towards the identification of cleavage-determining amino acid motifs of the 20 S proteasome. <i>Journal of Molecular Biology</i> , 1999 , 286, 1251-65	6.5	120
130	Helper T-cell epitope immunodominance associated with structurally stable segments of hen egg lysozyme and HIV gp120. 2000 , 203, 189-201		21
129	Hereditary pancreatitis: epidemiology, molecules, mutations, and models. 2000 , 136, 260-74		6
128	Probing the native structure of stathmin and its interaction domains with tubulin. Combined use of limited proteolysis, size exclusion chromatography, and mass spectrometry. <i>Journal of Biological Chemistry</i> , 2000 , 275, 6841-9	5.4	35
127	Identification of discrete domains within gonococcal transferrin-binding protein A that are necessary for ligand binding and iron uptake functions. <i>Infection and Immunity</i> , 2000 , 68, 6988-96	3.7	36
126	Predicting protein function from structure: unique structural features of proteases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 3954-8	11.5	36
125	The interconversion of isoforms of seminal ribonuclease: modelling key intermediates and trypsin effects. <i>Journal of Molecular Biology</i> , 2000 , 301, 775-82	6.5	2

124	Regulated intramembrane proteolysis: a control mechanism conserved from bacteria to humans. 2000 , 100, 391-8		1188
123	Nuclear import factors importin alpha and importin beta undergo mutually induced conformational changes upon association. 2000 , 484, 291-8		45
122	Genetic predispositions to acute and chronic pancreatitis. 2000 , 84, 531-47, vii		51
121	Reply. 2000 , 119, 278-279		
120	Recombinant wheat antifungal PR4 proteins expressed in Escherichia coli. <i>Protein Expression and Purification</i> , 2001 , 23, 380-8	2	17
119	In situ proteolytic digestion of inclusion body polypeptides occurs as a cascade process. 2001 , 282, 436-41		14
118	Probing the molecular basis of factor Xa specificity by mutagenesis of the serpin, antithrombin. 2001 , 1528, 167-76		26
117	Proteolytic degradation of ribonuclease A in the pretransition region of thermally and urea-induced unfolding. 2001 , 268, 93-7		18
116	A serpin-induced extensive proteolytic susceptibility of urokinase-type plasminogen activator implicates distortion of the proteinase substrate-binding pocket and oxyanion hole in the serpin inhibitory mechanism. 2001 , 268, 673-85		44
115	Predicting function from structure: examples of the serine protease inhibitor canonical loop conformation found in extracellular proteins. 2001 , 26, 31-9		9
114	Intrinsically disordered protein. 2001 , 19, 26-59		1747
113	Structural determinants of the half-life and cleavage site preference in the autolytic inactivation of chymotrypsin. 2001 , 268, 6238-46		14
112	Structure of an intermediate in the unfolding of creatine kinase. <i>Proteins: Structure, Function and Bioinformatics</i> , 2001 , 42, 269-278	4.2	20
111	Isolation and amino acid sequence of two new PR-4 proteins from wheat. 2001 , 20, 327-35		25
110	Sequential processing of human ProIL-1beta by caspase-1 and subsequent folding determined by a combined in vitro and in silico approach. 2001 , 18, 1083-90		16
109	Identification of intrinsic order and disorder in the DNA repair protein XPA. <i>Protein Science</i> , 2001 , 10, 560-71	6.3	101
108	Structure of a multifunctional protein. Mammalian phosphatidylinositol transfer protein complexed with phosphatidylcholine. <i>Journal of Biological Chemistry</i> , 2001 , 276, 9246-52	5.4	110
107	Allocation of helper T-cell epitope immunodominance according to three-dimensional structure in the human immunodeficiency virus type I envelope glycoprotein gp120. <i>Journal of Biological Chemistry</i> , 2001 , 276, 41913-20	5.4	44

106	Proteolytic sensitivity and helper T-cell epitope immunodominance associated with the mobile loop in Hsp10s. <i>Journal of Biological Chemistry</i> , 2002 , 277, 155-60	5.4	27
105	Serpin structure, mechanism, and function. <i>Chemical Reviews</i> , 2002 , 102, 4751-804	68.1	949
104	Natively unfolded proteins: a point where biology waits for physics. <i>Protein Science</i> , 2002 , 11, 739-56	6.3	1470
103	Thermodynamics of a designed protein catenane. <i>Journal of Molecular Biology</i> , 2003 , 327, 537-48	6.5	37
102	Immobilization of the distal hinge in the labile serpin plasminogen activator inhibitor 1: identification of a transition state with distinct conformational and functional properties. <i>Journal of Biological Chemistry</i> , 2003 , 278, 23899-905	5.4	12
101	Structural properties of the protein SV-IV. 2004 , 271, 263-71		3
100	Combinatorial approaches to novel proteins. 2004 , 5, 177-82		11
99	Molecular basis of the constitutive activity and STI571 resistance of Asp816Val mutant KIT receptor tyrosine kinase. 2004 , 23, 139-52		45
98	[Hereditary pancreatitis]. 2004 , 27, 27-34		0
97	Modulation of the structural integrity of helix F in apomyoglobin by single amino acid replacements. <i>Protein Science</i> , 2004 , 13, 1572-85	6.3	27
96	Probing the high energy states in proteins by proteolysis. <i>Journal of Molecular Biology</i> , 2004 , 343, 1467-76	6.5	108
95	The importance of intrinsic disorder for protein phosphorylation. 2004 , 32, 1037-49		1043
94	Limited proteolysis in the investigation of beta2-microglobulin amyloidogenic and fibrillar states. 2005 , 1753, 44-50		33
93	Showing your ID: intrinsic disorder as an ID for recognition, regulation and cell signaling. 2005 , 18, 343-84		660
92	Deciphering structure and topology of conserved COG2042 orphan proteins. 2005 , 5, 3		6
91	Assessing protein disorder and induced folding. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 62, 24-45	4.2	347
90	Bioinformatics Methods for Microbial Detection and Forensic Diagnostic Design. 2005 , 313-353		
89	Random gene dissection: a tool for the investigation of protein structural organization. 2005 , 39, 395-402		1

88	Binding linkage in a telomere DNA-protein complex at the ends of <i>Oxytricha nova</i> chromosomes. <i>Journal of Molecular Biology</i> , 2005 , 350, 938-52	6.5	6
87	Analysis of the peanut agglutinin molten globule-like intermediate by limited proteolysis. 2005 , 1725, 283-9		5
86	Maturation efficiency, trypsin sensitivity, and optical properties of Arg96, Glu222, and Gly67 variants of green fluorescent protein. 2005 , 332, 657-63		60
85	Intracellular processing of the Sendai virus CRprotein leads to the generation of a Y protein module: structure-functional implications. 2005 , 579, 5685-90		4
84	Mechanism of interaction of PITPalph with membranes: conformational changes in the C-terminus associated with membrane binding. <i>Archives of Biochemistry and Biophysics</i> , 2005 , 444, 112-20	4.1	5
83	Nanotools for megaproblems: probing protein misfolding diseases using nanomedicine modus operandi. <i>Journal of Proteome Research</i> , 2006 , 5, 2505-22	5.6	24
82	Functionality and the Evolution of Marginal Stability in Proteins: Inferences from Lattice Simulations. <i>Evolutionary Bioinformatics</i> , 2006 , 2, 117693430600200	1.9	21
81	Structural characterization of pollen allergens. 2006 , 30, 73-95		10
80	Tumor shedding of laminin binding protein modulates angiostatin production in vitro and interferes with plasmin-derived inhibition of angiogenesis in aortic ring cultures. 2006 , 118, 2421-32		6
79	Streptococcal mitogenic exotoxin, SmeZ, is the most susceptible M1T1 streptococcal superantigen to degradation by the streptococcal cysteine protease, SpeB. <i>Journal of Biological Chemistry</i> , 2006 , 281, 35281-8	5.4	22
78	Antigen three-dimensional structure guides the processing and presentation of helper T-cell epitopes. 2007 , 44, 1159-68		39
77	Intrinsic disorder and functional proteomics. <i>Biophysical Journal</i> , 2007 , 92, 1439-56	2.9	571
76	On-plate digestion of proteins using novel trypsin-immobilized magnetic nanospheres for MALDI-TOF-MS analysis. <i>Proteomics</i> , 2007 , 7, 3661-71	4.8	34
75	Human pancreatic digestive enzymes. <i>Digestive Diseases and Sciences</i> , 2007 , 52, 1-17	4	303
74	Three dimensional structure directs T-cell epitope dominance associated with allergy. <i>Clinical and Molecular Allergy</i> , 2008 , 6, 9	3.7	6
73	Antigen structure influences helper T-cell epitope dominance in the human immune response to HIV envelope glycoprotein gp120. <i>European Journal of Immunology</i> , 2008 , 38, 1231-7	6.1	22
72	Limited proteolysis of bovine alpha-lactalbumin: isolation and characterization of protein domains. <i>Protein Science</i> , 1999 , 8, 2290-303	6.3	44
71	Site-specific modification and PEGylation of pharmaceutical proteins mediated by transglutaminase. <i>Advanced Drug Delivery Reviews</i> , 2008 , 60, 13-28	18.5	205

70	An immunogenic, surface-exposed domain of Haemophilus ducreyi outer membrane protein HgbA is involved in hemoglobin binding. <i>Infection and Immunity</i> , 2009 , 77, 3065-74	3.7	16
69	Constitutive mutations in the Escherichia coli AraC protein. <i>Journal of Bacteriology</i> , 2009 , 191, 2668-74	3.5	17
68	Order propensity of an intrinsically disordered protein, the cyclin-dependent-kinase inhibitor Sic1. <i>Proteins: Structure, Function and Bioinformatics</i> , 2009 , 76, 731-46	4.2	58
67	On the use of hydrogen/deuterium exchange mass spectrometry data to improve de novo protein structure prediction. <i>Rapid Communications in Mass Spectrometry</i> , 2009 , 23, 459-61	2.2	2
66	Compressing the free energy range of substructure stabilities in iso-1-cytochrome c. <i>Protein Science</i> , 2009 , 18, 1155-64	6.3	31
65	Comparison of protein fragments identified by limited proteolysis and by computational cutting of proteins. <i>Protein Science</i> , 2002 , 11, 1753-70	6.3	24
64	Intrinsic Disorder in Proteins Associated with Neurodegenerative Diseases. <i>Focus on Structural Biology</i> , 2009 , 21-75		6
63	Proteomics of Pyrococcus furiosus, a hyperthermophilic archaeon refractory to traditional methods. <i>Journal of Proteome Research</i> , 2009 , 8, 3844-51	5.6	19
62	Molecular insights into the interaction between alpha-synuclein and docosahexaenoic acid. <i>Journal of Molecular Biology</i> , 2009 , 394, 94-107	6.5	43
61	Detecting Disordered Regions in Proteins by Limited Proteolysis. 2010 , 569-626		7
60	Influence of disulfide-stabilized structure on the specificity of helper T-cell and antibody responses to HIV envelope glycoprotein gp120. <i>Journal of Virology</i> , 2010 , 84, 3303-11	6.6	18
59	Intermolecular interactions in a 44 kDa interferon-receptor complex detected by asymmetric reverse-protonation and two-dimensional NOESY. <i>Biochemistry</i> , 2010 , 49, 5117-33	3.2	19
58	Ligand-enhanced expression and in-cell assay of human peroxisome proliferator-activated receptor alpha ligand binding domain. <i>Protein Expression and Purification</i> , 2010 , 70, 260-9	2	7
57	Structural determinants of limited proteolysis. <i>Journal of Proteome Research</i> , 2011 , 10, 3642-51	5.6	44
56	Intrinsically Disordered Chaperones and Neurodegeneration. 2011 , 1-63		1
55	Flexible nets of malleable guardians: intrinsically disordered chaperones in neurodegenerative diseases. <i>Chemical Reviews</i> , 2011 , 111, 1134-66	68.1	59
54	Observation of intermolecular interactions in large protein complexes by 2D-double difference nuclear Overhauser enhancement spectroscopy: application to the 44 kDa interferon-receptor complex. <i>Journal of the American Chemical Society</i> , 2011 , 133, 14755-64	16.4	12
53	Extensive post-translational processing of potato tuber storage proteins and vacuolar targeting. <i>FEBS Journal</i> , 2011 , 278, 4070-87	5.7	20

52	Spatial structure peculiarities of influenza A virus matrix M1 protein in an acidic solution that simulates the internal lysosomal medium. <i>FEBS Journal</i> , 2011 , 278, 4905-16	5.7	22
51	Context-dependent resistance to proteolysis of intrinsically disordered proteins. <i>Protein Science</i> , 2011 , 20, 1285-97	6.3	56
50	Adaptive changes of pancreatic protease secretion to a short-term vegan diet: influence of reduced intake and modification of protein. <i>British Journal of Nutrition</i> , 2012 , 107, 272-6	3.6	8
49	High-throughput characterization of intrinsic disorder in proteins from the Protein Structure Initiative. <i>Journal of Structural Biology</i> , 2012 , 180, 201-15	3.4	31
48	3.9 Intrinsically Disordered Proteins. 2012 , 170-211		0
47	Identifying disordered regions in proteins by limited proteolysis. <i>Methods in Molecular Biology</i> , 2012 , 896, 297-318	1.4	31
46	Hydrogen exchange and proteolytic degradation of ribonuclease A. The local splitting of the native structure and the conformation of loop segments. <i>Biophysics (Russian Federation)</i> , 2012 , 57, 35-54	0.7	
45	Probing the 3-D structure, dynamics, and stability of bacterial collagenase collagen binding domain (apo- versus holo-) by limited proteolysis MALDI-TOF MS. <i>Journal of the American Society for Mass Spectrometry</i> , 2012 , 23, 505-19	3.5	12
44	Carrier protein influences immunodominance of a known epitope: implication in peptide vaccine design. <i>Vaccine</i> , 2013 , 31, 4682-8	4.1	8
43	Mass spectrometry methods for intrinsically disordered proteins. <i>Analyst, The</i> , 2013 , 138, 32-42	5	67
42	Structural and energetic determinants of tyrosylprotein sulfotransferase sulfation specificity. <i>Bioinformatics</i> , 2014 , 30, 2302-9	7.2	5
41	Structure of a partially unfolded form of Escherichia coli dihydrofolate reductase provides insight into its folding pathway. <i>Protein Science</i> , 2014 , 23, 1728-37	6.3	9
40	Sequence-derived structural features driving proteolytic processing. <i>Proteomics</i> , 2014 , 14, 42-50	4.8	14
39	Digestion of Enolase and Carbonic Anhydrase as Model Proteins for Therapeutic Proteins in Blood Plasma with Immobilized Thermolysin and Quantification of Some of the Peptides by LC/LCMS/MS. <i>Chromatographia</i> , 2014 , 77, 59-74	2.1	4
38	Influence of high hydrostatic pressure on epitope mapping of tobacco mosaic virus coat protein. <i>Viral Immunology</i> , 2014 , 27, 60-74	1.7	2
37	Rhoptry protein 6 from Toxoplasma gondii is an intrinsically disordered protein. <i>Protein Expression and Purification</i> , 2014 , 101, 146-51	2	1
36	Hepatitis B Virus Core Protein Phosphorylation Sites Affect Capsid Stability and Transient Exposure of the C-terminal Domain. <i>Journal of Biological Chemistry</i> , 2015 , 290, 28584-28593	5.4	46
35	Bioanalytical approaches to assess the proteolytic stability of therapeutic fusion proteins. <i>Bioanalysis</i> , 2015 , 7, 3035-51	2.1	20

34	Functional assessment of intrinsic disorder central domains of BRCA1. <i>Journal of Biomolecular Structure and Dynamics</i> , 2015 , 33, 2469-78	3.6	6
33	Biophysical Methods to Investigate Intrinsically Disordered Proteins: Avoiding an "Elephant and Blind Men" Situation. <i>Advances in Experimental Medicine and Biology</i> , 2015 , 870, 215-60	3.6	26
32	Relevance of Intrinsic Disorder in Protein Structure and Function. <i>SpringerBriefs in Biochemistry and Molecular Biology</i> , 2016 , 29-72		1
31	How disordered is my protein and what is its disorder for? A guide through the "dark side" of the protein universe. <i>Intrinsically Disordered Proteins</i> , 2016 , 4, e1259708		66
30	Protein Structural Analysis via Mass Spectrometry-Based Proteomics. <i>Advances in Experimental Medicine and Biology</i> , 2016 , 919, 397-431	3.6	21
29	Immunochemical evaluation of two <i>Toxoplasma gondii</i> GRA8 sequences to detect acute toxoplasmosis infection. <i>Microbial Pathogenesis</i> , 2016 , 100, 229-236	3.8	7
28	Hydrophobic Interactions Contribute to Conformational Stabilization of Endoglycoceramidase II by Mechanism-Based Probes. <i>Biochemistry</i> , 2016 , 55, 4823-35	3.2	6
27	An Acrobatic Substrate Metamorphosis Reveals a Requirement for Substrate Conformational Dynamics in Trypsin Proteolysis. <i>Journal of Biological Chemistry</i> , 2016 , 291, 26304-26319	5.4	17
26	Conformational dynamics is key to understanding loss-of-function of NQO1 cancer-associated polymorphisms and its correction by pharmacological ligands. <i>Scientific Reports</i> , 2016 , 6, 20331	4.9	29
25	Salt bridge as a gatekeeper against partial unfolding. <i>Protein Science</i> , 2016 , 25, 999-1009	6.3	4
24	Using a second-order differential model to fit data without baselines in protein isothermal chemical denaturation. <i>Protein Science</i> , 2016 , 25, 898-904	6.3	2
23	Highly efficient and easy protease-mediated protein purification. <i>Applied Microbiology and Biotechnology</i> , 2016 , 100, 1945-1953	5.7	3
22	CD4+ T-cell epitope prediction using antigen processing constraints. <i>Journal of Immunological Methods</i> , 2016 , 432, 72-81	2.5	13
21	Nonnative SOD1 trimer is toxic to motor neurons in a model of amyotrophic lateral sclerosis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016 , 113, 614-9	11.5	72
20	Modulation of procaspase-7 self-activation by PEST amino acid residues of the N-terminal prodomain and intersubunit linker. <i>Biochemistry and Cell Biology</i> , 2017 , 95, 634-643	3.6	
19	How to Predict Disorder in a Protein of Interest. <i>Methods in Molecular Biology</i> , 2017 , 1484, 137-158	1.4	11
18	Computational Modeling of Stapled Peptides toward a Treatment Strategy for CML and Broader Implications in the Design of Lengthy Peptide Therapeutics. <i>Journal of Physical Chemistry B</i> , 2018 , 122, 3864-3875	3.4	6
17	Degradation of recombinant proteins by Chinese hamster ovary host cell proteases is prevented by matriptase-1 knockout. <i>Biotechnology and Bioengineering</i> , 2018 , 115, 2530-2540	4.9	17

16	An arsenal of methods for the experimental characterization of intrinsically disordered proteins - How to choose and combine them?. <i>Archives of Biochemistry and Biophysics</i> , 2019 , 676, 108055	4.1	21
15	Computational analyses, molecular dynamics, and mutagenesis studies of unprocessed form of [NiFe] hydrogenase reveal the role of disorder for efficient enzyme maturation. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2019 , 1860, 325-340	4.6	4
14	Mineral Surfaces as Agents of Environmental Proteolysis: Mechanisms and Controls. <i>Environmental Science & Technology</i> , 2019 , 53, 3018-3026	10.3	9
13	Active Site Histidines Link Conformational Dynamics with Catalysis on Anti-Infective Target 1-Deoxy-d-xylulose 5-Phosphate Synthase. <i>Biochemistry</i> , 2019 , 58, 4970-4982	3.2	3
12	C-terminal tails mimicking bioactive intermediates cause different plasma degradation patterns and kinetics in neuropeptides [MSH, β MSH, and neurotensin. <i>Journal of Peptide Science</i> , 2020 , 26, e3279	2.1	
11	The Serpin-like Loop Insertion of Ovalbumin Increases the Stability and Decreases the OVA 323-339 Epitope Processing Efficiency. <i>Biochemistry</i> , 2021 , 60, 1578-1586	3.2	1
10	Prediction of intrinsic disorder and its use in functional proteomics. <i>Methods in Molecular Biology</i> , 2007 , 408, 69-92	1.4	32
9	Limited Proteolysis in the Study of Protein Conformation. 1999 , 253-280		7
8	From phosphorylase to phosphorylase kinase. <i>Advances in Second Messenger and Phosphoprotein Research</i> , 1997 , 31, 11-28		7
7	The Relationship of T-Cell Epitopes and Allergen Structure. 123-159		1
6	The crystal structure of the Leishmania infantum Silent Information Regulator 2 related protein 1: Implications to protein function and drug design. <i>PLoS ONE</i> , 2018 , 13, e0193602	3.7	11
5	Acute Pancreatitis: Mechanisms of Cell Injury [Genetics. 1999 , 3-13		0
4	Functionality and the evolution of marginal stability in proteins: inferences from lattice simulations. <i>Evolutionary Bioinformatics</i> , 2007 , 2, 91-101	1.9	14
3	The spectrum of building block conformers sustains the biophysical properties of clinically-oriented self-assembling protein nanoparticles. <i>Science China Materials</i> , 1	7.1	1
2	IGF-dependent dynamic modulation of a protease cleavage site in the intrinsically disordered linker domain of human IGFBP2.. <i>Proteins: Structure, Function and Bioinformatics</i> , 2022 ,	4.2	0
1	Methods for measuring structural disorder in proteins. 2023 , 149-198		0